1,2-DICHLOROETHANE 201

9. REFERENCES

ACGIH. 1986. Documentation of the threshold limit values and biological exposure indices. American Conference of Governmental Industrial Hygienists. Cincinnati, OH. 252-253.

ACGIH. 1998. Documentation of the threshold limit values and biological exposure indices. 6th Ed. American Conference of Governmental Industrial Hygienists. Cincinnati, OH.

*ACGIH. 2000. Documentation of the threshold limit values and biological exposure indices. American Conference of Governmental Industrial Hygienists. Cincinnati, OH.

*ADEC. 2000. Environmental conservation: Drinking water. Alaska Department of Environmental Conservation. http://www.state.ak.us/local/akpages/ENV.CONSERV/title18/aac80ndx.htm. December 12, 2000.

*ADEM. 2000. Hazardous waste program: Identification and listing of hazardous waste. Alabama Department of Environmental Management. Http://www.adem.state.al.us/RegsPermit/ADEMRegs/rules.html. December 20, 2000.

*Adinolfi M. 1985. The development of the human blood-CSF-brain barrier. Dev Med Child Neurol 27:532-537.

*Adlercreutz H. 1995. Phytoestrogens: Epidemiology and a possible role in cancer protection. Environ Health Perspect 101:103-112.

Adolph EF. 1949. Quantitative relations in the physiological constitutions of mammals. Science 109:579-585.

Agranovich BYA. 1948. Clinical treatment and pathology of toxicologic-chemical injuries of the liver in the case of industrial poisoning. Academies of Medical Science, 132-143.

Albaiges J, Casado F, Ventura F. 1986. Organic indicators of groundwater pollution by a sanitary landfill. Water Res 20:1153-1159.

- *Albano E, Poli G, Tomasi A, et al. 1984. Toxicity of 1,2-dibromoethane in isolated hepatocytes: Role of lipid peroxidation. Chem Biol Interact 50:255-265.
- *Altman PK, Dittmer DS. 1974. In: Biological handbooks: Biology data book. Vol. III, 2nd ed. Bethesda, MD: Federation of American Societies for Experimental Biology, 1987-2008, 2041.
- *Alumot E, Nachtomi E, Mandel E, et al. 1976. Tolerance and acceptable daily intake of chlorinated fumigants in the rat diet. Food Cosmet Toxicol 14:105-110.
- *Andelman JB. 1985. Inhalation exposure in the home to volatile organic contaminants of drinking water. Sci Total Environ 47:443-460.

^{*}Cited in text

- *Anders MW, Livesey JC. 1980. Metabolism of 1,2-dihaloethanes. In: Ames B, Infante P, Reitz R, eds. Ethylene dichloride: A potential health risk? Banbury report No. 5. Cold Spring Harbor, NY: Cold Spring Harbor Laboratory, 331-341.
- *Andersen ME, Kirshnan K. 1994. Relating in vitro to in vivo exposures with physiologically based tissue dosimetry and tissue response models. In: Salem H, ed. Animal test alternatives: Refinement, reduction, replacement. New York, NY: Marcel Dekker, Inc., 9-25.
- *Andersen ME, Clewell HJ 3rd, Gargas ML, et al. 1987. Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. Toxicol Appl Pharmacol 87:185-205.
- *Anonymous. 1998. Chemical profile: Ethylene dichloride. Chem Mark Rep. February 16, 1998.
- *Ansari AS, Singh SV, Gan JC, et al. 1987. Human erythrocyte glutathione S-transferase: A possible marker of chemical exposure. Toxicol Lett 37:57-62.
- *Ansari GAS, Gan JC, Barton BK. 1988a. *In-vitro* inactivation of plasma alpha-1 proteinase inhibitor by epoxides and 1,2 dihaloethanes. Arch Environ Contam Toxicol 17:537-542.
- *Ansari GAS, Gan JC, Barton BK. 1988b. Synergistic inactivation of plasma alpha inhibitor by aldehydes of cigarette smoke with styrene oxide and 1,2- dichloroethane. Arch Environ Contam Toxicol 17:533-536.
- *Aragno M, Tamagno E, Danni O, et al. 1992. *In vivo* studies on halogen compound interactions: III. Effects of carbon tetrachloride plus 1,2-dichloroethane on liver necrosis and fatty accumulation. Res Commun Chem Pathol Pharmacol 76:341-354.
- * Archer, WL. 1979. Chlorocarbons,-hydrocarbons(other). In: Grayson M, Eckroth D, ed. Kirk-Othmer encyclopedia of chemical technology. New York, NY: John Wiley & Sons, Inc., 724-725.
- *APCEC. 2000. Hazardous waste management: Regulation 23. Arkansas Pollution Control and Ecology Commission.
- *Armstrong MJ, Galloway SM. 1993. Micronuclei induced in peripheral blood of E mu-PIM-1 transgenic mice by chronic oral treatment with 2-acetylaminofluorene or benzene but not with diethylnitrosamine or 1,2-dichloroethane. Mutat Res 302:61-70.
- *Arnts RR, Seila RL, Bufalini JJ. 1989. Determination of room temperature OH rate constants for acetylene, ethylene dichloride, ethylene dibromide, p-dichlorobenzene, and carbon disulfide. J Air Pollut Contr Assoc 39:453-460.
- *Ashley DL, Bonin MA, Cardinali FL, et al. 1992. Determining volatile organic compounds in human blood from a large sample population by using purge and trap gas chromatography/mass spectrometry. Anal Chem 64:1021-1029.
- Ashley DL, Bonin MA, Cardinali FL, et al. 1994. Blood concentrations of volatile organic compounds in a nonoccupationally exposed U.S. population and in groups with suspected exposure. Clin Chem 40:1401-1404.
- Assmuth T, Kalevi K. 1992. Concentrations and toxicological significance of trace organic compounds in municipal solid waste landfill gas. Chemosphere 24:1207-1216.

- *Atkinson R. 1989. Kinetics and mechanisms of the gas-phase reactions of the hydroxyl radical with organic compounds. Journal of Physical and Chemical Reference Data. Monograph No. 1.
- Atlas E, Giam CS. 1981. Global transport of organic pollutants: Ambient concentrations in the remote marine atmosphere. Science 211:163-165.
- *ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles. Agency for Toxic Substances and Disease Registry, Atlanta, GA.
- *Austin SG, Schnatter AR. 1983a. A case-control study of chemical exposures and brain tumors in petrochemical workers. J Occup Med 25:313-320.
- *Austin SG, Schnatter AR. 1983b. A cohort mortality study of petrochemical workers. J Occup Med 25:304-312.
- *Baertsch A, Lutz WK, Schlatter C. 1991. Effect of inhalation exposure regimen on DNA binding potency of 1,2-dichloroethane in the rat. Arch Toxicol 65:169-176.
- *Ballering LA, Nivard MJ, Vogel EW. 1993. Characterization of the genotoxic action of three structurally related 1,2-dihaloalkanes in *Drosophila melanogaster*. Mutat Res 285:209-217.
- *Ballering LAP, Nivard MJM, Vogel EW. 1994. Mutation spectra of 1,2-dibromoethane, 1,2-dichloroethane and 1-bromo-1-chloroethane in excision repair proficient and repair deficient strains of *Drosophila melanogaster*. Carcinogenesis 15:869-875.
- *Banerjee S. 1988. DNA damage in rodent liver by 1,2-dichloroethane, a hepatocarcinogen. Cancer Biochem Biophys 10:165-173.
- *Banerjee S, Baughman GL. 1991. Bioconcentration factors and lipid solubility. Environ Sci Technol 25:536-539.
- *Banerjee S, Van Duuren BL. 1979. Binding of carcinogenic halogenated hydrocarbons to cell macromolecules. J Natl Cancer Inst 63:707-711.
- *Banerjee S, Van Duuren BL, Oruambo FI. 1980. Microsome-mediated covalent binding of 1,2-dichloroethane to lung microsomal protein and salmon sperm DNA. Cancer Res 40:2170-2173.
- *Barbash JE, Reinhard M. 1989. Abiotic dehalogenation of 1,2-dichloroethane and 1,2-dibromoethane in aqueous solution containing hydrogen sulfide. Environ Sci Technol 23:1349-1358.
- *Barbee GC. 1994. Fate of chlorinated aliphatic hydrocarbons in the vadose zone and ground water. Ground Water Monit Remed 14:129-140.
- *Barber ED, Donish WH, Mueller KR. 1981. A procedure for the quantitative measurement of the mutagenicity of volatile liquids in the Ames Salmonella/microsome assay. Mutat Res 90:31-48.
- Barber LB, Thurman EM, Schroeder MP, et al. 1988. Long-term fate of organic micropollutants in sewage-contaminated groundwater. Environ Sci Technol 22:205-211.

- *Barkley J, Bunch J, Bursey JT, et al. 1980. Gas chromatography mass spectrometry computer analysis of volatile halogenated hydrocarbons in man and his environment—A multimedia environmental study. Biomed Mass Spectrom 7:139-147.
- *Barnes DG, Dourson M. 1988. Reference dose (RfD) description and use in health risk assessments. Regul Toxicol Pharmacol 8:471-486.
- Bell J, Melcer H, Monteith H, et al. 1993. Stripping of volatile organic compounds at full-scale municipal wastewater treatment plants. Water Environ Res 65:708-716.
- *Benson LO, Teta MJ. 1993. Mortality due to pancreatic and lymphopoietic cancers in chlorohydrin production workers. Br J Ind Med 50:710-716.
- *Berger G. 1994. Epidemiology of endometriosis. In: Modern surgical management of endometriosis. New York, NY: Springer-Verlag.
- *Bianchi AP, Varney MS, Phillips J. 1991. Analysis of volatile organic compounds in estuarine sediments using dynamic headspace and gas chromatography-mass spectrometry. J Chromatogr 542:413-450.
- Bingham E, Lane JM. 1980. Actions and interactions. Vet Hum Toxicol 22:31-33.
- Bolla KI, Schwartz BS, Stewart W, et al. 1995. Comparison of neurobehavioral function in workers exposed to a mixture of organic and inorganic lead and in workers exposed to solvents. Am J Ind Med 27:231-246.
- Bond GG, Cook RR, Wight PC, et al. 1983. A case-control study of brain tumor mortality at a Texas chemical plant. J Occup Med 25:377-386.
- *Borisover MD, Graber ER. 1997. Specific interactions of organic compounds with soil organic carbon. Chemosphere 34:1761-1776.
- *Bosma TNP, van Aalst-van Leeuwen M, Geritse J, et al. 1998. Intrinsic dechlorination of 1,2-dichloroethane at an industrial site. In: Wickramanayake GB, Hinchee RE, eds. Natural attenuation: Chlorinated and recalcitrant compounds. Columbus, OH: Battelle Press, 7-11.
- *Bove FJ. 1996. Public drinking water contamination and birthweight, prematurity, fetal deaths, and birth defects. Toxicol Ind Health 12:255-266.
- *Bove FJ, Fulcomer MC, Klotz JB, et al. 1995. Public drinking water contamination and birth outcomes. Am J Epidemiol 141:850-862.
- Bowman A, Maibach HI. 1996. Influence of evaporation and repeated exposure on the percutaneous absorption of organic solvents. Curr Probl Dermatol 25:47-56.
- Brack W, Rottler H, Frank H. 1998. Volatile fractions of landfill leachates and their effect on *Chalmydomonas reinhardII*: In vivo chlorophyll a fluorescence. Environ Toxicol Chem 17:1982-1991.
- *Brem H, Stein AB, Rosenkranz HS. 1974. The mutagenicity and DNA-modifying effect of haloalkanes. Cancer Res 34:2576-2579.

Brennan RA, Nirmalakhandan N, Speece RE. 1998. Comparison of predictive methods for Henry's law coefficients of organic chemicals. Water Res 32:1901-1911.

*Brittebo EB, Kowalski B, Ghantous H, et al. 1989. Epithelial binding of 1,2-dichloroethane in mice. Toxicology 56:35-46.

*Brondeau GR, Bonnet P, Guenier JP, et al. 1983. Short-term inhalation test for evaluating industrial hepatotoxicants in rats. Toxicol Lett 19:139-146.

*Brosseau J, Heitz M. 1994. Trace gas compound emissions from municipal landfill sanitary sites. Atmos Environ 28:285-293.

*Brown HS, Bishop DR, Rowan CA. 1984. The role of skin absorption as a route of exposure for volatile organic compounds (VOCs) in drinking water. Am J Public Health 74:479-484.

Brown SK, Sim MR, Abramson MJ, et al. 1994. Concentrations of volatile organic compounds in indoor air—A review. Indoor Air 4:123-134.

Browning E. 1965. Dichloroethane. Toxicity and metabolism of industrial solvents. New York, NY: Elsevier Publishing Company, 251-252.

*Brüeggemann R, Trapp S, Matthies M. 1991. Behavior assessment of a volatile chemical in the Rhine River. Environ Toxicol Chem 10:1097-1104.

Bryzhin FF. 1945. [Pathomorphological changes of internal organs in connection with poisoning.] Farmakol Toksikol 8:43-49. (Russian)

Bucher J. 1992. Written communication (March 1992) from Dr. John Bucher, National Toxicology Program, Research Triangle Park, NC to Patricia Bittner, Clement International Corporation.

Budavari SS, ed. 1989. The Merck index: An encyclopedia of chemicals, drugs, and biologicals. 11th ed. Rahway, NJ: Merck and Co., Inc., 598.

*Budavari S, O'Neil MJ, Heckelman PE, et al. 1996. The Merck index. 12th ed. Whitehouse Station, NJ: Merck and Co., Inc., 646.

*Buijs W, van der Gen A, Mohn GR, et al. 1984. The direct mutagenic activity of alpha, omegadihalogenoalkanes in *Salmonella typhimurium*. Mutat Res 141:11-14.

Bunce NJ, Schneider UA. 1994. Chemical lifetimes of chlorinated aliphatic priority pollutants in the Canadian troposphere. J Photochem Photobiol A 81:93-101.

*Bundschuh I, Herbort C, Fels LM, et al. 1993. Renal fibronectin excretion as a marker for renal environmental toxins. Contrib Nephrol 101:177-184.

Burke DP. 1987. Chemical week buyers' guide issue 1988. Washington, DC: McGraw-Hill.

C & E News. 1983. Aerosols suffer another bad year. C & E News 61:6.

Cabbar C, Dogu G, Dogu T, et al. 1994. Analysis of diffusion and sorption of chlorinated hydrocarbons in soil by single-pellet moment technique. Environ Sci Technol 28:1312-1319.

Caldwell JC, Woodruff TJ, Morello-Frosch R, et al. 1998. Application of health information to hazardous air pollutants modeled in EPA's cumulative exposure project. Toxicol Ind Health 14:429-454.

*California. 2001. Chemical profile for 1,2-Dichloroethane, Health effects. CalEPA Air Resources Board Toxic Air Contaminant Summary. http://www.scorecard.org/chemical-p...mmary.tcl?edf substance id=107-06-2. January 12, 2001.

Campbell DM, Davidson RJL. 1970. Toxic haemolytic anaemia in pregnancy due to a pica for paradichlorobenzene. J Obstet Gynaecol Br Commonw 77:657-659.

*Canter LW, Sabatini DA. 1994. Contamination of public ground water supplies by superfund sites. Int J Environ Stud 46:35-57

*Capel PD, Larson SJ. 1995. A chemodynamic approach for estimating losses of target organic chemicals from water during sample holding time. Chemosphere 30:1097-1107.

Caprino L, Togna GI. 1998. Potential health effects of gasoline and its constituents: A review of current literature (1990-1997) on toxicological data. Environ Health Perspect 106:115-125.

Carpenter CP, Smyth HFJ, Pozzani VC. 1949. The assay of acute vapor toxicity, and the grading and interpretation of results on 96 chemical compounds. J Ind Hyg Toxicol 31:343-346.

*Casciola LAF, Ivanetich KM. 1984. Metabolism of chloroethanes by rat liver nuclear cytochrome P-450. Carcinogenesis (London) 5:543-548.

CDC. 1999a. Hawaii. Center for Disease Control and Prevention. http://search.cdc.gov/shd/search2.html. May 25, 1999.

*CDC. 1999b. Kansas. Center for Disease Control and Prevention. <u>Http://search.cdc.gov/shd/search2.html</u>. May 25, 1999.

*CDC/ATSDR. 1990. Biomarkers of organ damage or dysfunction for the renal, hepatobiliary and immune systems. Atlanta, GA: CDC/ATSDR Subcommittee on Biomarkers of Organ Damage and Dysfunction, Centers for Disease Control, Agency for Toxic Substances and Disease Registry. Summary report, August 27, 1990.

*CDEP. 2000a. Hazardous waste determinations. Connecticut Department of Environmental Protection. http://www.dep.state.ct.us/wst/proddisp/hwd.htm. December 12, 2000.

*CDEP. 2000b. Significant environmental hazard condition notification threshold concentrations, Reference table A. Connecticut Department of Environmental Protection. Http://search.state.ct.us/query.htm...=0&oq=&rq=0&qt=1%2C2-dichloroethane. December 12, 2000.

Cetnarowicz J. 1959. [Experimental and clinical studies on effects of dichloroethane.] Folia Med Cracov 1:169-192. (Polish)

*Chang HL, Alvarez-Cohen L. 1995. Transformation capacities of chlorinated organics by mixed cultures enriched on methane, propane, toluene, or phenol. Biotechnol Bioeng 45:440-449.

Chang HL, Alvarez-Cohen L. 1996. Biodegradation of individual and multiple chlorinated aliphatic hydrocarbons by methane-oxidizing cultures. Appl Environ Microbiol 62:3371-3377.

- Chaudhry GR, Chapalamadugu S. 1991. Biodegradation of halogenated organic compounds. Microbiol Rev 55:59-79.
- *Cheever KL, Cholakis JM, el-Hawari AM, et al. 1990. Ethylene dichloride: The influence of disulfiram or ethanol on oncogenicity, metabolism, and DNA covalent binding in rats. Fundam Appl Toxicol 14:243-261.
- *Cheh AM, Hooper AB, Skochdopole J, et al. 1980. A comparison of the ability of frog and rat S-9 to activate promutagens in the Ames test. Environ Mol Mutagen 2:487-508.
- *Chen C, Puhakka JA, Ferguson JF. 1996. Transformations of 1,1,2,2-tetrachloroethane under methanogenic conditions. Environ Sci Technol 30:542-547.
- *Cheng T-J, Huang M-L, You N-C, et al. 1999. Abnormal liver function in workers exposed to low levels of ethylene dichloride and vinyl chloride monomer. J Occup Environ Med 41(12):1128-1133.
- *Chiou CT, Freed VH, Peters LJ. 1980. Evaporation of solutes from water. Environ Inter 3:231-236.
- Christensen TH, Kjeldsen P, Albrechtsen HJ, et al. 1994. Attenuation of landfill leachate pollutants in aquifers. Crit Rev Environ Sci 24:119-202.
- *Clark RM, Goodrich JH, Deininger RA. 1986. Drinking water and cancer mortality. Sci Total Environ 53:153-172.
- *Class TH, Ballschmiter K. 1986. Chemistry of organic traces in air: VI. Distribution of chlorinated C1-C4 hydrocarbons in air over the northern and southern Atlantic Ocean. Chemosphere 15:413-427.
- Clegg ED, Cook JC, Chapin RE, et al. 1997. Leydig cell hyperplasia and adenoma formation: Mechanisms and relevance to humans. Reprod Toxicol 11:107-121.
- *Clewell HJ III, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. Toxicol Ind Health 1:111-113.
- *CMA. 1989. Written communication. Public comment on toxicological profile for 1,2-dichloroethane. Chemical Manufacturers Association, Washington, DC. June 1989.
- *Cmarik JL, Inskeep PB, Meredith MJ, et al. 1990. Selectivity of rat and human glutathione S-transferase in activation of ethylene dibromide by glutathione conjugation and DNA binding and induction of unscheduled DNA synthesis in human hepatocytes. Cancer Res 50:2747-2752.
- *Cohen MA, Ryan PB, Yanagisawa Y, et al. 1989. Indoor-outdoor measurements of volatile organic compounds in the Kanawha Valley of West Virginia USA. J Air Pollut Contr Assoc 39:1086-1093.
- *Cole RH, Frederick RE, Healy RP, et al. 1984. Preliminary findings of the Priority Pollutant Monitoring Project of the Nationwide Urban Runoff Program. J Water Pollut Control Fed 56:898-908.
- *Colorado. 2000. RMA information for health care providers. Rocky Mountain Arsenal Medical Monitoring Program. Http://www.cdphe.state.co.us/rma/hlthcare.htm. December 12, 2000.
- *Conkle JP, Camp BJ, Welch BE. 1975. Trace composition of human respiratory gas. Arch Environ Health 30:290-295.

*Corapcioglu MY, Hossain MA. 1990. Ground-water contamination by high-density immiscible hydrocarbon slugs in gravity-driven gravel aquifers. Ground Water 28:403-412.

Cottalasso D, Barisione G, Fontana L, et al. 1994. Impairment of lipoglycoprotein metabolism in rat liver cells induced by 1,2-dichloroethane. Occup Environ Med 51:281-285.

Cottalasso D, Bellocchio A, Norese R, et al. 2000. Effects of vitamin E on dolichol content of rats acutely treated with 1,2-dichloroethane. Toxicology 143:283-292.

Cox EE, McMaster M, Major DW, et al. 1998. Natural attenuation of 1,2-dichloroethane and chloroform in groundwater at a superfund site. In: Wickramanayake GB, Hinchee RE, eds. Natural attentuation: Chlorinated and recalcitrant compounds. Columbus, OH: Battelle Press, 309-314.

Crawford DW, Bonnevie NL, Wenning RJ. 1995. Sources of pollution and sediment contamination in Newark Bay, New Jersey. Ecotoxicol Environ Saf 30:85-100.

*Crebelli R, Carere A. 1988. Genotoxic activity of halogenated aliphatic hydrocarbons in *Aspergillus nidulans*. Occup Toxicol 8:437-442.

*Crebelli R, Benigni R, Franckic J, et al. 1988. Induction of chromosome malsegregation by halogenated organic solvents in *Aspergillus-nidulans* unspecific of specific mechanism Mutat Res 201:401-412.

*Crebelli R, Conti G, Conti L, et al. 1984. Induction of somatic segregation by halogenated aliphatic hydrocarbons in *Aspergillus nidulans*. Mutat Res 138:33-38.

*Crespi CL, Seixas GM, Turner TR, et al. 1985. Mutagenicity of 1,2-dichloroethane and 1,2-dibromoethane in two human lymphoblastoid cell lines. Mutat Res 142:133-140.

Crisp TM, Clegg ED, Cooper RL, et al. 1998. Environmental endocrine disruption: An effects assessment and analysis. Environ Health Perspect 106(Suppl. 1):11-56.

*Croen LA, Shaw GM, Sanbonmatsu L, et al. 1997. Maternal residential proximity to hazardous waste sites and risk for selected congenital malformations. Epidemiology 8(4):347-354.

Cronin MTD. 1996. Quantitative structure-activity relationship (QSAR) analysis of the acute sublethal neurotoxicity of solvents. Toxicol in Vitro 10:103-110.

Crume RV. 1991. The comparison of health risks between different environmental media at Superfund hazardous waste sites. Proc Ann Meet Air Waste Manage Assoc 84:91/109.4.

Dacre JC. 1994. Hazard evaluation of army compounds in the environment. Drug Metab Rev 26:649-662.

*Daft J. 1987. Determining multifumigants in whole grains and legumes, milled and low-fat grain products, spices, citrus fruit, and beverages. J Assoc Off Anal Chem 70:734-739.

*Daft JL. 1988. Rapid determination of fumigant and industrial chemical residues in food. J Assoc Off Anal Chem 71:748-760.

*Daft JL. 1989. Determination of fumigants and related chemicals in fatty and nonfatty foods. J Agric Food Chem 37:560-564.

*Daft JL. 1991. Fumigants and related chemicals in foods: Review of residue findings, contamination sources, and analytical methods. Sci Tot Environ 100:501-518.

*Daniel FB, Robinson M, Olson GR, et al. 1994. Ten and ninety-day toxicity studies of 1,2-dichloroethane in Sprague-Dawley rats. Drug Chem Toxicol 17:463-477.

*Danni O, Aragno M, Tamagno E, et al. 1992. *In vivo* studies on halogen compound interactions: IV. Interaction among different halogen derivatives with and without synergistic action on liver toxicity. Res Commun Chem Pathol Pharmacol 76:355-366.

*Daubert TE, Danner RP, Sibul HM, et al. 1989. Physical and thermodynamic properties of pure chemicals: Data compilation. Washington, DC: Taylor & Francis.

Davidson IWF, Sumner DD, Parker JC. 1982. Ethylene dichloride: A review of its metabolism, mutagenic and carcinogenic potential. Drug Chem Toxicol 5(4):319-388.

Davies P, Landy M. 1998. Suxamethonium and mivacurium sensitivity from pregnancy-induced plasma cholinesterase deficiency. Anaesthesia 53:1109-1116.

*Dawes VJ, Waldock MJ. 1994. Measurement of volatile organic compounds at UK national monitoring plan stations. Mar Pollut Bull 28:291-298.

Dawson BV, Johnson PD, Goldberg SJ, et al. 1990. Cardiac teratogenesis of trichloroethylene and dichloroethylene in a mammalian model. J Am Coll Cardiol 16:1304-1309.

*Dawson BV, Johnson PD, Goldberg SJ, et al. 1993. Cardiac teratogenesis of halogenated hydrocarbon-contaminated drinking water. J Am Coll Cardiol 21:1466-1472.

Dayal H, Gupta S, Trieff N, et al. 1995. Symptom clusters in a community with chronic exposure to chemicals in two superfund sites. Arch Environ Health 50:108-111.

DeJongh J, Verhaar HJM, Hermens JLM. 1998. Role of kinetics in acute lethality of nonreactive volatile organic compounds (VOCS). Toxicol Sci 45:26-32.

Dekant W, Vamvakas S. 1993. Glutathione-dependent bioactivation of xenobiotics. Xenobiotica 23:873-887.

DeLeon IR, Byrne CJ, Perler EA, et al. 1986. Trace organic and heavy metal pollutants in the Mississippi River. Chemosphere 15:795-805.

*DeMarini DM, Brooks HG. 1992. Induction of prophage lambda by chlorinated organics: Detection of some single-species/single-site carcinogens. Environ Mol Mutagen 19:98-111.

Dempsey CR. 1993. A comparison of organic emissions from hazardous waste incinerators versus the 1990 toxic release inventory air releases. J Air Waste Manage Assoc 43:1374-1379.

- De Rooij BM, Commandeur JNM, Vermeulen NPE. 1998. Mercapturic acids as biomarkers of exposure to electrophilic chemicals: Applications to environmental and industrial chemicals. Biomarkers 3:239-303.
- Dewulf J, Van Langenhove H. 1997. Chlorinated C_1 and C_2 -hydrocarbons and monocyclic aromatic hydrocarbons in marine waters: An overview on fate processes, sampling, analysis, and measurements. Water Res 31:1825-1838.
- *Dilling WL. 1977. Interphase transfer processes: II. Evaporation rates of chloromethanes, ethanes, ethylenes, propanes, and propylenes from dilute aqueous solutions: Comparisons with theoretical predictions. Environ Sci Technol 11:405-409.
- *Dilling WL, Tefertiller NB, Kallos GJ. 1975. Evaporation rates and reactivities of methylene chloride, chloroform, 1,1,1-trichloroethane, trichloroethylene, tetrachloroethylene, and other chlorinated compounds in dilute aqueous solutions. Environ Sci Technol 9:833-838.
- *Doherty AT, Ellard S, Parry EM, et al. 1996. An investigation into the activation and deactivation of chlorinated hydrocarbons to genotoxins in metabolically competent human cells. Mutagenesis 11:247-274.
- *DOT. 2001. List of hazardous substances and reportable quantities. U.S. Department of Transportation. Code of Federal Regulations. 49 CFR 172.101, Appendix A. http://www.dot.gov/safety.html. May 02, 2001.
- Dow Chemical Company. 1989a. Comparison of the acute lethality of selected hydrocarbons via intratracheal and oral routes. Final report. Dow Chemical Company, Midland, MI. OTS0520615.
- *Dow Chemical Company. 1989b. Written communication. Public comment on toxicological profile for 1,2-dichloroethane. Dow Chemical Company, Midland, MI. June 1989.
- *Driss MR, Bouguerra ML. 1991. Analysis of volatile organic compounds in water by purge-and-trap and gas chromatography techniques. Int J Environ Anal Chem 45:193-204.
- *D'Souza RW, Francis WR, Andersen ME. 1988. Physiological model for tissue glutathione depletion and increased resynthesis after ethylene dichloride exposure. J Pharm Exp Therap 245:563-568.
- *D'Souza R, Francis WR, Bruce RD, et al. 1987. Physiologically based pharmacokinetic model for ethylene dichloride and its application in risk assessment. In: Pharmacokinetics in risk assessment: Drinking water and health. Washington, DC: National Research Council, 8:286-301.
- *Easley DM, Kleopfer RD, Carasea AM. 1981. Gas chromatographic-mass spectrometric determination of volatile organic compounds in fish. J Assoc Off Anal Chem 64:653-656.
- Eisenreich SJ, Looney BB, Thornton JD. 1981. Airborne organic contaminants in the Great Lakes ecosystem. Environ Sci Technol 15:30-38.
- Eitzer BD. 1995. Emissions of volatile organic chemicals from municipal solid waste composting facilities. Environ Sci Technol 29:896-902.
- *Ellenhorn MJ. 1997. The hydrocarbon products. In: Ellenhorn MJ, ed. Ellenhorn's medical toxicology: Diagnosis and treatment of human poisoning. Baltimore, MD: Williams & Wilkins, 1437-1438.

*Ellenhorn MJ, Barceloux DG. 1988. Hydrocarbon products. In: Ellenhorn MJ, Barceloux DG, ed. Ellenhorn's medical toxicology: Diagnosis and treatment of human poisoning. New York, NY: Elsevier Science Publishing Company, Inc., 976-977.

EPA. 1975. Report on the problem of halogenated air pollutants and stratospheric ozone. Washington, DC: U.S. Environmental Protection Agency. EPA 600/9-75-008.

*EPA. 1977a. Monitoring to detect previously unrecognized pollutants in surface water. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances. EPA 560/6-77-015.

EPA. 1977b. Review of the environmental fate of selected chemicals. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances. EPA 560/5-77-003.

EPA. 1979a. Source assessment: Chlorinated hydrocarbon manufacture. Washington, DC: U.S. Environmental Protection Agency. EPA 66/2-70-019g.

EPA. 1979b. Investigations of selected environmental pollutants: 1,2-Dichloroethane. Washington, DC: U.S. Environmental Protection Agency. EPA 560/2-78-006.

EPA. 1979c. Criteria and standards for the National Pollutant Discharge Elimination System. Environmental Protection Agency. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 125.

EPA. 1979d. Assessment of human exposures to ethylene dichloride. Research Triangle Park, NC: Office of Air Quality Planning and Standards, U.S. Environmental Protection Agency. EPA contract No. 68-02-2845.

*EPA. 1980a. Acquisition and chemical analysis of mother's milk for selected toxic substances. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticides and Toxic Substances. EPA 560/13-80-029.

EPA. 1980b. Ambient water quality criteria for chlorinated ethanes. Washington, DC: U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Criteria and Standards Division. EPA 440/5-80-029.

EPA. 1980c. Fate of toxic and hazardous materials in the air environment. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development, Environmental Sciences Research Laboratory. EPA 600/3-80-084.

EPA. 1980d. Guidelines and methodology used in the preparation of health effect assessment chapters of the consent decree water criteria documents. U.S. Environmental Protection Agency. Federal Register 45:79347-79357.

EPA. 1980e. TSCA section 8(e). Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances. Status report No. 8EHQ-0979-484.

EPA. 1980f. Discarded commercial chemical products, off-specification species, container residues, and spill residues thereof. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.33(f).

- *EPA. 1981. Aquatic fate process data for organic priority pollutants. Report to Office of Water Regulations and Standards, U.S. Environmental Protection Agency. EPA 440/4-81-014.
- *EPA. 1982a. Direct measurement of volatile organic compounds in breathing-zone air, drinking water, breath, blood, and urine. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development. NTIS PB82-186545. EPA 600/4-82-015.
- *EPA. 1982b. Test methods for organic chemical analysis of municipal and environmental wastewater. Cincinnati, OH: Monitoring and Support Laboratories, U.S. Environmental Protection Agency. EPA 600/4-82-057.
- EPA. 1983. General permits. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 122.28.
- EPA. 1984a. Survey of ethylene dichloride emission sources. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards. EPA 450/3-84-018.
- EPA. 1984b. Health effects assessment for 1,2-dichloroethane. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Criteria and Assessment Office. EPA 540/1-86-002.
- *EPA. 1984c. Methods of organic chemical analysis of municipal and industrial wastewater. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 136—Appendix A.
- *EPA. 1985a. Health assessment document for 1,2-dichloroethane. Final report. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. EPA 600/8-84-006F.
- EPA. 1985b. Designation of hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4.
- EPA. 1985c. National primary drinking water regulations: Volatile synthetic organic chemicals. Environmental Protection Agency. Federal Register 50:46880-46901.
- EPA. 1985d. Superfund public health evaluation manual. Washington, DC: U.S. Environmental Protection Agency, Office of Emergency and Remedial Response. EPA 540/1-86-060.
- EPA. 1985e. Health advisory for 1,2-dichloroethane. Draft. Washington, DC: U.S. Environmental Protection Agency, Office of Drinking Water.
- EPA. 1985f. Quantification of toxicological effects of 1,2-dichloroethane. Washington, DC: Office of Drinking Water, U.S. Environmental Protection Agency. PB86-118080/AS.
- *EPA. 1985g. Synthetic organic compound sampling survey of public water supplies. Washington, DC: U.S. Environmental Protection Agency. PB 85 214427/AS.
- *EPA. 1986a. Contract Laboratory Program—attachment A: Statement of work for organics analysis. Washington, DC: U.S. Environmental Protection Agency.
- EPA. 1986b. General pretreatment regulations for existing and new sources of pollution. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 403.

- EPA. 1986c. Hazardous constituents. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261—Appendix VIII.
- EPA. 1986d. Inventory Reporting Regulations. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 710.
- *EPA. 1987a. Toxic chemical release reporting: Community right-to-know. U.S. Environmental Protection Agency. Federal Register 52:21152-21208.
- EPA. 1987b. National primary drinking water regulations. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.
- EPA. 1987c. Health advisory for 1,2-dichloroethane. Washington, DC: Office of Drinking Water, U.S. Environmental Protection Agency.
- *EPA. 1987d. Atmospheric persistence of eight air toxics: Project summary. Research Triangle Park, NC: U.S. Environmental Protection Agency, Atmospheric Sciences Research Laboratory. EPA-600/83-87/004.
- EPA. 1988a. Contract Laboratory Program Database. Washington, DC: U.S. Environmental Protection Agency.
- *EPA. 1988b. National ambient volatile organic compounds (VOCs) database update. Washington, DC: U.S. Environmental Protection Agency. EPA/600/3-88/010.
- *EPA. 1988c. National Priorities Listing Technical Database. National Priorities Listing. Washington, DC: U.S. Environmental Protection Agency.
- EPA. 1989a. Designation of hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4.
- *EPA. 1989b. Interaction between water pollutants: Quantitative electron microscopy of hepatic morphological changes induced by 1,2-dichloroethane (DCE) and 1,1,-dichloroethylene (VDC). Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development, Health Effects Research Laboratory. PB89-214126.
- EPA. 1989c. Reportable quantity adjustments: Delisting of ammonium thiosulfate. U.S. Environmental Protection Agency. Federal Register. 40 CFR Parts 116,117, and 302. Vol 54:155.
- *EPA. 1989d. Interim methods for development of inhalation reference concentrations. Washington, DC: Office of Research and Development, U.S. Environmental Protection Agency. EPA/600/8-90/066F.
- *EPA. 1991c. 1990 Urban air toxics monitoring program. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards, Office of Air and Radiation. EPA 450/4-91-024.
- *EPA. 1992a. Superfund record of decision (EPA region 1). Darling Hill dump, Lyndon, VT. (First remedial action), June 1992. U.S. Environmental Protection Agency, Office of Emergency and Remedial Response. PB93-963702.

- *EPA. 1992b. Superfund record of decision: Pacific Coast pipeline, CA. U.S. Environmental Protection Agency, Office of Emergency and Remedial Response. PB93-964502.
- *EPA. 1992c. Superfund record of decision (EPA region 5). Clare water supply site, Clare County, Clare, MI. (Second remedial action), September 1992. U.S. Environmental Protection Agency, Office of Emergency and Remedial Response. PB93-964106.
- *EPA. 1993. A literature review of atmospheric transformation products of clean air act title III hazardous air pollutants. Research Triangle Park, NC: U.S. Environmental Protection Agency. EPA/600/R-94/088.
- *EPA. 1996. Drinking water regulations and health advisories. Washington DC: U.S. Environmental Protection Agency, Office of Water. EPA 822-B-96-002.
- *EPA. 1997. Special report on environmental endocrine disruption: An effects assessment and analysis. EPA/630/R-96/012.
- *EPA. 1998a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4.
- *EPA. 1998b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.65.
- *EPA. 1998c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 264.
- *EPA. 1998d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 116.4.
- *EPA. 1998e. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.61.
- *EPA. 1998f. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.50.
- *EPA. 1998g. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 61.01.
- *EPA. 1998h. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.
- *EPA. 1999a. National Recommended Water Quality Criteria—Correction. U.S. Environmental Protection Agency, Office of Water. EPA 822-Z-99-001.
- EPA. 1999b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4. Http://www.access.gpo.gov/nara/cfr/cfr-table-search.html. January 15, 2001.
- EPA. 1999c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.65. http://www.access.gpo.gov/nara/cfr/cfr-table-search.html. January 15, 2001.
- EPA. 1999d. Compendium of methods for the determination of toxic organic compounds in ambient air second edition. U.S. Environmental Protection Agency, Office of Research and Development. EPA/625/R-96/010b.
- *EPA. 2000. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.33. http://www.access.gpo.gov/nara/cfr/cfr-table-search.html. January 15, 2001.

- *EPA. 2001a. Drinking water and health: National primary drinking water regulations. U.S. Environmental Protection Agency. http://www.epa.gov/OGWDW/dwh/c-voc/12-dichl.html. January 12, 2001.
- *EPA. 2001b. 1,2-Dichloroethane (Ethylene Dichloride): Hazard summary. U.S. Environmental Protection Agency. http://www.epa.gov/ttn/uatw/hlthef/di-ethan.html. January 12, 2001.
- *EPA. 2001c. Chemical information rules. Chemical lists and reporting periods. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 712.30. http://ecfrback.access.gpo.gov/otcgi/cfr/otfilter.cgi...TI&QUERY=74990&RGN=BSECCT&SUBSET=SUBSET&FROM=1&ITEM=1. May 03, 2001.
- *EPA. 2001d. Community right-to-know. Toxic chemical release reporting. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.65. http://ecfrback.access.gpo.gov/otcgi/cfr...3&RGN=BSECCT&SUBSET=SUBSET&FROM=1&ITEM=1. May 03, 2001.
- *EPA. 2001e. Health and environmental protection standards at uranium and thorium mill tailings. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 192, Appendix I. http://ecfrback.access.gpo.gov/otcgi/cfr...2&RGN=BAPPCT&SUBSET=SUBSET&FROM=1&ITEM=1. May 03, 2001.
- *EPA. 2001f. Groundwater monitoring list. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 264, Appendix IX. http://ecfrback.access.gpo.gov/otcgi/cfr/otfilter.cgi...nd&QUERY=51143&&RGN=BAPPCT&SUBSET=SUBSET&FROM=1&ITEM=1. May 03, 2001.
- *EPA. 2001g. National primary drinking water regulations. Drinking water standard. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.32. http://ecfrback.access.gpo.gov/otcgi/cfr...8&RGN=BSECCT&SUBSET=SUBSET&FROM=1&ITEM=1. May 03, 2001.
- *EPA. 2001h. National primary drinking water regulations. Maximum contaminant level goals for organic contaminants. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.50.
- Http://ecfrback.access.gpo.gov/otcgi/cfr...8&RGN=BSECCT&SUBSET&FROM=1&ITEM=1. May 03, 2001.
- *EPA. 2001i. National primary drinking water regulations. Maximum contaminant levels for organic contaminants. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.61. http://ecfrback.access.gpo.gov/otcgi/cfr...TI&QUERY=13712&RGN=BSECCT&SUBSET=SUBSET&FROM=1&ITEM=1. May 03, 2001.
- *EPA. 2001j. Superfund. Designation of hazardous substance. Reportable quantity. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4. http://ecfrback.access.gpo.gov/otcgi/cfr/otfilter.cgi...I&QUERY=439160&RGN=BSECCT&SUBSET=SUBSET&FROM=1&ITEM=1. May 03, 2001.

- *EPA. 2001k. Risk specific doses. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 266, Appendix V.
- Http://ecfrback.access.gpo.gov/otcgi/cfr/otfilter.cgi...and&QUERY=9974&RGN=BAPPCT&SUBSET=S UBSET&FROM=1&ITEM=1. May 02, 2001.
- *EPA. 20011. Toxic Substances Control Act (TSCA). Health and Safety Data Reporting. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 716.120. http://ecfrback.access.gpo.gov/otcgi/cfr/otfilter.cgi...I&QUERY=173296&RGN=BSECCT&SUBSET=S UBSET&FROM=1&ITEM=1. May 02, 2001.
- *EPA. 2001m. Water pollution. Designation of hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 116.4. http://ecfrback.access.gpo.gov/otcgi/cf...=BAPPCT&SUBSET=SUBSET&FROM=1&ITEM=1. May 03, 2001.
- *EPA. 2001n. Water programs. Determination of reportable quantity. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 117.3. http://ecfrback.access.gpo.gov/otcgi/cfr...8&RGN=BSECCT&SUBSET=SUBSET&FROM=1&ITEM=1. May 03, 2001.
- Eriksson L, Sjostrom M, Berglind R, et al. 1993. Multivariate biological profiling of the subacute effects of halogenated aliphatic hydrocarbons. J Environ Sci Health Part A A28:1123-1144.
- *Erve JCL, Deinzer ML, Reed DJ. 1996. Reaction of human hemoglobin toward the alkylating agent S-(2-chloroethyl)glutathione. J Toxicol Environ Health 49:127-143.
- Evans RT, Wroe JM. 1980. Plasma cholinesterase changes during pregnancy. Anaesthesia 35:651-654.
- Evans GF, Lumpkin TA, Smith DL, et al. 1992. Measurements of VOCs from the TAMS network. J Air Waste Manage Assoc 42:1319-1323.
- *Fabricant JD, Chalmers Jr JH. 1980. Evidence of the mutagenicity of ethylene dichloride and structurally related compounds. In: Ames BN, Infante P, Reitz R, eds. Ethylene dichloride: A potential health risk? Banbury report No. 5. Cold Spring Harbor, NY: Cold Spring Harbor Laboratory, 309-329.
- *Farrington JW. 1991. Biogeochemical processes governing exposure of organic pollutant compounds in aquatic organisms. Environ Health Perspect 90:75-84.
- Fattore E, Muller LL, Davoli E, et al. 1998. Industrial pollutants in ground waters from northern Milan. Chemosphere 36:2007-2017.
- *FDA. 1998a. Food and Drug Administration. Code of Federal Regulations. 21 CFR 165.110.
- *FDA. 1998b. Food and Drug Administration. Code of Federal Regulations. 21 CFR 573.440.
- *FDA. 1999a. Food and Drug Administration. Code of Federal Regulations. 21 CFR 173.230.
- *FDA. 1999b. Food and Drug Administration. Code of Federal Regulations. 21 CFR 172.710.
- *FDA. 1999c. Food and Drug Administration. Code of Federal Regulations. 21 CFR 177.1580.

- *FDA. 1999d. Food and Drug Administration. Code of Federal Regulations. 21 CFR 173.315.
- *FDA. 1999e. Food and Drug Administration. Code of Federal Regulations. 21 CFR 175.105.
- *FDA. 2000a. Food and Drug Administration. Code of Federal Regulations. 21 CFR 173.230. http://www.access.gpo.gov/nara/cfr/cfr-table-search.html. January 16, 2001.
- *FDA. 2000b. Food and Drug Administration. Code of Federal Regulations. 21 CFR 172.710. <u>Http://www.access.gpo.gov/nara/cfr/cfr-table-search.html</u>. January 16, 2001.
- *FDA. 2000c. Food and Drug Administration. Code of Federal Regulations. 21 CFR 177.1580. Http://www.access.gpo.gov/nara/cfr/cfr-table-search.html. January 16, 2001.
- *FDA. 2000d. Food and Drug Administration. Code of Federal Regulations. 21 CFR 165.110. http://www.access.gpo.gov/nara/cfr/cfr-table-search.html. January 16, 2001.
- *FDA. 2000e. Food and Drug Administration. Code of Federal Regulations. 21 CFR 573.440. <u>Http://www.access.gpo.gov/nara/cfr/cfr-table-search.html</u>. January 16, 2001.
- *FDA. 2000f. Food and Drug Administration. Code of Federal Regulations. 21 CFR 173.315. http://www.access.gpo.gov/nara/cfr/cfr-table-search.html. January 16, 2001.
- *FDA. 2000g. Food and Drug Administration. Code of Federal Regulations. 21 CFR 175.105. http://www.access.gpo.gov/nara/cfr/cfr-table-search.html. January 16, 2001.
- *FEDRIP. 1999. Federal Research in Progress.
- *Ferreri AM, Rocchi P, Capucci A, et al. 1983. Induction of diphtheria toxin-resistant mutants in human cells by halogenated compounds. Cancer Res and Clin Oncol 105:111-112.
- Ferreiro JA, Consuegra S, Sierra LM, et al. 1997. Is the *White-ivory* assay of *Drosophila melanogaster* a useful tool in genetic toxicology. Environ Mol Mutagen 29:406-417.
- Fishbein L. 1980. Production, uses, and environmental fate of ethylene dichloride and ethylene dibromide. In: Ames BN, Infante P, Reitz R, eds. Ethylene dichloride: A potential health risk? Banbury report No. 5. Cold Spring Harbor, NY: Cold Spring Harbor Laboratory, 227-238.
- Flowtow E. 1952. Poisoning due to chlorinated hydrocarbon compounds, particularly 1,2-dichloroethane. Chemical Technology 6:253-254.
- *Fomon SJ. 1966. Body composition of the infant. Part I: The male reference infant. In: Falkner F, ed. Human Development. Philadelphia, PA: WB Saunders, 239-246.
- *Fomon SJ, Haschke F, Ziegler EE, et al. 1982. Body composition of reference children from birth to age 10 years. Am J Clin Nutr 35:1169-1175.
- *Först C, Stieglitz L, Roth W, et al. 1989. Quantitative analysis of volatile organic compounds in landfill leachates. Int J Environ Anal Chem 37:287-293.
- *Fossett NG, Byrne BJ, Tucker AB, et al. 1995. Mutation spectrum of 2-chloroethyl methanesulfonate in *Drosophila melanogaster* premeiotic germ cells. Mutat Res 331:213-224.

- Frantik E, Hornychova M, Horvath M. 1994. Relative acute neurotoxicity of solvents: Isoeffective air concentrations of 48 compounds evaluated in rats and mice. Environ Res 66:173-185.
- Freiria-Gandara MJ, Lorenzo-Ferreira RA, Alvarez-Devesa A, et al. 1992. Occurrence of halogenated hydrocarbons in the water supply of different cities of Calicia (Spain). Environ Technol 13:437-447.
- *FSTRAC. 1999a. Summary of state and federal drinking water standards and guidelines. Washington, DC: U.S. Environmental Protection Agency, Federal-State Toxicology and Regulatory Alliance Committee. February 1990. Http://www.epa.gov/ostwater/fstrac/states.html. May 20, 1999.
- *FSTRAC. 1999b. Federal-State Toxicology and Risk Analysis Committee. U.S. Environmental Protection Agency, Office of Water. May 20, 1999. http://www.epa.gov/ostwater/fstrac/states.html. May 20, 1999.
- FSTRAC. 1999c. South Dakota. Federal-State Toxicology and Risk Analysis Committee. U.S. Environmental Protection Agency, Office of Water. May 20, 1999. http://www.epa.gov/ostwater/fstrac/states.html.
- *Fusillo TV, Hochreiter Jr HJ, Lord DG. 1985. Distribution of volatile organic compounds in a New Jersey coastal plain aquifer system. U.S. Geological Survey 23:354-360.
- *Garcia C, Tiedra PG, Ruano A, et al. 1992. Evaluation of the liquid-liquid extraction technique and application to the determination of volatile halo-organic compounds in chlorinated water. J Chromatogr 605:251-255.
- *Gargas ML, Burgess RJ, Voisard DE, et al. 1989. Partition coefficients of low-molecular-weight volatile chemicals in various liquids and tissues. Toxicol Appl Pharmacol 98:87-99.
- Gargas ML, Medinsky MA, Andersen ME. 1995. Pharmacokinetic modeling approaches for describing the uptake, systemic distribution, and disposition of inhaled chemicals. Crit Rev Toxicol 25:237-254.
- *Garrison SC, Leadingham RS. 1954. A fatal case of ethylene dichloride poisoning in an occupational therapy department of a neuropsychiatric hospital. Am J Phys Med 33:230-237.
- *GDNR. 2000. Georgia instream water quality standards for all waters: Toxic substances. Georgia Department of Natural Resources. http://www.ganet.org/dnr/environ/plans/chatt-Pdf/chatt-b.pdf. December 12, 2000.
- *Giri AK, Hee SSQ. 1988. *In-vivo* sister chromatid exchange induced by 1,2-dichloroethane on bone marrow cells of mice. Environ Mol Mutagen 12:331-334.
- *Giwercman A, Carlsen E, Keiding N, et al. 1993. Evidence for increasing incidence of abnormalities of the human testis: A review. Environ Health Perspect Suppl 101:65-71.
- *Gocke E, Wild D, Eckhardt K, et al. 1983. Mutagenicity studies with the mouse spot test. Mutat Res 117:201-212.
- *Gold LS. 1980. Human exposures to ethylene dichloride. In: Ames BN, Infante P, Reitz R, eds. Ethylene dichloride: A potential health risk? Banbury report No. 5. Cold Spring Harbor, NY: Cold Spring Harbor Laboratory, 209-225.

*Goldberg MS, Al-Homsi N, Goulet L, et al. 1995. Incidence of cancer among persons living near a municipal solid waste landfill site in Montreal, Quebec. Arch Environ Health 50:416-424.

*Goldberg SJ, Lebowitz MD, Graver EJ, et al. 1990. An association of human congenital cardiac malformations and drinking water contaminants. J Am Coll Cardiol 16:155-164.

Goldstein JA, Faletto MB. 1993. Advances in mechanisms of activation and deactivation of environmental chemicals. Environ Health Perspect 100:169-176.

Gonzalez FJ, Gelboin HV. 1994. Role of human cytochromes P450 in the metabolic activation of chemical carcinogens and toxins. Drug Metab Rev 26:165-183.

Goss KU. 1997. Conceptual model for the adsorption of organic compounds from the gas phase to liquid and solid surfaces. Environ Sci Technol 31:3600-3605.

Grayson M, ed. 1985. Kirk-Othmer encyclopedia of chemical technology. New York, NY: John Wiley & Sons, 724-725.

Greenwald P, Friedlander BR, Lawrence CE, et al. 1981. Diagnostic sensitivity bias: An epidemiologic explanation for an apparent brain tumor excess. J Occup Med 23:690-694.

Griesemer RA, Eustis SL. 1994. Gender differences in animal bioassays for carcinogenicity. J Occup Med 36:855-859.

*Grimsrud EP, Rasmussen RA. 1975. Survey and analysis of halocarbons in the atmosphere by gas chromatography-mass spectrometry. Atmos Environ 9:1014-1017.

Guengerich FP. 1994. Metabolism and genotoxicity of dihaloalkanes. Adv Pharmacol 27:211-236.

Guengerich FP. 1997. Mechanism of mutagenicity of DNA adducts derived from alkyl and vinyl halides. Japanese Journal of Toxicology and Environmental Health 43:69-82.

*Guengerich FP, Kim DH, Iwasaki M. 1991. Role of human cytochrome P-450 IIEI in the oxidation of many low molecular weight cancer suspects. Chem Res Toxicol 4:168-179.

*Guengerich FP, Crawford WM, Domoradzki JY, et al. 1980. *In vitro* activation of 1,2-dichloroethane by microsomal and cytosolic enzyme. Toxicol Appl Pharmacol 55:303-317.

Guyton AC. 1947. Measurement of the respiratory volumes of laboratory animals. Am J Physiol 150:70-77.

*Guzelian PS, Henry CJ, Olin SS. 1992. Similarities and differences between children and adults: Implications for risk assessment. Washington, DC: International Life Sciences Institute Press.

Haddad LM, Winchester JF. 1990. Clinical management of poisoning and drug overdose. 2nd ed. Philadelphia, PA: W.B. Saunders Company, Harcourt Brace Jovanovich, Inc.

Hallowell M. 1959. Acute haemolytic anaemia following the ingestion of para-dichlorobenzene. Arch Dis Child 34(173):74-75.

- Hansch C, Leo A. 1979. Substituent constants for correlation analysis in chemistry and biology. New York, NY: John Wiley & Sons.
- *Hansch C, Leo A, Hoekman D, et al. 1995. Exploring QSAR: Hydrophobic, electronic, and steric constants. Washington, DC: American Chemical Society 4.
- *Hansen J. 2000. Elevated risk for male breast cancer after occupational exposure to gasoline and vehicular combustion products. Am J Ind Med 37:349-352.
- *Hawaii Department of Health. 1997. Hawaii administrative rules: Rules relating to potable water systems. Http://mano.icsd.hawaii.gov/doh/rules/ei1120.html. December 12, 2000.
- *Hayes FD, Short RD, Gibson JE. 1973. Differential toxicity of monochloroacetate, monofluoroacetate and monoiodoacetate in rats. Toxicol Appl Pharmacol 26:93-102.
- HazDat. 1999. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta, GA.
- *HazDat. 2000. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta, GA.
- *Heavner DL, Morgan WT, Ogden MW. 1995. Determination of volatile organic compounds and its apportionment in 49 homes. Environ Int 21:3-21.
- *Heavner DL, Morgan WT, Ogden MW. 1996. Determination of volatile organic compounds and respirable suspended particulate matter in New Jersey and Pennsylvania homes and workplaces. Environ Int 22:159-183.
- Heavner DL, Ogden MW, Nelson PR. 1992. Multisorbent thermal desorption/gas chromatography/mass selective detection method for the determination of target volatile organic compounds in indoor air. Environ Sci Technol 26:1737-1746.
- *Heikes DL. 1987. Purge and trap method for determination of volatile hydrocarbons and carbon disulfide in table-ready foods. J Assoc Off Anal Chem 70:215-277.
- *Heikes DL, Hopper HL. 1986. Purge and trap method for determination of fumigants in whole grains, milled grain products, and intermediate grain-based foods. J Assoc Off Anal Chem 69:990-998.
- *Heikes DL, Jensen SR, Fleming-Jones ME. 1995. Purge and trap extraction with GC-MS determination of volatile organic compounds in table-ready foods. J Agric Food Chem 43:2869-2875.
- Heindel JJ, Chapin RE, George J, et al. 1995. Assessment of reproductive toxicity of a complex mixture of 25 groundwater contaminants in mice and rats. Fundam Appl Toxicol 25:9-19.
- *Hellman B, Brandt I. 1986. Effects of carcinogenic halogenated aliphatic hydrocarbons on [3H]thymidine incorporation into various organs of the mouse: A comparison between 1,2-dibromoethane and 1,2-dichloroethane. Mutat Res 163:193-199.
- *Hemminki K, Falck K, Vainio H. 1980. Comparison of alkylation rates and mutagenicity of directly acting industrial and laboratory chemicals: Epoxides, glycidyl ethers, methylating and ethylating agents, halogenated hydrocarbons, hydrazine derivatives, aldehydes, thiouram and dithiocarbamate derivatives. Arch Toxicol 46:277-285.

- *Henson JM, Yates MV, Cochran JW, et al. 1988. Microbial removal of halogenated methanes, ethanes, and ethylenes in an aerobic soil exposed to methane. FEMS Microbiol Ecol 53:193-20.
- *Heppel LA, Neal PA, Perrin TL, et al. 1945. The toxicology of 1,2 dichloroethane (ethylene): III. Its acute toxicity and the effect of protective agents. J Pharmacol Exp Ther 84:53-63.
- *Heppel LA, Neal PA, Perrin TL, et al. 1946. The toxicology of 1,2-dichloroethane (ethylene dichloride): V. The effects of daily inhalations. J Ind Hyg Toxicol 28:113-120.
- *Heppel LA, Porterfield VT, Sharpless NE. 1947. Toxicology of 1,2-dichloroethane (ethylene dichloride): IV. Its detoxication by L-cystine, DL-methionine and certain other sulphur containing compounds. J Pharmacol Exp Ther 91:385-394.
- Hertz CD, Hudson CW, Bardsley AR, et al. 1992. Verification of method detection limits for organic compounds in drinking water. Proc Water Qual Technol Conf 1:647-665.
- Hertzberg RC, Rice G, Teuschler LK. 1999. Methods for health risk assessment of combustion mixtures. In: Roberts S, Teaf C, Bean J, eds. Hazardous waste incineration: Evaluating the human health and environmental risks. Boca Raton, FL: CRC Press LLC, 105-148.
- *Hiatt MH. 1981. Analysis of fish and sediment for volatile priority pollutants. Anal Chem 53:1541-1543.
- Hiatt MH. 1983. Determination of volatile organic compounds in fish samples by vacuum distillation and fused silica capillary gas chromatography/mass spectrometry. Anal Chem 55:506-516.
- *Hoel DG, Davis DL, Miller AB, et al. 1992. Trends in cancer mortality in 15 industrialized countries, 1969-1986. J Natl Cancer Inst 84:313-320.
- Hofmann HT, Birnsteil H, Jobst P. 1971. [The inhalation toxicities of von 1,1- and 1,2-dichloroethane.] Arch Toxikol 27:248-265. (German)
- *Hogstedt C, Rohlen O, Berndtsson BS, et al. 1979. A cohort study of mortality and cancer incidence in ethylene oxide production workers. Br J Ind Med 36:276-280.
- Hogue C Jr, Brewster MA. 1991. The potential of exposure biomarkers in epidemiologic studies of reproductive health. Environ Health Perspect 90:261-270.
- *Holliger C, Schraa G, Stams AJM, et al. 1990. Reductive dechlorination of 1,2-dichloroethane and chloroethane by cell suspensions of methanogenic bacterial. Biodegradation 1:253-261.
- Hooper K, Gold LS, Ames BN. 1980. The carcinogenic potency of ethylene dichloride in two animal bioassays: A comparison of inhalation and gavage studies. In: Ames BN, Infante P, Reitz R, eds. Ethylene dichloride: A potential health risk? Banbury report No. 5. Cold Spring Harbor, NY: Cold Spring Harbor Laboratory, 65-80.
- Hotz P. 1994. Occupational hydrocarbon exposure and chronic nephropathy. Toxicology 90:163-283.
- Hovorka S, Dohnal V. 1997. Determination of air-water partitioning of volatile halogenated hydrocarbons by the inert gas stripping method. J Chem Eng Data 42:924-933.

- Howard CJ, Evenson KM. 1976. Rate constants for the reactions of OH with ethane and some halogen substituted ethanes at 296K. J Chem Phys 64:4303-4306.
- *Hoyt SD, Smith VL. 1991. Measurement of toxic organic compounds in ambient air using EPA method TO-14. Capillary Chromatogr 83-94.
- HSDB. 1993. Hazardous Substances Data Bank. National Library of Medicine, Toxicology Information Program, Bethesda, MD. May 1993.
- HSDB. 1999. 1,2-Dichloroethane. Hazardous Substances Data Bank. National Library of Medicine, National Toxicology Information Program, Bethesda, MD. June 24, 1999.
- *HSDB. 2001. 1,2-Dichloroethane. Hazardous Substances Data Bank. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- *Hsu JP, Miller G, Moran VI. 1991. Analytical method for determination of trace organics in gas samples collected by canister. J Chromatogr Sci 29:83-88.
- Huang J, Onal I, Senkan SM. 1997. Formation of trace byproducts in the premixed flames of CH₃Cl/C₂H₄. Environ Sci Technol 31:1372-1381.
- *Hubbs RS, Prusmack JJ. 1955. Ethylene dichloride poisoning. JAMA 159(7):673-675.
- *Hueper WC, Smith C. 1935. Fatal ethylene dichloride [sic] poisoning. Am J Med Sci 189:778-784.
- *Humphreys WG, Kim DH, Cmarik JL, et al. 1990. Comparison of the DNA-alkylating properties and mutagenic responses of a series of *S*-(2-haloethyl)-substituted cysteine and glutathione derivatives. Biochemistry 29:10342-10350.
- *IARC. 1979. IARC monographs on the evaluation of carcinogenic risks to humans. Vol. 20: 1,2-Dichloroethane. Lyon, France: World Health Organization, International Agency for Research on Cancer, 249-448.
- IARC. 1987. IARC monographs on the evaluation of carcinogenic risks to humans. Overall evaluations of carcinogenicity: An upgrading of IARC monographs, volumes 1-42. Lyon, France: World Health Organization, International Agency for Research on Cancer, Suppl. 7, 62.
- *IARC. 2001. Overall evaluations of carcinogenicity to humans (as evaluated in IARC monographs 1-77). Lyon, France: World Health Organization, International Agency for Research on Cancer. http://193.51.164.11/monoeval/crthall.html. (Last updated 9 August 2000).
- *Igwe OJ, Que Hee SS, Wagner WD. 1986a. Interaction between 1,2-dichloroethane and disulfiram: I. Toxicological effects. Fund Appl Toxicol 6:733-746.
- *Igwe OJ, Que Hee SS, Wagner WD. 1986b. Interaction between 1,2-dichloroethane and tetraethylthiuram disulfide (disulphiram): II. Hepatotoxic manifestations with possible mechanisms of action. Toxicol Appl Pharmacol 86:286-297.
- *Igwe OJ, Que Hee SS, Wagner WD. 1988. Urinary thioether biological monitoring in the interaction between 1,2-dichloroethane and disulfiram in Sprague-Dawley rats. Am Ind Hyg Assoc J 49:10-16.

- *Inskeep PB, Koga N, Cmarik JL, et al. 1986. Covalent binding of 1,2-dihaloalkanes to DNA and stability of the major DNA adduct, S-[2-(N7-guanyl)ethyl]glutathione. Cancer Res 46:2839-2844.
- IRIS. 1992. Integrated Risk Information System. U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office. Cincinnati, OH.
- IRIS. 1999. 1,2-Dichloroethane. Integrated Risk Information System, U.S. Environmental Protection Agency. April 19, 1999.
- *IRIS. 2001. 1,2-Dichloroethane. Integrated Risk Information System, U.S. Environmental Protection Agency.
- *Isacson P, Bean JA, Splinter R, et al. 1985. Drinking water and cancer incidence in Iowa: III. Association of cancer with indices of contamination. Am J Epidemiol 121:856-869.
- Jacobziner H, Raybin HW. 1961. Ethylene dichloride poisoning. Arch Pediatr 78:490-495.
- Jaeger RJ. 1979. Time-related variation of non-protein sulfhydryl concentrations in rat tissues and human blood. Int Arch Occup Environ Health 42:141-148.
- *Jaeger RJ, Conolly RB, Murphy SD. 1974. Effect of 18 hour fast and glutathione depletion on 1,1-dichloroethylene-induced hepatotoxicity and lethality in rats. Exp Mol Pathol 20:187-198.
- *Jafvert CT, Wolfe NL. 1987. Degradation of selected halogenated ethanes in anoxic sediment-water systems. Environ Toxicol Chem 6:827-837.
- *Jakobson I, Wahlberg JE, Holmberg B, et al. 1982. Uptake via the blood and elimination of 10 organic solvents following epicutaneous exposure of anesthetized guinea pigs. Toxicol Appl Pharmacol 63:181-187.
- *Janssen DB, Scheper A, Witholt B. 1984. Biodegradation of 2-chloroethanol and 1,2-dichloroethane by pure bacterial cultures. In: Houwink EH, van der Meer RR, eds. Innovations in biotechnology. Amsterdam, The Netherlands: Elsevier Science Publishers, 169-178.
- Jay K, Stieglitz L. 1995. Identification and quantification of volatile organic components in emissions of waste incineration plants. Chemosphere 30:1249-1260.
- *Jean PA, Reed DJ. 1989. *In vitro* dipeptide, nucleoside, and glutathione alkylation by S-(2-chloroethyl) glutathione and S-(2-chloroethyl)-L-cysteine. Chem Res Toxicol 2:455-460.
- Jean PA, Reed DJ. 1992. Utilization of glutathione during 1,2-dichloroethane metabolism in rat hepatocytes. Chem Res Toxicol 5:286-391.
- *Jeffers PM, Ward LM, Woytowitch LM, et al. 1989. Homogenous hydrolysis rate constants for selected chlorinated methanes, ethanes, ethenes, and propanes. Environ Sci Technol 23:965-969.
- *Jeng CY, Chen DH, Yaws CL. 1992. Data compilation for soil sorption coefficient. Pollut Eng 24:54-60.
- *Jenssen D, Ramel C. 1980. The micronucleus test as part of a short-term mutagenicity test program for the prediction of carcinogenicity evaluated by 143 agents tested. Mutat Res 75:191-202.

*Johanson CE. 1980. Permeability and vascularity of the developing brain: Cerebellum vs cerebral cortex. Brain Res 190:3-16.

*Johansson I, Ekstrom G, Scholte B, et al. 1988. Ethanol-fasting- and acetone-inducible cytochromes P-450 in rat liver: Regulation and characteristics of enzymes belonging to the IIB and IIE gene subfamilies. Biochemistry 27:1925-1934.

Johnson BL. 1995. Nature, extent, and impact of superfund hazardous waste sites. Chemosphere 31:2415-2428.

Johnson MK. 1966. Studies on glutathione S-alkyltransferase of the rat. Biochem J 98:44-56.

*Johnson MK. 1967. Metabolism of chloroethanol in the rat. Biochem Pharmacol 16:185-199.

Jones TD. 1995. Toxicological potency of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin relative to 100 other compounds: A relative potency analysis of *in vitro* and *in vivo* test data. Arch Environ Contam Toxicol 29:77-85.

*Jonsson A, Berg S. 1980. Determination of 1,2-dibromoethane, 1,2- dichloroethane, and benzene in ambient air using porous polymer traps and gas chromatographic-mass spectrometric analysis with selected ion monitoring. J Chromatogr 190:97-106.

*Jury WA, Russo D, Streile G, et al. 1990. Evaluation of volatilization by organic chemicals residing below the soil surface. Water Res 26:13-20.

Jury WA, Russo D, Streile G, et al. 1992. Evaluation of volatilization by organic chemicals residing below the soil surface. Water Resour Res 28:607-608.

*Juttner F. 1986. Analysis of organic compounds (VOC) in the forest air of the southern Black Forest. Chemosphere 15:985-992.

Kadry AM, Skowronski GA, Abdel-Rahman MS. 1995. Evaluation of the use of uncertainty factors in deriving RfDs for some chlorinated compounds. J Toxicol Environ Health 45:83-95.

Kaira FM. 1966. [Alimentary oral dichloroethane poisoning.] Klin Med Mosk 44:143-146. (Russian)

*Kanada M, Miyagawa M, Sato M, et al. 1994. Neurochemical profile of effects of 28 neurotoxic chemicals on the central nervous system in rats (1): Effects of oral administration on brain contents of biogenic amines and metabolites. Ind Health 32:145-164.

*Kanada T, Uyeta M. 1978. Mutagenicity screening of organic solvents in microbial systems. Mutat Res 54:215.

*Kavlock R, Chernoff N, Carver B, et al. 1979. Teratology studies in mice exposed to municipal drinking-water concentrates during organogenesis. Food Cosmet Toxicol 17:343-347.

Kawata K, Tanabe A, Saito S, et al. 1997. Screening of volatile organic compounds in river sediment. Bull Environ Contam Toxicol 58:893-900.

- Keith LH, Garrison AW, Allen FR, et al. 1976. Identification of organic compounds in drinking water from thirteen U.S. cities. In: Keith LH, ed. Identification and analysis of organic pollutants in water. Ann Arbor, MI: Ann Arbor Science Publishers, Inc., 329-373.
- *Kellam RG, Dusetzina MG. 1980. Human exposure to ethylene dichloride: Potential for regulation via EPA's proposed airborne carcinogen policy. In: Ames BN, Infante P, Reitz R, eds. Ethylene dichloride: A potential health risk? Banbury report No. 5. Cold Spring Harbor, NY: Cold Spring Harbor Laboratory, 265-274.
- *Kelley M, Magar VS, Hoeppel R, et al. 1998. Intrinsic remediation of chlorinated hydrocarbons in co-contaminated groundwater plumes at the naval air station Fallon, Nevada. In: Wickramanayake GB, Hinchee RE, ed. Natural attenuation: Chlorinated and recalcitrant compounds. Columbus, OH: Battelle Press, 315-320.
- *Kelly TJ, Mukund R, Spicer CW, et al. 1994. Concentrations and transformations of hazardous air pollutants. Environ Sci Technol 28:378A-387A.
- Kern H, Kirshen NA. 1992. The automatic analysis of volatile organic compounds in air. Spec Publ Royal Soc Chem 108:210-212.
- Kernan GJ, Ji B-T, Dosemeci M, et al. 1999. Occupational risk factors for pancreatic cancer: A case-control study based on death certificates from 24 U.S. states. Am J Ind Med 36:260-270.
- Kenaga EE. 1980. Predicted bioconcentration factors and soil sorption coefficients of pesticides and other chemicals. Ecotoxicol Environ Safety 4:26-38.
- *Kessels H, Hoogerwerf W, Lips J. 1992. The determination of volatile organic compounds from EPA method 524.2 using purge and trap capillary gas chromatography, ECD, and FID detection. Analysis 20:M55-M60.
- Kilburn KH, Warshaw RH. 1995. Neurotoxic effects from residential exposure to chemicals from an oil reprocessing facility and superfund site. Neurotoxicol Teratol 17:89-102.
- *Kim DH, Guengerich FP. 1989. Excretion of the mercapturic acid S-[2-N⁷-guanyl) ethyl]-N-acetyl cysteine in urine following administration of ethylene dibromide to rats. Cancer Res 49:5843-5847.
- Kim DH, Guengerich FP. 1990. Formation of the DNA adduct S-[2-(N⁷-guanyl)ethyl]glutathione from ethylene dibromide: Effects of modulation for glutathione and glutathione S-transferase levels and lack of role for sulfation. Carcinogenesis 11:419-424.
- *King MT, Beikirch H, Eckhardt K, et al. 1979. Mutagenicity studies with X-ray-contrast media, analgesics, antipyretics, antirheumatics and some other pharmaceutical drugs in bacterial, *Drosophila* and mammalian test systems. Mutat Res 66:33-43.
- *Kirshen N, Almasi E. 1992. The automated determination of volatile organic contaminant in ambient air and/or soil gas by gas chromatography with selected detectors. ASTM Spec Tech Publ 1075:39-55
- *Kitchin KT, Brown JL. 1994. Dose-response relationship for rat liver DNA damage caused by 49 rodent carcinogens. Toxicology 88:31-49.

*Klaunig JE, Ruch RJ, Pereira MA. 1986. Carcinogenicity of chlorinated methane and ethane compounds administered in drinking water to mice. Environ Health Perspect 69:89-95.

*Komori M, Nishio K, Kitada M, et al. 1990. Fetus-specific expression of a form of cytochrome P-450 in human liver. Biochemistry 29:4430-4433.

Kookana RS, Rogers SL. 1995. Effects of pulp mill effluent disposal on soil. Rev Environ Contam Toxicol 142:13-64.

Kozik I. 1957. [Problems of occupational hygiene in the use of dichloroethane in the aviation industry.] Gig Tr Prof Zabol 1:31-38. (Russian)

*Kramers PGN, Mout HCA, Bissumbhar B, et al. 1991. Inhalation exposure in drosophila mutagenesis assays: Experiments with aliphatic halogenated hydrocarbons, with emphasis on the genetic activity profile of 1,2-dichloroethane. Mutat Res 252:17-33.

*Krill RM, Sonzogni WC. 1986. Chemical monitoring of Wisconsin's groundwater. J Am Water Works Assoc (September):70-75.

*Krishnan K, Andersen ME, Clewell H 3rd, et al. 1994. Physiologically based pharmacokinetic modeling of chemical mixtures. In: Yang R, ed. Toxicology of chemical mixtures. New York, NY: Academic Press, 399-437.

*Kronevi T, Wahlberg JE, Holmberg B. 1981. Skin pathology following epicutaneous exposure to seven organic solvents. Int J Tissue React 3:21-30.

*Kuhn EP, Sulfita JM. 1989. Dehalogenation of pesticides by anaerobic microorganisms in soils and groundwater: A review. In: Reactions and movement of organic chemicals in soils. SSSA Special Publ 22:111-180.

Kuhne R, Ebert RU, Kleint F, et al. 1995. Group contribution methods to estimate water solubility of organic chemicals. Chemosphere 30:2061-2077.

Kuo HW, Chiang TF, Lo II, et al. 1997a. Exposure assessment of volatile organic compounds from water in Taiwan metropolitan and petrochemical areas. Bull Environ Contam Toxicol 59:708-714.

Kuo HW, Chiang TF, Lo II, et al. 1997b. VOC concentration in Taiwan's household drinking water. Sci Total Environ 208:41-47.

Kurashov OV, Trotsevich VA. 1991. Hemosorption in the combined treatment of acute 1,2-dichloroethane poisonings. Vrach Delo 5:38-40.

Kurashow OV, Trotsevich VA. 1992. [Acetylcystene in the complex treatment of patients with acute 1,2-dichloroethane poisoning.] Vrach Delo 10:109-111.

Kuwabara T, Quevedo AR, Cogan DG. 1968. An experimental study of dichloroethane poisoning. Arch Ophthalmol 79:321-330.

Lam RHF, Brown JP, Fan AM, et al. 1994a. Chemicals in California drinking water: Source contaminants, risk assessment, risk management, and regulatory standards. J Hazard Mater 39:173-192.

- *Lam RHF, Brown JP, Fan AM. 1994b. Chemicals in California drinking water: Source of contamination, risk assessment, and drinking water standards. In: Wang RGM, ed. Water contamination and health: Integration of exposure assessment, toxicology, and risk assessment. New York, NY: Marcel Dekker, Inc., 15-44.
- *Lane RW, Riddle BL, Borzelleca JF. 1982. Effects of 1,2-dichloroethane and 1,1,1-trichloroethane in drinking water on reproduction and development in mice. Toxicol Appl Pharmacol 63:409-421.
- *Lanzarone NA, McCarty PL. 1990. Column studies of methanotrophic degradation of trichloroethene and 1,2-dichloroethane. Ground Water 28:910-919.
- *LaRegina J, Bozzelli JW, Harbov R, et al. 1986. Volatile organic compounds at hazardous waste sites and a sanitary landfill in New Jersey. Environmental Progress 5(1):18-27.
- *Lee MD, Mazierski PF, Buchanan RJ, et al. 1995. Intrinsic in situ anaerobic biodegradation of chlorinated solvents at an industrial landfill. In: Hinchee RE, ed. Intrinsic bioremediation. Columbus, OH: Battelle Press, 205-222.
- *Leeder JS, Kearns GL. 1997. Pharmcogenetics in pediatrics: Implications for practice. Pediatr Clin North Amer 44:55-77.
- Leisinger T. 1996. Biodegradation of chlorinated aliphatic compounds. Curr Opin Biotechnol 7:295-300.
- *Lesage S, Jackson RE, Priddle MW, et al. 1990. Occurrence and fate of organic solvent residues in anoxic groundwater at the Gloucester Landfill, Canada. Environ Sci Technol 24:559-566.
- *Leung H-W. 1993. Physiologically-based pharmacokinetic modelling. In: Ballentine B, Marro T, Turner P, eds. General and applied toxicology. New York, NY: Stockton Press, 153-164.
- Levaggi DA, Siu W. 1991. Gaseous toxics monitoring in the San Francisco Bay area: A review and assessment of four years of data. Proc Annu Meet Air Waste Manage Assoc 84:91/78.12.
- *Lewis RJ. 1993. Ethylene dichloride. In: Lewis RJ, ed. Hawley's condensed chemical dictionary. New York, NY: Van Nostrand Reinhold Company, 487.
- Li KM, Cheng WT. 1991. The occupational exposure level of 1,2-dichloroethane in an EM preparation laboratory. J R Soc Health 111:169.
- *Lide DR. 1998. CRC handbook of chemistry and physics: A ready-reference book of chemical and physical data. 79th ed. Boca Raton, FL: CRC Press.
- Lindgaard-Jorgensen P, Bender K. 1994. Review of environmental accidents and incidents. Water Sci Technol 29:165-172.
- *Livesey JC, Anders MW. 1979. *In vitro* metabolism of 1,2-dihaloethanes to ethylene. Drug Metab Dispos 7:199-203.
- *Livingston, AL. 1978. Forage Plant Estrogens. J Toxicol Environ Health 4:301-324.

- *Lochhead HB, Close HP. 1951. Ethylene dichloride plastic cement: A case of fatal poisoning. J Am Med Assoc 146:1323.
- *Lock EA. 1989. Mechanism of nephrotoxic action due to organohalogenated compounds. Toxicol Lett 46:93-106.
- Loew GH, Rebagliati M, Poulsen M. 1984. Metabolism and relative carcinogenic potency of chloroethanes: A quantum chemical structure-activity study. Cancer Biochem Biophys 7:109-132.
- *Loffler FE, Champine JE, Ritalahti KM, et al. 1997. Complete reductive dechlorination of 1,2-dichloropropane by anaerobic bacteria. Appl Environ Microbiol 63:2870-2875.
- *Lorah MM, Olsen LD. 1999. Degradation of 1,1,2,2-tetrachloroethane in a freshwater tidal wetland: Field and laboratory evidence. Environ Sci Technol 33:227-234.
- Luster MI, Rosenthal GJ. 1993. Chemical agents and the immune response. Environ Health Perspect 100:219-236.
- *Luster MI, Munson AE, Thomas PT, et al. 1988. Methods evaluation: Development of a testing battery to assess chemical-induced immunotoxicity: National toxicology program's guidelines for immunotoxicity evaluation in mice. Fundam Appl Toxicol 10:2-19.
- *Maltoni C, Valgimigli L, Scarnato C. 1980. Long-term carcinogenic bioassays on ethylene dichloride administered by inhalation to rats and mice. In: Ames BN, Infante P, Reitz R, eds. Ethylene dichloride: A potential health risk? Banbury report No. 5. Cold Spring Harbor, NY: Cold Spring Harbor Laboratory, 3-33.
- *Martin G, Knorpp K, Huth K, et al. 1969. Clinical features, pathogenesis and management of dichloroethane poisoning. Germ Med Mon 14:62-67.
- Mathison BH, Harman AE, Bogdanffy MS. 1997. DNA damage in the nasal passageway: A literature review. Mutat Res 380:77-96.
- *Matsushima T, Nagano K, Nishizawa T, et al. 1998. Long term inhalation toxicity studies of five chlorinated hydrocarbons in F344 rats and BDF1 mice. J Toxicol Sci 23(Suppl. II):296.
- Mayer GJ, Cheng IS, Pau P, et al. 1994. Emissions of air toxics from wastewater treatment plants. Water Environ Res 66:140-144.
- *Mayr U, Butsch A and Schneider S. 1992. Validation of two *in vitro* test systems for estrogenic activities with zearalenone, phytoestrogens and cereal extracts. Toxicology 74:135-149.
- *McCarty LP, Flannagan DC, Randall SA, et al. 1992. Acute toxicity in rats of chlorinated hydrocarbons given via the intratracheal route. Hum Exp Toxicol 11:173-177.
- *McClenny WA, Pleil JD, Evans GF, et al. 1991. Canister-based method for monitoring toxic VOCs in ambient air. J Air Waste Manage Assoc 41:1308-1318.
- *McCollister DD, Hollingsworth RL, Oyen F, et al. 1956. Comparative inhalation toxicity of fumigant mixtures: Individual and joint effect of ethylene dichloride, carbon tetrachloride, and ethylene dibromide. Arch Ind Health 13:1-7.

*McDonald TJ, Kennicutt MC, Brooks JM, et al. 1988. Volatile organic compounds at a coastal Gulf of Mexico site. Chemosphere 17:123-136.

McGeorge LJ, Krietzman SJ, Dupuy CJ, et al. 1992. National survey of drinking water standards and guidelines for chemical contaminants. Am Water Works Assoc J 84:72-76.

*McNally WD, Fostvedt G. 1941. Ethylene dichloride: Poisoning. Ind Med 10(9):373-374.

Michael LC, Pellizzari ED, Norwood DL. 1991. Application of the master analytical scheme to the determination of volatile organics in wastewater influents and effluents. Environ Sci Technol 25:150-155.

*Milman HA, Story DL, Riccio ES, et al. 1988. Rat liver foci and *in-vitro* assays to detect initiating and promoting effects of chlorinated ethanes and ethylenes. In: Maltoni C, Selikoff IJ, eds. Annals of the New York Academy of Sciences. Living in a chemical world: Occupational and Environmental Significance of Industrial Carcinogens International Conference, Bologna, Italy, October 6-10, 1985. U.S. Environmental Protection Agency 534:521-530.

*Mitoma C, Steeger T, Jackson SE, et al. 1985. Metabolic disposition study of chlorinated hydrocarbons in rats and mice. Drug Chem Toxicol 8:183-194.

*Miyahara M, Toyoda M, Ushijima K, et al. 1995. Volatile halogenated hydrocarbons in foods. J Agric Food Chem 43:320-326.

*Miyamoto K, Urano K. 1996. Reaction rates and intermediates of chlorinated organic compounds in water and soil. Chemosphere 32:2399-2408.

Mizutani T, Nakahori Y, Yamamoto K. 1994. *p*-Dichlorobenzene-induced hepatotoxicity in mice depleted of glutathione by treatment with buthionine sulfoximine. Toxicology 94:57-67.

Monks TJ, Lau SS. 1988. Reactive intermediates and their toxicological significance. Toxicology 52:1-54.

*Monster AC. 1986. Biological monitoring of chlorinated hydrocarbon solvents. J Occup Med 28:583-588.

Morgan D. 1991. Toxicity studies of 1,2-dichloroethane (ethylene dichloride) in F344/N rats, Sprague-Dawley rats, Osborne-Mendel rats, and B6C3F1 mice (drinking water and gavage studies). Research Triangle Park, NC: National Toxicology Program, U.S. Department of Health and Human Services. NTP TOX 4, NIH Publication No. 91-3123.

*Morgan DL, Cooper SW, Carlock DL, et al. 1991. Dermal absorption of neat and aqueous volatile organic chemicals in the Fischer 344 rat. Environ Res 55:51-63.

Morita T, Asano N, Awogi T, et al. 1997. Erratum to 'Evaluation of the rodent micronucleus assay in the screening of IARC carcinogens (Groups 1, 2A and 2B). The summary report of the 6th collaborative study by CSGMT/JEMS MMS' [Mutation Research 389(1997) 3-122]. Mutat Res 391:259-267.

*Moriya M, Ohta T, Watanabe K, et al. 1983. Further mutagenicity studies on pesticides in bacterial reversion assay systems. Mutat Res 116:185-216.

*Morselli PL, Franco-Morselli R, Bossi L. 1980. Clinical pharmacokinetics in newborns and infants. Clin Pharmacokin 5:485-527.

*Munson AE, Sanders VM, Douglas KA, et al. 1982. *In vivo* assessment of immunotoxicity. Environ Health Perspect 43:41-52.

Murray JS, Rao KS, Young JT, et al. 1980. Ethylene dichloride: Single-generation inhalation reproduction study in rats. OTS 0515986.

Nachtomi E. 1970. The metabolism of ethylene dibromide in the rat: The enzymic reaction with glutathione *in vitro* and *in vivo*. Biochem Pharmacol 19:2853-2860.

*Nachtomi E, Alumot E, Bondi A. 1966. The metabolism of ethylene dibromide in the rat: I. Identification of detoxification of products in urine. Isr J Chem 4:239-246.

*Nakajima T, Sato A. 1979. Enhanced activity of liver drug-metabolizing enzymes for aromatic and chlorinated hydrocarbons following food deprivation. Toxicol Appl Pharmacol 50:549-556.

*NAS/NRC. 1989. Biologic markers in reproductive toxicology. National Academy of Sciences/National Research Council. Washington, DC: National Academy Press, 15-35.

NATICH. 1993. National Air Toxics Information Clearinghouse. U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards, Research Triangle Park, NC. May 1993.

*NCI. 1978. Bioassay of technical grade 1,2-dichloroethane for possible carcinogenicity. Bethesda, MD: National Cancer Institute, Division of Cancer Cause and Prevention, Carcinogenesis Testing Program. NCI-CG-TR 55.

Neeper-Bradley TL, Tyl RW, Fisher LC, et al. 1989. Reproductive toxicity study of inhaled paradichlorobenzene vapor in CD rats [Abstract]. Teratology 39(5):470-471.

*Nestmann ER, Lee EGH, Matula TI, et al. 1980. Mutagenicity of constituents identified in pulp and paper mill effluents using the *Salmonella*/mammalian-microsome assay. Mutat Res 79:203-212.

NIEHS. 1991. Sixth annual report on carcinogens. Summary 1991. U.S. Department of Health and Human Services, Public Health Service. National Institute of Environmental Health Sciences, Research Triangle Park, NC.

*NIOSH. 1976a. National occupational hazard survey (1972-74). Cincinnati, OH: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health.

NIOSH. 1976b. Criteria for a recommended standard—occupational exposure to ethylene dichloride. USDHEW. Cincinnati, OH: National Institute for Occupational Safety and Health. NIOSH publication No. 76-139.

*NIOSH. 1978a. Revised recommended standard: Occupational exposure to ethylene dichloride (1,2-dichloroethane). Cincinnati, OH: U.S. Department of Health, Education, and Welfare, National Institute for Occupational Safety and Health, Division of Criteria Documents and Standards Development. PB80-176092, NIOSH-78-211.

NIOSH. 1978b. Special hazard review—ethylene dichloride. National Institute for Occupational Safety and Health.

*NIOSH. 1984a. National occupational exposure survey (1980-83). Cincinnati, OH: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health.

NIOSH. 1984b. NIOSH manual of analytical methods. Method 1003. Vol. 2, 3rd ed. Cincinnati, OH: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health.

NIOSH. 1990. Pocket guide to chemical hazards. U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health.

NIOSH. 1992. NIOSH recommendations for occupational safety and health: Compendium of policy documents and statements. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health. DHHS (NIOSH) Publication No. PB92-162536.

*NIOSH. 1994. NIOSH manual of analytical methods. Method 1003. Vol 2, 4th ed. Cincinnati, OH: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health.

*NIOSH. 1999. Ethylene Dichloride. Pocket guide to chemical hazards. Washington DC: National Institute for Occupational Safety and Health, U.S. Department of Health and Human Services.

*NIOSH. 2001. Ethylene Dichloride. National Institute for Occupational Safety and Health. http://www.cdc.gov/niosh/idlh/107062.html. January 11, 2001.

*NJ. 1994. 1,2-Dichloroethane, Hazardous substance fact sheet. U.S. Environmental Protection Agency, Envirofacts Warehouse. http://www.epa.gov/enviro/html/emci/chemref/107062.html. January 12, 2001.

NJDH. 1986. Hazardous substance fact sheet. Trenton, NJ: New Jersey Department of Health, Right to Know Program.

NJDH. 1992a. Report on phase IV-A: Public drinking water contamination and birthweight, fetal deaths, and birth defects; A cross-sectional study. Trenton, NJ: New Jersey Department of Health. April 1992.

NJDH. 1992b. Report on phase IV-B: Public drinking water contamination and birthweight, fetal deaths, and birth defects; A cross-sectional study. Trenton, NJ: New Jersey Department of Health. April 1992.

NJDEH. 1987. STAL for 1,2-dichloroethane. Trenton, NJ: New Jersey Department of Environmental Health.

Noetzel O. 1944. Lethal poisoning with ethylene chloride. Chem Z 68:146-147.

*Nouchi T, Miura H, Kanayama M, et al. 1984. Fatal intoxication by 1,2-dichloroethane—a case report. Int Arch Occup Environ Health 54:111-113.

*NRC. 1993. National Research Council. Pesticides in the diets of infants and children. Washington, DC: National Academy Press.

- NTP. 1986. Toxicology and carcinogenesis studies of isophorone in F344/N rats and B6C3F1 mice. Gavage studies. National Toxicology Program, Research Triangle Park, NC. NIH/86-2547.
- NTP. 1989. Draft NTP technical report on the toxicity studies of 1,2-dichloroethane in F344/N rats, Sprague Dawley rats, Osborne-Mendel rats, and B6C3F1 mice (drinking water and gavage studies). National Toxicology Program, U.S. Department of Health and Human Services, Research Triangle Park, NC.
- *NTP. 1991a. Toxicity studies of 1,2-dichloroethane (ethylene dichloride) (CAS No. 107-06-2) in F344/N rats, Sprague Dawley rats, Osborne-Mendel rats and B6C3F1 mice (drinking water and gavage studies). Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institute of Health, National Toxicology Program. NIH Publication No. 91-3123.
- NTP. 1991b. Sixth annual report on carcinogens: Summary 1991. Research Triangle Park, NC: U.S. Department of Health and Humans Services, Public Health Service, National Toxicology Program, 162-165.
- *NTP. 2000. Ninth report on carcinogens. U.S. Department of Health and Human Services, Public Health Service, National Toxicology Program. National Institute of Environmental Health Sciences, Research Triangle Park, NC.
- *Nylander P-O, Olofsson H, Rasmuson B, et al. 1978. Mutagenic effects of petrol in *Drosophila melanogaster:* I. Effects of benzene and 1,2-dichloroethane. Mutat Res 57:163-167.
- Oda Y, Yamazaki H, Thier R, et al. 1996. A new *Salmonella typhimurium* NM5004 strain expressing rat glutathione S-transferase 5-5: Use in detection of genotoxicity of dihaloalkanes using an SOS/*umu* test system. Carcinogenesis 17:297-302.
- *Oldenhuis R, Vink RLJM, Janssen D, et al. 1989. Degradation of chlorinated aliphatic hydrocarbons by methylosinus-trichosporium OB3B expressing soluble methane monooxygenase. Appl Environ Microbiol 55:2819-2826.
- *Oliver BG, Pugsley CW. 1986. Chlorinated contaminants in St. Clair river sediments. Water Pollut Res J Can 21:368-379.
- OSHA. 1982. Access to employee exposure and medical records; proposed modification; request for comments and notice of public hearing. U.S. Department of Labor, Occupational Safety and Health Administration. Federal Register 47:30420-30438.
- OSHA. 1989. Limits for air contaminants. Occupational Safety and Health Administration. U.S. Department of Labor. Federal Register. 12(12)2937.
- *OSHA. 1998a. U.S. Department of Labor. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1926.55.
- *OSHA. 1998b. U.S. Department of Labor. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1915.1000.
- *OSHA. 1998c. U.S. Department of Labor. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1000.

- *OSHA. 2001a. Air contaminants. Shipyards. Occupational Safety and Health Administration. U.S. Department of Labor. Code of Federal Regulations. 29 CFR 1915.1000, Table Z. <u>Http://www.osha-slc.gov/OshStd</u> data/1915 1000.html. March 26, 2001.
- *OSHA. 2001b. Chemical sampling information: Ethylene dichloride. Occupational Safety and Health Administration. http://www.osha-slc.gov/dts/chemicalsampling/data/CH_240397.html. January 12, 2001.
- *OSHA. 2001c. Threshold limit values of airborne contaminants for construction. Occupational Safety and Health Administration. U.S. Department of Labor. Code of Federal Regulations. 29 CFR 1926.55, Appendix A. http://www.osha-slc.gov/OshStd data/1926 0055 APP A.html. March 26, 2001.
- *OTA. 1990. Neurotoxicity: Identifying and controlling poisons of the nervous system. Washington, DC: Office of Technology Assessment, U.S. Congress. OTA-BA-436. April 1990.
- Otson R. 1996. Vapor-phase organic compounds in Canadian residences. In: Wang W, Schnoor J, Doi J, eds. Volatile organic compounds in the environment. American Society for Testing and Materials, 66-76.
- *Otson R, Williams DT. 1982. Headspace chromatographic determination of water pollutants. Anal Chem 54:942-946.
- *Ott MG, Teta J, Greenberg HL. 1989. Lymphatic and hematopoietic tissue cancer in a chemical manufacturing environment. Am J Ind Med 16:631-644.
- *Owen GM, Brozek J. 1966. Influence of age, sex, and nutrition on body composition during childhood and adolescence. In: Falkner F, ed. Human development. Philadelphia, PA: WB Saunders, 222-238.
- *Ozonoff D, Colten ME, Cupples A, et al. 1987. Health problems reported by residents of a neighborhood contaminated by a hazardous waste facility. Am J Ind Med 11:581-597.
- Park JH, Lee HJ. 1993. Estimation of bioconcentration factor in fish, adsorption coefficient for soils and sediments and interfacial tension with water for organic nonelectrolytes based on the linear solvation energy relationships. Chemosphere 26:1905-1916.
- *Parkinson A. 1996. Biotransformation of xenobiotics. In: Klaassen CD, Amdur MO, Doull J, eds. Casarett and Doull's toxicology: The basic science of poisons. New York, NY: McGraw-Hill Companies, Inc., 113-114,172-175.
- *Payan JP, Beydon D, Fabry JP, et al. 1993. Urinary thiodiglycolic acid and thioether excretion in male rats dosed with 1,2-dichloroethane. J Appl Toxicol 13:417-422.
- *Payan JP, Saillenfait AM, Bonnet P, et al. 1995. Assessment of the developmental toxicity and placental transfer of 1,2-dichloroethane in rats. Fundam Appl Toxicol 28:187-198.
- PCOC. 1966. Pesticide chemicals official compendium. Association of American Pesticide Control Officials, Inc., Topeka, KS.
- *Pearson CR, McConnell G. 1975. Chlorinated C1 and C2 hydrocarbons in the marine environment. Proc R Soc London [Biol] 189:305-322.

- *Peijnenburg W, Eriksson L, de Groot A, et al. 1998. The kinetics of reductive dehalogenation of a set of halogenated aliphatic hydrocarbons in anaerobic sediment slurries. Environ Sci Pollut Res Int 5:12-16.
- Pellizzari ED, Hartwell TD, Harris BSH, et al. 1982. Purgeable organic compounds in mother's milk. Bull Environ Contam Toxicol 28:322-328.
- *Pellizzari ED, Hartwell TD, Perritt RL, et al. 1986. Comparison of indoor and outdoor residential levels of volatile organic chemicals in five U.S. geographical areas. Environ Int 12:619-623.
- *Perocco P, Prodi G. 1981. DNA damage by haloalkanes in human lymphocytes cultured *in vitro*. Cancer Lett 13:213-218.
- *Peterson LA, Harris TM, Guengerich FP. 1988. Evidence for an episulfonium ion intermediate in the formation of S-[2-(N⁷-guanyl)ethyl] glutathione in DNA. J Am Chem Soc 110:3284-3291.
- Pleil JD, Lindstrom AB. 1997. Exhaled human breath measurement method for assessing exposure to halogenated volatile organic compounds. Clin Chem 43:723-730.
- *Pleil JD, Oliver KD, McClenny WA. 1988. Ambient air analyses using nonspecific flame ionization and electron capture detection compared by mass spectroscopy. J Air Pollut Contr Assoc 38:1006-1010.
- *Plumb RH Jr. 1987. A comparison of ground water monitoring data from CERCLA and RCRA sites. Ground Water Monitoring Review, 94-100.
- *Pott WA, Benjamin SA, Yang RS. 1998. Antagonistic interactions of an arsenic-containing mixture in a multiple organ carcinogenicity bioassay. Cancer Lett 133:185-190.
- Poulin P, Krishnan K. 1996. A tissue composition-based algorithm for predicting tissue: Air partition coefficients for organic chemicals. Toxicol Appl Pharmacol 136:126-130.
- *Prodi G, Arfellini G, Colacci A, et al. 1986. Interaction of halocompounds with nucleic acids. Toxicol Pathol 14:438-444.
- *Przezdziak J, Bakula S. 1975. [Acute poisoning with 1,2-dichloroethane.] Wiad Lek 28:983-987. (Polish)
- *Raisbeck MF, Brown EM, Kanchanapangka S, et al. 1990. Ketonic potentiation of haloalkane-induced nephrotoxicity. In: Goldstein RS, Hewitt WR, Hook JB, eds. Toxic interactions. San Diego, CA: Academic Press, Inc., 321-366.
- Rannug U. 1980. The use of different metabolizing systems in the elucidation of the mutagenic effects of ethylene dichloride in *Salmonella*. In: Ames BN, Infante P, Reitz R, eds. Ethylene dichloride: A potential health risk? Banbury report No. 5. Cold Spring Harbor, NY: Cold Spring Harbor Laboratory, 83-95.
- *Rannug U, Beije B. 1979. The mutagenic effect of 1,2-dichloroethane on *Salmonella typhimurium:* II. Activation by the isolated perfused rat liver. Chem Biol Interact 24:265-285.
- *Rannug U, Sundvall A, Ramel C. 1978. The mutagenic effect of 1,2-dichloroethane on *Salmonella typhimurium*. I. Activation through conjugation with glutathione *in vitro*. Chem Biol Interact 20:1-16.

- *Rao KS, Murray JS, Deacon MM, et al. 1980. Teratogenicity and reproduction studies in animals inhaling ethylene dichloride. In: Ames B, Infante P, Reitz R, eds. Ethylene dichloride: A potential health risk? Banbury report No. 5. Cold Spring Harbor, NY: Cold Spring Harbor Laboratory, 149-166.
- *Rao KS, Murray JS, Deacon MM, et al. 1987. Teratogenicity and reproduction studies in animals inhaling ethylene dichloride. Dow Chemical Company, Toxicology Research Laboratory, Health and Environmental Sciences, Midland MI. OPTS Public Files 86-870002338, OTS 0515862.
- *Reeve GR, Bond GG, Lloyd JW, et al. 1983. An investigation of brain tumors among chemical plant employees using a sample-based cohort method. J Occup Med 25:387-393.
- *Regno V, Arulgnanendran J, Nirmalakhandan N. 1998. Microbial toxicity in soil medium. Ecotoxicol Environ Saf 39:48-56.
- *Reitz RH, Fox TR, Domoradzki JY, et al. 1980. Pharmacokinetics and macromolecular interactions of ethylene dichloride: Comparison of oral and inhalation exposures. In: Ames BN, Infante P, Reitz R, eds. Ethylene dichloride: A potential health risk? Cold Spring Harbor, NY: Cold Spring Harbor Laboratory, 135-148.
- *Reitz RH, Fox TR, Ramsey JC, et al. 1982. Pharmacokinetics and macromolecular interactions of ethylene dichloride in rats after inhalation or gavage. Toxicol Appl Pharmacol 62:190-204.
- *Rembold H, Wallner P, Nitz S. 1989. Volatile components of chickpea (*Cicer arietinum* L.) seed. J Agric Food Chem 37:659-662.
- *Rhode Island Department of Health. 1989. Report of chemicals detected in private wells. Office of Private Well Water Contamination. February 28, 1989.
- *Rodriguez-Arnaiz R. 1998. Biotransformation of several structurally related 2B compounds to reactive metabolites in the somatic w/w+ assay of *Drosophila melanogaster*. Environ Mol Mutagen 31:390-401.
- Rogan WJ. 1995. Environmental poisoning of children—lessons from the past. Environ Health Perspect 103(Suppl. 6):19-23.
- *Roldan-Arjona T, Garcia-Pedrajas MD, Luque-Romero FL, et al. 1991. An association between mutagenicity of the Ara test of *Salmonella typhimurium* and carcinogenicity in rodents for 16 halogenated aliphatic hydrocarbons. Mutagenesis 6:199-205.
- *Romert L, Magnusson J, Ramel C. 1990. The importance of glutathione and glutathione transferase for somatic mutations in *Drosophila melanogaster* induced by *in vivo* by 1,2-dichloroethane. Carcinogenesis 11:1399-1402.
- Rosenkranz HS, Klopman G. 1996. A study of the structural basis of the ability of chlorinated alkanes and alkenes to induce aneuploidy and toxicity in the mold *Aspergillus nidulans*. Mutat Res 354:183-193.
- Rosenkranz M, Rosenkranz HS, Klopman G. 1997. Intercellular communication, tumor promotion and non-genotoxic carcinogenesis: Relationships based upon structural considerations. Mutat Res 381:171-188.
- Roubal J. 1947. [Two fatal cases of intoxication with symmetric dichloroethane ingestion.] Cas Lek Cesk 86:203-206. (Czech)

RTECS. 1999. 1,2-Dichloroethane. Registry of Toxic Effects of Chemical Substances. National Institute for Occupational Safety and Health. April 19, 1999.

Ruddick JA, Black WD, Villeneuve DC, et al. 1983. A teratological evaluation following oral administration of trichloro- and dichlorobenzene isomers to the rat [Abstract]. Teratology 27(2):73A-74A.

Ruelle P, Kesselring UW. 1997. Aqueous solubility prediction of environmentally important chemicals from the mobile order thermodynamics. Chemosphere 34:275-298.

Rush GF, Smith JH, Newton JF, et al. 1984. Chemically-induced nephrotoxicity: Role of metabolic activation. CRC Crit Rev Toxicol 13:99-160.

Ruth JH. 1986. Odor thresholds and irritation levels of several chemical substances: A review. Am Ind Hyg Assoc J 47:142-151.

*Sablijic A, Gusten H, Verhaar H, et al. 1995. QSAR modeling of soil sorption. Improvements and systematics of log K_{oc} vs. K_{ow} correlations. Chemosphere 95:4489-4515.

*Saint-Fort R. 1991. Ground water contamination by anthropogenic organic compounds from waste disposal sites: Transformations and behavior. J Environ Sci Health A26:13-62.

Salkinoja-Salonen M, Uotila J, Jokela J, et al. 1995. Organic halogens in the environment: Studies of environmental biodegradability and human exposure. Environ Health Perspect 103(Suppl. 5):63-69.

Samet JM. 1995. What can we expect from epidemiologic studies of chemical mixtures. Toxicology 105:307-314.

Sample BE, Arenal CA. 1999. Allometric models for interspecies extrapolation of wildlife toxicity data. Bull Environ Contam Toxicol 62(6):653-663.

*Sano M, Tappel AL. 1990. Halogenated hydrocarbon and hydroperoxide induced lipid peroxidation in rat tissue slices. J Agric Food Chem 38:437-441.

*Sasaki YF, Saga A, Akasaka M, et al. 1998. Detection of in vivo genotoxicity of haloalkanes and haloalkenes carcinogenic to rodents by the alkaline single cell gel electrophoresis (comet) assay in multiple mouse organs. Mutat Res 419:13-20.

*Sasaki YF, Sakaguchi M, Yamada H, et al. 1994. Evaluation of micronucleus induction in mice by four organochlorine pesticides: 1,2-dibromo-3-chloropropane, 1,3-dichloropropene, 1,2-dichloroethane, and nitrofen. MMS Com 2:87-93.

Sato A, Nakajima T. 1985. Enhanced metabolism of volatile hydrocarbons in rat liver following food deprivation, restricted carbohydrate intake, and administration of ethanol, phenobarbital, polychlorinated biphenyl and 3-methylcholanthrene: a comparative study. Xenobiotica 15(1):67-75.

*Sato A, Nakajima T, Koyama Y. 1981. Dose-related effects of a single dose of ethanol on the metabolism in rat liver of some aromatic and chlorinated hydrocarbons. Toxicol Appl Pharmacol 60:8-15.

Sawhney BL, Kozloski RP. 1984. Organic pollutants in leachates from landfill sites. J Environmental Quality 13:349-352.

Sax NI, ed. 1992. 1,2-Dichloroethane. Dangerous properties of industrial materials report 12(1). New York, NY: Van Nostrand Reinhold Co., 61-82.

Sax NI, Lewis RJ Jr. 1987. Hawley's condensed chemical dictionary. 11th ed. New York, NY: Van Nostrand Reinhold Co., 486-487.

Schanstra JP, Kingma J, Janssen DB. 1996. Specificity and kinetics of haloalkane dehalogenase. J Biol Chem 271:14747-14753.

*Schlacter MM, Crawford AA, John JA, et al. 1979. Effects of inhaled ethylene dichloride on embryonal and fetal development in rats and rabbits. Dow Chemical Co. Midland, MI. OTS0515988.

*Schönborn H, Prellwitz W, Baum P. 1970. [Consumption coagulation pathology of 1,2-dichloroethane poisoning.] Klin Wochenschr 48:822-824. (German)

Schumann AM, Quast JF, Watanabe PG. 1980. The pharmacokinetics and macromolecular interactions of perchloroethylene in mice and rats as related to oncogenicity. Toxicol Appl Pharmacol 55:207-219.

Secchi GC, Chiappino G, Lotto A, et al. 1968. [Actual chemical composition of the "commercial trieline" and their hepatotoxic effect: Clinical and enzymological studies.] Med Lav 59:486-497. (Italian)

Semprini L. 1997. Strategies for the aerobic co-metabolism of chlorinated solvents. Environmental Biotechnology 8:296-308.

*Setchell BP, Waites GMH. 1975. The blood testis barrier. In: Creep RO, Astwood EB, Geiger SR, eds. Handbook of physiology: Endocrinology V. Washington, DC: American Physiological Society.

Shehepotin BM, Bondarenko UD. 1978. [Chemical syndromes and pathogenic treatment principles of dichloroethane intoxication.] Vrach Delo 7:134-139. (Russian)

Shen TT. 1982. Estimation of organic compound emissions from waste lagoons. J Air Pollut Control Assoc 32:79-82.

*Sherwood RL, O'Shea W, Thomas PT, et al. 1987. Effects of inhalation of ethylene dichloride on pulmonary defenses of mice and rats. Toxicol Appl Pharmacol 91:491-496.

Sidhu KS. 1991. Standard setting processes and regulations for environmental contaminants in drinking water: State versus federal needs and viewpoints. Regul Toxicol Pharmacol 13:293-308.

*Simula TP, Glancey MJ, Wolf CR. 1993. Human glutathione S-transferase-expressing *Salmonella typhimurium* tester strains to study the activation/detoxification of mutagenic compounds: Studies with halogenated compounds, aromatic amines and aflatoxin B1. Carcinogenesis 14:1371-1376.

Singh HB, Salas LJ, Smith AJ, et al. 1981. Measurements of some potentially hazardous organic chemicals in urban environments. Atmos Environ 15:601-612.

- *Singh HB, Salas LJ, Stiles RE. 1982. Distribution of selected gaseous organic mutagens and suspect carcinogens in ambient air. Environ Sci Technol 16:872-880.
- *Singh HB, Salas LJ, Viezee W. 1992. Measurement of volatile organic chemicals at selected sites in California. Atmos Environ 26:2929-2946.
- *Sipes IG, Gandolfi AJ. 1980. *In vitro* comparative bioactivation of aliphatic halogenated hydrocarbons. In: Holmstedt B, Lauwerys R, Mercier M, et al., eds. Developments in toxicology and environmental science. Vol. 8: Mechanisms of toxicity and hazard evaluation. Proceedings of the Second Congress on Toxicology held in Brussels, Belgium, July 6-11, 1980. Amsterdam, The Netherlands: Elsevier/North-Holland Biomedical Press, 501-506.
- Sopikov NF, Gorshunova AK. 1979. [Investigation of the uptake, distribution, and excretion of ethylene dichloride in rats.] Gig Tr Prof Zabol 4:36-40. (Russian)
- *Speitel GE, Closmann FB. 1991. Chlorinated solvent biodegradation by methanotrophs in unsaturated soils. J Environmental Engineering-American Society Civil Engineers 117:541-548.
- *Spencer HC, Rowe VK, Adams EM, et al. 1951. Vapor toxicity of ethylene dichloride determined by experiments on laboratory animals. Arch Ind Hyg Occup Med 4:482-493.
- Spreafico F, Zuccato E, Murcurei F, et al. 1978. Metabolism of 1,2-dichloride in experimental animals. Reports 1 and 2 to Chemical Manufacturers Association by Ist Ricerche Farmacol, Milan, Italy.
- Spreafico F, Zuccato E, Murcurei F, et al. 1979. Distribution and metabolism of 1,2-dichloroethane (EDC) in experimental animals. Reports 3 and 4 to Chemical Manufacturers Association by Ist Ricerche Farmacol, Milan, Italy.
- *Spreafico F, Zuccato E, Marcucci F, et al. 1980. Pharmacokinetics of ethylene dichloride in rats treated by different routes and its long-term inhalatory toxicity. In: Ames BN, Infante P, Reitz R, eds. Ethylene dichloride: A potential health risk? Banbury report No. 5. Cold Spring Harbor, New York, NY: Cold Spring Harbor Laboratory, 107-133.
- SRI. 1988. 1988 Directory of chemical producers: United States of America. Menlo Park, CA: SRI International.
- SRI. 1991. 1991 Directory of chemical producers: United States of America. Menlo Park, CA: SRI International, 620.
- SRI. 1993. 1993 Directory of chemical producers: United States of America. Menlo Park, CA: SRI International.
- *SRI. 1998. 1998 Directory of chemical producers: United States of America. Menlo Park, CA: SRI International.
- *Stangroom SJ, Collins CD, Lester JN. 1998. Sources of organic micropollutants to lowland rivers. Environ Technol 19:643-666.
- *Staudinger J, Roberts PV. 1996. A critical review of Henry's law constants for environmental applications. Crit Rev Environ Sci 26:205-297.

- *Steichen J, Koelliker J, Grosh D, et al. 1988. Contamination of farmstead wells by pesticides, volatile organics and inorganic chemicals in Kansas, USA. Ground Water Monit Rev 8:153-160.
- *Stoner GD. 1991. Lung tumors in strain a mice as a bioassay for carcinogenicity of environmental chemicals. Exp Lung Res 17:405-424.
- *Storer RD, Conolly RB. 1983. Comparative *in vivo* genotoxicity and acute hepatotoxicity of three 1,2-dihaloethanes. Carcinogenesis 4:1491-1494.
- *Storer RD, Conolly RB. 1985. An investigation of the role of microsomal oxidative metabolism in the *in vivo* genotoxicity of 1,2-dichloroethane. Toxicol Appl Pharmacol 77:36-46.
- *Storer RD, Cartwright ME, Cook WO, et al. 1995. Short-term carcinogenesis bioassay of genotoxic procarcinogens in PIM transgenic mice. Carcinogenesis 16:285-293.
- *Storer RD, Jackson NM, Conolly RB. 1984. *In vivo* genotoxicity and acute hepatotoxicity of 1,2-dichloroethane in mice: Comparison of oral, intraperitoneal, and inhalation routes of exposure. Cancer Res 44:4267-4271.
- Storey CL, Kirk LD, Mustakas GC. 1972. Fate of EDC-CC14 (75:25) residues during milling and oil extraction of soybeans. J Econ Entomol 65:1126-1129.
- Storm DL. 1994. Chemical monitoring of California's public drinking water sources: Public exposures and health impacts. In: Wang RGM, ed. Water contamination and health: Integration of exposure assessment, toxicology, and risk assessment. New York, NY: Marcel Dekker, Inc., 67-124.
- Story DL, Meierhenry EF, Tyson CA, et al. 1986. Differences in rat liver enzyme-altered foci produced by chlorinated aliphatics and phenobarbital. Toxicol Ind Health 2:351-362.
- Stover EL, Kincannon DF. 1983. Biological treatability of specific organic compounds found in chemical industry wastewaters. J Water Poll Cont Fed 55:97-109.
- Streete PJ, Ruprah M, Ramsey JD, et al. 1992. Detection and identification of volatile substances by headspace capillary gas chromatography to aid the diagnosis of acute poisoning. Analyst 117:1111-1127.
- *Stucki G, Thuer M. 1994. Increased removal capacity for 1,2-dichloroethane by biological modification of the granular activated carbon process. Appl Microbiol Biotechnol 42:167-172.
- *Stucki G, Krebsen V, Leisinger T. 1983. Bacterial growth on 1,2-dichloroethane. Experientia 39:1271-1273.
- *Suffet IH, Brenner L, Cairo PR. 1980. GC/MS identification of trace organics in Philadelphia drinking waters during a 2-year period. Water Res 14:853-867.
- *Sundaram KM, Shreehan MM, Olszewski EF. 1994. Ethylene. In: Kroschwitz JI, Howe-Grant M, ed. Kirk-Othmer encyclopedia of chemical technology. New York, NY: John Wiley & Sons, Inc., 881.
- *Tabak HH, Quave SA, Mashni CI, et al. 1981. Biodegradability studies with organic priority pollutant compounds. J Water Pollut Control Fed 53:1503-1518.

- *Tafazoli M, Baeten A, Geerlings P, et al. 1998. *In vitro* mutagenicity and genotoxicity study of a number of short-chain chlorinated hydrocarbons using the micronucleus test and the alkaline single cell gel electrophoresis technique (Comet assay) in human lymphocytes: A structure-activity relationship (QSAR) analysis of the genotoxic and cytotoxic potential. Mutagenesis 13:115-126.
- *Tan EL, Hsie AW. 1981. Mutagenicity and cytotoxicity of haloethanes as studied in the CHO/HGPRT system. Mutat Res 90:183-191.
- Tanigawa T, Araki S, Abo T, et al. 1996. Increase in CD57 + CD16-lymphocytes in workers exposed to benzidine and beta-naphthylamine: Assessment of natural killer cell subpopulations. Int Arch Occup Environ Health 69:69-72.
- *Taningher M, Parodi S, Grilli S, et al. 1991. Lack of correlation between alkaline DNA fragmentation and DNA covalent binding induced by polychloroethanes after *in vivo* administration: Problems related to the assessment of a carcinogenic hazard. Cancer Detect Prevent 15:35-39.
- Tase N. 1992. Groundwater contamination in Japan. Environ Geol Water Sci 20:15-20.
- *Teta MJ, Ott MG, Schnatter AR. 1989. An update of mortality due to brain neoplasms and other causes among employees of petrochemical facility. Union Carbide Corporation, Danbury, CT: OTS 0000743.
- *Theiss JC, Stoner GD, Shimkin MB, et al. 1977. Test for carcinogenicity of organic contaminants of United States drinking waters by pulmonary tumor response in strain A mice. Cancer Res 37:2717-2720.
- *Thier R, Taylor JB, Pemble SE, et al. 1993. Expression of mammalian glutathione S-transferase 5-5 in *Salmonella typhimurium* TA1535 leads to base-pair mutations upon exposure to dihalomethanes. Proc Natl Acad Sci U S A 90:8576-8580.
- *Torkelson TR. 1994. Halogenated aliphatic hydrocarbons. In: Clayton GD, Clayton FE, eds. Patty's industrial hygiene and toxicology. New York, NY: John Wiley and Sons, Inc., 4098-4099.
- *Torkelson TR, Rowe VK. 1981. Halogenated aliphatic hydrocarbons. Patty's industrial hygiene and toxicology. Vol. 2B: Toxicology. New York, NY: John Wiley & Sons, 3491-3497.
- TRI96. 1999. Toxic Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- TRI98. 2000. TRI explorer: Providing access to EPA's toxics release inventory data. Washington, DC: Office of Information Analysis and Access. Offices of Environmental Information. U.S. Environmental Protection Agency. Toxic Release Inventory. Http://www.epa.gov/triexplorer/. April 16, 2000.
- *TRI99. 2001. TRI explorer: Providing access to EPA's toxics release inventory data. Washington, DC: Office of Information Analysis and Access. Offices of Environmental Information. U.S. Environmental Protection Agency. Toxic Release Inventory. http://www.epa.gov/triexplorer/. April 27, 2001.
- *Tse SYH, Mak IT, Weglicki WB, et al. 1990. Chlorinated aliphatic hydrocarbons promote lipid peroxidation in vascular cells. J Toxicol Environ Health 31:217-226.
- *Tsuruta H. 1975. Percutaneous absorption of organic solvents: 1. Comparative study of the *in vivo* percutaneous absorption of chlorinated solvents in mice. Ind Health 13:227-236.

Tsuruta H. 1977. Percutaneous absorption of organic solvents: 2. A method for measuring the penetration rate of chlorinated solvents through excised rat skin. Ind Health 15:131-139.

*UATW. 1999. Unified Air Toxics Website. U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards. May 6, 1999. <u>Http://www.epa.gov/ttnuatw1/uatwn.html</u>. May 26, 1999.

*Urusova TP. 1953. [The possible presence of dichloroethane in human milk with exposure in industrial conditions.] Gig Sanit 18:36-37. (Russian)

*USC. 2001. Hazardous air pollutants. U.S. Code. 42 USC 4712. Http://www4.law.cornell.edu/uscode/ 42/7412.text.html. May 02, 2001.

US DOC. 1986a. U.S. imports for consumption and general imports, 1985. Washington, DC: U.S. Department of Commerce. USDOC publication number FT246/Annual 1985.

US DOC. 1986b. U.S. imports for consumption and general imports: TS USA commodity by country of origin. Washington, D.C: U.S. Department of Commerce, Bureau of the Census. FT246/Annual 1985.

USITC. 1984. Synthetic organic chemicals: United States production and sales, 1983. Washington, DC: U.S. International Trade Commission. USTIC publication number 1588.

*USITC. 1985. Synthetic organic chemicals: United States production and sales, 1984. Washington, DC: U.S. International Trade Commission. USITC publication number 1745:258, 292.

*USITC. 1986. Synthetic organic chemicals: United States production and sales, 1985. Washington, DC: U.S. International Trade Commission. USITC publication number 1892:268, 300.

*USITC. 1987. Synthetic organic chemicals. United States production and sales, 1986. Washington, D.C: U.S. International Trade Commission. USITC publication number 2009:183, 212, 233.

*USITC. 1991. Synthetic organic chemicals. United States production and sales, 1990. Washington, DC: U.S. International Trade Commission. USITC publication number 2470:15-8.

*USTIC. 1993. Synthetic organic chemicals. United States production and sales, 1992. Washington, DC: U.S. International Trade Commission. USTIC publication number 2720:3-18.

*USITC. 1994. Synthetic organic chemicals. United States production and sales, 1993. Washington, DC: U.S. International Trade Commission. USITC publication number 2810:3-18.

*USITC. 1995. Synthetic organic chemicals. United States production and sales, 1994. Washington, DC: U.S. International Trade Commission.

*Vamvakas S, Dekant W, Henschler D. 1989. Assessment of unscheduled DNA synthesis in a cultured line of renal epithelial cells exposed to cysteine-S-conjugates of haloalkenes and haloalkanes. Mutat Res 222:329-335.

*Vamvakas S, Dekant W, Schiffmann D, et al. 1988. Induction of unscheduled DNA synthesis and micronucleus formation in Syrian hamster embryo fibroblasts treated with cysteine S-conjugates of chlorinated hydrocarbons. Cell Biol Toxicol 4:393-404.

- *Van Bladeren PJ. 1983. Metabolic activation of xenobiotics: Ethylene dibromide and structural analogs. J Am Coll Toxicol 2:73-83.
- *Van Bladeren PJ, Breimer DD, Rotteveel-Smijs GMT, et al. 1981. The relation between the structure of vicinal dihalogen compounds and their mutagenic activation via conjugation to glutathione. Carcinogenesis 2:499-505.
- *Vandenbergh PA, Kunka BS. 1988. Metabolism of volatile chlorinated aliphatic hydrocarbons by *Pseudomonas fluorescens*. Appl Environ Microbiol 54:2578-2579.

Vandenwijngaard AJ, Vanderkamp K, Vanderploeg J, et al. 1992. Degradation of 1,2-dichloroethane by ancylobacter aquaticus and other facultative methylotrophs. Appl Environ Microbiol 58:976-983.

*Van Duuren BL, Goldschmidt BM, Loewengart G, et al. 1979. Carcinogenicity of halogenated olefinic and aliphatic hydrocarbons in mice. J Natl Cancer Inst 63:1433-1439.

*van Esch GJ, Kroes R, van Logtenen MJ, et al. 1977. Ninety-day toxicity study with 1,2-dichloroethane (DCE) in rats. Utrecht: Rijks Instituut voor de Volksgezondheid.

*Ventura F, Romero J, Pares J. 1997. Determination of dicyclopentadiene and its derivatives as compounds causing odors in groundwater supplies. Environ Sci Technol 31:2368-2374.

Verschueren K. 1983. Handbook of environmental data on organic chemicals. 2nd ed. New York, NY: Van Nostrand Reinhold, Company, 643-645.

*Veschueren K. 1996. Handbook of environmental data on organic chemicals. 3rd ed. New York, NY: Van Nostrand Reinhold Company, 963-965.

*Vieira I, Sonnier M, Cresteil T. 1996. Developmental expression of CYP2E1 in the human liver: Hypermethylation control of gene expression during the neonatal period. Eur J Biochem 238:476-483.

*Vogel EW, Nivard MJM. 1993. Performance of 181 chemicals in a Drosophila assay predominantly monitoring interchromosomal mitotic recombination. Mutagenesis 8:57-81.

Voskoboinik I, Drew R, Ahokas JT. 1996. Effect of peroxisome proliferator nafenopin on the cytotoxicity of dihaloalkanes in isolated rat hepatocytes. Toxicol in Vitro 10:577-584.

*Vozovaya MA. 1974. [Development of posterity of two generations obtained from females subjected to the action of dichloroethane.] Gig Sanit 39:25-28. (Russian)

Vozovaya MA. 1975. [The effect of low concentrations of benzene, dichloroethane alone and their combination on the reproductive function animals and on the development of progeny.] Gig Tr Prof Zabol 7:20. (Russian).

Vozovaya MA. 1976. [Effect of low concentrations of benzene, and dichloroethane separately and combined on the reproductive function animals.] Gig Sanit 6:100-102. (Russian)

*Vozovaya MA. 1977. [The effect of dichloroethane on the sexual cycle and embryogenesis of experimental animals.] Akusk Ginekol (Moscow) 2:57-59.

*Vulcan Materials Company. 1989. Written communication. Public comment on toxicological profile for 1,2-dichloroethane. Vulcan Materials Company, Birmingham, AL.

Wahlberg JE, Bowman A. 1996. Prevention of contact dermatitis from solvents. Curr Probl Dermatol 25:57-66.

*Wallace LA. 1991. Comparison of risks from outdoor and indoor exposure to toxic chemicals. Environ Health Perspect 95:7-13.

Wallace LA. 1997. Human exposure and body burden for chloroform and other trihalomethanes. Crit Rev Environ Sci 27:113-194.

Wallace L, Nelson W, Ziegenfus R, et al. 1991. The Los Angeles team study: Personal exposures, indoor-outdoor air concentrations, and breath concentrations of 25 volatile organic compounds. J Exposure Anal Environ Epidemiol 1:157-192.

*Wallace L, Pellizzari E, Hartwell T, et al. 1984. Personal exposure to volatile organic compounds: I. Direct measurements in breathing-zone air, drinking water, food and exhaled breath. Environ Res 35:293-319.

*Wallace L, Pellizzari E, Hartwell T, et al. 1986. Concentrations of 20 volatile organic compounds in the air and drinking water of 350 residents of New Jersey compared with concentrations in their exhaled breath. J Occup Med 28:603-608.

*Wallace LA, Pellizzari ED, Hartwell TD, et al. 1989. The influence of personal activities on exposure to volatile organic compounds. Environ Res 50:37-55.

*Wallace L, Pellizzari E, Leaderer B, et al. 1987. Emissions of volatile organic compounds from building materials and consumer products. Atmos Environ 21:385-393.

Waller CL, Evans MV, McKinney JD. 1996. Modeling the cytochrome P450-mediated metabolism of chlorinated volatile organic compounds. Drug Metab Dispos 24:203-210.

Wallington TJ, Bilde M, Mogelberg TE, et al. 1996. Atmospheric chemistry of 1,2-dichloroethane: UV spectra of CH₂ClCHCl and CH₂ClCHClO₂ radicals, kinetics of the reactions of CH₂ClCHCl radicals with O₂ and CH₂ClCHClO₂ radicals with NO and NO₂, and fate of alkoxy radical CH₂ClCHClO. J Phys Chem 100:5751-5760.

Ware JH, Spengler JD, Neas LM, et al. 1993. Respiratory and irritant health effects of ambient volatile organic compounds. Am J Epidemiol 137:1287-1301.

Warren DL, Reed DJ. 1991. Modification of hepatic vitamin E stores *in vivo*: III. Vitamin E depletion by 1,2-dibromomethane may be related to initial conjugation with glutathione. Arch Biochem Biophys 288:449-455.

*Watwood ME, White CS, Dahm CN. 1991. Methodological modifications for accurate and efficient determination of contaminant biodegradation in unsaturated calcareous soils. Appl Environ Microbiol 57:717-720.

*Waxweiler RJ, Alexander V, Leffingwell SS, et al. 1983. Mortality from brain tumor and other causes in a cohort of petrochemical workers. J Natl Cancer Inst 70:75-81.

- Weisburger EK. 1993. Comparison of results from carcinogenicity tests of two halogenated compounds by oral, dermal, and inhalation routes. In: Wang RGM, Knaak JB, Maibach HI, ed. Health risk assessment. Boca Raton, FL: CRC Press, 275-281.
- *Weiss G, ed. 1980. Hazardous chemicals data book. Vol. 4. Park Ridge, NJ: Noyes Data Corporation, 433.
- *West JR, Smith HW, Chasis H. 1948. Glomerular filtration rate, effective renal blood flow, and maximal tubular excretory capacity in infancy. J Pediatr 32:10-18.
- *Westrick JJ, Mello JW, Thomas RF. 1984. The groundwater supply survey. J Am Water Works Assoc 52-59.
- WHO. 1987. Environmental health criteria: 1,2 Dichloroethane. 62:1-90. World Health Organization, Geneva.
- *WHO. 1995. International program on chemical safety. Environmental health criteria 176. World Health Organization, Geneva.
- *WHO. 2001a. Chemical toxicology, carcinogenicity. World Health Organization, Geneva.
- *WHO. 2001b. Drinking water quality. World Health Organization, Geneva.
- *Widdowson EM, Dickerson JWT. 1964. Chapter 17: Chemical composition of the body. In: Comar CL, Bronner F, eds. Mineral metabolism: An advanced treatise. Volume II: The elements Part A. New York, NY: Academic Press.
- *Williams GM, Mori H, McQueen CA. 1989. Structure-activity relationships in the rat hepatocyte DNA-repair test for 300 chemicals. Mutat Res 221:263-286.
- *Wilson JT, Enfield CG, Dunlap WJ, et al. 1981. Transport and fate of selected organic pollutants in a sandy soil. J Environ Qual 10:501-506.
- *Wilson JT, McNabb JF, Balkwill DL, et al. 1983. Enumeration and characterization of bacteria indigenous to a shallow water-table aquifer. Groundwater 21:134-142.
- Wilson SC, Burnett V, Waterhouse KS, et al. 1994. Volatile organic compounds in digested United Kingdom sewage sludges. Environ Sci Technol 28:259-266.
- Windholz. 1983. The Merck index: An encyclopedia of chemicals, drugs, and biologicals. 10th ed. Rahway, NJ: Merck & Co, Inc, 550, 3743.
- *Wirtschafter ZT, Schwartz ED. 1939. Acute ethylene dichloride poisoning. J Ind Hyg Toxicol 21(4):126-131.
- *Withey JR, Collins BT. 1980. Chlorinated aliphatic hydrocarbons used in the foods industry: The comparative pharmacokinetics of methylene chloride, 1,2-dichloroethane, chloroform and trichloroethylene after i.v. administration in the rat. J Environ Pathol Toxicol 3:313-332.
- *Withey JR, Karpinski K. 1985. The fetal distribution of some aliphatic chlorinated hydrocarbons in the rat after vapor phase exposure. Biol Res Pregnancy Perinatol 6:79-88.

*Withey JR, Collins BT, Collins PG. 1983. Effect of vehicle on the pharmacokinetics and uptake of four halogenated hydrocarbons from the gastrointestinal tract of the rat. J Appl Toxicol 3:249-253.

Wolff MS, Collman GW, Barrett JC, et al. 1996. Breast cancer and environmental risk factors: Epidemiogical and experimental findings. Annu Rev Pharmacol Toxicol 36:573-596.

Wolska L, Olszewska C, Turska M, et al. 1998. Volatile and semicolatile organo-halogen trace analysis in surface water by direct aqueous injection GC-ECD. Chemosphere 37:2645-2651.

Woodruff TJ, Axelrad DA, Caldwell J, et al. 1998a. Public health implications of 1990 Air Toxics concentrations across the United States. Environ Health Perspect 106(Suppl. 5):245-251.

Woodruff TJ, Axelrad DA, Caldwell J, et al. 1998b. Public health implications of 1990 air toxics concentrations across the United States. Environ Health Perspect 106(Suppl. 5):245-251.

*Yamamoto K, Fukushima M, Kakutani N, et al. 1997. Volatile organic compounds in urban rivers and their estuaries in Osaka, Japan. Environ Pollut 95:135-143.

Yllner S. 1971a. Metabolism of chloroacetate-1-14C in the mouse. Acta Pharmacol Toxicol 30:69-80.

*Yllner S. 1971b. Metabolism of 1,2-dichloroethane-14C in the mouse. Acta Pharmacol Toxicol 30:257-265.

*Yodaiken RE, Babcock JR. 1973. 1,2-Dichloroethane poisoning. Arch Environ Health 26:281-284.

*Zhang LH, Jenssen D. 1994. Studies on intrachromosomal recombination in SP5/V79 Chinese hamster cells upon exposure to different agents related to carcinogenesis. Carcinogenesis 15:2303-2310.

*Zhao SF, Zhang XC, Bao YS. 1984. The study on the effects of 1,2-dichloroethane on the development of mice. Chinese J Ind Hyg Occup Dis 2:343-346.

*Zhao SF, Zhang XC, Bao YS. 1989. The study on the effects of 1,2-dichloroethane on reproductive function. Chinese J Prevent Med 23:199-202.

*Zhao SF, Zhang XC, Zhang LF, et al. 1997. The evaluation of developmental toxicity of chemicals exposed occupationally using whole embryo culture. Int J Dev Biol 41:275-282.

*Ziegler EE, Edwards BB, Jensen RL, et al. 1978. Absorption and retention of lead by infants. Pediatr Res 12:29-34.

Zuccato E, Marcucci F, Mussini E. 1980. GLC determination of ethylene dichloride (EDC) in biological samples. Anal Lett 13:363-370.