

Table 3.23A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That They Had Gotten into a Serious Fight at School or Work One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times Gotten into Serious Fight at School or Work: 2000 and 2001

(I) Demographic Characteristic	Gotten into Serious Fight at School/Work ¹		(II) Drug Use	Gotten into Serious Fight at School/Work ¹			
	One or More Times			One or More Times		None	
	2000	2001		2000	2001	2000	2001
TOTAL	4,165 ^a	4,447	PAST MONTH				
AGE			Any Illicit Drug ²	708 ^a	815	1,547 ^a	1,713
12-13	1,663 ^b	1,455	Marijuana	512 ^a	604	1,161	1,259
14-15	1,487 ^b	1,681	Any Illicit Drug Other Than Marijuana ²	373	398	696	746
16-17	1,015 ^b	1,310	Cigarettes	905	969	2,221 ^a	2,050
GENDER			Alcohol	969 ^b	1,131	2,840	2,914
Male	2,764	2,651	"Binge" Alcohol ³	719	762	1,712	1,704
Female	1,401 ^b	1,795	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	1,277 ^a	1,442	3,069 ^b	3,437
Not Hispanic	3,480 ^a	3,701	Marijuana	906 ^a	1,043	2,223 ^b	2,501
White Only	2,409 ^a	2,636	Any Illicit Drug Other Than Marijuana ²	848	902	1,774	1,910
Black Only	877	842	Cigarettes	1,297	1,418	3,552 ^b	3,265
American Indian or Alaska Native Only	33	34	Alcohol	1,756 ^b	1,980	5,944	5,975
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	96	95	LIFETIME				
More Than One Race	56	84	Any Illicit Drug ²	1,767 ^a	1,938	4,503	4,702
Hispanic	685	746	Marijuana	1,189 ^a	1,326	3,084	3,274
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	1,309	1,361	2,903	3,009
Large Metro	2,088	2,164	Cigarettes	1,897 ^b	2,133	6,164 ^b	5,734
Small Metro	1,257	1,387	Alcohol	2,249 ^a	2,474	7,463	7,582
Nonmetro	820	897	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.23B Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Gotten into a Serious Fight at School or Work One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times Gotten into Serious Fight at School or Work: 2000 and 2001

(I) Demographic Characteristic	Gotten into Serious Fight at School/Work ¹		(II) Drug Use	Gotten into Serious Fight at School/Work ¹			
	One or More Times			One or More Times		None	
	2000	2001		2000	2001	2000	2001
TOTAL	17.9 ^a	18.9	PAST MONTH				
AGE			Any Illicit Drug ²	17.0	18.3	8.1 ^a	9.0
12-13	21.5 ^b	19.0	Marijuana	12.3	13.6	6.1	6.6
14-15	18.5 ^b	20.7	Any Illicit Drug Other Than Marijuana ²	9.0	9.0	3.6	3.9
16-17	13.5 ^b	17.1	Cigarettes	21.7	21.8	11.6 ^a	10.8
GENDER			Alcohol	23.3	25.4	14.8	15.3
Male	23.2	22.1	"Binge" Alcohol ³	17.3	17.1	9.0	9.0
Female	12.3 ^b	15.6	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	30.7	32.4	16.0 ^b	18.1
Not Hispanic	17.4 ^a	18.4	Marijuana	21.8	23.5	11.6 ^b	13.1
White Only	15.8 ^b	17.3	Any Illicit Drug Other Than Marijuana ²	20.4	20.3	9.3 ^a	10.0
Black Only	26.4	25.2	Cigarettes	31.2	31.9	18.6 ^b	17.2
American Indian or Alaska Native Only	22.9	19.6	Alcohol	42.2	44.5	31.1	31.4
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	11.5	11.5	LIFETIME				
More Than One Race	15.4	21.4	Any Illicit Drug ²	42.4	43.6	23.5 ^a	24.7
Hispanic	20.8	21.9	Marijuana	28.5	29.8	16.1 ^a	17.2
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	31.4	30.6	15.2	15.8
Large Metro	18.4	19.4	Cigarettes	45.5	48.0	32.2 ^b	30.1
Small Metro	17.5	18.9	Alcohol	54.0	55.6	39.0	39.8
Nonmetro	17.1	18.0	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.
-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.24A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That They Had Taken Part in a Group-Against-Group Fight One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Got in a Group-Against-Group Fight: 2000 and 2001

(I) Demographic Characteristic	Taken Part in Group-Against-Group Fight ¹		(II) Drug Use	Taken Part in Group-Against-Group Fight ¹			
	One or More Times			One or More Times		None	
	2000	2001		2000	2001	2000	2001
TOTAL	3,500	3,517	PAST MONTH				
AGE			Any Illicit Drug ²	689	748	1,561 ^b	1,782
12-13	1,258 ^a	1,117	Marijuana	521	552	1,151 ^a	1,313
14-15	1,213 ^a	1,344	Any Illicit Drug Other Than Marijuana ²	372	378	693	763
16-17	1,029	1,056	Cigarettes	859	824	2,259	2,193
GENDER			Alcohol	961	991	2,843 ^a	3,056
Male	2,020	1,971	"Binge" Alcohol ³	741	711	1,688	1,757
Female	1,481	1,545	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	1,200	1,215	3,134 ^b	3,668
Not Hispanic	2,893	2,904	Marijuana	858	879	2,265 ^b	2,669
White Only	2,118	2,093	Any Illicit Drug Other Than Marijuana ²	822	799	1,790 ^b	2,014
Black Only	577	605	Cigarettes	1,229	1,200	3,613	3,485
American Indian or Alaska Native Only	32	35	Alcohol	1,652	1,665	6,038	6,293
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	102	95	LIFETIME				
More Than One Race	56	67	Any Illicit Drug ²	1,611	1,614	4,647 ^b	5,031
Hispanic	608	613	Marijuana	1,089	1,124	3,177 ^b	3,481
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	1,234	1,183	2,966 ^a	3,188
Large Metro	1,742	1,691	Cigarettes	1,727	1,782	6,324	6,091
Small Metro	1,044	1,056	Alcohol	2,051	2,053	7,647 ^a	8,005
Nonmetro	714	770	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.24B Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Taken Part in a Group-Against-Group Fight One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Got in a Group-Against-Group Fight: 2000 and 2001

(I) Demographic Characteristic	Taken Part in Group-Against-Group Fight ¹		(II) Drug Use	Taken Part in Group-Against-Group Fight ¹			
	One or More Times			One or More Times		None	
	2000	2001		2000	2001	2000	2001
TOTAL	15.0	15.0	PAST MONTH				
AGE			Any Illicit Drug ²	19.7	21.3	7.9 ^b	8.9
12-13	16.3 ^a	14.5	Marijuana	14.9	15.7	5.8 ^a	6.6
14-15	15.1 ^a	16.5	Any Illicit Drug Other Than Marijuana ²	10.6	10.7	3.5	3.8
16-17	13.7	13.8	Cigarettes	24.5	23.4	11.4	11.0
GENDER			Alcohol	27.5	28.2	14.4 ^a	15.3
Male	17.0	16.4	"Binge" Alcohol ³	21.2	20.2	8.5	8.8
Female	13.0	13.4	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	34.3	34.6	15.9 ^b	18.4
Not Hispanic	14.5	14.5	Marijuana	24.5	25.0	11.5 ^b	13.4
White Only	13.9	13.7	Any Illicit Drug Other Than Marijuana ²	23.5	22.7	9.1 ^b	10.1
Black Only	17.4	18.0	Cigarettes	35.1	34.1	18.3	17.4
American Indian or Alaska Native Only	22.3	20.1	Alcohol	47.2	47.4	30.5	31.5
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	12.3	11.4	LIFETIME				
More Than One Race	15.4	17.1	Any Illicit Drug ²	46.0	45.9	23.5 ^b	25.2
Hispanic	18.4	18.0	Marijuana	31.1	32.0	16.1 ^b	17.4
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	35.3	33.6	15.0	16.0
Large Metro	15.4	15.1	Cigarettes	49.3	50.7	32.0 ^a	30.5
Small Metro	14.6	14.4	Alcohol	58.6	58.4	38.7 ^a	40.1
Nonmetro	14.9	15.4	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.25A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That They Had Carried a Handgun One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Carried a Handgun: 2000 and 2001

(I) Demographic Characteristic	Carried a Handgun ¹		(II) Drug Use	Carried a Handgun ¹			
	One or More Times			One or More Times		None	
	2000	2001		2000	2001	2000	2001
TOTAL	674	736	PAST MONTH				
AGE			Any Illicit Drug ²	216	228	2,036 ^b	2,302
12-13	140	159	Marijuana	180	185	1,491 ^b	1,682
14-15	250	286	Any Illicit Drug Other Than Marijuana ²	122	107	946	1,036
16-17	283	291	Cigarettes	233	247	2,889	2,776
GENDER			Alcohol	268	295	3,540	3,755
Male	574	614	"Binge" Alcohol ³	225	223	2,207	2,248
Female	99	121	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	317	351	4,019 ^b	4,530
Not Hispanic	552 ^a	638	Marijuana	259	275	2,864 ^b	3,275
White Only	406	472	Any Illicit Drug Other Than Marijuana ²	214	209	2,400 ^a	2,605
Black Only	121	120	Cigarettes	301	320	4,545	4,373
American Indian or Alaska Native Only	5	10	Alcohol	376	416	7,321	7,545
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	11	9	LIFETIME				
More Than One Race	8 ^a	27	Any Illicit Drug ²	374	423	5,887 ^a	6,221
Hispanic	122	98	Marijuana	306	336	3,959 ^a	4,270
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	290	281	3,915	4,089
Large Metro	305	294	Cigarettes	391	435	7,665	7,443
Small Metro	202	233	Alcohol	449	500	9,264	9,564
Nonmetro	167 ^a	209	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.¹ Respondents with missing data were excluded.² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.25B Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Carried a Handgun One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Carried a Handgun: 2000 and 2001

(I) Demographic Characteristic	Carried a Handgun ¹		(II) Drug Use	Carried a Handgun ¹			
	One or More Times			One or More Times		None	
	2000	2001		2000	2001	2000	2001
TOTAL	2.9	3.1	PAST MONTH				
AGE			Any Illicit Drug ²	32.1	31.0	9.0 ^b	10.1
12-13	1.8	2.1	Marijuana	26.7	25.1	6.6 ^b	7.4
14-15	3.1	3.5	Any Illicit Drug Other Than Marijuana ²	18.0	14.5	4.2	4.6
16-17	3.8	3.8	Cigarettes	34.6	33.6	12.8	12.2
GENDER			Alcohol	39.8	40.1	15.7	16.5
Male	4.8	5.1	"Binge" Alcohol ³	33.4	30.4	9.8	9.9
Female	0.9	1.1	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	47.1	47.7	17.8 ^b	19.9
Not Hispanic	2.8 ^a	3.2	Marijuana	38.4	37.3	12.7 ^b	14.4
White Only	2.7	3.1	Any Illicit Drug Other Than Marijuana ²	31.8	28.4	10.6 ^a	11.4
Black Only	3.7	3.6	Cigarettes	44.6	43.4	20.1	19.2
American Indian or Alaska Native Only	3.5	6.0	Alcohol	55.8	56.5	32.4	33.1
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	1.3	1.1	LIFETIME				
More Than One Race	2.3 ^a	6.8	Any Illicit Drug ²	55.6	57.5	26.0 ^a	27.3
Hispanic	3.7	2.9	Marijuana	45.5	45.7	17.5 ^b	18.8
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	43.1	38.2	17.3	18.0
Large Metro	2.7	2.6	Cigarettes	58.0	59.1	33.9	32.7
Small Metro	2.8	3.2	Alcohol	66.7	68.0	41.0	42.0
Nonmetro	3.5	4.2	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.¹ Respondents with missing data were excluded.² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.26A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That They Had Sold Illegal Drugs One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Sold Illegal Drugs: 2000 and 2001

(I) Demographic Characteristic	Sold Illegal Drugs ¹		(II) Drug Use	Sold Illegal Drugs ¹			
	One or More Times			One or More Times		None	
	2000	2001		2000	2001	2000	2001
TOTAL	819	842	PAST MONTH				
AGE			Any Illicit Drug ²	546	550	1,699 ^b	1,965
12-13	69	54	Marijuana	509	502	1,159 ^b	1,351
14-15	288	326	Any Illicit Drug Other Than Marijuana ²	287	254	775 ^a	883
16-17	462	462	Cigarettes	522	495	2,597	2,517
GENDER			Alcohol	542	548	3,262 ^a	3,490
Male	545	583	"Binge" Alcohol ³	462	452	1,964	2,009
Female	274	259	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	707	712	3,623 ^b	4,154
Not Hispanic	688	733	Marijuana	672	656	2,448 ^b	2,877
White Only	555	568	Any Illicit Drug Other Than Marijuana ²	531	500	2,077 ^b	2,304
Black Only	97	103	Cigarettes	625	577	4,218	4,102
American Indian or Alaska Native Only	12	14	Alcohol	704	724	6,987	7,226
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	13	24	LIFETIME				
More Than One Race	10	21	Any Illicit Drug ²	747	757	5,512 ^a	5,875
Hispanic	131	109	Marijuana	713	716	3,549 ^b	3,875
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	615	589	3,588	3,774
Large Metro	365	398	Cigarettes	717	723	7,338	7,143
Small Metro	291	289	Alcohol	755	774	8,953	9,277
Nonmetro	163	155	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.¹ Respondents with missing data were excluded.² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.26B Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Sold Illegal Drugs One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Sold Illegal Drugs: 2000 and 2001

(I) Demographic Characteristic	Sold Illegal Drugs ¹		(II) Drug Use	Sold Illegal Drugs ¹			
	One or More Times			One or More Times		None	
	2000	2001		2000	2001	2000	2001
TOTAL	3.5	3.6	PAST MONTH				
AGE			Any Illicit Drug ²	66.7	65.4	7.6 ^b	8.7
12-13	0.9	0.7	Marijuana	62.2	59.5	5.2 ^b	6.0
14-15	3.6	4.0	Any Illicit Drug Other Than Marijuana ²	35.1	30.1	3.4 ^a	3.9
16-17	6.1	6.0	Cigarettes	63.7	58.8	11.6	11.1
GENDER			Alcohol	66.2	65.0	14.5 ^a	15.4
Male	4.6	4.9	"Binge" Alcohol ³	56.5	53.7	8.7	8.9
Female	2.4	2.3	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	86.4	84.6	16.1 ^b	18.3
Not Hispanic	3.4	3.6	Marijuana	82.1	77.8	10.9 ^b	12.7
White Only	3.6	3.7	Any Illicit Drug Other Than Marijuana ²	64.9	59.3	9.2 ^b	10.2
Black Only	2.9	3.1	Cigarettes	76.3 ^b	68.6	18.8	18.1
American Indian or Alaska Native Only	8.1	8.2	Alcohol	86.0	85.9	31.1	31.9
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	1.6	2.9	LIFETIME				
More Than One Race	2.8	5.3	Any Illicit Drug ²	91.2	89.9	24.5 ^a	25.9
Hispanic	4.0	3.2	Marijuana	87.1	85.0	15.8 ^b	17.1
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	75.1 ^a	69.9	16.0	16.7
Large Metro	3.2	3.6	Cigarettes	87.6	85.9	32.6	31.5
Small Metro	4.1	4.0	Alcohol	92.2	92.0	39.8	40.9
Nonmetro	3.4	3.1	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.¹ Respondents with missing data were excluded.² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.27A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That They Had Stolen or Tried to Steal Anything Worth More Than \$50 One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Stole or Tried to Steal Anything Worth More Than \$50: 2000 and 2001

(I) Demographic Characteristic	Stolen or Tried to Steal Anything Worth More Than \$50 ¹		(II) Drug Use	Stolen or Tried to Steal Anything Worth More Than \$50 ¹			
	One or More Times			One or More Times		None	
	2000	2001		2000	2001	2000	2001
TOTAL	998	972	PAST MONTH				
AGE			Any Illicit Drug ²	406	373	1,842 ^b	2,150
12-13	162	165	Marijuana	343	317	1,326 ^b	1,543
14-15	380	399	Any Illicit Drug Other Than Marijuana ²	218	175	846 ^a	965
16-17	457	408	Cigarettes	449 ^b	346	2,670	2,674
GENDER			Alcohol	496	427	3,311 ^b	3,621
Male	660	631	"Binge" Alcohol ³	422 ^a	332	2,007	2,135
Female	338	341	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	631	567	3,702 ^b	4,306
Not Hispanic	830	815	Marijuana	522	476	2,599 ^b	3,065
White Only	616	573	Any Illicit Drug Other Than Marijuana ²	449 ^a	359	2,163 ^b	2,450
Black Only	135	161	Cigarettes	585 ^b	477	4,256	4,207
American Indian or Alaska Native Only	14	9	Alcohol	719	644	6,973 ^a	7,313
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	43	41	LIFETIME				
More Than One Race	18	23	Any Illicit Drug ²	755	687	5,503 ^b	5,952
Hispanic	168	157	Marijuana	610	573	3,650 ^b	4,025
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	593 ^a	494	3,610 ^a	3,875
Large Metro	524	503	Cigarettes	753	677	7,299	7,194
Small Metro	299	308	Alcohol	802	738	8,902 ^a	9,318
Nonmetro	175	161	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.27B Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Stolen or Tried to Steal Anything Worth More Than \$50 One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Stole or Tried to Steal Anything Worth More Than \$50: 2000 and 2001

(I) Demographic Characteristic	Stolen or Tried to Steal Anything Worth More Than \$50 ¹		(II) Drug Use	Stolen or Tried to Steal Anything Worth More Than \$50 ¹			
	One or More Times			One or More Times		None	
	2000	2001		2000	2001	2000	2001
TOTAL	4.3	4.1	PAST MONTH				
AGE			Any Illicit Drug ²	40.7	38.3	8.3 ^b	9.5
12-13	2.1	2.1	Marijuana	34.4	32.6	5.9 ^b	6.8
14-15	4.7	4.9	Any Illicit Drug Other Than Marijuana ²	21.9	18.0	3.8 ^a	4.3
16-17	6.1	5.3	Cigarettes	44.9 ^b	35.5	12.0	11.9
GENDER			Alcohol	49.7 ^a	44.0	14.9 ^b	16.1
Male	5.5	5.3	"Binge" Alcohol ³	42.3 ^b	34.2	9.0	9.5
Female	3.0	3.0	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	63.2	58.4	16.6 ^b	19.1
Not Hispanic	4.2	4.1	Marijuana	52.3	49.0	11.7 ^b	13.6
White Only	4.0	3.7	Any Illicit Drug Other Than Marijuana ²	45.0 ^b	37.0	9.7 ^b	10.9
Black Only	4.1	4.8	Cigarettes	58.6 ^b	49.1	19.1	18.7
American Indian or Alaska Native Only	9.8	5.4	Alcohol	72.0 ^a	66.2	31.3 ^a	32.5
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	5.2	4.9	LIFETIME				
More Than One Race	5.0	5.8	Any Illicit Drug ²	75.6 ^a	70.7	24.7 ^b	26.4
Hispanic	5.1	4.6	Marijuana	61.1	59.0	16.4 ^b	17.9
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	59.4 ^b	50.8	16.2 ^a	17.2
Large Metro	4.6	4.5	Cigarettes	75.4 ^a	69.7	32.7	31.9
Small Metro	4.2	4.2	Alcohol	80.4 ^a	75.9	39.9 ^a	41.3
Nonmetro	3.7	3.2	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.
-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.28A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That They Had Attacked Someone with the Intent to Seriously Hurt Them One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Attacked Someone with the Intent to Seriously Hurt Them: 2000 and 2001

(I) Demographic Characteristic	Attacked Someone with Intent to Seriously Hurt Them ¹		(II) Drug Use	Attacked Someone with Intent to Seriously Hurt Them ¹			
	One or More Times			One or More Times		None	
	2000	2001		2000	2001	2000	2001
TOTAL	1,736	1,827	PAST MONTH				
AGE			Any Illicit Drug ²	489	458	1,759 ^b	2,069
12-13	478	516	Marijuana	381	358	1,292 ^b	1,505
14-15	659	723	Any Illicit Drug Other Than Marijuana ²	271	222	792 ^a	920
16-17	599	588	Cigarettes	561	509	2,557	2,511
GENDER			Alcohol	582	606	3,226 ^a	3,444
Male	1,147	1,166	"Binge" Alcohol ³	462	436	1,970	2,033
Female	589	661	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	789	785	3,548 ^b	4,094
Not Hispanic	1,472	1,586	Marijuana	599	591	2,526 ^b	2,953
White Only	983	1,064	Any Illicit Drug Other Than Marijuana ²	555	500	2,058 ^b	2,314
Black Only	404	425	Cigarettes	752	702	4,092	3,983
American Indian or Alaska Native Only	10 ^a	21	Alcohol	920	963	6,776	6,997
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	39	31	LIFETIME				
More Than One Race	31	42	Any Illicit Drug ²	984	1,026	5,275 ^a	5,618
Hispanic	264	241	Marijuana	736	763	3,528 ^b	3,838
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	758	738	3,444	3,637
Large Metro	862	903	Cigarettes	1,041	1,055	7,014	6,819
Small Metro	540	552	Alcohol	1,146	1,165	8,565	8,895
Nonmetro	334	372	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.28B Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Attacked Someone with the Intent to Seriously Hurt Them One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Attacked Someone with the Intent to Seriously Hurt Them: 2000 and 2001

(I) Demographic Characteristic	Attacked Someone with Intent to Seriously Hurt Them ¹		(II) Drug Use	Attacked Someone with Intent to Seriously Hurt Them ¹			
	One or More Times			One or More Times		None	
	2000	2001		2000	2001	2000	2001
TOTAL	7.5	7.8	PAST MONTH				
AGE			Any Illicit Drug ²	28.2	25.0	8.2 ^b	9.5
12-13	6.2	6.7	Marijuana	21.9	19.6	6.0 ^b	6.9
14-15	8.2	8.9	Any Illicit Drug Other Than Marijuana ²	15.6 ^a	12.1	3.7 ^a	4.2
16-17	7.9	7.7	Cigarettes	32.3 ^a	27.9	11.9	11.6
GENDER			Alcohol	33.5	33.2	15.0 ^a	15.9
Male	9.6	9.7	"Binge" Alcohol ³	26.6	23.9	9.1	9.4
Female	5.2	5.7	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	45.4	43.0	16.5 ^b	18.9
Not Hispanic	7.4	7.9	Marijuana	34.5	32.3	11.7 ^b	13.6
White Only	6.4	7.0	Any Illicit Drug Other Than Marijuana ²	32.0 ^a	27.4	9.5 ^b	10.7
Black Only	12.1	12.7	Cigarettes	43.3 ^a	38.4	19.0	18.4
American Indian or Alaska Native Only	7.2	12.2	Alcohol	53.0	52.7	31.4	32.3
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	4.7	3.7	LIFETIME				
More Than One Race	8.5	10.6	Any Illicit Drug ²	56.7	56.2	24.5 ^a	25.9
Hispanic	8.0	7.1	Marijuana	42.4	41.8	16.4 ^b	17.7
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	43.7	40.4	16.0	16.8
Large Metro	7.6	8.1	Cigarettes	60.0	57.8	32.5	31.4
Small Metro	7.5	7.5	Alcohol	66.0	63.8	39.7 ^a	41.0
Nonmetro	7.0	7.5	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.