| 1 | GENERIC CONTROL SYSTEM, APPARATUS | 41 | Proportional-Integral (P-I) |
|-----|---------------------------------------|------------|---|
| 0 | OR PROCESS | 42 | <pre>Proportional-Integral- Derivative (P-I-D)</pre> |
| 2 | .Plural processors | 43 | Proportional-Derivative (P-D) |
| 3 | Master-slave | 44 | |
| 4 | Parallel | | Feed-forward (e.g., predictive) |
| 5 | Shared memory | 45 | Combined with feedback |
| 6 | Hybrid types (analog, digital) | 46 | Rate control |
| 7 | Including sequence or logic processor | 47 | <pre>Trainable system (e.g., self- learning, self-organizing)</pre> |
| 8 | .Cascade control | 48 | Neural network |
| 9 | .Supervisory control | 49 | Expert system |
| 10 | Of analog controllers | 50 | Fuzzy logic |
| 11 | .Sequential or selective | 51 | Statistical process control |
| 12 | State of condition or parameter | | (SPC) |
| | (e.g., on/off) | 52 | Parameter estimation or |
| 13 | Position responsive | | identification |
| 14 | Time responsive (duration) | 53 | Multiple input-multiple output |
| 15 | Having display | | (MIMO) system feature (e.g., |
| | | | decoupling) |
| 16 | Clock-calendar (e.g., time of | 54 | Having particular compensation |
| | day) | 0.1 | or stabilization feature |
| 17 | Operator interface (e.g., | 55 | Filtering |
| | display with control) | 56 | .Digital positioning (other than |
| 18 | Specific programming (e.g., | 30 | machine tool) |
| | relay or ladder logic) | 57 | Alignment or registration |
| 19 | Plural controlled systems, | 58 | Having position marking |
| | mechanisms, or elements | | |
| 20 | Plural controllers | 59 | Having optical sensing (e.g., |
| 21 | Failure protection or | C 0 | image projection) |
| | reliability | 60 | Support positioning (e.g., |
| 22 | Electrical power distribution | <i>C</i> 1 | table, stage) |
| 23 | Sequence program response | 61 | Multiple axis motion or path |
| 24 | Addressing | | control |
| 25 | I/O table | 62 | Orientation (e.g., posture, |
| 26 | Diagnostics or debugging | | pose) |
| 27 | Having status indication | 63 | Including velocity or |
| 28 | .Optimization or adaptive control | | acceleration control |
| 29 | Having model | 64 | Position recording |
| 30 | Comparison with model (e.g., | 65 | Operator control of remotely |
| 30 | model reference) | | located element |
| 31 | Having adjustment of model | 66 | Having particular position |
| ΣŢ | (e.g., update) | | determining apparatue (e.g., |
| 32 | Specific criteria of system | | portable or handheld) |
| 32 | | 67 | .Plural variables |
| 2.2 | performance | 68 | Ratio |
| 33 | Constraint or limit (e.g., | 69 | Positional (e.g., velocity, |
| 0.4 | max/min) | | acceleration) |
| 34 | Variable | 70 | Positional with nonpositional |
| 35 | Bidirectional (e.g., | 71 | .Specific compensation or |
| | oscillatory) | | stabilization feature |
| 36 | Economic (e.g., cost) | 72 | Lag (e.g., deadtime) |
| 37 | Gain (e.g., tuning) | 73 | .Sampled data system |
| 38 | Having perturbation | 73 74 | Variable rate |
| 39 | Test signal | 14 | · · · valiable lace |
| 40 | Plural modes | | |
| | | | |

700 - 2 $\,$ CLASS 700 DATA PROCESSING: GENERIC CONTROL SYSTEMS OR SPECIFIC APPLICATIONS

| 75 | .Multiple modes (e.g., digital/ | 111 | Worker or work station |
|-----|--------------------------------------|-----|---------------------------------|
| | analog) | 440 | efficiency |
| 76 | Manual/automatic | 112 | Having particular work |
| 77 | Fine/coarse | | transport control between |
| 78 | .Having specific error signal | | manufacturing stations |
| | generation (e.g., up/down | 113 | Mobile transport |
| | counter) | 114 | Work positioning |
| 79 | .Having protection or reliability | 115 | Product tracking (e.g., having |
| | feature | | product or carrier |
| 80 | Warning or alarm | | identification) |
| 81 | Self-test | 116 | Having identification |
| 82 | Backup/standby | | controlled manufacturing |
| 83 | .Having operator control | | operation |
| | <pre>interface (e.g., control/</pre> | 117 | Particular manufactured product |
| | display console) | | or operation |
| 84 | Keyboard | 118 | Three-dimensional product |
| 85 | Positional (e.g., joystick) | | forming |
| 86 | .Having preparation of program | 119 | Rapid prototyping (e.g., |
| 87 | Editing/modifying | | layer-by-layer, material |
| 88 | Playback | | deposition) |
| 89 | .Having specific algorithm | 120 | Stereolithography |
| 90 | SPECIFIC APPLICATION, APPARATUS | 121 | Integrated circuit production |
| | OR PROCESS | | or semiconductor fabrication |
| 91 | .Contest or contestant analysis, | 122 | Continuous material having |
| 7 - | management, or monitoring | | indeterminate length (e.g., |
| | (e.g., statistical analysis, | | web, strand, strip, or sheet) |
| | handicapping, scoring) | 123 | Material deposition or |
| 92 | Scoring | | application (e.g., spraying, |
| 93 | Probability determination or | | coating) |
| 55 | handicapping | 124 | Registration control |
| 94 | .Digital audio data processing | 125 | Having a reference mark or |
| 24 | system | | pattern |
| 95 | .Product assembly or | 126 | Winding |
| 33 | manufacturing | 127 | Sheet making (e.g., paper |
| 96 | Integrated system (Computer | | product) |
| 90 | Integrated Manufacturing (CIM) | 128 | Paper machine or subsystem |
| 97 | Design or planning | 120 | control |
| 98 | | 129 | Profile analyzer or |
| 90 | 3-D product design (e.g., | 127 | controller |
| 0.0 | solid modeling) | 130 | Textile |
| 99 | Resource allocation | 131 | Pattern design |
| 100 | Job scheduling | 132 | |
| 101 | Priority ordering | | For a garment |
| 102 | Job release determination | 133 | Having particular pattern |
| 103 | Constraints or rules | | producing operation (e.g., |
| 104 | Knowledge based (e.g., expert | 134 | dyeing) |
| | system) | | Pattern cutting |
| 105 | Rework or engineering change | 135 | Pattern matching or |
| 106 | Material requirement | 126 | positioning |
| 107 | Bill of material | 136 | Sewing |
| 108 | Performance monitoring | 137 | Having particular input data |
| 109 | Quality control | 126 | (e.g., stitch) |
| 110 | Defect analysis or | 138 | Embroidering |
| | recognition | 139 | Spinning or winding (e.g., |
| | | | yarn) |

| 140 | Loom control | 177 | Protective or diagnostic |
|-------|--|------|-------------------------------------|
| 141 | Knitting | | feature |
| 142 | Fiber preparation | 178 | Tool/workpiece interference |
| 143 | Having monitoring or | | prevention |
| | inspecting (e.g., abnormality | 179 | Tool selection/change |
| | detection) | 180 | Having operator interface |
| 144 | Yarn quality | | feature |
| 145 | Metal | 181 | Specific programming format |
| 146 | Casting or drawing | | (e.g., macro) |
| 147 | Control of metallurgical | 182 | Including CAD, CAM, or CIM |
| 4.40 | property | 100 | technique |
| 148 | Rolling | 183 | Preset pattern |
| 149 | Having schedule adjustment | 184 | Machining path display |
| 150 | Control or detection of a | 185 | Prompting technique |
| 4.5.4 | particular condition | 186 | Digital positioning technique |
| 151 | Speed control | 187 | For curve or contour |
| 152 | Tension control (e.g., | 188 | Including velocity or |
| 450 | interstrand) | 100 | acceleration control |
| 153 | Temperature control | 189 | Interpolation |
| 154 | Flatness or crown control | 190 | Specified tool feed path at |
| 155 | Thickness control | 4.04 | entry or withdrawal |
| 156 | Roll eccentricity | 191 | Repeated machining passes |
| 4.5.5 | compensation | 192 | Alignment of tool or |
| 157 | Glassware forming | | workpiece (e.g., origin or |
| 158 | IS (individual section) | 100 | path return) |
| 150 | machine | 193 | Positional compensation or |
| 159 | Machining | | modification compensation or |
| 160 | Having particular tool or tool operation | 194 | modCoordinate transformation |
| 161 | Tracing or duplicating | _ | technique |
| 162 | Electrical discharge | 195 | Having particular measuring |
| 102 | machining (EDM) | | device (e.g., probe) |
| 163 | 3-D sculpturing using | 196 | Extruding |
| | nontracing prototype sensor | 197 | Molding |
| 164 | Grinding | 198 | Control of curing |
| 165 | Bending (e.g., press brake) | 199 | Vulcanization |
| 166 | Laser | 200 | Injection |
| 167 | <pre>Of elongated material (e.g., timber, veneer, web)</pre> | 201 | Plural molding machines or stations |
| 168 | Portable (e.g., handheld) | 202 | Control of temperature |
| 169 | Supervisory control (e.g., | 203 | Control of pressure |
| 109 | plural tools or plural | 204 | Monitoring, inspection, or |
| | processors) | 204 | control of a particular |
| 170 | Having particular control of | | condition |
| 170 | a motor parameter | 205 | Control of temperature |
| 171 | Material usage optimization | 206 | Pressing |
| 172 | Multiple mode (e.g., rough- | 207 | Heating |
| _,_ | finish, coarse-fine) | 208 | Drying |
| 173 | Adaptive (optimizing) system | 209 | Furnace |
| 174 | Performance monitoring | 210 | Multizone |
| 175 | Condition of tool or | 211 | Oven |
| 1,5 | workpiece (e.g., tolerance, | 212 | Sintering, soldering, or |
| | tool wear) | .== | bonding |
| 176 | Offsetting | 213 | .Article handling |
| | | | |

700 - 4 CLASS 700 DATA PROCESSING: GENERIC CONTROL SYSTEMS OR SPECIFIC APPLICATIONS

| 214 | Article storing, retrieval, or | 243 | Movable (e.g., rotatable) |
|------|--------------------------------|------|--------------------------------------|
| | arrangement (e.g., | 244 | Monitoring or inspection |
| | warehousing, automated | 245 | .Robot control |
| | library) | 246 | Combined with knowledge |
| 215 | Having an identification code | | processing (e.g., natural |
| 216 | Order filling | | language system) |
| 217 | Article support load | 247 | Plural controlled devices or |
| | management (e.g., palletizing) | | plural nonvision controlling |
| 218 | Particular charging or | | devices |
| | discharging apparatus | 248 | Plural robots |
| 219 | Associating or disassociating | 249 | Plural processors |
| | plural articles | 250 | Specific enhancing or modifying |
| 220 | Inserting | | technique (e.g., adaptive |
| 221 | Having an identification code | | control) |
| 222 | Monitoring or inspection | 251 | Coordinate transformation |
| | (e.g., incomplete assembly) | 252 | Interpolation |
| 223 | Collating or sorting | 253 | Programmed data (e.g., path) |
| 224 | Having an identification code | | modified by sensed data |
| 225 | Having an identification code | 254 | Compensation or calibration |
| 226 | Identification code determines | 255 | Collision prevention |
| | article destination | 256 | Overload prevention |
| 227 | Preparation of an article for | 257 | Based on user input |
| | an identification code (e.g., | 258 | Having particular sensor |
| | printing, encoding) | 259 | Vision sensor (e.g., camera, |
| 228 | Having particular transport | | photocell) |
| | between article handling | 260 | Having control of force |
| | stations | 261 | Having control of robot torque |
| 229 | Transport position | 262 | Using particular manipulator |
| | identification | | orientation computation (e.g., |
| 230 | Having a conveyor | | vector/matrix calculation) |
| 231 | Dispensing or vending | 263 | Using Jacobian computation |
| 232 | Operator or payment initiated | 264 | Having particular operator |
| 233 | Customized dispensed article | | interface (e.g., teaching box, |
| | (e.g., operator design) | | digitizer, tablet, pendant, |
| 234 | Demonstration or duplication | | dummy arm) |
| | of article (e.g., software, | 265 | .Nonreactive mixing process |
| | video) | | (e.g., mixing cement, |
| 235 | Printing on or of dispensed | | preparing solution, diluting |
| | or vended article | | chemical) |
| 236 | Data collection or reporting | 266 | .Chemical process control or |
| | (e.g., sales, inventory) | | monitoring system |
| 237 | Authorization (e.g., | 267 | Titration or pH level |
| | password, time usage limit, | 268 | Synthesis process |
| | personal identification number | 269 | \dots Polymerization/trimerization |
| | (PIN) | 270 | Distillation |
| 238 | Price adjustment | 271 | Refinement or purification or |
| 239 | Blending or mixing | | rejuvenation |
| 240 | Condition controlled | 272 | Of fuel |
| | dispensing (e.g., weight or | 273 | Separation process |
| 0.44 | volume) | 274 | Control of combustion or |
| 241 | Central control of plural | | heating apparatus (e.g., kiln, |
| 0.40 | dispensing units | | furnace, autoclave, burner, |
| 242 | Particular supply arrangement | 0.55 | combusion system) |
| | (e.g., plural sources or | 275 | .Mechanical control system |
| | compartments) | 276 | HVAC control |

| 277 | Multiple zones | |
|-----|--|---|
| 278 | Specific thermally responsive controller | |
| 279 | Balancing or alignment | CROSS-REFERENCE ART COLLECTIONS |
| 280 | Vibration or acoustic noise control | 900 SPECIAL ROBOT STRUCTURAL ELEMENT |
| 281 | Control of fluid level or volume | |
| 282 | <pre>Flow control (e.g., valve or pump control)</pre> | BODETON ADE COLLECTIONS |
| 283 | Dispensing management (e.g., spraying) | FOREIGN ART COLLECTIONS |
| 284 | Irrigation | FOR 000 CLASS-RELATED FOREIGN DOCUMENTS |
| 285 | Fluid mixing | Any foreign patents or non-patent litera- |
| 286 | .Electrical power generation or distribution system | ture from subclasses that have been reclassified have been transferred |
| 287 | Turbine or generator control | directly to FOR Collections listed below. |
| 288 | Cogenerative system | These Collections contain ONLY foreign |
| 289 | Adaptive valve control | patents or non-patent literature. The par- |
| 290 | For turbine speed control | enthetical references in the Collection |
| 291 | Energy consumption or demand prediction or estimation | titles refer to the abolished subclasses from which these Collections were derived. |
| 292 | System protection (e.g., circuit interrupter, circuit limiter, voltage suppressor) | FOR 101 SEQUENTIAL OR SELECTIVE DATA |
| 293 | Abnormal power, current, or impedance condition | PROCESSING CONROL SYSTEM, METHOD, OR APPARATUS (364/140) |
| 294 | Abnormal phase, waveform, or polarity condition | FOR 102 OPTIMIZATION OR ADAPTIVE DATA PROCESSING CONTROL SYSTEM, |
| 295 | <pre>Power allocation management (e.g., load adding/shedding)</pre> | METHOD, OR APPARATUS (364/148) FOR 103 DIGITAL POSITIONING (OTHER THAN |
| 296 | Time based control (e.g., real time or duty cycle) | MACHINE TOOL) CONTROL SYSTEM, METHOD, OR APPARATUS (364/ 167.01) |
| 297 | Power supply regulation operation | FOR 104 GAME OR AMUSEMENT (364/410) |
| 298 | By voltage regulation | FOR 105 .Scoring (364/411) |
| 299 | Specific application of temperature responsive control system | FOR 106 .Wagering (364/412) |
| 300 | For heating or cooling | |
| 301 | .Specific application of pressure responsive control system | |
| 302 | .Specific application of positional responsive control system | |
| 303 | .Specific application of dimensional responsive control system | |
| 304 | .Specific application of speed responsive control system | |
| 305 | .Specific application of weight responsive control system | |
| 306 | .Specific application of control based on elapsed time | |

700 - 6 $\,$ CLASS 700 DATA PROCESSING: GENERIC CONTROL SYSTEMS OR SPECIFIC APPLICATIONS