

**U.S. Nuclear Regulatory Commission
Human Factors Information System (HFIS)
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 41

National Average: 43

2x National Average: 86

National Median: 24

Average for Selected Dockets: 41

Facility Name: Seabrook 1 Docket (050- 00443)

Details	Department	Work Type	Docket/Report
Procedures & Reference Document / IR			
111 - Procedure / reference document technical content	D - Emergency Planning	D - Emergency Drill	050-00443/2005-011
Number of Items for this Docket: 1			
Percent of Total for this Docket: 2			
Problem Identification & Resolution / IR			
140 - Problem not completely or accurately identified	M - Mechanical	M - Maintenance / Repair	050-00443/2006-002
140 - Problem not completely or accurately identified	O - Operations	O - Control Room Ops	050-00443/2006-004
142 - Operating experience (OE) review LTA	E - Electrical	M - Maintenance / Repair	050-00443/2006-002
142 - Operating experience (OE) review LTA	M - Mechanical	M - Maintenance / Repair	050-00443/2006-003
142 - Operating experience (OE) review LTA	M - Mechanical	S - Surveillance	050-00443/2005-011
144 - Audit / self-assessment / effectiveness review LTA	G - Engineering	S - Surveillance	050-00443/2005-011
146 - Evaluation LTA	G - Engineering	G - Design	050-00443/2006-002
146 - Evaluation LTA	G - Engineering	G - Design	050-00443/2006-003
146 - Evaluation LTA	O - Operations	O - Control Room Ops	050-00443/2006-003
148 - Action not yet started or untimely	M - Mechanical	M - Maintenance / Repair	050-00443/2006-002
148 - Action not yet started or untimely	M - Mechanical	M - Maintenance / Repair	050-00443/2006-003
Number of Items for this Docket: 11			
Percent of Total for this Docket: 27			
Work Planning & Practices / IR			
185 - Procedural adherence LTA	E - Electrical	M - Maintenance / Repair	050-00443/2006-003
185 - Procedural adherence LTA	M - Mechanical	M - Maintenance / Repair	050-00443/2006-002
185 - Procedural adherence LTA	O - Operations	O - Control Room Ops	050-00443/2006-004
187 - Action implementation LTA	G - Engineering	G - Design	050-00443/2006-002
187 - Action implementation LTA	G - Engineering	G - Design	050-00443/2006-002
187 - Action implementation LTA	G - Engineering	G - Design	050-00443/2006-003
188 - Work practice or craft skill LTA	G - Engineering	G - Design	050-00443/2006-002
188 - Work practice or craft skill LTA	Z - Other / Unknown	V - Troubleshooting	050-00443/2005-011
190 - Failure to stop work / non-conservative decision making	M - Mechanical	M - Maintenance / Repair	050-00443/2006-002
190 - Failure to stop work / non-conservative decision making	O - Operations	O - Control Room Ops	050-00443/2006-004
190 - Failure to stop work / non-conservative decision making	Z - Other / Unknown	V - Troubleshooting	050-00443/2005-011
194 - Housekeeping LTA	M - Mechanical	M - Maintenance / Repair	050-00443/2006-003

**U.S. Nuclear Regulatory Commission
Human Factors Information System (HFIS)
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 41

National Average: 43

2x National Average: 86

National Median: 24

Average for Selected Dockets: 41

Facility Name: Seabrook 1 Docket (050- 00443)

Details	Department	Work Type	Docket/Report
Work Planning & Practices / IR			
196 - Independent verification / plant tours LTA	O - Operations	O - Control Room Ops	050-00443/2006-002
Number of Items for this Docket: 13			
Percent of Total for this Docket: 32			
<hr/>			
Communication / LER			
161 - Communication LTA	H - Health Physics	A - Administrative	050-00443/2006-002-00
161 - Communication LTA	L - Licensing / regulatory affairs	A - Administrative	050-00443/2006-002-00
Number of Items for this Docket: 2			
Percent of Total for this Docket: 5			
<hr/>			
Fitness for Duty / LER			
120 - Testing LTA	Z - Other / Unknown	Z - Other / Unknown	050-00443/2006-001-00
Number of Items for this Docket: 1			
Percent of Total for this Docket: 2			
<hr/>			
Procedures & Reference Document / LER			
111 - Procedure / reference document technical content	E - Electrical	M - Maintenance / Repair	050-00443/2006-003-00
111 - Procedure / reference document technical content	E - Electrical	M - Maintenance / Repair	050-00443/2006-004-00
113 - Procedure / reference document development and maintenance L	V - Fitness for duty	A - Administrative	050-00443/2006-001-00
Number of Items for this Docket: 3			
Percent of Total for this Docket: 7			
<hr/>			
Problem Identification & Resolution / LER			
145 - Causal development LTA	E - Electrical	V - Troubleshooting	050-00443/2006-006-01
147 - Individual corrective action LTA	E - Electrical	V - Troubleshooting	050-00443/2006-006-01
150 - Programmatic deficiency	E - Electrical	V - Troubleshooting	050-00443/2006-006-01
Number of Items for this Docket: 3			
Percent of Total for this Docket: 7			
<hr/>			
Training / LER			
102 - Individual knowledge LTA	V - Fitness for duty	A - Administrative	050-00443/2006-001-00
Number of Items for this Docket: 1			
Percent of Total for this Docket: 2			
<hr/>			
Work Planning & Practices / LER			
189 - Recognition of adverse condition / questioning attitude LTA	L - Licensing / regulatory affairs	A - Administrative	050-00443/2006-002-00
189 - Recognition of adverse condition / questioning attitude LTA	O - Operations	O - Control Room Ops	050-00443/2006-004-00
189 - Recognition of adverse condition / questioning attitude LTA	V - Fitness for duty	A - Administrative	050-00443/2006-001-00

**U.S. Nuclear Regulatory Commission
Human Factors Information System (HFIS)
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 41
National Average: 43
2x National Average: 86
National Median: 24
Average for Selected Dockets: 41

Facility Name: Seabrook 1 Docket (050- 00443)

Details	Department	Work Type	Docket/Report
Work Planning & Practices / LER			
190 - Failure to stop work / non-conservative decision making	E - Electrical	M - Maintenance / Repair	050-00443/2006-004-00
197 - Self-check LTA	L - Licensing / regulatory affairs	A - Administrative	050-00443/2006-002-00
197 - Self-check LTA	O - Operations	T - Testing	050-00443/2006-003-00
Number of Items for this Docket: 6			
Percent of Total for this Docket: 15			

Total Items for this Docket: 41