TABLE R34. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by event or exposure leading to injury or illness and selected natures of injury or illness, 2006

					Nature	of injury o	or illness ⁵		
Event	Event code ³	Private industry ⁴	Sprains, strains	Frac- tures	Cuts, punc- tures	Bruises	Heat burns	Chemical burns 0.8	Amputa- tions
Total [1,183,500 cases]		127.8	51.1	10.2	12.4	10.9	1.9	0.8	0.9
Contact with objects and									
equipment	0	36.2	3.7	4.2	11.5	5.9	-	_	.8
Contact with objects and equipment,									
unspecified	00	.6	(7)	(7)	.4	.1	-	-	(7)
Struck against object	01	9.3	1.6	.8	3.2	1.7	_	-	.1
Struck against object, unspecified	010	.4	(7)	(7)	.2	.1	_	-	(7)
Stepped on object	011	1.5	8.	` .2	.3	(7)	_	-	'-'
Struck against stationary object	012	5.3	.6	.4	1.8	1.2	_	-	(7)
Struck against moving object	013	1.0	.1	.1	.5	.1	_	-	<u> </u>
Struck against object, n.e.c	019	1.2	.1	.1	.5	.2	_	_	(7)
Struck by object	02	17.8	1.5	2.3	6.0	3.3	_	_	.2
Struck by object, unspecified	020	.7	.1	.1	.2	.1	_	_	(7)
Struck by falling object	021	6.3	.8	1.2	.7	1.6	_	_	7 7
Struck by flying object	022	2.1	.1	.1	.9	.2	_	_	7
Struck by flying object,									` '
unspecified	0220	.2	(7)	(7)	.1	(7)	_	_	_
Struck by dislodged flying object,			` ′	\ /		` ′			
particle	0221	1.0	(7)	.1	.4	.1	_	_	_
Struck by discharged object or			` ′						
substance	0222	.5	(7)	(⁷)	.4	(7)	_	_	_
Struck by flying object, n.e.c	0229	.3	(7)	$\binom{7}{7}$.1	.1	_	_	_
Struck by swinging or slipping	0220	.0	(/	()					
object	023	6.2	.3	.6	3.6	.8	_	_	.1
Struck by swinging or slipping	023	0.2	.5	.0	0.0				''
object, unspecified	0230	.1	(7)	(⁷)	(7)	(7)	_	_	_
Struck by or slammed in	0230	''	()	()	()	()	_	_	_
swinging door or gate	0231	.9	.1	.1	.1	.3			(7)
Struck by slipping handheld	0231	.9	''		.'		_	_	()
	0232	4.8	.1	.4	3.3	.4			.1
object Struck by swinging or slipping	0232	4.0		.4	3.3	.4	_	_	.'
, , , , , ,	0239	.4	(7)	.1	1	.1			(7)
object, n.e.c.	0239	.4	(')	. 1	1	- 1	_	_	(')
Struck by rolling, sliding objects on floor or ground level	024	.4	.1	.1	(7)	.2			
	024	2.1	.2	.1	6.	.4	_	_	(7)
Struck by object, n.e.c	029	2.1	.2	.3	.0	.4	_	_	()
	03	6.3	.4	1.0	1.7				.6
equipment or objects Caught in or compressed by	US	0.3	.4	1.0	1.7	.8	_	_	٥.
equipment or objects,	000		4	_	,				
unspecified	030	.8	.1	.2	1	.1	_	_	
Caught in running equipment or	004			_	1 4 4				.
machinery	031	2.4	.1	.3	1.0	.1	_	_	.4
Compressed or pinched by rolling,		l	.	_	_	_			17.
sliding, or shifting objects	032	1.1	.1	.2	.2	.2	_	_	(7)

TABLE R34. Incidence rates 1 for nonfatal occupational injuries and illnesses involving days away from work 2 per 10,000 full-time workers by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

				Nature of inju	ary or illness	5		
			Multiple	traumatic inju disorders	uries and		and pain, ot back	
Event	Carpal tunnel syndrome	Tendonitis	Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	All other natures ⁶
Total [1,183,500 cases]	1.4	0.5	5.0	1.1	1.9	11.3	3.8	21.4
Contact with objects and								
equipment	_	(7)	1.6	.5	.4	1.9	.1	6.7
Contact with objects and equipment,		` ′						
unspecified	_	_	(⁷)	$ (^7) $	(⁷)	(7)	_	.1
Struck against object	_	(7)	.3	(7)	. 1	.5	(7)	1.1
Struck against object, unspecified	_	\ <u>`</u> _'	(7)	(7)	(7)	(⁷)		(⁷)
Stepped on object	_	_	(7)	(7)	(7)	` .1	(7)	` .1
Struck against stationary object	_	(7)	.2	(7)	.1	.4	(7)	.7
Struck against moving object	_		(⁷)	77	(7)	(7)	(7)	.1
Struck against object, n.e.c	_	_	(7)	(7)	(7)	` .1	(7)	.1
Struck by object	_	(7)	` .8	.2	` .2	1.0	l ` <u>′</u> 1	2.7
Struck by object, unspecified	_	`_′	(7)	(7)	(7)	(7)	(7)	.1
Struck by falling object	_	_	.4	.1	.1	.4	7	1.0
Struck by flying object	_	_	.1	(7)	(⁷)	.1	7	.6
Struck by flying object,				()	()		()	.0
unspecified	_	_	(⁷)	_	_	(⁷)	_	.1
Struck by dislodged flying object,	_	_	()	_	_	()	_	. '
particle			(⁷)	(7)	(⁷)	.1	(7)	.4
Struck by discharged object or	_	_	()	()	()		()	.4
			(7)	(7)		(7)		.1
substance	_	_	$\binom{7}{7}$	(')	_	(⁷)	_	
Struck by flying object, n.e.c	_	_	(')	_	_	(')	_	.1
Struck by swinging or slipping		(7)	•	(7)	.7.	_	(7)	_
object	_	(7)	.2	(7)	(7)	.2	(7)	.5
Struck by swinging or slipping			. 7 .			. 7 .		. 7 .
object, unspecified	_	_	(7)	-	_	(7)	_	(7)
Struck by or slammed in								
swinging door or gate	_	_	(7)	(7)	(7)	.1	(7)	.1
Struck by slipping handheld								
object	_	(7)	.1	(7)	(7)	.1	(7)	.3
Struck by swinging or slipping			_	_	_	_		
object, n.e.c.	_	-	(7)	(7)	(7)	(7)	_	.1
Struck by rolling, sliding objects on			_	_	_	_		
floor or ground level		_	(7)	(⁷)	$\begin{pmatrix} 7 \\ 7 \end{pmatrix}$	(7)	_	.1
Struck by object, n.e.c	_	(7)	.1	(7)	(7)	.2	(7)	.4
Caught in or compressed by								
equipment or objects	_	(7)	.4	.2	.1	.2	(7)	1.3
Caught in or compressed by								
equipment or objects,								
unspecified	_	_	.1	.1	(⁷)	(7)	_	.2
Caught in running equipment or					` '	` '		
machinery	_	_	.1	.1	(7)	(7)	_	.4
Compressed or pinched by rolling,				''	` /	` ′		
sliding, or shifting objects	_	_	.1	(7)	(⁷)	.1	(7)	.2
sharing, or ormaling objects	1	1	• • •	\ /	\ /		\ /	

TABLE R34. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

					Nature	of injury o	or illness ⁵		
Event	Event code ³	Private industry ⁴	Sprains, strains	Frac- tures	Cuts, punc- tures	Bruises	Heat burns	Chem- ical burns	Amputa- tions
Caught in or compressed by equipment or objects, n.e.c.	039	2.0	0.2	0.4	0.3	0.3	-	_	0.1
Caught in or crushed in collapsing materials	04	.1	(7)	(⁷)	_	(7)	_	_	_
Caught in or crushed in collapsing materials, unspecified	040 041 042	(⁷) (⁷) (⁷)	(⁷)	(⁷) (⁷)	_ _ _	- - -	- - -	- - -	- - -
structure	044	(7)	_	_	_	_	_	_	_
Caught in or crushed in collapsing materials, n.e.c	049	(7)	(7)	(7)	_	_	-	_	_
pressure	05	1.7	(7)	_	(7)	(7)	-	_	_
Rubbed or abraded by friction or pressure, unspecifiedRubbed or abraded by kneeling on	050	(7)	_	_	_	_	-	_	_
surface	051	.1	(7)	-	_	(7)	-	_	_
Rubbed or abraded by objects being handledRubbed or abraded by foreign	052	.1	(7)	_	(7)	(7)	-	_	_
matter in eyeRubbed or abraded by friction or	053	1.5	_	-	_	(7)	-	_	_
pressure, n.e.c	059	(7)	_	_	_	_	_	_	_
vibration	06	.2	.1	_	_	(7)	_	_	_
vibration, unspecified Rubbed, abraded, or jarred by	060	(7)	(7)	-	_	_	-	_	_
vehicle or mobile equipment vibration Rubbed, abraded, or jarred by	061	.1	.1	-	_	_	-	_	_
other machine or equipment vibration Rubbed, abraded, or jarred by	062	(7)	(7)	_	_	(7)	-	_	_
vibration, n.e.c.	069	(7)	(7)	_	_	_	_	_	_
Contact with objects and equipment, n.e.c.	09	.3	(7)	(7)	.2	(7)	_	_	(7)
Falls Fall, unspecified Fall to lower level Fall to lower level, unspecified Fall down stairs or steps	1 10 11 110 111	25.3 .3 8.0 .1 1.9	8.2 .1 2.6 (⁷)	4.8 (⁷) 1.8 (⁷) .3	.6 (⁷) .2 - (⁷)	3.9 .1 1.0 (⁷)	- - - -	- - - -	(⁷) - - -

TABLE R34. Incidence rates 1 for nonfatal occupational injuries and illnesses involving days away from work 2 per 10,000 full-time workers by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

				Nature of inju	ury or illness	5 5		
			Multiple	traumatic inju disorders	uries and		and pain, ot back	
Event	Carpal tunnel syndrome	Tendonitis	Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	All other natures ⁶
Caught in or compressed by equipment or objects, n.e.c	_	_	0.1	0.1	(⁷)	0.1	(7)	0.4
Caught in or crushed in collapsing materials	_	_	(⁷)	(7)	_	(7)	_	(⁷)
Caught in or crushed in collapsing			()					_
materials, unspecified Excavation or trenching cave-in	_	_	-	-	_	(7)	_	$\begin{pmatrix} 7 \\ 7 \end{pmatrix}$
Other cave-in	_	_	_	_	_		_	_
Caught in or crushed in collapsing			. 7 .	.7.				. 7 .
structure Caught in or crushed in collapsing	_	_	(7)	(7)	_	_	_	(7)
materials, n.e.c.	_	_	_	_	_	_	_	_
Rubbed or abraded by friction or			(7)					4.0
pressure Rubbed or abraded by friction or	_	_	(7)	_	_	.1	_	1.6
pressure, unspecified	_	_	_	_	_	_	_	(⁷)
Rubbed or abraded by kneeling on						(7)		(7)
surface Rubbed or abraded by objects	_	_	_	_	_	(7)	_	(7)
being handled	_	_	(7)	_	_	(7)	-	(7)
Rubbed or abraded by foreign			(7)			(7)		4.5
matter in eyeRubbed or abraded by friction or	_	_	(7)	_	_	(7)	_	1.5
pressure, n.e.c	_	_	_	_	_	_	_	(⁷)
Rubbed, abraded, or jarred by		(7)	(7)			.7.	(7)	. 7 >
vibration Rubbed, abraded, or jarred by	_	(7)	(7)	_	_	(7)	(7)	(7)
vibration, unspecified	_	_	_	_	_	_	_	_
Rubbed, abraded, or jarred by								
vehicle or mobile equipment vibration	_	_	_	_	_	(⁷)	(7)	(⁷)
Rubbed, abraded, or jarred by						()		()
other machine or equipment		(7)				.7.	(7)	.7.
vibration Rubbed, abraded, or jarred by	_	(7)	-	_	-	(7)	(7)	(7)
vibration, n.e.c.	_	_	_	_	_	_	_	_
Contact with objects and equipment,			.7.			,7,	.7.	.7.
n.e.c.	_	_	(7)	_	-	(7)	(7)	(7)
Falls	_	(7)	2.4	.5	1.1	2.4	6	3.0
Fall, unspecified	_	-	(7)	(7)	(7)	(7)	(7)	(⁷)
Fall to lower level Fall to lower level, unspecified	_	_	.9 (⁷)	.2 (⁷)	.3 –	(7)	.2	1.0 (⁷)
Fall down stairs or steps	_	_	.2	(7)	.1	.2	.1	.2
. a aa a.aa a a.a.a				\ '	•••			

TABLE R34. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

					Nature	e of injury o	or illness ⁵	ı	T
Event	Event code ³	Private industry ⁴	Sprains, strains	Frac- tures	Cuts, punc- tures	Bruises	Heat burns	Chem- ical burns	Amputa- tions
Fall from floor, dock, or ground									
level	112	0.5	0.1	0.1	(7)	0.1	_	_	_
Fall from floor, dock, or ground level, unspecified	1120	.1	(7)	(7)	(7)	(7)	_	_	_
Fall through existing floor opening	1121	.1	(7)	(7)	_	(7)	_	_	_
Fall through floor surface Fall from loading dock	1122 1123	.1	(⁷) (⁷) (⁷)	(7) (7)	(⁷)	(⁷) (⁷) (⁷)	_ _	_ _	_ _
Fall from ground level to lower level	1124	.1	(7)	(7)	(7)	(7)	_	_	_
level, n.e.cFall from ladder	1129 113	.1 2.2	(⁷) .7	(⁷) .6	_ .1	(⁷) .2	_ _	_ _	_ _
Fall from piled or stacked material	114	.1	(7)	(⁷)	_	(7)	_	_	_
Fall from roofFall from roof, unspecified	115 1150	.2 (⁷)	(7) (7)	.1 (⁷)	(7)	(⁷) (⁷)	_ _	_	_ _
Fall through existing roof opening Fall through roof surface Fall through skylight	1151 1152 1153	(7) (7) (7)	(7)	(7) (7) (7)	_ _ _	(7)	- - -	- - -	_ _
Fall from roof edgeFall from roof, n.e.c.	1154 1159	(7)	(⁷)	$\begin{pmatrix} 7 \\ 7 \end{pmatrix}$	_	(⁷)	_ _ _	_ _ _	_ _ _
Fall from scaffold, staging Fall from building girders or other structural steel	116 117	.3	.1	.1 (⁷)	(7)	(⁷)	_	_	_
Fall from nonmoving vehicle	118	1.4	.5	.3	(7)	.2	_	_	_
Fall to lower level, n.e.c.	119	1.3	.4	.3	(7)	.2	_	_	_
Jump to lower level Jump to lower level, unspecified	12 120	.5 (⁷)	.3 (⁷)	.1 (⁷)	(7)	(7)	_ _	_	_
Jump from scaffold, platform, loading dock Jump from structure, structural	121	.1	(7)	(7)	_	(7)	_	_	_
element, n.e.c.	122	(7)	(7)	(7)	_	_	_	_	_
Jump from nonmoving vehicle	123	.2	.1	(7)	-	(⁷)	_	-	_
Jump to lower level, n.e.c	129 13	.2 16.4	.1 5.2	(⁷) 2.8		2.8	_	_	
Fall on same level, unspecified Fall to floor, walkway, or other	130	.2	.1	(⁷)	(7)	(7)	_	_	_
surface	131	14.0	4.6	2.5	.2	2.3	_	-	_
Fall onto or against objects	132	2.0	.5	.3	.2	.5	_	-	_
Fall on same level, n.e.cFall, n.e.c.	139 19	.2 .1	.1 .1	$\begin{pmatrix} 7 \\ 7 \end{pmatrix}$	(⁷)	(⁷)	_	_	_
Bodily reaction and exertion	2	49.8	36.5	.3	(7)	(7)	_	_	_

TABLE R34. Incidence rates 1 for nonfatal occupational injuries and illnesses involving days away from work 2 per 10,000 full-time workers by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

	Nature of injury or illness ⁵										
			Multiple	traumatic inju disorders	uries and						
Event	Carpal tunnel syndrome	Tendonitis	Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only (7)	All other natures ⁶			
Fall from floor, dock, or ground	_	_	0.1	(7)	(⁷)	(7)	(7)	0.1			
Fall from floor, dock, or ground											
level, unspecifiedFall through existing floor	_	_	(7)	(7)	(7)	(7)	_	(7)			
_opening		-	$\begin{pmatrix} 7 \\ 7 \end{pmatrix}$	(7)	$\begin{pmatrix} 7 \\ 7 \end{pmatrix}$	$\begin{pmatrix} 7 \\ 7 \end{pmatrix}$	_	$(\frac{7}{7})$			
Fall through floor surface		-	$\begin{pmatrix} 7 \\ 7 \end{pmatrix}$ $\begin{pmatrix} 7 \\ 7 \end{pmatrix}$	_ (7)	(7) (7)	(7)	_	(')			
Fall from loading dockFall from ground level to lower		_	(')	(⁷)	(') (⁷)	(7)	_	.1			
level Fall from floor, dock, or ground	_	_	` ,	(')	(')	(')	_	.1			
level, n.e.cFall from ladder	_	_	(⁷) .2		- .1	(⁷)	(⁷)	- .3			
Fall from piled or stacked			.2				, ,	.5			
material		_	(') (⁷)	(7)	$\begin{pmatrix} 7 \\ 7 \end{pmatrix}$	(⁷) (⁷) (⁷)	(7)	(')			
Fall from roofFall from roof, unspecified		_	(7)		(')	7	(')	7			
Fall through existing roof			()					()			
opening	_	_	$\begin{pmatrix} 7 \\ 7 \end{pmatrix}$	_	-	_	_	_			
Fall through roof surface		-	(7)	-	(7)	_	_	(7)			
Fall through skylight		-	_ (7)	<u> </u>	_ (7)		(7)	_ (7)			
Fall from roof edge Fall from roof, n.e.c		_	(7)	(7)	(7)	(7)	(')	(7)			
Fall from scaffold, staging	_	_	(7)	(⁷) (⁷) (⁷)	(⁷)	(7)	(7)	.1			
Fall from building girders or other			()	' '	, ,	\	\				
structural steel	_	_	(7)	_	(7)	(7)	_	(⁷)			
Fall from nonmoving vehicle		-	.2	(7)	1	.1	(7)	.2			
Fall to lower level, n.e.c.		-	.1	$\begin{pmatrix} 7 \\ 7 \end{pmatrix}$	$\begin{pmatrix} 7 \\ 7 \end{pmatrix}$.1	$\begin{pmatrix} 1 & 1 & 1 \\ 1 & 1 & 1 \end{pmatrix}$.2			
Jump to lower level Jump to lower level, unspecified		-	(7)	(')	(')	(⁷)	(')	$\binom{7}{7}$			
Jump from scaffold, platform,	_	_	_	_	_	()	_	()			
loading dock	_	_	_	_	_	_	_	(⁷)			
Jump from structure, structural								` ,			
element, n.e.c.		-	-	-	_			$(\frac{7}{2})$			
Jump from nonmoving vehicle		-	_ (7)	-	_ (7)	(⁷)	(')	(') (⁷)			
Jump to lower level, n.e.c Fall on same level		(7)	(⁷) 1.4	.3	(⁷) .8	1.7	(')	2.0			
Fall on same level, unspecified		'_'	(⁷)	(7)	.o (⁷)	(7)	4	(⁷)			
Fall to floor, walkway, or other			()	` '	()	' '		()			
surface		(7)	1.3	2	.7	1.5		1.7			
Fall onto or against objects		-	.1	(7)	.1	.2	1 , 1	.2			
Fall on same level, n.e.c.		-	$\begin{pmatrix} 7 \\ 7 \end{pmatrix}$	-	$\begin{pmatrix} 7 \\ 7 \end{pmatrix}$	$\begin{pmatrix} 7 \\ 7 \end{pmatrix}$	(')	$\begin{pmatrix} 7 \\ 7 \end{pmatrix}$			
Fall, n.e.c.	_	_	(')	-	(')	(')	(')	(')			
Bodily reaction and exertion	1.4	.5	(⁷)	(7)	(⁷)	5.8	2.7	5.4			

TABLE R34. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

					Nature	of injury of	or illness ⁵		
Event	Event code ³	Private industry ⁴	Sprains, strains	Frac- tures	Cuts, punc- tures	Bruises	Heat burns	Chem- ical burns	Amputa- tions
Bodily reaction and exertion,									
unspecified	20	0.6	0.4	(7)	_	_	_	_	_
Bodily reaction	21	13.9	11.0	.2	l _	(7)	_	_	_
Bodily reaction, unspecified	210	.8	.5		_		_	_	_
Bending, climbing, crawling,	210	.0	.5						
reaching, twisting	211	5.7	4.7	(⁷)		(7)			
Sudden reaction when surprised,	211	5.7	4.7	(')	-	(')	_	_	_
	242	1	4	(7)					
frightened, startled	212	.1	.1	$\begin{pmatrix} 7 \\ 7 \end{pmatrix}$	-	_	_	_	_
Running without other incident	213	.1	1 .1	(')	-	_	_	_	_
Sitting	214	1	(7)	_	_	_	_	_	_
Slip, trip, loss of balance without									
fall	215	3.8	3.1	.1	-	-	_	-	_
Standing	216	.2	.1		-	-	_	-	_
Walking without other incident	217	.5	.4	(7)	-	_	_	_	_
Bodily reaction, n.e.c.	219	2.5	2.0	.1	-	(7)	_	_	_
Overexertion	22	30.8	23.8	1	-	(7)	_	-	_
Overexertion, unspecified	220	2.1	1.6	(7)	-	-	_	-	_
Overexertion in lifting	221	16.3	12.4	.1	-	_	_	_	_
Overexertion in pulling or pushing									
objects	222	5.3	4.1	(7)	-	_	_	-	_
Overexertion in holding, carrying,				()					
turning, or wielding objects	223	5.6	4.5	(⁷)	_	_	_	_	_
Overexertion in throwing objects	224	.2	.1		l _	_	_	_	_
Overexertion, n.e.c.	229	1.3	1.0	(⁷)	l _	_	_	_	_
Repetitive motion	23	4.1	1.2	()	l _	_	_	_	_
Repetitive motion, unspecified	230	1.0	.3	_	_	l _	_	_	_
Typing or key entry	231	.6	.1		_	_	_	_	_
	232	.5	1 .1	_	-	_	_	_	_
Repetitive use of tools	232	.5		_	-	_	_	_	_
Repetitive placing, grasping, or	233	1.5							
moving objects, except tools		_	.6	_	-	_	_	_	_
Repetitive motion, n.e.c.	239	.5	.2	_	-	_	_	_	_
Sustained viewing	24	(7)	_	-	_	_	_	_	_
Bodily conditions, n.e.c.	25	.2		_	-	-	_	-	_
Bodily reaction and exertion, n.e.c	29	1	.1	-	-	-	_	-	_
Exposure to harmful substances or					1,7				
environments	3	6.1	-	_	(7)	_	1.7	0.8	_
Exposure to harmful substances or		l .							
environments, unspecified	30	.1	-	_	-	_	_	_	_
Contact with electric current	31	.3	-	_	-	_	_	-	_
Contact with electric current,		1							
unspecified	310	(7)	-	_	-	_	_	-	-
Contact with electric current of		` ′							
machine, tool, appliance, or light		1							
fixture	311	.1	_	_	_	_	_	_	_
		I			1	1		1	

TABLE R34. Incidence rates 1 for nonfatal occupational injuries and illnesses involving days away from work 2 per 10,000 full-time workers by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

				Nature of inju	ury or illness	5		
			Multiple	traumatic injudisorders	uries and		and pain, ot back	
Event	Carpal tunnel syndrome	Tendonitis	Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	All other natures ⁶
Bodily reaction and exertion,								
unspecified	_	(7)	_	_	_	0.1	(7)	0.1
Bodily reaction		(⁷)	(⁷)	_	_	1.6	6.	1.1
Bodily reaction, unspecified		}7	`_′	_	_	.1	.1	.2
Bending, climbing, crawling,		` ′						
reaching, twisting	_	(7)	_	_	_	.6	.3	.4
Sudden reaction when surprised,		` '						
frightened, startled	_	_	_	_	_	(7)	(7)	(⁷)
Running without other incident		_	_	_	_	(⁷)	_	(7)
Sitting		_	_	_	_	(7)	(7)	(⁷)
Slip, trip, loss of balance without						, ,	` '	, ,
fall	_	(7)	(⁷)	_	_	.4	.1	.3
Standing	_	-	`_′	_	_	(7)	(7)	(⁷)
Walking without other incident		(7)	_	_	_	.1	(7)	(⁷)
Bodily reaction, n.e.c.		7	_	_	_	.3	.1	` .2
Overexertion	_	l ` .´1	(⁷)	(7)	_	3.6	2.0	3.1
Overexertion, unspecified	_	(7)	`-´	`-´	_	.2	.1	.3
Overexertion in lifting	_	` .1	(⁷)	_	_	1.9	1.2	1.8
Overexertion in pulling or pushing			, ,					
objects	_	(7)	(⁷)	(7)	_	.6	.2	.5
Overexertion in holding, carrying,								
turning, or wielding objects		$\left \left(\begin{array}{c} 7 \end{array} \right) \right $	(⁷)	_	_	.7	.3	.4
Overexertion in throwing objects	_	(⁷)	_	_	_	(7)	(7)	(7)
Overexertion, n.e.c.	_	$\left(\begin{array}{cc} 7 \end{array}\right)$	_	_	_	.2	.1	.1
Repetitive motion	1.4	.3	_	_	_	.5	.1	.7
Repetitive motion, unspecified	.4	.1	_	_	_	.1	(7)	.2
Typing or key entry		.1	_	_	_	.1	_	.1
Repetitive use of tools	.2	(7)	_	_	_	.1	(7)	.1
Repetitive placing, grasping, or							_	
moving objects, except tools		1	_	_	_	.2	(⁷)	.2
Repetitive motion, n.e.c.		(7)	-	_	_	.1	(7)	1
Sustained viewing		-	_	_	_	_		(7)
Bodily conditions, n.e.c		-	_	_	_	(⁷)	(⁷)	2
Bodily reaction and exertion, n.e.c	_	-	_	_	_	(')	(')	(7)
Exposure to harmful substances or								
environments						(7)		3.5
Exposure to harmful substances or	_	_	_	_	_	(')	_	3.3
environments, unspecified	_	_	_	_		_	_	.1
Contact with electric current			_					.1
Contact with electric current,	_	-	_	_	_	_	_	.3
unspecified								(⁷)
Contact with electric current of	_	-	_	_	_	_	_	(,)
machine, tool, appliance, or light								
fixture	_	_	_			_	_	.1
11ALUIG	_	-	_	-	_	_	-	. '

TABLE R34. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

					Nature	of injury o	or illness ⁵	I	Π
Event	Event code ³		Sprains, strains	Frac- tures	Cuts, punc- tures	Bruises	Heat burns	Chem- ical burns	Amputa tions
Contact with wiring, transformers,									
or other electrical components Contact with overhead power	312	0.1	_	-	_	-	-	_	_
lines	313	(7)	_	_	l _		_	_	_
Struck by lightning Contact with electric current,	315	(⁷)	_	-	_	_	_	_	_
n.e.c	319	(7)	_	_	_	_	_	–	_
Contact with temperature extremes	32	2.2	_	-	_	-	1.7	_	_
Exposure to environmental heat	321	3	_	_	-	_	_	_	_
Exposure to environmental cold Contact with hot objects or	322	(7)	_	_	_	_	_	_	_
substances Contact with cold objects or	323	1.8	_	_	_	_	1.7	_	_
substances	324	(')	_	-	_	-	_	_	_
Exposure to air pressure changes	33	(7)	-	_	_	-	_	_	_
Pressure changes underwater Pressure changes in airplane,	331	(7)	_	_	_	_	_	_	_
other aircraft Exposure to caustic, noxious, or	332	(7)	_	-	_	_	_	_	_
allergenic substances Exposure to caustic, noxious, or allergenic substances,	34	3.1	_	-	(7)	_	_	0.8	_
unspecified	340	.3	_	-	_	-	_	(7)	_
Inhalation of substanceInhalation of substance,	341	.6	_	-	_	_	_		_
unspecifiedInhalation in enclosed, restricted,	3410	.2	_	-	_	_	_	_	_
or confined spaceInhalation in open or	3411	.1	_	_	_	_	-	_	_
nonconfined space Contact with skin or other exposed	3412	.3	_	-	_	_	-	_	_
tissueInjections, stings, venomous	342	1.5	-	_	(7)	-	-	.7	
bites Injections, stings, venomous	343	.5	-	-	(7)	-	-	_	_
bites, unspecified	3430	.1	_	_	-	-	_	_	-
Needle sticks	3431	(7)	-	-	(7)	-	_	_	-
Bee, wasp, hornet sting Other stings or venomous	3432	.2	_	_		_	_	_	_
bitesInjections, stings, venomous	3433	.2	_	-	_	_	_	_	_
bites, n.e.c.	3439	1	-	-	-	-	_	-	-
Ingestion of substance Exposure to caustic, noxious, or	344	(7)	_	_	_	_	_	_	_
allergenic substances, n.e.c	349	.2	_	_	-	-	_	(7)	-

TABLE R34. Incidence rates 1 for nonfatal occupational injuries and illnesses involving days away from work 2 per 10,000 full-time workers by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

				Nature of inju	ary or illness	S ⁵		
			Multiple	traumatic inju disorders	uries and		n and pain, ot back	
Event	Carpal tunnel syndrome	Tendonitis	Total	With fractures, burns, and other injuries	With sprains and bruises	Total		All other natures
Contact with wiring, transformers,								
or other electrical components	-	_	-	_	-	_	_	0.1
Contact with overhead power lines								(7)
Struck by lightning		_	_	_	_	_	_	$\binom{7}{7}$
Contact with electric current,								()
n.e.c	_	_	_	_	_	_	_	(⁷)
Contact with temperature extremes	_	_	_	_	_	(7)	_	.4
Exposure to environmental heat	_	_	_	_	_	'-'	_	.3
Exposure to environmental cold	_	_	_	_	_	_	_	(7)
Contact with hot objects or								,
substances	_	_	_	-	_	_	_	(7)
Contact with cold objects or								_
substances	_	-	_	-	-		_	$\left(\frac{7}{7}\right)$
Exposure to air pressure changes	_	-	_	_	_	(7)	_	(')
Pressure changes underwater	_	-	_	-	_	_	_	(')
Pressure changes in airplane,						(7)		(7)
other aircraft	_	_	_	_	_	(7)	_	(7)
Exposure to caustic, noxious, or allergenic substances						(7)		2.3
Exposure to caustic, noxious, or	_	_		_		()	_	2.5
allergenic substances,								
unspecified	_	_	_	_	_	(7)	_	.2
Inhalation of substance	_	_	_	_	_	`-'	_	.6
Inhalation of substance,								
unspecified	_	_	_	-	_	_	_	.2
Inhalation in enclosed, restricted,								
or confined space	_	-	_	-	_	_	_	.1
Inhalation in open or								
nonconfined space	_	-	_	-	_	_	_	.3
Contact with skin or other exposed						(7)		_
tissue	_	_	_	_	_	(7)	_	.8
Injections, stings, venomous bites								.5
Injections, stings, venomous	_	_	_	_	_	_	_	.5
bites, unspecified	_	_	_	_	_	_	_	.1
Needle sticks	_	_	_	_	_	_	_	(⁷)
Bee, wasp, hornet sting		_	_	_	_	_	_	.2
Other stings or venomous								-
bites	_	_	_	-	_	_	_	.2
Injections, stings, venomous								'-
bites, n.e.c.	_	-	_	-	-	_	_	.1
Ingestion of substance	_	-	_	-	-	_	-	(7)
Exposure to caustic, noxious, or						_		
allergenic substances, n.e.c	_	-	-	-	_	(7)	-	.1

TABLE R34. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

					Nature	of injury of	or illness ⁵		
Event	Event code ³	Private industry ⁴	Sprains, strains	Frac- tures	Cuts, punc- tures	Bruises	Heat burns	Chem- ical burns	Amputa- tions
Exposure to noise Exposure to noise over time	35 351	(⁷)	_ _	_ _	_ _	_ _	_ _	_ _	_ _
Exposure to noise in single incident	352	(7)	_	_	_	_	_	_	_
Exposure to radiation	36	.2	_	-	_	_	_	_	_
Exposure to sun	361	(7)	_	-	_	_	_	_	_
Exposure to welding light Exposure to radioactive material	362 363	.2	_	_	_	_	_	_	_
Exposure to radiation, n.e.c Exposure to traumatic or stressful	369	(⁷)	_	_	_	_	_	_	_
event, n.e.c.	37	.1	-	-	-	-	_	_	_
Oxygen deficiency, n.e.c	38	(⁷)	-	-	_	_	_	_	_
Other oxygen deficiency, n.e.c Exposure to harmful substances or	389	(′)	-	_	_	_	_	_	_
environments, n.e.c.	39	(7)	_	-	_	_	_	_	_
Transportation accidents	4	6.1	1.9	0.6	0.1	0.7	(7)	_	(7)
Transportation accident, unspecified	40	.2	.1	(7)	(7)	(7)		_	\ <u>`</u> ='
Highway accident	41	3.9	1.5	.3	.1	.3	(7)	_	(7)
Highway accident, unspecified Collision between vehicles, mobile	410	.3	.1	(7)	(7)	(7)	_	_	_
equipment	411	2.7	1.1	.1	(7)	.2	(7)	_	(7)
mobile equipment,									
unspecified	4110	.7	.2	$\binom{7}{7}$	(7)	(7)	_	_	(7)
Re-entrant collision	4111 4112	.1 .8	(⁷)	(')	(7)	(7)	_	_	_
Moving in same direction Moving in opposite directions,	4112	.0	.4	(')	(')	(')	_	_	_
oncoming	4113	.2	.1	(⁷)	(7)	(7)	_	_	_
Moving in intersection Moving and standing vehicle,	4114	.4	.2	(⁷)	(⁷)	(⁷)	_	_	_
mobile equipment in roadway	4115	.3	.2	(7)	_	(7)	_	_	-
mobile equipment side of road Collision between vehicles,	4116	.1	(7)	(7)	_	_	_	_	_
mobile equipment, n.e.c Vehicle struck stationary object or	4119	.2	(7)	(7)	(7)	(7)	_	_	_
equipment in roadwayVehicle struck stationary object,	412	.1	(7)	(7)	_	(7)	_	_	_
equipment on side of road	413	.1	(7)	(⁷)	(7)	(7)	_	_	_
Noncollision accident	414	.6	.2	.1	(⁷)	.1	_	_	_
unspecified	4140	(7)	(7)	(7)	_	_	_	_	_

TABLE R34. Incidence rates 1 for nonfatal occupational injuries and illnesses involving days away from work 2 per 10,000 full-time workers by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

	Nature of injury or illness ⁵										
			Multiple	traumatic inju disorders	uries and		n and pain, ot back				
Event	Carpal tunnel syndrome	Tendonitis	Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	All other natures ⁶			
Exposure to noise	_	_	_		_	_	_	(7)			
Exposure to noise over time	_	_	_		_	_	_	$\binom{7}{7}$			
Exposure to noise in single								` ,			
incident		_	_	_	-	_	_	(7)			
Exposure to radiation		_	-	-	_	_	_	2			
Exposure to sun	_	_	_	_	-	_	_	(7)			
Exposure to velding light	_	_	_	-	-	_	_	.2			
Exposure to radioactive material Exposure to radiation, n.e.c	_		_		_		_	$\begin{pmatrix} 7 \\ 7 \end{pmatrix}$			
Exposure to traumatic or stressful								()			
event, n.e.c.	_	_	_	_	_	_	_	.1			
Oxygen deficiency, n.e.c		_	_	_	_	_	_	$\binom{7}{7}$			
Other oxygen deficiency, n.e.c	_	_	_	_	_	_	_	(7)			
Exposure to harmful substances or								. 7 .			
environments, n.e.c.	_	_	-	_	_	_	_	(7)			
Transportation accidents	_		0.8	0.1	0.3	0.8	0.3	1.1			
Transportation accident, unspecified	_	_	(⁷)	(7)	(⁷)	(7)	(7)	.1			
Highway accident		_	.5	.1	.2	.6	.2	.7			
Highway accident, unspecified	_	_	(7)	(7)	(7)	(7)	(7)	.1			
Collision between vehicles, mobile			()		` ,	` ′	, ,				
equipment	_	_	.3	(7)	.1	.4	.2	.5			
Collision between vehicles,											
mobile equipment,				(7)	(7)	_		0			
unspecifiedRe-entrant collision	_	_	.1 (⁷)	(7)	(7)	.1	(7)	.2 (⁷)			
Moving in same direction		_	.1	(7)	(⁷)	.1	.1	.1			
Moving in opposite directions,					()			• • •			
oncoming	_	_	(7)	(⁷)	$\begin{pmatrix} 7 \\ 7 \end{pmatrix}$	(⁷)	(⁷)	(7)			
Moving in intersection	_	_	` .1	(7)	(⁷)	(7)	(⁷)	` .1			
Moving and standing vehicle,											
mobile equipment in			.7.		,7,	.7.	(7)				
roadway	_	_	(7)	_	(7)	(7)	(7)	.1			
Moving and standing vehicle, mobile equipment side of road	_	_	(⁷)	_	(⁷)	(7)	_	(⁷)			
Collision between vehicles,	_	_	()	_	()	()	_	()			
mobile equipment, n.e.c	_	_	(⁷)	(7)	(⁷)	(7)	(7)	(⁷)			
Vehicle struck stationary object or			, ,	` ′	, ,		` ′	, ,			
equipment in roadway	_	-	(7)	-	(7)	(7)	_	(7)			
Vehicle struck stationary object,			.7.	,7,	.7.		17.	.7.			
equipment on side of road		-	(7)	(⁷)	$\binom{7}{7}$.1	(⁷)	(7)			
Noncollision accident	_	-	.1	(')	(')	.1	(')	.1			
Noncollision accident, unspecified	_	_	(⁷)	_	_	_	_	(⁷)			
unopositiou	_	-	()	_	-	_	_	()			

TABLE R34. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

					Nature	of injury o	or illness ⁵	Γ	
Event	Event code ³	Private industry ⁴	Sprains, strains	Frac- tures	Cuts, punc- tures	Bruises	Heat burns	Chem- ical burns	Amputa tions
Jack-knifed or overturned no									
collision	4141	0.3	0.1	(7)	(7)	(7)	_	_	_
Ran off highway no collision	4142	1	(7)	$\binom{7}{7}$	(⁷)	(⁷)	_	_	_
Struck by shifting load	4142	(7)	(7)	(')	(')	(')	_	_	_
Sudden start or stop, n.e.c	4144	.1	.1	(7)	_	(7)	_		_
Noncollision accident, n.e.c	4149	.1		$\begin{pmatrix} 7 \\ 7 \end{pmatrix}$	_	(⁷) (⁷) (⁷)	_	_	_
	4149	1 .1	$\begin{pmatrix} 7 \\ 7 \end{pmatrix}$	(')	_	\ \ 7 \	_	_	_
Highway accident, n.e.c.	419		(')	_	_	(')	_	_	_
Ionhighway accident, except rail, air,	42	.9	.3	4	(7)	1			(7)
Water			(7)	.1	(')	(7)	_		(')
Nonhighway accident, unspecified	420	(7)	(')	(7)	_	(')	_	_	_
Collision between vehicles or	404		_	(⁷)	(7)	(7)			
mobile equipment	421	.1	.1	(')	(')	(7)	_	_	_
Vehicle, mobile equipment struck	400			(7)	(7)	(7)			
stationary object	422	.2	.1	(7)	7	(7)	_	_	_
Noncollision accident	423	.5	.1	.1	(')	1	_	_	_
Noncollision accident,	4000	(7)	(7)						
unspecified	4230	(7)	(7)	_	-	-	_	_	_
Fall from moving vehicle, mobile				.7.	.7.				
_equipment	4231	1	(7)	(7)	(7)	(7)	_	_	_
Fell from and struck by vehicle,									
mobile equipment	4232	(7)	(')	$(\frac{7}{2})$		(⁷)	_	-	_
Overturned	4233	1	(7)	(7)	(7)	$\left(\begin{array}{c} \prime \\ - \end{array}\right)$	_	_	_
Loss of control	4234	(7)	(7)	(7)	-	(7)	_	_	_
Struck by shifting load	4235	(7)	(7)	(7)	-	(7)	_	-	_
Sudden start or stop, n.e.c	4236	.1	(7)	(7)	(7)	(7)	_	-	_
Noncollision accident, n.e.c	4239	.1	(7)	(7)	(7)	(7)	_	–	_
Nonhighway accident, n.e.c	429	(7)	(7)	(7)	(7)	(7)	_	_	_
edestrian, nonpassenger struck by									
vehicle, mobile equipment	43	.9	.1	.2	(7)	.3	_	–	(7)
Pedestrian struck by vehicle,									
mobile equipment, unspecified	430	.2	(7)	.1	(7)	(7)	_	–	(7)
Pedestrian struck by vehicle,									
mobile equipment in roadway	431	.1	(7)	(7)	(7)	(7)	_	–	_
Pedestrian struck by vehicle,									
mobile equipment on side of									
road	432	(7)	_	(7)	-	(7)	_	–	_
Pedestrian struck by vehicle,									
mobile equipment in parking lot or									
non-roadway area	433	.7	.1	.1	(7)	.2	_	_	_
Railway accident	44	(7)	(7)	_	`-'	(7)	_	–	_
Collision between railway vehicle		' '	` ′			` ′			
and other vehicle	442	(7)	_	_	-	_	_	-	-
Derailment	445	(7)	(7)	_	-	_	_	-	-
Railway accident, n.e.c	449	(7)	(7)	_	-	_	_	-	-
Vater vehicle accident	45	(7)	7	(⁷)	(7)	(7)	_	l _	I _

TABLE R34. Incidence rates 1 for nonfatal occupational injuries and illnesses involving days away from work 2 per 10,000 full-time workers by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

				Nature of inju	ury or illness	5										
			Multiple	traumatic inju disorders	uries and		and pain, t back									
Event	Carpal tunnel syndrome	Tendonitis	Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	All other natures								
Jack-knifed or overturned no																
collision	_	_	0.1	(7)	(7)	(7)	(7)	0.1								
Ran off highway no collision	_	_	(⁷)	(⁷)	(⁷)	7	(⁷)	(⁷)								
Struck by shifting load	_	_	(')	(')	(')	(7)	(')	(')								
Sudden start or stop, n.e.c.	_	_	(7)	_	(⁷)	(7)	(7)	(7)								
Noncollision accident, n.e.c	_	_	(7)	_	()) 7 Ś	(⁷)	77								
Highway accident, n.e.c.	_		7	_	_	(7)		7								
lonhighway accident, n.e.clonhighway accident, except rail, air,		_	()	_		()	_	()								
water	_	_	.1	(7)	(7)	.1	(7)	1								
Nonhighway accident, unspecified	_	_	(⁷)	'_'	$\begin{pmatrix} 7 \\ 7 \end{pmatrix}$			(⁷)								
Collision between vehicles or			()		()			()								
mobile equipment	_	_	(⁷)	_	(⁷)	(7)	(7)	(⁷)								
Vehicle, mobile equipment struck			()		()	()	()	()								
stationary object	_	_	(7)	(7)	(7)	(7)	_	(⁷)								
Noncollision accident	_	_	.1	(⁷)	$\begin{pmatrix} 7 \\ 7 \end{pmatrix}$	(⁷)	(7)	.1								
Noncollision accident,			• • •	()	()	()	()									
unspecified	_	_	_	_	_	(7)	_	_								
Fall from moving vehicle, mobile						()										
equipment	_	_	(⁷)	(7)	(⁷)	(7)	_	(⁷)								
Fell from and struck by vehicle,			()	()	()	()		()								
mobile equipment	_	_	_	_	_	_	_	(7)								
Overturned	_	_	(⁷)	(7)	(⁷)	(⁷)	_	7								
Loss of control	_	_	(7)	(7)	(7)	77	_	7								
Struck by shifting load	_	_	'_'	'_'		(7)	_									
Sudden start or stop, n.e.c	_	_	(⁷)	(7)	(⁷)	77	(7)	(7)								
Noncollision accident, n.e.c	_	_	$\begin{pmatrix} 7 \\ 7 \end{pmatrix}$	`_'		$\begin{pmatrix} 7 \\ 7 \end{pmatrix}$	(⁷)	7								
Nonhighway accident, n.e.c.	_	_	(7)	_	_	(7)	(7)	7								
edestrian, nonpassenger struck by			()			()	\ /	()								
vehicle, mobile equipment	_	_	.1	.1	(⁷)	(7)	(7)	.2								
Pedestrian struck by vehicle,					()	\ /	\									
mobile equipment, unspecified	_	_	(7)	(7)	(⁷)	(7)	_	(7)								
Pedestrian struck by vehicle,			()	` '	()	\ /		()								
mobile equipment in roadway	_	_	(7)	(7)	(⁷)	(⁷)	_	(7)								
Pedestrian struck by vehicle,			()	' '	()	,		\								
mobile equipment on side of																
road	_	_	(⁷)	_	_	_	_	(⁷)								
Pedestrian struck by vehicle,			()					\								
mobile equipment in parking lot or																
non-roadway area	_	-	.1	(7)	(7)	(7)	(7)	.1								
ailway accident	_	_	_	`_′	`_′	l `-´	`-´	(⁷)								
Collision between railway vehicle								` '								
and other vehicle	_	_	_	_	_	_	_	(⁷)								
Derailment	_	_	_	_	_	_	_	\ `- <i>'</i>								
Railway accident, n.e.c.	_	_	_	_	_	_	_	_								
Vater vehicle accident	_	1		_	_	(7)	_	(⁷)								

TABLE R34. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

					Nature	of injury o	or illness ⁵	I	I
Event	Event code ³	Private industry ⁴	Sprains, strains	Frac- tures	Cuts, punc- tures	Bruises	Heat burns	Chem- ical burns	Amputa- tions
Fall from ship, boat, n.e.c	453 454 459 46 460 461 469 49	(7) (7) (7) (7) (7) (7) (7) (1)	(7) (7) (7) (7) (7) (7) (7)	(⁷) - (⁷)	- - - - - -	(⁷)	- - - - - -	- - - - - -	- - - - - -
Fires and explosions	5 50 51 510	.2 (⁷) .1 (⁷)	(⁷) - - -	(⁷) - - -	(⁷) - - -	(⁷) - - -	0.1 - .1 (⁷)	(⁷) - - -	- - - -
Forest, brush, or other outdoor fire Ignition of clothing from controlled heat source	512 513	(⁷)	-	- -	_ _	-	$\binom{7}{7}$	-	-
Fire, n.e.c. Explosion	519 52 520 521	.1 .1 (⁷) (⁷)	- (⁷) - -	(⁷) - -	(⁷) - -	(⁷) - -	.1 (⁷) (⁷) –	(⁷) - (⁷)	- - -
piping Explosion, n.e.c.	522 529	(⁷)	_ _	(⁷)	(⁷)	_ _	$\begin{pmatrix} 7 \\ 7 \end{pmatrix}$	(⁷)	_ _
Assaults and violent acts	6	2.4	.4	.2	.1	.4	-	(7)	_
unspecified	60 61	(⁷) 1.7	.4	_ .1	.1	.3	_	(7)	_
Assaults and violent acts by person(s), unspecified	610 611 612 613	.2 .1 .7 (⁷)	.1 - .1 -	(⁷) - (⁷) -	(⁷) (⁷) (⁷)	(⁷) (⁷) .2	- - -	- - - -	- - - -
Squeezing, pinching, scratching, twisting	614 615 617	.2 .1 (⁷)	.1 _ _	(⁷) - -	(⁷) .1 -	(⁷) - -	- - -	_ _ _	_ _ _
Assaurs and violent acts by person(s), n.e.c	619 62 620	.5 (⁷) (⁷)	.1 (⁷) (⁷)	(⁷) - -	(⁷) (⁷) (⁷)	.1 _ _	- - -	(⁷) - -	- - -

TABLE R34. Incidence rates 1 for nonfatal occupational injuries and illnesses involving days away from work 2 per 10,000 full-time workers by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

				Nature of inju	ury or illness	5									
			Multiple	traumatic inju disorders	uries and		and pain, t back								
Event	Carpal tunnel syndrome	Tendonitis	Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	All other natures ⁶							
Fall from ship, boat, n.e.c	_	_	_	_	_	_	_	_							
Fall on ship, boat	_	_	_	_	_	_	_	_							
Water vehicle accident, n.e.c.	_	_	_	_	_	_	_	_							
Aircraft accident	_	_	(⁷)	_	(⁷)	(7)	_	(⁷)							
Aircraft accident, unspecified	_	_	'_'	_			_								
During takeoff or landing	_	_	_	_	_	_	_	(7)							
Aircraft accident, n.e.c.	_	_	(⁷)		(⁷)	(7)		7							
Transportation accident, n.e.c.	_	-		-		`-'	_								
Fires and explosions	_	_	(⁷)	(7)	_	(⁷)	_	(⁷)							
Fire or explosion, unspecified	_	_	(_/	_'	_		_	(_/							
Fire unintended or uncontrolled	_	_	(⁷)	_	_	_	_	(7)							
Fire, unspecified	_		()					$\binom{7}{7}$							
Fire in residence, building, or other								()							
structure								(⁷)							
Forest, brush, or other outdoor	_	_	_	_	_	_	_	()							
fire															
	_	_	_	_	_	_	_	_							
Ignition of clothing from controlled															
heat source	_	_	<u>-</u> (7)	_	_	_	_	(7)							
Fire, n.e.c.	_		(')	(7)	_	(7)	_	(')							
Explosion	_		(')	(7)	_	(7)		(,)							
Explosion, unspecified		_	_	_	_	_	_	_							
Explosion of battery	_	_	_	_	_	_	_	_							
Explosion of pressure vessel or			. 7 .	.7.		. 7 .		. 7 .							
_piping	_	_	$\begin{pmatrix} 7 \\ 7 \end{pmatrix}$	$\begin{pmatrix} 7 \\ 7 \end{pmatrix}$	_	(7)	_	(⁷)							
Explosion, n.e.c.	_	_	(')	(')	_	_	_	(')							
Assaults and violent acts	_	_	.2	(7)	.1	.2	(7)	.9							
Assaults and violent acts,				` ′			. ,								
unspecified	_	-	(7)	_	_	_	_	(7)							
Assaults and violent acts by			` ,					` ,							
person(s)	_	_	.2	(7)	.1	.2	(7)	.4							
Assaults and violent acts by				` ′											
person(s), unspecified	_	_	(7)	_	(⁷)	(⁷)	(7)	(⁷)							
Biting		-	`_´	_	`_´	(⁷)	_	$\binom{7}{7}$							
Hitting, kicking, beating	_	_	.1	(7)	(⁷)	.1	(7)	` .1							
Shooting	_	_	_	`-'	`-'	_	`-'	(7)							
Squeezing, pinching, scratching,								, ,							
twisting	_	_	(⁷)	_	(7)	(7)	(7)	(7)							
Stabbing	_	_	`_′	_	\ `_'	`_′	`_′								
Threats or verbal assaults	_	_	_	_	_	_	_	(⁷)							
Assaults and violent acts by								\ /							
person(s), n.e.c.	_	_	.1	(7)	(⁷)	.1	(7)	.1							
Self-inflicted injury	_		1	'_'	\	_ ''	'_'	1							
Self-inflicted injury, unspecified	_	_	_		_		l -	_							
odu-minotea mjary, anopedinea	_		-		_	_	_	_							

TABLE R34. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

			Nature of injury or illness ⁵						
Event	Event code ³	Private industry ⁴	Sprains, strains	Frac- tures	Cuts, punc- tures	Bruises	Heat burns	Chem- ical burns	Amputa- tions
Self-inflicted injury or fatality intent unknown	622 63 630 631 639	(⁷) .7 .1 .4	- (⁷) (⁷) - (⁷)	- 0.1 (⁷) - .1	- (7) (7) (7) (7)	- (7) (7) (7) (7)	- - - -	- - - -	- - - -
Other events or exposures	9	(7)	(7)	(7)	_	_	_	_	_
Nonclassifiable	9999	1.6	.4	(7)	.1	.1	_	_	(7)

TABLE R34. Incidence rates for nonfatal occupational injuries and illnesses involving days away from work per 10,000 full-time workers by event or exposure leading to injury or illness and selected natures of injury or illness, 2006 — Continued

	Nature of injury or illness ⁵									
			Multiple	traumatic inji disorders	uries and	Back pain excep				
Event	Carpal tunnel syndrome	Tendonitis	Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	All other natures ⁶		
Self-inflicted injury or fatality intent unknown	_	1111	(⁷) - (⁷)	(⁷) - -	(⁷) - (⁷)	- (7) (7) - (7)	- (7) (7) - -	- 0.5 (⁷) .4 .1		
Other events or exposures	_	_	_	_	_	(7)	_	(7)		
Nonclassifiable	-	(7)	(7)	_	(7)	.2	.1	.8		

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

Ν = number of injuries and illnesses EΗ = total hours worked by all employees

during the calendar year

20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year) Bruises = 043; Heat burns = 053; Chemical burns = 051; Amputations = 031; Carpal tunnel syndrome = 1241; Tendonitis = 1733; Multiple traumatic injuries and illnesses, Total = 080-089; With fractures, burns, and other injuries = 083, 084; With sprains and bruises = 082; Back pain and pain, except back, Total = 0972, 0973; Back pain, hurt back only = 0972; All other natures = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

6 Includes nonclassifiable responses.

Data too small to be displayed.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies

 $^{^2\,}$ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

³ Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data shown in columns correspond to the following Nature codes: Sprains, strains = 021; Fractures = 012; Cuts, punctures = 034, 037;