

**Department of Transportation
Pipeline and Hazardous Materials Safety Administration
Hazardous Materials Safety**

| Identification Number | Tester Name Facility Address | Tester Class | Effective Date |
|------------------------------|--|--|-----------------------|
| Oregon 100 Companies | | | |
| V110336 | AmeriGas Propane, L.P. 33180 Hwy 34 Albany, OR | Low pressure cylinder visual inspection only | 03/23/2006 |
| A776 | Industrial Welding Supply, Inc. 3415 Pacific Blvd. S.W. Albany, OR | Acetylene & Low Pressure | 07/19/2007 |
| V110706 | Lindan Hot Air Service Center 33962 Northwood Dr. NE Albany, OR | Low pressure cylinder visual inspection only | 03/19/2007 |
| A979 | Valley Fire Control 217 Main Street SE Albany, OR | Industrial (high and low pressure cylinders) | 01/24/2006 |
| B542 | Fire Extinguisher Service Center 3460 SW 209th Ave. Beaverton, OR | Industrial (high and low pressure cylinders) | 12/11/2006 |
| V105824 | AmeriGas Propane, L.P. 1801 NE Division Bend, OR | Low pressure cylinder visual inspection only | 03/24/2004 |
| V107993 | Ferrellgas 900 NE First St. Bend, OR | Low pressure cylinder visual inspection only | 04/21/2004 |
| V106108 | Ferrellgas 1025 Chetco Ave. Brookings, OR | Low pressure cylinder visual inspection only | 04/21/2004 |
| V108647 | Ferrellgas 1025 Chetco Ave. Brookings, OR | Low pressure cylinder visual inspection only | 05/13/2004 |
| V105826 | AmeriGas Propane, L.P. 229 Hines Blvd Burns, OR | Low pressure cylinder visual inspection only | 03/24/2004 |
| V100698 | Ed Staub & Sons Petroleum, Inc. 429 Crane Blvd. Burns, OR | Low pressure cylinder visual inspection only | 02/06/2004 |
| V106107 | Ferrellgas 6093 Crater Lake Hwy. Central Point, OR | Low pressure cylinder visual inspection only | 04/21/2004 |
| V108645 | Ferrellgas 6093 Crater Lake Hwy. Central Point, OR | Low pressure cylinder visual inspection only | 05/13/2004 |
| G759 | Rogue Scuba, Inc. 6022 Crater Lake Avenue Central Point, OR | High Pressure Only | 07/15/2005 |
| V106106 | Ferrellgas 1165D Newmark Coos Bay, OR | Low pressure cylinder visual inspection only | 04/21/2004 |

**Department of Transportation
Pipeline and Hazardous Materials Safety Administration
Hazardous Materials Safety**

| Identification Number | Tester Name Facility Address | Tester Class | Effective Date |
|------------------------------|--|--|-----------------------|
| Oregon 100 Companies | | | |
| V100729 | CoEnergy LLC 2680 S.W. 3rd Street Corvallis, OR | Low pressure cylinder visual inspection only | 10/10/2003 |
| V106105 | Ferrellgas 1750 F Southwest Third St. Corvallis, OR | Low pressure cylinder visual inspection only | 04/21/2004 |
| V100128 | Wallowa County Grain Growers Fish Hatchery Road Enterprise, OR | Low pressure cylinder visual inspection only | 01/09/2004 |
| V106104 | Ferrellgas 1801 Hwy. 99 N. Eugene, OR | Low pressure cylinder visual inspection only | 04/21/2004 |
| V108680 | Ferrellgas 1801 Hwy 99 N Eugene, OR | Low pressure cylinder visual inspection only | 05/25/2004 |
| A601 | National Fire Fighter 1501 W 7th Street Eugene, OR | Industrial (high and low pressure cylinders) | 02/03/2005 |
| V108478 | R&D Propane 85900 Hwy 99 So Eugene, OR | Low pressure cylinder visual inspection only | 05/11/2004 |
| E224 | Suburban Propane, LP 110 Highway 99 North Eugene, OR | Low pressure cylinder visual inspection only | 06/17/2008 |
| V109771 | Gold Beach Propane 95880 Jerry's Flat Road Gold Beach, OR | Low pressure cylinder visual inspection only | 01/21/2005 |
| V105827 | AmeriGas Propane, L.P. 1126 Rouge River Hwy Grants Pass, OR | Low pressure cylinder visual inspection only | 03/24/2004 |
| H100 | Premier Oxygen L.L.C. 2185 Spalding Ave. - # 4 Grants Pass, OR | High Pressure Only | 06/14/2007 |
| E220 | Suburban Propane, LP 624 SE J Street Grants Pass, OR | Low pressure cylinder visual inspection only | 04/21/2008 |
| G029 | Gresham #01 18150 SE Division Gresham, OR | Low pressure cylinder visual inspection only | 01/13/2004 |
| V105519 | HomeTown Hearth & Grill 18150 SE Division Gresham, OR | Low pressure cylinder visual inspection only | 03/09/2004 |
| V106103 | Ferrellgas 1190 SW Walnut St. Hillsboro, OR | Low pressure cylinder visual inspection only | 04/21/2004 |

**Department of Transportation
Pipeline and Hazardous Materials Safety Administration
Hazardous Materials Safety**

| Identification Number | Tester Name Facility Address | Tester Class | Effective Date |
|------------------------------|---|--|-----------------------|
| Oregon 100 Companies | | | |
| G032 | Hillsboro #05 5121 SE Tualitin Valley Hwy. Hillsboro, OR | Low pressure cylinder visual inspection only | 01/13/2004 |
| V105516 | HomeTown Hearth & Grill 5121 SE Tualitin Valley Highway Hillsboro, OR | Low pressure cylinder visual inspection only | 03/09/2004 |
| V106632 | V-1 Propane 10502 West First Island City, OR | Low pressure cylinder visual inspection only | 04/28/2004 |
| V100705 | Ed Staub & Sons Petroleum, Inc. 139 South Canyon Blvd. John Day, OR | Low pressure cylinder visual inspection only | 02/06/2004 |
| V105823 | AmeriGas Propane, L.P. 6940 South Sixth Street Klamath Falls, OR | Low pressure cylinder visual inspection only | 03/24/2004 |
| B501 | Basin Fire Protection, Inc. 4200 Shasta Way Klamath Falls, OR | Industrial (high and low pressure cylinders) | 11/19/2004 |
| V105831 | AmeriGas Propane, L.P. 2311 Riddle Road La Grande, OR | Low pressure cylinder visual inspection only | 03/24/2004 |
| V100697 | Ed Staub & Sons Petroleum, Inc. 2203 Watson La Grande, OR | Low pressure cylinder visual inspection only | 02/06/2004 |
| E019 | SimplexGrinnell LP 6305 SW Rosewood St., Ste. A Lake Oswego, OR | Low pressure cylinders only | 02/06/2008 |
| V100700 | Ed Staub & Sons Petroleum, Inc. 1440 N. 4th Street Lakeview, OR | Low pressure cylinder visual inspection only | 02/06/2004 |
| V109994 | Blue Star Gas 2147 NE Cumulus Ave McMinnville, OR | Low pressure cylinder visual inspection only | 07/28/2005 |
| C909 | FYR-Fyter Sales & Service 728 West McAndrews Medford, OR | Industrial (high and low pressure cylinders) | 09/07/2005 |
| E219 | Suburban Propane, LP 2175 Joseph Street Medford, OR | Low pressure cylinder visual inspection only | 04/21/2008 |
| V105131 | Pendleton Grain Growers 217 E. Broadway Milton-Freewater, OR | Low pressure cylinder visual inspection only | 05/14/2004 |
| V100799 | Luke's Propane, Inc. 512 Industrial Way Molalla, OR | Low pressure cylinder visual inspection only | 02/09/2004 |

**Department of Transportation
Pipeline and Hazardous Materials Safety Administration
Hazardous Materials Safety**

| Identification Number | Tester Name Facility Address | Tester Class | Effective Date |
|------------------------------|--|--|-----------------------|
| Oregon 100 Companies | | | |
| V106898 | Pacer Portland Propane LLC 506 Industrial Way Molalla, OR | Low pressure cylinder visual inspection only | 04/22/2004 |
| C216 | Consolidated Fire Protection Services 600 Wynooski Street Newberg, OR | Industrial (high and low pressure cylinders) | 02/06/2004 |
| V105833 | AmeriGas Propane, L.P. 18 Northeast Eads St Newport, OR | Low pressure cylinder visual inspection only | 03/24/2004 |
| V105828 | AmeriGas Propane, L.P. 425 Virginia Ave North Bend, OR | Low pressure cylinder visual inspection only | 03/24/2004 |
| V105983 | AmeriGas Propane, L.P. 710 S. Oregon Street Ontario, OR | Low pressure cylinder visual inspection only | 03/23/2004 |
| V110583 | Farmers Supply Co-op 514 SW 4th Ave. Ontario, OR | Low pressure cylinder visual inspection only | 12/06/2006 |
| V110875 | Maverick Welding Supplies, Inc. 1737 Washington Street Oregon City, OR | Low pressure cylinder visual inspection only | 07/09/2007 |
| D566 | Firedog Extinguisher Service 6585 Dee Highway Parkdale, OR | Industrial (high and low pressure cylinders) | 03/21/2006 |
| V108914 | Pendleton Grain Growers, Inc. 1000 SW Dorion Pendleton, OR | Low pressure cylinder visual inspection only | 07/29/2004 |
| C409 | ABC Fire Extinguisher, Inc. 3201 SE 50th Ave Portland, OR | Industrial (high and low pressure cylinders) | 01/06/2005 |
| C038 | Air Liquide America L.P. 6529 NW Front Avenue Portland, OR | Acetylene Only | 03/17/2005 |
| V105832 | AmeriGas Propane, L.P. 1316 N. E. Lombard PL. Portland, OR | Low pressure cylinder visual inspection only | 03/24/2004 |
| V106097 | Ferrellgas 641 NE Lombard Portland, OR | Low pressure cylinder visual inspection only | 04/21/2004 |
| V111168 | Georgia Pacific Corp. 13333 N. Rivergate Blvd. Portland, OR | Low pressure cylinder visual inspection only | 01/16/2008 |
| V111169 | Georgia Pacific Corp. 3838 NW Front Ave. Portland, OR | Low pressure cylinder visual inspection only | 01/16/2008 |

**Department of Transportation
Pipeline and Hazardous Materials Safety Administration
Hazardous Materials Safety**

| Identification Number | Tester Name Facility Address | Tester Class | Effective Date |
|------------------------------|--|--|-----------------------|
| Oregon 100 Companies | | | |
| G028 | HomeTown Hearth & Grill 6022 NE 112th Avenue Portland, OR | Low pressure cylinder visual inspection only | 01/13/2004 |
| V105518 | HomeTown Hearth & Grill 9801 SE 82nd Avenue Portland, OR | Low pressure cylinder visual inspection only | 03/09/2004 |
| V105520 | HomeTown Hearth & Grill 6022 NE 112th Avenue Portland, OR | Low pressure cylinder visual inspection only | 03/09/2004 |
| C222 | Huser Sales & Service, Inc 231 N. Tillamook St. Portland, OR | High Pressure Only | 07/19/2007 |
| A949 | National Fire Fighter Corp. 3357 SE 21st Avenue Portland, OR | Industrial (high and low pressure cylinders) | 02/24/2006 |
| V111041 | Parkrose Hardware 10625 NE Sandy Blvd. Portland, OR | Low pressure cylinder visual inspection only | 10/25/2007 |
| G030 | Portland #2 9801 SE 82nd Avenue Portland, OR | Low pressure cylinder visual inspection only | 01/13/2004 |
| B586 | Sanderson Safety Supply Company 1101 SE Third Avenue Portland, OR | High Pressure Only | 06/07/2004 |
| B045 | United Fire, Health & Safety Equipment Co., Inc. 4611 N.E. Martin Luther King Jr. Blvd. Portland, OR | Industrial (high and low pressure cylinders) | 04/10/2006 |
| V100730 | CoEnergy LLC 2618 S.W. 4th St., Suite B Redmond, OR | Low pressure cylinder visual inspection only | 10/10/2003 |
| V100702 | Ed Staub & Sons Petroleum, Inc. 3305 South Hwy 97 Redmond, OR | Low pressure cylinder visual inspection only | 02/06/2004 |
| V106458 | Northern Energy 2912 S. Highway 97 Redmond, OR | Low pressure cylinder visual inspection only | 04/22/2004 |
| V105825 | AmeriGas Propane, L.P. 539 Industrial Drive Roseburg, OR | Low pressure cylinder visual inspection only | 03/31/2004 |
| A974 | C & S Fire Safe Services 4019 Hooker Rd. Roseburg, OR | Industrial (high and low pressure cylinders) | 06/03/2008 |
| G440 | Douglas Welding Supply 1223 N.E. Cedar Roseburg, OR | High Pressure Only | 03/26/2004 |

**Department of Transportation
Pipeline and Hazardous Materials Safety Administration
Hazardous Materials Safety**

| Identification Number | Tester Name Facility Address | Tester Class | Effective Date |
|------------------------------|---|--|-----------------------|
| Oregon 100 Companies | | | |
| V106096 | Ferrellgas 2300 NE Stephens Roseburg, OR | Low pressure cylinder visual inspection only | 04/21/2004 |
| V108646 | Ferrellgas 2300 NE Stephens St. Roseburg, OR | Low pressure cylinder visual inspection only | 05/13/2004 |
| V108704 | Ferrellgas 2300 NE Stephens Street Roseburg, OR | Low pressure cylinder visual inspection only | 05/25/2004 |
| E201 | Suburban Propane, LP 509 SE Oak Avenue Roseburg, OR | Low pressure cylinder visual inspection only | 06/17/2008 |
| V105834 | AmeriGas Propane, L.P. 3367 Portland Rd NE Salem, OR | Low pressure cylinder visual inspection only | 03/24/2004 |
| V106095 | Ferrellgas 3825 Portland Rd. NE Salem, OR | Low pressure cylinder visual inspection only | 04/21/2004 |
| V105512 | HomeTown Hearth & Grill 180 Lancaster Drive NE Salem, OR | Low pressure cylinder visual inspection only | 03/09/2004 |
| B030 | Instant Fire Protection Co. 3385 Portland Rd., N.E. Salem, OR | Industrial (high and low pressure cylinders) | 09/06/2005 |
| G036 | Salem 180 Lancaster Drive NE Salem, OR | Low pressure cylinder visual inspection only | 01/13/2004 |
| E223 | Suburban Propane, LP 3693 Silverton Road NE Salem, OR | Low pressure cylinder visual inspection only | 04/21/2008 |
| V109942 | A-1 Gas, Inc. 20370 E. Hummingbird Lane Sandy, OR | Low pressure cylinder visual inspection only | 05/11/2005 |
| V106098 | Ferrellgas 17390 Smith Ave. Sandy, OR | Low pressure cylinder visual inspection only | 04/21/2004 |
| E297 | Suburban Propane, LP 84744 Frontage Road Seaside, OR | Low pressure cylinder visual inspection only | 05/07/2008 |
| V100699 | Ed Staub & Sons Petroleum, Inc. Hwy 31 Silverlake, OR | Low pressure cylinder visual inspection only | 02/06/2004 |
| V105829 | AmeriGas Propane, L.P. 2843 E. Main Street Springfield, OR | Low pressure cylinder visual inspection only | 03/24/2004 |

**Department of Transportation
Pipeline and Hazardous Materials Safety Administration
Hazardous Materials Safety**

| Identification Number | Tester Name Facility Address | Tester Class | Effective Date |
|------------------------------|--|--|-----------------------|
| Oregon 100 Companies | | | |
| G766 | Omlid & Swinney Fire Protection & Security, Inc. 157 South 47th St. Springfield, OR | Low pressure cylinders only | 07/12/2005 |
| V110932 | Omlid & Swinney Fire Protection & Security 157 S. 47th Street Springfield, OR | Low pressure cylinder visual inspection only | 08/08/2007 |
| C313 | Umpqua Valley Fire Services dba A-1 Fire Protection 3773 Main Street Springfield, OR | Industrial (high and low pressure cylinders) | 05/29/2008 |
| V110450 | Ferrellgas 215 N. Sherman Stanfield, OR | Low pressure cylinder visual inspection only | 07/05/2006 |
| V105830 | AmeriGas Propane, L.P. 747 West 2nd Street The Dalles, OR | Low pressure cylinder visual inspection only | 03/24/2004 |
| E221 | Suburban Propane, LP 10075 SW Cascade Avenue Tigard, OR | Low pressure cylinder visual inspection only | 04/21/2008 |
| V106099 | Ferrellgas 2900 Third Street Tillamook, OR | Low pressure cylinder visual inspection only | 04/21/2004 |
| V019 | AirGas Norpac, Inc. 20001 S.W. Teton Tualatin, OR | Acetylene Only | 07/07/2004 |
| V106449 | Quimby Corporation 10540 SW Tualatin-Sherwod Rd. Tualatin, OR | Low pressure cylinder visual inspection only | 07/21/2008 |
| H074 | Linde North America, Inc. 470 West Antelope Rd. White City, OR | Low pressure cylinders only | 02/22/2008 |