Tape Location	Field <u>Size</u>	Item and Code Outline
1-4	4	DATAYEAR Year Birth of Child (Data Year)
		1997 1997
5	1	RECTYPE Record Type
		1 Resident: State and county of occurrence and residence are the same.
		2 Nonresident: State and/or county of occurrence and residence are different.
б	1	RESTATUS Resident Status
		United States occurrence
		1 RESIDENTS: State and county of occurrence and residence are the same.
		2 INTRASTATE NONRESIDENTS: State of occurrence and residence are the
		same, but county is different. 3 INTERSTATE NONRESIDENTS: State of occurrence and residence are different, but both are in the U.S.

4 ... FOREIGN RESIDENTS: State of occurrence is one of the 50 States or the District of Columbia, but place of residence of mother is outside of the U.S.

Puerto Rico occurrence

1		RESIDENTS: Territory and county
		equivalent of occurrence and
		residence are the same.
2	• • •	INTRATERRITORY NONRESIDENTS:
		Territory of occurrence and
		residence are the same, but county
		equivalent is different.
4		FOREIGN RESIDENTS: Occurred in
		Puerto Rico to a resident of any
		other place.

Tape Location	Field <u>Size</u>	Item and Co	ode Out	<u>cline</u>
б	1	<u>RESTATUS</u> Resident St	atus	(Cont-d)
		Virgin Isla	nde or	Currence
		1		RESIDENTS: Territory and county equivalent of occurrence and residence are the same.
		2		INTRATERRITORY NONRESIDENTS: Territory of occurrence and residence are the same, but county
		4		equivalent is different. FOREIGN RESIDENTS: Occurred in the Virgin Islands to a resident of any other place.
		Guam occurr	rence	
		1		RESIDENTS: Occurred in Guam to a resident of Guam or to a resident of the U.S.
		4		FOREIGN RESIDENTS: Occurred in Guam to a resident of any place other than Guam or of the U.S.
		American Sa	moa oo	ccurrence
		1		RESIDENTS: Territory and county equivalent of occurrence and
		2		residence are the same. INTRATERRITORY NONRESIDENTS: Territory of occurrence and residence are the same, but county
		4		equivalent is different. FOREIGN RESIDENTS: Occurred in the American Samoa to a resident of any other place.

Tape Location	Field <u>Size</u>	Item and Code Outline
7	1	RECWT Record Weight
		1 Constant - as of the 1985 data year, this file contains data on a 100-percent basis from all reporting areas.
8	1	PLDEL Place or Facility of Birth
		 Hospital Freestanding Birthing Center Clinic or Doctor's Office A Residence Other Unknown or Not Stated
9	1	PLDEL3 Place or Facility of Birth Recode
		1In Hospital2Not in a Hospital3Unknown or Not Stated
10	1	BIRATTND Attendant at Birth
		 Doctor of Medicine (M.D.) Doctor of Osteopathy (D.O.) Certified Nurse Midwife (C.N.M.) Other Midwife Other Unknown or Not Stated
11-26	16	NOCCUR Place of Occurrence
11-13	3	RDSSCOCC Region, Division, and State Subcode of Occurrence
11	1	REGNOCC Region of Occurrence
12	1	DIVOCC Division of Occurrence

Таре	Field			
Location	Size	Item and Code Outline		
13	1	STSUBOCC		
10	T	State Subcode of Occurrence		
		State Subcode of Occurrence		
		States are coded within division and the code		
		structure is designed to sequence the States		
		as they appear in NCHS publications.		
		000 Not applicable: P.R., V.I., A.S. or		
		Guam occurrence		
		1 <u>NORTHEAST</u>		
		1 <u>New England</u>		
		1 Maine		
		2 New Hampshire		
		3 Vermont		
		4 Massachusetts		
		5 Rhode Island		
		6 Connecticut		
		2 <u>Middle Atlantic</u>		
		1 New York		
		2 New Jersey 3 Pennsylvania		
		2 <u>MIDWEST</u> 3 East North Central		
		1 Obio		
		2 Indiana		
		3 Illinois		
		4 Michigan		
		5 Wisconsin		
		4 West North Central		
		1 Minnesota		
		2 Iowa		
		3 Missouri		
		4 North Dakota		
		5 South Dakota		
		б Nebraska		
		7 Kansas		
		3 <u>SOUTH</u>		
		5 <u>South Atlantic</u>		
		1 Delaware		
		2 Maryland		
		3 District of Columbia		
		4 Virginia		
		5 West Virginia		
		6 North Carolina 7 South Carolina		
		/ South Carolina		

Таре	Field	
Location	Size	Item and Code Outline

13

STSUB		2	
State	Sι	ubcode of	Occurrence
	8		Georgia
	9		Florida
б			East South Central
	1		Kentucky
	2		Tennessee
	3		Alabama
	4		Mississippi
7			West South Central
	1	• • •	Arkansas
	2 3	• • •	Louisiana
		• • •	Oklahoma
	4	• • •	Texas
4		· · · · <u>I</u>	NEST .
8	_	• • •	Mountain
	1	• • •	Montana
	2 3	• • •	Idaho
		• • •	Wyoming
	4	• • •	Colorado
	5	• • •	New Mexico
	6	• • •	Arizona
	7	•••	Utah
0	8	• • •	Nevada
9	1	• • •	Pacific
	1	• • •	Washington
	2	•••	Oregon
	3 4	•••	California
	4 5	•••	Alaska
	5	•••	Hawaii

14-15

2

STNATEXP

Expanded State of Occurrence

This item is designed to separately identify New York city records from other New York State records.

United States

01	 Alabama
02	 Alaska
03	 Arizona
04	 Arkansas
05	 California
06	 Colorado
07	 Connecticut
08	 Delaware
09	 District of Columbia

14-15 2

STNATEXP

Expanded State of Occurrence (Cont-d)

Tape Location	Field Size	Item and Co	de Oi	utline
	<u></u>			
		United State	es	
		10	•••	Florida
		11	•••	Georgia
		12	• • •	Hawaii
		13	• • •	Idaho
		14	•••	Illinois
		15	•••	Indiana
		16	• • •	Iowa
		17	•••	Kansas
		18	• • •	Kentucky
		19		Louisiana
		20	•••	Maine
		21	• • •	Maryland
		22		Massachusetts
		23		Michigan
		24		Minnesota
		25		Mississippi
		26		Missouri
		27		Montana
		28		Nebraska
		29		Nevada
	30		New	Hampshire
		31		New Jersey
		32		New Mexico
		33		New York
		34		New York city
		35		North Carolina
		36		North Dakota
		37		Ohio
		38		Oklahoma
		39		Oregon
		40		Pennsylvania
		41		Rhode Island
		42		South Carolina
		43		South Dakota
		44		Tennessee
		45		Texas
		46		Utah
		47		Vermont
		48		Virginia
		49		Washington
		50		West Virginia
		51		Wisconsin
		52		Wyoming
		<u>Puerto Rico</u>		
		53	• • •	Puerto Rico
		Virgin Isla	nds	
		54	• • •	Virgin Islands
		-		
		Guam		0
		55	• • •	Guam
		Amonises de		
		American Sa	moa	

Tape Location	Field Size	Item and Code Outline
		62 American Samoa
16-17	2	STATENAT State of Occurrence
		United States
		01 Alabama
		02 Alaska
		03 Arizona
		04 Arkansas
		05 California
		06 Colorado
		07 Connecticut
		08 Delaware
		09 District of Columbia
		10 Florida
		11 Georgia
		12 Hawaii
		13 Idaho
		14 Illinois
		15 Indiana
		16 Iowa
		17 Kansas
		18 Kentucky
		19 Louisiana
		20 Maine
		21 Maryland
		22 Massachusetts
		23 Michigan
		24 Minnesota
		25 Mississippi
		26 Missouri
		27 Montana
		28 Nebraska
		29 Nevada
		30 New Hampshire
		31 New Jersey
		32 New Mexico
		33 New York 34 North Carolina
		37 Oklahoma
16-17	2	STATENAT
10 17	2	State of Occurrence (Conta)
		United States
		United Blates
		38 Oregon
		39 Pennsylvania
		40 Rhode Island
		41 South Carolina
		42 South Dakota
		43 Tennessee

Tape	Field	
Location	Size	Item and Code Outline
		44 Texas
		45 Utah
		46 Vermont
		47 Virginia
		48 Washington
		49 West Virginia
		50 Wisconsin
		51 Wyoming
		Puerto Rico
		52 Puerto Rico
		Virgin Islands
		53 Virgin Islands
		Guam
		54 Guam
		American Samoa
		61 American Samoa
18-20	3	CNTYNAT
		County of Occurrence
		001-nnn Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State and identify each county with a population of 100,000 or more in 1990. (Note: To uniquely identify a county, both and State and county codes must be used.) A

and county codes must be used.) A complete list of counties is shown in the Geographic Code Outline further back in this document.
999 ... County of less than 100,000 population

Tape Location	Field <u>Size</u>	Item and	d Code Outline
21-25	5		Information Processing Standards (FIPS) hic Codes (Occurrence)
		this d codes. should Standa Some G	to the Geographic Code Outline further back is document for a detailed list of areas and . For an explanation of FIPS codes, reference d be made to various National Institute of ards and Technology (NIST) publications. Geographic codes have changed to reflect the ts of the 1990 Census.
21-22	2	STOCCFIP State of	P f Occurrence (FIPS)
		United S 01 02 04 05 06 08 09 10 11 12 13 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32	States Alabama Arizona Arizona Arkansas California California Colorado Colorado Colorado Colorado Delaware District of Columbia Florida Georgia Hawaii Idaho Idaho Indiana Indiana Iowa Kansas Kentucky Louisiana Maryland Maryland Minnesota Mississippi Montana Nebraska Nevada

Tape Location	Field <u>Size</u>	Item and Code Outline
21-22	2	STOCCFIP State of Occurrence (FIPS) (Contal)
		United States
		<pre>35 New Mexico 36 New York 37 North Carolina 38 North Dakota 39 Ohio 40 Oklahoma 41 Oregon 42 Pennsylvania 44 Rhode Island 45 South Carolina 46 South Dakota 47 Tennessee 48 Texas 49 Utah 50 Vermont 51 Virginia 53 Washington 54 West Virginia 55 Wisconsin 56 Wyoming</pre>
		Puerto Rico72Virgin Islands
		78 Virgin Islands
		<u>Guam</u> 66 Guam
		American Samoa 60 American Samoa

Tape Location	Field <u>Size</u>	Item and Code Outline
23-25	3	CNTOCFIP County of Occurrence (FIPS)
		001-nnn Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State. (Note: To uniquely identify a county, both the State and county codes must be used.) A complete list of counties is shown in the Geographic Code Outline further back in this document. 999 County of less than 100,000 population
26	1	CNTOCPOP Population Size of County of Occurrence
		Based on the results of the 1990 Census
		0 County of 1,000,000 or more 1 County of 500,000 to 1,000,000
		2 County of 250,000 to 500,000 3 County of 100,000 to 250,000
		9 County of less than 100,000

Tape Location	Field <u>Size</u>	Item and Code Outline
27-58	32	NRESID Place of Residence
		Refer to the Geographic Code Outline further back in this document for a detailed list of areas and codes. Some Geographic codes have changed to reflect the results of the 1990 Census.
27-29	3	RDSCRES Region, Division, and State Subcode of Residence
27	1	REGNRES Region of Residence
28	1	DIVRES Division of Residence
29	1	STSUBRES State Subcode of Residence

States are coded within Division and the code structure is designed to sequence the States as they appear in NCHS publications.

APPLICABLE TO U.S. ONLY

000		Foreign Residents
1	•••	NORTHEAST
_	• • •	
1	• • •	New England
1		Maine
2		New Hampshire
3		Vermont
4		Massachusetts
5		Rhode Island
6		Connecticut
2		Middle Atlantic
1		New York
2		New Jersey
3		Pennsylvania
2		MIDWEST
3		East North Central
1		Ohio
2		Indiana
3		Illinois
4		Michigan
5	•••	Wisconsin
5	• • •	WISCONSIN

Таре	Field	
Location	Size	Item and Code Outline
29	1	STSUBRES
		State Subcode of Residence (Cont-d)
		APPLICABLE TO U.S. ONLY
		4 West North Central
		1 <u>West North Central</u>
		2 Iowa
		3 Missouri
		4 North Dakota
		5 South Dakota
		6 Nebraska
		7 Kansas
		3 SOUTH
		5 South Atlantic
		1 Delaware
		2 Maryland
		3 District of Columbia
		4 Virginia
		5 West Virginia
		6 North Carolina
		7 South Carolina
		8 Georgia
		9 Florida
		6 East South Central
		1 Kentucky
		2 Tennessee
		3 Alabama
		4 Mississippi
		7 West South Central
		1 Arkansas
		2 Louisiana
		3 Oklahoma
		4 Texas
		4 \dots <u>WEST</u>
		8 <u>Mountain</u>
		1 Montana
		2 Idaho
		3 Wyoming
		4 Colorado
		5 New Mexico
		6 Arizona
		7 Utah
		8 Nevada

29

1

STSUBRES State Subcode of Residence (Conta)

APPLICABLE TO U.S. ONLY

Tape Location	Field <u>Size</u>	Item and Code Outline
		9 <u>Pacific</u> 1 Washington 2 Oregon 3 California 4 Alaska 5 Hawaii
30-31	2	STRESEXP Expanded State of Residence
		This item is designed to separately identify New York City records from other New York State records.
		United States occurrence
		01 Alabama
		02 Alaska
		03 Arizona
		04 Arkansas
		05 California
		06 Colorado
		07 Connecticut
		08 Delaware
		09 District of Columbia
		10 Florida
		11 Georgia
		12 Hawaii
		13 Idaho
		14 Illinois
		15 Indiana
		16 Iowa
		17 Kansas
		18 Kentucky
		19 Louisiana
		20 Maine
		21 Maryland
		22 Massachusetts 23 Michigan
		29 Nevada
30-31	2	STRESEXP
50 JI	4	Expanded State of Residence (Conta)
		United States occurrence

United States occurrence

30	 New	Hampshire
31	 New	Jersey
32	 New	Mexico
33	 New	York

Таре	Field
Location	Size

Item and Code Outline

34	New York City
35	North Carolina
36	North Dakota
37	Ohio
38	Oklahoma
39	Oregon
40	Pennsylvania
41	Rhode Island
42	South Carolina
43	South Dakota
44	Tennessee
45	Texas
46	Utah
47	Vermont
48	Virginia
49	Washington
50	West Virginia
51	Wisconsin
52	Wyoming
53-58,60,62	Foreign Residents
53	Puerto Rico
54	Virgin Islands
55	Guam
62	American Samoa
56	Canada
57	Cuba
58	Mexico
60	Remainder of the world

Puerto Rico occurrence	
	Puerto Rico Foreign residents: Refer to U.S. for specific code structure.

Tape Location	Field <u>Size</u>	Item and Code Outline
30-31	2	STRESEXP Expanded State of Residence (Contal)
		Virgin Islands occurrence
		54 Virgin Islands 01-53,55-58,60,62 Foreign residents: Refer to U.S. for specific code structure.
		Guam occurrence
		55 Guam
		01-52 U.S. resident is also considered a resident of Guam.
		53-54,56-58,60,62 Foreign residents: Refer to U.S. for specific code
		structure. American Samoa occurrence
		62 American Samoa
		01-52 U.S. resident is also
		considered a resident of
		American Samoa 53-58,60 Foreign residents: Refer to
		U.S. for specific code
		structure.
32-33	2	STATERES State of Residence
		United States occurrence
		01 Alabama
		02 Alaska
		03 Arizona 04 Arkansas
		04 Arkansas 05 California
		06 Colorado
		07 Connecticut
		08 Delaware
		09 District of Columbia
		10 Florida 11 Georgia
		11 Georgia 12 Hawaii
		13 Idaho
		14 Illinois
		15 Indiana
		16 Iowa
		17 Kansas
		18 Kentucky 19 Louisiana
		20 Maine
32-33	2	STATERES
		(Jonted)

Item	and Code Ou	tline
21		Maryland
22		Massachusetts
23		Michigan
24	• • •	Minnesota
25	• • •	Mississippi
26	• • •	Missouri
27	• • •	Montana
28		Nebraska
29		Nevada
30		New Hampshire
31		New Jersey
32		New Mexico
33		New York
34	• • •	North Carolina
35	• • •	North Dakota
36	• • •	Ohio
37	• • •	Oklahoma
38	• • •	Oregon
39	• • •	Pennsylvania
40		Rhode Island
41		South Carolina
42		South Dakota
43		Tennessee
44		Texas
45		Utah
46		Vermont
47		Virginia
48		Washington
49		West Virginia
50		Wisconsin
51		Wyoming
52-	57,59,61	Foreign Residents
52		Puerto Rico
53		Virgin Islands
54		Guam
61		American Samoa
55		Canada
56		Cuba
57		Mexico
59		Remainder of the worl

Puerto Rico occurrence

52	Puerto Rico
01-51,53-57,59,61	Foreign Residents: Refer to
	U.S. for specific code
	structure.

32-33

2

Field

Size

Tape Location

STATERES

State of Residence (Contad)

Virgin Islands occurrence

53	Virgin Islands
01-52,54-57,59,61	Foreign Residents: Refer to
	U.S. for specific code

Tape Location	Field <u>Size</u>	Item and Code Outline	
			structure.
		Guam occurrence 54 01-51 52-53,55-57,59,61	Guam U.S. resident is also considered a resident of Guam. Foreign Residents: Refer to U.S. for specific code structure.
		American Samoa occurrer6101-51	American Samoa U.S. resident is also considered a resident of
		52-57,59 Forei	American Samao .gn Residents: Refer to U.S. for specific code structure.
34-36	3	<u>CNTYRES</u> County of Residence	
			ounties is shown in the ne further back in this
		001-nnn	Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State and identify each county with a population of 100,000 or more in 1990. (Note: To uniquely identify a county, both the State and county codes must be used.)
		999	County of less than 100,000 population

ZZZ ... Foreign Residents

Tape Location	Field <u>Size</u>	Item and Code Outline
37-39	3	CITYRES City of Residence A complete list of cities is shown in the Geographic Code Outline further back in this document.
		001-nnn Cities are numbered alphabetically within each State and identify each city with a population of 100,000 or more in 1990. (Note: To uniquely identify a city, both the State and city codes must be used. State, county and city codes may also be used.) 999 Balance of county
40	1	ZZZ Foreign residents CITRSPOP Population Size of City of Residence
		Population bize of City of Residence Based on the results of the 1990 census 0 Place of 1,000,000 or more 1 Place of 500,000 to 1,000,000 2 Place of 250,000 to 500,000 3 Place of 100,000 to 250,000 9 Foreign residents
41	1	METRORES Metropolitan - Nonmetropolitan County of Residence NOTE: VIRGIN ISLANDS, GUAM AND AMERICAN SAMOA DO NOT HAVE ANY METROPOLITAN AREAS 1 Metropolitan county 2 Metropolitan county Z Foreign residents

Tape Location	Field <u>Size</u>	Item and	Code Out	tline
42-57	16			ion Processing Standards (FIPS) (Residence)
42-43	2	this d codes. should Standa Geogra	ocument : For an be made rds and phic Code 1990 Cer	eographic Code Outline further back in for a detailed list of areas and explanation of FIPS codes, reference to various National Institute of Technology (NIST) publications. Some es have changed to reflect the results nsus.
12 13	2			ce (FIPS)
		0.0		Foreign wegidenta
		00		Foreign residents Alabama
		02		Alaska
		04		Arizona
		05		Arkansas
		06		California
		08		Colorado
		09		Connecticut
		10		Delaware
		11		District of Columbia
		12		Florida
		13		Georgia
		15		Hawaii
		16		Idaho
		17		Illinois
		18		Indiana
		19		Iowa
		20		Kansas
		21		Kentucky
		22		Louisiana
		23	•••	Maine
		24		Maryland
		25	• • •	Massachusetts
		26	• • •	Michigan
		27	• • •	Minnesota
		28	• • •	Mississippi
		29		Missouri
		30	• • •	Montana
		31	• • •	Nebraska
		32		Nevada

_		
Tape	Field	Them and Gode Outline
Location	Size	Item and Code Outline
42-43	2	STRESFIP
		State of Residence (FIPS) (Cont=d)
		33 New Hampshire
		34 New Jersey
		35 New Mexico
		36 New York
		37 North Carolina
		38 North Dakota
		39 Ohio
		40 Oklahoma
		41 Oregon
		42 Pennsylvania
		44 Rhode Island
		45 South Carolina
		46 South Dakota
		47 Tennessee
		48 Texas
		49 Utah
		50 Vermont
		51 Virginia
		53 Washington
		54 West Virginia
		55 Wisconsin
		56 Wyoming
		Puerto Rico occurrence
		00-56,60,66,78 Foreign Residents: Refer to U.S. for specific code structure
		72 Puerto Rico
		Virgin Islands occurrence
		00-56,60,66,72 Foreign Residents: Refer to U.S. for specific code structure
		78 Virgin Islands
		Guam occurrence
		00,60,72,78 Foreign Residents: Refer to
		U.S. for specific code structure
		01-56 U.S. Resident is also considered a resident of Guam. Refer to U.S. for specific code structure
		66 Guam

Tape Location	Field <u>Size</u>	Item and Code Outline
42-43	2	STRESFIP State of Residence (FIPS) (Contal)
		American Samoa occurrence
		00,66,72,78 Foreign Residents: Refer to U.S. for specific code structure
		01-56 U.S. Resident is also considered a resident of American Samoa.Refer to specific code
		structure 60 American Samoa
		60 American Samoa
44-46	3	CNTYRFIP
		County of Residence (FIPS)
		001-nnn Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State. (Note: To uniquely identify a county, both the State and county codes must be used.)
		999 County of less than 100,000
		population 000 Foreign residents
47-51	5	PLACEFIP Place (City) of Residence
	с	A complete list of cities is shown in the Geographic code outline further back in this document. Effective with the 1994 data year, the FIPS place code has been added to the Natality record. It identifies each city of 100,000 population or more in 1990.
		00000 Foreign residents 00001- nnnnn Code range 99999 Balance of county; or city of less than 100,000 population

Tape	Field			
Location	Size	Item and	Code Outline	
52-53	2	CMSA		
			Residence (FIPS)	
		groupi Statis	idated Metropolitan Statistical Areas are ngs of certain Primary Metropolitan tical Areas and are defined by the U.S. of Management and Budget (OMB) as of June	30,
		All AREA	—	
		00	Not a CMSA	
		United S	tates occurrence	
		07	Boston-Worcester-Lawrence, MA-NH-	ME
		0,	CT, CMSA	
		14	Chicago-Gary-Kenosha, IL-IN-WI, C	'MSA
		21	Cincinnati-Hamilton, OH-KY-IN, CM	
		28	Cleveland-Akron, OH, CMSA	
		31	Dallas-Fort Worth, TX, CMSA	
		34	Denver-Boulder-Greeley, CO, CMSA	
		35	Detroit-Ann Arbor-Flint, MI, CMSA	
		42	Houston-Galveston-Brazoria, TX, C	
		49	Los Angeles-Riverside-Orange Coun	
		17	CA, CMSA	cy,
		56	Miami-Fort Lauderdale, FL, CMSA	
		63		
		70	 Milwaukee-Racine, WI, CMSA New York-Northern New Jersey-Long 	
		70		
		77	Island, NY-NJ-CT-PA, CMSA	
		11	Philadelphia-Wilmington-Atlantic City, PA-NJ-DE-MD, CMSA	
		79	Portland-Salem, OR-WA, CMSA	
		82	Sacramento-Yolo, CA, CMSA	
		84	San Francisco-Oakland-San Jose, C	Α,
			CMSA	,
		91	Seattle-Tacoma-Bremerton, WA, CMS	A
		97	Washington-Baltimore, DC-MD-VA-WV	
		2.	CMSA	,
		Duante D	iao oggurrongo	
		<u>Puerto R</u> 87	ico occurrence	
		δ/	San Juan-Caguas-Arecibo,PR,CMSA	

Tape Location	Field <u>Size</u>	Item and Code Outline
54-57	4	SMSARFIP PMSA/MSA of Residence (FIPS)
		Primary Metropolitan Statistical Areas and Metropolitan Statistical Areas are those defined by the U.S. Office of Management and Budget as of 1990. For New England, the New England County Metropolitan Areas (NECMA's) are used. Further back in this document is a list of PMSA's, MSA's, NECMA's, and their component counties.
		0000 Nonmetropolitan counties or foreign residents
		0040-9360 Code range
		9999 Area of less than 100,000 population
58	1	CNTRSPOP Population Size of County of ResidenceBased on the results of the 1990 Census.0122334County of5100,000 to5100,000 to5556111111212345555555555555555555555555555555555555.
59-67	9	R1A Reserved Positions
68	1	MAGERFLG Reported Age of Mother Used Flag This position is flagged whenever the mother's reported age is used. The reported age is used, if
		valid, when age could not be computed or when the computed age is outside the 10-54 code range.
		Blank Reported age is not used 1 Reported age is used

Tape	Field	
Location	Size	Item and Code Outline
69	1	MAGEIMP
		Age of Mother Imputation Flag
		Blank Age is not imputed
		1 Age is imputed
70-71	2	DMAGE
		Age of Mother
		mbia itan inta) namatal aning datas of biath of
		This item is: a) computed using dates of birth of
		mother and of delivery; b) reported; or c) imputed.
		This is the age item used in NCHS publications.
		10-54 Age in single years
72-73	2	MAGE36
		Age of Mother Recode 36
		01 Under 15 years
		02 15 years
		03 16 years
		04 17 years
		05 18 years
		06 19 years
		07 20 years 08 21 years
		10 22 years
		11 24 years
		12 25 years
		13 26 years
		14 27 years
		15 28 years
		16 29 years
		17 30 years
		18 31 years
		19 32 years
		20 33 years
		21 34 years
		22 35 years
		23 36 years
		24 37 years
		25 38 years
		26 39 years
		27 40 years 28 41 years
		28 41 years 29 42 years
		30 43 years

Tape Location	Field Size	Item and Code Outline
72-73	2	MAGE36 Age of Mother Recode 36(Cont-d)
		31 44 years 32 45 years 33 46 years 34 47 years 35 48 years 36 49 years 37 50 years 38 51 years 39 52 years 40 53 years 41 54 years
74-75	2	<u>MAGE12</u> Age of Mother Recode 12
		01 Under 15 years 03 15 years 04 16 years 05 17 years 06 18 years 07 19 years 08 20 - 24 years 09 25 - 29 years 10 30 - 34 years 11 35 - 39 years 12 40 - 44 years 13 45 - 49 years 14 50 - 54 years
76	1	MAGE8 Age of Mother Recode 8
		1 Under 15 years 2 15 - 19 years 3 20 - 24 years 4 25 - 29 years 5 30 - 34 years 6 35 - 39 years 7 40 - 44 years 8 45 - 49 years 9 50 - 54 years

Tape Location	Field <u>Size</u>	Item and Code Outline
77	1	ORMOTH Hispanic Origin of Mother Hispanic origin is reported by all areas except Puerto Rico, and American Samoa 0 Non-Hispanic 1 Mexican 2 Puerto Rican 3 Cuban 4 Central or South American 5 Other and unknown Hispanic 9 Origin unknown or not stated
78	1	ORRACEM Hispanic Origin and Race of Mother Recode Hispanic origin is reported by all areas except Puerto Rico, and American Samoa 1 Mexican 2 Puerto Rican 3 Cuban 4 Central or South American 5 Other and unknown Hispanic 6 Non-Hispanic Black 8 Non-Hispanic other races 9 Origin unknown or not stated
79	1	MRACEIMP Race of Mother Imputation FlagBlankAll other races, formerly code 09, is imputed

Tape <u>Location</u>	Field <u>Size</u>	Item and	Code Out	<u>cline</u>
80-81	2	<u>MRACE</u> Race of M	lother	
		reporti for rac areas. areas.	ng with ng addit e. Code Code 78 For cor .her race	Eurrence 1992 data, some areas started cional Asian or Pacific Islander codes es 18-68 replace old code 08 for these 8 replaces old code 08 for all other histency with Census race code 09 es) used prior to 1992 has been
		01		White
		02		Black
		03	• • •	American Indian (includes Aleuts and Eskimos)
		04		Chinese
		05	•••	Japanese
		06	•••	Hawaiian (includes part-Hawaiian)
		07		Filipino
		18	•••	Asian Indian
		28		Korean
		38	• • •	Samoan
		48	• • •	Vietnamese
		58	• • •	Guamanian
			• • •	
		68	• • •	Other Asian or Pacific Islander in areas reporting codes 18-58
		78		Combined other Asian or Pacific Islander, includes codes 18-68 for areas that do not report them
			sepai	cately
		Puerto Ri	.co occui	rrence
		01		White
		02		Black
		00		Other races
		Virgin Is	lands o	ccurrence
		01	• • •	White
		02		Black
		03	•••	American Indian (includes Aleuts and
		○ 4		Eskimos)
		04	• • •	Chinese
		05	• • •	Japanese
		06	• • •	Hawaiian (includes part-Hawaiian)
		07	• • •	Filipino
		08	• • •	Other Asian or Pacific Islander
		Guam occu	rrence	
		01	• • •	White
		02	• • •	Black
		03	•••	American Indian (includes Aleuts and Eskimos)

Tape Location	Field <u>Size</u>	Item and Code Outline
		04 Chinese
		05 Japanese
		06 Hawaiian (includes part-Hawaiian)
		07 Filipino
		08 Other Asian or Pacific Islander
		58 Guamanian
		American Samoa occurrence
		01 White
		02 Black
		03 American Indian (includes Aleuts and
		Eskimos)
		04 Chinese
		05 Japanese
		06 Hawaiian (includes part-Hawaiian)
		07 Filipino
		08 Other Asian or Pacific Islander
82	1	MRACE3 Race of Mother Recode
		For All Areas
		1 White
		2 Races other than White or Black
		3 Black
83-84	2	DMEDUC Education of Mother
		Effective with 1992 data, all areas report education.
		00 No formal education
		01-08 Years of elementary school

- 01-08...fears of elementary sci09...1 year of high school10...2 years of high school11...3 years of high school12...4 years of high school

Tape Location	Field <u>Size</u>	Item and Code Outline
83-84	2	DMEDUC Education of Mother (Cont=d)
		 13 1 year of college 14 2 years of college 15 3 years of college 16 4 years of college 17 5 or more years of college
85	1	99 Not stated <u>MEDUC6</u> <u>Education of Mother Recode</u>
		1 0 - 8 years 2 9 - 11 years 3 12 years 4 13 - 15 years 5 16 years and over 6 Not stated
86	1	DMARIMP Marital Status of Mother Imputation Flag Blank Marital Status is not imputed 1 Marital Status is imputed
87	1	DMAR Marital Status of Mother
		Marital status is not reported by all areas. See reporting flags.
		United States/Virgin Island/Guam/American Samoa
		1 Married
		2 Unmarried 9 Unknown or not stated
		Puerto Rico
		1 Married
		2 Unmarried parents living together
		3 Unmarried parents not living together
		9 Unknown or not stated

Tape Location	Field <u>Size</u>	Item and Code Outline
88-89	2	MPLBIR Place of Birth of Mother
		01Alabama02Alaska03Arkansas04Arkansas05California06Colorado07Connecticut08Delaware09District of Columbia10Florida11Georgia12Hawaii13Idaho14Illinois15Indiana16Lowa17Kansas18Kentucky19Louisiana20Maine21Maryland22Massachusetts23Michigan24Minnesota25Mississippi26Nevada30New Hampshire31New Jersey32New Mexico33New York34Oregon39Pennsylvania40Rhode Island41South Dakota43Tennessee

Tape Location	Field Size	Item and Code Outline
88-89	2	MPLBIR Place of Birth of Mother (Cont-d)
		44 Texas
		45 Utah
		46 Vermont
		47 Virginia
		48 Washington 49 West Virginia
		51 Wyoming 52 Puerto Rico
		53 Virgin Islands
		54 Guam
		61 American Samoa
		55 Canada
		56 Cuba
		57 Mexico
		59 Remainder of the World
		99 Not classifiable
90	1	MPLBIRR Place of Birth of Mother Recode
		1 Native born
		2 Foreign born
		3 Unknown or not stated
91-92	2	DMAGERPT Reported Age of Mother
		10-54 Age in single years
		99 Unknown or not stated
93	1	ADEQUACY Adequacy Of Care Recode (Kessner Index)
		This recode is based on a modified Kessner criterion. Month Prenatal Care Began, Number of Prenatal Visits, and Gestation are the items used generate this recode.
		1 Adequate
		2 Intermediate
		3 Inadequate
		4 Unknown

to

Tape Location	Field Size	Item and Code Outline
94-95	2	NLBNL Number of Live Births, Now Living
		Does not include this birth or adoptions.
		00-30 Stated number of births 99 Unknown or not stated
96-97	2	NLBND Number of Live Births, Now Dead
		Does not include this birth or adoptions.
		00-30 Stated number of births 99 Unknown or not stated
98-99	2	NOTERM Number of Other Terminations
		Includes spontaneous and induced at any time after conception.
		00-30 Stated number of other terminations 99 Unknown or not stated
100-101	2	DLIVORD Detail Live Birth Order
		Sum of live births now living and now dead plus one. If either item is unknown, this item is made unknown.
		00-31 Number of children born alive to mother
		99 Unknown
102	1	LIVORD9 Live Birth Order Recode
		1 First Child
		2 Second Child
		3 Third Child 4 Fourth Child
		5 Fifth Child
		6 Sixth Child

Tape Location	Field <u>Size</u>	Item and Code Outline
102	1	LIVORD9 Live Birth Order Recode (Cont-d)
		 7 Seventh Child 8 Eighth Child and over 9 Unknown or not stated
103-104	2	DTOTORD Detail Total Birth Order
		Sum of live birth order and other terminations. If either item is unknown, this item is made unknown.
		01-40 Total number of live births and other terminations
		99 Unknown
105	1	<u>TOTORD9</u> Total Birth Order Recode
		1First Child2Second Child3Third Child4Fourth Child5Fifth Child
		6 Sixth Child 7 Seventh Child 8 Eighth Child and over 9 Unknown or not stated
106-107	2	MONPRE Detail Month of Pregnancy Prenatal Care Began
		00No prenatal care011st month022nd month033rd month044th month055th month066th month077th month088th month09Unknown or not stated

Tape Location	Field <u>Size</u>	Item and Code Outline
108	1	MPRE6 Month Prenatal Care Began Recode 6123rd month34th - 6th month47th - 9th month56Unknown or not stated
109	1	MPRE5MonthPrenatal Care Began Recode 51223345Unknown or not stated
110-111	2	NPREVISTTotal Number of Prenatal Visits0001-48494999Unknown or not stated
112-113	2	NPREV12 Number of Prenatal Visits Recode 01 02 03 04 05 06 07 11 - 12 visits 08 13 - 14 visits 09 15 - 16 visits 10 11 - 12 visits 08 13 - 14 visits 10 11 - 12 visits 12 Unknown or not stated number of visits

Tape Location	Field <u>Size</u>	Item and Code Outline
114-121	8	<u>LMPDATE</u> Date Last Normal Menses Began
114-115	2	<u>LMPMON</u> Month Last Normal Menses Began
		01 January 02 February 03 March 04 April 05 May 06 June 07 July 08 August 09 September 10 November
		12December99Unknown or not stated month of LMP
116-117	2	LMPDAY Day Last Normal Menses Began
		01-31 As applicable to month of LMP 99 Unknown or not stated day of LMP
118-121	4	LMPYR Year Last Normal Menses Began 1996 1996 1997 1997 9999 Unknown or not stated year of LMP
122-127	6	<u>R8</u> Item was dropped in 1994
128-132	3	<u>R8A</u> Reserved Position Item is dropped since 1996 data
131-132	2	ISLLB10 Interval Since Last Live Birth Recode Item is dropped since 1996 data
133-137	5	Imputed Birthweight Created beginning with 1995 data

Tape Location	Field <u>Size</u>	Item and Code Outline
133	1	BWIMP Imputed Birthweight Flag
		Blank Birthweight is not imputed 1 Birthweight is imputed
134-137	4	Imputed Birthweight
		0227-8165 Number of grams
138-152	15	Reserved Positions
153	1	FAGERFLG Reported Age of Father Used Flag
		This position is flagged whenever the father's reported age in years is used. The reported age is used, if valid, when age derived from date of birth is not available or when it is less than 10.
		Blank Reported age is not used 1 Reported age is used
154-155	2	DFAGE Age of Father
		This item is either computed from date of birth of father and of child or is the reported age. This is the age item used in NCHS publications.
		10-98Age in single years99Unknown or not stated
156-157	2	FAGE11 Age of Father Recode
		01 Under 15 years 02 15 - 19 years 03 20 - 24 years 04 25 - 29 years 05 30 - 34 years 06 35 - 39 years 07 40 - 44 years 08 45 - 49 years
156-157	2	<u>FAGE11</u> Age of Father Recode (Cont . d)
		09 50 - 54 years 10 55 - 98 years 11 Not stated

Tape	Field	
Location	Size	Item and Code Outline
158	1	ORFATH
190	-	Hispanic Origin of Father
		<u>mispanio origin or rucher</u>
		Hispanic origin of father is reported by all areas
		except Puerto Rico, and American Samoa
		-
		0 Non - Hispanic
		1 Mexican
		2 Puerto Rican
		3 Cuban
		4 Central or South American
		5 Other and unknown Hispanic
		9 Origin unknown or not stated
1 5 0	1	
159	1	ORRACEF
		Hispanic Origin and Race of Father Recode
		Highania origin of father is reported by all areas
		Hispanic origin of father is reported by all areas except Puerto Rico, and American Samoa
		except ruerto kico, and American Samoa
		1 Mexican
		2 Puerto Rican
		3 Cuban
		4 Central or South American
		5 Other and unknown Hispanic
		6 Non - Hispanic White
		7 Non - Hispanic Black
		8 Non - Hispanic other or unknown race
		9 Origin unknown or not stated
1 CO 1 C1	0	
160-161	2	FRACE
		<u>Race of Father</u> United States occurrence
		Beginning with 1992 data, some areas started
		reporting additional Asian or Pacific Islander codes
		for race. Codes 18-68 replace old code 08 for these
		areas. Code 78 replaces old code 08 for all other
		areas. For consistency with Census race code 09
		(all other races) used prior to 1992 has been
		Changed to 99.
		01 White
		02 Black
160-161	2	FRACE
	0.2	Race of Father (Cont-d)
	03	American Indian (includes Aleuts and
		Eskimos) 04 Chinese
		05 Japanese 06 Hawaiian (includes part-Hawaiian)
		07 Filipino
		18 Asian Indian
		28 Korean

Tana	Field			
Tape Location	Size	Item and Co	de Out	tline
20040101	<u></u>	<u>10011 4114 00</u>	<u>ue eu</u>	<u></u>
		38		Samoan
		48	•••	Vietnamese
		58		Guamanian
		68	•••	Other Asian or Pacific Islander in
		00	•••	areas reporting codes 18-58
		78		Combined other Asian or Pacific
		70	•••	
				Islander, includes codes 18-68 for
				areas that do not report them
		0.0		rately
		99	• • •	Unknown or Not Stated
		Puerto Rico	occu	rrence
		01		White
		02		Black
		00	•••	Other races
		99		Unknown or not stated
		<u> </u>	• • •	Sindiowii Si not Stated
		Virgin Isla	nds o	ccurrence
		01		White
		02		Black
		03		American Indian (includes Aleuts and
				Eskimos)
		04		Chinese
		05		Japanese
		06		Hawaiian (includes part-Hawaiian)
		07	•••	Filipino
		08	•••	Other Asian or Pacific Islander
		99	•••	Unknown or Not Stated
		Guam occurr		Similowii Si Not Statta
		01		White
		02	•••	Black
		03		American Indian (includes Aleuts and
		0.5	•••	Eskimos)
		04		Chinese
		05	•••	Japanese
		06	•••	Hawaiian (includes part-Hawaiian)
		07	• • •	
			• • •	Filipino Other Azier en Desifis Islander
		08	• • •	Other Asian or Pacific Islander
		58	• • •	Guamanian
160-161	2	FRACE		
		Race of Fat	her (Cont-d)
		99		Unknown or Not Stated

American Samoa occurrence

01		White				
02		Black				
03	• • •	American Eskimos)	Indian	(includes	Aleuts	and
04		Chinese				
04	• • •	CHITHERE				
05	• • •	Japanese				

Tape Location	Field <u>Size</u>	Item and Code Outline
		<pre>06 Hawaiian (includes part-Hawaiian) 07 Filipino 08 Other Asian or Pacific Islander 99 Unknown or Not Stated</pre>
162	1	FRACE4 Race of Father Recode
		 White Races other than White, Black, or unknown Black Unknown or not stated
163-165	3	R2A Reserved positions
		Item was dropped in 1995
166-167	2	DFAGERPT Reported Age of Father
		10-98 Age in single years 99 Unknown or not stated
168	1	FRACEIMP Race of Father Imputation Flag
		(Unknown race of father is not imputed. However, the all other races code is changed to unknown.)
		Blank Race is not changed 3 All other races, formerly code 09, is changed to code 99
169	1	R3 Reserved Position

Tape Location	Field <u>Size</u>	Item and Code Outline
170	1	<u>CDOBMIMP</u> Month of Birth of Child Imputation Flag
		Blank Month is not imputed 1 Month is imputed
171	1	RB Reserved Position
172-173	2	BIRMON Month of Birth
		01 January 02 February 03 March 04 April 05 May 06 June 07 July 08 August 09 September 10 November 11 December
174-175	2	RC Reserved Positions
176-179	4	BIRYR Year of Birth 1997 1997
180	1	WEEKDAY Day of Week Child Born
		1Sunday2Monday3Tuesday4Wednesday5Thursday6Friday7Saturday

Tape Location	Field <u>Size</u>	Item and Code Outline
181	1	<u>GESTESTM</u> Clinical Estimate of Gestation Used Flag
		This position is flagged whenever the clinical estimate of gestation is used. It is used when gestation could not be computed or when the computed gestation is outside the 17-47 code range.
		Blank Clinical Estimate is not used 1 Clinical Estimate is used
182	1	GESTIMP Gestation Imputation Flag
		Blank Gestation is not imputed 1 Gestation is imputed
183-184	2	DGESTAT Gestation - Detail in Weeks
		This item is: a) computed using dates of birth of child and last normal menses; b) imputed from LMP date; c) the clinical estimate; or d) unknown when there is insufficient data to impute or no valid clinical estimate. This is the gestation item used in NCHS publications.
		17-47 17th through 47th week of gestation 99 Unknown
185-186	2	GESTAT10 Gestation Recode 10
		01 Under 20 weeks 02 20 - 27 weeks 03 28 - 31 weeks 04 32 - 35 weeks 05 36 weeks 06 37 - 39 weeks 07 40 weeks 08 41 weeks 09 42 weeks and over 10 Not stated

Tape Location	Field <u>Size</u>	Item and Code Ou	tline
187	1	<u>GESTAT3</u> Gestation Recode	3
		$\begin{array}{cccc} 1 & & \dots \\ 2 & & \dots \\ 3 & & \dots \end{array}$	Under 37 weeks 37 weeks and over Not stated
188	1	<u>CSEXIMP</u> Sex Imputation F	lag
189	1	Blank 1 <u>CSEX</u> <u>Sex</u>	Sex is not imputed Sex is imputed
		$\begin{array}{ccc}1&&\dots\\2&&\dots\end{array}$	Male Female
190-192	3	<u>RD</u> Reserved Positio	ns
193-196	4	DBIRWT Birth Weight - D	
		0227-8165 9999	
197-198	2	<u>BIRWT12</u> Birth Weight Rec	ode 12
		01 02 03 04 05 06 07 08 09 10 11 12	499 grams or less 500 - 999 grams 1000 - 1499 grams 1500 - 1999 grams 2000 - 2499 grams 2500 - 2999 grams 3000 - 3499 grams 3500 - 3999 grams 4000 - 4499 grams 4500 - 4999 grams 5000 - 8165 grams Not stated

Tape Location	Field <u>Size</u>	Item and Code Outline
199	1	BIRWT4 Birth Weight Recode 4
		1 1499 grams or less 2 1500 - 2499 grams 3 2500 - grams or more 4 Unknown or not stated
200	1	PLURIMP Plurality Imputation Flag
201	1	Blank Plurality is not imputed 1 Plurality is imputed DPLURAL Plurality
		1Single2Twin3Triplet4Quadruplet5Quintuplet or higher
202-204	3	<u>R6</u> <u>Reserved positions</u> Item was dropped in 1995
205-206	2	FMAPS Five Minute Apgar Score
		Apgar Score is not reported by all areas. See reporting flags.
		00-10 A score of 0-10 99 Unknown or not stated
207	1	FMAPSR Five Minute Apgar Score Recode
		Apgar Score is not reported by all areas. See reporting flags.
		1 A score of 0-3 2 A score of 4-6 3 A score of 7-8 4 A score of 9-10 5 Not stated

Tape Location	Field <u>Size</u>	Item and Code Outline
208-209	2	<u>CLINGEST</u> Clinical Estimate of Gestation
		Clinical estimate is not reported by all areas. See reporting flags.
	_	17-47Estimated gestation in weeks99Unknown or not stated
210-216	7	R4 Reserved Positions
217-306	90	MEDINFO Medical and Health Data
		Some States do not report an entire item while other States do not report all of the categories within an item.
		If an item is not reported, it is indicated by code zero in the appropriate reporting flag.
		If a category within an item is not reported it is indicated by code 8 in the position for that category.
217-222	б	DELMETH Method of Delivery
		Each method is assigned a separate position, and the code structure for each method (position) is:
		1The method was used2The method was not used8Method not on certificate9Method unknown or not stated
217	1	VAGINAL Vaginal
218	1	VBAC Vaginal birth after previous C-section
219	1	PRIMAC Primary C -section
220	1	REPEAC Repeat C -section
221	1	FORCEP Forceps

Tape Location	Field <u>Size</u>	Item and Code Outline
222	1	VACUUM Vacuum
223	1	R5 Reserved Position
224	1	DELMETH5 Method of Delivery Recode
		1 Vaginal (excludes vaginal after previous C-section)
		2 Vaginal birth after previous C-section
		3 Primary C -section
		4 Repeat C -section
		5 Not stated
225-241	17	MEDRISK
		Medical Risk Factors
		Each risk factor is assigned a separate position, and the code structure for each risk factor (position) is:
		1 Factor reported
		2 Factor not reported
		8 Factor not on certificate
		9 Factor not classifiable
225	1	ANEMIA Anemia (Hct.<30/Hgb.<10)
226	1	CARDIAC Cardiac disease
227	1	LUNG Acute or chronic lung disease
228	1	DIABETES Diabetes
229	1	<u>HERPES</u> Genital herpes
230	1	<u>HYDRA</u> Hydramnios/Oligohydramnios

Tape Location	Field <u>Size</u>	Item and Code Outline
231	1	HEMO Hemoglobinopathy
232	1	CHYPER Hypertension, chronic
233	1	PHYPER Hypertension, pregnancy-associated
234	1	ECLAMP Eclampsia
235	1	INCERVIX Incompetent cervix
236	1	PRE4000 Previous infant 4000+ grams
237	1	<u>PRETERM</u> Previous preterm or small-for-gestational-age infant
238	1	RENAL Renal disease
239	1	RH Rh sensitization
240	1	UTERINE Uterine bleeding
241	1	OTHERMR Other Medical Risk Factors
242-252	11	OTHERRSK Other Risk Factors for this Pregnancy
242-245	4	TOBACRSK Tobacco Risks
242	1	TOBACCO Tobacco Use During Pregnancy
		1Yes2No9Unknown or not stated

Tape Location	Field <u>Size</u>	Item and Code Outline
243-244	2	<u>CIGAR</u> Average Number of Cigarettes Per Day
		00-97As stated9898 or more cigarettes per day99Unknown or not stated
245	1	<u>CIGAR6</u> Average Number of Cigarettes Per Day Recode
		0Nonsmoker11 - 5 cigarettes per day26 - 10 cigarettes per day311 - 20 cigarettes per day421 - 40 cigarettes per day541 or more cigarettes per day6Unknown or not stated
246-249	4	ALCOHRSK Alcohol
246	1	ALCOHOL Alcohol Use During Pregnancy
		1Yes2No9Unknown or not stated
247-249	2	DRINK Average Number of Drinks Per Week
		00-97 As stated 98 98 or more drinks per week 99 Unknown or not stated
249	1	DRINK5 Average Number of Drinks Per Week Recode
		0Non drinker11 drink per week22 drinks per week33 - 4 drinks per week45 or more drinks per week5Unknown or not stated

Tape Location	Field <u>Size</u>	Item and Code Outline
250-252	3	WTGANRSK Weight Gain During Pregnancy
250-251	2	WTGAIN Weight Gain
		00-97Stated number of pounds9898 pounds or more99Unknown or not stated
252	1	WTGAIN9 Weight Gain Recode
		1 Less than 16 pounds 2 16 - 20 pounds 3 21 - 25 pounds 4 26 - 30 pounds 5 31 - 35 pounds 6 36 - 40 pounds 7 41 - 45 pounds 8 46 or more pounds 9 Unknown or not stated
253-259	7	OBSTETRC Obstetric Procedures Each procedure is assigned a separate position, and the code structure for each procedure (position) is: 1 Procedure reported 2 Descedure net reported
		 Procedure not reported Procedure not on certificate Procedure not classifiable
253	1	AMNIO Amniocentesis
254	1	MONITOR Electronic fetal monitoring
255	1	INDUCT Induction of labor
256	1	STIMULA Stimulation of labor

Tape Location	Field <u>Size</u>	Item and Code Outline
257	1	TOCOL Tocolysis
258	1	ULTRAS Ultrasound
259	1	OTHEROB Other Obstetric Procedures
260-275	16	LABOR Complications of Labor and/or Delivery
		Each complication is assigned a separate position, and the code structure for each complication (position) is:
		 Complication reported Complication not reported Complication not on certificate Complication not classifiable
260	1	FEBRILE Febrile (>100 degrees F. or 38 degrees C.)
261	1	MECONIUM Meconium, moderate/heavy
262	1	<u>RUPTURE</u> Premature rupture of membrane (>12 hours)
263	1	ABRUPTIO Abruptio placenta
264	1	PREPLACE Placenta previa
265	1	EXCEBLD Other excessive bleeding
266	1	SEIZURE Seizures during labor
267	1	<u>PRECIP</u> Precipitous labor (<3 hours)

Tape Location	Field <u>Size</u>	Item and Code Outline
268	1	PROLONG Prolonged labor (>20 hours)
269	1	DYSFUNC Dysfunctional labor
270	1	BREECH Breech/Malpresentation
271	1	CEPHALO Cephalopelvic disproportion
272	1	CORD Cord prolapse
273	1	ANESTHE Anesthetic complications
274	1	DISTRESS Fetal distress
275	1	OTHERLB Other Complication of Labor and/or Delivery
276-284	9	<u>NEWBORN</u> Abnormal Conditions of the Newborn
		Each condition is assigned a separate position, and the code structure for each condition (position) is:
		1Condition reported2Condition not reported8Condition not on certificate9Condition not classifiable
276	1	NANEMIA Anemia (Hct.<39/Hgb.<13)
277	1	INJURY Birth injury
278	1	ALCOSYN Fetal alcohol syndrome
279	1	<u>HYALINE</u> Hyaline membrane disease

Tape Location	Field <u>Size</u>	Item and Code Outline
280	1	MECONSYN Meconium aspiration syndrome
281	1	VENL30 Assisted ventilation, less than 30 minutes
282	1	VEN30M Assisted ventilation, 30 minutes or more
283	1	NSEIZ Seizures
284	1	OTHERAB Other Abnormal Conditions of the Newborn
285-306	22	CONGENIT Congenital Anomalies
		Each anomaly is assigned a separate position, and the code structure for each anomaly (position) is:
		 Anomaly reported Anomaly not reported Anomaly not on certificate Anomaly not classifiable
285	1	ANEN Anencephalus
286	1	SPINA Spina bifida/Meningocele
287	1	HYDRO Hydrocephalus
288	1	MICROCE Microcephalus
289	1	<u>NERVOUS</u> Other central nervous system anomalies
290	1	HEART Heart malformations
291	1	<u>CIRCUL</u> Other circulatory/respiratory anomalies

Tape Location	Field <u>Size</u>	Item and Code Outline
292	1	<u>RECTAL</u> Rectal atresia/stenosis
293	1	<u>TRACHEO</u> Tracheo – esophageal fistula/Esophageal atresia
294	1	<u>OMPHALO</u> Omphalocele/Gastroschisis
295	1	GASTRO Other gastrointestinal anomalies
296	1	GENITAL Malformed genitalia
297	1	RENALAGE Renal agenesis
298	1	UROGEN Other urogenital anomalies
299	1	<u>CLEFTLP</u> Cleft lip/palate
300	1	ADACTYLY Polydactyly/Syndactyly/Adactyly
301	1	CLUBFOOT Club foot
302	1	<u>HERNIA</u> Diaphragmatic hernia
303	1	MUSCULO Other musculoskeletal/integumental anomalies
304	1	DOWNS Down's syndrome
305	1	<u>CHROMO</u> Other chromosomal anomalies
306	1	OTHERCON Other Congenital Anomalies

Tape Location	Field <u>Size</u>	Item and Code Outline
307-326	20	<u>FLRES</u> Reporting Flags for Place of Residence
		These positions contain flags to indicate whether or not the specified item is included on the birth certificate of the State of residence or of the MSA of residence. The code structure for each flag (position) is:
		0 The item is not reported 1 The item is reported or partially reported.
307	1	ORIGM Origin of mother
308	1	ORIGF Origin of father
309	1	EDUCM Education of mother
310	1	EDUCF Education of father
311	1	GESTE Clinical estimate of gestation
312	1	R6A Reserved position
313	1	<u>FMAPSRF</u> 5 - minute Apgar score
314	1	DELMETRF Method of delivery
315	1	MEDRSK Medical risk factors
316	1	TOBUSE Tobacco use
317	1	ALCUSE Alcohol use

Tape Location	Field <u>Size</u>	Item and Code Outline
318	1	WTGN Weight gain
319	1	OBSTRC Obstetric procedures
320	1	<u>CLABOR</u> Complications of labor and/or delivery
321	1	ABNML Abnormal conditions of newborn
322	1	CONGAN Congenital anomalies
323	1	R6 Reserved Position
324	1	EDUCSMSA Education of Mother (Based on MSA)
325	1	APIFLAG Race codes 18-68 reported (beginning with 1992 data)
326-346	21	<u>R7</u> Reserved positions
347-349	3	SMSARES PSMA/MSA of Residence (NCHS)
		Primary Metropolitan Statistical Areas and Metropolitan Statistical Areas are those defined by the U.S. Office of Management and Budget (OMB) as of June 30, 1990. For New England, the New England County Metropolitan Areas (NECMA's) are used.
		Further back in this document is a list of PMSA's, MSA's, NECMA's, and their component counties.
		000 Nonmetropolitan counties 001-320 Code range 999 Area of less than 100,000 population ZZZ Foreign residents

Tape Location	Field <u>Size</u>	Item and Code Outline
350	1	POPSMAS PMSA/MSA Population Size Based on 1990 Census county population counts
		 Area of 250,000 or more Area of 100,000 to 250,000 Area of less than 100,000 or nonmetropolitan area Foreign resident