NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001.(UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	3	20	20 WEEKS OR MORE		
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	
UNITED STATES	54,442			26,539			
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		6,019 9,030 2,460	11.1 16.6 4.5		3,845 4,603 916	14.5 17.3 3.5	
PLACE OF DELIVERY		45	0.1		27	0.1	
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		27,383 27,878	50.3 51.2		3,955 4,336	14.9 16.3	
FETUS SEX <sup>1</sup> BIRTH WEIGHT		25,653 28,525	47.1 52.4		0 2,810	0.0 10.6	
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		28,425 19,302 5,888	52.2 35.5 10.8		9,259 3,931 1,391	34.9 14.8 5.2	
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		4,772 5,015 5,149	8.8 9.2 9.5		1,096 1,260 1,356	4.1 4.7 5.1	
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		26,232 30,066 31,090 26,352	48.2 55.2 57.1 48.4		7,140 8,121 9,250 7,234	26.9 30.6 34.9 27.3	
MEDICAL RISK FACTORS		24,790	45.5		2,659	10.0	
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		31,911 27,700 36,813	58.6 50.9 67.6		6,269 5,872 11,832	23.6 22.1 44.6	
OBSTETRIC PROCEDURES		22,835	41.9		1,919	7.2	
COMPLICATIONS OF LABOR AND/OR DELIVERY		24,307	44.6		2,396	9.0	
CONGENITAL ANOMALIES OF FETUS		27,443	50.4		4,042	15.2	
UNDERLYING CAUSE OF DEATH		54,442	100.0		26,539	100.0	

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001.(UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	3	20 WEEKS OR MORE		
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
ALABAMA	570			553		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		6 85 5	1.1 14.9 0.9		6 85 5	1.1 15.4 0.9
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		23 29	4.0 5.1		22 29	4.0 5.2
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 19	0.0 3.3		0 17	0.0 3.1
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		3 40 0	0.5 7.0 0.0		3 39 0	0.5 7.1 0.0
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		0 0 1	0.0 0.0 0.2		0 0 1	0.0 0.0 0.2
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		298 310 316 297	52.3 54.4 55.4 52.1		287 299 305 286	51.9 54.1 55.2 51.7
MEDICAL RISK FACTORS		4	0.7		4	0.7
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		6 7 131	1.1 1.2 23.0		6 7 127	1.1 1.3 23.0
OBSTETRIC PROCEDURES		6	1.1		6	1.1
COMPLICATIONS OF LABOR AND/OR DELIVERY		7	1.2		7	1.3
CONGENITAL ANOMALIES OF FETUS		12	2.1		12	2.2
UNDERLYING CAUSE OF DEATH		570	100.0		553	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001.(UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	S	20	20 WEEKS OR MORE		
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	
ALASKA	40			37			
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		0 6 0	0.0 15.0 0.0		0 6 0	0.0 16.2 0.0	
PLACE OF DELIVERY		0	0.0		0	0.0	
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		5 9	12.5 22.5		5 8	13.5 21.6	
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 6	0.0 15.0		0 5	0.0 13.5	
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		0 8 8	0.0 20.0 20.0		0 8 8	0.0 21.6 21.6	
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		0 0 1	0.0 0.0 2.5		0 0 1	0.0 0.0 2.7	
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		16 12 19 16	40.0 30.0 47.5 40.0		16 12 18 15	43.2 32.4 48.6 40.5	
MEDICAL RISK FACTORS		0	0.0		0	0.0	
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		3 4 21	7.5 10.0 52.5		3 3 19	8.1 8.1 51.4	
OBSTETRIC PROCEDURES		3	7.5		3	8.1	
COMPLICATIONS OF LABOR AND/OR DELIVERY		5	12.5		5	13.5	
CONGENITAL ANOMALIES OF FETUS		7	17.5		7	18.9	
UNDERLYING CAUSE OF DEATH		40	100.0		37	100.0	

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001.(UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	6	20 WEEKS OR MORE		
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
ARIZONA	654			562		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		10 139 9	1.5 21.3 1.4		10 108 9	1.8 19.2 1.6
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		47 68	7.2 10.4		37 57	6.6 10.1
FETUS SEX <sup>1</sup> BIRTH WEIGHT		6 44	0.9 6.7		0 26	0.0 4.6
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		10 25 17	1.5 3.8 2.6		7 21 14	1.2 3.7 2.5
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		20 23 24	3.1 3.5 3.7		18 20 19	3.2 3.6 3.4
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		144 159 163 155	22.0 24.3 24.9 23.7		129 141 145 138	23.0 25.1 25.8 24.6
MEDICAL RISK FACTORS		33	5.0		24	4.3
DTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		54 59 215	8.3 9.0 32.9		39 43 177	6.9 7.7 31.5
OBSTETRIC PROCEDURES		40	6.1		27	4.8
COMPLICATIONS OF LABOR AND/OR DELIVERY		37	5.7		26	4.6
CONGENITAL ANOMALIES OF FETUS		49	7.5		36	6.4
JNDERLYING CAUSE OF DEATH		654	100.0		562	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001.(UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	6	20 WEEKS OR MORE		
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
ARKANSAS	299			292		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		5 46 4	1.7 15.4 1.3		5 45 4	1.7 15.4 1.4
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		16 20	5.4 6.7		15 19	5.1 6.5
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 8	0.0 2.7		0 8	0.0 2.7
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		1 21 1	0.3 7.0 0.3		1 20 1	0.3 6.8 0.3
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		2 6 8	0.7 2.0 2.7		2 6 8	0.7 2.1 2.7
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		116 129 124 113	38.8 43.1 41.5 37.8		113 125 121 110	38.7 42.8 41.4 37.7
MEDICAL RISK FACTORS		4	1.3		3	1.0
DTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		5 6 90	1.7 2.0 30.1		4 5 87	1.4 1.7 29.8
OBSTETRIC PROCEDURES		2	0.7		2	0.7
COMPLICATIONS OF LABOR AND/OR DELIVERY		6	2.0		5	1.7
CONGENITAL ANOMALIES OF FETUS		6	2.0		6	2.1
UNDERLYING CAUSE OF DEATH		299	100.0		292	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001.(UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	S	20 WEEKS OR MORE		
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
CALIFORNIA	3,088			3,007		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		3,088 300 332	100.0 9.7 10.8		3,007 300 332	100.0 10.0 11.0
PLACE OF DELIVERY		1	>0		1	>0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		181 214	5.9 6.9		176 209	5.9 7.0
FETUS SEX <sup>1</sup> BIRTH WEIGHT		1 51	>0 1.7		0 47	0.0 1.6
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		3,088 222 52	100.0 7.2 1.7		3,007 211 50	100.0 7.0 1.7
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		113 125 158	3.7 4.0 5.1		112 124 156	3.7 4.1 5.2
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		228 336 398 195	7.4 10.9 12.9 6.3		222 329 384 189	7.4 10.9 12.8 6.3
MEDICAL RISK FACTORS		114	3.7		110	3.7
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		3,088 3,088 3,088	100.0 100.0 100.0		3,007 3,007 3,007	100.0 100.0 100.0
OBSTETRIC PROCEDURES		114	3.7		111	3.7
COMPLICATIONS OF LABOR AND/OR DELIVERY		123	4.0		122	4.1
CONGENITAL ANOMALIES OF FETUS		148	4.8		145	4.8
UNDERLYING CAUSE OF DEATH		3,088	100.0		3,007	100.0

Not stated sex is imputed for fetal deaths of 20 weeks or more gestation.
Value too small to display.

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001.(UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	3	20 WEEKS OR MORE		
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
COLORADO	385			379		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		0 72 0	0.0 18.7 0.0		0 72 0	0.0 19.0 0.0
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		48 52	12.5 13.5		47 51	12.4 13.5
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 36	0.0 9.4		0 36	0.0 9.5
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		6 44 14	1.6 11.4 3.6		6 43 14	1.6 11.3 3.7
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		8 11 9	2.1 2.9 2.3		8 11 9	2.1 2.9 2.4
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		38 60 68 40	9.9 15.6 17.7 10.4		37 58 67 39	9.8 15.3 17.7 10.3
MEDICAL RISK FACTORS		35	9.1		34	9.0
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		33 34 139	8.6 8.8 36.1		33 34 134	8.7 9.0 35.4
OBSTETRIC PROCEDURES		18	4.7		17	4.5
COMPLICATIONS OF LABOR AND/OR DELIVERY		35	9.1		35	9.2
CONGENITAL ANOMALIES OF FETUS		53	13.8		52	13.7
UNDERLYING CAUSE OF DEATH		385	100.0		379	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001.(UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	S	20 WEEKS OR MORE		
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
CONNECTICUT	206			206		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		2 61 5	1.0 29.6 2.4		2 61 5	1.0 29.6 2.4
PLACE OF DELIVERY		1	0.5		1	0.5
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		19 27	9.2 13.1		19 27	9.2 13.1
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 14	0.0 6.8		0 14	0.0 6.8
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		0 55 14	0.0 26.7 6.8		0 55 14	0.0 26.7 6.8
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		0 0 0	0.0 0.0 0.0		0 0 0	0.0 0.0 0.0
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		41 36 87 39	19.9 17.5 42.2 18.9		41 36 87 39	19.9 17.5 42.2 18.9
MEDICAL RISK FACTORS		0	0.0		0	0.0
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		0 0 90	0.0 0.0 43.7		0 0 90	0.0 0.0 43.7
OBSTETRIC PROCEDURES		0	0.0		0	0.0
COMPLICATIONS OF LABOR AND/OR DELIVERY		0	0.0		0	0.0
CONGENITAL ANOMALIES OF FETUS		2	1.0		2	1.0
UNDERLYING CAUSE OF DEATH		206	100.0		206	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001.(UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	S	20	20 WEEKS OR MORE			
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN		
DELAWARE	70			68				
GESTATION								
CLINICAL ESTIMATE AS COMPUTED		2 8	2.9 11.4		2	2.9 11.8		
COMBINED		1	1.4		1	1.5		
PLACE OF DELIVERY		0	0.0		0	0.0		
PRENATAL CARE								
MONTH BEGAN NUMBER OF VISITS		3 5	4.3 7.1		3	4.4 7.4		
		5	7.1		5	7.4		
ETUS SEX <sup>1</sup>		0	0.0		0	0.0		
BIRTH WEIGHT		2	2.9		2	2.9		
MOTHER								
MARITAL STATUS		0	0.0		0	0.0		
EDUCATION HISPANIC ORIGIN		5 3	7.1 4.3		5	7.4 4.4		
HISPANIC ORIGIN		3	4.5		3	4.4		
PREGNANCY HISTORY BORN LIVE, NOW LIVING		3	4.3		3	4.4		
BORN LIVE, NOW DEAD		3	4.3		3	4.4		
OTHER TERMINATIONS		3	4.3		3	4.4		
ATHER								
RACE		29	41.4		28	41.2		
AGE EDUCATION		28 37	40.0 52.9		27 36	39.7 52.9		
HISPANIC ORIGIN		28	40.0		27	39.7		
MEDICAL RISK FACTORS		15	21.4		15	22.1		
OTHER RISK FACTORS								
TOBACCO USE DURING			0.1.0			<u> </u>		
PREGNANCY ALCOHOL USE DURING		17	24.3		17	25.0		
PREGNANCY		18	25.7		18	26.5		
WEIGHT GAIN DURING PREGNANCY		27	38.6		27	39.7		
DBSTETRIC PROCEDURES		10	14.3		10	14.7		
COMPLICATIONS OF LABOR AND/OR DELIVERY		12	17.1		12	17.6		
CONGENITAL ANOMALIES OF								
FETUS		16	22.9		16	23.5		
JNDERLYING CAUSE OF DEATH		70	100.0		68	100.0		
		70	100.0		00	100.0		

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001.(UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	S	20 WEEKS OR MORE		
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
DISTRICT OF COLUMBIA	161			159		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		16 45 15	9.9 28.0 9.3		16 45 15	10.1 28.3 9.4
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		71 77	44.1 47.8		71 77	44.7 48.4
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 19	0.0 11.8		0 19	0.0 11.9
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		19 68 12	11.8 42.2 7.5		19 68 12	11.9 42.8 7.5
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		13 18 20	8.1 11.2 12.4		13 18 20	8.2 11.3 12.6
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		63 114 104 43	39.1 70.8 64.6 26.7		62 113 102 43	39.0 71.1 64.2 27.0
MEDICAL RISK FACTORS		28	17.4		27	17.0
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		32 34 125	19.9 21.1 77.6		32 34 123	20.1 21.4 77.4
OBSTETRIC PROCEDURES		36	22.4		35	22.0
COMPLICATIONS OF LABOR AND/OR DELIVERY		35	22.4		35	22.0
CONGENITAL ANOMALIES OF FETUS		48	29.8		47	29.6
UNDERLYING CAUSE OF DEATH		161	100.0		159	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001.(UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	3	20	20 WEEKS OR MORE		
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	
FLORIDA	1,697			1,656			
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		25 361 25	1.5 21.3 1.5		25 361 25	1.5 21.8 1.5	
PLACE OF DELIVERY		0	0.0		0	0.0	
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		354 322	20.9 19.0		346 316	20.9 19.1	
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 131	0.0 7.7		0 129	0.0 7.8	
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		91 228 86	5.4 13.4 5.1		88 225 83	5.3 13.6 5.0	
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		156 158 184	9.2 9.3 10.8		153 155 180	9.2 9.4 10.9	
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		261 287 341 263	15.4 16.9 20.1 15.5		257 280 336 259	15.5 16.9 20.3 15.6	
MEDICAL RISK FACTORS		12	0.7		12	0.7	
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		95 105 515	5.6 6.2 30.3		95 104 506	5.7 6.3 30.6	
OBSTETRIC PROCEDURES		10	0.6		10	0.6	
COMPLICATIONS OF LABOR AND/OR DELIVERY		23	1.4		23	1.4	
CONGENITAL ANOMALIES OF FETUS		18	1.1		18	1.1	
UNDERLYING CAUSE OF DEATH		1,697	100.0		1,656	100.0	

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	S	20 WEEKS OR MORE		
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
GEORGIA	1,252			1,122		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		12 70 20	1.0 5.6 1.6		11 53 19	1.0 4.7 1.7
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		363 364	29.0 29.1		308 311	27.5 27.7
ETUS SEX <sup>1</sup> BIRTH WEIGHT		26 156	2.1 12.5		0 125	0.0 11.1
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		2 425 130	0.2 33.9 10.4		2 373 116	0.2 33.2 10.3
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		29 69 44	2.3 5.5 3.5		27 60 37	2.4 5.3 3.3
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		704 829 896 738	56.2 66.2 71.6 58.9		624 736 796 654	55.6 65.6 70.9 58.3
MEDICAL RISK FACTORS		86	6.9		72	6.4
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		139 150 696	11.1 12.0 55.6		118 128 616	10.5 11.4 54.9
OBSTETRIC PROCEDURES		50	4.0		44	3.9
COMPLICATIONS OF LABOR AND/OR DELIVERY		82	6.5		75	6.7
ONGENITAL ANOMALIES OF		82	6.5		75	6.7
INDERLYING CAUSE OF DEATH		1,252	100.0		1,122	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	S	20	20 WEEKS OR MORE		
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	
HAWAII	772			98			
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		96 290 47	12.4 37.6 6.1		0 32 0	0.0 32.7 0.0	
PLACE OF DELIVERY		0	0.0		0	0.0	
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		272 273	35.2 35.4		35 35	35.7 35.7	
ETUS SEX <sup>1</sup> BIRTH WEIGHT		629 466	81.5 60.4		0 34	0.0 34.7	
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		12 542 198	1.6 70.2 25.6		7 22 18	7.1 22.4 18.4	
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		46 59 60	6.0 7.6 7.8		8 17 17	8.2 17.3 17.3	
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		598 600 629 470	77.5 77.7 81.5 60.9		35 37 38 36	35.7 37.8 38.8 36.7	
MEDICAL RISK FACTORS		772	100.0		98	100.0	
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		772 772 772	100.0 100.0 100.0		98 98 98	100.0 100.0 100.0	
OBSTETRIC PROCEDURES		772	100.0		98	100.0	
COMPLICATIONS OF LABOR AND/OR DELIVERY		772	100.0		98	100.0	
CONGENITAL ANOMALIES OF FETUS		772	100.0		98	100.0	
INDERLYING CAUSE OF DEATH		772	100.0		98	100.0	

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	S	20	20 WEEKS OR MORE		
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	
DAHO	123			122			
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		0 12 0	0.0 9.8 0.0		0 12 0	0.0 9.8 0.0	
PLACE OF DELIVERY		0	0.0		0	0.0	
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		9 7	7.3 5.7		9 7	7.4 5.7	
ETUS SEX <sup>1</sup> BIRTH WEIGHT		0 7	0.0 5.7		0 7	0.0 5.7	
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		0 9 4	0.0 7.3 3.3		0 9 4	0.0 7.4 3.3	
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		0 1 0	0.0 0.8 0.0		0 1 0	0.0 0.8 0.0	
ATHER RACE AGE EDUCATION HISPANIC ORIGIN		19 19 26 19	15.4 15.4 21.1 15.4		19 19 26 19	15.6 15.6 21.3 15.6	
MEDICAL RISK FACTORS		1	0.8		1	0.8	
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY		3	2.4 2.4		3	2.5 2.5	
WEIGHT GAIN DURING PREGNANCY		22	17.9		22	18.0	
BSTETRIC PROCEDURES		0	0.0		0	0.0	
OMPLICATIONS OF LABOR AND/OR DELIVERY		0	0.0		0	0.0	
ONGENITAL ANOMALIES OF FETUS		2	1.6		2	1.6	
INDERLYING CAUSE OF DEATH		123	100.0		122	100.0	

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	S	20	WEEKS OR MOR	E
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
ILLINOIS	1,244			1,215		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		10 285 6	0.8 22.9 0.5		9 284 6	0.7 23.4 0.5
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		183 196	14.7 15.8		182 194	15.0 16.0
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 86	0.0 6.9		0 84	0.0 6.9
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		79 118 28	6.4 9.5 2.3		78 118 28	6.4 9.7 2.3
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		70 72 77	5.6 5.8 6.2		70 72 77	5.8 5.9 6.3
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		291 328 346 266	23.4 26.4 27.8 21.4		285 318 335 262	23.5 26.2 27.6 21.6
MEDICAL RISK FACTORS		162	13.0		160	13.2
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		182 205 526	14.6 16.5 42.3		179 200 520	14.7 16.5 42.8
OBSTETRIC PROCEDURES		109	8.8		107	8.8
COMPLICATIONS OF LABOR AND/OR DELIVERY		178	14.3		176	14.5
CONGENITAL ANOMALIES OF FETUS		207	16.6		201	16.5
UNDERLYING CAUSE OF DEATH		1,244	100.0		1,215	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	3	20	20 WEEKS OR MORE		
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	
INDIANA	582			557			
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		31 114 12	5.3 19.6 2.1		30 106 12	5.4 19.0 2.2	
PLACE OF DELIVERY		0	0.0		0	0.0	
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		85 90	14.6 15.5		78 84	14.0 15.1	
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 77	0.0 13.2		0 67	0.0 12.0	
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		25 57 29	4.3 9.8 5.0		21 52 25	3.8 9.3 4.5	
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		22 24 26	3.8 4.1 4.5		18 20 22	3.2 3.6 3.9	
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		62 61 95 57	10.7 10.5 16.3 9.8		58 60 90 53	10.4 10.8 16.2 9.5	
MEDICAL RISK FACTORS		83	14.3		74	13.3	
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		47 67 121	8.1 11.5 20.8		39 61 112	7.0 11.0 20.1	
OBSTETRIC PROCEDURES		56	9.6		50	9.0	
COMPLICATIONS OF LABOR AND/OR DELIVERY		53	9.1		46	8.3	
CONGENITAL ANOMALIES OF FETUS		87	14.9		81	14.5	
UNDERLYING CAUSE OF DEATH		582	100.0		557	100.0	

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	S	20	20 WEEKS OR MORE		
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	
OWA	236			231			
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		2 22 2	0.8 9.3 0.8		2 22 2	0.9 9.5 0.9	
PLACE OF DELIVERY		0	0.0		0	0.0	
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		7 10	3.0 4.2		7 10	3.0 4.3	
ETUS SEX <sup>1</sup> BIRTH WEIGHT		0 6	0.0 2.5		0 6	0.0 2.6	
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		0 4 0	0.0 1.7 0.0		0 4 0	0.0 1.7 0.0	
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		0 0 0	0.0 0.0 0.0		0 0 0	0.0 0.0 0.0	
ATHER RACE AGE EDUCATION HISPANIC ORIGIN		32 34 36 29	13.6 14.4 15.3 12.3		32 34 36 29	13.9 14.7 15.6 12.6	
MEDICAL RISK FACTORS		5	2.1		4	1.7	
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING		3 3	1.3 1.3		2 2	0.9 0.9	
PREGNANCY		35	14.8		34	14.7	
BSTETRIC PROCEDURES		4	1.7		3	1.3	
OMPLICATIONS OF LABOR AND/OR DELIVERY		5	2.1		4	1.7	
ONGENITAL ANOMALIES OF FETUS		4	1.7		3	1.3	
INDERLYING CAUSE OF DEATH		236	100.0		231	100.0	

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	3	20	WEEKS OR MOR	E
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
KANSAS	212			207		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		10 36 5	4.7 17.0 2.4		10 36 5	4.8 17.4 2.4
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		10 19	4.7 9.0		10 18	4.8 8.7
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 0	0.0 0.0		0 0	0.0 0.0
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		0 9 4	0.0 4.2 1.9		0 9 4	0.0 4.3 1.9
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		0 0 0	0.0 0.0 0.0		0 0 0	0.0 0.0 0.0
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		19 27 27 22	9.0 12.7 12.7 10.4		18 26 26 21	8.7 12.6 12.6 10.1
MEDICAL RISK FACTORS		17	8.0		16	7.7
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		17 17 9	8.0 8.0 4.2		16 16 9	7.7 7.7 4.3
OBSTETRIC PROCEDURES		11	5.2		10	4.8
COMPLICATIONS OF LABOR AND/OR DELIVERY		9	4.2		8	3.9
CONGENITAL ANOMALIES OF FETUS		23	10.8		22	10.6
UNDERLYING CAUSE OF DEATH		212	100.0		207	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	S	20	WEEKS OR MOR	E
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
KENTUCKY	388			374		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		4 53 1	1.0 13.7 0.3		3 53 1	0.8 14.2 0.3
PLACE OF DELIVERY		12	3.1		11	2.9
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		6 13	1.5 3.4		6 13	1.6 3.5
ETUS SEX <sup>1</sup> BIRTH WEIGHT		0 7	0.0 1.8		0 6	0.0 1.6
AOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		3 8 0	0.8 2.1 0.0		3 6 0	0.8 1.6 0.0
REGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		0 0 1	0.0 0.0 0.3		0 0 1	0.0 0.0 0.3
ATHER RACE AGE EDUCATION HISPANIC ORIGIN		172 171 175 176	44.3 44.1 45.1 45.4		162 161 163 166	43.3 43.0 43.6 44.4
IEDICAL RISK FACTORS		100	25.8		90	24.1
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		83 88 150	21.4 22.7 38.7		75 80 142	20.1 21.4 38.0
DBSTETRIC PROCEDURES		90	23.2		82	21.9
OMPLICATIONS OF LABOR AND/OR DELIVERY		99	25.5		91	24.3
ONGENITAL ANOMALIES OF FETUS		108	27.8		99	26.5
INDERLYING CAUSE OF DEATH		388	100.0		374	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	S	20	WEEKS OR MOR	E
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
_OUISIANA	541			470		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		14 88 11	2.6 16.3 2.0		11 74 11	2.3 15.7 2.3
PLACE OF DELIVERY		1	0.2		1	0.2
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		42 47	7.8 8.7		42 44	8.9 9.4
FETUS SEX <sup>1</sup> BIRTH WEIGHT		7 43	1.3 7.9		0 28	0.0 6.0
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		10 25 13	1.8 4.6 2.4		10 22 13	2.1 4.7 2.8
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		11 24 15	2.0 4.4 2.8		11 22 13	2.3 4.7 2.8
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		277 279 277 274	51.2 51.6 51.2 50.6		247 250 247 244	52.6 53.2 52.6 51.9
MEDICAL RISK FACTORS		7	1.3		6	1.3
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		23 17 87	4.3 3.1		18 15 79	3.8 3.2 16.6
			16.1		78	
DBSTETRIC PROCEDURES COMPLICATIONS OF LABOR AND/OR DELIVERY		6 5	1.1 0.9		5	1.1 1.1
CONGENITAL ANOMALIES OF FETUS		5	0.9		4	0.9
JNDERLYING CAUSE OF DEATH		541	100.0		470	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	S	20	WEEKS OR MOR	E
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
MAINE	61			60		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		0 24 0	0.0 39.3 0.0		0 24 0	0.0 40.0 0.0
PLACE OF DELIVERY		1	1.6		1	1.7
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		7 7	11.5 11.5		7 7	11.7 11.7
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 18	0.0 29.5		0 18	0.0 30.0
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		12 11 11	19.7 18.0 18.0		11 10 10	18.3 16.7 16.7
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		3 3 3	4.9 4.9 4.9		3 3 3	5.0 5.0 5.0
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		16 6 17 18	26.2 9.8 27.9 29.5		15 6 16 17	25.0 10.0 26.7 28.3
MEDICAL RISK FACTORS		4	6.6		4	6.7
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING		57	8.2 11.5		5 7	8.3 11.7
PREGNANCY		26	42.6		26	43.3
DBSTETRIC PROCEDURES		5	8.2		5	8.3
COMPLICATIONS OF LABOR AND/OR DELIVERY		4	6.6		4	6.7
CONGENITAL ANOMALIES OF FETUS		9	14.8		9	15.0
INDERLYING CAUSE OF DEATH		61	100.0		60	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	3	20	20 WEEKS OR MORE		
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	
MARYLAND	526			499			
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		12 84 4	2.3 16.0 0.8		10 77 4	2.0 15.4 0.8	
PLACE OF DELIVERY		4	0.8		4	0.8	
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		41 57	7.8 10.8		39 53	7.8 10.6	
FETUS SEX <sup>1</sup> BIRTH WEIGHT		8 34	1.5 6.5		0 16	0.0 3.2	
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		11 80 8	2.1 15.2 1.5		10 75 7	2.0 15.0 1.4	
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		13 46 84	2.5 8.7 16.0		12 43 81	2.4 8.6 16.2	
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		56 76 125 43	10.6 14.4 23.8 8.2		54 74 118 42	10.8 14.8 23.6 8.4	
MEDICAL RISK FACTORS		25	4.8		22	4.4	
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		0 0 171	0.0 0.0 32.5		0 0 159	0.0 0.0 31.9	
OBSTETRIC PROCEDURES		17	3.2		13	2.6	
COMPLICATIONS OF LABOR AND/OR DELIVERY		35	6.7		28	5.6	
CONGENITAL ANOMALIES OF FETUS		42	8.0		35	7.0	
UNDERLYING CAUSE OF DEATH		526	100.0		499	100.0	

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	S	20	WEEKS OR MOR	E
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
MASSACHUSETTS	385			379		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		4 70 2	1.0 18.2 0.5		3 70 2	0.8 18.5 0.5
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		84 67	21.8 17.4		83 66	21.9 17.4
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 14	0.0 3.6		0 13	0.0 3.4
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		13 78 70	3.4 20.3 18.2		13 77 68	3.4 20.3 17.9
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		15 15 15	3.9 3.9 3.9		14 14 14	3.7 3.7 3.7
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		135 98 140 129	35.1 25.5 36.4 33.5		133 95 136 127	35.1 25.1 35.9 33.5
MEDICAL RISK FACTORS		36	9.4		36	9.5
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		49 48 111	12.7 12.5 28.8		47 47 109	12.4 12.4 28.8
OBSTETRIC PROCEDURES		23	6.0		23	6.1
COMPLICATIONS OF LABOR AND/OR DELIVERY		41	10.6		41	10.8
CONGENITAL ANOMALIES OF FETUS		50	13.0		49	12.9
UNDERLYING CAUSE OF DEATH		385	100.0		379	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	S	20	20 WEEKS OR MORE		
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	
MICHIGAN	789			753			
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		4 182 1	0.5 23.1 0.1		4 171 1	0.5 22.7 0.1	
PLACE OF DELIVERY		0	0.0		0	0.0	
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		100 143	12.7 18.1		93 131	12.4 17.4	
ETUS SEX <sup>1</sup> BIRTH WEIGHT		6 11	0.8 1.4		0 10	0.0 1.3	
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		789 196 80	100.0 24.8 10.1		753 186 78	100.0 24.7 10.4	
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		7 6 8	0.9 0.8 1.0		7 6 8	0.9 0.8 1.1	
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		206 299 298 240	26.1 37.9 37.8 30.4		194 281 282 229	25.8 37.3 37.5 30.4	
MEDICAL RISK FACTORS		6	0.8		6	0.8	
DTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING		43 48	5.4		41 46	5.4	
PREGNANCY		347	44.0		324	43.0	
DBSTETRIC PROCEDURES		8	1.0		8	1.1	
COMPLICATIONS OF LABOR AND/OR DELIVERY		6	0.8		6	0.8	
CONGENITAL ANOMALIES OF FETUS		9	1.1		9	1.2	
INDERLYING CAUSE OF DEATH		789	100.0		753	100.0	

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	S	20	WEEKS OR MOR	E
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
MINNESOTA	358			352		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		5 59 3	1.4 16.5 0.8		4 58 3	1.1 16.5 0.9
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		0 7	0.0 2.0		0 7	0.0 2.0
FETUS SEX <sup>1</sup> BIRTH WEIGHT		1 15	0.3 4.2		0 13	0.0 3.7
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		1 46 13	0.3 12.8 3.6		1 45 13	0.3 12.8 3.7
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		9 11 10	2.5 3.1 2.8		8 10 9	2.3 2.8 2.6
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		90 94 112 90	25.1 26.3 31.3 25.1		88 92 109 88	25.0 26.1 31.0 25.0
MEDICAL RISK FACTORS		31	8.7		29	8.2
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY		29 27	8.1 7.5		28 27	8.0 7.7
WEIGHT GAIN DURING PREGNANCY		125	34.9		123	34.9
DBSTETRIC PROCEDURES		25	7.0		24	6.8
OMPLICATIONS OF LABOR AND/OR DELIVERY		30	8.4		28	8.0
ONGENITAL ANOMALIES OF		78	21.8		76	21.6
JNDERLYING CAUSE OF DEATH		358	100.0		352	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	S	20	WEEKS OR MOR	E
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
MISSISSIPPI	383			372		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		4 81 2	1.0 21.1 0.5		4 79 2	1.1 21.2 0.5
PLACE OF DELIVERY		1	0.3		1	0.3
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		25 70	6.5 18.3		25 69	6.7 18.5
ETUS SEX <sup>1</sup> BIRTH WEIGHT		0 7	0.0 1.8		0 7	0.0 1.9
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		0 52 1	0.0 13.6 0.3		0 52 1	0.0 14.0 0.3
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		5 12 8	1.3 3.1 2.1		5 12 8	1.3 3.2 2.2
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		218 232 235 223	56.9 60.6 61.4 58.2		209 223 226 214	56.2 59.9 60.8 57.5
MEDICAL RISK FACTORS		10	2.6		10	2.7
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY		18 20	4.7 5.2		18 20	4.8 5.4
WEIGHT GAIN DURING PREGNANCY		110	28.7		105	28.2
BSTETRIC PROCEDURES		2	0.5		2	0.5
OMPLICATIONS OF LABOR AND/OR DELIVERY		7	1.8		7	1.9
CONGENITAL ANOMALIES OF FETUS		18	4.7		18	4.8
INDERLYING CAUSE OF DEATH		383	100.0		372	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	S	20	WEEKS OR MOR	E
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
MISSOURI	452			438		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		6 62 3	1.3 13.7 0.7		6 61 3	1.4 13.9 0.7
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		29 37	6.4 8.2		28 36	6.4 8.2
ETUS SEX <sup>1</sup> BIRTH WEIGHT		0 9	0.0 2.0		0 8	0.0 1.8
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		1 30 1	0.2 6.6 0.2		1 30 1	0.2 6.8 0.2
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		9 11 19	2.0 2.4 4.2		9 11 18	2.1 2.5 4.1
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		165 169 452 162	36.5 37.4 100.0 35.8		156 161 438 154	35.6 36.8 100.0 35.2
MEDICAL RISK FACTORS		5	1.1		4	0.9
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		17 18 62	3.8 4.0 13.7		17 18 60	3.9 4.1 13.7
DBSTETRIC PROCEDURES		5	13.7		5	13.7
COMPLICATIONS OF LABOR AND/OR DELIVERY		3	0.7		3	0.7
CONGENITAL ANOMALIES OF FETUS		6	1.3		6	1.4
JNDERLYING CAUSE OF DEATH		452	100.0		438	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	6	20	WEEKS OR MOR	E
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
MONTANA	43			43		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		0 5 0	0.0 11.6 0.0		0 5 0	0.0 11.6 0.0
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		0 4	0.0 9.3		0 4	0.0 9.3
ETUS SEX <sup>1</sup> BIRTH WEIGHT		0 4	0.0 9.3		0 4	0.0 9.3
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		1 1 0	2.3 2.3 0.0		1 1 0	2.3 2.3 0.0
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		0 0 0	0.0 0.0 0.0		0 0 0	0.0 0.0 0.0
ATHER RACE AGE EDUCATION HISPANIC ORIGIN		2 4 3 2	4.7 9.3 7.0 4.7		2 4 3 2	4.7 9.3 7.0 4.7
MEDICAL RISK FACTORS		2	4.7		2	4.7
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		4 4 8	9.3 9.3 18.6		4 4 8	9.3 9.3 18.6
OBSTETRIC PROCEDURES		2	4.7		2	4.7
OMPLICATIONS OF LABOR AND/OR DELIVERY		2	4.7		2	4.7
ONGENITAL ANOMALIES OF FETUS		3	7.0		3	7.0
INDERLYING CAUSE OF DEATH		43	100.0		43	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	S	20	WEEKS OR MOR	E
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
NEBRASKA	153			149		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		0 13 0	0.0 8.5 0.0		0 13 0	0.0 8.7 0.0
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		3 3	2.0 2.0		3 3	2.0 2.0
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 6	0.0 3.9		0 6	0.0 4.0
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		1 10 12	0.7 6.5 7.8		1 10 12	0.7 6.7 8.1
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		1 2 1	0.7 1.3 0.7		1 2 1	0.7 1.3 0.7
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		13 15 24 23	8.5 9.8 15.7 15.0		13 15 23 23	8.7 10.1 15.4 15.4
MEDICAL RISK FACTORS		2	1.3		2	1.3
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		7 8 17	4.6 5.2 11.1		7 8 17	4.7 5.4 11.4
OBSTETRIC PROCEDURES		0	0.0		0	0.0
COMPLICATIONS OF LABOR AND/OR DELIVERY		0	0.0		0	0.0
CONGENITAL ANOMALIES OF FETUS		4	2.6		4	2.7
INDERLYING CAUSE OF DEATH		153	100.0		149	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	S	20	WEEKS OR MOR	E
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
NEVADA	223			205		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		2 44 2	0.9 19.7 0.9		2 37 2	1.0 18.0 1.0
PLACE OF DELIVERY		1	0.4		1	0.5
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		37 36	16.6 16.1		33 32	16.1 15.6
FETUS SEX <sup>1</sup> BIRTH WEIGHT		2 45	0.9 20.2		0 38	0.0 18.5
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		223 17 6	100.0 7.6 2.7		205 16 6	100.0 7.8 2.9
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		21 21 22	9.4 9.4 9.9		18 18 19	8.8 8.8 9.3
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		17 17 24 10	7.6 7.6 10.8 4.5		15 15 22 10	7.3 7.3 10.7 4.9
MEDICAL RISK FACTORS		73	32.7		63	30.7
DTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING		90 92	40.4 41.3		78 80	38.0 39.0
PREGNANCY		162	72.6		146	71.2
DBSTETRIC PROCEDURES		57	25.6		48	23.4
OMPLICATIONS OF LABOR AND/OR DELIVERY		73	32.7		62	30.2
CONGENITAL ANOMALIES OF FETUS		76	34.1		66	32.2
INDERLYING CAUSE OF DEATH		223	100.0		205	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	S	20	WEEKS OR MOR	Ξ
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
NEW HAMPSHIRE	64			63		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		0 8 0	0.0 12.5 0.0		0 8 0	0.0 12.7 0.0
PLACE OF DELIVERY		0	0.0		0	0.0
RENATAL CARE MONTH BEGAN NUMBER OF VISITS		0 1	0.0 1.6		0 1	0.0 1.6
ETUS SEX <sup>1</sup> BIRTH WEIGHT		0 0	0.0 0.0		0 0	0.0 0.0
IOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		0 4 7	0.0 6.2 10.9		0 4 7	0.0 6.3 11.1
REGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		0 0 0	0.0 0.0 0.0		0 0 0	0.0 0.0 0.0
ATHER RACE AGE EDUCATION HISPANIC ORIGIN		12 13 13 15	18.8 20.3 20.3 23.4		12 13 13 15	19.0 20.6 20.6 23.8
IEDICAL RISK FACTORS		0	0.0		0	0.0
THER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		2 1 5	3.1 1.6 7.8		2 1 5	3.2 1.6 7.9
DBSTETRIC PROCEDURES		0	0.0		0	0.0
OMPLICATIONS OF LABOR AND/OR DELIVERY		0	0.0		0	0.0
ONGENITAL ANOMALIES OF FETUS		0	0.0		0	0.0
INDERLYING CAUSE OF DEATH		64	100.0		63	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	S	20	WEEKS OR MOR	E
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
NEW JERSEY	801			778		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		9 144 8	1.1 18.0 1.0		8 142 8	1.0 18.3 1.0
PLACE OF DELIVERY		1	0.1		1	0.1
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		96 150	12.0 18.7		94 149	12.1 19.2
ETUS SEX <sup>1</sup> BIRTH WEIGHT		3 51	0.4 6.4		0 49	0.0 6.3
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		40 130 10	5.0 16.2 1.2		37 128 10	4.8 16.5 1.3
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		20 20 22	2.5 2.5 2.7		20 20 22	2.6 2.6 2.8
ATHER RACE AGE EDUCATION HISPANIC ORIGIN		56 125 188 57	7.0 15.6 23.5 7.1		52 119 181 53	6.7 15.3 23.3 6.8
MEDICAL RISK FACTORS		84	10.5		81	10.4
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		66 66 355	8.2 8.2 44.3		64 64 342	8.2 8.2 44.0
DBSTETRIC PROCEDURES		49	6.1		49	6.3
OMPLICATIONS OF LABOR AND/OR DELIVERY		100	12.5		99	12.7
ONGENITAL ANOMALIES OF		110	13.7		106	13.6
INDERLYING CAUSE OF DEATH		801	100.0		778	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	S	20	WEEKS OR MOR	E
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
NEW MEXICO	70			69		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		0 7 0	0.0 10.0 0.0		0 7 0	0.0 10.1 0.0
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		0 3	0.0 4.3		0 3	0.0 4.3
ETUS SEX <sup>1</sup> BIRTH WEIGHT		0 3	0.0 4.3		0 2	0.0 2.9
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		1 20 2	1.4 28.6 2.9		1 20 2	1.4 29.0 2.9
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		0 0 1	0.0 0.0 1.4		0 0 1	0.0 0.0 1.4
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		28 34 39 28	40.0 48.6 55.7 40.0		28 34 39 28	40.6 49.3 56.5 40.6
MEDICAL RISK FACTORS		0	0.0		0	0.0
DTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		0 1 19	0.0 1.4 27.1		0 1 19	0.0 1.4 27.5
OBSTETRIC PROCEDURES		0	0.0		0	0.0
COMPLICATIONS OF LABOR AND/OR DELIVERY		1	1.4		1	1.4
CONGENITAL ANOMALIES OF FETUS		68	97.1		67	97.1
INDERLYING CAUSE OF DEATH		70	100.0		69	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATHS	6	20	WEEKS OR MOR	E
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
NEW YORK	7,561			885		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		1,485 1,679 996	19.6 22.2 13.2		42 115 9	4.7 13.0 1.0
PLACE OF DELIVERY		15	0.2		4	0.5
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		4,230 4,336	55.9 57.3		235 244	26.6 27.6
ETUS SEX <sup>1</sup> BIRTH WEIGHT		6,305 6,804	83.4 90.0		0 318	0.0 35.9
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		7,561 4,330 86	100.0 57.3 1.1		885 374 19	100.0 42.3 2.1
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		1,930 1,930 1,930	25.5 25.5 25.5		93 93 93	10.5 10.5 10.5
ATHER RACE AGE EDUCATION HISPANIC ORIGIN		3,139 5,048 5,209 3,112	41.5 66.8 68.9 41.2		257 457 465 249	29.0 51.6 52.5 28.1
MEDICAL RISK FACTORS		3,478	46.0		240	27.1
DTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		7,561 3,026 4,986	100.0 40.0 65.9		885 186 348	100.0 21.0 39.3
OBSTETRIC PROCEDURES		2,201	29.1		98	11.1
OMPLICATIONS OF LABOR AND/OR DELIVERY		3,192	42.2		160	18.1
CONGENITAL ANOMALIES OF FETUS		4,803	63.5		370	41.8
INDERLYING CAUSE OF DEATH		7,561	100.0		885	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	6	20	WEEKS OR MOR	E
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
NEW YORK CITY	12,543			1,382		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		75 1,194 59	0.6 9.5 0.5		6 131 4	0.4 9.5 0.3
PLACE OF DELIVERY		5	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		11,675 11,661	93.1 93.0		542 529	39.2 38.3
ETUS SEX <sup>1</sup> BIRTH WEIGHT		10,765 11,125	85.8 88.7		0 433	0.0 31.3
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		12,543 4,702 1,966	100.0 37.5 15.7		1,382 322 117	100.0 23.3 8.5
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		3 10 67	0.0 0.1 0.5		0 2 5	0.0 0.1 0.4
ATHER RACE AGE EDUCATION HISPANIC ORIGIN		7,952 9,130 8,781 8,156	63.4 72.8 70.0 65.0		672 758 760 694	48.6 54.8 55.0 50.2
MEDICAL RISK FACTORS		11,429	91.1		306	22.1
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		11,433 11,460 11,996	91.2 91.4 95.6		310 337 852	22.4 24.4 61.6
OBSTETRIC PROCEDURES		11,376	90.7		298	21.6
OMPLICATIONS OF LABOR AND/OR DELIVERY		11,477	91.5		353	25.5
ONGENITAL ANOMALIES OF FETUS		12,543	100.0		1,382	100.0
INDERLYING CAUSE OF DEATH		12,543	100.0		1,382	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	6	20	WEEKS OR MOR	E
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
NORTH CAROLINA	845			825		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		20 139 10	2.4 16.4 1.2		19 139 10	2.3 16.8 1.2
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		52 69	6.2 8.2		52 69	6.3 8.4
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 59	0.0 7.0		0 56	0.0 6.8
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		3 43 3	0.4 5.1 0.4		3 43 2	0.4 5.2 0.2
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		9 21 14	1.1 2.5 1.7		9 20 14	1.1 2.4 1.7
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		328 358 357 328	38.8 42.4 42.2 38.8		318 347 347 318	38.5 42.1 42.1 38.5
MEDICAL RISK FACTORS		5	0.6		5	0.6
DTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		20 33 153	2.4 3.9 18.1		19 32 148	2.3 3.9 17.9
OBSTETRIC PROCEDURES		4	0.5		4	0.5
COMPLICATIONS OF LABOR AND/OR DELIVERY		5	0.6		5	0.6
CONGENITAL ANOMALIES OF FETUS		5	0.6		5	0.6
JNDERLYING CAUSE OF DEATH		845	100.0		825	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	S	20	20 WEEKS OR MORE		
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	
NORTH DAKOTA	60			60			
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		3 12 2	5.0 20.0 3.3		3 12 2	5.0 20.0 3.3	
PLACE OF DELIVERY		0	0.0		0	0.0	
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		3 4	5.0 6.7		3 4	5.0 6.7	
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 3	0.0 5.0		0 3	0.0 5.0	
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		2 8 10	3.3 13.3 16.7		2 8 10	3.3 13.3 16.7	
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		1 2 3	1.7 3.3 5.0		1 2 3	1.7 3.3 5.0	
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		11 9 13 13	18.3 15.0 21.7 21.7		11 9 13 13	18.3 15.0 21.7 21.7	
MEDICAL RISK FACTORS		1	1.7		1	1.7	
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		5 6 22	8.3 10.0 36.7		5 6 22	8.3 10.0 36.7	
OBSTETRIC PROCEDURES		1	1.7		1	1.7	
COMPLICATIONS OF LABOR AND/OR DELIVERY		1	1.7		1	1.7	
CONGENITAL ANOMALIES OF FETUS		1	1.7		1	1.7	
JNDERLYING CAUSE OF DEATH		60	100.0		60	100.0	

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	3	20 WEEKS OR MORE		
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
ОНЮ	1,001			977		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		9 162 10	0.9 16.2 1.0		9 162 10	0.9 16.6 1.0
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		54 70	5.4 7.0		53 70	5.4 7.2
FETUS SEX <sup>1</sup> BIRTH WEIGHT		1 77	0.1 7.7		0 73	0.0 7.5
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		124 50 15	12.4 5.0 1.5		120 49 15	12.3 5.0 1.5
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		32 33 37	3.2 3.3 3.7		32 33 37	3.3 3.4 3.8
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		99 124 158 93	9.9 12.4 15.8 9.3		98 121 155 92	10.0 12.4 15.9 9.4
MEDICAL RISK FACTORS		56	5.6		55	5.6
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		70 90 330	7.0 9.0 33.0		68 88 319	7.0 9.0 32.7
OBSTETRIC PROCEDURES		65	6.5		64	6.6
COMPLICATIONS OF LABOR AND/OR DELIVERY		63	6.3		62	6.3
CONGENITAL ANOMALIES OF FETUS		93	9.3		90	9.2
UNDERLYING CAUSE OF DEATH		1,001	100.0		977	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	S	20	20 WEEKS OR MORE		
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	
oklahoma	335			327			
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		335 190 193	100.0 56.7 57.6		327 190 193	100.0 58.1 59.0	
PLACE OF DELIVERY		0	0.0		0	0.0	
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		179 183	53.4 54.6		178 182	54.4 55.7	
ETUS SEX <sup>1</sup> BIRTH WEIGHT		0 121	0.0 36.1		0 118	0.0 36.1	
AOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		151 160 335	45.1 47.8 100.0		150 159 327	45.9 48.6 100.0	
REGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		166 166 166	49.6 49.6 49.6		166 166 166	50.8 50.8 50.8	
ATHER RACE AGE EDUCATION HISPANIC ORIGIN		154 76 176 335	46.0 22.7 52.5 100.0		151 71 174 327	46.2 21.7 53.2 100.0	
IEDICAL RISK FACTORS		335	100.0		327	100.0	
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		335 335 335	100.0 100.0 100.0		327 327 327	100.0 100.0 100.0	
DBSTETRIC PROCEDURES		335	100.0		327	100.0	
OMPLICATIONS OF LABOR AND/OR DELIVERY		335	100.0		327	100.0	
ONGENITAL ANOMALIES OF FETUS		335	100.0		327	100.0	
INDERLYING CAUSE OF DEATH		335	100.0		327	100.0	

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	S	20	20 WEEKS OR MORE		
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	
DREGON	242			237			
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		4 31 2	1.7 12.8 0.8		4 29 2	1.7 12.2 0.8	
PLACE OF DELIVERY		0	0.0		0	0.0	
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		11 11	4.5 4.5		9 10	3.8 4.2	
ETUS SEX <sup>1</sup> BIRTH WEIGHT		0 7	0.0 2.9		0 7	0.0 3.0	
AOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		0 21 0	0.0 8.7 0.0		0 20 0	0.0 8.4 0.0	
REGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		0 2 0	0.0 0.8 0.0		0 2 0	0.0 0.8 0.0	
ATHER RACE AGE EDUCATION HISPANIC ORIGIN		17 31 38 14	7.0 12.8 15.7 5.8		16 30 37 13	6.8 12.7 15.6 5.5	
IEDICAL RISK FACTORS		0	0.0		0	0.0	
THER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		11 12 61	4.5 5.0 25.2		11 12 59	4.6 5.1 24.9	
DBSTETRIC PROCEDURES		0	0.0		0	0.0	
OMPLICATIONS OF LABOR AND/OR DELIVERY		0	0.0		0	0.0	
ONGENITAL ANOMALIES OF FETUS		0	0.0		0	0.0	
INDERLYING CAUSE OF DEATH		242	100.0		237	100.0	

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	8	20	20 WEEKS OR MORE		
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	
PENNSYLVANIA	1,558			1,124			
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		103 425 90	6.6 27.3 5.8		99 278 90	8.8 24.7 8.0	
PLACE OF DELIVERY		0	0.0		0	0.0	
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		326 334	20.9 21.4		240 236	21.4 21.0	
FETUS SEX <sup>1</sup> BIRTH WEIGHT		96 292	6.2 18.7		0 206	0.0 18.3	
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		127 287 45	8.2 18.4 2.9		113 189 38	10.1 16.8 3.4	
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		75 89 99	4.8 5.7 6.4		74 82 91	6.6 7.3 8.1	
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		229 333 382 227	14.7 21.4 24.5 14.6		152 230 262 154	13.5 20.5 23.3 13.7	
MEDICAL RISK FACTORS		170	10.9		147	13.1	
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		177 206 770	11.4 13.2 49.4		145 168 529	12.9 14.9 47.1	
OBSTETRIC PROCEDURES		122	7.8		105	9.3	
COMPLICATIONS OF LABOR AND/OR DELIVERY		179	11.5		155	13.8	
CONGENITAL ANOMALIES OF FETUS		294	18.9		229	20.4	
UNDERLYING CAUSE OF DEATH		1,558	100.0		1,124	100.0	

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	S	20	20 WEEKS OR MORE		
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	
RHODE ISLAND	992			79			
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		28 832 28	2.8 83.9 2.8		0 74 1	0.0 93.7 1.3	
PLACE OF DELIVERY		0	0.0		0	0.0	
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		991 990	99.9 99.8		79 78	100.0 98.7	
FETUS SEX <sup>1</sup> BIRTH WEIGHT		889 934	89.6 94.2		0 22	0.0 27.8	
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		203 988 879	20.5 99.6 88.6		63 78 72	79.7 98.7 91.1	
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		797 849 825	80.3 85.6 83.2		74 75 74	93.7 94.9 93.7	
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		986 937 989 988	99.4 94.5 99.7 99.6		76 39 77 76	96.2 49.4 97.5 96.2	
MEDICAL RISK FACTORS		935	94.3		55	69.6	
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		920 935 982	92.7 94.3 99.0		56 57 71	70.9 72.2 89.9	
OBSTETRIC PROCEDURES		936	94.4		49	62.0	
COMPLICATIONS OF LABOR AND/OR DELIVERY		948	95.6		52	65.8	
CONGENITAL ANOMALIES OF FETUS		954	96.2		59	74.7	
UNDERLYING CAUSE OF DEATH		992	100.0		79	100.0	

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	3	20 WEEKS OR MORE		
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
SOUTH CAROLINA	531			519		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		1 66 2	0.2 12.4 0.4		1 64 2	0.2 12.3 0.4
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		15 19	2.8 3.6		15 19	2.9 3.7
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 14	0.0 2.6		0 11	0.0 2.1
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		0 47 0	0.0 8.9 0.0		0 46 0	0.0 8.9 0.0
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		2 4 4	0.4 0.8 0.8		2 4 4	0.4 0.8 0.8
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		316 341 344 310	59.5 64.2 64.8 58.4		307 332 335 302	59.2 64.0 64.5 58.2
MEDICAL RISK FACTORS		1	0.2		1	0.2
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		13 15 78	2.4 2.8 14.7		13 15 74	2.5 2.9 14.3
OBSTETRIC PROCEDURES		3	0.6		3	0.6
COMPLICATIONS OF LABOR AND/OR DELIVERY		1	0.2		1	0.2
CONGENITAL ANOMALIES OF FETUS		3	0.6		3	0.6
UNDERLYING CAUSE OF DEATH		531	100.0		519	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	S	20	20 WEEKS OR MORE		
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	
SOUTH DAKOTA	38			38			
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		0 2 0	0.0 5.3 0.0		0 2 0	0.0 5.3 0.0	
PLACE OF DELIVERY		0	0.0		0	0.0	
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		0 1	0.0 2.6		0 1	0.0 2.6	
ETUS SEX <sup>1</sup> BIRTH WEIGHT		0 0	0.0 0.0		0 0	0.0 0.0	
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		0 5 1	0.0 13.2 2.6		0 5 1	0.0 13.2 2.6	
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		0 0 0	0.0 0.0 0.0		0 0 0	0.0 0.0 0.0	
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		5 6 9 6	13.2 15.8 23.7 15.8		5 6 9 6	13.2 15.8 23.7 15.8	
MEDICAL RISK FACTORS		0	0.0		0	0.0	
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING		38 38	100.0 100.0		38 38	100.0 100.0	
PREGNANCY		3	7.9		3	7.9	
DBSTETRIC PROCEDURES		0	0.0		0	0.0	
OMPLICATIONS OF LABOR AND/OR DELIVERY		0	0.0		0	0.0	
CONGENITAL ANOMALIES OF FETUS		0	0.0		0	0.0	
INDERLYING CAUSE OF DEATH		38	100.0		38	100.0	

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	S	20 WEEKS OR MORE		
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
TENNESSEE	394			390		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		6 92 4	1.5 23.4 1.0		6 91 4	1.5 23.3 1.0
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		30 35	7.6 8.9		29 34	7.4 8.7
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 3	0.0 0.8		0 3	0.0 0.8
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		1 37 30	0.3 9.4 7.6		1 36 30	0.3 9.2 7.7
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		4 4 4	1.0 1.0 1.0		4 4 4	1.0 1.0 1.0
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		187 202 206 200	47.5 51.3 52.3 50.8		185 199 203 198	47.4 51.0 52.1 50.8
MEDICAL RISK FACTORS		13	3.3		12	3.1
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		21 38 125	5.3 9.6 31.7		20 37 123	5.1 9.5 31.5
OBSTETRIC PROCEDURES		9	2.3		8	2.1
COMPLICATIONS OF LABOR AND/OR DELIVERY		17	4.3		17	4.4
CONGENITAL ANOMALIES OF FETUS		21	5.3		20	5.1
UNDERLYING CAUSE OF DEATH		394	100.0		390	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	3	20	WEEKS OR MOR	E
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
TEXAS	2,347			2,202		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		125 543 95	5.3 23.1 4.0		121 509 95	5.5 23.1 4.3
PLACE OF DELIVERY		1	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		218 263	9.3 11.2		200 249	9.1 11.3
FETUS SEX <sup>1</sup> BIRTH WEIGHT		6 296	0.3 12.6		0 268	0.0 12.2
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		2,347 156 22	100.0 6.6 0.9		2,202 147 21	100.0 6.7 1.0
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		39 49 58	1.7 2.1 2.5		37 47 54	1.7 2.1 2.5
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		221 286 352 136	9.4 12.2 15.0 5.8		205 267 330 129	9.3 12.1 15.0 5.9
MEDICAL RISK FACTORS		366	15.6		342	15.5
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		141 182 805	6.0 7.8 34.3		130 167 752	5.9 7.6 34.2
OBSTETRIC PROCEDURES		31	1.3		27	1.2
COMPLICATIONS OF LABOR AND/OR DELIVERY		61	2.6		55	2.5
CONGENITAL ANOMALIES OF FETUS		0	0.0		0	0.0
UNDERLYING CAUSE OF DEATH		2,347	100.0		2,202	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	3	20 WEEKS OR MORE		
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
UTAH	264			244		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		0 50 1	0.0 18.9 0.4		0 45 1	0.0 18.4 0.4
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		30 27	11.4 10.2		27 26	11.1 10.7
FETUS SEX <sup>1</sup> BIRTH WEIGHT		2 28	0.8 10.6		0 21	0.0 8.6
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		1 9 1	0.4 3.4 0.4		1 9 1	0.4 3.7 0.4
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		3 3 3	1.1 1.1 1.1		2 2 2	0.8 0.8 0.8
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		40 36 43 34	15.2 13.6 16.3 12.9		36 33 39 30	14.8 13.5 16.0 12.3
MEDICAL RISK FACTORS		5	1.9		5	2.0
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		5 7 10	1.9 2.7 3.8		5 7 9	2.0 2.9 3.7
OBSTETRIC PROCEDURES		0	0.0		0	0.0
COMPLICATIONS OF LABOR AND/OR DELIVERY		4	1.5		4	1.6
CONGENITAL ANOMALIES OF FETUS		0	0.0		0	0.0
UNDERLYING CAUSE OF DEATH		264	100.0		244	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	A	LL FETAL DEATH	S	20	WEEKS OR MOR	E
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
VERMONT	23			22		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		0 6 0	0.0 26.1 0.0		0 6 0	0.0 27.3 0.0
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		6 1	26.1 4.3		6 1	27.3 4.5
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 4	0.0 17.4		0 4	0.0 18.2
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		0 1 0	0.0 4.3 0.0		0 1 0	0.0 4.5 0.0
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		0 1 1	0.0 4.3 4.3		0 1 0	0.0 4.5 0.0
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		0 2 2 0	0.0 8.7 8.7 0.0		0 2 2 0	0.0 9.1 9.1 0.0
MEDICAL RISK FACTORS		0	0.0		0	0.0
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		1 2 4	4.3 8.7 17.4		1 2 3	4.5 9.1 13.6
OBSTETRIC PROCEDURES		0	0.0		0	0.0
COMPLICATIONS OF LABOR AND/OR DELIVERY		3	13.0		3	13.6
CONGENITAL ANOMALIES OF FETUS		6	26.1		5	22.7
UNDERLYING CAUSE OF DEATH		23	100.0		22	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	ALL FETAL DEATHS			20 WEEKS OR MORE		
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
/IRGINIA	7,876			760		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		427 502 429	5.4 6.4 5.4		0 12 2	0.0 1.6 0.3
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		7,282 7,302	92.5 92.7		350 366	46.1 48.2
ETUS SEX <sup>1</sup> BIRTH WEIGHT		6,899 7,261	87.6 92.2		0 323	0.0 42.5
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		908 5,740 1,623	11.5 72.9 20.6		39 353 79	5.1 46.4 10.4
REGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		1,077 1,077 1,077	13.7 13.7 13.7		24 24 24	3.2 3.2 3.2
ATHER RACE AGE EDUCATION HISPANIC ORIGIN		7,876 7,876 7,876 7,876 7,876	100.0 100.0 100.0 100.0		760 760 760 760	100.0 100.0 100.0 100.0
MEDICAL RISK FACTORS		6,148	78.1		62	8.2
DTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING WEIGHT GAIN DURING		6,148 6,148	78.1 78.1		62 62	8.2 8.2
		7,416	94.2		464	61.1
OBSTETRIC PROCEDURES COMPLICATIONS OF LABOR AND/OR DELIVERY		6,148 6,148	78.1 78.1		62 62	8.2 8.2
ONGENITAL ANOMALIES OF FETUS		6,148	78.1		62	8.2
INDERLYING CAUSE OF DEATH		7,876	100.0		760	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	ALL FETAL DEATHS			20 WEEKS OR MORE			
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	
WASHINGTON	433			426			
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		13 174 10	3.0 40.2 2.3		12 174 10	2.8 40.8 2.3	
PLACE OF DELIVERY		1	0.2		1	0.2	
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		98 119	22.6 27.5		97 118	22.8 27.7	
FETUS SEX <sup>1</sup> BIRTH WEIGHT		1 86	0.2 19.9		0 85	0.0 20.0	
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		10 81 33	2.3 18.7 7.6		10 80 33	2.3 18.8 7.7	
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		31 31 31	7.2 7.2 7.2		31 31 31	7.3 7.3 7.3	
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		55 52 106 52	12.7 12.0 24.5 12.0		55 51 105 52	12.9 12.0 24.6 12.2	
MEDICAL RISK FACTORS		90	20.8		90	21.1	
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		69 138 242	15.9 31.9 55.9		68 138 241	16.0 32.4 56.6	
OBSTETRIC PROCEDURES		69	15.9		69	16.2	
COMPLICATIONS OF LABOR AND/OR DELIVERY		84	19.4		84	19.7	
CONGENITAL ANOMALIES OF FETUS		103	23.8		103	24.2	
UNDERLYING CAUSE OF DEATH		433	100.0		426	100.0	

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	ALL FETAL DEATHS			20 WEEKS OR MORE		
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
WEST VIRGINIA	144			144		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		2 20 0	1.4 13.9 0.0		2 20 0	1.4 13.9 0.0
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		8 11	5.6 7.6		8 11	5.6 7.6
ETUS SEX <sup>1</sup> BIRTH WEIGHT		0 4	0.0 2.8		0 4	0.0 2.8
NOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		1 19 2	0.7 13.2 1.4		1 19 2	0.7 13.2 1.4
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		3 2 1	2.1 1.4 0.7		3 2 1	2.1 1.4 0.7
ATHER RACE AGE EDUCATION HISPANIC ORIGIN		23 33 36 21	16.0 22.9 25.0 14.6		23 33 36 21	16.0 22.9 25.0 14.6
IEDICAL RISK FACTORS		0	0.0		0	0.0
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		10 10 49	6.9 6.9 34.0		10 10 49	6.9 6.9 34.0
OBSTETRIC PROCEDURES		1	0.7		1	0.7
OMPLICATIONS OF LABOR AND/OR DELIVERY		0	0.0		0	0.0
ONGENITAL ANOMALIES OF		1	0.7		1	0.7
INDERLYING CAUSE OF DEATH		144	100.0		144	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	ALL FETAL DEATHS			20 WEEKS OR MORE		
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
VISCONSIN	386			382		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		4 33 4	1.0 8.5 1.0		4 33 4	1.0 8.6 1.0
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		9 15	2.3 3.9		9 14	2.4 3.7
ETUS SEX <sup>1</sup> BIRTH WEIGHT		0 11	0.0 2.8		0 10	0.0 2.6
IOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		1 29 2	0.3 7.5 0.5		1 28 1	0.3 7.3 0.3
REGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		3 2 4	0.8 0.5 1.0		3 2 4	0.8 0.5 1.0
ATHER RACE AGE EDUCATION HISPANIC ORIGIN		164 178 171 163	42.5 46.1 44.3 42.2		162 176 169 161	42.4 46.1 44.2 42.1
IEDICAL RISK FACTORS		2	0.5		2	0.5
THER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING		1	0.3 0.5		1 2	0.3 0.5
		68	17.6		67	17.5
BSTETRIC PROCEDURES OMPLICATIONS OF LABOR AND/OR DELIVERY		4	1.0 0.3		4	1.0 0.3
ONGENITAL ANOMALIES OF FETUS		11	2.8		11	2.9
INDERLYING CAUSE OF DEATH		386	100.0		382	100.0

NUMBER AND PERCENT OF FETAL DEATHS WITH UNKNOWN RESPONSES BY OCCURRENCE: UNITED STATES AND EACH STATE, 2001. (UNKNOWN RESPONSES INCLUDE NOT STATEDS AND NOT ON REPORTING FORM)

	ALL FETAL DEATHS			20 WEEKS OR MORE		
	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
WYOMING	41			41		
GESTATION CLINICAL ESTIMATE AS COMPUTED COMBINED		0 2 0	0.0 4.9 0.0		0 2 0	0.0 4.9 0.0
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		0 0	0.0 0.0		0 0	0.0 0.0
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 1	0.0 2.4		0 1	0.0 2.4
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		0 1 1	0.0 2.4 2.4		0 1 1	0.0 2.4 2.4
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		1 0 1	2.4 0.0 2.4		1 0 1	2.4 0.0 2.4
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		8 7 8 8	19.5 17.1 19.5 19.5		8 7 8 8	19.5 17.1 19.5 19.5
MEDICAL RISK FACTORS		0	0.0		0	0.0
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		0 0 1	0.0 0.0 2.4		0 0 1	0.0 0.0 2.4
		0	0.0		0	0.0
COMPLICATIONS OF LABOR AND/OR DELIVERY		0	0.0		0	0.0
CONGENITAL ANOMALIES OF FETUS		0	0.0		0	0.0
JNDERLYING CAUSE OF DEATH		41	100.0		41	100.0