

Table I-16  
 US AND SEER DEATH RATES BY PRIMARY CANCER SITE AND RACE/ETHNICITY, 1992-2002

Site		Total United States <sup>a</sup>							SEER 11 Areas, Alaska and Rural Georgia <sup>a</sup>						
		Total	White	Black	AI/AN <sup>b</sup>	API <sup>c</sup>	Hisp <sup>d</sup>	W-NHisp <sup>d</sup>	Total	White	Black	AI/AN <sup>b</sup>	API <sup>c</sup>	Hisp <sup>d</sup>	W-NHisp <sup>d</sup>
All Sites	Both Sexes	204.0	200.8	259.3	135.3	125.1	137.4	204.0	189.9	190.3	249.2	143.1	136.0	137.4	195.3
	Male	258.6	252.5	360.5	165.5	155.7	175.7	256.7	234.7	233.3	334.3	171.5	171.2	172.4	238.3
	Female	169.2	167.9	199.2	115.2	102.3	112.1	170.2	161.4	163.5	197.8	123.4	109.1	115.5	168.4
Oral Cavity & Pharynx	Both Sexes	3.0	2.8	4.7	2.3	2.5	1.9	2.9	2.9	2.7	4.1	3.3	2.9	1.7	2.9
	Male	4.5	4.2	8.2	3.6	3.8	3.2	4.3	4.3	4.0	7.0	5.3	4.4	2.9	4.1
	Female	1.7	1.7	2.1	1.3	1.5	0.9	1.7	1.8	1.7	2.0	1.8	1.7	0.8	1.9
Esophagus	Both Sexes	4.3	4.1	7.3	2.7	2.1	2.4	4.1	4.1	4.0	6.5	3.6	2.4	2.3	4.2
	Male	7.6	7.2	12.9	4.8	3.6	4.5	7.3	7.0	7.0	10.8	6.3	4.2	4.4	7.2
	Female	1.8	1.6	3.5	1.1	0.9	0.9	1.6	1.8	1.7	3.4	1.5	0.9	0.8	1.8
Stomach	Both Sexes	4.9	4.4	9.6	5.5	9.7	7.4	4.0	5.6	4.7	9.1	8.0	10.7	8.5	4.1
	Male	7.1	6.3	14.1	7.4	12.6	10.0	5.9	8.0	6.8	13.1	11.1	14.2	11.6	6.0
	Female	3.4	3.0	6.7	4.2	7.5	5.5	2.7	3.9	3.3	6.3	5.7	8.1	6.4	2.7
Colon & Rectum	Both Sexes	21.6	21.1	28.6	13.8	13.5	14.2	21.2	19.9	19.7	27.5	15.7	15.1	14.0	20.0
	Male	26.3	25.8	34.8	16.1	16.4	17.9	25.9	24.1	23.9	33.0	17.2	18.6	18.0	24.2
	Female	18.3	17.8	24.7	12.1	11.3	11.5	17.8	17.0	16.7	24.1	14.4	12.4	11.2	17.0
Liver & Intrahepatic Bile Duct	Both Sexes	4.4	4.1	6.0	5.6	10.8	7.2	3.9	5.0	4.2	6.2	7.0	10.9	7.2	3.8
	Male	6.5	5.9	9.2	7.6	15.9	10.2	5.6	7.3	6.0	9.5	9.0	16.1	10.3	5.5
	Female	2.9	2.7	3.7	4.1	6.5	4.8	2.6	3.2	2.7	3.7	5.6	6.6	4.9	2.5
Pancreas	Both Sexes	10.6	10.3	14.4	6.2	7.5	8.4	10.3	10.4	10.2	14.6	7.2	8.0	8.5	10.3
	Male	12.3	12.0	16.4	6.3	8.4	9.4	12.0	11.8	11.7	15.9	7.6	9.2	9.1	11.9
	Female	9.2	8.9	12.9	6.1	6.7	7.6	8.9	9.2	9.0	13.3	6.9	7.1	8.0	9.1
Larynx	Both Sexes	1.5	1.3	2.9	1.1	0.5	1.1	1.3	1.3	1.2	2.7	1.1	0.5	0.9	1.2
	Male	2.7	2.4	5.7	1.9	0.9	2.2	2.4	2.3	2.2	5.1	2.2	0.9	1.8	2.2
	Female	0.5	0.5	0.9	0.5	0.1	0.2	0.5	0.5	0.5	0.9	0.2	0.1	0.2	0.5
Lung & Bronchus	Both Sexes	57.1	56.9	66.9	36.3	28.6	25.5	59.3	49.0	49.6	65.0	32.3	31.5	23.7	52.6
	Male	80.8	79.3	109.1	50.0	41.1	40.4	82.5	66.3	65.7	100.3	44.7	45.7	35.9	68.7
	Female	40.3	41.1	39.3	26.4	19.0	14.9	42.8	36.9	38.4	41.4	23.0	20.4	15.3	41.2
Melanoma of the Skin	Both Sexes	2.7	3.0	0.5	0.7	0.4	0.8	3.2	2.4	2.8	0.4	0.5	0.4	0.8	3.2
	Male	3.9	4.4	0.5	0.9	0.5	1.1	4.6	3.4	4.1	0.4	0.7	0.6	0.9	4.5
	Female	1.8	2.0	0.5	0.5	0.3	0.6	2.1	1.6	1.9	0.4	0.4	0.3	0.7	2.1
Breast	Female	28.5	28.0	36.2	14.4	12.9	17.7	28.3	27.5	27.9	36.2	15.9	14.8	17.4	29.0

<sup>a</sup> NCHS public use data file for the total US. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

<sup>b</sup> American Indian/Alaskan Native.

<sup>c</sup> Asian/Pacific Islander.

<sup>d</sup> Mortality data for Hispanics (Hisp) and White Non-Hispanics (W-NHisp) do not include cases from Connecticut, Maine, Maryland, Minnesota, New Hampshire, New York, North Dakota, Oklahoma and Vermont. Hispanic is not mutually exclusive from Whites, Blacks, Asian Pacific Islanders, and American Indians/Alaska Natives.

- Statistic could not be calculated.

Table I-16 - continued  
 US AND SEER DEATH RATES BY PRIMARY CANCER SITE AND RACE/ETHNICITY, 1992-2002

Site		Total United States <sup>a</sup>							SEER 11 Areas, Alaska and Rural Georgia <sup>a</sup>						
		Total	White	Black	AI/AN <sup>b</sup>	API <sup>c</sup>	Hispanic <sup>d</sup>	W-NHispanic <sup>d</sup>	Total	White	Black	AI/AN <sup>b</sup>	API <sup>c</sup>	Hispanic <sup>d</sup>	W-NHispanic <sup>d</sup>
Cervix	Female	3.0	2.7	6.2	3.2	2.9	3.8	2.6	2.7	2.4	4.8	2.8	2.7	3.9	2.2
Corpus & Uterus, NOS	Female	4.1	3.9	7.0	2.6	2.2	3.2	3.9	4.1	4.0	6.3	2.6	2.5	3.1	4.1
Ovary	Female	9.0	9.3	7.6	5.1	4.8	6.2	9.5	9.0	9.6	7.1	6.0	5.0	6.5	10.1
Prostate	Male	33.9	31.2	73.7	21.5	14.1	24.7	31.4	32.0	31.1	67.0	17.4	15.3	24.9	31.8
Testis	Male	0.3	0.3	0.2	0.2	0.1	0.3	0.3	0.3	0.3	0.2	0.3	0.1	0.3	0.3
Urinary Bladder	Both Sexes	4.4	4.5	4.0	1.6	1.9	2.4	4.5	4.1	4.3	4.0	1.7	2.0	2.3	4.4
	Male	7.7	8.0	5.9	2.5	2.9	4.2	8.1	7.0	7.6	5.9	2.6	3.1	3.6	7.8
	Female	2.3	2.3	3.0	1.1	1.1	1.3	2.3	2.2	2.2	2.9	1.0	1.1	1.4	2.3
Kidney & Renal Pelvis	Both Sexes	4.2	4.3	4.2	4.9	1.9	3.8	4.3	3.9	4.0	4.0	5.4	2.1	3.7	4.1
	Male	6.2	6.2	6.2	6.8	2.7	5.5	6.3	5.6	5.9	5.9	7.7	3.1	5.4	5.9
	Female	2.8	2.9	2.8	3.4	1.2	2.4	2.9	2.6	2.7	2.7	3.8	1.3	2.5	2.7
Brain & Nervous System	Both Sexes	4.7	5.0	2.7	2.0	1.9	2.9	5.2	4.5	5.0	2.8	2.0	2.2	3.0	5.3
	Male	5.7	6.1	3.3	2.4	2.4	3.5	6.3	5.6	6.1	3.4	2.6	2.7	3.5	6.6
	Female	3.8	4.1	2.3	1.6	1.6	2.5	4.2	3.6	4.0	2.4	1.6	1.7	2.6	4.3
Thyroid	Both Sexes	0.5	0.5	0.5	0.3	0.7	0.6	0.4	0.5	0.5	0.4	0.4	0.7	0.8	0.4
	Male	0.4	0.4	0.3	0.2	0.5	0.5	0.4	0.4	0.4	0.3	0.4	0.6	0.5	0.4
	Female	0.5	0.5	0.5	0.4	0.8	0.7	0.4	0.5	0.5	0.4	0.5	0.9	0.9	0.4
Hodgkin Lymphoma	Both Sexes	0.5	0.5	0.5	0.2	0.2	0.5	0.5	0.5	0.5	0.5	0.1	0.2	0.6	0.5
	Male	0.6	0.7	0.6	0.2	0.3	0.7	0.7	0.6	0.7	0.7	0.1	0.2	0.8	0.7
	Female	0.4	0.4	0.4	0.2	0.1	0.4	0.4	0.4	0.4	0.4	0.1	0.1	0.4	0.4
Non-Hodgkin Lymphoma	Both Sexes	8.4	8.7	5.7	4.4	5.2	6.5	8.8	8.1	8.6	5.6	4.1	5.7	6.4	8.9
	Male	10.4	10.8	7.4	5.1	6.6	8.0	10.9	10.1	10.7	7.0	5.3	7.4	8.1	11.0
	Female	6.8	7.1	4.5	3.8	4.1	5.3	7.2	6.6	7.1	4.7	3.1	4.3	5.2	7.2
Myeloma	Both Sexes	3.9	3.6	7.5	2.9	1.8	3.2	3.6	3.8	3.7	7.5	3.2	1.9	3.4	3.8
	Male	4.8	4.5	9.1	3.3	2.2	3.8	4.5	4.7	4.7	8.6	3.9	2.2	4.2	4.8
	Female	3.2	2.9	6.5	2.7	1.6	2.7	2.9	3.2	3.0	6.9	2.7	1.6	2.9	3.1
Leukemia	Both Sexes	7.7	7.9	7.0	4.1	4.3	5.3	8.0	7.5	7.8	7.1	3.5	4.8	5.4	8.0
	Male	10.4	10.6	9.3	5.1	5.4	6.7	10.8	9.9	10.5	9.2	4.5	6.1	6.6	10.8
	Female	5.9	6.0	5.5	3.4	3.4	4.3	6.1	5.8	6.0	5.7	2.8	3.7	4.5	6.1

<sup>a</sup> NCHS public use data file for the total US. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

<sup>b</sup> American Indian/Alaskan Native.

<sup>c</sup> Asian/Pacific Islander.

<sup>d</sup> Mortality data for Hispanics (Hispanic) and White Non-Hispanics (W-NHispanic) do not include cases from Connecticut, Maine, Maryland, Minnesota, New Hampshire, New York, North Dakota, Oklahoma and Vermont. Hispanic is not mutually exclusive from Whites, Blacks, Asian Pacific Islanders, and American Indians/Alaska Natives.

- Statistic could not be calculated.