

Storm Data and Unusual Weather Phenomena - March 2008

| Location | Date/Time | Deaths & Injuries | Property & Crop Dmg | Event Type and Details |
|--|--------------------|-------------------|---------------------|------------------------------|
| ARKANSAS, Southeast | | | | |
| ASHLEY COUNTY --- 5.5 WNW SULPHUR SPGS [33.09, -92.12], 9.0 NE HAMBURG [33.32, -91.71] | | | | |
| | 03/14/08 19:43 CST | | 0.30M | Hail (1.75 in) |
| | 03/14/08 20:41 CST | | 0 | Source: Law Enforcement |
| A large supercell thunderstorm produced a swath of quarter to golf ball sized hail across a large portion of Ashley County. The storm moved into the county at Lake Jack Lee and tracked northeast for an hour. Quarter to golf ball sized hail fell across West Crossett, Crossett and North Crossett. The storm continued to the northeast across Hamburg, where more golf ball sized hail occurred, and then toward the Drew County line where it dissipated. | | | | |
| ASHLEY COUNTY --- 6.0 WNW SULPHUR SPGS [33.12, -92.12], 6.0 WSW WILMOT [33.02, -91.68] | | | | |
| | 03/14/08 20:49 CST | | 0.10M | Hail (1.75 in) |
| | 03/14/08 21:37 CST | | 0 | Source: Law Enforcement |
| Another large supercell thunderstorm moved into southwest Ashley County at Lake Jack Lee. However, this supercell was moving to the southeast and tracked for nearly 45 minutes across the southern portion of Ashley County. A swath of quarter to golf ball sized hail fell with this supercell as well. The storm weakened as it approached Wilmot. | | | | |
| ASHLEY COUNTY --- 0.9 NE PORTLAND [33.24, -91.51] | | | | |
| | 03/14/08 20:53 CST | | 0 | Funnel Cloud |
| | 03/14/08 20:53 CST | | 0 | Source: Trained Spotter |
| Funnel cloud was observed near Portland. | | | | |
| CHICOT COUNTY --- 4.5 SW LAKE VLG [33.28, -91.34], 3.1 ESE SUNNYSIDE [33.28, -91.13] | | | | |
| | 03/14/08 20:58 CST | | 0 | Hail (1.75 in) |
| | 03/14/08 21:18 CST | | 0 | Source: Trained Spotter |
| A swath of penny to golf ball sized hail fell across central sections of Chicot County. The largest hail fell near the Mississippi River as the storm headed into Washington County. | | | | |
| ASHLEY COUNTY --- 2.2 NE WHITE [33.04, -91.97] | | | | |
| | 03/14/08 21:00 CST | | 0 | Thunderstorm Wind (EG 50 kt) |
| | 03/14/08 21:00 CST | | 0 | Source: Emergency Manager |
| A couple trees were blown down near the state line off Highway 133. | | | | |
| ASHLEY COUNTY --- 5.3 W SULPHUR SPGS [33.07, -92.12], 2.9 W RAWLS [33.01, -91.93] | | | | |
| | 03/14/08 22:20 CST | | 30K | Hail (1.75 in) |
| | 03/14/08 22:41 CST | | 0 | Source: Emergency Manager |
| The third and final large supercell thunderstorm moved across southwest Ashley County. The supercell entered the county at Lake Jack Lee and tracked southeast producing a swath of quarter to golf ball sized hail. The storm continued to produce large hail as it crossed into Louisiana at the Highway 133 and 142 intersection. | | | | |
| CHICOT COUNTY --- 6.0 WSW EUDORA [33.09, -91.37], 2.2 NNE GRAND LAKE [33.11, -91.20] | | | | |
| | 03/14/08 22:23 CST | | 0.13M | Hail (1.75 in) |
| | 03/14/08 22:51 CST | | 0 | Source: Emergency Manager |
| A swath of quarter to golf ball sized hail fell across the southern portion of Chicot County. Areas just to the west of Eudora and around Eudora received the large hail as the storm moved in a general east direction. The storm continued to produce hail as it crossed the Mississippi River, but did dissipate shortly after crossing the river. | | | | |
| A weak front stalled across the northern portion of the area earlier in the day and provided a focus for thunderstorms to develop by evening. Conditions by afternoon became warm and quite unstable near the front. Several large supercell thunderstorms developed across southern Arkansas and northern Louisiana and tracked east toward the Mississippi River and then across central sections of Mississippi. These storms were prolific hail producers and produced large swaths of quarter to golf ball sized hail. The largest hail was around baseball size which occurred across northeast Louisiana. All the severe weather occurred between 9 pm and 1 am. | | | | |
| (AR-Z074) ASHLEY | | | | |
| | 03/07/08 13:15 CST | | 0.20M | Heavy Snow |
| | 03/07/08 23:55 CST | | 0 | |

Storm Data and Unusual Weather Phenomena - March 2008

| Location | Date/Time | Deaths & Injuries | Property & Crop Dmg | Event Type and Details |
|----------|-----------|-------------------|---------------------|------------------------|
|----------|-----------|-------------------|---------------------|------------------------|

A strong upper level trough dropped south out of the plains and helped to evolve a surface low pressure system across the northern Gulf of Mexico which then intensified as it lifted into the southeast United States. This upper trough slowed and intensified across the Lower Mississippi River Valley Friday afternoon, and brought a large swath of rare March snow to some of the region. The heaviest snow fell mainly to the northwest and north of the National Weather Service Jackson forecast area. However, a decent section of the northwest and north central portion of the service area received anywhere from 2 to 6 inches of snow. The heaviest occurred across extreme northern Chicot County where Dermott measured around 5 inches and then across Bolivar County where 3-6 inches occurred.

LOUISIANA, Northeast

RICHLAND COUNTY --- 3.2 NNW CREW LAKE [32.52, -91.90], 2.0 N HOLLY RIDGE [32.50, -91.63]

| | | |
|--------------------|-----|----------------|
| 03/14/08 21:56 CST | 70K | Hail (1.75 in) |
| 03/14/08 22:18 CST | 0 | Source: Public |

A supercell thunderstorm moved out of eastern Ouachita Parish and tracked east southeast across a large portion of northern and north central Richland Parish. This storm produced a swath of quarter to golf ball sized hail. The largest hail fell along the Richland/Morehouse Parish line north of Start and Rayville.

MOREHOUSE COUNTY --- 5.4 N NAFF [33.01, -91.93], 7.7 SE BONITA [32.85, -91.57]

| | | |
|--------------------|-------|-------------------------|
| 03/14/08 22:39 CST | 0.60M | Hail (2.75 in) |
| 03/14/08 23:15 CST | 0 | Source: Law Enforcement |

The large and intense supercell thunderstorm entered northern Morehouse Parish, from southwest Ashely County, and produced a swath of golf ball to baseball sized hail as it tracked southeast. The largest hail occurred around the Beekman Community and then as the storm was entering central West Carroll Parish. Around Beekman, tennis ball to baseball sized hail fell. Some vehicles were damaged as well as several roofs. As the storm exited eastern Morehouse Parish, the hail grew large again, possibly as large as baseballs, and caused damage in western West Carroll Parish.

WEST CARROLL COUNTY --- 4.5 WSW FISKE [32.85, -91.57], 4.6 E FOREST [32.79, -91.34]

| | | |
|--------------------|---|----------------|
| 03/14/08 23:10 CST | 0 | Hail (2.00 in) |
| 03/14/08 23:34 CST | 0 | Source: Public |

A large and intense supercell thunderstorm moved into central West Carroll Parish, from eastern Morehouse Parish, and produced a swath of golf ball to hen egg sized hail. Several vehicles were damaged in the Goodwill Community by the large hail. At this location, the hail may have been larger than hen egg size. The supercell storm continued to produce large hail as it moved to the southeast and into central East Carroll Parish.

EAST CARROLL COUNTY --- 4.9 WNW BOWIE [32.79, -91.34], 2.1 SE LAKE PROVIDENCE [32.78, -91.16]

| | | |
|--------------------|---|-------------------------|
| 03/14/08 23:28 CST | 0 | Hail (1.75 in) |
| 03/14/08 23:46 CST | 0 | Source: Law Enforcement |

The long lived supercell thunderstorm, which moved across Morehouse and West Carroll Parishes, moved into East Carroll Parish and produced a swath of quarter to golf ball sized hail. The storm tracked east southeast with the core of the storm passing just south of Lake Providence. The supercell crossed the Mississippi River into central Issaquena County.

A weak front stalled across the northern portion of the area earlier in the day and provided a focus for thunderstorms to develop by evening. Conditions by afternoon became warm and quite unstable near the front. Several large supercell thunderstorms developed across southern Arkansas and northern Louisiana and tracked east toward the Mississippi River and then across central sections of Mississippi. These storms were prolific hail producers and produced large swaths of quarter to golf ball sized hail. The largest hail was around baseball size which occurred across northeast Louisiana. All the severe weather occurred between 9 pm and 1 am.

(LA-Z007) MOREHOUSE, (LA-Z015) RICHLAND, (LA-Z024) CATAHOULA

| | | |
|--------------------|-----|-------------------------|
| 03/18/08 13:00 CST | 24K | Strong Wind (MAX 44 kt) |
| 03/18/08 17:00 CST | 1 | 0.20K |

CONCORDIA COUNTY --- 0.6 E FROGMORE [31.60, -91.67]

| | | |
|--------------------|-----|------------------------------|
| 03/19/08 00:10 CST | 30K | Thunderstorm Wind (EG 65 kt) |
| 03/19/08 00:10 CST | 0 | Source: Public |

A home in Frogmore sustained roof damage.

During the afternoon of March 18th, a strong area of low pressure developed across east Texas and lifted northeast into Arkansas. This deepening surface low increased the pressure gradient across the region and provided sustained winds between 30 and 35 mph with some gusts between 40 and 50 mph. These gradient winds caused sporadic damage across the parishes of northeast Louisiana and

Storm Data and Unusual Weather Phenomena - March 2008

| Location | Date/Time | Deaths & Injuries | Property & Crop Dmg | Event Type and Details |
|----------|-----------|-------------------|---------------------|------------------------|
|----------|-----------|-------------------|---------------------|------------------------|

portions of central and southwest Mississippi. Scattered trees were blown down, some on power lines, which caused power outages. A couple trees fell on homes and two on vehicles which caused 2 injuries.

During the overnight and early morning hours of March 19th, the strong surface low and upper level disturbance helped push a cold front through the area. A line of thunderstorms developed along the front and brought scattered wind damage to portions of central and southern Mississippi.

(LA-Z007) MOREHOUSE

| | | |
|--------------------|---|------------|
| 03/07/08 13:20 CST | 0 | Heavy Snow |
| 03/07/08 23:55 CST | 0 | |

A strong upper level trough dropped south out of the plains and helped to evolve a surface low pressure system across the northern Gulf of Mexico which then intensified as it lifted into the southeast United States. This upper trough slowed and intensified across the Lower Mississippi River Valley Friday afternoon, and brought a large swath of rare March snow to some of the region. The heaviest snow fell mainly to the northwest and north of the National Weather Service Jackson forecast area. However, a decent section of the northwest and north central portion of the service area received anywhere from 2 to 6 inches of snow. The heaviest occurred across extreme northern Chicot County where Dermott measured around 5 inches and then across Bolivar County where 3-6 inches occurred.

MISSISSIPPI, Central

SHARKEY COUNTY --- 2.5 NNW RED ROCK [32.85, -90.79], 6.8 ESE ANGUILLA [32.93, -90.71]

| | | |
|--------------------|-------|---------------------------------------|
| 03/03/08 16:25 CST | 2K | Tornado (EF2, L: 6.95 mi , W: 440 yd) |
| 03/03/08 16:34 CST | 0.40M | Source: NWS Storm Survey |

This strong tornado touched down just north of Highway 16 and tracked northeast for nearly 7 miles through the Delta National Forest. Timber damage was significant as a few thousand trees were snapped and uprooted. At the end of the track, a hunting camp sustained minor damage. Maximum winds were estimated at 120 mph.

LINCOLN COUNTY --- 3.6 SW NORFIELD [31.38, -90.51], 1.8 SW NORFIELD [31.40, -90.49]

| | | |
|--------------------|---|------------------------------|
| 03/03/08 16:39 CST | 0 | Thunderstorm Wind (EG 55 kt) |
| 03/03/08 16:42 CST | 0 | Source: Public |

A few trees were blown down across the southern portion of the county.

SHARKEY COUNTY --- 3.1 E ISSAQUENA [32.78, -90.87], 3.7 E ISSAQUENA [32.79, -90.86]

| | | |
|--------------------|---|--------------------------------------|
| 03/03/08 17:17 CST | 0 | Tornado (EF0, L: 0.95 mi , W: 50 yd) |
| 03/03/08 17:18 CST | 0 | Source: Trained Spotter |

This tornado was spotted a few mile east southeast of Cary as it briefly touched down in an open field.

JEFFERSON DAVIS COUNTY --- 2.5 ENE OAK VALE [31.44, -89.93]

| | | |
|--------------------|---|------------------------------|
| 03/03/08 18:38 CST | 0 | Thunderstorm Wind (EG 55 kt) |
| 03/03/08 18:38 CST | 0 | Source: Law Enforcement |

A few trees were blown down.

LINCOLN COUNTY --- 2.5 ENE ARLINGTON [31.44, -90.53], 2.4 NE AUBURN [31.37, -90.59], 0.2 S WILKINSON [31.38, -90.42], 2.4 ENE BOGUE CHITTO [31.44, -90.41]

| | | |
|--------------------|----|---------------------------------|
| 03/03/08 20:30 CST | 5K | Flash Flood (due to Heavy Rain) |
| 03/03/08 22:00 CST | 0 | Source: Public |

Locally heavy rain caused several roads to become flooded around Bogue Chitto.

RANKIN COUNTY --- 0.7 W STAR [32.10, -90.06]

| | | |
|--------------------|---|------------------------------|
| 03/03/08 20:38 CST | 0 | Thunderstorm Wind (EG 50 kt) |
| 03/03/08 20:38 CST | 0 | Source: Emergency Manager |

A couple trees were blown down.

LAWRENCE COUNTY --- NEW HEBRON [31.73, -89.98]

Storm Data and Unusual Weather Phenomena - March 2008

| Location | Date/Time | Deaths & Injuries | Property & Crop Dmg | Event Type and Details |
|--|--------------------|-------------------|---------------------|---------------------------------------|
| | 03/03/08 20:45 CST | | 20K | Thunderstorm Wind (EG 55 kt) |
| | 03/03/08 20:45 CST | | 0 | Source: Law Enforcement |
| A couple of trees were blown down, one tree was down on a house. | | | | |
| SCOTT COUNTY --- 1.9 SW FORKVILLE [32.43, -89.67], 0.9 WSW GROVETON [32.43, -89.73], 3.6 S GROVETON [32.38, -89.73], 2.8 N MORTON [32.39, -89.66] | | | | |
| | 03/03/08 20:50 CST | | 12K | Flash Flood (due to Heavy Rain) |
| | 03/03/08 22:50 CST | | 0 | Source: Emergency Manager |
| Locally heavy rain caused a few roads to flood near the Branch Community. Highway 481 and Pickel Road were covered by several feet of water. | | | | |
| SIMPSON COUNTY --- 6.0 WNW JAYNESVILLE [31.79, -89.88] | | | | |
| | 03/03/08 20:57 CST | | 1K | Thunderstorm Wind (EG 58 kt) |
| | 03/03/08 20:57 CST | | 0 | Source: Law Enforcement |
| A few trees were blown down across Highway 13, just south of Highway 28. | | | | |
| SIMPSON COUNTY --- 1.9 SSW MENDENHALL [31.92, -89.89], 1.6 S MENDENHALL [31.93, -89.88] | | | | |
| | 03/03/08 21:01 CST | | 5K | Tornado (EF1, L: 0.41 mi , W: 75 yd) |
| | 03/03/08 21:02 CST | | 30K | Source: NWS Storm Survey |
| This tornado touched down along Peacock Road, a few miles south of Mendenhall. Numerous pine trees were snapped and uprooted. Minor damage occurred to the roof of one home. Maximum winds were 100 mph. | | | | |
| SIMPSON COUNTY --- MAGEE MUNI ARPT [31.87, -89.80] | | | | |
| | 03/03/08 21:02 CST | | 0 | Thunderstorm Wind (EG 57 kt) |
| | 03/03/08 21:02 CST | | 0 | Source: Law Enforcement |
| A few trees were blown down off Airport Road. | | | | |
| JEFFERSON DAVIS COUNTY --- 2.4 S GWINVILLE [31.72, -89.89] | | | | |
| | 03/03/08 21:06 CST | | 12K | Thunderstorm Wind (EG 55 kt) |
| | 03/03/08 21:06 CST | | 0 | Source: Law Enforcement |
| A few trees and power lines were blown down off Shivers Booth Road. | | | | |
| SIMPSON COUNTY --- 1.4 SW MARTINVILLE [31.96, -89.77], 0.8 NNW MARTINVILLE [31.98, -89.76] | | | | |
| | 03/03/08 21:10 CST | | 0.30M | Tornado (EF1, L: 1.87 mi , W: 150 yd) |
| | 03/03/08 21:12 CST | | 0 | Source: NWS Storm Survey |
| This tornado touched down in the Martinville Community. Damage started just south of Blackwell Road in an open field and tracked north northeast. The heaviest damage was along Blackwell Road where a large shed was destroyed and several trees were snapped and uprooted. A power lines was also down and a trampoline was thrown and heavily damaged. The shed had its roof removed and a few wall collapsed. Tin and debris was thrown for 100 to 300 yards. The tornado then crossed Highway 540, several large limbs were snapped with a few uprooted trees. Insulation from the shed was scattered along the path. | | | | |
| SIMPSON COUNTY --- 2.2 NW SARATOGA [31.84, -89.70] | | | | |
| | 03/03/08 21:15 CST | | 0 | Thunderstorm Wind (EG 52 kt) |
| | 03/03/08 21:15 CST | | 0 | Source: Emergency Manager |
| MARION COUNTY --- 3.1 SE KOKOMO [31.17, -89.96] | | | | |
| | 03/03/08 21:24 CST | | 0 | Thunderstorm Wind (EG 55 kt) |
| | 03/03/08 21:24 CST | | 0 | Source: Law Enforcement |
| A few trees were blown down along Shilo Firetower Road. | | | | |
| SMITH COUNTY --- 0.6 E RALEIGH [32.03, -89.52] | | | | |
| | 03/03/08 21:24 CST | | 3K | Thunderstorm Wind (EG 60 kt) |
| | 03/03/08 21:24 CST | | 0 | Source: Law Enforcement |
| Several trees were blown down around Raleigh. | | | | |

Storm Data and Unusual Weather Phenomena - March 2008

| Location | Date/Time | Deaths & Injuries | Property & Crop Dmg | Event Type and Details |
|---|--------------------|-------------------|---------------------|---------------------------------------|
| MARION COUNTY --- 3.0 WSW JAMESTOWN [31.17, -89.92], 2.6 W JAMESTOWN [31.18, -89.91] | | | | |
| | 03/03/08 21:25 CST | | 0.25M | Tornado (EF1, L: 0.57 mi , W: 50 yd) |
| | 03/03/08 21:26 CST | | 25K | Source: NWS Storm Survey |
| This tornado touched down about 5 miles southwest of the Foxworth Community. A livestock barn was seriously damaged and numerous hardwood trees were snapped or uprooted. A roof was blown off a outbuilding and a trampoline was thrown into a pond. One cow was killed. Maximum winds were 100 mph. | | | | |
| MARION COUNTY --- 0.7 N COLUMBIA [31.26, -89.83] | | | | |
| | 03/03/08 21:30 CST | | 0.10M | Lightning |
| | 03/03/08 21:30 CST | | 0 | Source: Emergency Manager |
| Two homes and a service station were struck by lightning. Fire caused some damage to all three structures. | | | | |
| (MS-Z052) LAUDERDALE | | | | |
| | 03/03/08 21:30 CST | | 0.10K | Strong Wind (MAX 43 kt) |
| | 03/03/08 21:30 CST | | 0 | |
| MARION COUNTY --- 2.4 SE COLUMBIA [31.22, -89.81] | | | | |
| | 03/03/08 21:31 CST | | 0 | Thunderstorm Wind (EG 55 kt) |
| | 03/03/08 21:31 CST | | 0 | Source: Law Enforcement |
| A few trees were blown down off Rankin Road. | | | | |
| MARION COUNTY --- 2.5 ESE LOVELACE [31.21, -89.83] | | | | |
| | 03/03/08 21:33 CST | | 0 | Hail (0.75 in) |
| | 03/03/08 21:35 CST | | 0 | Source: Emergency Manager |
| SCOTT COUNTY --- 0.1 ENE OTHO [32.23, -89.42], 2.3 NNE OTHO [32.26, -89.40] | | | | |
| | 03/03/08 21:43 CST | | 5K | Tornado (EF1, L: 2.15 mi , W: 100 yd) |
| | 03/03/08 21:45 CST | | 0 | Source: NWS Storm Survey |
| This tornado touched down briefly, near Highway 501, just north of the Smith County line. Numerous trees were blown down along the path, with a number of them across Highway 501. Maximum wind speed was 95 mph. | | | | |
| SMITH COUNTY --- 0.4 S MIZE [31.86, -89.55], 1.5 ESE MIZE [31.86, -89.53] | | | | |
| | 03/03/08 21:47 CST | | 25K | Thunderstorm Wind (EG 65 kt) |
| | 03/03/08 21:48 CST | | 0 | Source: Law Enforcement |
| Several trees were blown down around Mize. Near the intersection of Highway 35 and 28, a few trees were down across the road and caused a semi-truck to run off the road. | | | | |
| SCOTT COUNTY --- 3.2 SSW LAKE [32.31, -89.35], 0.6 NE LAKE [32.36, -89.32] | | | | |
| | 03/03/08 21:49 CST | | 1.20M | Tornado (EF1, L: 3.71 mi , W: 175 yd) |
| | 03/03/08 21:53 CST | | 0 | Source: NWS Storm Survey |
| This tornado touched down in a rural area just southwest of Lake and downed many trees as it approached the City of Lake. Before it crossed I-20, two homes sustained roof damage. It then crossed the interstate, more trees were blown down along with a highway sign. The most extensive damage occurred in the City of Lake. Several homes suffered roof damage, three large grain bins were destroyed, two railroad light standards were bent, two cinder block buildings were nearly destroyed, and a mobile home was destroyed by a large tree which fell on it. After the tornado moved through Lake, it continued to produce tree damage which gradually became lesser. It finally dissipated just after crossing into Newton County. Maximum wind speed was 100 mph. Total path length was 4 miles with a total rating of EF-1. | | | | |
| NEWTON COUNTY --- 2.2 SW HAZEL [32.36, -89.32], 1.9 SW HAZEL [32.36, -89.32] | | | | |
| | 03/03/08 21:53 CST | | 0 | Tornado (EF0, L: 0.31 mi , W: 100 yd) |
| | 03/03/08 21:54 CST | | 0 | Source: NWS Storm Survey |
| This was the continuation of the Lake tornado. It had just moved into Newton County before dissipating. Minimal tree damage occurred to a handful of trees as it dissipated. Total path length was 4 miles with a total rating of EF-1. | | | | |
| JASPER COUNTY --- 1.9 WSW LOUIN [32.07, -89.26] | | | | |

Storm Data and Unusual Weather Phenomena - March 2008

| Location | Date/Time | Deaths & Injuries | Property & Crop Dmg | Event Type and Details |
|---|--------------------|-------------------|---------------------|--------------------------------------|
| | 03/03/08 21:57 CST | | 0 | Thunderstorm Wind (EG 60 kt) |
| | 03/03/08 21:57 CST | | 0 | Source: Emergency Manager |
| Several trees were blown down. | | | | |
| <hr/> | | | | |
| NEWTON COUNTY --- 1.1 ESE LAWRENCE [32.31, -89.21] | | | | |
| | 03/03/08 22:00 CST | | 0 | Thunderstorm Wind (EG 55 kt) |
| | 03/03/08 22:00 CST | | 0 | Source: Emergency Manager |
| A few trees were blown down on Lawrence Bethel Road. | | | | |
| <hr/> | | | | |
| LAMAR COUNTY --- 4.5 SSE EPLEY [31.32, -89.48] | | | | |
| | 03/03/08 22:01 CST | | 18K | Thunderstorm Wind (EG 60 kt) |
| | 03/03/08 22:01 CST | | 0 | Source: Emergency Manager |
| A few power lines were blown down off near the intersection of Highway 98 and Highway 589. | | | | |
| <hr/> | | | | |
| NEWTON COUNTY --- 2.3 S STRATTON [32.47, -89.13] | | | | |
| | 03/03/08 22:05 CST | | 0 | Thunderstorm Wind (EG 55 kt) |
| | 03/03/08 22:05 CST | | 0 | Source: Emergency Manager |
| A few trees were blown down off Decatur-Stratton Road. | | | | |
| <hr/> | | | | |
| JONES COUNTY --- 2.2 NE SOSO [31.77, -89.24] | | | | |
| | 03/03/08 22:11 CST | | 30K | Thunderstorm Wind (EG 60 kt) |
| | 03/03/08 22:11 CST | | 0 | Source: Emergency Manager |
| A tree fell on a house and a couple power lines were blown over. | | | | |
| <hr/> | | | | |
| NEWTON COUNTY --- 1.5 WSW PERDUE [32.51, -89.00], 1.5 SSW PERDUE [32.50, -88.99] | | | | |
| | 03/03/08 22:12 CST | | 2K | Thunderstorm Wind (EG 60 kt) |
| | 03/03/08 22:13 CST | | 15K | Source: County Official |
| Numerous trees were blown down around Highway 494 and Hopewell Road in northeast Newton County. | | | | |
| <hr/> | | | | |
| JONES COUNTY --- 1.8 W MOSELLE [31.50, -89.31], 0.8 W TAWANTA [31.55, -89.26] | | | | |
| | 03/03/08 22:20 CST | | 0 | Hail (1.00 in) |
| | 03/03/08 22:25 CST | | 0 | Source: Emergency Manager |
| <hr/> | | | | |
| JONES COUNTY --- 0.8 ENE SERVICE [31.73, -89.22] | | | | |
| | 03/03/08 22:38 CST | | 0 | Thunderstorm Wind (EG 50 kt) |
| | 03/03/08 22:38 CST | | 0 | Source: Emergency Manager |
| A couple trees were blown down on Spring Hill Road. | | | | |
| <hr/> | | | | |
| KEMPER COUNTY --- 2.1 S BLACKWATER [32.59, -88.68], 3.4 SSW CULLUM [32.58, -88.64] | | | | |
| | 03/03/08 22:43 CST | | 50K | Thunderstorm Wind (EG 75 kt) |
| | 03/03/08 22:45 CST | | 0 | Source: Utility Company |
| Several trees and power lines were blown down between Blackwater and the Meridian NAS. | | | | |
| <hr/> | | | | |
| KEMPER COUNTY --- 1.5 SSE OAK GROVE [32.65, -88.57], 1.3 ESE OAK GROVE [32.67, -88.56] | | | | |
| | 03/03/08 22:49 CST | | 55K | Tornado (EF0, L: 1.32 mi , W: 30 yd) |
| | 03/03/08 22:50 CST | | 0 | Source: NWS Storm Survey |
| This tornado touched down briefly about 6 miles west southwest of Porterville. Several trees were snapped and uprooted, a shed was destroyed and a wooden fence was knocked down. Minor damage also occurred to a church steeple. Maximum winds were around 85 mph. | | | | |
| <hr/> | | | | |
| LAMAR COUNTY --- 0.9 SW WARDWELL STATION [31.32, -89.38], 1.0 SSE WARDWELL STATION [31.32, -89.37], 2.0 N RICHBURG [31.30, -89.38], 2.4 NNE OAK GROVE [31.31, -89.41] | | | | |
| | 03/03/08 23:00 CST | | 60K | Flash Flood (due to Heavy Rain) |
| | 03/04/08 00:20 CST | | 0 | Source: Emergency Manager |

Storm Data and Unusual Weather Phenomena - March 2008

| Location | Date/Time | Deaths & Injuries | Property & Crop Dmg | Event Type and Details |
|--|--------------------|-------------------|---------------------|---------------------------------------|
| Locally heavy rain across West Hattiesburg caused three houses to flood. | | | | |
| JONES COUNTY --- 4.0 W OVETT [31.48, -89.12] | | | | |
| | 03/03/08 23:03 CST | | 10K | Lightning |
| | 03/03/08 23:03 CST | | 0 | Source: Newspaper |
| House was struck by lightning which caused a minor fire. | | | | |
| FORREST COUNTY --- 2.6 WSW MC LAURIN [31.15, -89.26], 2.2 WNW EPPS [31.14, -89.24] | | | | |
| | 03/03/08 23:07 CST | | 5K | Thunderstorm Wind (EG 66 kt) |
| | 03/03/08 23:09 CST | | 0 | Source: Emergency Manager |
| Several trees were blown down just west of Highway 49 and around Paul B Johnson Lake. | | | | |
| LAUDERDALE COUNTY --- 1.4 N LOST GAP [32.35, -88.80] | | | | |
| | 03/03/08 23:08 CST | | 20K | Thunderstorm Wind (EG 60 kt) |
| | 03/03/08 23:08 CST | | 0 | Source: Emergency Manager |
| A few trees were blown down along with some power lines and phone lines. | | | | |
| FORREST COUNTY --- 2.0 N MC LAURIN [31.20, -89.23], 1.7 SSE MC CALLUM [31.21, -89.21] | | | | |
| | 03/03/08 23:12 CST | | 1.50M | Tornado (EF1, L: 1.09 mi , W: 100 yd) |
| | 03/03/08 23:13 CST | 14 | 0 | Source: NWS Storm Survey |
| This tornado touched down at Camp Shelby and snapped or uprooted numerous trees, and downed several power lines along the short path. Twelve buildings, mostly barracks, were damaged. Several buildings had the roofs severely damaged with one roof nearly completely torn off. Several walls of the barrack buildings collapsed where the roof support was lost. A hummer was turned over and windows were blown out of several other vehicles. Maximum wind speed was 110 mph. | | | | |
| JASPER COUNTY --- 3.3 SSE WALDRUP [31.93, -89.07] | | | | |
| | 03/03/08 23:14 CST | | 25K | Thunderstorm Wind (EG 50 kt) |
| | 03/03/08 23:14 CST | | 0 | Source: Emergency Manager |
| A couple trees were blown down, one large tree was down on a house at 2020 County Road 31, just north of Highway 528. | | | | |
| KEMPER COUNTY --- BLACKWATER [32.62, -88.68] | | | | |
| | 03/03/08 23:15 CST | | 40K | Thunderstorm Wind (EG 70 kt) |
| | 03/03/08 23:15 CST | | 0 | Source: Emergency Manager |
| A home sustained some roof damage and a barn had some siding ripped off. | | | | |
| CLARKE COUNTY --- 4.2 W SHUBUTA [31.86, -88.77], 2.0 ESE DE SOTO [31.96, -88.69] | | | | |
| | 03/03/08 23:20 CST | | 0.40M | Tornado (EF2, L: 8.34 mi , W: 350 yd) |
| | 03/03/08 23:30 CST | | 0.50M | Source: NWS Storm Survey |
| This tornado started in a rural area and downed trees and limbs along its path until causing its most intense damage at it crossed County Road 250. Here, it moved a large two story frame house several feet off its foundation, along with blowing out numerous windows and causing roof damage. Additionally, many dozens of large trees were snapped and uprooted in the vicinity. The tornado continued to move north northeast, causing extensive tree damage with hundreds of trees snapped or uprooted. Very near the end point, just east southeast of the DeSoto Community, roof damage occurred to two homes. Maximum wind speed was 115 mph. | | | | |
| LAUDERDALE COUNTY --- 2.7 ESE OBADIAH [32.49, -88.69] | | | | |
| | 03/03/08 23:20 CST | | 10K | Thunderstorm Wind (EG 75 kt) |
| | 03/03/08 23:20 CST | | 0 | Source: Emergency Manager |
| Numerous trees were blown down. | | | | |
| LAUDERDALE COUNTY --- 1.3 NE OBADIAH [32.51, -88.71] | | | | |
| | 03/03/08 23:21 CST | | 50K | Thunderstorm Wind (EG 55 kt) |
| | 03/03/08 23:21 CST | | 0 | Source: Emergency Manager |
| A large oak tree fell onto a detached garage and part of a house in the Obidiah Community. | | | | |

Storm Data and Unusual Weather Phenomena - March 2008

| Location | Date/Time | Deaths & Injuries | Property & Crop Dmg | Event Type and Details |
|---|--------------------|-------------------|---------------------|------------------------------|
| JASPER COUNTY --- 3.0 NNW ORANGE [32.14, -88.94] | | | | |
| | 03/03/08 23:26 CST | | 2K | Thunderstorm Wind (EG 60 kt) |
| | 03/03/08 23:26 CST | | 0 | Source: Emergency Manager |
| Several trees were blown down near the Jasper/Clarke county line. | | | | |
| FORREST COUNTY --- 0.7 E CARNES [30.98, -89.26] | | | | |
| | 03/03/08 23:40 CST | | 10K | Thunderstorm Wind (EG 58 kt) |
| | 03/03/08 23:40 CST | | 0 | Source: Emergency Manager |
| A few trees and power lines were blown down across Carnes Road. | | | | |
| A strong upper level system and evolving surface low moved across the region late on March 3rd. These features combined to bring a potent weather system to the area and a healthy round of severe thunderstorms from late afternoon through around midnight. It was a line of thunderstorms which brought most of the severe weather, but a few supercells did occur just ahead of the line. Ten tornadoes occurred, two of which were strong (EF-2), along with a good deal of wind damage as the line pushed east across Mississippi. | | | | |
| LAWRENCE COUNTY --- 0.5 SSW JAYESS [31.36, -90.20], 0.9 S MONTICELLO [31.54, -90.12] | | | | |
| | 03/06/08 23:37 CST | | 0 | Hail (0.75 in) |
| | 03/06/08 23:48 CST | | 0 | Source: Public |
| A swath of penny sized hail occurred across southern and central sections of Lawrence County. | | | | |
| Rain and some thunderstorms developed across the region during the evening of March 6th and spread northeast. There was not much severe weather with this rain event, but what did occur mainly stayed well south of the NWS Jackson service area. The exception was one lone storm which moved out of Walthall County and into Lawrence County. This storm produced a small swath of penny sized hail. | | | | |
| WASHINGTON COUNTY --- 1.1 S REFUGE [33.28, -91.13], 8.5 E HOLLANDALE [33.17, -90.72] | | | | |
| | 03/14/08 21:17 CST | | 0.10M | Hail (1.75 in) |
| | 03/14/08 22:00 CST | | 0 | Source: Emergency Manager |
| The storm which crossed the Mississippi River from Chicot County Arkansas, evolved into a supercell thunderstorm and tracked across all of central Washington County. The storm produced a swath of quarter to golf ball sized hail. The largest hail occurred from near the Mississippi River bridge to around Arcola. The storm continued east into northern Humphreys County where more large hail fell. | | | | |
| WASHINGTON COUNTY --- 1.2 SSE MANHATTAN [33.25, -90.86] | | | | |
| | 03/14/08 21:41 CST | | 0 | Thunderstorm Wind (EG 61 kt) |
| | 03/14/08 21:41 CST | | 0 | Source: Public |
| WASHINGTON COUNTY --- 4.2 SE DARLOVE [33.18, -90.76] | | | | |
| | 03/14/08 21:50 CST | | 5K | Thunderstorm Wind (EG 65 kt) |
| | 03/14/08 21:50 CST | | 0 | Source: Public |
| A few trees were blown down off Highway 12. A shed was also damaged in the same location. | | | | |
| WASHINGTON COUNTY --- 3.5 ESE HOLLANDALE MUNI ARPT [33.17, -90.77] | | | | |
| | 03/14/08 21:51 CST | | 0 | Funnel Cloud |
| | 03/14/08 21:51 CST | | 0 | Source: Public |
| Funnel cloud observed along Highway 12, just east of Hollandale. | | | | |
| HUMPHREYS COUNTY --- 6.3 NW GOODEN LAKE [33.21, -90.68], 0.4 SSW HONEY IS [33.12, -90.38] | | | | |
| | 03/14/08 21:57 CST | | 0 | Hail (1.00 in) |
| | 03/14/08 22:31 CST | | 0 | Source: Public |
| A swath of quarter sized hail fell across all of central Humphreys County as a supercell thunderstorm moved out of southeast Washington County and tracked east southeast. This storm continued to produce hail as it moved into western Holmes County. | | | | |
| HUMPHREYS COUNTY --- 1.5 SSW BROOKLYN [33.15, -90.49] | | | | |
| | 03/14/08 22:16 CST | | 0 | Funnel Cloud |
| | 03/14/08 22:16 CST | | 0 | Source: Law Enforcement |

Storm Data and Unusual Weather Phenomena - March 2008

| Location | Date/Time | Deaths & Injuries | Property & Crop Dmg | Event Type and Details |
|--|--------------------|-------------------|---------------------|-------------------------|
| HOLMES COUNTY --- 2.0 NW THORNTON [33.10, -90.34], 4.0 E THORNTON [33.08, -90.25] | | | | |
| | 03/14/08 22:30 CST | | 0 | Hail (1.25 in) |
| | 03/14/08 22:46 CST | | 0 | Source: Public |
| Penny to half dollar sized hail fell across western Holmes County. Hail was covering the ground in Thornton. | | | | |
| WASHINGTON COUNTY --- 5.0 W CHATHAM [33.10, -91.19], 1.0 W ERWIN [33.10, -91.07] | | | | |
| | 03/14/08 22:46 CST | | 0 | Hail (1.00 in) |
| | 03/14/08 22:56 CST | | 0 | Source: Public |
| CHOCTAW COUNTY --- 2.5 WNW WEIR [33.28, -89.32], 1.6 NNE WEIR [33.29, -89.27] | | | | |
| | 03/14/08 23:07 CST | | 0 | Hail (1.00 in) |
| | 03/14/08 23:10 CST | | 0 | Source: Public |
| ISSAQUENA COUNTY --- 2.2 W SHIPLAND [32.78, -91.16], 3.9 E FITLER [32.74, -90.96] | | | | |
| | 03/14/08 23:43 CST | | 0 | Hail (1.75 in) |
| | 03/15/08 00:03 CST | | 0 | Source: Trained Spotter |
| The long lived supercell thunderstorm moved across the Mississippi River, from East Carroll Parish, and produced a swath of quarter to golf ball sized hail across central Issaquena County. The storm continued to produce large hail as it moved into southern Sharkey County near Onward. | | | | |
| OKTIBBEHA COUNTY --- 9.6 S STATE COLLEGE [33.29, -88.78], 7.2 SSE SESSUMS [33.33, -88.67] | | | | |
| | 03/14/08 23:43 CST | | 0 | Hail (0.75 in) |
| | 03/14/08 23:56 CST | | 0 | Source: Newspaper |
| LOWNDES COUNTY --- 3.3 WNW CRAWFORD [33.33, -88.67], 1.2 N CRAWFORD [33.32, -88.62] | | | | |
| | 03/14/08 23:55 CST | | 0 | Hail (0.75 in) |
| | 03/14/08 23:57 CST | | 0 | Source: Law Enforcement |
| SHARKEY COUNTY --- 2.4 WNW ONWARD [32.74, -90.96], 0.9 SSW LUCRE [32.72, -90.73] | | | | |
| | 03/14/08 23:57 CST | | 0 | Hail (1.00 in) |
| | 03/15/08 00:24 CST | | 0 | Source: Public |
| The long lived supercell thunderstorm continued to track east southeast and produce a swath of quarter sized hail across southern Sharkey County. This storm finally dissipated as it approached southwest Yazoo County after traveling nearly 130 miles from southern Arkansas and lasting for about 4.5 hours. | | | | |
| WINSTON COUNTY --- 2.7 ESE BOON [33.08, -88.93] | | | | |
| | 03/15/08 00:05 CST | | 0 | Hail (0.75 in) |
| | 03/15/08 00:05 CST | | 0 | Source: Public |
| The hail was oval shaped. | | | | |
| NOXUBEE COUNTY --- 2.5 SW BROOKSVILLE [33.20, -88.61], 2.7 SE BIGBEE VLY [33.23, -88.31] | | | | |
| | 03/15/08 00:13 CST | | 0 | Hail (0.88 in) |
| | 03/15/08 00:30 CST | | 0 | Source: Trained Spotter |
| A swath of penny to nickel sized hail fell across a large portion of Noxubee County from near Brooksville to around Bigbee Valley. | | | | |
| A weak front stalled across the northern portion of the area earlier in the day and provided a focus for thunderstorms to develop by evening. Conditions by afternoon became warm and quite unstable near the front. Several large supercell thunderstorms developed across southern Arkansas and northern Louisiana and tracked east toward the Mississippi River and then across central sections of Mississippi. These storms were prolific hail producers and produced large swaths of quarter to golf ball sized hail. The largest hail was around baseball size which occurred across northeast Louisiana. All the severe weather occurred between 9 pm and 1 am. | | | | |
| (MS-Z041) SHARKEY, (MS-Z044) LEAKE, (MS-Z054) COPIAH, (MS-Z060) ADAMS, (MS-Z062) LINCOLN | | | | |
| | 03/18/08 14:00 CST | | 0.14M | Strong Wind (MAX 42 kt) |
| | 03/18/08 21:00 CST | | 0.20K | |
| WARREN COUNTY --- 0.8 NW EAGLE BEND [32.53, -91.01] | | | | |

Storm Data and Unusual Weather Phenomena - March 2008

| Location | Date/Time | Deaths & Injuries | Property & Crop Dmg | Event Type and Details |
|--|--------------------|-------------------|---------------------|------------------------------|
| | 03/18/08 23:48 CST | | 7K | Thunderstorm Wind (EG 60 kt) |
| | 03/18/08 23:48 CST | | 0 | Source: Public |
| A metal shed was blown over and destroyed along with several large limbs blown down. | | | | |
| <hr/> | | | | |
| ADAMS COUNTY --- SIBLEY [31.38, -91.40] | | | | |
| | 03/19/08 00:40 CST | | 10K | Thunderstorm Wind (EG 57 kt) |
| | 03/19/08 00:40 CST | | 0 | Source: Public |
| Several trees were blown down with a few on power lines. Power was out most of the night around Sibley. | | | | |
| <hr/> | | | | |
| ADAMS COUNTY --- FOSTER [31.60, -91.33] | | | | |
| | 03/19/08 01:00 CST | | 33K | Thunderstorm Wind (EG 55 kt) |
| | 03/19/08 01:00 CST | | 0 | Source: Emergency Manager |
| A couple trees were blown down northeast of Natchez. One tree was on a house off Roosevelt Drive, just off Highway 61. | | | | |
| <hr/> | | | | |
| COPIAH COUNTY --- 0.9 WNW BARLOW [31.82, -90.68], 3.7 E MEADOWS STORE [31.88, -90.64] | | | | |
| | 03/19/08 02:00 CST | | 0 | Thunderstorm Wind (EG 74 kt) |
| | 03/19/08 02:05 CST | | 0.20M | Source: NWS Storm Survey |
| An area of significant tree damage occurred along Barlow Road and Warren Hood Road in the Covich County Wildlife Management Area. Numerous trees were snapped and uprooted within the downburst. | | | | |
| <hr/> | | | | |
| JEFFERSON COUNTY --- 3.6 NE UNION CHURCH [31.71, -90.75] | | | | |
| | 03/19/08 02:03 CST | | 10K | Thunderstorm Wind (EG 60 kt) |
| | 03/19/08 02:03 CST | | 0 | Source: Public |
| A large piece of tin was torn off a barn roof and a tree fell across a portion of Highway 28. | | | | |
| <hr/> | | | | |
| COPIAH COUNTY --- 0.9 NE DENTVILLE [31.96, -90.56] | | | | |
| | 03/19/08 02:10 CST | | 0 | Thunderstorm Wind (EG 50 kt) |
| | 03/19/08 02:10 CST | | 0 | Source: Trained Spotter |
| A few trees were blown down. | | | | |
| <hr/> | | | | |
| FRANKLIN COUNTY --- 0.7 S BUDE [31.46, -90.85] | | | | |
| | 03/19/08 02:12 CST | | 0 | Thunderstorm Wind (EG 50 kt) |
| | 03/19/08 02:12 CST | | 0 | Source: Law Enforcement |
| A few trees were blown down off Highway 98 near Bude. | | | | |
| <hr/> | | | | |
| HINDS COUNTY --- 2.3 W COOPERS WELLS [32.23, -90.41] | | | | |
| | 03/19/08 02:33 CST | | 0 | Thunderstorm Wind (EG 53 kt) |
| | 03/19/08 02:33 CST | | 0 | Source: Emergency Manager |
| A few trees were blown down. | | | | |
| <hr/> | | | | |
| COPIAH COUNTY --- 2.2 WSW GLANCY [31.81, -90.54] | | | | |
| | 03/19/08 02:37 CST | | 0 | Thunderstorm Wind (EG 50 kt) |
| | 03/19/08 02:37 CST | | 0 | Source: Park/Forest Service |
| A couple of trees were blown down across Barlow Road just west of Highway 28. | | | | |
| <hr/> | | | | |
| MADISON COUNTY --- 0.6 W CAMDEN [32.78, -89.84] | | | | |
| | 03/19/08 03:46 CST | | 8K | Thunderstorm Wind (EG 50 kt) |
| | 03/19/08 03:46 CST | | 0 | Source: Emergency Manager |
| A couple trees were blown down, one fell on a power line which resulted in a minor fire. | | | | |
| <hr/> | | | | |
| LEAKE COUNTY --- 0.7 S GILL [32.67, -89.53] | | | | |

Storm Data and Unusual Weather Phenomena - March 2008

| Location | Date/Time | Deaths & Injuries | Property & Crop Dmg | Event Type and Details |
|----------|--------------------|-------------------|---------------------|------------------------------|
| | 03/19/08 04:14 CST | | 0 | Thunderstorm Wind (EG 50 kt) |
| | 03/19/08 04:15 CST | | 0 | Source: Law Enforcement |

A couple of trees were blown down off Highway 35.

During the afternoon of March 18th, a strong area of low pressure developed across east Texas and lifted northeast into Arkansas. This deepening surface low increased the pressure gradient across the region and provided sustained winds between 30 and 35 mph with some gusts between 40 and 50 mph. These gradient winds caused sporadic damage across the parishes of northeast Louisiana and portions of central and southwest Mississippi. Scattered trees were blown down, some on power lines, which caused power outages. A couple trees fell on homes and two on vehicles which caused 2 injuries.

During the overnight and early morning hours of March 19th, the strong surface low and upper level disturbance helped push a cold front through the area. A line of thunderstorms developed along the front and brought scattered wind damage to portions of central and southern Mississippi.

| LAMAR COUNTY --- 1.4 S BAXTERVILLE [31.06, -89.60], 3.9 NW LUMBERTN BASS MEM AR [31.05, -89.53] | | | | |
|---|--------------------|--|-----|----------------|
| | 03/29/08 14:37 CST | | 15K | Hail (1.00 in) |
| | 03/29/08 14:40 CST | | 0 | Source: Public |

Dime to quarter sized hail fell just south of Baxterville. A few vehicles were dented by the hail.

| GRENADA COUNTY --- 1.8 WNW TIE PLANT [33.74, -89.83], 0.8 NW GRENADA [33.79, -89.83], 0.9 NW FUTHEYVILLE [33.79, -89.79], 1.5 S FUTHEYVILLE [33.76, -89.78] | | | | |
|---|--------------------|--|-----|---------------------------------|
| | 03/30/08 15:50 CST | | 50K | Flash Flood (due to Heavy Rain) |
| | 03/30/08 17:00 CST | | 0 | Source: Emergency Manager |

Locally heavy rain caused 10 to 12 streets to flood around Grenada. Some areas, where creeks crossed roads, had water deep enough where boats were needed.

| MONTGOMERY COUNTY --- 2.8 WSW SAWYER [33.51, -89.77], 3.0 NE WINONA [33.51, -89.69] | | | | |
|---|--------------------|--|---|-------------------------|
| | 03/30/08 16:28 CST | | 0 | Hail (1.00 in) |
| | 03/30/08 16:39 CST | | 0 | Source: Law Enforcement |

Nickel to quarter sized hail fell just north of Winona.

The airmass across the region for late March was more representative of late May as storms developed during the heat of the day and moved slowly. A couple storms became severe producing hail with others producing locally heavy rainfall.

| (MS-Z018) BOLIVAR, (MS-Z019) SUNFLOWER, (MS-Z025) LEFLORE, (MS-Z027) CARROLL, (MS-Z028) MONTGOMERY, (MS-Z029) WEBSTER, (MS-Z034) WASHINGTON, (MS-Z035) HUMPHREYS, (MS-Z036) HOLMES, (MS-Z037) ATTALA, (MS-Z041) SHARKEY | | | | |
|---|--------------------|--|-------|------------|
| | 03/07/08 13:45 CST | | 0.22M | Heavy Snow |
| | 03/08/08 01:30 CST | | 0 | |

A strong upper level trough dropped south out of the plains and helped to evolve a surface low pressure system across the northern Gulf of Mexico which then intensified as it lifted into the southeast United States. This upper trough slowed and intensified across the Lower Mississippi River Valley Friday afternoon, and brought a large swath of rare March snow to some of the region. The heaviest snow fell mainly to the northwest and north of the National Weather Service Jackson forecast area. However, a decent section of the northwest and north central portion of the service area received anywhere from 2 to 6 inches of snow. The heaviest occurred across extreme northern Chicot County where Dermott measured around 5 inches and then across Bolivar County where 3-6 inches occurred.