HARLAN ANIMAL COLONIES HEALTH EVALUATION SUMMARY

CONTRACT N01-AG-7-2100 MICE Barrier 217

	ANIMAL FACILITY	STRAIN	NO./SEX	AGE	TESTING LABORATORY/DATES
Г	Location: Indianapolis, IN	BALB/cJByNiaHsd*	4M/4F	16-19 months	University of Missouri
	Barrier/Building: 217	B6C3F1/NiaHsd	2M/2F	20 months	UMRADIL, Columbia, MO
		B6D2F1/NiaHsd [*]	2M/2F	20 months	The state of the s
		CBA/JNiaHsd·	2M/2F	20 months	
		CB6F1/NiaHsd·	3M/3F	20 months	
		CB6F1/C3D2F1	2M/2F	20 months	
		C57BL/6NiaHsd·	5M/3F	19-20 months	Receipt Date: 11/6/06
	Ship Date: 11/5/06	DBA/2JNiaHsd	2M/2F	6-7 months	Report Date: 1/23/07

EVALUATION

NIA mice submitted for this health monitoring were obtained from NIA-NIH aging colonies maintained in barriers by Harlan. All mice examined were considered to be in a good state of health.

SEROLOGY			
Agent	Assay	No. Pos./ No. Tested	Comments
M. pulmonis	MFI	0/42	
MHV	MFI	0/42	
Sendai	MFI	0/42	
PVM	MFI	0/42	
Reo 3	MFI	0/42	
TMEV GDVII	MFI	0/42	
Mouse Parvovirus	MFI	0/42	
MVM	MFI	0/10	
Ectromelia	MFI	0/10	
MAD	MFI	0/10	
Polyoma	MFI	0/10	
Rotavirus	MFI	0/10	
LCM	MFI	0/10	
Hantaan	MFI	0/10	
K Virus	MFI	0/10	
MCMV	MFI	0/10	
MTV	IFA	0/10	
LDEV	ENZYME	0/10	
E. cuniculi	MFI	0/10	

BACTERIOLOGY		
Agent	No. Pos/No. Tested	Comments
Salmonella spp.	0/42	Nasopharynx/cecum cultures.
Pasteurella pneumotropica	0/42	5/63. April
Pasteurella spp.	0/42	
Bordetella bronchiseptica	0/42	The bacteria isolated from the oropharynx and
Pseudomonas aeruginosa	24/42	cecum are opportunistic or normal flora of the
Citrobacter rodentium	0/42	mouse.
Corynebacterium kutscheri	0/42	and a second of the second of
Klebsiella pneumoniae	0/42	
Klebsiella oxytoca	0/42	8
Staphylococcus aureus	3/42	
Streptococcus sp. Group B beta	1/42	

HARLAN ANIMAL COLONIES HEALTH EVALUATION SUMMARY

CONTRACT N01-AG-7-2100

MICE Barrier 217

PCR		
Agent	No. Pos/No. Tested	Comments
Mycoplasma pulmonis	0/42	
Helicobacter hepaticus; Helicobacter sp.	0/42	

Type and Test	No. Pos./No. Tested	Comments
Ectoparasites		External parasites were not observed in any
Test(s): Direct pelage	0/42	mice.
Endoparasites Test(s): Direct, Gross, and Microscopic (intestine & bladder)	8/42	Enteric and urinary bladder parasites were not observed in any mouse. A nonpathogenic commensal intestinal flagellete, <i>Chilomastix sp.</i> was found in some animals.

Lymphoid infiltrate lung Lymphoid infiltrate kidney Lymphoid infiltrate kidney Lymphoid infiltrate liver Multifocal mineralization brain 26/42 normal aging process and are not indicated of infection with murine adventitious pathogens.	Gross:	None Significant	Overall frequency of lesions in these mice is
Microgranuloma liver Lymphoid infiltrate lung Lymphoid infiltrate kidney Lymphoid infiltrate liver Multifocal mineralization brain 7/42 Lesions are incidental and/or consistent normal aging process and are not indicated of infection with murine adventitious pathogens. 11/42 Pathogens			low.
Lymphoid infiltrate lung Lymphoid infiltrate kidney Lymphoid infiltrate kidney Lymphoid infiltrate liver Multifocal mineralization brain 26/42 normal aging process and are not indicated of infection with murine adventitious pathogens.	Histologic:		
Lymphoid infiltrate kidney Lymphoid infiltrate liver Multifocal mineralization brain 20/42 of infection with murine adventitious pathogens. pathogens.	Microgranuloma liver	7/42	Lesions are incidental and/or consistent with
Lymphoid infiltrate liver 11/42 pathogens. Multifocal mineralization brain 4/42	Lymphoid infiltrate lung	26/42	normal aging process and are not indicative
Multifocal mineralization brain 4/42	Lymphoid infiltrate kidney	20/42	of infection with murine adventitious
Multifocal mineralization brain 4/42	Lymphoid infiltrate liver	11/42	pathogens.
		4/42	
Hepatocelluar adenoma 1/42	Hepatocelluar adenoma	1/42	

AVA	ΙΙΔ	RII	ITY
$A \vee A$	-		

Mice obtained from NIA-NIH aging colonies maintained in one maximum security barrier by Harlan in Indianapolis, Indiana. The combined census of these colonies, at the time of referenced monitoring is tabulabed below:

Virgin Male (6 - 39 months of age) 7,245 Virgin Female (6 - 38 months of age) 4,321

Total Census: 11,566

For information, contact:
Dr. Karla A. Stevens
HARLAN

8520 Allison Pointe, #400 Indianapolis, IN 46250 Phone: (317) 806-6060

Phone: (317) 806-606 Fax: (317) 806-6073 Karla A. Stevens, D.V.M.
Principal Investigator

HARLAN ANIMAL COLONIES HEALTH EVALUATION SUMMARY CONTRACT N01-AG-7-2100

MICE Barrier 218B

ANIMAL FACILITY	STRAIN	NO./SEX	AGE	TESTING LABORATORY/DATES
Location: Prattville, AL	BALB/cByJNiaHsd	4M/4F	19-20 months	University of Missouri
Barrier/Building: 218B	CB6F1/NiaHsd	2M/2F	20 months	UMRADIL, Columbia, MO
_	C57BL/6JNiaHsd	1M/1F	6 months	
Ship Date: 11/5/06	C57BL/6JNiaHsd	5M/5F	20 months	Receipt Date: 11/6/06
,				Report Date: 1/23/07

EVALUATION

NIA mice submitted for this health monitoring were obtained from NIA-NIH aging colonies maintained in barriers by Harlan. All mice examined were considered to be in a good state of health.

Agent	Assay	No. Pos./ No. Tested	Comments
M. pulmonis	MFI	0/24	
MHV	MFI	0/24	
Sendai	MFI	0/24	
PVM	MFI	0/24	
Reo 3	MFI	0/24	
TMEV GDVII	MFI	0/24	
Mouse Parvovirus	MFI	0/24	
MVM	MFI	0/24	
Ectromelia	MFI	0/8	
MAD	MFI	0/8	
Polyoma	MFI	0/8	
Rotavirus	MFI	0/8	
LCM	MFI	0/8	
Hantaan	MFI	0/8	10
K virus	MFI	0/8	
MCMV	MFI	0/8	
MTV	IFA	0/8	
LDEV	ENZYME	0/8	
E. cuniculi	MFI	0/8	

Agent	No. Pos./No. Tested	Comments
Salmonella spp.	0/24	Nasopharynx/cecum cultures.
Pasteurella pneumotropica	0/24	
Pasteurella spp.	0/24	
Bordetella bronchiseptica	0/24	The bacteria isolated from the oropharynx and
Pseudomonas aeruginosa	0/24	cecum are opportunistic or normal flora of the
Citrobacter rodentium	0/24	mouse.
Corynebacterium kutscheri	0/24	
Klebsiella pneumoniae	0/24	
Klebsiella oxytoca	0/24	
Pasteurella multocida	0/24	
Staphylococcus aureus	16/24	
Streptococcus sp. Group B beta	0/24	

HARLAN ANIMAL COLONIES HEALTH EVALUATION SUMMARY CONTRACT N01-AG-7-2100

MICE Barrier 218B

PCR		
Agent	No. Pos./No. Tested	Comments
Mycoplasma pulmonis	0/24	
Helicobacter hepaticus / H. rodentium	Positive	Pooled samples.

Type and Test	No. Pos./No. Tested	Comments
Ectoparasites		External parasites were not observed in
Test(s): Direct pelage	0/24	any mice.
Endoparasites Test(s): Direct, Gross, and Microscopic (intestine & bladder)		Urinary bladder parasites were not observed in any mouse. Commensal nonpathogenic intestinal flagellates including <i>Chilomastix sp.</i> and <i>Trichomonads</i> were found in some animal.

	None Significant	Overall frequency of lesions in these mice is low.
Histologic:		
Multifocal mineralization brain	2/24	Lesions are incidential and/or consistent
Microgranuloma liver	6/24	with normal aging process and are not
Lymphoid infiltrate lung	15/24	indicative of infection with murine adven-
Lymphoid infiltrate kidney	10/24	titious pathogens.
Lymphoid infiltrate liver	5/24	2000
Multifocal lipidosis liver	2/24	
Acute necrosis liver	1/24	
Bronchiolar adenoma	1/24	
Alveolar adenoma	1/24	
Immunoblastic lymphoma spleen	1/24	

AVAILABILITY

Mice obtained from NIA-NIH aging colonies maintained in one maximum security barrier by Harlan in Prattville, Alabama. The combined census of these colonies, at the time of the referenced monitoring is tabulated below:

Virgin Male (6 - 39 months of age) 4,673 Virgin Female (6 - 36 months of age) 1,975 Total Census: 6,648

For information, contact: Dr. Karla A. Stevens HARLAN 8520 Allison Pointe, #400

Indianapolis, IN 46250 Phone: (317) 806-6060 Fax: (317) 806-6073 Karla A. Stevens, D.V.M. Principal Investigator levers DV/4