

# Exempt Chemical Preparations List

March 31, 2008



Drug Enforcement Administration  
Office of Diversion Control  
Drug and Chemical Evaluation Section

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Aalto Scientific, Ltd.	Immunoassay Control, Level 1, Freeze Dried	Glass vial: 6 mL	4/10/2007
Aalto Scientific, Ltd.	Immunoassay Control, Level 2, Freeze Dried	Glass vial: 6 mL	4/10/2007
Aalto Scientific, Ltd.	Immunoassay Control, Level 3, Freeze Dried	Glass vial: 6 mL	4/10/2007
Aalto Scientific, Ltd.	Immunoassay Linearity Set, Level A, Freeze Dried	Glass vial: 6 mL	4/10/2007
Aalto Scientific, Ltd.	Immunoassay Linearity Set, Level B, Freeze Dried	Glass vial: 6 mL	4/10/2007
Aalto Scientific, Ltd.	Immunoassay Linearity Set, Level C, Freeze Dried	Glass vial: 6 mL	4/10/2007
Aalto Scientific, Ltd.	Immunoassay Linearity Set, Level D, Freeze Dried	Glass vial: 6 mL	4/10/2007
Aalto Scientific, Ltd.	Immunoassay Linearity Set, Level E, Freeze Dried	Glass vial: 6 mL	4/10/2007
Aalto Scientific, Ltd.	Testo Serum Reference Standard A (Testo SRS A), Frozen	Glass vial: 6 mL	4/10/2007
Aalto Scientific, Ltd.	Testo Serum Reference Standard B (Testo SRS B), Frozen	Glass vial: 6 mL	4/10/2007
Aalto Scientific, Ltd.	Testo Serum Reference Standard C (Testo SRS C), Frozen	Glass vial: 6 mL	4/10/2007
Aalto Scientific, Ltd.	Testo Serum Reference Standard D (Testo SRS D), Frozen	Glass vial: 6 mL	4/10/2007
Aalto Scientific, Ltd.	Testo Serum Reference Standard E (Testo SRS E), Frozen	Glass vial: 6 mL	4/10/2007
Aalto Scientific, Ltd.	Testo Serum Reference Standard F (Testo SRS F), Frozen	Glass vial: 6 mL	4/10/2007
Aalto Scientific, Ltd.	Therapeutic Drug Monitoring Control Level I, II, III Freeze Dried	Vial: 5 mL	4/9/1991
Abbott Laboratories	125I Cholyglycyltyrosine Reagent Solution, No. 7816	Plastic bottle: 20 mL	4/7/1978
Abbott Laboratories	Abbott Assayed Accuracy Chemistry Control 1	Vial: 10 mL	4/8/1999
Abbott Laboratories	Abbott Assayed Accuracy Chemistry Control 2	Vial: 10 mL	4/8/1999
Abbott Laboratories	ADx Cannabinoids Fluorescein Tracer Solution	Bottle: 3.2 mL	12/2/1986
Abbott Laboratories	ADx Cannabinoids Reagent Pack No. 9671-55	Kit: 50 test	8/23/1996
Abbott Laboratories	ADx Cocaine Metabolite Fluorescein Tracer Solution, No. 9670-T, No. 9670T0013	Vial: 3.2 mL, Kit: 100 vials	4/18/1989
Abbott Laboratories	ADx Cocaine Metabolite Reagent Pack, No. 09670-55	Kit: 50 tests	2/28/2003
Abbott Laboratories	ADx Opiates Reagent Pack, No. 9673-55	50 Test Unit	4/18/1989
Abbott Laboratories	ADx Propoxyphene Reagent Pack No. 9675-55	Kit: 50 tests	12/5/1996
Abbott Laboratories	Amphetamine II Stock Standard No.95934	Flask/Carboy: 100 mL-50 L, Bottles: 2.5 mL-1 L	12/5/1996
Abbott Laboratories	Amphetamine/Methamphetamine II Bulks No.1A99B-F,L,M,H,3B27W	Flask/Carboy: 100 mL-50 L, Bottles: 2.5 mL-1 L, Box: 100 bottles	12/5/1996
Abbott Laboratories	ARCH Testosterone Panels	Flask/Carboy: 100 mL-50 L; Bottle: 1 mL-1 L	3/3/2005
Abbott Laboratories	ARCHITECT Estradiol Assay Diluent, No. 2K25J	Tank: 250 mL-500 L; Bag-in-box: 18-200 L; Flask/Carboy: 250 mL-500 L; Bottle: 5 mL-1 L; Box: <=/=100 bottles	2/6/2003
Abbott Laboratories	ARCHITECT Estradiol Assay Diluent, No. 6C22J	Tank: 250 mL-500 L; Bag-in-box: 18-200 L; Flask/Carboy: 250 mL-500 L; Bottle: 5 mL-1 L; Box: <=/=100 bottles	2/6/2003
Abbott Laboratories	ARCHITECT Estradiol Assay Diluent, No. 8100/6C22J	Tank: 250 mL-500 L; Bag-in-box: 18-200 L; Flask/Carboy: 250 mL-500 L; Bottle: 5 mL-1 L; Box: <=/=100 bottles	1/16/2003
Abbott Laboratories	Architect Estradiol Reagent Kit (No. 6C22-22)	Bottle: 25 mL; Kit: 16 bottles	12/21/2000
Abbott Laboratories	Architect Estradiol Reagent Kit (No. 6C22-27)	Bottle: 25 mL; Kit: 4 bottles	12/21/2000
Abbott Laboratories	Architect Estradiol Reagent Kit (No. 6C22-30)	Bottle: 32 mL; Kit: 16 bottles	12/21/2000
Abbott Laboratories	Architect Estradiol Reagent Pack No. 6C22-20	Bottle: 25 mL; Pack: 16 bottles	12/11/1998

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Abbott Laboratories	Architect Estradiol Reagent Pack No. 6C22-25	Bottle: 25 mL; Pack: 4 bottles	12/11/1998
Abbott Laboratories	Architect Estradiol Reagent Pack No. 8100/6C22-20	Bottle: 25 mL; Pack: 4 bottles	2/6/1998
Abbott Laboratories	Architect iPhenobarbital Calibrator B	Bottle: 5 mL	7/20/2007
Abbott Laboratories	Architect iPhenobarbital Calibrator C	Bottle: 5 mL	7/20/2007
Abbott Laboratories	Architect iPhenobarbital Calibrator D	Bottle: 5 mL	7/20/2007
Abbott Laboratories	Architect iPhenobarbital Calibrator E	Bottle: 5 mL	7/20/2007
Abbott Laboratories	Architect iPhenobarbital Calibrator F	Bottle: 5 mL	7/20/2007
Abbott Laboratories	Architect iPhenobarbital Calibrators	Bottle: 5 mL Kit: 6 Bottles	7/20/2007
Abbott Laboratories	Architect Testosterone Calibrator 1, No. 6C28V	Bottle: 5 mL	11/23/1998
Abbott Laboratories	Architect Testosterone Calibrator 1, No. 8100/6C28V	Bottle: 5 mL	10/23/1997
Abbott Laboratories	Architect Testosterone Calibrator 2, No. 6C28W	Bottle: 5 mL	11/23/1998
Abbott Laboratories	Architect Testosterone Calibrator 2, No. 8100/6C28W	Bottle: 5 mL	10/23/1997
Abbott Laboratories	Architect Testosterone Calibrators, No. 6C28-01	Bottle: 5 mL; Pack: 2 bottles	11/23/1998
Abbott Laboratories	Architect Testosterone Calibrators, No. 8100/6C28-01	Pack: 2 bottles	10/23/1997
Abbott Laboratories	Architect Testosterone Control H No. 6C28N	Bottle: 10 mL	11/23/1998
Abbott Laboratories	Architect Testosterone Control H, No. 8100/9C17N	Bottle: 10 mL	10/23/1997
Abbott Laboratories	Architect Testosterone Control L No. 6C28L	Bottle: 10 mL	11/23/1998
Abbott Laboratories	Architect Testosterone Control L, No. 8100/9C17L	Bottle: 10 mL	10/23/1997
Abbott Laboratories	Architect Testosterone Control M No. 6C28M	Bottle: 10 mL	11/23/1998
Abbott Laboratories	Architect Testosterone Control M, No. 8100/9C17M	Bottle: 10 mL	10/23/1997
Abbott Laboratories	Architect Testosterone Controls No. 6C28-10	Bottle: 10 mL; Pack: 3 bottles	11/23/1998
Abbott Laboratories	Architect Testosterone Controls, No. 8100/9C17-10	Pack: 3 bottles	10/23/1997
Abbott Laboratories	Architect Testosterone Serum High Dilution Panel	Flask/Carboy: 100 mL - 50 L; Bottles: 2.5 mL - 1 L; Box: <= 100 bottles	8/24/2001
Abbott Laboratories	AxSYM Amphetamine/Methamphetamine II Master Calibrators, 3B27-30	Kit: 2 bottles, 5 mL each	6/12/1995
Abbott Laboratories	AxSYM Barbiturates II U Master Calibrator 2	Bottle: 5 mL	5/10/1995
Abbott Laboratories	AxSYM Barbiturates II U Master Calibrators	Kit: 2 bottles	5/10/1995
Abbott Laboratories	AxSYM Benzodiazepines Master Calibrator 2	Bottle: 5 mL	5/10/1995
Abbott Laboratories	AxSYM Benzodiazepines Master Calibrators	Kit: 2 bottles	5/10/1995
Abbott Laboratories	AxSYM Cannabinoids Master Calibrator 2	Bottle: 5 mL	5/10/1995
Abbott Laboratories	AxSYM Cannabinoids Master Calibrators	Kit: 2 bottles	5/10/1995
Abbott Laboratories	AxSYM Cannabinoids Reagent Pack No. 3B28-20	Kit: 100 test	8/23/1996
Abbott Laboratories	AxSYM Cocaine Metabolite Fluorescin Tracer Solution; Code 3B24T0001	Bottle: 35, 20, 15 mL; Box: 100 vials; Tray: 200 vials	6/2/1994
Abbott Laboratories	AxSYM Cocaine Metabolite Master Calibrator 2	Bottle: 5 mL	5/10/1995
Abbott Laboratories	AxSYM Cocaine Metabolite Master Calibrators	Kit: 2 bottles	5/10/1995
Abbott Laboratories	AxSYM Cocaine Metabolite Reagent Pack	Kit: 100 tests	7/27/1994
Abbott Laboratories	AxSYM Cocaine Metabolite Reagent Pack, No. 03B24-20	Kit: 100 tests	2/28/2003
Abbott Laboratories	AxSYM Estradiol Buffer, No. 7A63J	Tank: 50-500 L; Bag-in-box: 18-200 L; Flask/Carboy: 1-50 L; Bottle/Vial: 0.5 mL-1 L; Box: 1-50 bottles	5/4/2004
Abbott Laboratories	AxSYM Estradiol Reagent Pack No. 8100/7A63-20	Bottle: 35 mL, Pack: 4 bottles	8/5/1997

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Abbott Laboratories	AxSYM Estradiol Reagent Pack, No. 7A63-20	Bottle: 35 mL; Pack: 4 bottles	5/4/2004
Abbott Laboratories	AxSYM Methadone Master Calibrator 2	Bottle: 5 mL	6/12/1995
Abbott Laboratories	AxSYM Methadone Master Calibrators, 3B31-30	Kit: 2 bottles, 5 mL each	6/12/1995
Abbott Laboratories	AxSYM Opiates Master Calibrator 2	Bottle: 5 mL	5/10/1995
Abbott Laboratories	AxSYM Opiates Master Calibrators	Kit: 2 bottles	5/10/1995
Abbott Laboratories	AxSYM Opiates Reagent Pack	Kit: 100 tests	7/27/1994
Abbott Laboratories	AxSYM Phencyclidine Master Calibrator 2	Bottle: 5 mL	6/12/1995
Abbott Laboratories	AxSYM Phencyclidine Master Calibrators, 3B26-30	Kit: 2 bottles, 5 mL each	6/12/1995
Abbott Laboratories	AxSYM Phenobarbital Calibrator B, code# 7A70-B	Vial: 5 mL	1/25/1994
Abbott Laboratories	AxSYM Phenobarbital Calibrator C, Code# 7A70-C	Vial: 5 mL	1/25/1994
Abbott Laboratories	AxSYM Phenobarbital Calibrator D, Code# 7A70-D	Vial: 5 mL	1/25/1994
Abbott Laboratories	AxSYM Phenobarbital Calibrator E, Code 7A70-E	Vial: 5 mL	1/25/1994
Abbott Laboratories	AxSYM Phenobarbital Calibrator F, Code 7A70-F	Vial: 5 mL	1/25/1994
Abbott Laboratories	AxSYM Phenobarbital Calibrators (B-F), Code# 7A70-01	Kit: 6 vials	1/25/1994
Abbott Laboratories	AxSYM Phenobarbital Control H, Code# 7A70-H	Vial: 10 mL	1/25/1994
Abbott Laboratories	AxSYM Phenobarbital Control M, 7A70-M	Vial: 10 mL	1/25/1994
Abbott Laboratories	AxSYM Phenobarbital Controls (L,M,H), Code# 7A70-10	Kit: 3 vials	1/25/1994
Abbott Laboratories	AxSYM Testosterone Control H (No. 3C85N)	Bottle: 10 mL	4/21/1999
Abbott Laboratories	AxSYM Testosterone Control L (No. 3C85L)	Bottle: 10 mL	4/21/1999
Abbott Laboratories	AxSYM Testosterone Control L,M and H, No. 8100/3C85L, M and N	Bottle: 10 mL	1/20/1999
Abbott Laboratories	AxSYM Testosterone Control M (No. 3C85M)	Bottle: 10 mL	4/21/1999
Abbott Laboratories	AxSYM Testosterone Controls (No. 3C85-10)	Kit: 3 bottles	4/21/1999
Abbott Laboratories	AxSYM Testosterone Controls Kit, No. 8100/3C85-10	Kit: 3 bottles	1/20/1999
Abbott Laboratories	AxSYM Testosterone Low, Medium and High Panel, No. 8100/3C85I,O and U	Bottle: 5 mL	1/20/1999
Abbott Laboratories	AxSYM Testosterone Serum Panel Kit, No. 8100/3C85-75	Kit: 6 bottles	1/20/1999
Abbott Laboratories	AxSYM Testosterone Standard Calibrator B, No. 3C85B	Bottle: 5 mL	9/14/2004
Abbott Laboratories	AxSYM Testosterone Standard Calibrator B,C,D,E and F, No. 8100/3C85B,C,D,E, and F	Bottle: 5 mL	1/20/1999
Abbott Laboratories	AxSYM Testosterone Standard Calibrator C, No. 3C85C	Bottle: 5 mL	9/14/2004
Abbott Laboratories	AxSYM Testosterone Standard Calibrator D, No. 3C85D	Bottle: 5 mL	9/14/2004
Abbott Laboratories	AxSYM Testosterone Standard Calibrator E, No. 3C85E	Bottle: 5 mL	9/14/2004
Abbott Laboratories	AxSYM Testosterone Standard Calibrator F, No. 3C85F	Bottle: 5 mL	9/14/2004
Abbott Laboratories	AxSYM Testosterone Standard Calibrator Kit, No. 3C85-01	Kit: 6 bottles; Bottle: 5 mL	9/14/2004
Abbott Laboratories	AxSYM Testosterone Standard Calibrators Kit, No. 8100/3C85-01	Kit: 6 bottles	1/20/1999
Abbott Laboratories	Barbital Buffer, 0.06 M Reagent Solution No. 7824	Plastic bottle: 2.5 mL	4/7/1978
Abbott Laboratories	Barbiturates II U Bulks No. 9669B-F,L,M,H 3B29W	Flask/Carboy: 100 mL-50 L, Bottle: 2.5 mL-1 L, Box: 100 bottles	9/13/1996
Abbott Laboratories	Barbiturates II U Controls L,M,H; No. 9661-11	Kit: 3 vials	10/17/1989
Abbott Laboratories	Barbiturates Serum Bulks No. 9679B-F,L,M,H	Flask/Carboy: 100 mL-50 L, Bottle: 2.5 mL-1 L, Box: 100 bottles	9/13/1996
Abbott Laboratories	Barbiturates Serum Calibrators B/F, No. 9679 B/F	Bottle: 5 mL	1/3/1989
Abbott Laboratories	Barbiturates Serum Calibrators B-F, No. 9679-01	Kit: 6 vials	1/3/1989

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Abbott Laboratories	Barbiturates Serum Controls L,M,H; No. 9679 L,M,H	Bottle: 5 mL	1/3/1989
Abbott Laboratories	Barbiturates Serum Controls L,M,H; No. 9679-10	Kit: 3 vials	1/3/1989
Abbott Laboratories	Benzodiazepines Bulks No.9674B-F,L,M,H, 3B3OW	Flask/Carboy: 100 mL-50 L, Bottle: 2.5 mL-1 L, Box: 100 bottles	8/7/1996
Abbott Laboratories	Benzodiazepines Serum Bulks No.9682B-F,L,M,H	Flask/Carboy: 100 mL-50 L, Bottle: 2.5 mL-1 L, Box: 100 bottles	12/5/1996
Abbott Laboratories	Benzoylcegonine Stock Standard No. 97182	Flask/Carboy: 100 mL-50 L, Bottle: 2.5 mL-1 L	8/23/1996
Abbott Laboratories	Cannabinoids 100ng/mL	Bottle: 15 mL	5/25/2000
Abbott Laboratories	Cannabinoids Bulks No. 9671B-G,L,M,H,Y,Z,3B28W	Flask/Carboy: 100 mL-50 L, Bottle: 2.5 mL-1 L, Box: 100 bottles	8/23/1996
Abbott Laboratories	Cannabinoids Stock Standard No. 94568	Flask/Carboy: 100 mL-50 L, Bottle: 2.5 mL-1 L	8/23/1996
Abbott Laboratories	Cannabinoids Tracer Bulk No. 94192, 3B28T, 9671T0013, 9671T0001, 3B28T0001	Flask/Carboy: 100 mL-50 L, Bottle: 2.5 mL-1 L, Box: 100 bottles	8/23/1996
Abbott Laboratories	Cannabinoids Tracer Stock No. 94194	Flask/Carboy: 100 mL-50 L, Bottle: 2.5 mL-1 L	8/23/1996
Abbott Laboratories	CG RIA Diagnostic Kit No. 7815	Kit: 100 tests	4/7/1978
Abbott Laboratories	Cholylglycine Antiserum (Rabbit) Reagent Solution No. 7817	Plastic bottle: 20 mL	4/7/1978
Abbott Laboratories	Cocaine Metabolite Bulks No. 9670B-F,L,M,H,3B24W	Flask/Carboy: 100 mL-50 L; Bottle: 2.5 mL-1 L; Box: 100 bottles	8/23/1996
Abbott Laboratories	Cocaine Metabolite Tracer Bulk, No.'s 97075, 3B24T, 9670T	Flask/Carboy: 100 mL-50 L, Bottles: 2.5 mL-1 L, Box: 100 bottles □ Bottle: 2.5 mL-1 L, Box: 100 bottles	1/3/2003
Abbott Laboratories	Cocaine Metabolite Tracer Stock, No. 97156	Flask/Carboy: 100 mL-50 L, Bottles: 2.5 mL-1 L □ Bottle: 2.5 mL-1 L	1/3/2003
Abbott Laboratories	DHT Calibrator/Control	Flask/Carboy: 0.025 L - 50 L; Bottle: 1 mL - 5 L; Test Tube: 0.1 mL - 50 mL; Box/Rack: 100 Bottles/Tubes	10/19/2000
Abbott Laboratories	DHT Spiking Solution	Flask/Carboy: 0.025 L - 5 L; Bottle/Vial: 1 mL - 5 L	10/19/2000
Abbott Laboratories	DHT Stock Solution	Flask: 50 mL - 1 L; Bottle: 1 mL - 1 L	9/5/2000
Abbott Laboratories	DHT Stock Solution (1.5 mg/mL), Code 40419	Flask/Carboy: 100 mL - 5 L; Bottle/Beaker/Tube: 0.1 mL - 5 L	12/23/2002
Abbott Laboratories	Dihydrotestosterone Stock Solution Cat. No. 33277	Flask/Carboy: 100 mL-50 L, Bottle: 2 mL-1 L	2/17/1997
Abbott Laboratories	Diluted Architect Estradiol Assay Specific Diluent	Flask/Carboy: 0.025 L - 50 L; Bottle/Vial: 0.1 mL - 1 L; Test Tube: 0.1 - 50 mL; Box/Rack: 100 bottles/tubes	3/17/2000
Abbott Laboratories	Diluted AxSYM Estradiol Buffer	Flask/Carboy: 1 - 50 L; Bottle/Vial: 1 mL - 1 L; Test Tube: 0.1 mL - 50 mL; Box/Rack: 100 Bottle/Tubes	3/17/2000
Abbott Laboratories	Diluted Imx Estradiol Buffer	Flask/Carboy: 1 - 50 L; Bottle: 1 mL - 1 L; Test Tube: 0.1 mL - 50 mL; Box/Rack: 100 Bottle/Tubes	3/17/2000

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Abbott Laboratories	Estradiol Assay Diluent, No. 2K25J	Tank: 250 mL-500 L; Bag-in-box: 18-200 L; Flask/Carboy: 250 mL-500 L; Bottle/Tube: 0.5 mL-1 L; Box: up to 100 bottles	12/15/2003
Abbott Laboratories	Estradiol Assay Diluent, No. 8100/2K25J	Tank: 250 mL-500 L; Bag-in-box: 18-200 L; Flask/Carboy: 250 mL-500 L; Bottle/Tube: 0.5 mL-1 L; Box: up to 100 bottles	12/15/2003
Abbott Laboratories	Estradiol Assay Specific Diluent, No. 6C22J	Tank: 250 mL-500 L; Bag-in-box: 18-200 L; Flask/Carboy: 250 mL-500 L; Bottle: 5 mL-1 L; Box: <=/100 bottles	12/21/2000
Abbott Laboratories	Estradiol Reagent Kit, No. 2K25-20	Bottle: 25 mL; Kit: 16 bottles	12/15/2003
Abbott Laboratories	Estradiol Reagent Kit, No. 2K25-25	Bottle: 25 mL; Kit: 4 bottles	12/15/2003
Abbott Laboratories	Estradiol Reagent Kit, No. 8100/2K25-25	Bottle: 25 mL; Kit: 4 bottles	12/15/2003
Abbott Laboratories	IMx Estradiol Buffer, No. 2215J	Tank: 50-500 L; Bag-in-box: 18-200 L; Flask/Carboy: 1-50 L; Bottle/Vial: 0.5 mL-1 L; Box: 1-25 bottles	5/4/2004
Abbott Laboratories	IMx Estradiol Reagent Pack, No. 2215-22	Bottle: 30 mL; Pack: 4 bottles	5/4/2004
Abbott Laboratories	Methadone Bulks No. 9676B-F,L,M,H 3B31W	Flask/Carboy: 100 mL-50 L, Bottle: 2.5 mL-1 L, Box: 100 bottles	9/13/1996
Abbott Laboratories	Methadone Stock Standard No.95720	Flask/Carboy: 100 mL-50 L, Bottle: 2.5 mL-1 L	9/13/1996
Abbott Laboratories	Morphine Stock Standard No. 97291	Flask/Carboy: 100 mL-50 L, Bottle: 2.5 mL-1 L	10/18/1996
Abbott Laboratories	Multiconstituent Bulks No. 9687L,M,H	Flask/Carboy: 100 mL-50 L, Bottle: 2.5 mL-1 L, Box: 100 bottles	11/1/1996
Abbott Laboratories	Multiconstituent Control for Abused Drug Assays L,M,H; No. 9687-L,M,H	Vial: 5 mL	10/6/1989
Abbott Laboratories	Multiconstituent DOA Cutoff Calibrator	Bottle: 15 mL	5/25/2000
Abbott Laboratories	Multiconstituent DOA Verifier II	Bottle: 15 mL	5/25/2000
Abbott Laboratories	Multiconstituent Stock Standard No. 90967, 90968, 90969	Flask/Carboy: 100 mL-50 L, Bottle: 2.5 mL-1 L	11/1/1996
Abbott Laboratories	Nordiazepam Serum Stock Standard No.94941	Flask/Carboy: 100 mL-50 L, Bottle: 2.5 mL-1 L	12/5/1996
Abbott Laboratories	Nordiazepam Stock Standard No.97757	Flask/Carboy: 100 mL-50 L, Bottle: 2.5 mL-1 L	8/7/1996
Abbott Laboratories	Opiate 300ng/mL Calibrator	Bottle: 15 mL	5/25/2000
Abbott Laboratories	Opiate Bulk Calibrators, B-F, No.9673 B-F	Carboy: 9 - 50 L Flask: 200 mL - 6 L	5/7/1986
Abbott Laboratories	Opiates Bulks No. 9673B-F,L,M,H, 3B25W	Flask/Carboy: 100 mL-50 L, Bottle: 2.5 mL-1 L, Box: 100 bottles	10/18/1996
Abbott Laboratories	Opiates Tracer Bulk No.97458, 3B25T, 9673T0013, 9673T0001,3B25T0001	Flask/Carboy: 100 mL-50 L, Bottle: 2.5 mL-1 L, Box: 100 bottles	8/7/1996
Abbott Laboratories	Opiates Tracer Stock No.98718	Flask/Carboy: 100 mL-50 L, Bottle: 2.5 mL-1 L	8/7/1996
Abbott Laboratories	Oxymethalone 100ng/mL	Bottle: 5 mL-1 L; Box: 100 bottles	11/23/1998
Abbott Laboratories	Oxymethalone 10ng/mL	Bottle: 5 mL-1 L; Box: 100 bottles	11/23/1998
Abbott Laboratories	Phencyclidine Bulks No. 9672B-G,L,M,H, 3B26W	Flask/Carboy: 100 mL-50 L, Bottle: 2.5 mL-1 L, Box: 100 bottles	10/18/1996
Abbott Laboratories	Phencyclidine Stock Standard No. 97158, 95356	Flask/Carboy: 100 mL-50 L, Bottle: 2.5 mL-1 L	10/18/1996
Abbott Laboratories	Phenobarbital Bulks in AxSYM Line Diluent (B,C,D,E,F,L,M,H)	Flask/Carboy: 100 mL-50 L, Bottle: 2.5 mL-1 L, Box: 100 bottles	1/22/1998

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Abbott Laboratories	Phenobarbital Bulks No. 9500B-F,L,M,H, 7A70B-F,L,M,H	Flask/Carboy: 100 mL-50 L, Bottle: 2.5 mL-1 L, Box: 100 bottles	11/1/1996
Abbott Laboratories	Phenobarbital Control L, Code# 7A70-L	Vial: 10 mL	1/25/1994
Abbott Laboratories	Phenobarbital Stock Standard in AxSYM Line Diluent	Flask/Carboy: 100 mL-50 L, Bottle: 2.5 mL-1 L	1/22/1998
Abbott Laboratories	Phenobarbital Stock Standard No. 99259	Flask/Carboy: 100 mL-50 L, Bottle: 2.5 mL-1 L	11/1/1996
Abbott Laboratories	PhenoCal 2	Bottle: 6 mL	6/2/2000
Abbott Laboratories	PhenoCal 3	Bottle: 6 mL	6/2/2000
Abbott Laboratories	PhenoCal 4	Bottle: 6 mL	6/2/2000
Abbott Laboratories	PhenoCal 5	Bottle: 6 mL	6/2/2000
Abbott Laboratories	PhenoCal 6	Bottle: 6 mL	6/2/2000
Abbott Laboratories	Polyethylene Glycol 8000, 16% Solution in 0.09 M Barbital Buffer, No 7541	Plastic bottle: 300 mL, 150 mL.	9/21/1977
Abbott Laboratories	Polyethylene Glycol 8000, 18% Solution in 0.09M Barbital Buffer: No. 07602	Stainless steel tank: 1000 L	3/9/1988
Abbott Laboratories	Propoxyphene Stock Solution, 63091	Flask/Carboy: 100 mL-50 L; Bottle/Tube: 2.5 mL-1 L	8/6/2004
Abbott Laboratories	Propoxyphene Bulk Primary Calibrator, 63091 B - F	Flask/Carboy: 100 mL-50 L; Bottle/Tube: 2.5 mL-1 L	8/6/2004
Abbott Laboratories	Propoxyphene Bulk Primary Control, 63091 L, M, H	Flask/Carboy: 100 mL-50 L; Bottle/Tube: 2.5 mL-1 L	8/6/2004
Abbott Laboratories	Propoxyphene Bulks No. 9675B-F,L,M,H	Flask/Carboy: 100 mL-50 L, Bottle: 2.5 mL-1 L, Box: 100 bottles	12/5/1996
Abbott Laboratories	Propoxyphene Filled Primary Calibrator, 630910002 - 0006	Vial/Bottle: 2 mL-50 mL	8/6/2004
Abbott Laboratories	Propoxyphene Filled Primary Control, 630910007 - 0009	Vial/Bottle: 2 mL-50 mL	8/6/2004
Abbott Laboratories	Propoxyphene Stock Standard No.92005	Flask/Carboy: 100 mL-50 L, Bottle: 2.5 mL-1 L	12/5/1996
Abbott Laboratories	Propoxyphene Super Stock Solution, 63091	Flask/Carboy: 100 mL-50 L; Bottle/Tube: 2.5 mL-1 L	8/6/2004
Abbott Laboratories	Propoxyphene Tracer Bulk No.92003, 9675T	Flask/Carboy: 100 mL-50 L, Bottle: 2.5 mL-1 L, Box: 100 bottles	12/5/1996
Abbott Laboratories	Propoxyphene Tracer Stock No. 92001	Flask/Carboy: 100 mL-50 L, Bottle: 2.5 mL-1 L	12/5/1996
Abbott Laboratories	Secobarbital Serum Stock Standard No. 90107	Flask/Carboy: 100 mL-50 L, Bottle: 2.5 mL-1 L	9/13/1996
Abbott Laboratories	Secobarbital Stock Standard No. 97171	Flask/Carboy: 100 mL-50 L, Bottle: 2.5 mL-1 L	9/13/1996
Abbott Laboratories	TDx Cannabinoids Reagent Pack No. 9671-60	Kit: 100 test	8/23/1996
Abbott Laboratories	TDx Cocaine Metabolite Fluorescein Tracer Solution No. 9670 T0001	Kit: 100 Vials, 5 mL each	7/7/1988
Abbott Laboratories	TDx Propoxyphene Reagent Pack No.9675-60	Kit: 100 tests	12/5/1996
Abbott Laboratories	TDx/TDxFLx Cocaine Metabolite Reagent Pack, No. 09670-60	Kit: 100 tests	2/28/2003
Abbott Laboratories	TDx/TDxFLx Propoxyphene Reagent Pack Item No. 9675-60	Kit: 100 tests	11/30/1990
Abbott Laboratories	Testosterone Bulks	Flask/Carboy: 100 mL-50 L, Bottle: 2.5 mL-1 L, Box: 100 bottles	12/24/1996
Abbott Laboratories	Testosterone enanthate 100ng/mL	Bottle: 5 mL-1 L; Box: 100 bottles	11/23/1998
Abbott Laboratories	Testosterone enanthate 10ng/mL	Bottle: 5 mL-1 L; Box: 100 bottles	11/23/1998
Abbott Laboratories	Testosterone Serum Panel Bulks	Flask/Carboy: 100 mL-50 L; Bottle: 1 mL-1 L; Box; 100 bottles	7/23/1998

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Abbott Laboratories	Testosterone Serum Stock Solution	Flask/Carboy: 100 mL-50 L; Bottle: 2.5 mL-1 L	5/11/1998
Abbott Laboratories	Testosterone Stock Solution	Flask/Carboy: 100 mL-50 L, Bottle: 2.5 mL-1 L	12/24/1996
Abbott Laboratories	Thyroxine Binding Globulin, Thyroxine I 125	Glass bottle: 13 mL; Plastic bottle: 250 mL	4/22/1976
Abbott Laboratories	X Systems Amphetamine/Methamphetamine Controls No. 1A99-10	Kit: 3 vials	12/5/1996
Abbott Laboratories	X Systems Amphetamine/Methamphetamine II Calibrator B,C,D,E,F; No. 01A99-B,C,D,E,F	Vial: 5 mL	7/14/1989
Abbott Laboratories	X Systems Amphetamine/Methamphetamine II Calibrators No. 1A99-06	Kit: 6 vials	8/26/1988
Abbott Laboratories	X Systems Amphetamine/Methamphetamine II Control L,M,H; No. 01A99-L,M,H	Vial: 5 mL	7/14/1989
Abbott Laboratories	X Systems Amphetamine/Methamphetamine II Controls, No. 01A99-10	Kit: 3 vials	7/14/1989
Abbott Laboratories	X Systems Barbiturates II U Calibrators, No. 9669-07	Kit: 6 vials	10/17/1989
Abbott Laboratories	X Systems Barbiturates II U Controls, No. 9669-11	Kit: 3 vials	10/18/1996
Abbott Laboratories	X Systems Benzodiazepines Calibrators, No. 9674-02	Kit: 5 vials, 5 mL each	7/18/1988
Abbott Laboratories	X Systems Benzodiazepines Serum Calibrators No.9682-01	Kit: 6 vials	12/5/1996
Abbott Laboratories	X Systems Benzodiazepines Serum Controls No.9682-10	Kit: 3 vials	12/5/1996
Abbott Laboratories	X Systems Cannabinoids Calibrators, No. 9671-04	Bottle: 5 mL	6/19/1987
Abbott Laboratories	X Systems Cannabinoids Controls No. 9671-11	Bottle: 5 mL	8/23/1996
Abbott Laboratories	X Systems Cocaine Metabolite Calibrators No. 9670-06	Kit: 5 vials, 5 mL each	7/7/1988
Abbott Laboratories	X Systems Cocaine Metabolite Controls No. 9670-10	Kit: 5 vials, 5 mL each	8/23/1996
Abbott Laboratories	X Systems Methadone Calibrators No. 9676-02	Kit: 6 vials	9/2/1988
Abbott Laboratories	X Systems Methadone Calibrators B-F	Kit: 6 bottles	5/12/1992
Abbott Laboratories	X Systems Methadone Calibrators B-F	Bottle: 5 mL	5/15/1992
Abbott Laboratories	X Systems Methadone Controls L, M, H, No. 9676-10	Kit: 3 bottles	5/15/1992
Abbott Laboratories	X Systems Methadone Controls L, M, H; No. 9676 L, M, H	Bottle: 5 mL	5/15/1992
Abbott Laboratories	X Systems Multiconstituent Controls, No. 9687-12	Kit: 6 vials	10/6/1989
Abbott Laboratories	X Systems Opiate Controls No. 9673-10	Kit: 2 vials	10/18/1996
Abbott Laboratories	X Systems Opiates Calibrators, No. 9673-06	Vial: 5 mL	2/29/1988
Abbott Laboratories	X Systems Phencyclidine Calibrators, No. 9672-06	Kit: 5 vials, 5 mL each	7/18/1988
Abbott Laboratories	X Systems Phencyclidine Controls No. 9672-10	Kit: 3 vials	10/18/1996
Abbott Laboratories	X Systems Phenobarbital Calibrators No. 9500-01	Kit: 6 vials	11/1/1996
Abbott Laboratories	X Systems Phenobarbital Controls No. 9500-10	Kit: 3 vials	11/1/1996
Abbott Laboratories	X Systems Propoxyphene Calibrators No.9675-01	Kit: 6 vials	12/5/1996
Abbott Laboratories	X Systems Propoxyphene Controls No.9675-10	Kit: 3 vials	12/5/1996
Accutest/Healthmetrix	Basic Chem/Endo, BCHE/ENDO	Glass vial: 7 mL	11/11/2002
Accutest/Healthmetrix	Endocrinology, ENDO	Glass vial: 7 mL	11/11/2002
Accutest/Healthmetrix	Special Chemistry, SPCH	Glass vial: 7 mL	12/5/2002
ACON Laboratories, Inc.	10-Panel (COC/AMP/mAMP/THC/MTD/MOP/PCP/BAR/BZO/TCA), Cat. No. DOA-2104	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	10-Panel (COC/AMP/mAMP/THC/MTD/OPI/PCP/BAR/BZO/TCA), Cat. No. DOA-1104	Foil pouch: one test panel; Box: 25 pouches	10/4/2002



### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
ACON Laboratories, Inc.	10-Panel Parent Compound Test (COC/AMP/mAMP/THC/MTD/OPI/PCP/BAR/BZO/TCA), Cat. No. DOA-W1104	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	2-Panel (AMP/THC), Cat. No. DOA-624	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	2-Panel (BAR/BZO), Cat. No. DOA-724	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	2-Panel (COC/mAMP), Cat. No. DOA-324	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	2-Panel (mAMP/THC), Cat. No. DOA-424	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	2-Panel (MTD/OPI), Cat. No. DOA-524	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	2-Panel Test Card (COC/MOP), Cat. No. DOA-224	Foil pouch: one test card; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	2-Panel Test Card (COC/THC), Cat. No. DOA-124	Foil pouch: one test card; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	3-Panel (COC/AMP/THC), Cat. No. DOA-734	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	3-Panel (COC/mAMP/THC), Cat. No. DOA-234	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	3-Panel (COC/THC/MOP), Cat. No. DOA-434	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	3-Panel (COC/THC/OPI), Cat. No. DOA-134	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	3-Panel (mAMP/BAR/BZO), Cat. No. DOA-634	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	3-Panel (mAMP/COC/MOP), Cat. No. DOA-534	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	3-Panel (mAMP/THC/MOP), Cat. No. DOA-334	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	4-Panel (AMP/mAMP/MDMA/MDA), Cat. No. DOA-644	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	4-Panel (COC/AMP/mAMP/THC), Cat. No. DOA-444	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	4-Panel (COC/AMP/THC/MOP), Cat. No. DOA-844	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	4-Panel (COC/AMP/THC/OPI), Cat. No. DOA-244	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	4-Panel (COC/mAMP/THC/MOP), Cat. No. DOA-344	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	4-Panel (COC/mAMP/THC/OPI), Cat. No. DOA-144	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	4-Panel (COC/MTD/OPI/BZO), Cat. No. DOA-544	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	4-Panel (mAMP/MTD/BAR/BZO), Cat. No. DOA-744	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	5-Panel (COC/AMP/mAMP/THC/MOP), Cat. No. DOA-454	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	5-Panel (COC/AMP/mAMP/THC/OPI), Cat. No. DOA-254	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	5-Panel (COC/AMP/MOP/MTD/BZO), Cat. No. DOA-1254	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	5-Panel (COC/AMP/MTD/OPI/BZO), Cat. No. DOA-854	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	5-Panel (COC/AMP/THC/MOP/PCP), Cat. No. DOA-1154	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	5-Panel (COC/AMP/THC/OPI/BZO), Cat. No. DOA-754	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	5-Panel (COC/AMP/THC/OPI/PCP), Cat. No. DOA-154	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	5-Panel (COC/mAMP/THC/MOP/BAR), Cat. No. DOA-1054	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	5-Panel (COC/mAMP/THC/MOP/BZO), Cat. No. DOA-654	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	5-Panel (COC/mAMP/THC/MOP/PCP), Cat. No. DOA-554	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	5-Panel (COC/mAMP/THC/OPI/BZO), Cat. No. DOA-1954	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	5-Panel (COC/mAMP/THC/OPI/PCP), Cat. No. DOA-354	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	5-Panel Parent Compound Test (COC/AMP/mAMP/THC/MOP), Cat. No. DOA-W454	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	5-Panel Parent Compound Test (COC/AMP/mAMP/THC/OPI), Cat. No. DOA-W254	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	6-Panel (COC/AMP/mAMP/MTD/OPI/BZO), Cat. No. DOA-1064	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	6-Panel (COC/AMP/mAMP/THC/MOP/BZO), Cat. No. DOA-564	Foil pouch: one test panel; Box: 25 pouches	10/4/2002

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
ACON Laboratories, Inc.	6-Panel (COC/AMP/mAMP/THC/OPI/BAR), Cat. No. DOA-1164	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	6-Panel (COC/AMP/mAMP/THC/OPI/BZO), Cat. No. DOA-264	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	6-Panel (COC/AMP/mAMP/THC/OPI/PCP), Cat. No. DOA-164	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	6-Panel (COC/AMP/THC/MTD/MOP/BZO), Cat. No. DOA-664	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	6-Panel (COC/AMP/THC/MTD/OPI/BZO), Cat. No. DOA-364	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	6-Panel (COC/mAMP/THC/MOP/PCP/BZO), Cat. No. DOA-764	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	6-Panel (COC/mAMP/THC/MTD/MOP/BZO), Cat. No. DOA-864	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	6-Panel (COC/mAMP/THC/MTD/OPI/BZO), Cat. No. DOA-464	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	6-Panel (COC/mAMP/THC/OPI300/BAR/BZO), Cat. No. DOA-964	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	6-Panel Parent Compound Test (COC/AMP/mAMP/THC/MOP/BZO), Cat. No. DOA-W564	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	6-Panel Parent Compound Test (COC/AMP/mAMP/THC/OPI/BZO), Cat. No. DOA-W264	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	6-Panel Parent Compound Test (COC/AMP/THC/MTD//OPI/BZO), Cat. No. DOA-W364	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	7-Panel (COC/AMP/mAMP/OPI/PCP/BAR/BZO), Cat. No. DOA-474	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	7-Panel (COC/AMP/mAMP/THC/OPI/BAR/BZO), Cat. No. DOA-374	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	7-Panel (COC/AMP/THC/OPI/PCP/BAR/BZO), Cat. No. DOA-174	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	7-Panel (COC/mAMP/THC/OPI/PCP/BAR/BZO), Cat. No. DOA-274	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	8-Panel (AMP/mAMP/THC/OPI300/PCP/BAR/BZO/TCA), Cat. No. DOA-284	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	8-Panel (COC/AMP/mAMP/THC/OPI/PCP/BAR/BZO), Cat. No. DOA-184	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	8-Panel (COC/AMP/mAMP/THC/OPI300/PCP/BAR/BZO), Cat. No. DOA-384	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	9-Panel (COC/AMP/mAMP/THC/MTD/OPI/PCP/BAR/BZO), Cat. No. DOA-194	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	9-Panel (COC/AMP/mAMP/THC/OPI/PCP/BAR/BZO/TCA), Cat. No. DOA-294	Foil pouch: one test panel; Box: 25 pouches	10/4/2002
ACON Laboratories, Inc.	AMP Amphetamine Test, Cat. Nos. DAM-101 (Strip), DAM-102 (Device), DAM-114 (Card)	Foil pouch: one test; Box: 100 pouches (Strip); 40 pouches (Device); 25 pouches (Card)	10/4/2002
ACON Laboratories, Inc.	BAR Barbiturate Single Test, Cat. Nos. DBA-101 (Strip), DBA-102 (Device), DBA-114 (Card)	Foil pouch: one test; Box: 100 pouches (Strip); 40 pouches (Device); 25 pouches (Card)	10/4/2002
ACON Laboratories, Inc.	BZO Benzodiazepine Single Test, Cat. Nos. DBZ-101 (Strip), DBZ-102 (Device), DBZ-114 (Card)	Foil pouch: one test; Box: 100 pouches (Strip); 40 pouches (Device); 25 pouches (Card)	10/4/2002
ACON Laboratories, Inc.	COC Cocaine Single Test, Cat. Nos. DCO-101 (Strip), DCO-102 (Device), DCO-114 (Card)	Foil pouch: one test; Box: 100 pouches (Strip); 40 pouches (Device); 25 pouches (Card)	10/4/2002
ACON Laboratories, Inc.	mAMP Methamphetamine Test, Cat. Nos. DMA-101 (Strip), DMA-102 (Device), DMA-114 (Card)	Foil pouch: one test; Box: 100 pouches (Strip); 40 pouches (Device); 25 pouches (Card)	10/4/2002
ACON Laboratories, Inc.	MOP Opiate 300 Single Test, Cat. Nos. DMO-101 (Strip), DMO-102 (Device), DMO-114 (Card)	Foil pouch: one test; Box: 100 pouches (Strip); 40 pouches (Device); 25 pouches (Card)	10/4/2002
ACON Laboratories, Inc.	MTD Methadone Single Test, Cat. Nos. DMT-101 (Strip), DMT-102 (Device), DMT-114 (Card)	Foil pouch: one test; Box: 100 pouches (Strip); 40 pouches (Device); 25 pouches (Card)	10/4/2002

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
ACON Laboratories, Inc.	OPI Opiate Single Test, Cat. Nos. DOP-101 (Strip), DOP-102 (Device), DOP-114 (Card)	Foil pouch: one test; Box: 100 pouches (Strip); 40 pouches (Device); 25 pouches (Card)	10/4/2002
ACON Laboratories, Inc.	PCP Phencyclidine Single Test, Cat. Nos. DPC-101 (Strip), DPC-102 (Device), DPC-114 (Card)	Foil pouch: one test; Box: 100 pouches (Strip); 40 pouches (Device); 25 pouches (Card)	10/4/2002
ACON Laboratories, Inc.	TCA Tricyclic Single Test, Cat. Nos. DTC-101 (Strip), DTC-102 (Device), DTC-114 (Card)	Foil pouch: one test; Box: 100 pouches (Strip); 40 pouches (Device); 25 pouches (Card)	10/4/2002
ACON Laboratories, Inc.	THC Marijuana Single Test, Cat. Nos. DTH-101 (Strip), DTH-102 (Device), DTH-114 (Card)	Foil pouch: one test; Box: 100 pouches (Strip); 40 pouches (Device); 25 pouches (Card)	10/4/2002
Albany Molecular Research, Inc.	Delta-9-THC in Ethyl Alcohol, denatured	Glass vial: 2 mL	8/2/2006
Albany Molecular Research, Inc.	Trans(-)-Cannabidiol in Ethyl Alcohol, denatured	Glass vial: 2 mL	8/2/2006
Alltech-Applied Science Laboratories	(d)-Amphetamine-d6, 100 µg/mL in Methanol	Glass ampule: 2 mL	5/4/2004
Alltech-Applied Science Laboratories	(D)-Norpseudoephedrine HCl	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	(dl)-d3-9-Carboxy-11-nor-delta-9-THC, 100 µg/mL in Methanol	Glass ampule: 2 mL	5/4/2004
Alltech-Applied Science Laboratories	(dl)-Methamphetamine-d9, 100 µg/mL in Methanol	Glass ampule: 2 mL	5/4/2004
Alltech-Applied Science Laboratories	(l)-11-hydroxy-delta-9-THC, 100 µg/mL in Methanol	Glass ampule: 2 mL	5/4/2004
Alltech-Applied Science Laboratories	(l)-9-Carboxy-11-nor-delta-9-THC glucuronide, 10 µg/mL in Methanol	Glass ampule: 2 mL	5/4/2004
Alltech-Applied Science Laboratories	(l)-9-Carboxy-11-nor-delta-9-THC glucuronide, 50 µg/mL in Methanol	Glass ampule: 2 mL	5/4/2004
Alltech-Applied Science Laboratories	(l)-9-Carboxy-11-nor-delta-9-THC, 1 mg/mL in Methanol	Glass ampule: 2 mL	5/4/2004
Alltech-Applied Science Laboratories	(l)-9-Carboxy-11-nor-delta-9-THC, 100 µg/mL in Methanol	Glass ampule: 2 mL	5/4/2004
Alltech-Applied Science Laboratories	2,3-MDA HCl Quik-Chek, 1mg/mL in Methanol	Glass ampule: 2 mL	10/24/2002
Alltech-Applied Science Laboratories	2,3-MDMA HCl Quik-Chek, 1mg/mL in Methanol	Glass ampule: 2 mL	10/24/2002
Alltech-Applied Science Laboratories	2,5-Dimethoxy-4-bromoamphetamine HBr, 1 mg/mL in Methanol	Glass ampule: 2 mL	9/25/2003
Alltech-Applied Science Laboratories	2,5-Dimethoxy-4-isopropylthiophenethylamine (2-C-T-4), 1 mg/mL in Methanol	Glass ampule: 2 mL	3/15/2007
Alltech-Applied Science Laboratories	2C-T-7 HCl, 1 mg/mL in Methanol	Glass ampule: 2 mL	6/4/2004
Alltech-Applied Science Laboratories	4-Bromo-2,5-dimethoxyphenethylamine HCl Quik-Chek, 1mg/mL in Methanol	Glass ampule: 2 mL	10/24/2002
Alltech-Applied Science Laboratories	4-Chlorotestosterone	Ampule: 2 mL	9/26/1995

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Alltech-Applied Science Laboratories	4-Ethyl-2,5-dimethoxyphenethylamine (2C-E), 1 mg/mL in Methanol	Glass ampule: 2 mL	3/15/2007
Alltech-Applied Science Laboratories	4-Methoxyamphetamine HCl Quik-Chek, 1mg/mL in Methanol	Glass ampule: 2 mL	10/24/2002
Alltech-Applied Science Laboratories	4-Methylaminorex	Vial: 1 mL	6/16/1989
Alltech-Applied Science Laboratories	6-Acetylcodeine	Vial: 1 mL	6/16/1989
Alltech-Applied Science Laboratories	6-Monoacetylmorphine HCl	Vial: 1 mL	3/30/1988
Alltech-Applied Science Laboratories	Abused Drug Mixture #1, 250 µg/mL in Methanol	Glass ampule: 2 mL	9/20/2004
Alltech-Applied Science Laboratories	Alfentanil, 1 mg/mL in Methanol	Glass ampule: 2 mL	3/15/2007
Alltech-Applied Science Laboratories	Allylisobutylbarbituric Acid	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Alpha-methyltryptamine, 1 mg/mL in Methanol	Glass ampule: 2 mL	6/4/2004
Alltech-Applied Science Laboratories	Alphaprodine HCl	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Alphenal	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Alprazolam	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Amobarbital	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Amphetamine HCl	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Amphetamines Mixture, 250 µg/mL in Methanol	Glass ampule: 2 mL	9/20/2004
Alltech-Applied Science Laboratories	Antidepressants Mix	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Aprobarbital	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Barbital	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Barbiturates, Mixture 4	Vial: 10 mL	10/4/1972
Alltech-Applied Science Laboratories	Benzodiazepines Mixture, 250 µg/mL in Methanol	Glass ampule: 2 mL	9/20/2004
Alltech-Applied Science Laboratories	Benzoylcegonine Tetrahydrate	Vial: 1 mL	4/16/1985

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Alltech-Applied Science Laboratories	Benzoylcegonine Tetrahydrate 7.5ug, 50ug, 250ug	Ampule: 1 mL	2/16/1990
Alltech-Applied Science Laboratories	Benzoylcegonine-d3 Quik-Chek, 100 µg/mL in Methanol	Glass ampule: 2 mL	5/4/2004
Alltech-Applied Science Laboratories	Benzphetamine HCl	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Benzylpiperazine, 1 mg/mL in Methanol	Glass ampule: 2 mL	9/25/2003
Alltech-Applied Science Laboratories	Boldenone	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Bromazepam	Vial: 1 mL	6/16/1989
Alltech-Applied Science Laboratories	Buprenorphine, 1 mg/mL in Methanol	Glass ampule: 2 mL	3/15/2007
Alltech-Applied Science Laboratories	Butabarbital	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Butethal	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Cannabidiol	Vial: 1 mL	3/30/1988
Alltech-Applied Science Laboratories	Cannabinol	Vial: 1 mL	3/30/1988
Alltech-Applied Science Laboratories	Chloral Hydrate	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Chlordiazepoxide HCl	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Clobazam Quik-Chek, 1mg/mL in Methanol	Glass ampule: 2 mL	10/24/2002
Alltech-Applied Science Laboratories	Clonazepam	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Clorazepate Dipotassium	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Clostebol	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Club Drug Mixture, 250 µg/mL in Methanol	Glass ampule: 2 mL	9/20/2004
Alltech-Applied Science Laboratories	Cocaethylene	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Cocaine	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Codeine	Vial: 1 mL	1/24/1973

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Alltech-Applied Science Laboratories	Codeine-d3, 100 µg/mL in Methanol	Glass ampule: 2 mL	5/4/2004
Alltech-Applied Science Laboratories	Cyclopentobarbital	Vial: 1 mL	6/16/1989
Alltech-Applied Science Laboratories	Delta-8-Tetrahydro-cannabinol	Vial: 1 mL	3/30/1988
Alltech-Applied Science Laboratories	Delta-8-THC Quik-Chek, 1mg/mL in Methanol	Glass ampule: 2 mL	10/24/2002
Alltech-Applied Science Laboratories	Delta-9-Tetrahydrocannabinol	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Delta-9-THC Quik-Chek, 1mg/mL in Methanol	Glass ampule: 2 mL	10/24/2002
Alltech-Applied Science Laboratories	Depressants, Mixture 3	Vial: 10 mL	10/4/1972
Alltech-Applied Science Laboratories	Dextropropoxyphene HCl	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Diacetylmorphine HCl	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Diallylbarbituric acid	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Diazepam	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Diethylpropion HCl	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Dihydrocodeine	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Dimethyltryptamine	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Diphenoxylate HCl Quik-Chek, 1mg/mL in Methanol	Glass ampule: 2 mL	10/24/2002
Alltech-Applied Science Laboratories	Drostanolone	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Drug Mix Four	Ampule: 1 mL	11/3/1986
Alltech-Applied Science Laboratories	Drug Mix One	Ampule: 1 mL	10/21/1986
Alltech-Applied Science Laboratories	Drug Mix Three	Ampule: 1 mL	11/3/1986
Alltech-Applied Science Laboratories	Drug Mix Two	Ampule: 1 mL	10/21/1986
Alltech-Applied Science Laboratories	Ecgonine HCl	Vial: 1 mL	4/16/1985

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Alltech-Applied Science Laboratories	Ecgonine Methyl Ester HCl	Vial: 1 mL	3/30/1988
Alltech-Applied Science Laboratories	Ethchlorvynol	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Ethinamate	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Ethylmorphine HCl	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Fenfluramine HCl	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Fentanyl	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Flunitrazepam	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Fluoxymesterone	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Flurazepam HCl	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	GC/MS Benzoylecgonine Calibration Standards Kit	Kit: 3 vials	2/16/1990
Alltech-Applied Science Laboratories	GHB Quik-Chek	Glass ampule: 2 mL	5/8/2000
Alltech-Applied Science Laboratories	Glutethimide	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Halazepam	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Hexobarbital	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Hydrocodone Bitartrate	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Hydromorphone HCl	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Ketamine Quik-Chek	Glass ampule: 2 mL	5/8/2000
Alltech-Applied Science Laboratories	L-Amphetamine HCl	Vial: 1 mL	6/16/1989
Alltech-Applied Science Laboratories	Levorphanol Tartrate	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	L-Methamphetamine HCl	Vial: 1 mL	6/16/1989
Alltech-Applied Science Laboratories	Lorazepam	Vial: 1 mL	4/16/1985

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Alltech-Applied Science Laboratories	Lysergic Acid	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Lysergic Acid Diethylamide	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Lysergic Acid N-(methylpropyl) amide	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	MDA HCl	Vial: 1 mL	3/30/1988
Alltech-Applied Science Laboratories	MDE HCl	Vial: 1 mL	6/16/1989
Alltech-Applied Science Laboratories	MDMA HCl	Vial: 1 mL	3/30/1988
Alltech-Applied Science Laboratories	Medazepam	Vial: 1 mL	6/16/1989
Alltech-Applied Science Laboratories	Meperidine HCl	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Mephobarbital	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Meprobamate	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Mescaline	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Mesterolone	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Methadone HCl	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Methamphetamine HCl	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Methandriol	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Methandrostenolone	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Methaqualone HCl	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Metharbital	Vial: 1 mL	6/16/1989
Alltech-Applied Science Laboratories	Methcathinone	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Methenolone	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Methohexital	Vial: 1 mL	4/16/1985



### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Alltech-Applied Science Laboratories	Methylphenidate	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Methyltestosterone	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Methyprylon	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Midazolam Quik-Chek, 1mg/mL in Methanol	Glass ampule: 2 mL	10/24/2002
Alltech-Applied Science Laboratories	Mixture 1-Opiates	Vial: 1 mL	10/4/1972
Alltech-Applied Science Laboratories	Mixture 2-Stimulants	Vial: 1 mL	10/4/1972
Alltech-Applied Science Laboratories	Mixture 3-Depressants	Vial: 1 mL	10/4/1972
Alltech-Applied Science Laboratories	Mixture 4-Barbiturates	Vial: 1 mL	10/4/1972
Alltech-Applied Science Laboratories	Mixture 5-Kit of Representatives	Vial: 1 mL	10/4/1972
Alltech-Applied Science Laboratories	Morphine	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Morphine-d3, 100 µg/mL in Methanol	Glass ampule: 2 mL	5/4/2004
Alltech-Applied Science Laboratories	N,N-diisopropyl-5-methoxytryptamine HCl, 1 mg/mL in Methanol	Glass ampule: 2 mL	6/4/2004
Alltech-Applied Science Laboratories	Nalorphine	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Nandrolone	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	N-Ethylamphetamine	Ampule: 1 mL	2/16/1990
Alltech-Applied Science Laboratories	N-Hydroxy-MDA	Ampule: 1 mL	2/16/1990
Alltech-Applied Science Laboratories	Nitrazepam	Vial: 1 mL	3/30/1988
Alltech-Applied Science Laboratories	Norcocaine	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Norcodeine HCl	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Nordiazepam	Vial: 1 mL	3/30/1988
Alltech-Applied Science Laboratories	Norethandrolone	Ampule: 2 mL	9/26/1995

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Alltech-Applied Science Laboratories	Normeperidine HCl	Vial: 1 mL	6/16/1989
Alltech-Applied Science Laboratories	Normorphine	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Opiates Mix #2	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Opiates Mixture #3, 250 µg/mL in Methanol	Glass ampule: 2 mL	9/20/2004
Alltech-Applied Science Laboratories	Opiates, Mixture 1	Vial: 10 mL	10/4/1972
Alltech-Applied Science Laboratories	Oxandrolone	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Oxazepam	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Oxycodone HCl	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Oxymesterone	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Oxymetholone	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Oxymorphone	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Oxymorphone HCl	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Paraldehyde	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Pemoline	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Pentazocine	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Pentazocine HBr	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Pentobarbital	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Phencyclidine HCl	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Phen-d5-cyclidine Quik Chek, 100 µg/mL in Methanol	Glass ampule: 2 mL	5/4/2004
Alltech-Applied Science Laboratories	Phendimetrazine Bitartrate	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Phenmetrazine HCl	Ampule: 1 mL	2/16/1990

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Alltech-Applied Science Laboratories	Phenobarbital	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Phentermine	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Prazepam	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Propylbenzoyl-ecgonine	Vial: 1 mL	3/30/1988
Alltech-Applied Science Laboratories	Psilocybin	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Psilocyn	Vial: 1 mL	11/6/1987
Alltech-Applied Science Laboratories	Secobarbital	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Sibutramine, 1 mg/mL in Methanol	Glass ampule: 2 mL	3/15/2007
Alltech-Applied Science Laboratories	Spot Chek Test Mix 1A-M	Ampule: 2 mL	12/19/1995
Alltech-Applied Science Laboratories	Spot Chek Test Mix 1-A-PPS	Ampule: 2 mL	12/19/1995
Alltech-Applied Science Laboratories	Spot Chek Test Mix 1B-1	Ampule: 2 mL	12/19/1995
Alltech-Applied Science Laboratories	Spot Chek Test Mix 1B-2	Ampule: 2 mL	12/19/1995
Alltech-Applied Science Laboratories	Spot Chek Test Mix 1B-3	Ampule: 2 mL	12/19/1995
Alltech-Applied Science Laboratories	Spot Chek Test Mix 2A-A	Ampule: 2 mL	12/19/1995
Alltech-Applied Science Laboratories	Spot Chek Test Mix 2A-N	Ampule: 2 mL	12/19/1995
Alltech-Applied Science Laboratories	Spot Chek Test Mix 2B-B	Ampule: 2 mL	12/19/1995
Alltech-Applied Science Laboratories	Spot Chek Test Mix 2C-C	Ampule: 2 mL	12/19/1995
Alltech-Applied Science Laboratories	Stanolone	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Stanolone Valerate	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Stanolzolol	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Stimulants, Mixture 2	Vial: 10 mL	10/4/1972

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Alltech-Applied Science Laboratories	Talbutal	Vial: 1 mL	6/16/1989
Alltech-Applied Science Laboratories	Temazepam	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Testosterone	Ampule: 2 mL	9/26/1995
Alltech-Applied Science Laboratories	Thebaine	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Thiamylal	Vial: 1 mL	1/24/1973
Alltech-Applied Science Laboratories	Thiopental	Vial: 1 mL	6/16/1989
Alltech-Applied Science Laboratories	Toxi Clean Test Mix	Vial: 1 mL	3/30/1988
Alltech-Applied Science Laboratories	Triazolam	Vial: 1 mL	4/16/1985
Alltech-Applied Science Laboratories	Trifluoromethylphenylpiperazine HCl, 1 mg/mL in Methanol	Glass ampule: 2 mL	9/25/2003
Alltech-Applied Science Laboratories	Zaleplon, 1 mg/mL in Methanol	Glass ampule: 2 mL	3/15/2007
Alltech-Applied Science Laboratories	Zolpidem, 1 mg/mL in Methanol	Glass ampule: 2 mL	3/15/2007
Alltech-Applied Science Laboratories	Zopiclone, 1 mg/mL in Methanol	Glass ampule: 2 mL	3/15/2007
American Academy of Family Physicians	CH-Cholesterol	Glass vial: 7 mL	10/2/2002
American Academy of Family Physicians	Cholestech-LDX	Glass vial: 7 mL	10/2/2002
American Academy of Family Physicians	Homocysteine	Glass vial: 7 mL	12/5/2002
American Academy of Family Physicians	Multi-Chem	Glass vial: 7 mL	10/2/2002
American Academy of Family Physicians	Special Chemistry	Glass vial: 7 mL	12/5/2002
American Academy of Family Physicians	Specimen UDS-X	Glass vial: 15 mL	5/17/2004
American Association of Bioanalysts	Basic & Comprehensive Chemistry	Glass vial: 7 mL	10/2/2002
American Association of Bioanalysts	Special Chemistry	Glass vial: 7 mL	12/5/2002
American Association of Bioanalysts	Therapeutic Drug Monitoring	Glass vial: 7 mL	10/2/2002

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
American Association of Bioanalysts	Urine Drug Screening Survey (UDS)	Glass vial: 15 mL	10/2/2002
American Biological Technologies, Inc.	AbTrol DAU Control High	Vial: 10 mL	6/25/1997
American Biological Technologies, Inc.	AbTrol DAU Control Low	Vial: 10 mL	6/25/1997
American Biological Technologies, Inc.	Dade Urine Chemistry Control, Level I & II	Glass vial: 15 mL	4/8/1991
American Proficiency Institute	Chemistry Proficiency/Toxicology; Chemistry	Glass vial: 7 mL	10/2/2002
American Proficiency Institute	Chemistry Proficiency/Toxicology; Cholestech Chemistry	Glass vial: 7 mL	10/2/2002
American Proficiency Institute	Chemistry Proficiency/Toxicology; Remedial Chemistry	Glass vial: 7 mL	10/2/2002
American Proficiency Institute	Immunoassay	Glass vial: 7 mL	12/5/2002
American Proficiency Institute	Urine Drug Screen, UDS-0X	Glass vial: 15 mL	5/17/2004
American Radiolabeled Chemicals, Inc.	4-Hydroxybutyric acid, [1-14C], Na salt	Bottle: 30 mL	4/19/2000
American Radiolabeled Chemicals, Inc.	4-Hydroxybutyric Acid, [1-14C], Sodium Salt	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	4-Hydroxybutyric acid, Na salt, [2,3-3H]	Bottle: 30 mL	4/19/2000
American Radiolabeled Chemicals, Inc.	Amobarbital, [2-14C]	Vial: 1-30 mL	9/15/2006
American Radiolabeled Chemicals, Inc.	Amphetamine, D [14C] Sulfate Salt	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Amphetamine, D [3H] Sulfate Salt	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Amphetamine, D [7-14C] HCl	Vial: 1-30 mL	9/15/2006
American Radiolabeled Chemicals, Inc.	Amphetamine, D [ring-2,3,5-3H]	Vial: 1-30 mL	9/15/2006
American Radiolabeled Chemicals, Inc.	Amphetamine, L [14C] Sulfate Salt	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Amphetamine, L [3H] Sulfate Salt	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Amphetamine, L [7-14C] HCl	Vial: 1-30 mL	9/15/2006
American Radiolabeled Chemicals, Inc.	Amphetamine, L [ring-2,3,5-3H]	Vial: 1-30 mL	9/15/2006
American Radiolabeled Chemicals, Inc.	Androst-4-ene-3,17-dione, [1,2,6,7-3H(N)]-	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Androst-4-ene-3,17-dione, [1β,2β-3H(N)]-	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Androst-4-ene-3,17-dione, [4-14C]-	Vial: 1-30 mL	11/17/2005

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
American Radiolabeled Chemicals, Inc.	Benzoylcegonine, [N-methyl-3H]	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Beta-CFT Napthalene Sulfonate	Bottle: 30 mL	7/20/2000
American Radiolabeled Chemicals, Inc.	Buprenorphine [O-methyl-3H]	Vial: 1-30 mL	9/15/2006
American Radiolabeled Chemicals, Inc.	Cocaine methiodide [N-methyl-3H]	Vial: 1-30 mL	12/14/2006
American Radiolabeled Chemicals, Inc.	Cocaine, [N-Methyl-3H]	Vial: 1-30 mL	7/14/1998
American Radiolabeled Chemicals, Inc.	Codeine [N-Methyl-14C]	Bottle: 30 mL	11/2/1999
American Radiolabeled Chemicals, Inc.	Codeine [N-Methyl-3H]	Bottle: 30 mL	11/2/1999
American Radiolabeled Chemicals, Inc.	Codeine, [N-methyl-14C]	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Codeine, [N-methyl-3H]	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Diazepam, [N-Methyl-14C]	Bottle: 30 mL	10/19/2000
American Radiolabeled Chemicals, Inc.	Diazepam, [N-methyl-3H]	Vial: 1-30 mL	7/14/1998
American Radiolabeled Chemicals, Inc.	Dihydromorphine, [1, 7, 8-3H]	Vial: 1-30 mL	7/14/1998
American Radiolabeled Chemicals, Inc.	Dihydromorphine, [1,7,8-3H]	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Dihydrotestosterone [1, 2, 4, 5, 6, 7-3H]	Vial: 1-30 mL	7/14/1998
American Radiolabeled Chemicals, Inc.	Dihydrotestosterone, [1,2,4,5,7-3H]	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Dihydrotestosterone, [1,2-3H]	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Dihydrotestosterone, [4-14C]-	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Fentanyl [methyl-3H]	Vial: 1-30 mL	9/15/2006
American Radiolabeled Chemicals, Inc.	Fentanyl citrate [N-methyl-3H]	Vial: 1-30 mL	9/15/2006
American Radiolabeled Chemicals, Inc.	Fludiazepam [N-methyl-3H]	Vial: 1-30 mL	9/15/2006
American Radiolabeled Chemicals, Inc.	Flunitazepam, [N-Methyl-3H]	Vial: 1-30 mL	7/14/1998

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
American Radiolabeled Chemicals, Inc.	Hydrocodone, [N-methyl-3H]	Vial: 1-30 mL	4/6/2006
American Radiolabeled Chemicals, Inc.	Hydromorphone, [N-methyl-3H]	Vial: 1-30 mL	4/6/2006
American Radiolabeled Chemicals, Inc.	Hydroxybutyric Acid, Potassium Salt, B-[1-14C]	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Ibogaine [3H(G)]	Vial: 1-30 mL	9/15/2006
American Radiolabeled Chemicals, Inc.	Lysergic acid, diethylamide [N-methyl-3H]	Bottle: 30 mL	4/23/2001
American Radiolabeled Chemicals, Inc.	Meperidine hydrochloride, [N-methyl-3H]	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Metazocine, [N-methyl-3H]	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Morphine, [N-methyl-3H]	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Morphine, [N-methyl-3H]	Vial: 1-30 mL	7/14/1998
American Radiolabeled Chemicals, Inc.	N,N,-Dimethyltryptamine, [a-3H]	Bottle: 30 mL	11/2/1999
American Radiolabeled Chemicals, Inc.	Oxycodone, [7,8-3H] hydrochloride	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Oxymorphone, [1,7,8-3H]	Vial: 1-30 mL	11/17/2005
American Radiolabeled Chemicals, Inc.	Oxymorphone, [7,8-3H]	Bottle: 30 mL	5/2/2001
American Radiolabeled Chemicals, Inc.	Testosterone [1 $\alpha$ ,2 $\alpha$ -3H]	Vial: 1-30 mL	9/15/2006
American Radiolabeled Chemicals, Inc.	Testosterone [1 $\beta$ ,2 $\beta$ -3H(N)]	Vial: 1-30 mL	9/15/2006
American Radiolabeled Chemicals, Inc.	Testosterone palmitate [4-14C]	Vial: 1-30 mL	9/15/2006
American Radiolabeled Chemicals, Inc.	Testosterone, [1, 2, 6, 7-3H]	Vial: 1-30 mL	7/14/1998
American Radiolabeled Chemicals, Inc.	Testosterone, [4-14C]	Vial: 1-30 mL	7/14/1998
American Radiolabeled Chemicals, Inc.	Tetrahydrocannabidiol [3H]	Vial: 1-30 mL	9/15/2006
American Radiolabeled Chemicals, Inc.	Thebaine [N-methyl-14C]	Vial: 1-30 mL	11/30/2007
American Radiolabeled Chemicals, Inc.	Thebaine [N-methyl-14C] HCl	Vial: 1-30 mL	11/30/2007

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
American Radiolabeled Chemicals, Inc.	Thebaine [N-methyl-3H]	Vial: 1-30 mL	11/30/2007
American Radiolabeled Chemicals, Inc.	Thebaine [N-methyl-3H] HCl	Vial: 1-30 mL	11/30/2007
American Radiolabeled Chemicals, Inc.	γ-Hydroxybutyric acid, sodium salt, [2,3-3H]	Vial: 1-30 mL	11/17/2005
American Society for Internal Medicine	Endocrinology	Glass vial: 7 mL	12/5/2002
American Society for Internal Medicine	Endocrinology/Oncology	Glass vial: 7 mL	12/5/2002
American Society for Internal Medicine	MLE Chemistry; 200X	Glass vial: 7 mL	10/2/2002
American Society for Internal Medicine	PSA/PAP	Glass vial: 7 mL	12/5/2002
Amersham Corporation	[1(n)-3H] Codeine, No. TRK 448	Ampule: 0.002- 0.015 mg	2/26/1974
Amersham Corporation	[1(N)-3H] Hydromorphone TRQ 4729	Vial: 47.5-95 ug	7/31/1987
Amersham Corporation	[1(n)-3H]Morphine, No. TRK-447	Vial: 0.002-0.015 mg	2/26/1974
Amersham Corporation	[1,2,6,7-3H] Testosterone Cat. No. TRK.402	Vial: 6 mL	4/2/1991
Amersham Corporation	[1,7,8(n)-3H]Dihydromorphone, No. TRK-450	Vial: 0.0008-0.008 mg	2/26/1974
Amersham Corporation	[15, 16(n)-3H] Etorphine, Catalog No. TRK 476	Vial: 3.45-6.9 ug	11/19/1974
Amersham Corporation	[15,16(n)-3H] Etorphine Catalog No. TRK 476	Vial: 13.8-27.6 ug	2/17/1975
Amersham Corporation	[17 α-methyl-3H] Mibolerone Cat.No. TRK.764	Vial: 6 mL	4/2/1991
Amersham Corporation	[2(n)-3H] Lysergic Acid Diethylamide, No. TRK. 461	Vial: 0.003-0.04 mg	5/22/1974
Amersham Corporation	[2-14C] Diazepam Catalog No. CFA.591	Multidose glass vial: 56 mm x 25 mm	9/28/1977
Amersham Corporation	[3H]11-Ketotestosterone Cat. No. TRQ.5919	Vial: 5.7 mL	6/13/1991
Amersham Corporation	[4-14C] Testosterone 50 μCi, 250 μCi Cat. No. CFA.129	Vial: 6 mL	4/2/1991
Amersham Corporation	[N-methyl-3H] Diazepam Catalog Code: TRK.572	Multidose glass vial: 56 mm x 25 mm	9/28/1977
Amersham Corporation	[N-Methyl-3H]Lysergic Acid Diethylamide	Vial: 5-7 mL	10/11/1995
Amersham Corporation	5 α-dihydro[1 α, 2 α(n)-3H] Testosterone Cat. No. TRK.395	Vial: 6 mL	4/2/1991
Amersham Corporation	5 α-dihydro[1,2,4,5,6,7-3H] Testosterone Reagent 4 T/DHT RIA Kit	Vial: 1 mL	4/11/1991
Amersham Corporation	5 α-dihydro[1,2,4,5,6,7-3H]Testosterone Cat.No. TRK.443	Vial: 6 mL	4/2/1991
Amersham Corporation	Amerlite TSH Assay, Cat. Code LAN.0001, Cat. Code LAN.2001	Glass vial: 5.8 mL, 240 tests, 144 tests	5/30/1989
Amersham Corporation	Amerlite TT3 Assay: Catalog Code Lan. 0003, Lan. 1003, and Lan.2003	Kit: 144 tests, 240 tests, 480 tests	11/24/1987
Amersham Corporation	Amerlite TT4 Assay: Catalog Code Lan. 0002, Lan. 1002, Lan. 2002	Kit: 144 tests, 240 tests, 480 tests	11/24/1987
Amersham Corporation	Codeine (N-methyl-C14) Hydrochloride	Custom Preparation	3/27/1972
Amersham Corporation	Dihydrotestosterone Standard Reagent 3 T/DHT RIA Kit	Vial: 5.5 mL	4/11/1991
Amersham Corporation	Morphine (N-methyl-C14) Hydrochloride No. CFA-363	Vial: 0.32 - 1.89 mg	3/27/1972
Amersham Corporation	Pheno [2-14C] barbital Catalog No. CFA 537	Vial: 0.39-5.85 mg	11/5/1974
Amersham Corporation	Prolactin RIA Kit, IM 1060, 1061	Kit: 50 tests, 100 tests	3/28/1980
Amersham Corporation	T-3 Uptake (MAA) Kit-IM 1020, IM 1021, IM 1024	Kit: 50 tests, 100 tests, 400 tests	2/5/1979
Amersham Corporation	Testosterone Standard Reagent 2 T/DHT RIA Kit	Vial: 5.5 mL	4/11/1991



### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Amersham Corporation	Testosterone/dihydrotestosterone [3H] assay system Cat. No. TRK-600	Kit: 200 assays	4/11/1991
Amersham Corporation	Testosterone-3-(0-carboxymethyl)oximino-(2-[125I] iodohistamine)10µCi, 25µCi Cat. No. IM.128	Vial: 1.2 mL	4/2/1991
Amersham Life Science	[125I] Iodo-Lysergic Acid Diethylamide	Vial: 1.2 mL	11/22/1995
Amersham Pharmacia Biotech	[O-methyl-3H] Methyl Phenidate	Vial: 500 µL	1/28/1998
ANSYS, Inc.	Proficiency Sample	Plastic bottle: 40 mL	6/22/1982
ANSYS, Inc.	Special Procedure Standard TOXI-DISC: Benzoylcegonine	Vial: 50 discs	6/3/1996
ANSYS, Inc.	Special Procedure Standard TOXI-DISC: Methadone Maintenance	Vial: 100 discs	6/3/1996
ANSYS, Inc.	Special Procedure Standard TOXI-DISC: Opiate	Vial: 50 discs	6/3/1996
ANSYS, Inc.	Special TOXI-DISCS	Plastic vial or bottle: 50 Standard discs	3/30/1977
ANSYS, Inc.	TOXI-CONTROL LTD FM	Bottle: 50 mL	6/3/1996
ANSYS, Inc.	TOXI-CONTROL THC	Plastic bottle: 50 mL	10/5/1983
ANSYS, Inc.	TOXI-CONTROLS No. 2,3,5,19	Plastic bottle: 50 mL	3/30/1977
ANSYS, Inc.	TOXI-DISC A Series	Plastic vial: 50 Standard discs	5/6/1975
ANSYS, Inc.	TOXI-DISC B Series	Plastic vial: 50 Standard discs	5/6/1975
ANSYS, Inc.	TOXI-DISCS Library II, No 3 Catalog No. 131C	Plastic vial: 50 Standard discs	6/15/1988
ANSYS, Inc.	TOXI-DISCS Library II, No. 1 Catalog No. 131A	Plastic vial: 50 Standard discs	6/15/1988
ANSYS, Inc.	TOXI-DISCS Library II, No. 10 Catalog No. 131K	Plastic vial: 50 Standard discs	6/15/1988
ANSYS, Inc.	TOXI-DISCS Library II, No. 11, Catalog No. 131L	Plastic vial: 50 Standard discs	6/15/1988
ANSYS, Inc.	TOXI-DISCS Library II, No. 12 Catalog No. 131M	Plastic vial: 50 Standard discs	6/15/1988
ANSYS, Inc.	TOXI-DISCS Library II, No. 2 Catalog No. 131B	Plastic vial: 50 Standard discs	6/15/1988
ANSYS, Inc.	TOXI-DISCS Library II, No. 5 Catalog No. 131E	Plastic vial: 50 Standard discs	6/15/1988
ANSYS, Inc.	TOXI-DISCS Library II, No. 8 Catalog No. 131H	Plastic vial: 50 Standard discs	6/15/1988
ANSYS, Inc.	TOXI-DISCS LTD HD	Vial: 20 discs	6/3/1996
ANSYS, Inc.	TOXI-DISCS LTD OP	Vial: 20 discs	6/3/1996
ANSYS, Inc.	TOXI-DISCS LTD OPI	Vial: 20 discs	6/3/1996
ANSYS, Inc.	TOXI-DISCS LTD Opiate Special Standard; 1,2, or 3 drugs	Vial: 20 discs	6/3/1996
ANSYS, Inc.	TOXI-DISCS THC	Plastic vial: 50 Standard discs	10/5/1983
ANSYS, Inc.	TOXI-GRAMS	Glass jar: 50 or 100 Chromatograms	9/24/1980
Applied Biotech, Inc.	DOA Screening Control Urine, Series C	Glass vial: 1-200 mL	12/16/2003
Applied Biotech, Inc.	DOA Screening Control Urine, Series D	Glass vial: 1-200 mL	12/16/2003
Applied Biotech, Inc.	DOA Screening Control Urine, Series E	Glass vial: 1-200 mL	12/16/2003
Applied Biotech, Inc.	DOA Screening Control Urine, Series F	Glass vial: 1-200 mL	12/16/2003
Applied Biotech, Inc.	DOA Screening Control Urine, Series G	Glass vial: 1-200 mL	2/23/2004
Applied Biotech, Inc.	DOA Screening Control Urine, Series H	Glass vial: 1-200 mL	2/23/2004
Armed Forces Institute of Pathology	11-nor-9-carboxy-delta 8-THC in Ethanol Ampules	Glass ampule: 1mg/mL, 1 mL, 5 mL, 10 mL	1/25/1982
Atotech USA Inc.	Mark 90 M-904-C	Polyethylene containers: 5, 55 gals	12/11/1995
Atotech USA Inc.	Mark 90 M-906-C	Polyethylene containers: 5, 55 gals	12/11/1995
Bayer Corporation	AACC Tox	Glass vial: 30 mL	1/20/1986
Bayer Corporation	ACS Estradiol Component Sets	Kits: 3 Vials; 18 vials	1/31/1994
Bayer Corporation	ACS Estradiol Component Sets Releasing Reagent	Bottle: 30 mL	1/31/1994
Bayer Corporation	ACS Estradiol-6 Antibody Reagent	Bottle: 3 mL	11/20/1995

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Bayer Corporation	ACS Estradiol-6 II Antibody Reagent	Bottle: 3 mL	11/7/1996
Bayer Corporation	ACS Estradiol-6 II Component Sets	Set: 50, 300 tests	11/7/1996
Bayer Corporation	ACS Ferritin Lite Reagent	Vial: 7 mL; Kit: 50, 300, 3000 Tests	4/15/1991
Bayer Corporation	ACS Ferritin Solid Phase	Vial: 26mL; Kit: 50 Tests, 300 Tests	4/15/1991
Bayer Corporation	ACS FrT4 Component Set	Kit: 3000 Tests (120 bottles)	5/16/1996
Bayer Corporation	ACS FrT4 Component Set	Kit: 50 Tests (2 bottles); 300 Tests (12 bottles)	4/18/1996
Bayer Corporation	ACS FrT4 Lite Reagent	Bottle: 5 mL	4/18/1996
Bayer Corporation	ACS FrT4 Solid Phase	Bottle: 22.5 mL	4/18/1996
Bayer Corporation	ACS FT4	Kit: 50 Test, 300 Test	3/26/1991
Bayer Corporation	ACS FT4 Lite Reagent	Vial: 7 mL	3/26/1991
Bayer Corporation	ACS FT4 Solid Phase	Vial: 26 mL	3/26/1991
Bayer Corporation	ACS HCG Solid Phase	Vial: 26 mL; Kit: 50 Tests, 300 Tests	4/18/1991
Bayer Corporation	ACS Magnetic Check	Plastic vial: 26 mL	6/18/1991
Bayer Corporation	ACS Magnetic Check II	Plastic vial: 26 mL	6/18/1991
Bayer Corporation	ACS Multical E Pack (Low & High Calibrator)	Kits: 4 Vials; 12 vials	1/31/1994
Bayer Corporation	ACS Multical High Calibrator	Vial: 10 mL	1/31/1994
Bayer Corporation	ACS Multical Low Calibrator	Vial: 10 mL	1/31/1994
Bayer Corporation	ACS Next Generation Ferritin Lite Reagent	Bulk	4/29/1996
Bayer Corporation	ACS Next Generation Ferritin Ready pack	Pack: 1 plastic receptacle	4/29/1996
Bayer Corporation	ACS Next Generation Ferritin Solid Phase	Bulk	4/29/1996
Bayer Corporation	ACS Next Generation FrT4 Lite Reagent	Bulk	4/29/1996
Bayer Corporation	ACS Next Generation FrT4 Ready pack	Pack: 1 plastic receptacle	4/29/1996
Bayer Corporation	ACS Next Generation FrT4 Solid Phase	Bulk	4/29/1996
Bayer Corporation	ACS Next Generation Releasing Agent	Bulk	4/29/1996
Bayer Corporation	ACS Next Generation T3 Lite Reagent	Bulk	4/29/1996
Bayer Corporation	ACS Next Generation T3 Ready pack	Pack: 1 plastic receptacle	4/29/1996
Bayer Corporation	ACS Next Generation T3 Solid Phase	Bulk	4/29/1996
Bayer Corporation	ACS Next Generation T4 Lite Reagent	Bulk	4/29/1996
Bayer Corporation	ACS Next Generation T4 Ready pack	Pack: 1 plastic receptacle	4/29/1996
Bayer Corporation	ACS Next Generation T4 Solid Phase	Bulk	4/29/1996
Bayer Corporation	ACS Next Generation Testosterone Lite Reagent	Bulk	4/29/1996
Bayer Corporation	ACS Next Generation Testosterone Ready pack	Pack: 1 plastic receptacle	4/29/1996
Bayer Corporation	ACS Performance Verification Test Kit	Kit: 6 Vials	6/18/1991
Bayer Corporation	ACS Phenobarbital High Calibrator	Bottle: 5 mL	5/8/1995
Bayer Corporation	ACS Phenobarbital Lite Reagent	Bottle: 10 mL	5/8/1995
Bayer Corporation	ACS Phenobarbital Low Calibrator	Bottle: 5 mL	5/8/1995
Bayer Corporation	ACS Phenobarbital Master Curve Material	Bottle: 5 mL	5/8/1995
Bayer Corporation	ACS Phenobarbital Master Curve Material Set	Set: 6 bottles	5/8/1995
Bayer Corporation	ACS T3 Kit	Kit: 50, 300, 3000 Tests	7/22/1991
Bayer Corporation	ACS T3 Lite Reagent	Plastic vial: 7 mL	7/22/1991
Bayer Corporation	ACS T3 Solid Phase	Plastic vial: 26 mL	7/22/1991
Bayer Corporation	ACS T4	Kit: 50 Test, 300 Test	3/26/1991
Bayer Corporation	ACS T4 Lite Reagent	Vial: 7 mL	3/26/1991

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Bayer Corporation	ACS T4 Solid Phase	Vial: 26 mL	3/26/1991
Bayer Corporation	ACS Testosterone Component Sets (50 Tests)	Set: 2 Bottles	3/28/1994
Bayer Corporation	ACS Testosterone Component Sets (500 Tests)	Set: 12 Bottles	3/28/1994
Bayer Corporation	ACS Testosterone Lite Reagent	Bottle: 10 mL	3/28/1994
Bayer Corporation	ACS Testosterone Releasing Agent	Bottle: 30 mL	7/20/1994
Bayer Corporation	ACS Wash Check Solid Phase	Plastic vial: 26 mL	6/18/1991
Bayer Corporation	Alkaline Hemoglobin Buffer Cat. No. 470580	Plastic vial: 25 Drams	10/28/1991
Bayer Corporation	Alkaline Hemoglobin Kit/8 Cat. No. 470678	Kit: 10 Plates; Plastic vial: 25 Drams	10/28/1991
Bayer Corporation	Alkaline Hemoglobin Kit/8, Cat. No. 470678	Kit: 10 plates, Plastic vial: 25 drams	9/20/1996
Bayer Corporation	ALP Buffer Concentrate Cat. No. 470244	Plastic bottle: 175 mL	10/28/1991
Bayer Corporation	ALP Gel/12 Cat. No. 470246	2 Plates: 24 Tests	10/28/1991
Bayer Corporation	ALP Gel/8 Cat. No. 470243	2 Plates: 16 Tests	10/28/1991
Bayer Corporation	ALP Gel/8 and Buffer Cat. No. 470240	Kit: 10 Plates; Plastic bottle: 175 mL	10/28/1991
Bayer Corporation	Alp Gel/8 and Buffer Cat. No. 470240	Kit: 10 plates, Plastic bottle: 175 mL	9/20/1996
Bayer Corporation	AVDIA Centaur Phenobarbital Lite Reagent	Bulk	11/15/1999
Bayer Corporation	AVDIA Centaur Phenobarbital Readypack	Kit: 50, 250 tests	11/15/1999
Bayer Corporation	Ciba Corning ANTICONV/ASTH I, II	Kit Contains: 10 mL vial, 5 vials each level	10/22/1985
Bayer Corporation	Ciba Corning TDM I	Vial: 5 mL, 10 vials	10/22/1985
Bayer Corporation	Ciba Corning TDM I, II & III	Kit Contains: 5 vials each level	10/22/1985
Bayer Corporation	Ciba Corning TDM II	Vial: 5 mL, 10 vials	10/22/1985
Bayer Corporation	Ciba Corning TDM III	Vial: 5 mL, 10 vials	10/22/1985
Bayer Corporation	Ciba Corning TOX I,II	Kit: Contains: 10 mL vial, 5 vials each level	12/16/1985
Bayer Corporation	Ciba Corning Urine II	Vial: 30 mL	5/22/1985
Bayer Corporation	CVM Chemistry (Calibration Verification Material for Chemistry), Levels 1 thru 8	Kit: 16 Vials; 5 mL/vial	6/14/1994
Bayer Corporation	DAU I, No. 9076	Glass vial: 25 mL, Box: 10 vials	5/23/1989
Bayer Corporation	DAU II No. 9077	Glass vial: 25 mL, Box: 10 vials	5/23/1989
Bayer Corporation	DAU III, No. 9078	Glass vial: 25 mL, Box: 10 vials	5/23/1989
Bayer Corporation	DAU IV, No. 9079	Glass vial: 25 mL, Box: 10 vials	5/23/1989
Bayer Corporation	DAU V, No. 9085	Glass vial: 25 mL; Box: 10 vials	5/10/1991
Bayer Corporation	Double Four-Track Gel Cat. No. 470179	Plate: 8 Tests; Kit: 12 Plates	10/28/1991
Bayer Corporation	Double Four-Track Gel, Cat. No. 47019	Kit: 12 plates, 2 Plates: 16 tests	9/20/1996
Bayer Corporation	Estradiol Antibody Conjugate R1	Bulk	8/16/1995
Bayer Corporation	HDL Cholesterol Gel/8 and Buffer, Cat. No. 470618	Kit: 10 plates, Plastic vial: 25 drams	9/20/1996
Bayer Corporation	High Resolution Protein Gel/8 Cat. NO. 470201	Kit: 12 Plates; 2 Plates: 16 Tests	10/28/1991
Bayer Corporation	High Resolution Protein Kit/8, Cat. No. 470682	Kit: 10 plates, Plastic vial: 25 drams	9/20/1996
Bayer Corporation	Immophase Ferritin Controls	Glass vial: 3 mL	1/19/1987
Bayer Corporation	Immophase Ferritin Standards	Glass vial: 5 mL	9/16/1986
Bayer Corporation	Immuno-1 Setpoint TDM Calibrators Kit No. T03-2864 Component No. T13-2864(02-06)	Glass bottle: 5 mL; Kit: 5 bottles	1/3/1991
Bayer Corporation	Immuno-electrophoresis Gel/10, Cat. No. 470090	Kit: 12 plates, 2 Plates: 20 tests	9/20/1996
Bayer Corporation	Immuno-electrophoresis Kit/8, Cat. No. 470684	Kit: 10 plates, Plastic vial: 25 drams	9/20/1996
Bayer Corporation	LD Isoenzyme Gel/8 and Buffer, Cat. No. 470620	Kit: 10 plates, Plastic vial: 25 drams	9/20/1996

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Bayer Corporation	Ligand Plus 1,2,3	Kit: 15 Bottles, 5 mL/bottle	6/17/1994
Bayer Corporation	Linearity Reference Material LNM-A, LNM-B, LNM-C	Vial: 10 mL; Kit: 2 vials	2/12/1991
Bayer Corporation	Linearity Survey LN3-A, LN3-B, LN3-C	Vial: 10 mL; Kit: 2 vials	2/12/1991
Bayer Corporation	Linearity Survey LN4-A, LN4-B, LN4-C	Vial: 25 mL; Kit: 2 vials	2/12/1991
Bayer Corporation	Lipoprotein Kit/8, Cat. No. 470694	Kit: 10 plates, Plastic vial: 25 drams	9/20/1996
Bayer Corporation	LVM HI-CHEM DIL	Vial: 10 mL	6/21/1990
Bayer Corporation	LVM, Product Code - 9774	Carton: 12 vials	6/21/1990
Bayer Corporation	Magic Ferritin 2000 Standard	Plastic vial: 1 mL	1/19/1987
Bayer Corporation	Magic Ferritin Controls	Plastic vial: 5 mL	1/19/1987
Bayer Corporation	Magic Ferritin Standards	Polypropylene vial: 3 mL	9/16/1986
Bayer Corporation	Magic Ferritin Zero Standard	Plastic vial: 50 mL	1/19/1987
Bayer Corporation	Magic Lite Ferritin Bulk Lite Reagent	Plastic vial: 50 mL	2/16/1988
Bayer Corporation	Magic Lite Ferritin Bulk Solid Phase	Plastic vial: 200 mL	2/16/1988
Bayer Corporation	Magic Lite Ferritin Solid Phase	Plastic vial: 50 mL	2/16/1988
Bayer Corporation	Magic Lite FT4 Component Set	Set: 100, 400 Tests	7/6/1994
Bayer Corporation	Magic Lite FT4 Kit	Kit: 100 Tests	7/6/1994
Bayer Corporation	Magic Lite FT4 Lite Reagent	Bottle: 10 mL, 40 mL	7/6/1994
Bayer Corporation	Magic Lite FT4 Solid Phase	Bottle: 50 mL, 200 mL	7/6/1994
Bayer Corporation	Magic Lite HCG Solid Phase	Plastic vial: 50 mL, Kit: 100 tests	12/9/1988
Bayer Corporation	Magic Lite T3 Bulk Solid Phase	Plastic vial: 200 mL	2/16/1988
Bayer Corporation	Magic Lite T3 Kit	Kit: 100 Tests	6/27/1991
Bayer Corporation	Magic Lite T3 Lite Reagent	Plastic vial: 30 mL	6/27/1991
Bayer Corporation	Magic Lite T3 Solid Phase	Plastic vial: 75 mL	6/27/1991
Bayer Corporation	Magic Lite T4 Component Set	Set: 100, 400, 1200 Tests	7/6/1994
Bayer Corporation	Magic Lite T4 Kit	Kit: 100 Tests	7/6/1994
Bayer Corporation	Magic Lite T4 Solid Phase	Bottle: 25 mL, 100 mL	7/6/1994
Bayer Corporation	Magic T4 Antibody	Vial: 50 mL, 200 mL	11/1/1990
Bayer Corporation	Multi-LD Gel Cat. No. 470221	Kit: 12 Plates; 2 Plates: 32 Tests	10/28/1991
Bayer Corporation	Multi-SPE Gel Cat. No. 470252	Kit: 12 Plates; 2 Plates: 32 Tests	10/28/1991
Bayer Corporation	Multitrac ALP Gel/12 and Buffer Cat. No. 470240	Kit: 10 Plates; Plastic bottle: 175 mL	10/28/1991
Bayer Corporation	Multitrac Immunofixation Kit/12, Cat. No. 470685	Kit: 10 plates, Plastic vial: 25 drams	9/20/1996
Bayer Corporation	Multitrac LD Isoenzyme Gel/12 and Buffer Cat. No. 470622	Kit: 10 Plates; Plastic vial: 25 Drams	10/28/1991
Bayer Corporation	Multitrac LD Isoenzyme Gel/16 and Buffer Cat. No. 470625	Kit: 10 Plates; Plastic vial: 25 Drams	10/28/1991
Bayer Corporation	Multitrac Lipoprotein Kit/12 Cat. No. 470695	Kit: 10 Plates; Plastic vial: 25 Drams	10/28/1991
Bayer Corporation	Multitrac Serum Protein Kit/12 Cat. No. 470697	Kit: 10 Plates; Plastic vial: 25 Drams	10/28/1991
Bayer Corporation	QCS ABN ASY	Vial: 5 mL, Kit: 5 vials	1/21/1989
Bayer Corporation	QCS ABN ASY No. 9707/9707A	Box: 10 vials, Vial: 5 mL	12/15/1989
Bayer Corporation	QCS NOR ASY	Vial: 5 mL, Kit: 5 vials	1/21/1989
Bayer Corporation	QCS NOR ASY No. 9704/9704A	Box: 10 vials, Vial: 5 mL	12/15/1989
Bayer Corporation	Reagent A- Alt 14	Vial: 15 mL	3/24/1979
Bayer Corporation	Reagent A- Alt 7	Vial: 15 mL	3/24/1979
Bayer Corporation	Reagent A-Ammonia 10	Vial: 10 mL	3/24/1979
Bayer Corporation	Serum Protein Kit/8, Cat. No. 470696	Kit: 10 plates, Plastic vial: 25 drams	9/20/1996

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Bayer Corporation	Special Barbitol Buffer Set, Catalog No. 470182	Vial: 3 per kit	4/17/1979
Bayer Corporation	Technicon Immuno 1 Estradiol Reagents Kit No. T01-3595-51	Kit: 1 Cassette	8/16/1995
Bayer Corporation	Technicon Immuno 1 SETpoint Testosterone Calibrators, Kit No. T03-3695-01	Amber glass bottle: 2-4 mL, Set: 6 bottles	9/26/1996
Bayer Corporation	Technicon Immuno 1 TESTpoint Ligand Controls, Kit No. T03-3393-01; Level I T13-3394-01; Level II T13-3395-01; Level III T13-3396-01	Glass vial; 5 mL; Kit: 6 vials	3/16/1992
Bayer Corporation	Technicon RA Systems Set Point	Vial: 5 mL Kit: 5 vials	7/20/1990
Bayer Corporation	Universal Buffer Cat. No. 470586	Plastic vial: 25 Drams	10/28/1991
Bayer Corporation	Universal Electrophoresis Film Agarose, Catalog No. 470100	Plates: 12 per kit	4/17/1979
Bayer Corporation	Universal Electrophoresis Film, Cat. No. 470100	Kit: 12 plates, 2 Plates: 12 tests	9/20/1996
Bayer Corporation	Universal Gel/12, Cat. No. 470554	Kit: 12 plates, 2 Plates: 24 tests	9/20/1996
Bayer Corporation	Universal Gel/16 or Multi-SPE Gel Cat. No. 470066	Kit: 12 Plates; 2 Plates: 32 Tests	10/28/1991
Bayer Corporation	Universal IEP Gel Cat. No. 470222	Kit: 12 Plates; 2 Plates: 16 Tests	10/28/1991
Bayer Corporation	Universal II Gel/12, Cat. No. 470262	Kit: 12 plates, 2 Plates: 24 tests	9/20/1996
Bayer Corporation	Universal II Gel/12, Cat. No. 470362	Kit: 12 plates, 2 Plates: 24 tests	9/20/1996
Bayer Corporation	Universal II Gel/16 Cat. No. 470268	Kit: 12 Plates; 2 Plates: 32 Tests	10/28/1991
Bayer Corporation	Universal II Gel/18, Cat. No. 470361	Kit: 12 plates, 2 Plates: 16 tests	9/20/1996
Bayer Corporation	Universal II Gel/8 Cat. No. 470261	Kit: 12 Plates; 2 Plates: 16 Tests	10/28/1991
Bayer Corporation	Universal II Gel/8 Cat. No. 470361	Kit: 12 Plates	9/22/1992
Bayer Corporation	Universal Phab Buffer Set, Cat. No. 470180	Kit: 3 vials per kit	9/20/1996
Bayer HealthCare LLC	ACS:180 PHNB`	Kit: 50 Tests	12/14/2006
Bayer HealthCare LLC	ADVIA Centaur PHNB ReadyPack	Kit: 50 Tests	12/14/2006
Beckman Coulter, Inc.	Access Testosterone Calibrators	6 vials: 2.5 mL/vial	6/30/1999
Beckman Coulter, Inc.	Access Testosterone Reagent Pack Kit	Kit: 2 Packs; 50 tests/pack	6/30/1999
Beckman Coulter, Inc.	IMMAGE Immunochemistry Systems Drug Calibrator 1	Bottle: 5.75 mL	10/23/1998
Beckman Coulter, Inc.	IMMAGE Systems Phenobarbital (PHE) Reagent	Cartridge: 2 compartments; Compartments: 8.2 mL each	10/23/1998
Beckman Coulter, Inc.	Paragon Twin IFE Gel High Urine Control I	Packet: Gel; Box: 10 packets	9/15/2000
Beckman Coulter, Inc.	SYNCHRON Systems 10 ng/mL THC Urine Control	Bottle: 7 mL; Kit: 1 bottle	10/29/1998
Beckman Coulter, Inc.	SYNCHRON Systems 20 ng/mL THC Urine Control	Bottle: 7 mL; Kit: 1 bottle	10/29/1998
Beckman Coulter, Inc.	SYNCHRON Systems 40 ng/mL THC Urine Control	Bottle: 7 mL; Kit: 1 bottle	10/29/1998
Beckman Coulter, Inc.	SYNCHRON Systems DAT Multi-Drug High Urine Calibrator	Bottle: 7 mL	5/15/2000
Beckman Coulter, Inc.	SYNCHRON Systems DAT Multi-Drug High Urine Control	Bottle: 7 mL	5/15/2000
Beckman Coulter, Inc.	SYNCHRON Systems DAT Multi-Drug Low Urine Calibrator	Bottle: 7 mL	5/15/2000
Beckman Coulter, Inc.	SYNCHRON Systems DAT Multi-Drug Low Urine Control	Bottle: 7 mL	5/15/2000
Beckman Coulter, Inc.	Synchron Systems Drug Calibrator I	Bottle: 5.75 mL; Kit: 6 bottles	10/29/1998
Beckman Coulter, Inc.	SYNCHRON Systems OP 300 High Urine Calibrator	Bottle: 7 mL	5/15/2000
Beckman Coulter, Inc.	SYNCHRON Systems OP 300 High Urine Control	Bottle: 7 mL	5/15/2000
Beckman Coulter, Inc.	SYNCHRON Systems OP 300 Low Urine Calibrator	Bottle: 7 mL	5/15/2000
Beckman Coulter, Inc.	SYNCHRON Systems OP 300 Low Urine Control	Bottle: 7 mL	5/15/2000
Beckman Coulter, Inc.	SYNCHRON Systems Phenobarbital (PHE) Reagent	Cartridge: 3 compartments; Compartment: 110 mL, 18 mL, 5 mL	10/23/1998
Beckman Coulter, Inc.	Vigil TDM Control Level 1	Bottle: 5.75 mL; Kit: 3 bottles	9/15/2000

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Beckman Coulter, Inc.	Vigil TDM Control Level 2	Bottle: 5.75 mL; Kit: 3 bottles	9/15/2000
Beckman Coulter, Inc.	Vigil TDM Control Level 3	Bottle: 5.75 mL; Kit: 3 bottles	9/15/2000
Beckman Instruments, Inc.	ARRAY 360 System: Drug Calibrator	Bottle: 3 mL	3/13/1995
Beckman Instruments, Inc.	ARRAY 360 System: Drug Control Kit	Bottle: 1 mL	3/13/1995
Beckman Instruments, Inc.	Beckman Buffer B-2	Packet: 18.16 g.	4/24/1971
Beckman Instruments, Inc.	Beckman ICS Drug Calibrators A, B, C, D, and E.	Vials: 5 mL	10/29/1980
Beckman Instruments, Inc.	Beckman ICS Drug Control Sera	Kit containing: 6-1 mL bottles.	11/11/1980
Beckman Instruments, Inc.	Beckman ICS Phenobarbital Conjugate	Vial: 5 mL	10/29/1980
Beckman Instruments, Inc.	Beckman LD Buffer	Bottle: 14.3 grams	7/31/1986
Beckman Instruments, Inc.	Glutethimide	Plastic micro-tube: 2 mL	10/21/1997
Beckman Instruments, Inc.	IFE Gel	Foil Pack: 1 Gel; Box: 10 Gels	1/22/1996
Beckman Instruments, Inc.	LD Gel	Foil Pack: 1 Gel; Box: 10 Gels	1/22/1996
Beckman Instruments, Inc.	Paragon Electrophoresis System: Alkaline Phosphatase Isoenzyme Electrophoresis (Isopal) Kit	Plastic Tray: 3.5 mL, Box: 10 trays, Kit: 10 trays	5/19/1989
Beckman Instruments, Inc.	Paragon Electrophoresis System: High Resolution Electrophoresis (HRE) Kit	Plastic Tray: 3.5 mL, Box: 10 trays, Kit: 10 trays	5/19/1989
Beckman Instruments, Inc.	Paragon Electrophoresis System: Immunoelectrophoresis (IEP) Kit	Plastic Tray: 3.5 mL, Box: 10 trays, Kit: 10 trays	5/19/1989
Beckman Instruments, Inc.	Paragon Electrophoresis System: Immunofixation Electrophoresis (IFE) Kit	Plastic Tray: 3.5 mL	7/31/1986
Beckman Instruments, Inc.	Paragon Electrophoresis System: Lactate Dehydrogenase Isoenzyme Electrophoresis (LD) Kit	Plastic Tray: 3.5 mL	7/31/1986
Beckman Instruments, Inc.	Paragon Electrophoresis System: Lipoprotein Electrophoresis (LIPO) Kit	Plastic Tray: 3.5 mL, Box: 10 trays, Kit: 10 trays	5/19/1989
Beckman Instruments, Inc.	Paragon Electrophoresis System: Protein Electrophoresis (SPE-II) Kit	Plastic Tray: 3.5 mL	7/31/1986
Beckman Instruments, Inc.	Paragon Electrophoresis System: Serum Protein Electrophoresis (SPE) Kit	Plastic Tray: 3.5 mL, Box: 10 trays, Kit: 10 trays	5/19/1989
Beckman Instruments, Inc.	SPE Gel	Foil Pack: 1 Gel; Box: 10 Gels	1/22/1996
Beckman Instruments, Inc.	SYNCHRON Control: Multilevel Comprehensive Chemistry Control Serum Levels I, II, III	Plastic bottle: 20 mL; Kit: 6 bottles	5/13/1991
Beckman Instruments, Inc.	Synchron CX Systems: Cocaine Metabolite Reagent Kit	Cartridge: 150 Tests	3/13/1995
Beckman Instruments, Inc.	Synchron CX Systems: CX Amphetamines Reagent Kit	Cartridge: 150 Tests	3/13/1995
Beckman Instruments, Inc.	Synchron CX Systems: CX Barbiturates Reagent Kit	Cartridge: 150 Tests	3/13/1995
Beckman Instruments, Inc.	Synchron CX Systems: CX Benzodiazepine Reagent Kit	Cartridge: 150 Tests	3/13/1995
Beckman Instruments, Inc.	Synchron CX Systems: CX Cannabinoid 50ng and Cannabinoid 100ng Reagent Kits	Cartridge: 150 Tests	3/13/1995
Beckman Instruments, Inc.	Synchron CX Systems: CX Opiate Reagent Kit	Cartridge: 150 Tests	3/13/1995
Beckman Instruments, Inc.	Synchron CX Systems: CX Phencyclidine Reagent Kit	Cartridge: 150 Tests	3/13/1995
Beckman Instruments, Inc.	Synchron CX Systems: CX THC Urine 20 ng/mL, 75 ng/mL, 125 ng/mL Controls	Bottle: 5 mL	3/13/1995
Beckman Instruments, Inc.	Synchron CX Systems: CX THC Urine 50ng/mL, 100ng/mL, 200ng/mL Calibrators	Bottle: 5 mL	3/13/1995
Beckman Instruments, Inc.	Synchron CX Systems: Methadone Reagent Kit	Cartridge: 150 Tests	3/13/1995

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Beckman Instruments, Inc.	Triad LINK Comprehensive Custom Unassayed Chemistry Control Serum Levels I, II, III	Plastic bottle: 20 mL; Box: 20 Bottles	5/13/1991
Beckman Instruments, Inc.	Triad NYSPATH Comprehensive Custom Unassayed Chemistry Control Serum Levels I, II, III	Plastic bottle: 20 mL; Box 20 Bottles	5/13/1991
Beckman Instruments, Inc.	Vigil PRx Multilevel Protein/Drug Control Serum Levels I, II, III	Plastic bottle: 10 mL; Kit: 6 Bottles	5/13/1991
Biochemical Diagnostics, Inc.	(DL) Methadone	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	(DL)-9-Carboxy-11-nor-Delta-9-THC	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	(DL)-9-Carboxy-11-nor-Delta-9-THC	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	(DL)-Methadone	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	11-Hydroxy-Delta-9 THC	Glass or plastic container: 1 mL - 1 L	12/8/2003
Biochemical Diagnostics, Inc.	Acetorphine	Plastic bottle: 10, 20, 50 L (bulk); Glass vial: 5, 20, 50, 100, 200 mL; Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Alpha-methadol	Glass or plastic container: 1 mL - 1 L	4/7/2004
Biochemical Diagnostics, Inc.	Alprazolam	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Alprazolam	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Amobarbital	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Amobarbital	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Amphetamine (D-Amphetamine)	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Aprobarbital	Glass or plastic container: 1 mL - 1 L	12/8/2003
Biochemical Diagnostics, Inc.	Benzoylcegonine	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Benzoylcegonine	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Bromazepam Bulk Solution	Glass bottle: 1-1000 mL	6/6/2005
Biochemical Diagnostics, Inc.	Buprenorphine Bulk Solution	Glass bottle: 1-1000 mL	6/6/2005
Biochemical Diagnostics, Inc.	Buprenorphine-Glucuronide	Bottle: 1-1000 mL	7/10/2005
Biochemical Diagnostics, Inc.	Butabarbital	Glass or plastic container: 1 mL - 1 L	12/8/2003
Biochemical Diagnostics, Inc.	Butalbital	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Butalbital	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Butorphanol Bulk Solution	Glass/Plastic bottle: 1-1000 mL	8/2/2007
Biochemical Diagnostics, Inc.	Chlordiazepoxide	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Chlordiazepoxide	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Clobazam Bulk Solution	Glass bottle: 1-1000 mL	6/6/2005
Biochemical Diagnostics, Inc.	Clonazepam	Glass or plastic container: 1 mL - 1 L	12/8/2003
Biochemical Diagnostics, Inc.	Cocaethylene	Glass or plastic container: 1 mL - 1 L	12/8/2003
Biochemical Diagnostics, Inc.	Cocaine	Glass or plastic container: 1 mL - 1 L	12/8/2003
Biochemical Diagnostics, Inc.	Codeine	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Codeine	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	D-Amphetamine	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Detectabuse Custom Control Urine, Butalbital	Glass vial: 1-200 mL	8/17/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Control Urine, Cocaine and Cocaethylene	Glass vial: 1-200 mL	8/17/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Buprenorphine & Norbuprenorphine	Glass vial: 1 mL - 2 L	2/9/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MEDTOX 2000 Positive	Glass vial: 1 ml - 2 L	2/14/2006

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Varian 6 Panel	Glass vial: 1 mL - 2 L	2/9/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Varian Multi-Clinical 3	Glass vial: 1 mL - 2 L	3/7/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Oral Fluid	Glass vial: 1-200 mL	8/31/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Plasma	Glass vial: 1-200 mL	8/31/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Plasma, OPIATE MIX	Glass vial: 1 mL - 2 L	12/19/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine Accu-Stat Survey Specimen #13	Glass vial: 1-2000 mL	9/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine Accu-Stat Survey Specimen #14	Glass vial: 1-2000 mL	9/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine Accu-Stat Survey Specimen #15	Glass vial: 1-2000 mL	9/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine Accu-Stat Survey Specimen #16	Glass vial: 1-2000 mL	9/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine Accu-Stat Survey Specimen #17	Glass vial: 1-2000 mL	9/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine Accu-Stat Survey Specimen #18	Glass vial: 1-2000 mL	9/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine Accu-Stat Survey Specimen #19	Glass vial: 1-2000 mL	9/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine Accu-Stat Survey Specimen #9	Glass vial: 1-2000 mL	9/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine Series V-H with Ethanol	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, 11-Nor-delta-9-THC-COOH	Glass vial: 1 mL - 2 L	8/22/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, 6-Monoacetylmorphine (6-MAM)	Glass vial: 1-2000 mL	7/20/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Accu-Stat Survey Specimen #13	Glass vial: 1mL-2L	9/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Accu-Stat Survey Specimen #14	Glass vial: 1mL-2L	9/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Accu-Stat Survey Specimen #15	Glass vial: 1mL-2L	9/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Accu-Stat Survey Specimen #16	Glass vial: 1mL-2L	9/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Accu-Stat Survey Specimen #17	Glass vial: 1mL-2L	9/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Accu-Stat Survey Specimen #18	Glass vial: 1mL-2L	9/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Accu-Stat Survey Specimen #19	Glass vial: 1mL-2L	9/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Accu-Stat Survey Specimen #9	Glass vial: 1mL-2L	9/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Accu-Stat Survey, Specimen #1	Glass vial: 1 mL - 2 L	6/15/2006



### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Accu-Stat Survey, Specimen #3	Glass vial: 1 mL - 2 L	6/15/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Accu-Stat Survey, Specimen #4	Glass vial: 1 mL - 2 L	6/15/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Accu-Stat Survey, Specimen #7	Glass vial: 1 mL - 2 L	6/15/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, AD Cutoff +25%	Glass vial: 1 mL - 2 L	11/6/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Alprazolam	Glass vial: 1-200 mL	12/27/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Amobarbital	Glass vial: 1-200 mL	12/27/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, BARB-XTC-DARVON-MTQ	Glass vial: 1-2000 mL	7/20/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, BENZO, BARB & OXY, Cutoff	Glass vial: 1 mL - 2 L	6/21/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Benzodiazepine	Glass vial: 1-200 mL	12/10/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Benzodiazepine Control	Glass vial: 1-200 mL	9/3/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Benzodiazepine Mix	Glass vial: 1 mL - 2 L	10/23/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Benzodiazepine Mix	Glass vial: 1 mL - 2 L	11/26/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, BENZO-HYC-OXYCO	Glass vial: 1-2000 mL	7/20/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Bromazepam	Glass vial: 1-200 mL	12/27/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Buprenorphine	Glass container: 1 mL-2 L	1/10/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Buprenorphine Glucuronide	Glass vial: 1-200 mL	8/4/2005
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Buprenorphine Glucuronide, EDDP, Ketamine & MDMA	Glass vial: 1 mL - 2 L	1/4/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Butabarbital	Glass vial: 1-200 mL	12/27/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Chlordiazepoxide	Glass vial: 1-200 mL	12/27/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Clobazam	Glass vial: 1-200 mL	12/27/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Clonazepam	Glass vial: 1-200 mL	12/27/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Cocaethylene	Glass vial: 1mL-2L	10/3/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Current Series w/ LSD 1/3 Cutoff	Glass vial: 1-2000 mL	7/20/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, CUSTOM GC/MS	Glass vial: 1-200 mL	7/19/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, DHHS Amphetamine Control	Glass vial: 1-200 mL	2/2/2005
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, DHHS GC/MS	Glass vial: 1-200 mL	6/2/2005
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Dihydrocodeine	Glass vial: 1mL-2L	10/4/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, DOA Control with MDMA & Oxycodone	Glass vial: 1-200 mL	6/2/2005
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Drugcheck Positive Australian Cutoff	Glass vial: 1mL-2L	10/3/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Estazolam	Glass vial: 1-200 mL	12/27/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Flurazepam	Glass vial: 1-200 mL	12/27/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, GC/MS 3X Cutoff	Glass vial: 1-200 mL	2/23/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, GC/MS LOW CONTROL	Glass vial: 1-200 mL	4/19/2005

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, GC/MS LOW CONTROL	Glass vial: 1-200 mL	3/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, GC/MS Multi-Constituent	Glass vial: 1-200 mL	6/2/2005
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, GC/MS Multi-Constituent	Glass vial: 1-200 mL	10/15/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, GC/MS Subthreshold Low Control N16-L	Glass vial: 1 mL - 2 L	7/17/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, GC/MS Subthreshold Low Control N19-L	Glass vial: 1 mL - 2 L	6/28/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, GC/MS-H CUTOFF +25% with MDMA	Glass vial: 1 mL - 2 L	10/19/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, GC/MS-H CUTOFF with MDMA 500 ng/mL & MDA 500 ng/mL	Glass vial: 1 mL - 2 L	3/28/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, GCMS Cutoff +25% with MDMA, MDA, EDDP, Cotinine, Nitrazepam	Glass vial: 1 mL - 2 L	6/28/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, GCMS High	Glass vial: 1 mL - 2 L	11/30/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Hydromorphone & Hydrocodone	Glass vial: 1mL-2L	10/12/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Immunoassay	Glass vial: 1-200 mL	12/10/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Immunoassay Multi-Constituent	Glass vial: 1-200 mL	4/8/2005
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, INTEGRA DAU	Glass vial: 1 mL - 2 L	6/7/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Jant Multi-Constituent	Glass vial: 1-200 mL	10/13/2005
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Ketamine	Glass vial: 1 mL - 2 L	12/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC1	Glass vial: 1-2000 mL	1/30/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC2	Glass vial: 1-2000 mL	2/4/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MC3	Glass vial: 1-2000 mL	2/14/2008
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MDMA and MDA	Glass vial: 1-200 mL	4/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MEDTOX SURE SCREEN	Glass vial: 1-200 mL	6/2/2005
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MEDTOX SURE SCREEN POSITIVE	Glass vial: 1-200 mL	11/5/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Meperidine & Normeperidine	Glass vial: 1-200 mL	6/2/2005
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, METH-COC-AMPH-THC Cutoff - 50%	Glass vial: 1 mL - 2 L	11/5/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Miscellaneous #2	Glass vial: 1 mL - 2 L	10/23/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Mixed Low with Morphine	Vial: 1 mL- 2 L	9/4/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Mixed threshold with Morphine	Vial: 1 mL- 2 L	9/4/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Morphine 20,000 ng/mL & Benzoylcegonine 20,000 ng/mL	Glass vial: 1 mL - 2 L	5/18/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Multi-Constituent	Glass vial: 1-200 mL	9/9/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MULTI-CONSTITUENT Cutoff +25%	Glass vial: 1 mL - 2 L	11/7/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Multi-Constituent High	Glass vial: 1 mL - 2 L	10/25/2007

## Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Multi-Constituent Level 1a	Glass vial: 1 mL - 2 L	2/5/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, MultiConstituent Mix	Glass vial: 1 mL - 2 L	11/16/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Multi-Constituent Mix - 18002337	Glass vial: 1 mL - 2 L	11/30/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Multi-Constituent, Level 1	Glass vial: 1-200 mL	1/6/2005
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Multi-Constituent, Level 5	Glass vial: 1-200 mL	1/6/2005
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Nitrazepam	Glass vial: 1mL-2L	10/4/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, nor-Ketamine	Glass vial: 1 mL - 2 L	12/14/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, OML BARB/OPIOID	Glass vial: 1 mL - 2 L	6/7/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, OML Benzo/MMP	Glass vial: 1 mL - 2 L	3/1/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, OML Custom THC 100+25%	Glass vial: 1-200 mL	6/24/2005
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, OML Narcotic Panel	Glass vial: 1 mL - 2 L	9/10/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, OML THC 100 +25% with d-Amphetamine	Glass vial: 1-200 mL	9/2/2005
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Opiate Mix	Glass vial: 1 mL - 2 L	7/14/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, OPIATE MIX	Glass vial: 1 mL - 2 L	12/21/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, OXYCODONE & OXYMORPHONE	Glass vial: 1 mL - 2 L	11/14/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Oxycodone, Hydrocodone & Hydromorphone	Glass vial: 1 mL - 2 L	3/16/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Phencyclidine (PCP)	Glass vial: 1 mL - 2 L	7/6/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Propoxyphene	Glass container: 1 mL-2 L	1/10/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Propoxyphene and MDMA	Glass vial: 1-200 mL	4/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SAMHSA PLUS	Glass vial: 1-200 mL	3/16/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Secobarbital	Glass container: 1 mL-2 L	1/10/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SERIES A	Glass vial: 1 mL - 2 L	6/7/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SERIES B	Glass vial: 1 mL - 2 L	6/7/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SERIES III with EDDP	Glass vial: 1-200 mL	6/2/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SERIES III-H with EDDP & Nitrazepam	Glass vial: 1-200 mL	7/19/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Series IV with Oxycodone	Glass vial: 1-200 mL	1/27/2005
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Series V with EDDP, 6MAM & Ethanol	Glass vial: 1-200 mL	6/2/2005
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Series V with Ethanol, 6MAM, EDDP, and Nortriptyline	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Series V with MDMA	Glass vial: 1 mL - 2 L	10/16/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Series V with Oxycodone	Glass vial: 1-200 mL	11/5/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SOLUTION A	Glass vial: 1 mL - 2 L	1/4/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SOLUTION B	Glass vial: 1 mL - 2 L	1/4/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SOLUTION C	Glass vial: 1 mL - 2 L	1/4/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SOLUTION D	Glass vial: 1 mL - 2 L	1/4/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SOLUTION E	Glass vial: 1 mL - 2 L	1/4/2007

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SOLUTION F	Glass vial: 1 mL - 2 L	1/4/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SOLUTION G	Glass vial: 1 mL - 2 L	1/4/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SOLUTION H	Glass vial: 1 mL - 2 L	1/4/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SOLUTION J	Glass vial: 1 mL - 2 L	1/4/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, South Bend Mixed Low Control	Glass vial: 1 mL - 2 L	9/29/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, South Bend Mixed Threshold	Glass vial: 1 mL - 2 L	9/29/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Special GC/MS Control	Glass vial: 1-200 mL	6/16/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, State II DOA Control	Glass vial: 1 mL - 2 L	9/21/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Stat-Skreen w/Oxycodone 100 ng/mL	Glass vial: 1-200 mL	7/7/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Stat-Skreen w/Oxycodone 100 ng/mL and MDMA 500 ng/mL	Glass vial: 1-200 mL	2/23/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Stat-Skreen-H with MDMA	Glass vial: 1-200 mL	9/23/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, STNNX CUTOFF -25%	Glass vial: 1 mL - 2 L	10/23/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, SureScreen with Oxycodone	Glass vial: 1 mL - 2 L	5/31/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Temazepam	Glass vial: 1-200 mL	12/27/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Univ. Mo High Control	Glass vial: 1 mL - 2 L	11/20/2007
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine, Varian 6 Panel	Glass vial: 1-200 mL	12/27/2005
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine: Morphine, 6-MAM, Codeine, Dihydrocodeine, Methadone, EDDP	Glass vial: 1-200 mL	2/23/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine: Multi-Constituent Level 1	Glass vial: 1-200 mL	2/23/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine: Multi-Constituent Level 2	Glass vial: 1-200 mL	2/23/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; AMP 450 ng/mL, PCP 25 ng/mL, BZO 100 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; mAMP 375 ng/mL, PCP 6.25 ng/mL, BZO 150 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; mAMP 450 ng/mL, AMP 300 ng/mL, PCP 12.5 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; mAMP 75 ng/mL, AMP 225 ng/mL, MTD 250 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; MDMA 125 ng/mL, COC 75 ng/mL, BZO 250 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; MDMA 750 ng/mL, COC 100 ng/mL, MTD 100 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; OPI 100 ng/mL, MDMA 250 ng/mL, BZO 300 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; OPI 125 ng/mL, COC 25 ng/mL, MTD 150 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; OPI 150 ng/mL, MDMA 500 ng/mL, COC 50 ng/mL	Glass vial: 1-200 mL	10/29/2004

## Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; OPI 25 ng/mL, MDMA 375 ng/mL, PCP 31.25 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; OPI 50 ng/mL, PCP 37.5 ng/mL, BZO 200 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; OPI 75 ng/mL, AMP 375 ng/mL, BZO 50 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; THC 10 ng/mL, mAMP 225 ng/mL, COC 125 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; THC 20 ng/mL, COC 150 ng/mL, MTD 200 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; THC 30 ng/mL, MDMA 625 ng/mL, MTD 50 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; THC 40 ng/mL, mAMP 150 ng/mL, MTD 300 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; THC 50 ng/mL, AMP 75 ng/mL, PCP 18.75 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Liquid Control Urine; THC 60 ng/mL, AMP 150 ng/mL, mAMP 300 ng/mL	Glass vial: 1-200 mL	10/29/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Oxycodone and MDMA Control Urine	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, 11-Hydroxy-delta-9-THC	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, 11-Nor-delta-9-THC-COOH	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Alpha-Methadol	Glass vial: 1-200 mL	4/7/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Benzoylecgonine	Glass container: 1 mL-2 L	1/10/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Cannabidiol	Glass vial: 1-200 mL	4/7/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Cannabinol	Glass vial: 1-200 mL	4/7/2004
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Cocaine	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Codeine	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, d-Amphetamine	Glass container: 1 mL-2 L	1/10/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Delta-9-THC-COOH	Glass container: 1 mL-2 L	1/10/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, d-Methamphetamine	Glass container: 1 mL-2 L	1/10/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Ecgonine	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Ethyl Morphine	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Fentanyl	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Hydrocodone	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, l-Amphetamine	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, MDA	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, MDEA	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, MDMA	Glass container: 1 mL-2 L	1/10/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Methadone	Glass container: 1 mL-2 L	1/10/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Morphine	Glass container: 1 mL-2 L	1/10/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, NON-MANDATED	Glass vial: 1-200 mL	1/31/2006

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Nordiazepam	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Oxazepam	Glass container: 1 mL-2 L	1/10/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Oxycodone	Glass container: 1 mL-2 L	1/10/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, PCP	Glass container: 1 mL-2 L	1/10/2006
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Pentobarbital	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Single Drug Control Urine, Phenobarbital	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Custom Toxicology Control Urine	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse GC/MS Liquid Control Urine	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse GC/MS Liquid Control Urine	Bottle: 50 mL	10/31/1995
Biochemical Diagnostics, Inc.	Detectabuse GC/MS-H Liquid Control Urine	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Immunoassay Liquid Control Urine Series I-H	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Immunoassay Liquid Control Urine Series III-H	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Immunoassay Liquid Control Urine Series IV-H	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Immunoassay Liquid Control Urine Series V-H	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Immunoassay Liquid Control Urine, Series I	Bottle: 20 mL	10/31/1995
Biochemical Diagnostics, Inc.	Detectabuse Immunoassay Liquid Control Urine, Series I,II,IV,V	Bulk: Up to 100 L	1/2/1996
Biochemical Diagnostics, Inc.	Detectabuse Immunoassay Liquid Control Urine, Series II	Bottle: 20 mL	10/31/1995
Biochemical Diagnostics, Inc.	Detectabuse Immunoassay Liquid Control Urine, Series III	Bottle: 20 mL	10/31/1995
Biochemical Diagnostics, Inc.	Detectabuse Immunoassay Liquid Control Urine, Series IV	Bottle: 20 mL	10/31/1995
Biochemical Diagnostics, Inc.	Detectabuse Immunoassay Liquid Control Urine, Series V	Bottle: 20 mL	10/31/1995
Biochemical Diagnostics, Inc.	Detectabuse Stat-Skreen Liquid Control Urine	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Detectabuse Stat-Skreen-H Liquid Control Urine	Glass vial: 1-200 mL	12/16/2003
Biochemical Diagnostics, Inc.	Diazepam	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Diazepam	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Dihydrocodeine Bulk Solution	Glass bottle: 1-1000 mL	6/6/2005
Biochemical Diagnostics, Inc.	D-Methamphetamine	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	D-Propoxyphene	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	D-Propoxyphene	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Estazolam	Glass or plastic container: 1 mL - 1 L	12/8/2003
Biochemical Diagnostics, Inc.	Ethylmorphine	Glass or plastic container: 1 mL - 1 L	12/8/2003
Biochemical Diagnostics, Inc.	Fentanyl	Glass or plastic container: 1 mL - 1 L	12/8/2003
Biochemical Diagnostics, Inc.	Flunitrazepam	Glass or plastic container: 1 mL - 1 L	12/8/2003
Biochemical Diagnostics, Inc.	Flurazepam	Glass or plastic container: 1 mL - 1 L	12/8/2003
Biochemical Diagnostics, Inc.	Gamma Hydroxybutyric Acid (GHB) Bulk Solution	Container: 1 mL-1 L	6/27/2007
Biochemical Diagnostics, Inc.	Hydrocodone Bitartrate	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Hydrocodone Bitartrate	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Hydromorphone	Plastic bottle: 10, 20, 50 L (bulk); Glass vial: 5, 20, 50, 100, 200 mL; Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Lorazepam	Glass or plastic container: 1 mL - 1 L	12/8/2003
Biochemical Diagnostics, Inc.	Lormetazepam Bulk Solution	Bottle: 1-1000 mL	5/22/2006
Biochemical Diagnostics, Inc.	LSD	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	LSD 25µg/mL	Vial: 1 mL	12/22/1995

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Biochemical Diagnostics, Inc.	Marijuana (Cannabinol & Cannabidiol)	Glass or plastic container: 1 mL - 1 L	4/7/2004
Biochemical Diagnostics, Inc.	MDA	Plastic bottle: 10, 20, 50 L (bulk); Glass vial: 5, 20, 50, 100, 200 mL; Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	MDEA	Plastic bottle: 10, 20, 50 L (bulk); Glass vial: 5, 20, 50, 100, 200 mL; Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	MDMA	Plastic bottle: 10, 20, 50 L (bulk); Glass vial: 5, 20, 50, 100, 200 mL; Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	MEDTOX 300 POSITIVE Toxicology Urine Control	Glass vial: 1-200 mL	9/2/2005
Biochemical Diagnostics, Inc.	Meperidine	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Meperidine	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Meprobamate Bulk Solution	Glass/Plastic bottle: 1-1000 mL	8/2/2007
Biochemical Diagnostics, Inc.	Methamphetamine (D-Methamphetamine)	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Methaqualone	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Methaqualone	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Methylphenidate Bulk Solution	Glass/Plastic bottle: 1-1000 mL	9/25/2007
Biochemical Diagnostics, Inc.	Midazolam	Glass or plastic container: 1 mL - 1 L	12/8/2003
Biochemical Diagnostics, Inc.	Morphine	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Morphine	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Morphine-3-glucuronide	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Morphine-6-Glucuronide	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Nitrazepam	Glass or plastic container: 1 mL - 1 L	12/8/2003
Biochemical Diagnostics, Inc.	nor-Buprenorphine	Bottle: 1-1000 mL	7/10/2005
Biochemical Diagnostics, Inc.	Nordiazepam	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Nordiazepam	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Noroxymorphone Bulk Solution	Glass/Plastic bottle: 1-1000 mL	9/25/2007
Biochemical Diagnostics, Inc.	Oxazepam	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Oxazepam	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Oxycodone	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Oxycodone	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Oxymorphone	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Oxymorphone	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Pentobarbital	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Pentobarbital	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Phencyclidine	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Phencyclidine	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Phenobarbital	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Phenobarbital	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Phentermine	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Phentermine	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Psilocybin	Glass or plastic container: 1 mL - 1 L	4/7/2004

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Biochemical Diagnostics, Inc.	Psilocyn	Glass or plastic container: 1 mL - 1 L	4/7/2004
Biochemical Diagnostics, Inc.	Secobarbital	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Secobarbital	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Temazepam	Glass or plastic container: 1 mL - 1 L	12/8/2003
Biochemical Diagnostics, Inc.	Triazolam	Vial: 1 mL; 200 mL (In-house)	12/22/1995
Biochemical Diagnostics, Inc.	Triazolam	Glass bottle: 200-500 mL (bulk)	3/13/2002
Biochemical Diagnostics, Inc.	Zolpidem Bulk Solution	Glass/Plastic bottle: 1-1000 mL	8/2/2007
BioFocus DPI, Inc.	NIH MLSMR Project Plate - CII	Microtiter plate: 128mm x 86 mm	10/30/2007
BioFocus DPI, Inc.	NIH MLSMR Project Plate - CIII	Microtiter plate: 128mm x 86 mm	10/30/2007
BioFocus DPI, Inc.	NIH MLSMR Project Plate - CIV	Microtiter plate: 128mm x 86 mm	10/30/2007
Biolog, Inc.	FF MicroPlate Fungi Identification Test Panel	MicroPlate	2/26/2001
Biolog, Inc.	GN2 MicroPlate Gram Negative Identification Test Panel	MicroPlate	2/26/2001
Biolog, Inc.	GP2 MicroPlate Gram Positive Identification Test Panel	MicroPlate	2/26/2001
BioNetx, Inc.	VERI-CHECK Positive Control Urine	Glass vial: 1-200 mL	12/16/2003
Biopool International	Drugs of Abuse Controls GC/MS L-2, L-3 and L-4	Vial: 12 mL	1/4/1994
Biopool International	Drugs of Abuse Controls GC/MS L-2, L-3 and L-4	Kit: 6 Vials	1/4/1994
Biopool International	Drugs of Abuse Controls L-2, L-3 and L-4	Vial: 12 mL	1/4/1994
Biopool International	Drugs of Abuse Controls L-2, L-3 and L-4	Kit: 6 Vials	1/4/1994
Biopool International	SURE-Urine Drugs of Abuse Control Level 2 GC/MS, 3 GC/MS and 4 GC/MS	Vial: 15 mL	10/7/1997
Biopool International	SURE-Urine Drugs of Abuse Control Level 2, 3 and 4	Vial: 10 mL	10/7/1997
Bio-Rad Laboratories	3,4-Methylenedioxyamphetamine HCl Liquichek Urine Toxicology Control C2	Glass volumetric flask: 10 mL	12/8/2003
Bio-Rad Laboratories	3,4-Methylenedioxyamphetamine HCl Liquichek Urine Toxicology Control C3	Glass volumetric flask: 10 mL	12/8/2003
Bio-Rad Laboratories	3,4-Methylenedioxyamphetamine HCl Liquichek Urine Toxicology Control C4	Glass volumetric flask: 10 mL	12/8/2003
Bio-Rad Laboratories	3,4-Methylenedioxymethamphetamine HCl Liquichek Urine Toxicology Control C2	Glass volumetric flask: 10 mL	12/8/2003
Bio-Rad Laboratories	3,4-Methylenedioxymethamphetamine HCl Liquichek Urine Toxicology Control C3	Glass volumetric flask: 10 mL	12/8/2003
Bio-Rad Laboratories	3,4-Methylenedioxymethamphetamine HCl Liquichek Urine Toxicology Control C4	Glass volumetric flask: 10 mL	12/8/2003
Bio-Rad Laboratories	3,4-Methylenedioxy-N-ethylamphetamine HCl Liquichek Urine Toxicology Control C2	Glass volumetric flask: 10 mL	12/8/2003
Bio-Rad Laboratories	3,4-Methylenedioxy-N-ethylamphetamine HCl Liquichek Urine Toxicology Control C3	Glass volumetric flask: 10 mL	12/8/2003
Bio-Rad Laboratories	3,4-Methylenedioxy-N-ethylamphetamine HCl Liquichek Urine Toxicology Control C4	Glass volumetric flask: 10 mL	12/8/2003
Bio-Rad Laboratories	6-Monoacetylmorphine, Liquichek Urine Toxicology Control C3	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	6-Monoacetylmorphine, Liquichek Urine Toxicology Control C4	Glass volumetric flask: 50 mL	6/4/2003
Bio-Rad Laboratories	6-Monoacetylmorphine, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 50 mL	6/6/2003



### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Bio-Rad Laboratories	Amobarbital Liquichek Urine Toxicology Control C4	Glass volumetric flask: 200 mL	12/8/2003
Bio-Rad Laboratories	Amobarbital, Liquichek Urine Toxicology Control C1	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Amobarbital, Liquichek Urine Toxicology Control C2	Glass volumetric flask: 50 mL	3/12/2003
Bio-Rad Laboratories	Amobarbital, Liquichek Urine Toxicology Control C3	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Amobarbital, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Amobarbital, Liquichek Urine Toxicology Control Low Opiate Level C3	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Amphetamine HCl, Liquichek Urine Toxicology Control Level S2	Glass volumetric flask: 100 mL	6/6/2003
Bio-Rad Laboratories	Amphetamine HCl, Liquichek Urine Toxicology Control Level S3	Glass volumetric flask: 200 mL	6/9/2003
Bio-Rad Laboratories	Assayed QCS 1 No. 970200	Kit: 15 vials; Vial: 8 mL	12/28/1999
Bio-Rad Laboratories	Assayed QCS 2 No. 970500	Kit: 15 vials; Vial: 8 mL	12/28/1999
Bio-Rad Laboratories	Benzodiazepines/Tricyclic Antidepressants by HPLC	Kit: 100 tests	2/8/1990
Bio-Rad Laboratories	Benzoylcegonine Liquichek Urine Toxicology Control C4	Glass volumetric flask: 10 mL	12/8/2003
Bio-Rad Laboratories	Benzoylcegonine, Liquichek Qualitative Urine Toxicology Control	Glass volumetric flask: 10 mL	6/11/2003
Bio-Rad Laboratories	Benzoylcegonine, Liquichek Urine Toxicology Control C1	Glass volumetric flask: 10 mL	6/2/2003
Bio-Rad Laboratories	Benzoylcegonine, Liquichek Urine Toxicology Control C2	Glass volumetric flask: 10 mL	3/12/2003
Bio-Rad Laboratories	Benzoylcegonine, Liquichek Urine Toxicology Control C3	Glass volumetric flask: 10 mL	6/2/2003
Bio-Rad Laboratories	Benzoylcegonine, Liquichek Urine Toxicology Control Level S1	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Benzoylcegonine, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 10 mL	6/6/2003
Bio-Rad Laboratories	Benzoylcegonine, Liquichek Urine Toxicology Control Low Opiate Level S1	Glass volumetric flask: 10 mL	6/10/2003
Bio-Rad Laboratories	Benzoylcegonine, Liquichek Urine Toxicology Control Low Opiate Level S2	Glass volumetric flask: 10 mL	6/10/2003
Bio-Rad Laboratories	Butalbital Liquichek Urine Toxicology Control C4	Glass volumetric flask: 200 mL	12/8/2003
Bio-Rad Laboratories	Butalbital, Liquichek Urine Toxicology Control C1	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Butalbital, Liquichek Urine Toxicology Control C2	Glass volumetric flask: 50 mL	3/12/2003
Bio-Rad Laboratories	Butalbital, Liquichek Urine Toxicology Control C3	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Butalbital, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Butalbital, Liquichek Urine Toxicology Control Low Opiate Level C3	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Codeine Liquichek Urine Toxicology Control C3	Glass volumetric flask: 250 mL	12/8/2003
Bio-Rad Laboratories	Codeine Liquichek Urine Toxicology Control C4	Glass volumetric flask: 500 mL	12/8/2003
Bio-Rad Laboratories	Codeine, Liquichek Urine Toxicology Control C1	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Codeine, Liquichek Urine Toxicology Control C2	Glass volumetric flask: 100 mL	3/12/2003
Bio-Rad Laboratories	Codeine, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Codiene, Liquichek Urine Toxicology Control Low Opiate Level C3	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	CoTube Estradiol Tracer	Glass bottle: 125 mL	7/28/1993
Bio-Rad Laboratories	Dade Urine Chemistry Control Levels I AND II	Vial: 20 mL, 50 mL	1/5/1988
Bio-Rad Laboratories	Dade Urine Toxicology Control	Vial: 50 mL	1/5/1988
Bio-Rad Laboratories	D-Amphetamine HCl Liquichek Urine Toxicology Control C4	Glass volumetric flask: 200 mL	12/8/2003
Bio-Rad Laboratories	D-Amphetamine HCl, Liquichek Qualitative Urine Toxicology Control	Glass volumetric flask: 50 mL	6/11/2003
Bio-Rad Laboratories	D-Amphetamine HCl, Liquichek Urine Toxicology Control C1	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	D-Amphetamine HCl, Liquichek Urine Toxicology Control C2	Glass volumetric flask: 50 mL	3/12/2003
Bio-Rad Laboratories	D-Amphetamine HCl, Liquichek Urine Toxicology Control C3	Glass volumetric flask: 100 mL	6/2/2003

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Bio-Rad Laboratories	D-Amphetamine HCl, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	D-Amphetamine HCl, Liquichek Urine Toxicology Control Low Opiate Level C3	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	D-Amphetamine HCl, Liquichek Urine Toxicology Control Low Opiate Level S1	Glass volumetric flask: 50 mL	6/10/2003
Bio-Rad Laboratories	D-Amphetamine HCl, Liquichek Urine Toxicology Control Low Opiate Level S2	Glass volumetric flask: 50 mL	6/10/2003
Bio-Rad Laboratories	Dextropropoxyphene HCl, Liquichek Qualitative Urine Toxicology Control	Glass volumetric flask: 50 mL	6/11/2003
Bio-Rad Laboratories	Dextropropoxyphene HCl, Liquichek Urine Toxicology Control C1	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Dextropropoxyphene HCl, Liquichek Urine Toxicology Control C2	Glass volumetric flask: 50 mL	3/12/2003
Bio-Rad Laboratories	Dextropropoxyphene HCl, Liquichek Urine Toxicology Control C3	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Dextropropoxyphene HCl, Liquichek Urine Toxicology Control C4	Glass volumetric flask: 200 mL	6/4/2003
Bio-Rad Laboratories	Dextropropoxyphene HCl, Liquichek Urine Toxicology Control Level S1	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Dextropropoxyphene HCl, Liquichek Urine Toxicology Control Level S2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Dextropropoxyphene HCl, Liquichek Urine Toxicology Control Level S3	Glass volumetric flask: 100 mL	6/9/2003
Bio-Rad Laboratories	Dextropropoxyphene HCl, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Dextropropoxyphene HCl, Liquichek Urine Toxicology Control Low Opiate Level C3	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Dextropropoxyphene HCl, Liquichek Urine Toxicology Control Low Opiate Level S1	Glass volumetric flask: 50 mL	6/10/2003
Bio-Rad Laboratories	Dextropropoxyphene HCl, Liquichek Urine Toxicology Control Low Opiate Level S2	Glass volumetric flask: 50 mL	6/10/2003
Bio-Rad Laboratories	D-Methamphetamine HCl Liquichek Urine Toxicology Control C4	Glass volumetric flask: 200 mL	12/8/2003
Bio-Rad Laboratories	D-Methamphetamine HCl, Liquichek Qualitative Urine Toxicology Control	Glass volumetric flask: 50 mL	6/11/2003
Bio-Rad Laboratories	D-Methamphetamine HCl, Liquichek Urine Toxicology Control C1	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	D-Methamphetamine HCl, Liquichek Urine Toxicology Control C2	Glass volumetric flask: 50 mL	3/12/2003
Bio-Rad Laboratories	D-Methamphetamine HCl, Liquichek Urine Toxicology Control C3	Glass volumetric flask: 100 mL	6/2/2003
Bio-Rad Laboratories	D-Methamphetamine HCl, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	D-Methamphetamine HCl, Liquichek Urine Toxicology Control Low Opiate Level C3	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	EQAS Therapeutic Drug Monitoring Program	Glass vial: 7 mL	4/4/2000
Bio-Rad Laboratories	Internal Standard	Amber Vial: 30 mL Flask: 200-2000 mL	2/8/1990
Bio-Rad Laboratories	Liquicheck Urine Toxicology Control Level C2 Low Opiate	Glass vials: 20 mL	1/28/2000
Bio-Rad Laboratories	Liquicheck Urine Toxicology Control Level C3 Low Opiate	Glass vials: 20 mL	1/28/2000
Bio-Rad Laboratories	Liquichek Urine Toxicology Control C1	Glass vial: 20 mL; Box 10 vials	7/12/2005
Bio-Rad Laboratories	Liquichek Urine Toxicology Control Level C1	Glass volumetric flask: 1.0-50 mL	7/12/2005
Bio-Rad Laboratories	Liquichek Urine Toxicology Control Level C2	Glass vial: 20 mL; Box: 10 vials	12/9/2003
Bio-Rad Laboratories	Liquichek Urine Toxicology Control Level C3	Glass vial: 20 mL; Box: 10 vials	12/9/2003

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Bio-Rad Laboratories	Liquichek Urine Toxicology Control Level C4	Glass vial: 20 mL; Box: 10 vials	12/9/2003
Bio-Rad Laboratories	Liquichek Urine Toxicology Control Level S1 Low Opiate	Glass vial: 10 mL	11/3/1999
Bio-Rad Laboratories	Liquichek Urine Toxicology Control Level S1E Low Opiate	Glass volumetric flask: 10-100 mL (In-Process)	12/29/2003
Bio-Rad Laboratories	Liquichek Urine Toxicology Control Level S1S	Glass volumetric flask: 10-50 mL	12/8/2004
Bio-Rad Laboratories	Liquichek Urine Toxicology Control Level S2 Low Opiate	Glass vial: 10 mL	11/3/1999
Bio-Rad Laboratories	Liquichek Urine Toxicology Control Level S2E Low Opiate	Glass volumetric flask: 10-100 mL (In Process)	12/29/2003
Bio-Rad Laboratories	Liquichek Urine Toxicology Control Level S2S	Glass volumetric flask: 10-50 mL	12/8/2004
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S1E	Glass vial: 10 mL; Box 10 vials	8/5/2002
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S1E (In-Process)	Glass volumetric flask: 50-200 mL	8/13/2002
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S1E Low Opiate	Glass vial: 10 mL; Box 10 vials	12/29/2003
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S1S	Glass vial: 10 mL; Box 10 vials	12/8/2004
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S2E	Glass vial: 10 mL; Box 10 vials	8/14/2002
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S2E (In-Process)	Glass volumetric flask: 50-200 mL	8/14/2002
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S2E Low Opiate	Glass vial: 10 mL; Box 10 vials	12/29/2003
Bio-Rad Laboratories	Liquichek Urine Toxicology Control S2S	Glass vial: 10 mL; Box 10 vials	12/8/2004
Bio-Rad Laboratories	Liquichek Urine Toxicology Level C1	Glass vial: 20 mL	11/4/1999
Bio-Rad Laboratories	Liquid Assay Multiquial 1, Product Code 981600	Kit: 15 vials; Vial: 8 mL	12/21/1999
Bio-Rad Laboratories	Liquid Assay Multiquial 2, Product Code 981700	Kit: 15 vials; Vial: 8 mL	12/21/1999
Bio-Rad Laboratories	Liquid Assay Multiquial 3, Product Code 981800	Kit: 15 vials; Vial: 8 mL	12/21/1999
Bio-Rad Laboratories	Liquid TDM 1 Cat# 925100	Vial: 8 mL	9/11/2000
Bio-Rad Laboratories	Liquid TDM 1, 2, 3, Cat# 925000	Kit: 15 vials; Vial: 8 mL	9/11/2000
Bio-Rad Laboratories	Liquid TDM 2 Cat# 925200	Vial: 8 mL	9/11/2000
Bio-Rad Laboratories	Liquid TDM 3 Cat# 925300	Vial: 8 mL	9/11/2000
Bio-Rad Laboratories	Liquid Unassayed Multiquial 1 10 mL, Cat. No. 983000	Vial: 1 mL, Package: 15 vials	12/21/1999
Bio-Rad Laboratories	Liquid Unassayed Multiquial 2 10 mL, Cat. No. 984000	Vial: 1 mL, Package: 15 vials	12/21/1999
Bio-Rad Laboratories	Liquid Unassayed Multiquial 3 10 mL, Cat. No. 985000	Vial: 1 mL, Package: 15 vials	12/21/1999
Bio-Rad Laboratories	Liquidchek Qualitative Urine Toxicology Control	Glass vial: 5 mL; Package: 12 vials	3/7/2001
Bio-Rad Laboratories	Lyphochek Quantitative Urine Control Normal (1) and Abnormal (2)	Vial: 20 mL; Box: 20 vials	9/11/2000
Bio-Rad Laboratories	Lyphochek REMEDi Control Level 1	Glass vial: 10 mL	11/4/1999
Bio-Rad Laboratories	Lyphochek REMEDi Control Level 2	Glass vial: 10 mL	11/4/1999
Bio-Rad Laboratories	Lysergic Acid Diethylamide, Liquichek Urine Toxicology Control C3	Glass volumetric flask: 200 mL	6/2/2003
Bio-Rad Laboratories	Lysergic Acid Diethylamide, Liquichek Urine Toxicology Control C4	Glass volumetric flask: 10 mL	6/4/2003
Bio-Rad Laboratories	Lysergic Acid Diethylamide, Liquichek Urine Toxicology Control Level S1	Glass volumetric flask: 200 mL	6/6/2003
Bio-Rad Laboratories	Lysergic Acid Diethylamide, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 200 mL	6/6/2003
Bio-Rad Laboratories	Lysergic Acid Diethylamide, Liquichek Urine Toxicology Control Low Opiate Level S2	Glass volumetric flask: 200 mL	6/10/2003
Bio-Rad Laboratories	Methadone HCl Liquichek Urine Toxicology Control C4	Glass volumetric flask: 200 mL	12/8/2003
Bio-Rad Laboratories	Methadone HCl, Liquichek Qualitative Urine Toxicology Control	Glass volumetric flask: 50 mL	6/11/2003
Bio-Rad Laboratories	Methadone HCl, Liquichek Urine Toxicology Control C1	Glass volumetric flask: 50 mL	6/2/2003

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Bio-Rad Laboratories	Methadone HCl, Liquichek Urine Toxicology Control C2	Glass volumetric flask: 50 mL	3/12/2003
Bio-Rad Laboratories	Methadone HCl, Liquichek Urine Toxicology Control C3	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Methadone HCl, Liquichek Urine Toxicology Control Level S1	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Methadone HCl, Liquichek Urine Toxicology Control Level S2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Methadone HCl, Liquichek Urine Toxicology Control Level S3	Glass volumetric flask: 100 mL	6/9/2003
Bio-Rad Laboratories	Methadone HCl, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Methadone HCl, Liquichek Urine Toxicology Control Low Opiate Level C3	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Methadone HCl, Liquichek Urine Toxicology Control Low Opiate Level S1	Glass volumetric flask: 50 mL	6/10/2003
Bio-Rad Laboratories	Methadone HCl, Liquichek Urine Toxicology Control Low Opiate Level S2	Glass volumetric flask: 50 mL	6/10/2003
Bio-Rad Laboratories	Methadone/Methadone Metabolite Reagent Kit	400 tests	9/17/1990
Bio-Rad Laboratories	Methaqualone HCl Liquichek Urine Toxicology Control C4	Glass volumetric flask: 200 mL	12/8/2003
Bio-Rad Laboratories	Methaqualone HCl, Liquichek Urine Toxicology Control C1	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Methaqualone HCl, Liquichek Urine Toxicology Control C2	Glass volumetric flask: 50 mL	3/12/2003
Bio-Rad Laboratories	Methaqualone HCl, Liquichek Urine Toxicology Control C3	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Methaqualone, Liquichek Qualitative Urine Toxicology Control	Glass volumetric flask: 50 mL	6/11/2003
Bio-Rad Laboratories	Methaqualone, Liquichek Urine Toxicology Control Level S1	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Methaqualone, Liquichek Urine Toxicology Control Level S2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Methaqualone, Liquichek Urine Toxicology Control Level S3	Glass volumetric flask: 100 mL	6/9/2003
Bio-Rad Laboratories	Methaqualone, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Methaqualone, Liquichek Urine Toxicology Control Low Opiate Level C3	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Methaqualone, Liquichek Urine Toxicology Control Low Opiate Level S1	Glass volumetric flask: 50 mL	6/10/2003
Bio-Rad Laboratories	Methaqualone, Liquichek Urine Toxicology Control Low Opiate Level S2	Glass volumetric flask: 50 mL	6/10/2003
Bio-Rad Laboratories	Morphine HCl, Liquichek Qualitative Urine Toxicology Control	Glass volumetric flask: 50 mL	6/11/2003
Bio-Rad Laboratories	Morphine HCl, Liquichek Urine Toxicology Control Level S2	Glass volumetric flask: 200 mL	6/6/2003
Bio-Rad Laboratories	Morphine HCl, Liquichek Urine Toxicology Control Level S3	Glass volumetric flask: 100 mL	6/9/2003
Bio-Rad Laboratories	Morphine HCl, Liquichek Urine Toxicology Control Low Opiate Level S1	Glass volumetric flask: 50 mL	6/10/2003
Bio-Rad Laboratories	Morphine HCl, Liquichek Urine Toxicology Control Low Opiate Level S2	Glass volumetric flask: 50 mL	6/10/2003
Bio-Rad Laboratories	Morphine-3-B-D-Glucuronide, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Morphine-3-B-D-Glucuronide, Liquichek Urine Toxicology Control Low Opiate Level C3	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Morphine-3-β-D-glucuronide Liquichek Urine Toxicology Control C3	Glass volumetric flask: 250 mL	12/8/2003
Bio-Rad Laboratories	Morphine-3-β-D-glucuronide Liquichek Urine Toxicology Control C4	Glass volumetric flask: 500 mL	12/8/2003
Bio-Rad Laboratories	Morphine-3-β-D-Glucuronide, Liquichek Urine Toxicology Control C1	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Morphine-3-β-D-Glucuronide, Liquichek Urine Toxicology Control C2	Glass volumetric flask: 50 mL	3/12/2003

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Bio-Rad Laboratories	Nordiazepam Liquichek Urine Toxicology Control C4	Glass volumetric flask: 200 mL	12/8/2003
Bio-Rad Laboratories	Nordiazepam, Liquichek Qualitative Urine Toxicology Control	Glass volumetric flask: 50 mL	6/11/2003
Bio-Rad Laboratories	Nordiazepam, Liquichek Urine Toxicology Control C1	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Nordiazepam, Liquichek Urine Toxicology Control C2	Glass volumetric flask: 50 mL	3/12/2003
Bio-Rad Laboratories	Nordiazepam, Liquichek Urine Toxicology Control C3	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Nordiazepam, Liquichek Urine Toxicology Control Level S1	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Nordiazepam, Liquichek Urine Toxicology Control Level S3	Glass volumetric flask: 100 mL	6/9/2003
Bio-Rad Laboratories	Nordiazepam, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Nordiazepam, Liquichek Urine Toxicology Control Low Opiate Level C3	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Nordiazepam, Liquichek Urine Toxicology Control Low Opiate Level S1	Glass volumetric flask: 50 mL	6/10/2003
Bio-Rad Laboratories	Nordiazepam, Liquichek Urine Toxicology Control Low Opiate Level S2	Glass volumetric flask: 50 mL	6/10/2003
Bio-Rad Laboratories	Oxazepam Liquichek Urine Toxicology Control C4	Glass volumetric flask: 200 mL	12/8/2003
Bio-Rad Laboratories	Oxazepam, Liquichek Qualitative Urine Toxicology Control	Glass volumetric flask: 50 mL	6/11/2003
Bio-Rad Laboratories	Oxazepam, Liquichek Urine Toxicology Control C1	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Oxazepam, Liquichek Urine Toxicology Control C2	Glass volumetric flask: 50 mL	3/12/2003
Bio-Rad Laboratories	Oxazepam, Liquichek Urine Toxicology Control C3	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Oxazepam, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Oxazepam, Liquichek Urine Toxicology Control Low Opiate Level C3	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Oxycodone HCl, Liquichek Qualitative Urine Toxicology Control	Glass volumetric flask: 10 mL	3/17/2006
Bio-Rad Laboratories	Pentobarbital Liquichek Urine Toxicology Control C4	Glass volumetric flask: 200 mL	12/8/2003
Bio-Rad Laboratories	Pentobarbital, Liquichek Urine Toxicology Control C1	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Pentobarbital, Liquichek Urine Toxicology Control C2	Glass volumetric flask: 50 mL	3/12/2003
Bio-Rad Laboratories	Pentobarbital, Liquichek Urine Toxicology Control C3	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Pentobarbital, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Pentobarbital, Liquichek Urine Toxicology Control Low Opiate Level C3	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Phencyclidine, Liquichek Urine Toxicology Control C3	Glass volumetric flask: 1.0 mL	6/2/2003
Bio-Rad Laboratories	Phencyclidine, Liquichek Urine Toxicology Control C4	Glass volumetric flask: 10 mL	6/4/2003
Bio-Rad Laboratories	Phencyclidine, Liquichek Urine Toxicology Control Level S1	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Phencyclidine, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Phencyclidine, Liquichek Urine Toxicology Control Low Opiate Level C3	Glass volumetric flask: 1.0 mL	6/6/2003
Bio-Rad Laboratories	Phencyclidine, Liquichek Urine Toxicology Control Low Opiate Level S2	Glass volumetric flask: 50 mL	6/10/2003
Bio-Rad Laboratories	Phenobarbital Liquichek Urine Toxicology Control C4	Glass volumetric flask: 50 mL	12/8/2003
Bio-Rad Laboratories	Phenobarbital, Liquichek Urine Toxicology Control C1	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Phenobarbital, Liquichek Urine Toxicology Control C2	Glass volumetric flask: 50 mL	3/12/2003
Bio-Rad Laboratories	Phenobarbital, Liquichek Urine Toxicology Control C3	Glass volumetric flask: 50 mL	6/2/2003
Bio-Rad Laboratories	Phenobarbital, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Phenobarbital, Liquichek Urine Toxicology Control Low Opiate Level C3	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Quantaphase Thyroxine RIA-125I Tracer/Dissociating Reagent	Plastic bottle: 60 mL, 260 mL	5/6/1981
Bio-Rad Laboratories	Quantaphase Thyroxine RIA-Thyroxine Immunobeads	Plastic bottle: 60 mL, 260 mL	5/6/1981
Bio-Rad Laboratories	Quantimune Barbital Buffer	Plastic bottle: 1000 mL, 250 mL, 200 mL	5/31/1978
Bio-Rad Laboratories	Quantimune Radioimmunoassay T-4 Tracer, Iodine-125	Vial: 10 mL	7/21/1976

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Bio-Rad Laboratories	Quantimune T-3 RIA Barbitol Buffer	Bottle: 220 mL	9/24/1982
Bio-Rad Laboratories	Quantimune T-3 RIA Test Kit	Kit: 500 tests, 100 tests	5/31/1978
Bio-Rad Laboratories	Quantimune T-4 RIA Kit	Kit: 500 tests	7/1/1977
Bio-Rad Laboratories	Quantimune T-4 RIA Test Kit	Kit: 5000 tests, 100 tests	5/31/1978
Bio-Rad Laboratories	Quantimune Thyroxine Radioimmunoassay Barbitol Buffer	Plastic bottle with Screw cap: 1 liter	7/1/1977
Bio-Rad Laboratories	Quantimune Thyroxine Radioimmunoassay T-4 125I Tracer/Dissociating Agent	Glass Serum Vial: 10 mL	7/1/1977
Bio-Rad Laboratories	REMEDI DPS Check Mix	Vial: 20 mL, Flask: 1-10 L	9/17/1990
Bio-Rad Laboratories	REMEDI DPS Internal Standard Combination	Vial: 20 mL, Flask: 250-6000 mL	9/17/1990
Bio-Rad Laboratories	REMEDI DPS Internal Standard One	Vial: 20 mL, Flask: 250-2500 mL	9/17/1990
Bio-Rad Laboratories	REMEDI DPS Internal Standard Two	Vial: 20 mL, Flask: 250-5000 mL	9/17/1990
Bio-Rad Laboratories	REMEDI DPS Urine Calibrator	Vial: 20 mL, Flask: 1-10 L	9/17/1990
Bio-Rad Laboratories	Secobarbital Liquichek Urine Toxicology Control C4	Glass volumetric flask: 10 mL	12/8/2003
Bio-Rad Laboratories	Secobarbital, Liquichek Qualitative Urine Toxicology Control	Glass volumetric flask: 10 mL	6/11/2003
Bio-Rad Laboratories	Secobarbital, Liquichek Urine Toxicology Control C1	Glass volumetric flask: 10 mL	6/2/2003
Bio-Rad Laboratories	Secobarbital, Liquichek Urine Toxicology Control C2	Glass volumetric flask: 10 mL	3/12/2003
Bio-Rad Laboratories	Secobarbital, Liquichek Urine Toxicology Control C3	Glass volumetric flask: 10 mL	6/2/2003
Bio-Rad Laboratories	Secobarbital, Liquichek Urine Toxicology Control Level S1	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Secobarbital, Liquichek Urine Toxicology Control Low Opiate Level C2	Glass volumetric flask: 50 mL	6/6/2003
Bio-Rad Laboratories	Secobarbital, Liquichek Urine Toxicology Control Low Opiate Level S1	Glass volumetric flask: 10 mL	6/10/2003
Bio-Rad Laboratories	Secobarbital, Liquichek Urine Toxicology Control Low Opiate Level S2	Glass volumetric flask: 50 mL	6/10/2003
Bio-Rad Laboratories	Serum Calibrator 1	Amber Vial: 20 mL; Polypropylene container: 20 L	2/8/1990
Bio-Rad Laboratories	Serum Calibrator 2	Amber Vial: 20 mL; Polypropylene container: 20 L	2/8/1990
Bio-Rad Laboratories	Serum Calibrator for Benzodiazepines/Tricyclics, Contains 2	Box: 2 vials	2/8/1990
Bio-Rad Laboratories	T-4 Competitive Binding Reagent, Iodine-125	Bottle: 385 mL	7/21/1976
Bio-Rad Laboratories	Unassayed QCS 1 No. 971600, 10 mL	Kit: 15 vials; Vial: 15 mL	12/28/1999
Bio-Rad Laboratories	Unassayed QCS 2 No. 971700, 10 mL	Kit: 15 vials; Vial: 15 mL	12/28/1999
Bio-Rad Laboratories	Urine Control 2, Cat. No. 904100	Vial: 15 mL; Box: 15 vials	3/13/2000
Bio-Rad Laboratories, (Chemical Division)	Barbitol Buffer	Vial: 10 mL	7/21/1976
Bio-Rad Laboratories, (Chemical Division)	Barbitol Buffer Powder	Plastic bottle: 250 mL	9/9/1977
Bio-Rad Laboratories, (Chemical Division)	Barbitol Buffer Powder	Plastic bottle: 250 mL	7/21/1976
Bio-Rad Laboratories, (Chemical Division)	Barbitol Buffer-Dry Pack	Packages: 9.11 g., 18.21 g., 12.14 g.	5/9/1974
Bio-Rad Laboratories, (Chemical Division)	Bio-Rad Electrophoresis Buffer	Bottle: 500 mL	12/14/1972
Bio-Rad Laboratories, (Chemical Division)	Electrophoresis Buffer, Dry-Pack	Package: 6.15 g.	12/14/1972

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Bio-Rad Laboratories, (Chemical Division)	Immunoelectrophoresis Barbitol Buffer I, pH 8.6	Dry-pack: 25.6 g.	8/6/1975
Bio-Rad Laboratories, (Chemical Division)	Immunoelectrophoresis Barbitol Buffer II, pH 8.6	Dry-pack: 15.61 g.	8/6/1975
Bio-Rad Laboratories, (Chemical Division)	Immunoelectrophoresis Barbitol Buffer III, pH 8.6	Dry-pack: 6.82 g.	1/22/1976
Bio-Rad Laboratories, (Chemical Division)	Immunoelectrophoresis Barbitol Buffer III-a, pH 8.8	Dry-pack: 15.07 g.	8/6/1975
Bio-Rad Laboratories, (Chemical Division)	Reagent No. 3	Bottle: 165 mL	12/14/1972
Bio-Rad Laboratories, (Clinical Division)	Benzodiazepines/Tricyclics/Plasma Catecholamines (BZ/TCA/pCats) Serum Calibrators Bulk Preparations	Polypropylene Container: 15 L - 100 L	3/28/1991
Bio-Rad Laboratories, (Clinical Division)	Plasma Catecholamines by HPLC, 100 Test	Kit: 100 Test	3/28/1991
Bio-Rad Laboratories, (Clinical Division)	Plasma Catecholamines by HPLC, Serum Calibrator Set, 1x6 vials	Vial: 20 mL; Set: 6 vials	3/28/1991
Bio-Rad Laboratories, (ECS Division)	Abbott Immunoassay-MCC (Liquid)	Vial: 10 mL; Box: 12 vials	1/22/1999
Bio-Rad Laboratories, (ECS Division)	Abbott Liquid Assayed Chemistry Control 1	Vial: 10 mL; Box: 25 vials	1/22/1999
Bio-Rad Laboratories, (ECS Division)	Abbott Liquid Assayed Chemistry Control 2	Vial: 10 mL; Box: 25 vials	1/22/1999
Bio-Rad Laboratories, (ECS Division)	Abbott Lyophilized Assayed Chemistry Control 1	Vial: 10 mL; Box: 25 vials	2/9/1999
Bio-Rad Laboratories, (ECS Division)	Abbott Lyophilized Assayed Chemistry Control 2	Vial: 10 mL; Box: 25 vials	2/9/1999
Bio-Rad Laboratories, (ECS Division)	Architect Testosterone MasterCheck (Levels 1,2 and 3)	Vial: 5 mL; Kit: 1 vial of each level	1/21/1999
Bio-Rad Laboratories, (ECS Division)	Blind Performance Specimen Set Cat. #610	Kit: 5 bottles	9/14/1990
Bio-Rad Laboratories, (ECS Division)	Liquichek Immunoassay Plus Control, Levels 1,2, and 3	Vial: 10 mL, Box: 12 vials	1/22/1997
Bio-Rad Laboratories, (ECS Division)	Liquichek Therapeutic Drug Monitoring Control (TDM), Levels 1,2,3	Vial: 10 mL	6/1/1994
Bio-Rad Laboratories, (ECS Division)	Liquichek Unassayed Chemistry Control (Human) Levels 1,2	Vial: 20 mL	6/1/1994
Bio-Rad Laboratories, (ECS Division)	Liquichek Urine Toxicology Control Level S1	Vial: 10 mL, Box: 10 vials Box: 10 vials	7/24/1997
Bio-Rad Laboratories, (ECS Division)	Liquichek Urine Toxicology Control Level S2	Vial: 10 mL, Box: 10 vials Box: 10 vials	7/24/1997
Bio-Rad Laboratories, (ECS Division)	Liquichek Urine Toxicology Control Level S3	Vial: 10 mL, Box: 10 vials Box: 10 vials	7/24/1997

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Bio-Rad Laboratories, (ECS Division)	Lyphocek Benzo/TCA Control-Set B, Levels 1 and 2	Vial: 10 mL, Box: 6 vials	1/22/1997
Bio-Rad Laboratories, (ECS Division)	Lyphocek Therapeutic Drug Monitoring Control (TDM), Levels I, II, III	Vial: 10 mL	8/20/1984
Bio-Rad Laboratories, (ECS Division)	Lyphocek Urine Toxicology Control Cat# C-470-25	Amber Vial: 50 mL	9/19/1979
Bio-Rad Laboratories, (ECS Division)	Lyphocek® Assayed Chemistry Control (Human), Level 1, 2	Vials: 10 mL each	4/13/1988
Bio-Rad Laboratories, (ECS Division)	Lyphocek® Benzo/TCA Control-Set A, Levels 1 and 2	Vial: 10 mL; Box: 6 vials	1/22/1997
Bio-Rad Laboratories, (ECS Division)	Lyphocek® Fertility Control Serum (Human) Levels 1,2,3	Vial: 10 mL	6/1/1994
Bio-Rad Laboratories, (ECS Division)	Lyphocek® Immunoassay Control Levels I, II, III	Vial: 10 mL	9/24/1987
Bio-Rad Laboratories, (ECS Division)	Lyphocek® Immunoassay Plus Control Levels 1,2,3	Vial: 10 mL	1/22/1997
Bio-Rad Laboratories, (ECS Division)	Lyphocek® Unassayed Chemistry Control (Bovine) Levels I, II	Vial: 20 mL	9/24/1987
Bio-Rad Laboratories, (ECS Division)	Lyphocek® Unassayed Chemistry Control (Human) Levels I, II	Vial: 10 mL, 20 mL	9/24/1987
Bio-Rad Laboratories, (ECS Division)	Lyphocek® Urine Toxicology Control-Confirm	Box: 10 vials; Vial: 50 mL	9/14/1991
Bio-Rad Laboratories, (ECS Division)	Lyphocek® Urine Toxicology Control-Law	Vials: 20 mL each	4/13/1988
Bio-Rad Laboratories, (ECS Division)	Lyphocek® Urine Toxicology Control-Screen	Box: 10 vials; Vial: 20 mL	9/14/1990
Bio-Rad Laboratories, (ECS Division)	Lyphocek® Urine Toxicology Screen-Low Control	Vial: 20 mL	6/1/1994
Bio-Rad Laboratories, (ECS Division)	Positive for Amphetamines	Bottle: 90 mL	9/14/1990
Bio-Rad Laboratories, (ECS Division)	Positive for Cocaine	Bottle: 90 mL	9/14/1990
Bio-Rad Laboratories, (ECS Division)	Positive for Marihuana	Bottle: 90 mL	9/14/1990
Bio-Rad Laboratories, (ECS Division)	Positive for Opiates	Bottle: 90 mL	9/14/1990
Bio-Rad Laboratories, (ECS Division)	Positive for Phencyclidine	Bottle: 90 mL	9/14/1990
Biosite Diagnostics	Alprazolam Stock Solution, 31366	Vial: 2 mL	5/26/1992
Biosite Diagnostics	Alprazolam Threshold Control Calibrators 2-6; 31446-31450	Flask: 250 mL	5/26/1992
Biosite Diagnostics	Amphetamine Enzyme Conjugate 31111, Bulk Formulation	Vial: 100 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Amphetamine QC Control	Vial: 5 mL	10/29/1991
Biosite Diagnostics	Amphetamine QC Control (Bulk)	Bottle: 0.5 L - 10 L	10/29/1991



**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Biosite Diagnostics	Barbiturate Conjugate	Plastic bottle: 2 mL - 60 mL	11/30/1990
Biosite Diagnostics	Barbiturate Conjugate Control	Vial: 0.5, 1, 2, 5, 15, 50 mL	3/28/1994
Biosite Diagnostics	Barbiturate Derivative	Vial: 8, 16, 32 mL	11/30/1990
Biosite Diagnostics	Barbiturate Enzyme Conjugate 31110, Bulk Formulation	Vial: 100 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Barbiturate QC Control	Vial: 5 mL	10/29/1991
Biosite Diagnostics	Barbiturate QC Control (Bulk)	Bottle: 5 L - 10 L	10/29/1991
Biosite Diagnostics	Barbiturate Threshold Control Calibrators 2-6; 31356-31360	Flask: 250 mL	5/26/1992
Biosite Diagnostics	Benzodiazepine Controls, 1-6 31088-31093, 7-11 31098-31102, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1991
Biosite Diagnostics	Benzodiazepine QC Control 3	Vial: 5 mL	10/29/1991
Biosite Diagnostics	Benzodiazepines QC Control 1	Vial: 5 mL	10/29/1991
Biosite Diagnostics	Benzodiazepines QC Control 1 (Bulk)	Bottle: 0.5 L - 10 L	10/29/1991
Biosite Diagnostics	Benzodiazepines QC Control 2	Vial: 5 mL	10/29/1991
Biosite Diagnostics	Benzodiazepines QC Control 2 (Bulk)	Bottle: 0.5 L - 10 L	10/29/1991
Biosite Diagnostics	Benzodiazepines QC Control 3 (Bulk)	Bottle: 0.5 L - 10 L	10/29/1991
Biosite Diagnostics	Benzoylcegonine Conjugate	Plastic bottle: 2 mL - 60 mL	11/30/1990
Biosite Diagnostics	Benzoylcegonine Conjugate II, III, IV, & V	Vial: 1.5 mL	3/14/1991
Biosite Diagnostics	Benzoylcegonine Conjugate II, III, IV, & V Bulk	Bottle: 5, 15, 30 & 60 mL	3/14/1991
Biosite Diagnostics	Benzoylcegonine Controls, 1-5 31041-31045, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Benzoylcegonine Enzyme Conjugate 31105, Bulk Formulation	Vial: 100 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Benzoylcegonine Enzyme Conjugate II	Vial: 1.5 mL	3/14/1991
Biosite Diagnostics	Benzoylcegonine Standards, 1-6 31035-31040, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Benzoylcegonine Stock Solution	Vial: 3 mL	6/1/1995
Biosite Diagnostics	Benzoylcegonine Stock Solution, 31322	Vial: 2 mL	5/26/1992
Biosite Diagnostics	Benzoylcegonine Stock Solution, Bulk	Bottle: 15-100 mL	6/1/1995
Biosite Diagnostics	Benzoylcegonine Threshold Control Calibrators 2-6; 31341-31345	Flask: 250 mL	5/26/1992
Biosite Diagnostics	Biosite Drugs of Abuse Controls Level 1	Vial: 5 mL; Kit: 6 vials	10/9/2000
Biosite Diagnostics	Biosite Drugs of Abuse Controls Level 2	Vial: 5 mL; Kit: 6 vials	10/9/2000
Biosite Diagnostics	Biosite Drugs of Abuse Controls Level 3	Vial: 5 mL; Kit: 6 vials	10/9/2000
Biosite Diagnostics	BNP Reaction Mixture	Vial: 0.1-2 mL	7/30/1999
Biosite Diagnostics	Cardiac Reaction Mixture	Vial: 0.1-2 mL	7/30/1999
Biosite Diagnostics	Cocaine QC Control	Vial: 5 mL	10/29/1991
Biosite Diagnostics	Cocaine QC Control (Bulk)	Bottle: 0.5 L - 10 L	10/29/1991
Biosite Diagnostics	Conjugate (Intermediate)	Vial: 2, 5, 15, 50, 60, 100, 250, 500, 1000, 2000 mL	3/28/1994
Biosite Diagnostics	Conjugate Beads (Bulk)	Bottle: 15, 50, 100, 250, 500, 1000, 2000 mL	11/30/1990
Biosite Diagnostics	Conjugate Beads Triage and MTD	Vial: 15, 50, 100, 250, 500, 1000, 2000 mL	3/28/1994
Biosite Diagnostics	Conjugate Beads Triage MTD	Vial: 15, 50, 100, 250, 500, 1000, 2000 mL	3/28/1994
Biosite Diagnostics	d-Amphetamine Controls, 1-5 31030-31034, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	d-Amphetamine Standards, 1-6 31024-31029, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	D-Amphetamine Stock Solution, 31323	Vial: 2 mL	5/26/1992
Biosite Diagnostics	D-Amphetamine Threshold Control Calibrator, 31376	Flask: 250 mL	5/26/1992
Biosite Diagnostics	d-Methamphetamine Controls 5-6, 31020, 31257 Bulk Formulation	Vial: 1.5 mL, 20-50 mL; Flask: 20-50 mL	3/14/1991

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Biosite Diagnostics	d-Methamphetamine Controls, 1-4 31020-31023, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	d-Methamphetamine Standards, 1-6 31014-31019, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	D-Methamphetamine Stock Solution, 31324	Vial: 2 mL	5/26/1992
Biosite Diagnostics	D-Methamphetamine Threshold Control Calibrator, 31381	Flask: 250 mL	5/26/1992
Biosite Diagnostics	Drugs of Abuse Controls-Level 2, Positive	Pack: 6 vials; 5 mL/vial	12/14/1994
Biosite Diagnostics	Drugs of Abuse Controls-Level 3, Hi-Positive	Pack: 6 vials; 5 mL/vial	12/14/1994
Biosite Diagnostics	Estazolam Threshold Control Calibrators 2-6	Vial: 0.25-1 mL	11/9/1993
Biosite Diagnostics	Estazolam Threshold Control Calibrators 2-6 Bulk Formulation	Vial: 5-20 mL	11/9/1993
Biosite Diagnostics	Estazolam TTC Stock Solution	Vial: 1 mL	11/9/1993
Biosite Diagnostics	Fluorescent Morphine B	Vial: 0.01-1 mL	7/30/1999
Biosite Diagnostics	Fluorescent Morphine C	Vial: 0.01-1 mL	7/30/1999
Biosite Diagnostics	Flurazepam Enzyme Conjugate 31109, Bulk Formulation	Vial: 100 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Flurazepam Standards, 1-7 31081-31087, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Intervention Bead Solution	Vial: 2, 5, 15, 50, 100, 250, 500 mL	3/28/1994
Biosite Diagnostics	Intervention Conjugate	Bottle/Flask: 0.5, 1, 2, 5 L	11/9/1993
Biosite Diagnostics	Intervention TCA Beads	Bottle/Flask: 0.25 - 1 L	11/9/1993
Biosite Diagnostics	Labeled Benzoylcegonine Conjugate	Plastic bottle: 0.5, 1, 2 & 5 L	11/30/1990
Biosite Diagnostics	Labeled Conjugate Mixture 13	Vial: 2, 5, 15, 50, 100, 250, 500 mL	3/28/1994
Biosite Diagnostics	Labeled Conjugate Mixture 2	Plastic bottle: 10 mL - 1 L	11/30/1990
Biosite Diagnostics	Labeled Conjugate Mixture 5	Bottle: 2, 5, 15, 50, 100, 250, 500 mL	10/29/1991
Biosite Diagnostics	Labeled Conjugate Mixture 7	Bottle: 20 L, 10 L, 5 L, 1 L	12/22/1992
Biosite Diagnostics	Labeled Conjugate Mixture 9	Plastic bottle: 0.5, 1, 2 & 5 L	11/30/1990
Biosite Diagnostics	Labeled Morphine Conjugate	Plastic bottle: 0.5, 1, 2 & 5 L	11/30/1990
Biosite Diagnostics	Labeled THC Conjugate	Plastic bottle: 10 mL - 1 L	11/30/1990
Biosite Diagnostics	Labeled THC Conjugate (Mixture 13)	Flask: 500, 250, 100, 50, 15, 5, 2 mL	3/28/1994
Biosite Diagnostics	Labeled THC Conjugate Mixture 4	Bottle: 2, 5, 15, 50, 100, 250, 500 mL	10/29/1991
Biosite Diagnostics	Labeled Triage MTD Conjugate (Bulk)	Vial: 2, 5, 15, 50, 60, 100, 250, 260, 500 mL	3/28/1994
Biosite Diagnostics	Lorazepam Enzyme Conjugate 31108, Bulk Formulation	Vial: 100 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Lorazepam Standards, 1-4 31094-31097, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Lormetazepam Stock Solution	Vial: 1 mL	11/9/1993
Biosite Diagnostics	Methadone Control	Vial: 2 mL	12/22/1992
Biosite Diagnostics	Methadone Standards 1-6	Vial: 2 mL, 50 mL	12/22/1992
Biosite Diagnostics	Methadone Stock Solution	Vial: 2 mL, 50 mL	12/22/1992
Biosite Diagnostics	Methamphetamine Enzyme Conjugate 31104, Bulk Formulation	Vial: 100 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Methamphetamine QC Control	Vial: 5 mL	10/29/1991
Biosite Diagnostics	Methamphetamine QC Control (Bulk)	Bottle: 5 L - 10 L	10/29/1991
Biosite Diagnostics	Morphine Conjugate	Plastic bottle: 2 - 60 mL	11/30/1990
Biosite Diagnostics	Morphine Control 3	Vial: 2 mL, 50 mL	12/22/1992
Biosite Diagnostics	Morphine Controls, 1-5 31076-31080, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Morphine Enzyme Conjugate 31107, Bulk Formulation	Vial: 100 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Morphine Standard 6, 31220 Bulk Formulation	Vial: 1.5 mL, 5-20 mL; Flask: 20-50 mL	3/14/1991
Biosite Diagnostics	Morphine Standards, 1-5 31071-31075, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Morphine Stock Solution, 31325	Vial: 2 mL	5/26/1992

**Exempt Chemical Preparations List**

March 31, 2008

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Biosite Diagnostics	Opiate QC Control	Vial: 5 mL	10/29/1991
Biosite Diagnostics	Opiate QC Control (Bulk)	Bottle: 05.L - 10 L	10/29/1991
Biosite Diagnostics	Opiate Threshold Control Calibrators 2-6; 31346-31350	Flask: 250 mL	5/26/1992
Biosite Diagnostics	PCP QC Control	Vial: 5 mL	10/29/1991
Biosite Diagnostics	PCP QC Control (Bulk)	Bottle: 0.5 L - 10 L	10/29/1991
Biosite Diagnostics	Phencyclidine Control 7 Bulk Formulation	Vial: 5-20 mL	11/9/1993
Biosite Diagnostics	Phencyclidine Controls 5 -6, 31255-31256 Bulk Formulation	Vial: 1.5 mL, 5-20 mL; Flask: 20-50 mL	3/14/1991
Biosite Diagnostics	Phencyclidine Controls, 1-4 31010-31013, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Phencyclidine Enzyme Conjugate 31103, Bulk Formulation	Vial: 100 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Phencyclidine Standard 7	Vial: 0.25-1 mL	11/9/1993
Biosite Diagnostics	Phencyclidine Standards 1-4 31006-31009, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Phencyclidine Standards 5-6, 31253-31254 Bulk Formulation	Vial: 1.5 mL, 5-20 mL; Flask: 20-50 mL	3/14/1991
Biosite Diagnostics	Phencyclidine Stock Solution, 31321	Vial: 2 mL	5/26/1992
Biosite Diagnostics	Phencyclidine Threshold Control Calibrators 2-6; 31366-31370	Flask: 250 mL	5/26/1992
Biosite Diagnostics	Phenobarbital Controls, 1-8 31063-31070, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	Phenobarbital Standards, 1-8 31055-31062, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	PPX Conjugate Bead Solution	Bottles: 0.1, 0.5, 1, 2, and 5 L	2/21/2000
Biosite Diagnostics	Propoxyphene Control 1	Vial: 2 mL, 50 mL	12/22/1992
Biosite Diagnostics	RT-5 Drugs of Abuse Control, Positive	Pack: 6 vials; 5 mL/vial	12/14/1994
Biosite Diagnostics	Secobarbital Stock Solution, 31326	Vial: 2 mL	5/26/1992
Biosite Diagnostics	Specificity Panel #1	Kit: 5 vials	2/23/2000
Biosite Diagnostics	Specificity Panel #2	Kit: 4 bottles	2/23/2000
Biosite Diagnostics	Specificity Panel #3	Kit: 4 bottles	2/23/2000
Biosite Diagnostics	Specificity Solution 1a	Vial: 2-5 mL	2/23/2000
Biosite Diagnostics	Specificity Solution 1b	Vial: 2-5 mL	2/23/2000
Biosite Diagnostics	Specificity Solution 1c	Vial: 2-5 mL	2/23/2000
Biosite Diagnostics	Specificity Solution 1d	Vial: 2-5 mL	2/23/2000
Biosite Diagnostics	Specificity Solution 1e	Vial: 2-5 mL	2/23/2000
Biosite Diagnostics	Specificity Solution 2a	Bottle: 50-100 mL	2/23/2000
Biosite Diagnostics	Specificity Solution 2b	Bottle: 50-100 mL	2/23/2000
Biosite Diagnostics	Specificity Solution 2c	Bottle: 50-100 mL	2/23/2000
Biosite Diagnostics	Specificity Solution 2d	Bottle: 50-100 mL	2/23/2000
Biosite Diagnostics	Specificity Solution 3a	Bottle: 50-100 mL	2/23/2000
Biosite Diagnostics	Specificity Solution 3b	Bottle: 50-100 mL	2/23/2000
Biosite Diagnostics	Specificity Solution 3c	Bottle: 50-100 mL	2/23/2000
Biosite Diagnostics	Specificity Solution 3d	Bottle: 50-100 mL	2/23/2000
Biosite Diagnostics	TCA Conjugate	Bottle/Flask: 0.5, 1, 2, 5 L	11/9/1993
Biosite Diagnostics	Temazepam Stock Solution, 31337	Vial: 2 mL	5/26/1992
Biosite Diagnostics	Temazepam Threshold Control Calibrators 2-6; 31451-31455	Flask: 250 mL	5/26/1992
Biosite Diagnostics	THC Conjugate	Plastic bottle: 2 - 60 mL	11/30/1990
Biosite Diagnostics	THC Conjugate Control	Vial: 0.5, 1, 2, 5, 15, 50 mL	3/28/1994
Biosite Diagnostics	THC Controls, 1-3 31052-31054, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	THC Enzyme Conjugate 31106, Bulk Formulation	Vial: 100 mL, 1.5 mL	10/24/1990

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Biosite Diagnostics	THC QC Control	Vial: 5 mL	10/29/1991
Biosite Diagnostics	THC QC Control (Bulk)	Bottle: 0.5 L - 10 L	10/29/1991
Biosite Diagnostics	THC Standards, 1-6 31046-31051, Bulk Formulation	Vial: 50 mL, 1.5 mL	10/24/1990
Biosite Diagnostics	THC Standards, 7-9	Vial: 0.25-1 mL	11/9/1993
Biosite Diagnostics	THC Standards, 7-9 Bulk Formulation	Vial: 5-20 mL	11/9/1993
Biosite Diagnostics	THC Threshold Control Calibrators 2-6; 31371-31375	Flask: 250 mL	5/26/1992
Biosite Diagnostics	Threshold Control A & B	Vial: 5 mL	10/29/1991
Biosite Diagnostics	Threshold Control A & B (Bulk)	Bottle: 1 L - 20 L	10/29/1991
Biosite Diagnostics	Threshold Control F-1	Vial: 3.5-5 mL	6/1/1995
Biosite Diagnostics	Threshold Control F-1, Bulk Solution	Bottle: 0.05-5 L	6/1/1995
Biosite Diagnostics	Threshold Controls C,D,E,F,G,H	Vial: 5 mL	11/9/1993
Biosite Diagnostics	Thresholds C,D,E,F,G,H Bulk Solution	Bottle: 1-5 L	11/9/1993
Biosite Diagnostics	Triage 6 Panel for Drugs of Abuse	Box: 10, 25 cassettes	10/5/1992
Biosite Diagnostics	Triage 7 Conjugate	Vial: 2, 5, 15, 50, 60, 100, 250, 260, 500 mL	3/28/1994
Biosite Diagnostics	Triage 8 Panel for Drugs of Abuse	Box: 3, 10, 25 Cassettes	3/28/1994
Biosite Diagnostics	Triage 8 Panel for Drugs of Abuse	Pouch: 1 Cassette	3/28/1994
Biosite Diagnostics	Triage and MTD Conjugate (Bulk)	Vial: 2, 5, 15, 50, 60, 100, 250, 260, 500 mL	3/28/1994
Biosite Diagnostics	Triage BNP Kit	Box: 1 tray; Tray: 5-25 pouched test devices	7/30/1999
Biosite Diagnostics	Triage Cardiac Panel Kit	Box: 1 tray; Tray: 5-25 pouched test devices	7/30/1999
Biosite Diagnostics	Triage DOA Demo Control	Vial: 5 mL	10/29/1991
Biosite Diagnostics	Triage DOA Demo Control (Bulk)	Bottle: 0.5 L - 10 L	10/29/1991
Biosite Diagnostics	Triage Drug Screen Control	Vial: 5 mL	10/29/1991
Biosite Diagnostics	Triage Drug Screen Control (Bulk)	Bottle: 0.5 - 20 L	10/29/1991
Biosite Diagnostics	Triage Drugs of Abuse Panel Plus PPX (Propoxyphene)	Kit: 5 to 25 devices	2/21/2000
Biosite Diagnostics	Triage Intervention Panel for Drugs of Abuse	Box: 10, 25 Pouches	11/9/1993
Biosite Diagnostics	Triage Intervention Test Device	Pouch: 1 each	11/9/1993
Biosite Diagnostics	Triage Panel for Drugs of Abuse	Box: 10, 25 cassettes	11/30/1990
Biosite Diagnostics	Triage Panel for Drugs of Abuse plus Methadone	Box: 3, 10, 25 Cassettes	3/28/1994
Biosite Diagnostics	Triage Panel for Drugs of Abuse plus Methadone Test Device	Pouch: 1 Cassette	3/28/1994
Biosite Diagnostics	Triage Panel for Drugs of Abuse Plus Tricyclic Antidepressants	Box: 10, 25 Pouches	11/9/1993
Biosite Diagnostics	Triage Panel for Drugs of Abuse plus Tricyclic Antidepressants, Cat#92000	Kit: 25 Tests	11/1/1993
Biosite Diagnostics	Triage Panel for Drugs of Abuse plus Tricyclic Antidepressants, Cat#92010	Kit: 10 Tests	11/1/1993
Biosite Diagnostics	Triage Plus PPX Conjugate Beads	Bottles: 0.1 L to 1 L	2/21/2000
Biosite Diagnostics	Triage Plus PPX Test Device	Pouch: 1	2/21/2000
Biosite Diagnostics	Triage Plus TCA Beads	Bottle/Flask: 0.25 - 1 L	11/9/1993
Biosite Diagnostics	Triage Plus TCA Test Device	Pouch: 1 each	11/9/1993
Biosite Diagnostics	Triage Test Device	Metallic Pouch: 1 each	11/30/1990
Biosite Diagnostics	Triage TOX Drug Screen Panel Device, Pouched	Device: 1	12/10/2001
Biosite Diagnostics	Triage TOX Drug Screen Panel Kit	Box: 1 tray pouched devices	12/10/2001
Biosite Diagnostics	Triage-7 Conjugate Beads	Bottle: 15, 50, 100, 250, 500, 1000, 2000 mL	12/22/1992
Biosite Diagnostics	Triage-7 Device	Pouch: 1 cassette	12/22/1992

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Biosite Diagnostics	Triage-7 Panel for Drugs	Box: 10, 25 cassettes	12/22/1992
Biosite Incorporated	18X Universal TOX Spiking Solution	Vial: 1-5 mL	11/28/2005
Biosite Incorporated	20X TOX Spiking Solution	Vial: 1-5 mL	8/20/2004
Biosite Incorporated	AMP Spot Check Control	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	BAR Spot Check Control	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Benzoylcegonine Stock Solution, 200X	Vial: 1-5 mL	8/20/2004
Biosite Incorporated	BZO Spot Check Control	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	COC Spot Check Control	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	d-Amphetamine Stock Solution, 200X	Vial: 1-5 mL	8/20/2004
Biosite Incorporated	d-Methamphetamine Stock Solution, 200X	Vial: 1-5 mL	8/20/2004
Biosite Incorporated	DOA Primary Control	Vial: 1-5 mL	8/20/2004
Biosite Incorporated	DOA/TOX Challenge Sample 1	Vial: 1-15 mL	12/7/2004
Biosite Incorporated	DOA/TOX Challenge Sample 1, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	DOA/TOX Challenge Sample 2	Vial: 1-15 mL	12/7/2004
Biosite Incorporated	DOA/TOX Challenge Sample 2, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	DOA/TOX Challenge Sample 3	Vial: 1-15 mL	11/28/2005
Biosite Incorporated	DOA/TOX Challenge Sample 3	Vial: 1-15 mL	12/7/2004
Biosite Incorporated	DOA/TOX Challenge Sample 3, Bulk	Bottle/Flask: 10 - 1000 mL	11/28/2005
Biosite Incorporated	DOA/TOX Challenge Sample 3, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	DOA/TOX Challenge Sample 5	Vial: 1-15 mL	11/28/2005
Biosite Incorporated	DOA/TOX Challenge Sample 5	Vial: 1-15 mL	12/7/2004
Biosite Incorporated	DOA/TOX Challenge Sample 5, Bulk	Bottle/Flask: 10 - 1000 mL	11/28/2005
Biosite Incorporated	DOA/TOX Challenge Sample 5, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	DOA/TOX Challenge Sample 7	Vial: 1-15 mL	11/28/2005
Biosite Incorporated	DOA/TOX Challenge Sample 7	Vial: 1-15 mL	12/7/2004
Biosite Incorporated	DOA/TOX Challenge Sample 7, Bulk	Bottle/Flask: 10 - 1000 mL	11/28/2005
Biosite Incorporated	DOA/TOX Challenge Sample 7, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	DOA/TOX Challenge Sample 8	Vial: 1-15 mL	12/7/2004
Biosite Incorporated	DOA/TOX Challenge Sample 8, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 1	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 1, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 10	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 10, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 11	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 11, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 12	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 12, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 13	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 13, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 14	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 14, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 15	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 15, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Biosite Incorporated	Drug Evaluation Panel Sample 16	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 16, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 17	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 17, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 18	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 18, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 19	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 19, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 2	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 2, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 20	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 20, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 3	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 3, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 4	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 4, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 5	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 5, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 6	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 6, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 7	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 7, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 8	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 8, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Drug Evaluation Panel Sample 9	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Drug Evaluation Panel Sample 9, Bulk	Bottle/Flask: 10 - 1000 mL	12/15/2004
Biosite Incorporated	Estazolam Stock Solution, 1 mg/mL	Vial: 1-5 mL	8/20/2004
Biosite Incorporated	Estazolam Stock Solution, 200X	Vial: 1-5 mL	8/20/2004
Biosite Incorporated	Meth Spot Check Control	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	Methadone Stock Solution, 200X	Vial: 0.1-4.0 mL	4/10/2006
Biosite Incorporated	Morphine Stock Solution, 200X	Vial: 1-5 mL	8/20/2004
Biosite Incorporated	MTD Spot Check Control	Vial: 1-10 mL	4/10/2006
Biosite Incorporated	OPI Spot Check Control	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	PCP Spot Check Control	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	PCP Stock Solution, 200X	Vial: 1-5 mL	8/20/2004
Biosite Incorporated	Pentobarbital Stock Solution, 200X	Vial: 1-5 mL	8/20/2004
Biosite Incorporated	PPX Stock Solution, 5 mg/mL	Vial: 1-5 mL	8/20/2004
Biosite Incorporated	Threshold Control G	Vial: 5 mL	8/20/2004
Biosite Incorporated	Threshold Control H	Vial: 5 mL	8/20/2004
Biosite Incorporated	TOX Reagent Control A	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	TOX Reagent Control B	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	TOX Reagent Control C	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	TOX Reagent Control D	Vial: 1-15 mL	8/20/2004

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Biosite Incorporated	TOX-DS 0.5X Reagent Control	Vial: 1-15 mL	4/10/2006
Biosite Incorporated	TOX-DS 0.75X Reagent Control	Vial: 1-15 mL	4/10/2006
Biosite Incorporated	TOX-DS 1.25X Reagent Control	Vial: 1-15 mL	4/10/2006
Biosite Incorporated	TOX-DS 2.5X Reagent Control	Vial: 1-15 mL	4/10/2006
Biosite Incorporated	TOX-DS Calibrator A	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	TOX-DS Calibrator A, Bulk	Vial/bottle: 10-500 mL	8/20/2004
Biosite Incorporated	TOX-DS Calibrator B	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	TOX-DS Calibrator B, Bulk	Vial/bottle: 10-500 mL	8/20/2004
Biosite Incorporated	TOX-DS Calibrator C	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	TOX-DS Calibrator C, Bulk	Vial/bottle: 10-500 mL	8/20/2004
Biosite Incorporated	TOX-DS Calibrator D	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	TOX-DS Calibrator D, Bulk	Vial/bottle: 10-500 mL	8/20/2004
Biosite Incorporated	TOX-DS Calibrator E	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	TOX-DS Calibrator E, Bulk	Vial/bottle: 10-500 mL	8/20/2004
Biosite Incorporated	TOX-DS Calibrator F	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	TOX-DS Calibrator F, Bulk	Vial/bottle: 10-500 mL	8/20/2004
Biosite Incorporated	TOX-DS QC Positive Control	Vial: 1-15 mL	8/20/2004
Biosite Incorporated	TOX-DS Universal 0.5X Calibrator	Vial: 1-15 mL	11/28/2005
Biosite Incorporated	TOX-DS Universal 0.5X Calibrator, Bulk	Vial/bottle: 10-500 mL	11/28/2005
Biosite Incorporated	TOX-DS Universal 0.75X Calibrator	Vial: 1-15 mL	11/28/2005
Biosite Incorporated	TOX-DS Universal 0.75X Calibrator, Bulk	Vial/bottle: 10-500 mL	11/28/2005
Biosite Incorporated	TOX-DS Universal 1.25X Calibrator	Vial: 1-15 mL	11/28/2005
Biosite Incorporated	TOX-DS Universal 1.25X Calibrator, Bulk	Vial/bottle: 10-500 mL	11/28/2005
Biosite Incorporated	TOX-DS Universal 2.5X Calibrator	Vial: 1-15 mL	11/28/2005
Biosite Incorporated	TOX-DS Universal 2.5X Calibrator, Bulk	Vial/bottle: 10-500 mL	11/28/2005
Biosite Incorporated	Triage BNP Device, Pouched	Pouch: 1 test device	6/17/2002
Biosite Incorporated	Triage Cardiac Panel Device, Pouched	Pouch: 1 test device	7/22/2002
Biosite Incorporated	Triage® Cardio ProfilER Device, Pouched	Pouch: 1 test device	11/25/2002
Biosite Incorporated	Triage® Cardio ProfilER Kit	Box: 1 tray; Tray: 5-25 pouched test devices	11/25/2002
Biosite Incorporated	Triage® DOA/TOX Challenge Panel, Kit	Kit: 8 vials	12/7/2004
Biosite Incorporated	Triage® Drug Evaluation Panel, Kit	Vial: 1-5 mL; Kit: 20 vials	8/20/2004
Biosite Incorporated	Triage® TOX Drug Screen Control 2	Vial: 0.1-2.0 mL	11/28/2005
Biosite Incorporated	Triage® TOX Drug Screen Control 2	Vial: 1-5 mL; Box: 2 vials	8/20/2004
Biosite Incorporated	Triage® TOX Drug Screen Control 2, Bulk	Bottle/Flask: 100 - 10,000 mL	12/15/2004
Biosite Incorporated	Triage® TOX Drug Screen Control Set	Vial: 1-5 mL; Box: 4 vials	8/20/2004
Biosite Incorporated	Triage® TOX Drug Screen Control Set, Control 2	Vial: 0.1-2.0 mL; Box: 5 vials	11/28/2005
Brazilian Society of Clinical Analysis	Level 2 Chemistry	Box: 5 flats; Flat: 100 bottles; Glass bottle: 15 mL	2/22/2005
Brookhaven National Laboratory	COC HCl Quality Control	Vial: 10 mL	11/4/2005
Brookhaven National Laboratory	MAMP HCl Quality Control	Vial: 10 mL	11/4/2005
Cambridge Isotope Laboratories, Inc.	(-) Delta-9-THC (D3, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Cambridge Isotope Laboratories, Inc.	(-) Delta-9-THC (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(-) Delta-9-THC (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	(-)11-nor-9-Carboxy-Delta-9-THC (Unlabeled) 1.0 mg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	(-)11-nor-9-Carboxy-Delta-9-THC (Unlabeled) 100 µg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	(-)-α-Methadol HCl (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	(-)-α-Methadol HCl, 1.0mg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	(+) Amphetamine (Unlabeled) 1.0 mg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	(+/-) MDA-D5 (1000 µg/mL)	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	(+/-) MDEA-D5 (1000 µg/mL)	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	(+/-) MDMA-D5 (1000 µg/mL)	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	(+) Methamphetamine (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	(+/-) 11-Hydroxy-Delta-9-THC (D3, 98%) 100 µg/mL	Ampule: 2 mL	4/8/1998
Cambridge Isotope Laboratories, Inc.	(+/-) 11-Hydroxy-Delta-9-THC (Unlabeled) 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(+/-) 11-Hydroxy-Delta-THC (D3, 98%) 100 µg/mL	Ampule: 2 mL	2/11/1998
Cambridge Isotope Laboratories, Inc.	(+/-) 11-Nor-9-Carboxy-Delta-9-THC (D3, 98%) 10 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(+/-) Amphetamine (D10, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(+/-) Amphetamine (D5, 98%) 100 µg/mL	Ampule: 2 mL, 10 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(+/-) Amphetamine (Unlabeled) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(+/-) BDB (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(+/-) MBDB (D5, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(+/-) MDEA (D6, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997



**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Cambridge Isotope Laboratories, Inc.	(+/-) Methadone (D3, 98%) 10 µg/mL, 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(+/-) Methadone (D9, 98%) 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(+/-) Methadone (Unlabeled) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(+/-) Methamphetamine (D14, 98%) 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(+/-) Methamphetamine (D5, 98%) 10 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(+/-) Methamphetamine (D8, 98%) 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(+/-) Methamphetamine (D9, 98%) 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(+/-) Methamphetamine (Unlabeled) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(+/-) N-Ethylamphetamine (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	(+/-) Propoxyphene (D11, 98%) 100 µg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	(+/-)-Cannabidiol (unlabeled), 1.0 mg/mL in Methanol	Glass ampule: 2 mL	6/10/2003
Cambridge Isotope Laboratories, Inc.	+/- Amphetamine (ring-D5, 98%) 100 µg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	11-Nor-9-Carboxy-Delta-9-THC (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	2R-Cathinone HCl, 1.0 mg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	2R-Cathinone•HCl (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	2R-Methcathinone HCl (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	2R-Methcathinone HCl, 1.0 mg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	2S-Cathinone HCl, 1.0 mg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	2S-Cathinone•HCl (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	2S-Methcathinone HCl (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	2S-Methcathinone HCl, 1.0 mg/mL	Ampule: 2 mL	5/18/2000

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Cambridge Isotope Laboratories, Inc.	4-Bromo-2, 5-dimethoxy-phenethylamine HCl (Unlabeled) 1.0 mg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	4-Bromo-2,5-dimethoxyphenethylamine HCl (unlabeled), 10 µg/mL in Acetonitrile (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	4-Bromo-2,5-dimethoxyphenethylamine HCl (unlabeled), 10 µg/mL in Methanol (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	4-Bromo-2,5-dimethoxyphenethylamine HCl (unlabeled), 100 µg/mL in Acetonitrile (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	4-Bromo-2,5-dimethoxyphenethylamine HCl (unlabeled), 100 µg/mL in Methanol (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	4-Bromo-2,5-dimethoxyphenethylamine HCl (unlabeled), 1000 µg/mL in Acetonitrile (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	4-Bromo-2,5-dimethoxyphenethylamine HCl (unlabeled), 1000 µg/mL in Methanol (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	4-Bromo-2,5-Dimethoxy-Phenethylamine:HCl, 1.0 mg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	6-Acetylcodeine (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	6-Acetylmorphine (D3, 98%) 10 µg/mL	Ampule: 2 mL	4/8/1998
Cambridge Isotope Laboratories, Inc.	6-Acetylmorphine (D3, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	6-Acetylmorphine (D6, 98%) 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	6-Acetylmorphine (Unlabeled) 100 µg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	6-Acetylmorphine (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Alprazolam (D5, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Alprazolam (D5, 98%), 1 mg/mL in Methanol	Glass ampule: 2 mL	4/23/2003
Cambridge Isotope Laboratories, Inc.	Alprazolam (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Amine Mixture-6, 250 µg/mL each component in Methanol	Glass ampule: 2 mL	4/23/2003
Cambridge Isotope Laboratories, Inc.	Aminorex (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Amobarbital (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Anhydroecgonine methyl ester (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Cambridge Isotope Laboratories, Inc.	Anhydroecgonine, 1.0 mg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	Anhydroecgonine•HCl (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Benzodiazepine Multi-Component Mixture-8, 250 µg/mL of each in Acetonitrile	Glass ampule: 2 mL	3/22/2004
Cambridge Isotope Laboratories, Inc.	Benzoyl Ecgonine HCl (N-Methyl-D3, 98%) 100 µg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	Benzoylecgonine (D3, 98%) 10 µg/mL, 100 ug/5 mL	Ampule: 2 mL, 10 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Benzoylecgonine (D3, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Benzoylecgonine (D8, 98%) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Benzoylecgonine (D8, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Benzoylecgonine (Unlabeled) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Benzoylecgonine (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Benzoylecgonine Isopropyl Ester (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Bromazepam (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Bromazepam (unlabeled), 100 µg/mL in Methanol	Glass ampule: 2 mL	8/23/2005
Cambridge Isotope Laboratories, Inc.	Bufotenine (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Buprenorphine (D4, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Buprenorphine (Unlabeled) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Butabarbital (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Butalbital (D5, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Butalbital (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Butalbital-D5 (1000 µg/mL)	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	Cannabinol (unlabeled), 1.0 mg/mL in Acetonitrile	Glass ampule: 2 mL	10/7/2003

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Cambridge Isotope Laboratories, Inc.	Cannabinol (unlabeled), 1.0 mg/mL in Methanol	Glass ampule: 2 mL	10/7/2003
Cambridge Isotope Laboratories, Inc.	Cannabinol (unlabeled), 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	10/7/2003
Cambridge Isotope Laboratories, Inc.	Cannabinol (unlabeled), 100 µg/mL in Methanol	Glass ampule: 2 mL	10/7/2003
Cambridge Isotope Laboratories, Inc.	Chlordiazepoxide (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	cis (+/-) 4-Methylaminorex (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Clobazam (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Clonazepam (D4, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Clonazepam (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Cocaethylene (D3, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Cocaethylene (D8, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Cocaethylene (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Cocaine (D3, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Cocaine (N-Methyl-D3, 98%) 100µg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	Cocaine (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Codeine (D3, 98%) 10 µg/mL, 100 ug/5 mL	Ampule: 2 mL, 10 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Codeine (D3, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Codeine (D6, 98%) 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Codeine (Unlabeled) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Codeine (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Codeine H2O (N-Methyl-D3, 98%) 100µg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	D-Amphetamine HCl (D6, 98%) 100 µg/mL	Ampule: 1 mL	11/5/1998

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Cambridge Isotope Laboratories, Inc.	Diazepam (D5, 98%) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Diazepam (D5, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Diazepam (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Dihydrococaine:HCl (D6, 98%); Cat. # FSD-316-100	Glass ampule: 2 mL	10/1/2002
Cambridge Isotope Laboratories, Inc.	Dihydrocodeine ( Unlabeled) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Dihydrocodeine HCl (D6, 98%) 1.0 mg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	Dihydrocodeine HCl (Unlabeled) 1.0 mg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	Dihydrocodeine HCl, 1.0 mg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	DL-11-NOR-9-Carboxy-Delta-9-THC (D3, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-11-NOR-9-Carboxy-Delta-9-THC (D9, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-11-NOR-9-Carboxy-Delta-9-THC (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-Amphetamine (D11, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-Amphetamine (D5, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-Amphetamine (D6, 98%) 100 µg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	DL-Amphetamine (D6, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-Amphetamine (D8, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-Amphetamine (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-MBDB (Unlabeled) 1.0mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	DL-MBDB HCl, 1 mg/mL in Acetonitrile	Ampule: 2 mL	9/21/2001
Cambridge Isotope Laboratories, Inc.	DL-MBDB HCl, 1 mg/mL in Methanol	Ampule: 2 mL	9/19/2001
Cambridge Isotope Laboratories, Inc.	DL-MBDB HCl, 100 µg/mL in Acetonitrile	Ampule: 2 mL	9/21/2001

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Cambridge Isotope Laboratories, Inc.	DL-MBDB HCl, 100 µg/mL in Methanol	Ampule: 2 mL	9/19/2001
Cambridge Isotope Laboratories, Inc.	DL-MDA (D5, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-MDA (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-MDEA (D5, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-MDEA (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-MDMA (D5, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-MDMA (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-Methadone (D3, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-Methadone (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-Methamphetamine (D11, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-Methamphetamine (D5, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-Methamphetamine (D6, 98%) 100 µg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	DL-Methamphetamine (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	DL-Propoxyphene (D5, 98%) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	DL-Propoxyphene (D5, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	D-Propoxyphene (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	D-propoxyphene, 1.0 mg/mL in Acetonitrile	Glass ampule: 2 mL	8/8/2005
Cambridge Isotope Laboratories, Inc.	Ecgonine Ethyl Ester (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Ecgonine HCl (D3), 1.0 mg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	Ecgonine HCl, 1.0 mg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	Ecgonine Methyl Ester (D3, 98%) 10 µg/mL	Ampule: 2 mL	9/22/1997

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Cambridge Isotope Laboratories, Inc.	Ecgonine Methyl Ester (D3, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Ecgonine Methyl Ester (Unlabeled) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Ecgonine Methyl Ester (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Ecgonine Methyl Ester HCl (N-Methyl-D3, 98%) 100 µg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	Ecgonine-HCl (D3, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Ecgonine-HCl (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Estazolam (D5, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Estazolam (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Exo-THC (unlabeled), 1.0 mg/mL in Methanol	Glass ampule: 2 mL	6/17/2004
Cambridge Isotope Laboratories, Inc.	Fencamfamine (unlabeled), 10 µg/mL in Acetonitrile	Glass ampule: 2 mL	10/25/2005
Cambridge Isotope Laboratories, Inc.	Fencamfamine (unlabeled), 10 µg/mL in Methanol	Glass ampule: 2 mL	10/25/2005
Cambridge Isotope Laboratories, Inc.	Fencamfamine (unlabeled), 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	10/25/2005
Cambridge Isotope Laboratories, Inc.	Fencamfamine (unlabeled), 100 µg/mL in Methanol	Glass ampule: 2 mL	10/25/2005
Cambridge Isotope Laboratories, Inc.	Fencamfamine (unlabeled), 1000 µg/mL in Acetonitrile	Glass ampule: 2 mL	10/25/2005
Cambridge Isotope Laboratories, Inc.	Fencamfamine (unlabeled), 1000 µg/mL in Methanol	Glass ampule: 2 mL	10/25/2005
Cambridge Isotope Laboratories, Inc.	Fenfluramine (D10, 98%) 100 µg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Fenfluramine (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Fentanyl (D5, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Fentanyl (Unlabeled) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Fentanyl (unlabeled); Cat. # FSU-150-1000	Glass ampule: 2 mL	10/1/2002
Cambridge Isotope Laboratories, Inc.	Fentanyl, 100 µg/mL	Ampule: 2 mL	5/18/2000

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Cambridge Isotope Laboratories, Inc.	Flunitrazepam (D7, 98%) 100 µg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Flunitrazepam (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Flurazepam (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	GHB, 1.0 mg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	Glutethimide (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Heroin (D9, 98%) 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Heroin (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Hexobarbital (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	HMMA (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Hydrocodone (D3, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Hydrocodone (D6, 98%) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Hydrocodone (D6, 98%) 100 µg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Hydrocodone (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Hydromorphone (D3, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Hydromorphone (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Hydromorphone-D6, 100 µg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	l-010 Iso-LSD, 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	8/8/2005
Cambridge Isotope Laboratories, Inc.	Ibogaine (D3, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Ibogaine (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	iso LSD (Unlabeled) 25 µg/mL, 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Ketamine HCl (D4, 98%) 1 mg/mL in acetonitrile (as free base)	Glass ampule: 2 mL	5/15/2001



### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Cambridge Isotope Laboratories, Inc.	Ketamine HCl (D4, 98%) 1 mg/mL in methanol (as free base)	Glass ampule: 2 mL	5/15/2001
Cambridge Isotope Laboratories, Inc.	Ketamine HCl (D4, 98%) 100 µg/mL in acetonitrile (as free base)	Glass ampule: 2 mL	5/15/2001
Cambridge Isotope Laboratories, Inc.	Ketamine HCl (D4, 98%) 100 µg/mL in methanol (as free base)	Glass ampule: 2 mL	5/15/2001
Cambridge Isotope Laboratories, Inc.	Ketamine HCl (unlabeled), 1.0 mg/mL in Methanol (as free base)	Glass ampule: 2 mL	8/16/2005
Cambridge Isotope Laboratories, Inc.	LAAM HCl (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	LAAM:HCl, 1.0 mg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	LAMPA (Unlabeled) 25 µg/mL, 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Lorazepam (D4, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Lorazepam (D4, 98%), 1 mg/mL in Acetonitrile	Glass ampule: 2 mL	4/23/2003
Cambridge Isotope Laboratories, Inc.	Lorazepam (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Lorazepam-D4, 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	3/22/2004
Cambridge Isotope Laboratories, Inc.	Lormetazepam (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	LSD (D3, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	LSD (D3, 98%) 25 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	LSD (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	LSD (Unlabeled) 25 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Meperidine (D4, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Meperidine (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Meprobamate (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Mescaline (D9, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Mescaline (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Cambridge Isotope Laboratories, Inc.	Mescaline HCl (D9, 98%), 10 µg/mL in Methanol (as free base)	Glass ampule: 2 mL	11/17/2005
Cambridge Isotope Laboratories, Inc.	Mescaline HCl (D9, 98%), 100 µg/mL in Acetonitrile (as free base)	Glass ampule: 2 mL	8/16/2005
Cambridge Isotope Laboratories, Inc.	Mescaline HCl (D9, 98%), 100 µg/mL in Methanol (as free base)	Glass ampule: 2 mL	11/17/2005
Cambridge Isotope Laboratories, Inc.	Mescaline HCl (D9, 98%), 1000 µg/mL in Methanol (as free base)	Glass ampule: 2 mL	11/17/2005
Cambridge Isotope Laboratories, Inc.	Mescaline HCl (unlabeled), 1.0 mg/mL in Acetonitrile	Glass ampule: 2 mL	6/17/2004
Cambridge Isotope Laboratories, Inc.	Mescaline HCl (unlabeled), 1.0 mg/mL in Acetonitrile (as free base)	Glass ampule: 2 mL	8/16/2005
Cambridge Isotope Laboratories, Inc.	Mescaline HCl (unlabeled), 10 µg/mL in Methanol (as free base)	Glass ampule: 2 mL	11/17/2005
Cambridge Isotope Laboratories, Inc.	Mescaline HCl (unlabeled), 100 µg/mL in Methanol (as free base)	Glass ampule: 2 mL	11/17/2005
Cambridge Isotope Laboratories, Inc.	Mescaline HCl (unlabeled), 1000 µg/mL in Methanol (as free base)	Glass ampule: 2 mL	11/17/2005
Cambridge Isotope Laboratories, Inc.	Mescaline HCl, 10 µg/mL in Methanol	Glass ampule: 2 mL	8/8/2005
Cambridge Isotope Laboratories, Inc.	Mescaline HCl, 100 µg/mL in Methanol	Glass ampule: 2 mL	8/8/2005
Cambridge Isotope Laboratories, Inc.	Mescaline HCl, 1000 µg/mL in Methanol	Glass ampule: 2 mL	8/8/2005
Cambridge Isotope Laboratories, Inc.	Mescaline-D9 HCl, 1.0 mg/mL in Methanol	Glass ampule: 2 mL	8/8/2005
Cambridge Isotope Laboratories, Inc.	Mescaline-D9 HCl, 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	6/17/2004
Cambridge Isotope Laboratories, Inc.	Mescaline-D9 HCl, 100 µg/mL in Methanol	Glass ampule: 2 mL	8/8/2005
Cambridge Isotope Laboratories, Inc.	Methamphetamine/Cocaine/Heroin Mix, 250 µg/mL each component in Acetonitrile	Glass ampule: 2 mL	4/23/2003
Cambridge Isotope Laboratories, Inc.	Methaqualone (D7, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Methaqualone (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Methohexital (D5, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Methohexital (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Methylphenidate HCl (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Cambridge Isotope Laboratories, Inc.	Methylphenidate HCl (unlabeled), 1.0 mg/mL in Methanol (as free base)	Glass ampule: 2 mL	8/16/2005
Cambridge Isotope Laboratories, Inc.	Methylphenidate HCl, 1.0 mg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	m-Hydroxybenzoylecgonine (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Midazolam (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Morphine (D3, 98%) 10 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Morphine (D3, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Morphine (D3, 98%) 100 µg/mL	Ampule: 10 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Morphine (D6, 98%) 1.0 mg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	Morphine (D6, 98%), 1 mg/mL	Glass ampule: 2 mL	6/27/2001
Cambridge Isotope Laboratories, Inc.	Morphine (Unlabeled) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Morphine (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Morphine 3 β-D-Glucuronide (D3, 98%) 100 µg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	Morphine 3 β-D-Glucuronide (D3, 98%) 100µg/mL, 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Morphine 3 β-D-Glucuronide (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	4/2/1998
Cambridge Isotope Laboratories, Inc.	Morphine 3 β-D-Glucuronide (Unlabeled) 100µg/mL, 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Morphine 6 β-D-Glucuronide (Unlabeled) 100µg/mL, 1.0mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Morphine 6beta-D-Glucuronide, 100 µg/mL in 50:50 Methanol:Water	Glass ampule: 2 mL	8/10/2004
Cambridge Isotope Laboratories, Inc.	Morphine H <sub>2</sub> O (N-Methyl-D3, 98%), 0.1 mg/mL in Methanol	Glass ampule: 2 mL	4/19/2006
Cambridge Isotope Laboratories, Inc.	Morphine HCl 3H <sub>2</sub> O (N-Methyl-D3, 98%) 1.0 mg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	Morphine HCl 3H <sub>2</sub> O (N-Methyl-D3, 98%) 100 µg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	Morphine-6β-D-Glucuronide-D3, 100 µg/mL in Methanol	Glass ampule: 2 mL	3/22/2004

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Cambridge Isotope Laboratories, Inc.	Morphine-D6 (100 µg/mL)	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	Nalorphine (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Nitrazepam (D5, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Nitrazepam (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Nitrazepam, 1.0 mg/mL in Acetonitrile	Glass ampule: 2 mL	8/8/2005
Cambridge Isotope Laboratories, Inc.	Nitrazepam-D5, 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	8/8/2005
Cambridge Isotope Laboratories, Inc.	Norbenzoyllecgonine HCl, 1.0 mg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	Norbenzoyllecgonine•HCl (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Norbuprenorphine (D3, 98%) 100 µg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Norcocaethylene HCl, 1.0 mg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	Norcocaethylene•HCl (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Norcocaine (D3, 98%) 1.0 mg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	Norcocaine (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Norcocaine HCl (D3, 98%); Cat. # FSD-315-100	Glass ampule: 2 mL	10/1/2002
Cambridge Isotope Laboratories, Inc.	Norcodeine (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Nordiazepam (D5, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Nordiazepam (D5, 98%) 100 ug/5 mL, 1.0 mg/mL	Ampule: 2 mL, 10 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Nordiazepam (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	nor-LAAM HCl (Unlabeled) 100 µg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Normorphine (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Noroxycodone (D3, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Cambridge Isotope Laboratories, Inc.	Noroxycodone (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Noroxycodone (Unlabeled) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Noroxycodone (unlabeled); Cat. # FSU-215-100	Glass ampule: 2 mL	10/1/2002
Cambridge Isotope Laboratories, Inc.	Noroxycodone HCl (D3, 98%), 10 µg/mL in Acetonitrile (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	Noroxycodone HCl (D3, 98%), 10 µg/mL in Methanol (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	Noroxycodone HCl (D3, 98%), 100 µg/mL in Acetonitrile (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	Noroxycodone HCl (D3, 98%), 100 µg/mL in Methanol (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	Noroxycodone HCl (D3, 98%), 1000 µg/mL in Acetonitrile (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	Noroxycodone HCl (D3, 98%), 1000 µg/mL in Methanol (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	Noroxycodone HCl (Unlabeled) 1.0 mg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	Noroxycodone HCl, 1.0 mg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	Noroxymorphine (Unlabeled) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Noroxymorphine (unlabeled), 100 µg/mL in Methanol	Glass ampule: 2 mL	6/17/2004
Cambridge Isotope Laboratories, Inc.	Noroxymorphine HCl (unlabeled), 10 µg/mL in Acetonitrile (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	Noroxymorphine HCl (unlabeled), 10 µg/mL in Methanol (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	Noroxymorphine HCl (unlabeled), 10 µg/mL in Methanol:DMSO (80:20) (as free base)	Glass ampule: 2 mL	11/17/2005
Cambridge Isotope Laboratories, Inc.	Noroxymorphine HCl (unlabeled), 100 µg/mL in Acetonitrile (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	Noroxymorphine HCl (unlabeled), 100 µg/mL in Methanol (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	Noroxymorphine HCl (unlabeled), 100 µg/mL in Methanol:DMSO (80:20) (as free base)	Glass ampule: 2 mL	11/17/2005
Cambridge Isotope Laboratories, Inc.	Noroxymorphine HCl (unlabeled), 1000 µg/mL in Acetonitrile (as free base)	Glass ampule: 2 mL	10/5/2005
Cambridge Isotope Laboratories, Inc.	Noroxymorphine HCl (unlabeled), 1000 µg/mL in Methanol (as free base)	Glass ampule: 2 mL	10/5/2005

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Cambridge Isotope Laboratories, Inc.	Noroxymorphone HCl (unlabeled), 1000 µg/mL in Methanol:DMSO (80:20) (as free base)	Glass ampule: 2 mL	11/17/2005
Cambridge Isotope Laboratories, Inc.	Opiate Multi-Component Mixture-5, 250 µg/mL each component in Methanol	Glass ampule: 2 mL	6/5/2003
Cambridge Isotope Laboratories, Inc.	Oxazepam (D5, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Oxazepam (D5, 98%), 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	3/17/2005
Cambridge Isotope Laboratories, Inc.	Oxazepam (D5, 98%), 1000 µg/mL in Acetonitrile	Glass ampule: 2 mL	3/17/2005
Cambridge Isotope Laboratories, Inc.	Oxazepam (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Oxazepam (unlabeled), 1.0 mg/mL in Acetonitrile	Glass ampule: 2 mL	3/17/2005
Cambridge Isotope Laboratories, Inc.	Oxycodone (D3, 98%) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Oxycodone (D3, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Oxycodone (D6, 98%) 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Oxycodone (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Oxymorphone (D3, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Oxymorphone (D3, 98%), 1 mg/mL in Methanol	Glass ampule: 2 mL	4/23/2003
Cambridge Isotope Laboratories, Inc.	Oxymorphone (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	PCP (D5, 98%) 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	PCP (D5, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	PCP (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	PCP (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Pentazocine HCl (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Pentazocine HCl, 1.0 mg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	Pentobarbital (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Cambridge Isotope Laboratories, Inc.	Pentobarbital-D5 (1000 µg/mL)	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	Phencyclidine (Phenyl-D5, 98%) 100 µg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	Phenobarbital (D5, 98%) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Phenobarbital (D5, 98%) 100 µg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	Phenobarbital (D5, 98%) 100 µg/mL, 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Phenobarbital (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Phentermine (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	3/30/1998
Cambridge Isotope Laboratories, Inc.	PMA HCl 1 mg/mL in acetonitrile (as free base)	Glass ampule: 2 mL	5/15/2001
Cambridge Isotope Laboratories, Inc.	PMA HCl 1 mg/mL in methanol (as free base)	Glass ampule: 2 mL	5/15/2001
Cambridge Isotope Laboratories, Inc.	PMA HCl 100 µg/mL in acetonitrile (as free base)	Glass ampule: 2 mL	5/15/2001
Cambridge Isotope Laboratories, Inc.	PMA HCl 100 µg/mL in methanol (as free base)	Glass ampule: 2 mL	5/15/2001
Cambridge Isotope Laboratories, Inc.	Prazepam (D5, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Prazepam (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Propoxyphene (D11, 98%) 1 mg/mL in acetonitrile	Glass ampule: 2 mL	5/15/2001
Cambridge Isotope Laboratories, Inc.	Propoxyphene (D11, 98%) 1 mg/mL in methanol	Glass ampule: 2 mL	5/15/2001
Cambridge Isotope Laboratories, Inc.	Propoxyphene (D11, 98%) 100 µg/mL in acetonitrile	Glass ampule: 2 mL	5/15/2001
Cambridge Isotope Laboratories, Inc.	Propoxyphene (D11, 98%) 100 µg/mL in methanol	Glass ampule: 2 mL	5/15/2001
Cambridge Isotope Laboratories, Inc.	Psilocin (D10, 98%) 100 µg/mL	Ampule: 1 mL	11/5/1998
Cambridge Isotope Laboratories, Inc.	Psilocin (D10, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Psilocin (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Psilocin (Unlabeled) 100 µg/mL	Ampule: 2 mL	3/30/1998

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Cambridge Isotope Laboratories, Inc.	R(-)-Amphetamine (unlabeled), 1 mg/mL in Methanol	Glass ampule: 2 mL	4/23/2003
Cambridge Isotope Laboratories, Inc.	R(-)-Methamphetamine (unlabeled), 1 mg/mL in Methanol	Glass ampule: 2 mL	4/23/2003
Cambridge Isotope Laboratories, Inc.	R(-)Methamphetamine (unlabeled), 1.0 mg/mL in Acetonitrile	Glass ampule: 2 mL	11/22/2004
Cambridge Isotope Laboratories, Inc.	Secobarbital (D5, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Secobarbital (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Sodium Gamma-Hydroxybutyrate (1000 µg/mL)	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	Temazepam (D5, 98%) 100 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Temazepam (Unlabeled) 1000 µg/mL	Ampule: 2 mL	3/5/1997
Cambridge Isotope Laboratories, Inc.	Temazepam-D5, 1000 µg/mL	Ampule: 2 mL	5/18/2000
Cambridge Isotope Laboratories, Inc.	Testosterone (1,2-D2, 96%), 1 mg/mL in Acetonitrile	Glass ampule: 2 mL	1/16/2007
Cambridge Isotope Laboratories, Inc.	Testosterone (1,2-D2, 96%), 1 mg/mL in Dichloromethane	Glass ampule: 2 mL	1/16/2007
Cambridge Isotope Laboratories, Inc.	Testosterone (1,2-D2, 96%), 1 mg/mL in Methane	Glass ampule: 2 mL	1/16/2007
Cambridge Isotope Laboratories, Inc.	Testosterone (1,2-D2, 96%), 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	1/16/2007
Cambridge Isotope Laboratories, Inc.	Testosterone (1,2-D2, 96%), 100 µg/mL in Dichloromethane	Glass ampule: 2 mL	1/16/2007
Cambridge Isotope Laboratories, Inc.	Testosterone (1,2-D2, 96%), 100 µg/mL in Methanol	Glass ampule: 2 mL	1/16/2007
Cambridge Isotope Laboratories, Inc.	Testosterone (D5, 98%), 100 µg/mL in Methylene Chloride	Glass ampule: 2 mL	7/3/2007
Cambridge Isotope Laboratories, Inc.	Testosterone Unlabeled, 100 µg/mL in Methylene Chloride	Glass ampule: 2 mL	7/3/2007
Cambridge Isotope Laboratories, Inc.	Triazolam (D4, 98%) 100 µg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Triazolam (Unlabeled) 1.0 mg/mL	Ampule: 2 mL	9/22/1997
Cambridge Isotope Laboratories, Inc.	Zolpidem L-(+)-hemitartrate (unlabeled), 1 mg/mL in Methanol	Glass ampule: 2 mL	6/5/2003
Cayman Chemical Company	Testosterone	Vial: 3 mL	4/7/1993
Cedarburg Pharmaceuticals	Cis-Delta-9 tetrahydrocannabinol	Glass vial: 2 mL	2/13/2006
Cedarburg Pharmaceuticals	Delta-9 tetrahydrocannabinol	Glass vial: 2 mL	2/13/2006



### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Cedarburg Pharmaceuticals	Delta-9 tetrahydrocannabinol regio isomer	Glass vial: 2 mL	2/13/2006
Centre Suisse de Controle	CSCQ DOA	Plastic bottle: 500 mL	10/2/2002
Cerilliant Corporation	(-)-11-Hydroxy-delta9-THC 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	3/26/1997
Cerilliant Corporation	(-)-11-nor-9-Carboxy-delta9-THC 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	(-)-11-nor-9-Carboxy-delta9-THC 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	1/25/1995
Cerilliant Corporation	(-)-Delta 8-THC, 1.0 mg/mL	Glass ampule: 2 mL	9/12/2003
Cerilliant Corporation	(-)-Delta 8-THC, 100 µg/mL	Glass ampule: 2 mL	9/12/2003
Cerilliant Corporation	(-)-delta-9-THC 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	1/12/1989
Cerilliant Corporation	(-)-delta-9-THC-D3 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	12/4/1987
Cerilliant Corporation	(-)-α-Methadol HCl 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	6/19/1997
Cerilliant Corporation	(-)-β-Acetylmethadol HCl 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	6/19/1997
Cerilliant Corporation	(+)-Norpseudoephedrine Hydrochloride, 1.0 mg/mL	Glass ampule: 2 mL	9/17/2002
Cerilliant Corporation	(+)-Norpseudoephedrine Hydrochloride, 100 µg/mL	Glass ampule: 2 mL	9/17/2002
Cerilliant Corporation	(+)-Propoxyphene 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	4/27/1992
Cerilliant Corporation	(+)-Propoxyphene 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	(+)α-Methadol HCl 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	6/19/1997
Cerilliant Corporation	(+)β-Acetylmethadol HCl 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	6/19/1997
Cerilliant Corporation	(+/-)-11-Hydroxy-delta9-THC 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	11/15/1995
Cerilliant Corporation	(+/-)-11-Hydroxy-delta9-THC-D3 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	12/6/1996
Cerilliant Corporation	(+/-)-11-nor-9-Carboxy-delta9-THC 0.01 mg/mL	Ampule: 2 mL	3/2/1994
Cerilliant Corporation	(+/-)-11-nor-9-Carboxy-delta9-THC 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	1/12/1989
Cerilliant Corporation	(+/-)-11-nor-9-Carboxy-delta9-THC-D3 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	12/4/1987
Cerilliant Corporation	(+/-)-11-nor-9-Carboxy-delta9-THC-D3 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	(+/-)-11-nor-9-Carboxy-delta9-THC-D9 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	6/12/1991
Cerilliant Corporation	(+/-)-Amphetamine 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	12/4/1987
Cerilliant Corporation	(+/-)-Amphetamine-D10 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	11/15/1995
Cerilliant Corporation	(+/-)-Amphetamine-D11 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	4/27/1992
Cerilliant Corporation	(+/-)-Amphetamine-D3 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	12/4/1987
Cerilliant Corporation	(+/-)-Amphetamine-D5 (ring label) 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	12/4/1987
Cerilliant Corporation	(+/-)-Amphetamine-D5 (side-chain label) 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	12/4/1987
Cerilliant Corporation	(+/-)-Amphetamine-D5 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	(+/-)-Amphetamine-D6 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	5/23/1996
Cerilliant Corporation	(+/-)-Amphetamine-D8 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	4/27/1992
Cerilliant Corporation	(+/-)-Amphetamine-D8 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	(+/-)-BDB 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	12/6/1996
Cerilliant Corporation	(+/-)Delta9-THC-D9 1.0 mg/mL	Ampule: 2 mL	12/14/1998
Cerilliant Corporation	(+/-)Delta9-THC-D9 100 µg/mL	Ampule: 2 mL	12/14/1998
Cerilliant Corporation	(+/-)-MBDB 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	12/6/1996
Cerilliant Corporation	(+/-)-MBDB-D5 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	12/6/1996
Cerilliant Corporation	(+/-)-MDEA 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	12/22/1993

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Cerilliant Corporation	(+/-)-MDEA-D5 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	12/22/1993
Cerilliant Corporation	(+/-)-MDEA-D6 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	1/25/1995
Cerilliant Corporation	(+/-)-Methadone 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	1/12/1989
Cerilliant Corporation	(+/-)-Methadone-D9 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	5/23/1996
Cerilliant Corporation	(+/-)-Methamphetamine 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	1/12/1989
Cerilliant Corporation	(+/-)-Methamphetamine-D11 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	6/16/1993
Cerilliant Corporation	(+/-)-Methamphetamine-D14 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	5/23/1996
Cerilliant Corporation	(+/-)-Methamphetamine-D5 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	12/4/1987
Cerilliant Corporation	(+/-)-Methamphetamine-D5 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	(+/-)-Methamphetamine-D8 (Phenyl-D5 & N-Methyl-D3) 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	4/6/1993
Cerilliant Corporation	(+/-)-Methamphetamine-D8 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	4/27/1992
Cerilliant Corporation	(+/-)-Methamphetamine-D8 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	(+/-)-Methamphetamine-D9 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	5/23/1996
Cerilliant Corporation	(+/-)-Methcathinone 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	1/29/1993
Cerilliant Corporation	(+/-)-Methcathinone-D5 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	1/29/1993
Cerilliant Corporation	(+/-)-Methylenedioxyamphetamine [(+/-)-MDA] 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	1/12/1989
Cerilliant Corporation	(+/-)-Methylenedioxyamphetamine-D5 [(+/-)-MDA-D5] 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	10/19/1988
Cerilliant Corporation	(+/-)-Methylenedioxyamphetamine [(+/-)-MDMA] 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	1/12/1989
Cerilliant Corporation	(+/-)-Methylenedioxyamphetamine-D5 [(+/-)-MDMA-D5] 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	10/19/1988
Cerilliant Corporation	(+/-)-N-Ethylamphetamine 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	1/25/1995
Cerilliant Corporation	(+/-)-Propoxyphene-D11 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	4/8/1998
Cerilliant Corporation	(+/-)-Propoxyphene-D5 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	10/19/1988
Cerilliant Corporation	(+/-)-Propoxyphene-D5 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	1-(1,3-Benzodioxol-5-yl)-2-butanamine (BDB); 1.0 mg/mL	Ampule: 2 mL	11/9/2000
Cerilliant Corporation	1-(1,3-Benzodioxol-5-yl)-2-butanamine (BDB); 100 µg/mL	Ampule: 2 mL	11/9/2000
Cerilliant Corporation	10-Hydroxymorphine, 0.1 mg/mL	Glass ampule: 2 mL	1/30/2006
Cerilliant Corporation	10-Hydroxynaltrexone, 100 µg/mL	Glass ampule: 2 mL	5/10/2004
Cerilliant Corporation	10-Ketonaltrexone, 100 µg/mL	Glass ampule: 2 mL	5/10/2004
Cerilliant Corporation	14-Hydroxycodeinone, 1.0 mg/mL	Glass ampule: 2 mL	5/24/2005
Cerilliant Corporation	14-Hydroxycodeinone, 100 µg/mL	Glass ampule: 2 mL	5/24/2005
Cerilliant Corporation	14-Hydroxymorphinone, 1.0 mg/mL	Glass ampule: 2 mL	3/8/2005
Cerilliant Corporation	14-Hydroxymorphinone, 100 µg/mL	Glass ampule: 2 mL	3/8/2005
Cerilliant Corporation	16β-Hydroxystanozolol 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	11/15/1995
Cerilliant Corporation	17α-Ethyl-5β-estrane-3α,17β-diol 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	8/21/1996
Cerilliant Corporation	17α-Methyl-5α-androstane-3α,17β-diol 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	7/7/1995
Cerilliant Corporation	17α-Methyl-5β-androstane-3α,17β-diol 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	7/7/1995
Cerilliant Corporation	2,2'-Bisnaltrexone, 100 ug/mL	Glass ampule: 2 mL	2/9/2004
Cerilliant Corporation	3'-Hydroxystanozolol 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	6/6/1994
Cerilliant Corporation	3'-Hydroxystanozolol-D3 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	6/6/1994

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Cerilliant Corporation	4-Bromo-2,5-dimethoxyphenethylamine HCl 100 µg/mL, 1.0 mg/mL (as free base)	Ampule: 2 mL	12/15/1997
Cerilliant Corporation	4-Methoxyamphetamine HCl (PMA HCl); 1.0 mg/mL	Ampule: 2 mL	10/23/2000
Cerilliant Corporation	4-Methoxyamphetamine HCl (PMA HCl); 100 µg/mL	Ampule: 2 mL	10/23/2000
Cerilliant Corporation	5α-Estran-3α-ol-17-one 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	8/21/1996
Cerilliant Corporation	5α-Estran-3α-ol-17-one-D3 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	8/21/1996
Cerilliant Corporation	5α-Estran-3β-ol-17-one 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	8/21/1996
Cerilliant Corporation	5α-Estran-3β-ol-17-one-D3 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	8/21/1996
Cerilliant Corporation	5β-Estran-3α-ol-17-one 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	8/21/1996
Cerilliant Corporation	5β-Estran-3α-ol-17-one-D3 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	8/21/1996
Cerilliant Corporation	6-Acetylcodeine 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	12/15/1997
Cerilliant Corporation	6-Acetylmorphine 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	12/4/1987
Cerilliant Corporation	6-Acetylmorphine-D3 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	12/4/1987
Cerilliant Corporation	6-Acetylmorphine-D6 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	4/25/1994
Cerilliant Corporation	6beta-Hydroxytestosterone-D3, 1.0 mg/mL	Glass ampule: 2 mL	7/19/2004
Cerilliant Corporation	6beta-Hydroxytestosterone-D3, 100 µg/mL	Glass ampule: 2 mL	7/19/2004
Cerilliant Corporation	6Beta-Naloxol HCl, 100 µg/mL	Glass ampule: 2 mL	4/25/2005
Cerilliant Corporation	6Beta-Naloxol-[allyl D5]-6beta-glucuronide, 1.0 mg/mL	Glass ampule: 2 mL	6/9/2005
Cerilliant Corporation	6Beta-Naloxol-[allyl D5]-6beta-glucuronide, 100 µg/mL	Glass ampule: 2 mL	6/9/2005
Cerilliant Corporation	6Beta-Naloxol-3beta-D-glucuronide, 1.0 mg/mL	Glass ampule: 2 mL	6/9/2005
Cerilliant Corporation	6Beta-Naloxol-3beta-D-glucuronide, 100 µg/mL	Glass ampule: 2 mL	6/9/2005
Cerilliant Corporation	6Beta-Naloxol-6beta-glucuronide, 1.0 mg/mL	Glass ampule: 2 mL	6/9/2005
Cerilliant Corporation	6Beta-Naloxol-6beta-glucuronide, 100 µg/mL	Glass ampule: 2 mL	6/9/2005
Cerilliant Corporation	6beta-Naloxol-D5-3beta-D-glucuronide	Glass ampule: 2 mL	10/9/2006
Cerilliant Corporation	6Beta-Naltrexol-6-glucuronide, 1.0 mg/mL	Glass ampule: 2 mL	5/2/2005
Cerilliant Corporation	6Beta-Naltrexol-6-glucuronide, 100 µg/mL	Glass ampule: 2 mL	5/2/2005
Cerilliant Corporation	6β-Hydroxyfluoxymesterone 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	7/7/1995
Cerilliant Corporation	6β-Hydroxyfluoxymesterone 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	12/6/1996
Cerilliant Corporation	6β-Hydroxymethandienone 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	12/6/1996
Cerilliant Corporation	6β-Hydroxymethandienone 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	7/7/1995
Cerilliant Corporation	6-β-Naloxol	Ampule: 2 mL	7/5/2001
Cerilliant Corporation	6-β-Naloxol HCl	Ampule: 2 mL	9/19/2001
Cerilliant Corporation	6-β-Naloxol-D5	Ampule: 2 mL	7/5/2001
Cerilliant Corporation	6β-Naltrexol HCl; 1.0 mg/mL	Ampule: 2 mL	1/4/2001
Cerilliant Corporation	6β-Naltrexol; 1.0 mg/mL	Ampule: 2 mL	1/4/2001
Cerilliant Corporation	6β-Naltrexol-D3 HCl; 100 µg/mL	Ampule: 2 mL	1/4/2001
Cerilliant Corporation	6β-Naltrexol-D3; 100 µg/mL	Ampule: 2 mL	1/4/2001
Cerilliant Corporation	9α-Fluoro-17α-methylandrosta-4-ene-3α,6β,11β,17β-tetrol 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	6/19/1997
Cerilliant Corporation	9α-Fluoro-18-nor-17,17-dimethylandrosta-4,13-diene-11β-ol-3-one 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	12/6/1996
Cerilliant Corporation	Alfentanil hydrochloride, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/8/2005
Cerilliant Corporation	Alfentanil hydrochloride, 100 µg/mL (as free base)	Glass ampule: 2 mL	3/8/2005

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Cerilliant Corporation	alpha-Methyltryptamine, 1.0 mg/mL	Glass ampule: 2 mL	6/5/2006
Cerilliant Corporation	Alprazolam 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	11/5/1990
Cerilliant Corporation	Alprazolam-D5 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	11/5/1990
Cerilliant Corporation	AM 1086 Sys. Suitability Std.	Ampule: 2 mL	10/30/2007
Cerilliant Corporation	Amine Mix-5	Ampule: 2 mL	6/2/1997
Cerilliant Corporation	Amine Mixture-6	Glass ampule: 2 mL	3/4/2003
Cerilliant Corporation	Aminorex 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	12/15/1995
Cerilliant Corporation	Amobarbital 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	4/27/1992
Cerilliant Corporation	Androstenedione	Ampule: 2 mL	8/29/2007
Cerilliant Corporation	Anhydroecgonine 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	1/29/1993
Cerilliant Corporation	Anhydroecgonine HCl 100 µg/mL, 1.0 mg/mL (as free base)	Ampule: 2 mL	7/7/1995
Cerilliant Corporation	Anhydroecgonine methyl ester 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	7/7/1995
Cerilliant Corporation	Anhydroecgonine-D3 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	1/29/1993
Cerilliant Corporation	Barbiturate Mix-5	Ampule: 2 mL	6/2/1997
Cerilliant Corporation	Base/Neutral Mixture-5	Ampule: 2 mL	4/23/2001
Cerilliant Corporation	Benzodiazepine Mix-4	Ampule: 2 mL	6/2/1997
Cerilliant Corporation	Benzodiazepine Multi-Component Mixture-8	Glass ampule: 2 mL	3/18/2003
Cerilliant Corporation	Benzoyllecgonine 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	12/4/1987
Cerilliant Corporation	Benzoyllecgonine 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Benzoyllecgonine isopropyl ester 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	7/7/1995
Cerilliant Corporation	Benzoyllecgonine-D3 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	12/4/1987
Cerilliant Corporation	Benzoyllecgonine-D3 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Benzoyllecgonine-D8 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	5/23/1996
Cerilliant Corporation	Boldenone	Ampule: 2 mL	8/29/2007
Cerilliant Corporation	Bromazepam 1.0 mg/mL, 100 µg/mL	Ampule: 2 mL	1/25/1995
Cerilliant Corporation	Bufotenine 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	6/19/1997
Cerilliant Corporation	Bufotenine monooxalate, 0.1 mg/mL (as the free base)	Glass ampule: 2 mL	2/23/2006
Cerilliant Corporation	Bufotenine monooxalate, 1.0 mg/mL (as the free base)	Glass ampule: 2 mL	2/23/2006
Cerilliant Corporation	Buprenorphine 0.1 mg/mL	Ampule: 2 mL	2/1/1991
Cerilliant Corporation	Buprenorphine glucuronide, 1.0 mg/mL	Glass ampule: 2 mL	7/9/2004
Cerilliant Corporation	Buprenorphine glucuronide, 100 µg/mL	Glass ampule: 2 mL	7/9/2004
Cerilliant Corporation	Buprenorphine-D4 0.1 mg/mL	Ampule: 2 mL	2/1/1991
Cerilliant Corporation	Butabarbital 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	12/15/1997
Cerilliant Corporation	Butalbital 1.0 mg/mL	Ampule: 2 mL	12/2/1991
Cerilliant Corporation	Butalbital-D5 0.1 mg/mL	Ampule: 2 mL	12/2/1991
Cerilliant Corporation	Butalbital-D5 1.0 mg/mL	Ampule: 2 mL	10/13/1999
Cerilliant Corporation	Butorphanol 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	6/30/1999
Cerilliant Corporation	Butorphanol Tartrate 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	6/30/1999
Cerilliant Corporation	Butorphanol Tartrate, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	12/16/2004
Cerilliant Corporation	Butorphanol Tartrate, 100 µg/mL (as free base)	Glass ampule: 2 mL	12/16/2004
Cerilliant Corporation	Cannabidiol, 1.0 mg/mL	Glass ampule: 2 mL	8/8/2003
Cerilliant Corporation	Cannabidiol, 100 µg/mL	Glass ampule: 2 mL	8/8/2003
Cerilliant Corporation	Cannabinol, 1.0 mg/mL	Glass ampule: 2 mL	8/8/2003

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Cerilliant Corporation	Cannabinol, 100 µg/mL	Glass ampule: 2 mL	8/8/2003
Cerilliant Corporation	Chlordiazepoxide 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	12/22/1993
Cerilliant Corporation	cis-(+/-)-4-Methylaminorex 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	1/29/1993
Cerilliant Corporation	cis-(+/-)-4-Methylaminorex-D5 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	1/29/1993
Cerilliant Corporation	Clobazam 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	7/7/1995
Cerilliant Corporation	Clonazepam 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	1/25/1995
Cerilliant Corporation	Clonazepam-D4 1.0 mg/mL, 100 µg/mL	Ampule: 2 mL	1/25/1995
Cerilliant Corporation	Cocaethylene 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	12/13/1990
Cerilliant Corporation	Cocaethylene-D3 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	12/13/1990
Cerilliant Corporation	Cocaethylene-D8 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	12/22/1993
Cerilliant Corporation	Cocaine 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	1/12/1989
Cerilliant Corporation	Cocaine-D3 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	12/4/1987
Cerilliant Corporation	Codeimethine, 100 µg/mL	Glass ampule: 2 mL	4/12/2004
Cerilliant Corporation	Codeine 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	3/9/1988
Cerilliant Corporation	Codeine 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Codeine-D3 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	12/4/1987
Cerilliant Corporation	Codeine-D3 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Codeine-D6 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	12/6/1996
Cerilliant Corporation	Codeine-N-Oxide, 100 µg/mL	Glass ampule: 2 mL	4/12/2004
Cerilliant Corporation	Codeinone, 100 µg/mL	Glass ampule: 2 mL	4/12/2004
Cerilliant Corporation	D- & DL Methamphetamine 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	D- & DL+ Amphetamine 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Daily Performance Standard	Glass ampule: 2 mL	6/5/2006
Cerilliant Corporation	Diazepam 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	1/12/1989
Cerilliant Corporation	Diazepam 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Diazepam-D5 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	10/19/1988
Cerilliant Corporation	Diazepam-D5 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Dihydrocodeine HCl 100 µg/mL, 1.0 mg/mL (as free base)	Ampule: 2 mL	6/9/1998
Cerilliant Corporation	Dihydrocodeine-D6 HCl 1.0 mg/mL (as free base)	Ampule: 2 mL	12/14/1998
Cerilliant Corporation	Dihydrocodeine-D6 HCl 100 µg/mL (as free base)	Ampule: 2 mL	12/14/1998
Cerilliant Corporation	Dihydroisomorphine, 0.1 mg/mL	Glass ampule: 2 mL	11/7/2006
Cerilliant Corporation	Dihydromorphine, 1.0 mg/mL	Glass ampule: 2 mL	3/8/2005
Cerilliant Corporation	Dihydromorphine, 100 µg/mL	Glass ampule: 2 mL	3/8/2005
Cerilliant Corporation	Dimethyl Pseudomorphine, 100 µg/mL	Glass ampule: 2 mL	4/12/2004
Cerilliant Corporation	Ecgonine ethyl ester 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	7/7/1995
Cerilliant Corporation	Ecgonine HCl 100 µg/mL, 1.0 mg/mL (as free base)	Ampule: 2 mL	7/26/1996
Cerilliant Corporation	Ecgonine Methyl Ester 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	1/12/1989
Cerilliant Corporation	Ecgonine Methyl Ester-D3 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	10/19/1988
Cerilliant Corporation	Ecgonine-D3 HCl 100 µg/mL, 1.0 mg/mL (as free base)	Ampule: 2 mL	7/26/1996
Cerilliant Corporation	Estazolam 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	1/25/1995
Cerilliant Corporation	Estazolam-D5 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	11/15/1995
Cerilliant Corporation	Ethylmorphine hydrochloride, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	4/14/2006
Cerilliant Corporation	Ethylmorphine, 1.0 mg/mL	Glass ampule: 2 mL	3/2/2006

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Cerilliant Corporation	Exo-THC, 1.0 mg/mL	Glass ampule: 2 mL	12/8/2003
Cerilliant Corporation	Exo-THC, 100 µg/mL	Glass ampule: 2 mL	12/8/2003
Cerilliant Corporation	Fenfluramine 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	3/26/1997
Cerilliant Corporation	Fenfluramine-D10 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	3/26/1997
Cerilliant Corporation	Fentanyl 0.1 mg/mL	Ampule: 2 mL	1/2/1991
Cerilliant Corporation	Fentanyl 1.0 mg/mL	Ampule: 2 mL	10/19/1999
Cerilliant Corporation	Fentanyl-D5 0.1 mg/mL	Ampule: 2 mL	1/2/1991
Cerilliant Corporation	Flunitrazepam 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	1/25/1995
Cerilliant Corporation	Flunitrazepam-D7 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	9/5/1997
Cerilliant Corporation	Fluoxymesterone 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	7/7/1995
Cerilliant Corporation	Flurazepam 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	4/27/1992
Cerilliant Corporation	Gamma Hydroxybutyrate, (GHB); 1.0 mg/mL	Ampule: 2 mL	3/17/2000
Cerilliant Corporation	Gamma Hydroxybutyrate, (GHB); 100 µg/mL	Ampule: 2 mL	3/17/2000
Cerilliant Corporation	Gamma Hydroxybutyrate-D6, (GHB); 1.0 mg/mL	Ampule: 2 mL	3/17/2000
Cerilliant Corporation	Gamma Hydroxybutyrate-D6, (GHB); 100 µg/mL	Ampule: 2 mL	3/17/2000
Cerilliant Corporation	Glutethimide 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	6/19/1997
Cerilliant Corporation	Glutethimide, 2.0 mg/mL	Glass ampule: 2 mL	5/18/2005
Cerilliant Corporation	Heroin HCl 100 µg/mL, 1.0 mg/mL (as free base)	Ampule: 2 mL	11/28/1995
Cerilliant Corporation	Heroin-D3 HCl 100 µg/mL, 1.0 mg/mL (as free base)	Ampule: 2 mL	11/28/1995
Cerilliant Corporation	Heroin-D6 HCl 100 µg/mL, 1.0 mg/mL (as free base)	Ampule: 2 mL	11/28/1995
Cerilliant Corporation	Heroin-D9 HCl 100 µg/mL, 1.0 mg/mL (as free base)	Ampule: 2 mL	11/28/1995
Cerilliant Corporation	Hexobarbital 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	8/23/1994
Cerilliant Corporation	HMMA (4-Hydroxy-3-methoxymethamphetamine) 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	3/26/1997
Cerilliant Corporation	Hydrocodone 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	1/12/1989
Cerilliant Corporation	Hydrocodone 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Hydrocodone-D3 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	10/19/1988
Cerilliant Corporation	Hydrocodone-D3 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Hydrocodone-D6 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	12/15/1997
Cerilliant Corporation	Hydromorphone 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	1/12/1989
Cerilliant Corporation	Hydromorphone 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Hydromorphone-3beta-D-glucuronide, 1.0 mg/mL	Glass ampule: 2 mL	3/8/2005
Cerilliant Corporation	Hydromorphone-3beta-D-glucuronide, 100 µg/mL	Glass ampule: 2 mL	3/8/2005
Cerilliant Corporation	Hydromorphone-D3 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	10/19/1988
Cerilliant Corporation	Hydromorphone-D3 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Hydromorphone-D3-3beta-D-glucuronide, 1.0 mg/mL	Glass ampule: 2 mL	6/9/2005
Cerilliant Corporation	Hydromorphone-D3-3beta-D-glucuronide, 100 µg/mL	Glass ampule: 2 mL	6/9/2005
Cerilliant Corporation	Hydromorphone-D6 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	12/15/1997
Cerilliant Corporation	Ibogaine 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	12/22/1993
Cerilliant Corporation	Ibogaine-D3 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	12/22/1993
Cerilliant Corporation	INSTRUMENT DRUG MARKER	Foil package: 1 device	5/23/2005
Cerilliant Corporation	Isocodeine, 100 µg/mL	Glass ampule: 2 mL	4/12/2004
Cerilliant Corporation	Iso-LSD, 100 µg/mL	Glass ampule: 2 mL	5/9/2005

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Cerilliant Corporation	iso-Lysergic Acid Diethylamide (iso-LSD) 1.0 mg/mL	Ampule: 2 mL	12/23/1997
Cerilliant Corporation	iso-Lysergic Acid Diethylamide (iso-LSD) 25 µg/mL	Ampule: 2 mL	5/23/1996
Cerilliant Corporation	Ketamine D-4 HCl; 1.0 mg/mL	Ampule: 2 mL	11/1/2000
Cerilliant Corporation	Ketamine D-4 HCl; 100 µg/mL	Ampule: 2 mL	11/1/2000
Cerilliant Corporation	Ketamine HCl 0.1 mg/mL	Ampule: 2 mL	7/26/1999
Cerilliant Corporation	Ketamine HCl 1.0 mg/mL	Ampule: 2 mL	7/26/1999
Cerilliant Corporation	LAAM HCl 100 µg/mL, 1.0 mg/mL (as free base)	Ampule: 2 mL	6/19/1997
Cerilliant Corporation	LAMPA 1.0 mg/mL	Ampule: 2 mL	12/23/1997
Cerilliant Corporation	Lorazepam 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	4/27/1992
Cerilliant Corporation	Lorazepam glucuronide 50 µg/mL, 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	7/7/1995
Cerilliant Corporation	Lorazepam-D4 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	4/27/1992
Cerilliant Corporation	Lormetazepam 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	7/7/1995
Cerilliant Corporation	Low Range QC Check Standard (QC)	Glass ampule: 2 mL	6/5/2006
Cerilliant Corporation	LSD 1.0 mg/mL	Ampule: 2 mL	12/23/1997
Cerilliant Corporation	LSD-D3 100 µg/mL	Ampule: 2 mL	12/23/1997
Cerilliant Corporation	Lysergic Acid Diethylamide (LSD) 25µg/mL	Ampule: 2 mL	11/20/1991
Cerilliant Corporation	Lysergic Acid Diethylamide-D3 (LSD-D3) 25µg/mL	Ampule: 2 mL	11/20/1991
Cerilliant Corporation	Lysergic Acid N,N-Methylpropylamide (LAMPA) 25µg/mL	Ampule: 2 mL	11/20/1991
Cerilliant Corporation	Meperidine 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	4/27/1992
Cerilliant Corporation	Meperidine-D4 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	4/27/1992
Cerilliant Corporation	Meprobamate 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	4/27/1992
Cerilliant Corporation	Meprobamate-D7	Ampule: 2 mL	1/29/2008
Cerilliant Corporation	Mescaline HCl; 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	4/7/2004
Cerilliant Corporation	Mescaline-D9 HCl; 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	4/7/2004
Cerilliant Corporation	Mesterolone	Ampule: 2 mL	8/29/2007
Cerilliant Corporation	Methadone-D3 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	10/19/1988
Cerilliant Corporation	Methamphetamine/Cocaine/Heroin Mix	Glass ampule: 2 mL	3/4/2003
Cerilliant Corporation	Methandienone 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	7/7/1995
Cerilliant Corporation	Methaqualone 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	1/12/1989
Cerilliant Corporation	Methaqualone-D7 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	10/19/1988
Cerilliant Corporation	Methenolone 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	7/7/1995
Cerilliant Corporation	Method 8270 Supplemental Stock Standard 2000 µg/mL	Ampule: 2 mL	1/25/1995
Cerilliant Corporation	Methohexital 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	4/27/1992
Cerilliant Corporation	Methohexital-D5 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	8/23/1994
Cerilliant Corporation	Methylphenidate 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	4/27/1992
Cerilliant Corporation	Methylphenidate HCl 100 µg/mL, 1.0 mg/mL (as free base)	Ampule: 2 mL	7/7/1995
Cerilliant Corporation	Methylphenidate-D9 HCl, 100 µg/mL (as free base)	Glass ampule: 2 mL	6/5/2006
Cerilliant Corporation	Methyltestosterone 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	1/25/1995
Cerilliant Corporation	m-Hydroxybenzoylecgonine 100 mg/mL, 1.0 mg/mL	Ampule: 2 mL	1/25/1995
Cerilliant Corporation	Midazolam 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	1/25/1995
Cerilliant Corporation	Midazolam-D4 maleate, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	6/29/2005
Cerilliant Corporation	Midazolam-D4 maleate, 100 µg/mL (as free base)	Glass ampule: 2 mL	6/29/2005
Cerilliant Corporation	Morphine 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	3/9/1988

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Cerilliant Corporation	Morphine 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Morphine-3-β-D-glucuronide 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	2/1/1991
Cerilliant Corporation	Morphine-3-β-D-glucuronide-D3 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	2/1/1991
Cerilliant Corporation	Morphine-6Beta-D-glucuronide, 100 µg/mL	Ampule: 2 mL	6/15/2004
Cerilliant Corporation	Morphine-6Beta-D-glucuronide-D3, 100 µg/mL	Ampule: 2 mL	6/15/2004
Cerilliant Corporation	Morphine-6β-D-glucuronide 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	12/6/1996
Cerilliant Corporation	Morphine-6β-D-glucuronide-D3, 1.0 mg/mL	Glass ampule: 2 mL	2/6/2003
Cerilliant Corporation	Morphine-6β-D-glucuronide-D3, 100 µg/mL	Glass ampule: 2 mL	2/6/2003
Cerilliant Corporation	Morphine-D3 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	12/4/1987
Cerilliant Corporation	Morphine-D3 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Morphine-D6 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	5/23/1996
Cerilliant Corporation	Morphine-N-Oxide, 100 µg/mL	Glass ampule: 2 mL	4/12/2004
Cerilliant Corporation	Morphinone Perchlorate, 1.0 mg/mL	Glass ampule: 2 mL	3/8/2005
Cerilliant Corporation	Morphinone Perchlorate, 100 µg/mL	Glass ampule: 2 mL	3/8/2005
Cerilliant Corporation	Multi-component Drug Mix - 16	Glass ampule: 2 mL	8/16/2006
Cerilliant Corporation	Multi-component Drug Mix - 18	Glass ampule: 2 mL	8/16/2006
Cerilliant Corporation	Nabilone	Ampule: 2 mL	1/29/2008
Cerilliant Corporation	Nalorphine 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	11/15/1995
Cerilliant Corporation	Nalorphine HCl	Ampule: 2 mL	1/29/2008
Cerilliant Corporation	Naloxone-3beta-D-glucuronide, 1.0 mg/mL	Glass ampule: 2 mL	5/2/2005
Cerilliant Corporation	Naloxone-3beta-D-glucuronide, 100 µg/mL	Glass ampule: 2 mL	5/2/2005
Cerilliant Corporation	Naloxone-D5-3beta-D-glucuronide, 1.0 mg/mL	Glass ampule: 2 mL	4/25/2005
Cerilliant Corporation	Naloxone-D5-3beta-D-glucuronide, 100 µg/mL	Glass ampule: 2 mL	4/25/2005
Cerilliant Corporation	Naltrexone Related A Compound, 1.0 mg/mL	Glass ampule: 2 mL	7/6/2005
Cerilliant Corporation	Naltrexone Related A Compound, 100 µg/mL	Glass ampule: 2 mL	7/6/2005
Cerilliant Corporation	Naltrexone-3beta-D-glucuronide, 1.0 mg/mL	Glass ampule: 2 mL	6/9/2005
Cerilliant Corporation	Naltrexone-3beta-D-glucuronide, 100 µg/mL	Glass ampule: 2 mL	6/9/2005
Cerilliant Corporation	Naltrexone-D3-3beta-D-glucuronide, 1.0 mg/mL	Glass ampule: 2 mL	6/9/2005
Cerilliant Corporation	Naltrexone-D3-3beta-D-glucuronide, 100 µg/mL	Glass ampule: 2 mL	6/9/2005
Cerilliant Corporation	Nandrolone	Ampule: 2 mL	8/29/2007
Cerilliant Corporation	N-Formylcocaine 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	5/23/1996
Cerilliant Corporation	Nimetazepam, 1.0 mg/mL	Glass ampule: 2 mL	5/9/2005
Cerilliant Corporation	Nimetazepam, 100 µg/mL	Glass ampule: 2 mL	5/9/2005
Cerilliant Corporation	Nitrazepam 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	9/17/1990
Cerilliant Corporation	Nitrazepam-D5 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	9/17/1990
Cerilliant Corporation	N-Methyl-1-(1,3-Benzodioxol-5-yl)-2-butanamine (MBDB) 1.0 mg/mL	Ampule: 2 mL	11/9/2000
Cerilliant Corporation	N-Methyl-1-(1,3-Benzodioxol-5-yl)-2-butanamine (MBDB) 100 µg/mL	Ampule: 2 mL	11/9/2000
Cerilliant Corporation	Norbenzoylcegonine HCl 100 µg/mL, 1.0 mg/mL (as free base)	Ampule: 2 mL	7/26/1996
Cerilliant Corporation	Norbuprenorphine 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	12/15/1995
Cerilliant Corporation	Norbuprenorphine glucuronide, 1.0 mg/mL	Glass ampule: 2 mL	7/9/2004
Cerilliant Corporation	Norbuprenorphine glucuronide, 100 µg/mL	Glass ampule: 2 mL	7/9/2004
Cerilliant Corporation	Norbuprenorphine HCl, 1.0 mg/mL	Glass ampule: 2 mL	6/9/2005
Cerilliant Corporation	Norbuprenorphine HCl, 100 µg/mL	Glass ampule: 2 mL	6/9/2005



**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Cerilliant Corporation	Norbuprenorphine-D3 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	12/15/1997
Cerilliant Corporation	Norbuprenorphine-D9, 1.0 mg/mL	Glass ampule: 2 mL	3/8/2005
Cerilliant Corporation	Norbuprenorphine-D9, 100 µg/mL	Glass ampule: 2 mL	3/8/2005
Cerilliant Corporation	Norbuprenorphine-D9-3beta-D-glucuronide, 1.0 mg/mL	Glass ampule: 2 mL	4/25/2005
Cerilliant Corporation	Norbuprenorphine-D9-3beta-D-glucuronide, 100 µg/mL	Glass ampule: 2 mL	4/25/2005
Cerilliant Corporation	Norcocaethylene HCl 100 µg/mL, 1.0 mg/mL (as free base)	Ampule: 2 mL	7/26/1996
Cerilliant Corporation	Norcocaine 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	6/12/1991
Cerilliant Corporation	Norcocaine HCl 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	12/7/1999
Cerilliant Corporation	Norcocaine-D3 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	4/8/1998
Cerilliant Corporation	Norcocaine-D3 HCl 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	12/7/1999
Cerilliant Corporation	Norcocaine-D8 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	12/22/1993
Cerilliant Corporation	Norcodeine 1.0 mg/mL	Ampule: 2 mL	12/2/1991
Cerilliant Corporation	Nordiazepam 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	1/12/1989
Cerilliant Corporation	Nordiazepam-D5 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	10/19/1988
Cerilliant Corporation	Norethandrolone 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	7/7/1995
Cerilliant Corporation	nor-LAAM HCl 100 µg/mL, 1.0 mg/mL (as free base)	Ampule: 2 mL	6/19/1997
Cerilliant Corporation	Normorphine 1.0 mg/mL	Ampule: 2 mL	12/2/1991
Cerilliant Corporation	Noroxycodone 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	6/16/1993
Cerilliant Corporation	Noroxycodone HCl 100 µg/mL, 1.0 mg/mL (as free base)	Ampule: 2 mL	6/22/1998
Cerilliant Corporation	Noroxycodone-D3 HCl; 100 µg/mL, 1.0 mg/mL	Glass ampule: 2 mL	1/22/2004
Cerilliant Corporation	Noroxymorphone DCI (1,2,3,5,7,7,14,17,17-d), 0.1 mg/mL	Glass ampule: 2 mL	7/6/2006
Cerilliant Corporation	Noroxymorphone HCl; 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	6/1/2004
Cerilliant Corporation	Noroxymorphone-3beta-D-glucuronide, 1.0 mg/mL	Glass ampule: 2 mL	5/9/2005
Cerilliant Corporation	Noroxymorphone-3beta-D-glucuronide, 100 µg/mL	Glass ampule: 2 mL	5/9/2005
Cerilliant Corporation	O-Methylcodeine, 100 µg/mL	Glass ampule: 2 mL	4/12/2004
Cerilliant Corporation	Opiate Mix-5	Ampule: 2 mL	6/2/1997
Cerilliant Corporation	Opiate Multi-Component Mixture-5	Glass ampule: 2 mL	3/18/2003
Cerilliant Corporation	Oxazepam 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	1/12/1989
Cerilliant Corporation	Oxazepam 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Oxazepam glucuronide, 100 µg/mL, 1.0 mg/mL	Glass ampule: 2 mL	8/24/2006
Cerilliant Corporation	Oxazepam glucuronide-D5, 100 µg/mL, 1.0 mg/mL	Glass ampule: 2 mL	8/24/2006
Cerilliant Corporation	Oxazepam-D5 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	10/19/1988
Cerilliant Corporation	Oxazepam-D5 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Oxycodone 1.0 mg/mL	Ampule: 2 mL	12/2/1991
Cerilliant Corporation	Oxycodone-D3 [Non Methoxy] 0.1 mg/mL	Ampule: 2 mL	12/2/1991
Cerilliant Corporation	Oxycodone-D3 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	4/6/1993
Cerilliant Corporation	Oxycodone-D6 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	6/16/1993
Cerilliant Corporation	Oxycodone-N-oxide, 1.0 mg/mL	Glass ampule: 2 mL	3/8/2005
Cerilliant Corporation	Oxycodone-N-oxide, 100 µg/mL	Glass ampule: 2 mL	3/8/2005
Cerilliant Corporation	Oxymesterone 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	12/15/1995
Cerilliant Corporation	Oxymorphone 1.0 mg/mL	Ampule: 2 mL	12/2/1991
Cerilliant Corporation	Oxymorphone-D3	Glass ampule: 2 mL	4/29/2002
Cerilliant Corporation	Oxymorphone-D3 0.1 mg/mL	Ampule: 2 mL	12/2/1991

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Cerilliant Corporation	PCP (Phencyclidine) 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	1/12/1989
Cerilliant Corporation	PCP-D5 (Phencyclidine-D5) 0.01 mg/mL, 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	12/4/1987
Cerilliant Corporation	Pentazocine HCl 100 µg/mL, 1.0 mg/mL (as free base)	Ampule: 2 mL	8/21/1996
Cerilliant Corporation	Pentobarbital 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	9/24/1990
Cerilliant Corporation	Pentobarbital-D5 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	9/24/1990
Cerilliant Corporation	Phencyclidine (PCP) 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Phencyclidine-D5 (PCP-D5) 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Phenobarbital 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	1/12/1989
Cerilliant Corporation	Phenobarbital-D5 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	12/4/1987
Cerilliant Corporation	Phentermine 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	1/25/1995
Cerilliant Corporation	Phentermine-D3 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	1/25/1995
Cerilliant Corporation	Prazepam 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	1/29/1993
Cerilliant Corporation	Prazepam-D5 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	1/29/1993
Cerilliant Corporation	Pseudobuprenorphine, 1.0 mg/mL	Glass ampule: 2 mL	9/7/2005
Cerilliant Corporation	Pseudomorphine, 100 µg/mL	Glass ampule: 2 mL	4/12/2004
Cerilliant Corporation	Psilocin 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	12/15/1995
Cerilliant Corporation	Psilocin-D10 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	12/15/1995
Cerilliant Corporation	Psilocybin 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	12/15/1995
Cerilliant Corporation	Psilocybin-D10 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	12/15/1995
Cerilliant Corporation	Quazepam 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	1/25/1995
Cerilliant Corporation	R(-)-Amphetamine, 1.0 mg/mL	Glass ampule: 2 mL	2/6/2003
Cerilliant Corporation	R(-)-Amphetamine, 100 µg/mL	Glass ampule: 2 mL	2/6/2003
Cerilliant Corporation	R(-)-Methamphetamine, 1.0 mg/mL	Glass ampule: 2 mL	2/6/2003
Cerilliant Corporation	R(-)-Methamphetamine, 100 µg/mL	Glass ampule: 2 mL	2/6/2003
Cerilliant Corporation	R(+)-Cathinone HCl 100 µg/mL, 1.0 mg/mL (as free base)	Ampule: 2 mL	12/22/1993
Cerilliant Corporation	R(+)-Cathinone-D5 HCl 100 µg/mL, 1.0 mg/mL (as free base)	Ampule: 2 mL	12/22/1993
Cerilliant Corporation	R(+)-Methcathinone HCl 100 µg/mL, 1.0 mg/mL (as free base)	Ampule: 2 mL	12/22/1993
Cerilliant Corporation	R(+)-Methcathinone-D5 HCl 100 µg/mL, 1.0 mg/mL (as free base)	Ampule: 2 mL	12/22/1993
Cerilliant Corporation	S(-)-Cathinone HCl 100 µg/mL, 1.0 mg/mL (as free base)	Ampule: 2 mL	12/22/1993
Cerilliant Corporation	S(-)-Cathinone-D5 HCl 100 µg/mL, 1.0 mg/mL (as free base)	Ampule: 2 mL	12/22/1993
Cerilliant Corporation	S(-)-Methcathinone HCl 100 µg/mL, 1.0 mg/mL (as free base)	Ampule: 2 mL	12/22/1993
Cerilliant Corporation	S(-)-Methcathinone-D5 HCl 100 µg/mL, 1.0 mg/mL (as free base)	Ampule: 2 mL	12/22/1993
Cerilliant Corporation	S(+)-Amphetamine 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	1/12/1989
Cerilliant Corporation	S(+)-Methamphetamine 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	6/12/1991
Cerilliant Corporation	Secobarbital 1.0 mg/mL	Ampule: 2 mL	12/2/1991
Cerilliant Corporation	Secobarbital-D5 0.1 mg/mL	Ampule: 2 mL	12/2/1991
Cerilliant Corporation	Stanozolol 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	6/6/1994
Cerilliant Corporation	Stanozolol-D3 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	6/6/1994
Cerilliant Corporation	Sufentanil Citrate, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	6/14/2004
Cerilliant Corporation	Sufentanil Citrate, 100 µg/mL (as free base)	Glass ampule: 2 mL	6/14/2004
Cerilliant Corporation	System Negative Control	Glass ampule: 2 mL	6/5/2006
Cerilliant Corporation	Temazepam 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	9/17/1990
Cerilliant Corporation	Temazepam 100 µg/mL	Ampule: 5 mL	5/3/1996

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Cerilliant Corporation	Temazepam-D5 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	9/17/1990
Cerilliant Corporation	Temazepam-D5 100 µg/mL	Ampule: 5 mL	5/3/1996
Cerilliant Corporation	Testosterone propionate 100 µg/mL, 1.0 mg/mL	Ampule: 2 mL	12/15/1997
Cerilliant Corporation	Testosterone, 1.0 mg/mL	Glass ampule: 2 mL	2/23/2006
Cerilliant Corporation	Toxicology Performance Standard (C1)	Glass ampule: 2 mL	6/5/2006
Cerilliant Corporation	Toxicology Performance Standard (C2)	Glass ampule: 2 mL	6/5/2006
Cerilliant Corporation	Toxicology Performance Standard (C3)	Glass ampule: 2 mL	6/5/2006
Cerilliant Corporation	Triazolam 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	4/27/1992
Cerilliant Corporation	Triazolam-D4 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	4/27/1992
Cerilliant Corporation	Zolpidem Hemitartrate, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	6/25/2003
Cerilliant Corporation	Zolpidem Hemitartrate, 100 µg/mL (as free base)	Glass ampule: 2 mL	6/25/2003
Cerilliant Corporation	Zolpidem-D6, 1.0 mg/mL	Glass ampule: 2 mL	1/22/2004
Cerilliant Corporation	Zolpidem-D6, 100 µg/mL	Glass ampule: 2 mL	1/22/2004
Cerilliant Corporation	Zopiclone	Glass ampule: 2 mL	10/10/2007
ChromaDex, Inc.	(+)-Norpseudoephedrine Hydrochloride, 1.0 mg/mL	Glass ampule: 2 mL	2/10/2003
ChromaDex, Inc.	(+)-Norpseudoephedrine Hydrochloride, 100 µg/mL	Glass ampule: 2 mL	2/10/2003
Clinical Diagnostic Systems, Inc.	Gemini TT4 Reagent Assembly	Kit: 100 Tests	1/11/1995
College of American Pathologists	CAP Survey Reproductive Endocrinology CVL, Specimen LN8-01	Glass vial: 7 mL	3/16/2004
College of American Pathologists	CAP Survey TDM CVL, Specimen LN3-01	Glass vial: 7 mL	3/16/2004
Consolidated Technologies	Dade Moni-Trol Lyophilized Assayed Chemistry Controls (levels 1 and 2)	Glass bottle: 9 mL; Kit: 10 bottles	3/17/2006
Consolidated Technologies	Hematology Oncology	Glass bottle: 50 mL; Flat:100 bottles; Box: 5 flats	8/28/2007
Consolidated Technologies	Immunoassay Plus Control, Levels 1, 2 and 3	Glass bottle: 7 mL; Package: 15 bottles	9/10/2002
Consolidated Technologies	Labtest Chemistry Control Level 1	Glass bottle: 9 mL; Flat: 200 bottles Box: 5 flats	8/13/2007
Consolidated Technologies	Labtest Chemistry Control Level 2	Glass bottle: 9 mL; Flat: 200 bottles Box: 5 flats	8/13/2007
Consolidated Technologies	Ligand Bulk	Bulk container: 500 mL - 700 L	11/8/2001
Consolidated Technologies	Ligand Plus Controls, Levels 1, 2, and 3	Glass vial: 7 mL; Package: 15 vials	10/7/2003
Consolidated Technologies	Ligand Plus Level 1	Glass vial: 7 mL; Box (flat): 140-200 vials	10/7/2003
Consolidated Technologies	Ligand Plus Level 2	Glass vial: 7 mL; Box (flat): 140-200 vials	10/7/2003
Consolidated Technologies	Ligand Plus Level 3	Glass vial: 7 mL; Box (flat): 140-200 vials	10/7/2003
Consolidated Technologies	Liquid Quickcheck Low/High DAU Control Set	Glass vials: 15 mL; Set: 6 vials	9/10/2002
Consolidated Technologies	Lyo IAC Ligand Plus, Level 1	Glass bottle: 7 mL; Flat:200 bottles; Box: 5 flats	2/28/2006
Consolidated Technologies	Lyo IAC Ligand Plus, Level 2	Glass bottle: 7 mL; Flat:200 bottles; Box: 5 flats	2/28/2006
Consolidated Technologies	Lyo IAC Ligand Plus, Level 3	Glass bottle: 7 mL; Flat:200 bottles; Box: 5 flats	2/28/2006
Consolidated Technologies	Moni-Trol Lyophilized Assayed Chemistry Controls (levels 1 and 2)	Glass bottle: 9 mL; Kit: 10 bottles	3/17/2006
Consolidated Technologies	Moni-Trol Lyophilized Unassayed Chemistry Controls (levels 1 and 2)	Glass bottle: 9 mL; Kit: 20 bottles	3/17/2006
Consolidated Technologies	QuickCheck Lyophilized Chemistry Control	Glass bottle: 15 mL	2/22/2005

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Consolidated Technologies	QuickCheck Lyophilized Chemistry Control Level 1	Glass bottle: 7 mL	5/7/2004
Consolidated Technologies	QuickCheck Lyophilized Chemistry Control Level 2	Glass bottle: 7 mL	5/7/2004
Consolidated Technologies	Routine Chemistry	Glass bottle: 7 mL; Flat:200 bottles; Box: 5 flats	8/28/2007
Consolidated Technologies	Serum Chemistry Bulk	Bulk container: 500 mL - 700 L	11/8/2001
Consolidated Technologies	Serum Toxicology Bulk	Bulk container: 500 mL - 72 L	11/8/2001
Consolidated Technologies	Special Chemistry	Glass bottle: 7 mL; Flat:200 bottles; Box: 5 flats	8/28/2007
Consolidated Technologies	Synthetic Urine Bulk	Bulk container: 500 mL - 72 L	11/8/2001
Consolidated Technologies	Tri-Level TDM Control	Glass bottle: 7 mL; Kit: 15 bottles	5/5/2004
Consolidated Technologies	Tri-Level TDM Control Level 1	Glass bottle: 7 mL	5/5/2004
Consolidated Technologies	Tri-Level TDM Control Level 2	Glass bottle: 7 mL	5/5/2004
Consolidated Technologies	Tri-Level TDM Control Level 3	Glass bottle: 7 mL	5/5/2004
Consolidated Technologies	UDS, Urine Drug Screen	Glass bottle: 500 mL	6/16/2000
Consolidated Technologies	Urine Bulk	Bulk container: 500 mL - 72 L	11/8/2001
Consolidated Technologies	Urine Toxicology Bulk	Bulk container: 500 mL - 72 L	11/8/2001
Consolidated Technologies	Urine Toxicology Carry Over	Glass bottle: 7 mL; Flat:200 bottles; Box: 5 flats	8/28/2007
Dade Behring Inc.	Absorbed Plasma and Serum Reagents Kit Cat# B4233-2	Glass vial: 5 mL (Lyophilized Material)	8/16/1971
Dade Behring Inc.	aca Barbiturate Screen Analytical Test Pack	Plastic Packs: 25 tests	12/23/1984
Dade Behring Inc.	aca Barbiturate Screen/Benzodiazepine Screen Calibrator	6 Vials: 3 mL	2/23/1984
Dade Behring Inc.	aca Benzodiazepine Screen Analytical Test Pack	Plastic Packs: 25 tests	2/23/1984
Dade Behring Inc.	aca PHNO Analytical Test Pack	Carton: 40 tests packs	8/25/1977
Dade Behring Inc.	aca Thryonine Uptake Analytical Test Pack	Plastic Pack: 1 test	8/25/1983
Dade Behring Inc.	aca Urine Methadone Calibrator (Level 1 & 2)	Vial: 10 mL	9/17/1993
Dade Behring Inc.	aca® DAU Calibrator (Levels 0, 1, and 2)	Glass vial: 15 mL, Kit: 8 vials	12/26/2002
Dade Behring Inc.	BK DAU DUPT Pos Cont (PCP)	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Dade Behring Inc.	Bk E2P Multidrug Cal 1	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	11/19/2002
Dade Behring Inc.	Bk E2P Multidrug Cal 2	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	11/19/2002
Dade Behring Inc.	Bk E2P Multidrug Cal 3	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	11/19/2002
Dade Behring Inc.	Bk E2P Multidrug Cal 4	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	11/19/2002
Dade Behring Inc.	Bk E2P Multidrug Cal 5	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	11/19/2002
Dade Behring Inc.	BK EII Plus Control 1	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	12/4/2002
Dade Behring Inc.	BK EII Plus Control 2	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	12/4/2002

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Dade Behring Inc.	BK EII Plus Control 3	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	12/4/2002
Dade Behring Inc.	BK EII Plus Control 4	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	12/4/2002
Dade Behring Inc.	BK EII Plus Control 5	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	12/4/2002
Dade Behring Inc.	BK EII Plus Control 6	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	12/4/2002
Dade Behring Inc.	BK EII Plus Control 7	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	12/4/2002
Dade Behring Inc.	BK EII Plus Control 8	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	12/4/2002
Dade Behring Inc.	BK EII THC100 CI 75ng/mL	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Dade Behring Inc.	BK EII THC100 CII 125ng/mL	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Dade Behring Inc.	BK EII THC20 CI 15ng/mL	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Dade Behring Inc.	BK EII THC20 CII 25ng/mL	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Dade Behring Inc.	BK EII THC50 CI 37.5ng/mL	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Dade Behring Inc.	BK EII THC50 CII 62.5ng/mL	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Dade Behring Inc.	Bulk AED Cal 1	Glass vial: 10 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 5-30 L	11/21/2002
Dade Behring Inc.	Bulk AED Cal 2	Glass vial: 10 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 5-30 L	11/21/2002
Dade Behring Inc.	Bulk AED Cal 3	Glass vial: 10 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 5-30 L	11/21/2002
Dade Behring Inc.	Bulk AED Cal 4	Glass vial: 10 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 5-30 L	11/21/2002
Dade Behring Inc.	Bulk AED Cal 5	Glass vial: 10 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 5-30 L	11/21/2002
Dade Behring Inc.	Bulk D-Amph Cntrl 1250 ng/mL	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/28/2007
Dade Behring Inc.	Bulk D-Amph Cntrl 225 ng/mL	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/28/2007
Dade Behring Inc.	Bulk D-Amph Cntrl 375 ng/mL	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/28/2007
Dade Behring Inc.	Bulk D-Amph Cntrl 625 ng/mL	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/28/2007

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Dade Behring Inc.	Bulk D-Amph Cntrl 750 ng/mL	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/28/2007
Dade Behring Inc.	Bulk DAU DADE Lvl 1 (PCP)	Glass flask: 50-500 mL, Plastic tank/bottle: 5-50 L	12/26/2002
Dade Behring Inc.	Bulk DAU DADE Lvl 2 (PCP)	Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/26/2002
Dade Behring Inc.	Bulk DAU Detection Calib	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Dade Behring Inc.	Bulk Det Calib D-Methamph	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Dade Behring Inc.	Bulk D-Meth Cntrl 1250 ng/mL	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/28/2007
Dade Behring Inc.	Bulk D-Meth Cntrl 225 ng/mL	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/28/2007
Dade Behring Inc.	Bulk D-Meth Cntrl 375 ng/mL	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/28/2007
Dade Behring Inc.	Bulk D-Meth Cntrl 625 ng/mL	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/28/2007
Dade Behring Inc.	Bulk D-Meth Cntrl 750 ng/mL	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/28/2007
Dade Behring Inc.	Bulk E2K PHNO Cal 10	Plastic vial: 6 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-5 L	11/21/2002
Dade Behring Inc.	Bulk E2K PHNO Cal 20	Plastic vial: 6 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-5 L	11/21/2002
Dade Behring Inc.	Bulk E2K PHNO Cal 40	Plastic vial: 6 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-5 L	11/21/2002
Dade Behring Inc.	Bulk E2K PHNO Cal 5	Plastic vial: 6 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-5 L	11/21/2002
Dade Behring Inc.	Bulk E2K PHNO Cal 80	Plastic vial: 6 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-5 L	11/21/2002
Dade Behring Inc.	Bulk EII Plus Control 1	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/21/2007
Dade Behring Inc.	Bulk EII Plus Control 2	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/21/2007
Dade Behring Inc.	Bulk EII Plus Control 3	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/21/2007
Dade Behring Inc.	Bulk EII Plus Control 4	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/21/2007
Dade Behring Inc.	Bulk EII Plus Control 5	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/21/2007
Dade Behring Inc.	Bulk EII Plus Control 6	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/21/2007

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Dade Behring Inc.	Bulk EII Plus Control 7	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/21/2007
Dade Behring Inc.	Bulk EII Plus Control 8	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-10 L	3/21/2007
Dade Behring Inc.	Bulk EII Set A Cont I (75%)	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 20-60 L	12/4/2002
Dade Behring Inc.	Bulk EII Set A Cont II (125%)	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 20-60 L	12/4/2002
Dade Behring Inc.	Bulk EII Set B Cont I (75%)	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 20-60 L	12/4/2002
Dade Behring Inc.	Bulk EII Set B Cont II (125%)	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Dade Behring Inc.	Bulk Emit Cal A Level 1	Glass flask: 50-500 mL, Plastic tank/bottle: 20-60 L	11/19/2002
Dade Behring Inc.	Bulk Emit Cal A Level 2	Glass flask: 50-500 mL, Plastic tank/bottle: 20-60 L	11/19/2002
Dade Behring Inc.	Bulk Emit Cal B Level 1	Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	12/4/2002
Dade Behring Inc.	Bulk Emit Cal B Level 2	Glass flask: 50-500 mL, Plastic tank/bottle: 10-50 L	12/4/2002
Dade Behring Inc.	Bulk Emit LSD Cont Lvl I	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	11/19/2002
Dade Behring Inc.	Bulk Emit LSD Cont Lvl II	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	11/19/2002
Dade Behring Inc.	Bulk Gen THC (D9) 100 Cal	Glass flask: 50-500 mL, Plastic tank/bottle: 50-80 L	11/19/2002
Dade Behring Inc.	Bulk Gen THC (D9) 20 Cal	Glass flask: 50-500 mL, Plastic tank/bottle: 5-50 L	11/19/2002
Dade Behring Inc.	Bulk Gen THC (D9) 200 Cal	Glass flask: 50-500 mL, Plastic tank/bottle: 5-25 L	11/19/2002
Dade Behring Inc.	Bulk Gen THC (D9) 50 Cal	Glass flask: 50-500 mL, Plastic tank/bottle: 5-130 L	11/19/2002
Dade Behring Inc.	Bulk Liq Amph Cutoff Cal	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/3/2007
Dade Behring Inc.	Bulk Liq Amph Cutoff Cal	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	11/19/2002
Dade Behring Inc.	Bulk Liq Amph High Cal	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/3/2007
Dade Behring Inc.	Bulk Liq Amph High Cal	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	11/19/2002
Dade Behring Inc.	Bulk LSD Cal 0.5	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	11/19/2002

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Dade Behring Inc.	Bulk LSD Cal 1.5	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	11/19/2002
Dade Behring Inc.	Bulk LSD Cal 2.5	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	11/19/2002
Dade Behring Inc.	Bulk STU Detet Cal	Glass vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 1-20 L	12/4/2002
Dade Behring Inc.	Bulk THC Liq 100 Cal	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/12/2007
Dade Behring Inc.	Bulk THC Liq 200 Cal	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/12/2007
Dade Behring Inc.	Bulk THC Liq 50 Cal	Plastic vial: 15 mL; Glass flask: 5-500 mL, Plastic tank/bottle: 0.5-60 L	3/12/2007
Dade Behring Inc.	Bulk Tox Serum Low Cal	Glass vial: 10 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 5-20 L	11/21/2002
Dade Behring Inc.	Bulk Tox Serum Med Cal	Glass vial: 10 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 5-20 L	11/21/2002
Dade Behring Inc.	Dade Barbitol Pack Reagent	Plastic bottle: 1-4 L	1/19/1990
Dade Behring Inc.	Dade CA System Buffer Cat# B4265-32	Bottle: 500 mL	7/20/1995
Dade Behring Inc.	Dade CA System Buffer Cat# B4265-34	Pack: 4 Bottles, 500 mL each	7/20/1995
Dade Behring Inc.	Dade Fibrinogen Determination Reagents Cat# B4233-15SY	Kit: 50 tests	1/22/1999
Dade Behring Inc.	Dade Fibrinogen Determination Reagents for Photo-Optical Instruments, Cat# B4233-155Y	Kit: 50 tests	10/28/1997
Dade Behring Inc.	Data-Fi Fibrinogen Determination Reagents Cat# B4233-15	Kit: 50 tests	9/9/1986
Dade Behring Inc.	Dimension Drugs of Abuse Calibrator	Bottle: 5 mL	1/11/1995
Dade Behring Inc.	Dimension Drugs of Abuse Negative Control	Glass vials: 5 mL; Carton: 6 vials;	1/11/1995
Dade Behring Inc.	Dimension Vista™ Drug 1 CAL	Glass vial: 3 mL; Carton: 6 vials	7/11/2006
Dade Behring Inc.	Dimension Vista™ Drug 1 CAL Bulk, Level B	Plastic container: 5-10 L; Plastic test tube: 15 mL	7/11/2006
Dade Behring Inc.	Dimension Vista™ Drug 1 CAL, Level B	Glass vial: 3 mL	7/11/2006
Dade Behring Inc.	Dimension Vista™ Drug 1 Calibrator Bulk, Level H	Plastic container: 5-10 L; Plastic test tube: 15 mL	6/25/2003
Dade Behring Inc.	Dimension Vista™ Ecstasy CAL	Glass vial: 3 mL; Carton: 6 vials	7/11/2006
Dade Behring Inc.	Dimension Vista™ Ecstasy CAL Bulk, Level B	Plastic container: 10-250 mL, 0.5-50 L	7/11/2006
Dade Behring Inc.	Dimension Vista™ Ecstasy CAL, Level B	Glass vial: 3 mL	7/11/2006
Dade Behring Inc.	Dimension Vista™ Ecstasy Calibrator B	Plastic bottle: 10-250 mL; Plastic container: 0.5-50 L; Glass vial: 3 mL	12/6/2005
Dade Behring Inc.	Dimension Vista™ Integrated System Drug 1 CAL	Carton: 6 vials; Glass vial: 3 mL	6/25/2003
Dade Behring Inc.	Dimension Vista™ Integrated System Drug 1 CAL, Level H	Glass vial: 3 mL	6/25/2003
Dade Behring Inc.	Dimension Vista™ Integrated System UDAT CAL	Carton: 6 vials; Glass vial: 3 mL	7/2/2004
Dade Behring Inc.	Dimension Vista™ Integrated System UDAT CAL, Level H	Glass vial: 3 mL	7/2/2004
Dade Behring Inc.	Dimension Vista™ Thyronine Uptake (TU) Flex® reagent cartridge	Plastic cartridge: 4.7 mL (100 tests)	7/26/2005
Dade Behring Inc.	Dimension Vista™ UDAT CAL	Glass vial: 3 mL; Carton: 6 vials	7/11/2006
Dade Behring Inc.	Dimension Vista™ UDAT CAL B	Glass vial: 3 mL; Carton: 3 vials	10/25/2004



**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Dade Behring Inc.	Dimension Vista™ UDAT CAL Bulk, Level B	Plastic container: 10-125 mL, 0.5-50 L	7/11/2006
Dade Behring Inc.	Dimension Vista™ UDAT CAL, Level B	Glass vial: 3 mL	7/11/2006
Dade Behring Inc.	Dimension Vista™ UDAT Calibrator B - Bulk	Plastic bottle: 0.5-50 L; Plastic container: 10-125 mL	10/25/2004
Dade Behring Inc.	Dimension Vista™ UDAT Calibrator Bulk, Level H	Plastic container: 5-10 L; Plastic test tube: 15 mL	7/2/2004
Dade Behring Inc.	DM/TU Saturating Reagent	Plastic bottle: 1 L, 10 L, 20 L	2/22/1989
Dade Behring Inc.	Drug Calibrator (DC22B)	Vial: 3 mL; Carton: 10 vials	5/11/2001
Dade Behring Inc.	Drug Calibrator Bulk, Level 2	Plastic tank: 40-50 L; Plastic tube: 15 mL	9/9/2002
Dade Behring Inc.	Drug Calibrator Bulk, Level 3	Plastic tank: 40-50 L; Plastic tube: 15 mL	9/9/2002
Dade Behring Inc.	Drug Calibrator Bulk, Level 4	Plastic tank: 40-50 L; Plastic tube: 15 mL	9/9/2002
Dade Behring Inc.	Drug Calibrator Bulk, Level 5	Plastic tank: 40-50 L; Plastic tube: 15 mL	9/9/2002
Dade Behring Inc.	Drug Calibrator-A (levels 1-5)	Vial: 6 mL, Box: 10 vials	9/28/1990
Dade Behring Inc.	E2P Ecstasy Cal 1000	Plastic bottle: 10-125 ml; Plastic container: 0.5-50 L; Plastic vial: 15 mL	6/28/2004
Dade Behring Inc.	E2P Ecstasy Cal 150	Plastic bottle: 10-125 ml; Plastic container: 0.5-50 L; Plastic vial: 15 mL	6/28/2004
Dade Behring Inc.	E2P Ecstasy Cal 300	Plastic bottle: 10-125 ml; Plastic container: 0.5-50 L; Plastic vial: 15 mL	6/28/2004
Dade Behring Inc.	E2P Ecstasy Cal 500	Plastic bottle: 10-125 ml; Plastic container: 0.5-50 L; Plastic vial: 15 mL	6/28/2004
Dade Behring Inc.	E2P Ecstasy Control 225	Plastic bottle: 10-125 ml; Plastic container: 0.5-50 L; Plastic vial: 15 mL	6/28/2004
Dade Behring Inc.	E2P Ecstasy Control 375	Plastic bottle: 10-125 ml; Plastic container: 0.5-50 L; Plastic vial: 15 mL	6/28/2004
Dade Behring Inc.	E2P Ecstasy Control 625	Plastic bottle: 10-125 ml; Plastic container: 0.5-50 L; Plastic vial: 15 mL	6/28/2004
Dade Behring Inc.	Ecstasy Cal 1000 ng/mL Bulk	Plastic tube: 15 ml, 50 mL; Plastic bottle: 0.5-10 L; Plastic vial: 15 mL	3/18/2004
Dade Behring Inc.	Ecstasy Cal 150 ng/mL Bulk	Plastic tube: 15 ml, 50 mL; Plastic bottle: 0.5-10 L; Plastic vial: 15 mL	3/18/2004
Dade Behring Inc.	Ecstasy Cal 300 ng/mL Bulk	Plastic tube: 15 ml, 50 mL; Plastic bottle: 0.5-10 L; Plastic vial: 15 mL	3/18/2004
Dade Behring Inc.	Ecstasy Cal 500 ng/mL Bulk	Plastic tube: 15 ml, 50 mL; Plastic bottle: 0.5-10 L; Plastic vial: 15 mL	3/18/2004
Dade Behring Inc.	Ecstasy Ctl 225 ng/mL Bulk	Plastic tube: 15 ml, 50 mL; Plastic bottle: 0.5-10 L; Plastic vial: 15 mL	3/18/2004
Dade Behring Inc.	Ecstasy Ctl 375 ng/mL Bulk	Plastic tube: 15 ml, 50 mL; Plastic bottle: 0.5-10 L; Plastic vial: 15 mL	3/18/2004
Dade Behring Inc.	Ecstasy Ctl 625 ng/mL Bulk	Plastic tube: 15 ml, 50 mL; Plastic bottle: 0.5-10 L; Plastic vial: 15 mL	3/18/2004
Dade Behring Inc.	EII Plus THC Control 1 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/4/2005

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Dade Behring Inc.	EII Plus THC Control 2 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/4/2005
Dade Behring Inc.	EII Plus THC Control 3 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/4/2005
Dade Behring Inc.	EII Plus THC Control 4 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/4/2005
Dade Behring Inc.	EII Plus THC Control 5 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/4/2005
Dade Behring Inc.	EII Plus THC Control 6 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/4/2005
Dade Behring Inc.	Elite QC Chemistry Control (Level 1/Level 2)	Plastic Tube: 3 mL	4/12/2000
Dade Behring Inc.	Emit 2000 Phenobarbital Calibrators (5, 10, 20, 40, 80)	Kit: 5 vials	1/29/2007
Dade Behring Inc.	Emit 5B3 THC Calibrator 100	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/1/2005
Dade Behring Inc.	Emit 5B3 THC Calibrator 200	Plastic vial: 15 mL, Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/1/2005
Dade Behring Inc.	Emit 5B3 THC Calibrator 50	Plastic vial: 15 mL, Glass flask: 5-500 mL, Plastic tank/bottle: 0.5-60 L	4/1/2005
Dade Behring Inc.	Emit Antiepileptic (AED) Drug Calibrators (1,2,3,4,5)	Kit: 5 vials	2/14/2007
Dade Behring Inc.	Emit Calibrator A Level 1 (cutoff)	Vial: 5 mL	2/20/2007
Dade Behring Inc.	Emit Calibrator A Level 2 (high)	Vial: 5 mL	2/20/2007
Dade Behring Inc.	Emit Calibrator B Level 1 (cutoff)	Bottle: 5 mL	2/20/2007
Dade Behring Inc.	Emit Calibrator B Level 2 (high)	Bottle: 5 mL	2/20/2007
Dade Behring Inc.	Emit Calibrator/Control Level 1	Bottle: 15 mL	2/5/2007
Dade Behring Inc.	Emit Calibrator/Control Level 2	Bottle: 15 mL	2/5/2007
Dade Behring Inc.	Emit Calibrator/Control Level 3	Bottle: 15 mL	2/5/2007
Dade Behring Inc.	Emit Calibrator/Control Level 4	Bottle: 15 mL	2/5/2007
Dade Behring Inc.	Emit Calibrator/Control Level 5	Bottle: 15 mL	2/5/2007
Dade Behring Inc.	Emit II Plus Ecstasy Calibrator/Control Level 1	Plastic vial: 15 mL	3/18/2004
Dade Behring Inc.	Emit II Plus Ecstasy Calibrator/Control Level 2	Plastic vial: 15 mL	3/18/2004
Dade Behring Inc.	Emit II Plus Ecstasy Calibrator/Control Level 3	Plastic vial: 15 mL	3/18/2004
Dade Behring Inc.	Emit II Plus Ecstasy Calibrator/Control Level 4	Plastic vial: 15 mL	3/18/2004
Dade Behring Inc.	Emit II Plus Multi-Drug Calibrator 5	Plastic bottle: 1 L	8/22/2006
Dade Behring Inc.	Emit II Plus THC Cal 2 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/4/2005
Dade Behring Inc.	Emit II Plus THC Cal 3 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/4/2005
Dade Behring Inc.	Emit II Plus THC Cal 4 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/4/2005
Dade Behring Inc.	Emit II Plus THC Cal 5 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/4/2005
Dade Behring Inc.	Emit LSD 0.5 ng/mL Calibrator	Bottle: 10 mL	1/24/2007
Dade Behring Inc.	Emit LSD 1.5 ng/mL Calibrator	Bottle: 10 mL	1/24/2007

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Dade Behring Inc.	Emit LSD 2.5 ng/mL Calibrator	Bottle: 10 mL	1/24/2007
Dade Behring Inc.	Emit LSD Control Level 1	Bottle: 25 mL	2/5/2007
Dade Behring Inc.	Emit LSD Control Level 2	Bottle: 25 mL	2/5/2007
Dade Behring Inc.	Emit THC Liq Control 1 ML	Plastic vial: 15 mL; Glass flask: 5-500 mL, Plastic tank/bottle: 0.5-60 L	4/1/2005
Dade Behring Inc.	Emit THC Liq Control 2 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/1/2005
Dade Behring Inc.	Emit THC Liq Control 3 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/1/2005
Dade Behring Inc.	Emit THC Liq Control 4 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	4/1/2005
Dade Behring Inc.	Emit tox Serum Calibrator Kit Containing: (1) Emit tox Serum Low Calibrator and (1) Emit tox Serum Medium Calibrator	Bottle: 3 mL	2/14/2007
Dade Behring Inc.	Emit Δ9 Cannabinoid 100 ng/mL Calibrator	Vial: 10 mL	2/21/2007
Dade Behring Inc.	Emit Δ9 Cannabinoid 20 ng/mL Calibrator	Vial: 10 mL	2/21/2007
Dade Behring Inc.	Emit Δ9 Cannabinoid 200 ng/mL Calibrator	Vial: 10 mL	2/21/2007
Dade Behring Inc.	Emit Δ9 Cannabinoid 50 ng/mL Calibrator	Vial: 10 mL	2/21/2007
Dade Behring Inc.	Estradiol Reagent	6 Vials; 1 mL/vial	10/28/1993
Dade Behring Inc.	Estradiol Test Module	Plastic plate: 1.7"x .7"x 3.5"	10/28/1993
Dade Behring Inc.	FC D-Amph ML Cntrl 1250 ng/mL	Plastic vial: 15 mL	3/28/2007
Dade Behring Inc.	FC D-Amph ML Cntrl 225 ng/mL	Plastic vial: 15 mL	3/28/2007
Dade Behring Inc.	FC D-Amph ML Cntrl 375 ng/mL	Plastic vial: 15 mL	3/28/2007
Dade Behring Inc.	FC D-Amph ML Cntrl 625 ng/mL	Plastic vial: 15 mL	3/28/2007
Dade Behring Inc.	FC D-Amph ML Cntrl 750 ng/mL	Plastic vial: 15 mL	3/28/2007
Dade Behring Inc.	FC DAU MD Detect Cal	Glass vial: 15 mL	3/28/2007
Dade Behring Inc.	FC DAU ST Det Cal	Glass vial: 15 mL	3/28/2007
Dade Behring Inc.	FC Detc al d-Meth for MAMA	Glass vial: 15 mL	3/28/2007
Dade Behring Inc.	FC D-Meth ML Cntrl 1250 ng/mL	Plastic vial: 15 mL	3/28/2007
Dade Behring Inc.	FC D-Meth ML Cntrl 225 ng/mL	Plastic vial: 15 mL	3/28/2007
Dade Behring Inc.	FC D-Meth ML Cntrl 375 ng/mL	Plastic vial: 15 mL	3/28/2007
Dade Behring Inc.	FC D-Meth ML Cntrl 625 ng/mL	Plastic vial: 15 mL	3/28/2007
Dade Behring Inc.	FC D-Meth ML Cntrl 750 ng/mL	Plastic vial: 15 mL	3/28/2007
Dade Behring Inc.	FC E2P Ecstasy Cal 1000	Plastic vial: 15 mL	3/2/2007
Dade Behring Inc.	FC E2P Ecstasy Cal 150	Plastic vial: 15 mL	3/2/2007
Dade Behring Inc.	FC E2P Ecstasy Cal 300	Plastic vial: 15 mL	3/2/2007
Dade Behring Inc.	FC E2P Ecstasy Cal 500	Plastic vial: 15 mL	3/2/2007
Dade Behring Inc.	FC E2P Ecstasy ML Cntl225	Plastic vial: 15 mL	3/2/2007
Dade Behring Inc.	FC E2P Ecstasy ML Cntl375	Plastic vial: 15 mL	3/2/2007
Dade Behring Inc.	FC E2P Ecstasy ML Cntl625	Plastic vial: 15 mL	3/2/2007
Dade Behring Inc.	FC EII Plus ML Control 1	Plastic vial: 15 mL	3/21/2007
Dade Behring Inc.	FC EII Plus ML Control 2	Plastic vial: 15 mL	3/21/2007
Dade Behring Inc.	FC EII Plus ML Control 3	Plastic vial: 15 mL	3/21/2007
Dade Behring Inc.	FC EII Plus ML Control 4	Plastic vial: 15 mL	3/21/2007

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Dade Behring Inc.	FC EII Plus ML Control 5	Plastic vial: 15 mL	3/21/2007
Dade Behring Inc.	FC EII Plus ML Control 6	Plastic vial: 15 mL	3/21/2007
Dade Behring Inc.	FC EII Plus ML Control 7	Plastic vial: 15 mL	3/21/2007
Dade Behring Inc.	FC EII Plus ML Control 8	Plastic vial: 15 mL	3/21/2007
Dade Behring Inc.	FC EII Plus THC Cal 2 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/15/2007
Dade Behring Inc.	FC EII Plus THC Cal 3 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/15/2007
Dade Behring Inc.	FC EII Plus THC Cal 4 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/15/2007
Dade Behring Inc.	FC EII Plus THC Cal 5 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/15/2007
Dade Behring Inc.	FC EII Plus THC Control 1 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/15/2007
Dade Behring Inc.	FC EII Plus THC Control 2 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/15/2007
Dade Behring Inc.	FC EII Plus THC Control 3 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/15/2007
Dade Behring Inc.	FC EII Plus THC Control 4 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/15/2007
Dade Behring Inc.	FC EII Plus THC Control 5 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/15/2007
Dade Behring Inc.	FC EII Plus THC Control 6 ML	Plastic vial: 15 mL; Glass flask: 50-500 mL, Plastic tank/bottle: 10-60 L	3/15/2007
Dade Behring Inc.	FC EII Set A Cont I (75%)	Glass vial: 15 mL	3/28/2007
Dade Behring Inc.	FC EII Set A Cont II (125%)	Glass vial: 15 mL	3/28/2007
Dade Behring Inc.	FC EII Set B Cont I (75%)	Glass vial: 15 mL	3/28/2007
Dade Behring Inc.	FC EII Set B Cont II (125%)	Glass vial: 15 mL	3/28/2007
Dade Behring Inc.	FC Emit Amph Cal Level 1	Plastic vial: 15 mL	4/3/2007
Dade Behring Inc.	FC Emit Amph Cal Level 2	Plastic vial: 15 mL	4/3/2007
Dade Behring Inc.	OPUS Estradiol Kit	Kit: 50 Tests	10/28/1993
Dade Behring Inc.	OPUS Phenobarbital Calibrators: 5,10,20,40,80 µg/mL	Vial: 2.5 mL Carton: 5 vials	8/7/1990
Dade Behring Inc.	OPUS Phenobarbital Test Modules	Plastic Test Module, Tray: 5 modules, Carton: 50 modules	8/7/1990
Dade Behring Inc.	OPUS® Phenobarbital Calibrator Bulk Level 5.0 µg/mL, 10.0 µg/mL, 20.0 µg/mL, 40.0 µg/mL or 80.0 µg/mL	Plastic container: 150-250 mL; Plastic test tube: 15 mL	5/22/2003
Dade Behring Inc.	Owren's Veronal Buffer Cat# B4234-25	Bottle: 18 mL	8/16/1971
Dade Behring Inc.	Pentobarbital Stock Solution	Glass flask: 5 mL	5/9/2003
Dade Behring Inc.	Phenobarbital (PHNO) Flex Reagent Cartridge	Cartridge: Plastic	5/26/1994
Dade Behring Inc.	Phenobarbital Assay	Vial: 6 mL	10/13/1986
Dade Behring Inc.	Phenobarbital Master Pool, Level 1	Plastic bottle: 250 mL, Glass vial: 5 mL	11/18/2002
Dade Behring Inc.	Phenobarbital Master Pool, Level 2	Plastic bottle: 250 mL, Glass vial: 5 mL	11/18/2002
Dade Behring Inc.	Phenobarbital Master Pool, Level 3	Plastic bottle: 250 mL, Glass vial: 5 mL	11/18/2002

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Dade Behring Inc.	Phenobarbital Master Pool, Level 4	Plastic bottle: 250 mL, Glass vial: 5 mL	11/18/2002
Dade Behring Inc.	Phenobarbital Master Pool, Level 5	Plastic bottle: 500 mL, Glass vial: 5 mL	11/18/2002
Dade Behring Inc.	Phenobarbital Particle Reagent	Polyethylene bottle: 1, 2, 3, 4 L	7/28/1988
Dade Behring Inc.	Phenobarbital Stock Solution	Glass flask: 5 mL	5/9/2003
Dade Behring Inc.	Theophylline Calibrator Levels 1, 2 and 3	Vial: 6 mL. Box: 2 vials each level	9/21/1988
Dade Behring Inc.	Thyronine (TU) Uptake Flex(r) Reagent Cartridge	Plastic container: 2.3 mL (20 tests)	4/28/1986
Dade Behring Inc.	TU E Buffer Solution Bulk	Plastic tank: 5-20 L; Plastic bottle: 1 L	9/26/2002
Dade Behring Inc.	TU E Buffer Solution Bulk, Quality Control/Archive	Plastic tube: 30 mL	9/26/2002
Dade Behring Inc.	UAMP Enzyme Pack Reagent	Bottle: 1 L	10/19/1987
Dade Behring Inc.	UBARB Enzyme Pack Reagent	Bottle: 1 L	10/19/1987
Dade Behring Inc.	UBENZ Enzyme Pack Reagent	Bottle: 1 L	10/19/1987
Dade Behring Inc.	UCOC Enzyme Pack Reagent	Bottle: 1 L	10/19/1987
Dade Behring Inc.	UOPI Enzyme Pack Reagent	Bottle: 1 L	8/28/1987
Dade Behring Inc.	Urine Amphetamine (UAMP) Test Pack	Carton: 50 tests	8/27/1987
Dade Behring Inc.	Urine Barbiturate (UBARB) Test Pack	Carton: 50 tests	8/27/1987
Dade Behring Inc.	Urine Benzodiazepine (UBENZ) Test Pack	Carton: 50 tests	8/27/1987
Dade Behring Inc.	Urine Cannabinoid (UTHC) Test Pack	Carton: 50 tests	11/9/1987
Dade Behring Inc.	Urine Cannabinoids Screen (UTHC) Flex Reagent Cartridge	Cartridge: Plastic	4/19/1994
Dade Behring Inc.	Urine Cocaine (UCOC) Test Pack	Carton: 50 tests	8/27/1987
Dade Behring Inc.	Urine Cocaine Metabolites Screen (UCOC) Flex Reagent Cartridge	Cartridge: Plastic	4/19/1994
Dade Behring Inc.	Urine Drugs-of-Abuse Calibrator (Levels 0,1,2)	Box: 6 Vials, Vial: 6 mL	7/27/1987
Dade Behring Inc.	Urine Drugs-of-Abuse Control	Vial: 6 mL	8/3/1987
Dade Behring Inc.	Urine Opiate (UOPI) Test Pack	Carton: 50 tests	7/8/1987
Dade Behring Inc.	Urine Opiates Screen (UOPI) Flex Reagent Cartridge	Cartridge: Plastic	4/19/1994
Dade Behring Inc.	UTHC Enzyme Pack Reagent	Bottle: 1 L	1/4/1988
Diagnostic Products Corporation	[125I] Free Testosterone Cat. No. TTF2	Vial: 105 mL	3/25/1991
Diagnostic Products Corporation	[125I] Total Testosterone Cat. No. TTT 2	Vial: 105 mL	3/25/1991
Diagnostic Products Corporation	125-I Barbiturate Isotope: Cat. No. TBA2, TBAY2	Vial: 110 mL, 550 mL	3/1/1988
Diagnostic Products Corporation	125-I Benzoyecgonine Isotope: Cat. No. TCN2, TCNY2	Vial: 100 mL, 550 mL	3/1/1988
Diagnostic Products Corporation	125-I Fentanyl Isotope: Cat. No. TFN2	Vial: 500 mL	3/1/1988
Diagnostic Products Corporation	125-I Morphine Isotope: Cat. No. TMP2, TMPY2	Vial: 110 mL, 550 mL	3/1/1988
Diagnostic Products Corporation	125-I Serum Morphine Isotope: Cat. No. TSM2	Vial: 110 mL	3/1/1988
Diagnostic Products Corporation	Amphetamine Calibrators B-F: Cat. No. APD4-8	Vial: 3.5 mL	3/1/1988
Diagnostic Products Corporation	Amphetamine Controls, Cat. No. ACO1, ACO2	Vial: 5 mL	3/20/1989
Diagnostic Products Corporation	Amphetamine Controls: Cat. No. 5AC01, 5ACO2	Vial: 100 mL	3/1/1988
Diagnostic Products Corporation	Amphetamine Isotope: Cat. No. APD2, 5APD2, YAPD2	Vial: 20 mL, 100 mL, 550 mL	3/1/1988
Diagnostic Products Corporation	Amphetamine Reference Preparations, Cat. NO. APD5, APD9	Vial: 5 mL	3/20/1989
Diagnostic Products Corporation	Benzoyecgonine Calibrators (CAC) B-F: Cat. No. COC4-8	Vial: 3.5 mL	3/1/1988
Diagnostic Products Corporation	Canine T3 Isotope: Cat. No. TC32	Vial: 120 mL	3/1/1988
Diagnostic Products Corporation	Coat-A-Count Barbiturates In Urine: Cat. No. TKBA1,TKBA5	Kit: 100 tests, 500 tests	3/1/1988
Diagnostic Products Corporation	Coat-A-Count Canine T3: Cat. No. TKC31, TKC35	Kit: 100 tests, 500 tests	3/1/1988
Diagnostic Products Corporation	Coat-A-Count Cocaine Metabolite: Cat. No. TKCN1, TKCN5	Kit: 100 tests, 500 tests	3/1/1988
Diagnostic Products Corporation	Coat-A-Count Fentanyl: Cat. No. TKFN1	Kit: 100 tests	3/1/1988

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Diagnostic Products Corporation	Coat-A-Count Free Testosterone Cat. No. TKTF 1,2	Kit: 100, 200 Tests	3/25/1991
Diagnostic Products Corporation	Coat-A-Count LSD 100, 500, Cat. NO. TKLS1, TKLS5	Kit: 8 vials, 19 vials	3/20/1989
Diagnostic Products Corporation	Coat-A-Count Morphine: Cat. No. TKMP1, TKMP5, TKMPX	Kit: 100 tests, 500 tests, 1000 tests	3/1/1988
Diagnostic Products Corporation	Coat-A-Count Opiates Screen: Cat. No. TK0S1, TKOS5	Kit: 100 tests, 500 tests	3/1/1988
Diagnostic Products Corporation	Coat-A-Count Serum Morphine: Cat. No. TKSM1	Kit: 100 tests	3/1/1988
Diagnostic Products Corporation	Coat-A-Count Total Testosterone Cat. No. TKTT 1,2,5	Kit: 100, 200, 500 Tests	3/25/1991
Diagnostic Products Corporation	CON6 Immunoassay Tri-level Control Cat. No. CON6	Kit: 6 vials	3/25/1991
Diagnostic Products Corporation	Double Antibody Amphetamine, Cat. No. KAPD1, KAPD5	Kit: 6 vials	3/20/1989
Diagnostic Products Corporation	Double Antibody Amphetamine: Cat. No. KAPD1, KAPD5	Kit: 100 tests, 500 tests	3/1/1988
Diagnostic Products Corporation	Double Antibody Cannabinoids (THC) In Urine: Cat. No. KTHD1, KTHD5	Kit: 100 tests, 500 tests	3/1/1988
Diagnostic Products Corporation	Double Antibody PTH-C: KPCD1, KPCD2	Kit: 70 tests, 140 tests	3/1/1988
Diagnostic Products Corporation	Enzyme-Labeled PCP Cat. No. MEPC2, 5MEPC2	Vial: 20 mL, 60 mL	7/5/1990
Diagnostic Products Corporation	EquiCON-DOA Drugs of Abuse Equine Urine Controls Cat. No. EDAC	Kit: 2 Vials	3/25/1991
Diagnostic Products Corporation	EquiCon-DOA Level 2,3 Cat. No. EDAC 2,3	Vial: 30 mL	3/25/1991
Diagnostic Products Corporation	Fentanyl Calibrators: Cat. No. FNC4-9	Vial: 3.5 mL	3/1/1988
Diagnostic Products Corporation	Free Testosterone Calibrators Cat. No. TFC4-8	Vial: 3.5 mL	3/25/1991
Diagnostic Products Corporation	Goat Anti-Rabbit Gamma Globulin/4% PEG Saline: Cat. No. 5N6	Vial: 110 mL, 320 mL	3/1/1988
Diagnostic Products Corporation	Immulite 2000 Phenobarbital, Cat. No. L2KPB1, 5	Kit: 100, 500 tests	1/24/2001
Diagnostic Products Corporation	Immulite Cannabinoids (THC), Cat. No. LKTH1, 5	Kit: 100, 500 tests	1/24/2001
Diagnostic Products Corporation	Immulite Phenobarbital, Cat. No. LKPB1, 5	Kit: 100, 500 tests	1/24/2001
Diagnostic Products Corporation	LSD Calibrators B-F, Cat. No. LSCH-8	Vial: 5 mL	3/20/1989
Diagnostic Products Corporation	LSD Controls, Cat. NO. 5LCO1, 5LCO2, LSCO1, LSCO2	Vial: 120 mL, 5 mL	3/20/1989
Diagnostic Products Corporation	LSD Isotope, Cat. No. TLSY2, TLS2	Vial: 105 mL, 550 mL	3/20/1989
Diagnostic Products Corporation	Milena Cocaine References and Controls Cat. No. MC3,6; MCCC1,2	Glass vial: 5 mL	1/25/1991
Diagnostic Products Corporation	Morphine Calibrators: Cat. No. MPC4-8	Vial: 3.5 mL, 10 mL	3/1/1988
Diagnostic Products Corporation	Opiate Calibrators: Cat. No. OSC4-8	Vial: 3.5 mL	3/1/1988
Diagnostic Products Corporation	PCP Calibrators Cat. No. MPC 3-7	Vial: 5 mL	7/5/1990
Diagnostic Products Corporation	PCP Calibrators: Cat. No. PCC4-8	Vial: 3.5 mL	3/1/1988
Diagnostic Products Corporation	RIA Controls Level 4,5,6 Cat. NO. CON4, CON5, CON6	Vial: 10 mL	3/25/1991
Diagnostic Products Corporation	Serum Drug Control, Cat. No. SDCM	Glass vial: 10 mL; Kit: 2 vials	1/24/2001
Diagnostic Products Corporation	Serum Morphine Calibrators: Cat. No. SMC4-8	Vial: 3.5 mL	3/1/1988
Diagnostic Products Corporation	Serum Morphine Controls: Cat. No. SMCO2, SMCO3	Vail: 3.5 mL	3/1/1988
Diagnostic Products Corporation	THC Calibrators B-F: Cat. No. THD4-8	Vial: 3.5 mL	3/1/1988
Diagnostic Products Corporation	Total Testosterone Calibrators Cat. No. TTC4-8	Vial: 3.5 mL	3/25/1991
Diagnostic Products Corporation	Triiodothyronine (T3) Isotope: Cat. No. TT32	Vial: 120 mL	3/1/1988
Diagnostics Systems Laboratories, Inc.	Active DHT DSL 9600	Kit: 100 Tests	1/25/1996
Diagnostics Systems Laboratories, Inc.	DHEA Controls I and II, DSL 8951 & 8952	Vial: 3.5 mL	10/8/1993
Diagnostics Systems Laboratories, Inc.	DHEA Standards, A-F, DSL 8901-8906	Vial: 3.5 mL	10/8/1993

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Diagnostics Systems Laboratories, Inc.	DSL 4900 Radioimmunoassay	Kit: 1 bottle - 22 mL, 10 vials - 1 mL each	11/12/1996
Diagnostics Systems Laboratories, Inc.	Radioimmunoassay Kit for the Measurement of Dehydroepiandrosterone (DHEA), DSL 8900	Kit; 100 Tests	10/8/1993
Diagnostics Systems Laboratories, Inc.	Radioimmunoassay Kit for the Measurement of Dehydroepiandrosterone (DHEA), DSL 9000	Kit; 100 Tests	10/8/1993
Diagnostics Systems Laboratories, Inc.	Radioimmunoassay Kit for the Quantitative Measurement of Testosterone, DSL 4000	Kit: 100 Tests	10/8/1993
Diagnostics Systems Laboratories, Inc.	Radioimmunoassay Kit for the Quantitative Measurement of Testosterone, DSL 4100	Kit: 100 Tests	10/8/1993
Diagnostics Systems Laboratories, Inc.	Testosterone Controls I and II, DSL 4051 & 4052	Vial: 3.5 mL	10/8/1993
Diagnostics Systems Laboratories, Inc.	Testosterone Standards A-F, DSL 4001-4006	Vial: 3.5 mL	10/8/1993
Diamedix Corporation	Barbital-Acetate Buffer, Powder 709-317	Package: 20 envelopes; 10.65 g. per envelope	7/27/1972
Diamedix Corporation	CEP Plate-Amebiasis Testing 40 Test No. 730-274	Plate: 40mm x 80mm x 2.5mm	8/9/1973
Diamedix Corporation	CEP VI No. 709-339	Plate: 40mm x 80mm x 2.5mm	8/9/1973
Diamedix Corporation	Counterelectrophoresis (CEP) Plates for Trichinosis Testing	Plastic plates: 40mm x 80mm x 2.5mm	6/16/1975
Diamedix Corporation	EDTA (0.014M)-GVB Buffer, 753-034	Bottle: 5 mL	8/9/1973
Diamedix Corporation	EDTA (0.01M)-GVB Buffer, 753-031	Bottle: 5 mL	8/9/1973
Diamedix Corporation	Glucose-GVB 1 Buffer, 753-036	Bottle: 50 mL	8/9/1973
Diamedix Corporation	GVB(3+) Buffer 753-037	Bottle: 50 mL	8/9/1973
DiaSorin Inc.	(125I) Clinical Assays Gamma Coat T3 Uptake Radioimmunoassay Kit Cat. Nos. CA-1539, CA-1539J, CA-1559, CA-1559J	Kit: 100, 500 assays	3/8/1991
DiaSorin Inc.	(125I) Clinical Assays Gamma Coat Testosterone Radioimmunoassay Kit Cat. No. CA-1558	Kit: 100 tests	6/11/1996
DiaSorin Inc.	(125I) Testosterone Tracer Cat. No. CA-2628	Glass vial: 1 mL	6/11/1996
DiaSorin Inc.	Assay Buffer Cat. No. CA-2742	Bottle: 120 mL	3/8/1991
DiaSorin Inc.	LIAISON Testosterone Control Set	Vial: 2.0 mL; Set: 4 vials	3/9/2004
DiaSorin Inc.	LIAISON Testosterone Kit	Kit: 1 Integral device	3/9/2004
DiaSorin Inc.	Testosterone Serum Standard B (0.2ng/mL) Cat. No. CA-22179	Glass vial: 2 mL	6/11/1996
DiaSorin Inc.	Testosterone Serum Standard C (0.5ng/mL) Cat. No. CA-22180	Glass vial: 2 mL	6/11/1996
DiaSorin Inc.	Testosterone Serum Standard D (1.0 ng/mL) Cat. No. CA-22181	Glass vial: 2 mL	6/11/1996
DiaSorin Inc.	Testosterone Serum Standard E (2.5ng/mL) Cat. No. CA-22182	Glass vial: 2 mL	6/11/1996
DiaSorin Inc.	Testosterone Serum Standard F (7.5ng/mL) Cat. No. CA-22183	Glass vial: 2 mL	6/11/1996
DiaSorin Inc.	Testosterone Serum Standard G (20.0 ng/mL) Cat. No. CA-22184	Glass vial: 2 mL	6/11/1996
Drug Free Enterprises, Inc.	DRUGCHECK Positive Control Urine	Glass vial: 1-200 mL	12/16/2003
Duo Research, Inc.	Drug Testing Assessment Program Quality Control Samples	Kit: 25 bottles	12/26/1986
Duo Research, Inc.	Drug Testing Assessment Program-Quality Control Sample	Bottle: 65 mL	2/27/1986
Duo Research, Inc.	Drug Testing Assessment Program-Quality Control Sample Kit	Kit: 5-65 mL bottles	2/27/1986
Eli Lilly and Company	Propoxyphene Industrial Hygiene Air Monitoring Sample Cassette	Cassette: Plastic	7/13/1994
EISohly Laboratories, Inc.	(-)-11 Nor-delta-9-THC-COOH 100 µg/mL	Vial: 1 mL	3/26/1995
EISohly Laboratories, Inc.	(-)-11-Nor-Delta9-THC-9-COOH, 1 mg/mL	Vial: 1 mL	11/25/1997

**Exempt Chemical Preparations List**

March 31, 2008

Supplier	Product Name	Form	Date
EISohly Laboratories, Inc.	11-Hydroxy-delta-9-THC, 100 µg/mL	Vial: 1 mL	3/26/1995
EISohly Laboratories, Inc.	11-nor-CBN-9-COOH, 100 µg/mL in MeOH	Glass vial: 1 mL	8/6/2004
EISohly Laboratories, Inc.	11-nor-delta9-THCV-9-COOH, 100 µg/mL in MeOH	Glass vial: 1 mL	8/6/2004
EISohly Laboratories, Inc.	8-β, 11-dihydroxy-delta-9-THC, 100 µg/mL	Vial: 1 mL	3/26/1995
EISohly Laboratories, Inc.	8-β-hydroxy-delta-9-THC, 100 µg/mL	Vial: 1 mL	3/26/1995
EISohly Laboratories, Inc.	Buprenorphine-beta-D-glucuronide, 100 µg/mL in MeOH	Glass vial: 1 mL	4/29/2005
EISohly Laboratories, Inc.	d2-Dihydrocodeine, 100 µg/mL	Vial: 1 mL	3/26/1995
EISohly Laboratories, Inc.	d2-Dihydromorphine, 100 µg/mL	Vial: 1 mL	3/26/1995
EISohly Laboratories, Inc.	D3-Benzoylecgonine, 100 µg/mL	Vial: 1 mL	11/25/1997
EISohly Laboratories, Inc.	D3-Cocaine, 100 µg/mL	Vial: 1 mL	11/25/1997
EISohly Laboratories, Inc.	d3-Codeine, 100 µg/mL	Vial: 1 mL	3/26/1995
EISohly Laboratories, Inc.	D3-Ecgonine methylester, 100 µg/mL	Vial: 1 mL	11/25/1997
EISohly Laboratories, Inc.	D3-Ecgonine, 100 µg/mL	Vial: 1 mL	11/25/1997
EISohly Laboratories, Inc.	d3-Hydrocodone, 100 µg/mL	Vial: 1 mL	3/26/1995
EISohly Laboratories, Inc.	d3-Hydromorphone, 100 µg/mL	Vial: 1 mL	3/26/1995
EISohly Laboratories, Inc.	D3-m-Hydroxybenzoylecgonine, 100 µg/mL	Vial: 1 mL	11/25/1997
EISohly Laboratories, Inc.	D3-m-Hydroxycocaine, 100 µg/mL	Vial: 1 mL	11/25/1997
EISohly Laboratories, Inc.	d3-Morphine, 100 µg/mL	Vial: 1 mL	3/26/1995
EISohly Laboratories, Inc.	d3-Oxycodone, 100 µg/mL	Vial: 1 mL	3/26/1995
EISohly Laboratories, Inc.	D3-p-OH-benzoylecgonine, 100 µg/mL in MeOH	Glass vial: 1 mL	8/6/2004
EISohly Laboratories, Inc.	d6-11-Nor-delta-8-THC-9-COOH, 100 µg/mL	Vial: 1 mL	3/26/1995
EISohly Laboratories, Inc.	d6-11-Nor-delta-9-THC-9-COOH, 100 µg/mL	Vial: 1 mL	3/26/1995
EISohly Laboratories, Inc.	D6-11-OH-delta9-THC, 100 µg/mL in MeOH	Glass vial: 1 mL	8/6/2004
EISohly Laboratories, Inc.	D6-8beta-11-diOH-delta9-THC, 100 µg/mL in MeOH	Glass vial: 1 mL	8/6/2004
EISohly Laboratories, Inc.	d6-Amphetamine, 100 µg/mL	Vial: 1 mL	3/26/1995
EISohly Laboratories, Inc.	d6-Delta-8-THC, 100 µg/mL	Vial: 1 mL	3/26/1995
EISohly Laboratories, Inc.	D6-delta9-THCV-9-COOH, 100 µg/mL in MeOH	Glass vial: 1 mL	8/6/2004
EISohly Laboratories, Inc.	d9-Delta-9-THC, 100 µg/mL	Vial: 1 mL	3/26/1995
EISohly Laboratories, Inc.	d9-Methamphetamine, 100 µg/mL	Vial: 1 mL	3/26/1995
EISohly Laboratories, Inc.	Delta9-THC, 100 µg/mL in MeOH	Glass vial: 1 mL	8/14/2006
EISohly Laboratories, Inc.	Difluorobenzoylecgonine, 100 µg/mL	Vial: 1 mL	3/26/1995
EISohly Laboratories, Inc.	Difluorococaine, 100 µg/mL	Vial: 1 mL	3/26/1995
EISohly Laboratories, Inc.	Difluorophencyclidine, 100 µg/mL	Vial: 1 mL	3/26/1995
EISohly Laboratories, Inc.	ELI Urine Calibrators	Plastic bottle: 20 mL; Box: 100 bottles	3/29/2006
EISohly Laboratories, Inc.	ELI Urine Calibrators	Bottle: 5 mL-4 L	11/25/1997
EISohly Laboratories, Inc.	ELI Urine Controls	Plastic bottle: 20 mL; Box: 100 bottles	3/29/2006
EISohly Laboratories, Inc.	m-Hydroxybenzoylecgonine, 100 µg/mL	Vial: 1 mL	11/25/1997
EISohly Laboratories, Inc.	m-Hydroxycocaine, 100 µg/mL	Vial: 1 mL	11/25/1997
EISohly Laboratories, Inc.	Norbuprenorphine-beta-D-glucuronide, 100 µg/mL in MeOH	Glass vial: 1 mL	4/29/2005
EISohly Laboratories, Inc.	o-Hydroxybenzoylecgonine, 100 µg/mL	Vial: 1 mL	11/25/1997
EISohly Laboratories, Inc.	o-Hydroxycocaine, 100 µg/mL	Vial: 1 mL	11/25/1997
EISohly Laboratories, Inc.	p-Hydroxybenzoylecgonine, 100 µg/mL	Vial: 1 mL	11/25/1997
EISohly Laboratories, Inc.	p-Hydroxycocaine, 100 µg/mL	Vial: 1 mL	11/25/1997



### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
ElSohly Laboratories, Inc.	Urine Controls	Bottle: 15 mL-40 L	3/26/1995
Environmental Resource Associates	ICR Standards, Chloral Hydrate, Cat. No. 676	Vial: 2 mL	8/12/1997
Fisher Diagnostics	TheraChem Anticonvulsants/Theophylline, Level I, II	Kit: 9 vials, Vial: 5 mL	3/3/1981
Fisher Scientific	Electrophoretic Buffer No. 1 pH 8.60, Ionic Strength 0.05, Catalog No. E-1	Packet: 12.14 g.	10/27/1972
Fisher Scientific	Electrophoretic Buffer No. 2, pH 8.60, Ionic Strength 0.075, Catalog No. E-2	Packet: 18.16 g.	10/27/1972
Fisher Scientific	IL-Test Phenobarbital	Kit: 2 plastic containers of reagent 2	3/15/1988
Fisher Scientific	IL-Test Phenobarbital Conjugate, Reagent 2	Plastic Container: 16 mL	3/15/1988
Fisher Scientific	Owren's Veronal Buffer, CS1094-34	Vial: 10 mL	8/18/1986
Fisher Scientific	Owren's Veronal Buffer, CS1094-38	Vial: 25 mL	8/18/1986
Fisher Scientific	SeraChem Abnormal Clinical Chemistry Control Serum (Human) Unassayed No. 2906	Vial: 5 mL, 10 mL	4/16/1982
Fisher Scientific	SeraChem Abnormal Clinical Chemistry Control Serum (Human), Assayed No. 2905	Vial: 5 mL	4/16/1982
Fisher Scientific	SeraChem Normal Clinical Chemistry Control Serum (Human), Assayed No. 2907	Vial: 5 mL	4/16/1982
Fisher Scientific	Serachem Normal Clinical Chemistry Control Serum (Human), Unassayed No. 2908	Vial: 5 mL, 10 mL	4/16/1982
Fisher Scientific	SeraChem Plus Clinical Chemistry Control Sera Unassayed (Bovine) Level I	Vial: 10 mL, Box: 50 vials, Carton: 4 boxes	7/25/1989
Fisher Scientific	SeraChem Plus Clinical Chemistry Control Sera Unassayed (Bovine) Level II	Vial: 10 mL, Box: 50 vials, Carton: 4 boxes	7/25/1989
Fisher Scientific	TDM Cal	Kit: 7 vials	11/26/1986
Fisher Scientific	TDM Cal (B-F)	Vials: 5 mL	11/26/1986
Fisher Scientific	Thera Chem TDC Therapeutic Drug Controls, Low and High Levels, 2840-58	Kit: 6 vials	1/12/1984
Fisher Scientific	TheraChem-Plus TDC Therapeutic Drug Controls, Tri-Level, No. 2845-94	Kit: 9 vials	3/19/1986
Fisher Scientific	Therapeutic Drug Control, High Level III, No. 2848-31	Vial: 5 mL	3/19/1986
Fisher Scientific	Therapeutic Drug Control, High Level, 2842-31	Vial: 5 mL	1/12/1984
Fisher Scientific	Therapeutic Drug Control, Low Level I, No. 2846-31	Vial: 5 mL	3/19/1986
Fisher Scientific	Therapeutic Drug Control, Low Level, 2841-31	Vial: 5 mL	1/12/1984
Fisher Scientific	Therapeutic Drug Control, Mid-Range Level II, No. 2847-31	Vial: 5 mL	3/19/1986
Fisher Scientific	Urine Chemistry Control (Human) Level II, No. 2935-80	Vial: 25 mL	4/6/1978
Fisher Scientific	Urine Toxicology Control No. 2950-61	Vial: 25 mL	4/6/1978
Helena Laboratories	CARDIO REP CK Isoenzymes Gel	Plate: 4.6"x 2.4"	9/24/1993
Helena Laboratories	Cardio REP CK Isoenzymes Kit, Cat# 3310	Kit: 10 Plates	9/24/1993
Helena Laboratories	Cardio REP CK Isoforms Gel	Plate: 4.6"x 2.4"	9/24/1993
Helena Laboratories	Cardio REP CK Isoforms Kit, Cat# 3305	Kit: 10 Plates	9/24/1993
Helena Laboratories	CK-LD Buffer Catalog No. 5808	Packet: 18.332 g, 10 packets/box	3/26/1986
Helena Laboratories	Electra B1 Buffer, Catalog No. 5016	Packet: 13.1g, 10 packets/ box	12/28/1973

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Helena Laboratories	Electra B2 Buffer, Catalog No. 5017	Packet: 18.2 g. 10 packets/ box	12/28/1973
Helena Laboratories	Electra HR Buffer, Catalog No. 5805	Packet: 18.1 g. 10 packets/ box	12/28/1973
Helena Laboratories	HDL Electrophoresis Buffer	Packet: 36 g.	12/18/1985
Helena Laboratories	Isoamylase Cathode Buffer	Packet: 9.7 g.	12/18/1985
Helena Laboratories	Isoamylase Kit Catalog No. 5925	Kit: 2 Packets Cathode Buffer	1/24/1986
Helena Laboratories	Multitrac Immunolectrophoresis Kit, Cat. No. 470684	Kit: 10 plates; Vial: 22 g	8/31/1998
Helena Laboratories	Multitrac LD Flur Isoenzyme Kit, Cat. No. 470689	Kit: 10 plates; Vial: 22 g	8/31/1998
Helena Laboratories	Multitrac LD Vis Isoenzyme Kit, Cat. No. 470620	Kit: 10 plates; Vial: 22 g	8/31/1998
Helena Laboratories	Multitrac LD Vis Isoenzyme Kit, Cat. No. 470688	Kit: 10 plates; Vial: 22 g	8/31/1998
Helena Laboratories	Multitrac Universal II Serum Protein Kit, Cat. No. 470696	Kit: 10 plates; Vial: 22 g	8/31/1998
Helena Laboratories	Owren's Veronal Buffer Cat. No. 5375	Plastic bottle: 125 mL	9/15/1988
Helena Laboratories	Polyslit SPE Buffer	Bag: 9.8g	8/31/1999
Helena Laboratories	QuickGel IFE Gel	Gel: 4-7/16" x 2-3/4"	5/5/2005
Helena Laboratories	QuickGel IFE Kit, Cat. No. 3351, 3551	Kit: 10 gels	5/5/2005
Helena Laboratories	QuickGel Split Beta SPE Gel	Gel: 4-7/16" x 2-3/4"	11/10/2003
Helena Laboratories	QuickGel Split Beta SPE Kit, Cat. No. 3350	Kit: 10 gels	11/10/2003
Helena Laboratories	REP Alkaline Phosphatase Cat# 3152	Kit: 10 Plates	8/26/1993
Helena Laboratories	REP ALP-15 Gel	Plate: 5.8"x 5.5"	8/26/1993
Helena Laboratories	REP CK Isoforms-15	Plate: 5.8"x5.5"	3/9/1988
Helena Laboratories	REP CK Isoforms-15 Kit: Cat. No. 3081	Kit: 10 plates	3/9/1988
Helena Laboratories	REP CK Isoforms-4 Cat# 3083	Kit: 10 Plates	8/26/1993
Helena Laboratories	REP CK Isoforms-4 Gel	Plate: 5.8"x 1.25"	8/26/1993
Helena Laboratories	REP CK Isoforms-8 Cat# 3082	Kit: 10 Plates	8/26/1993
Helena Laboratories	REP CK Isoforms-8 Gel	Plate: 5.8"x 2.18"	8/26/1993
Helena Laboratories	REP CK-12	Plate: 5.8"x2.18"	3/9/1988
Helena Laboratories	REP CK-12 Isoenzyme Kit: Cat. No. 3071	Kit: 10 plates	3/9/1988
Helena Laboratories	REP CK-2 STAT Kit, Cat. No. 3074	Kit: 10 plates (5.8" X 0.6")	3/30/1989
Helena Laboratories	REP CK-30	Plate: 5.8"x5.5"	3/9/1988
Helena Laboratories	REP CK-30 Isoenzyme Kit	Kit: 10 plates	3/9/1988
Helena Laboratories	REP CK-6	Plate: 5.8"x1.25"	3/9/1988
Helena Laboratories	REP CK-6 Isoenzyme Kit: Cat. No. 3072	Kit: 10 plates	3/9/1988
Helena Laboratories	Rep Hi-Res-15 Template Gel	Plate	9/14/1993
Helena Laboratories	Rep Hi-Res-15 Template Kit	Kit: 10 gels	9/14/1993
Helena Laboratories	REP ImmunoFix Kit # 3150	Kit: 10 plates	3/9/1993
Helena Laboratories	REP LD	Plates: 5.8"x5.5", 5.8"x2.18", 5.8"x1.25"	3/9/1988
Helena Laboratories	REP SPE Hi Res-15 Kit, Cat. No. 3176	Kit: 10 plates (5.8" X 5.5")	3/30/1989
Helena Laboratories	REP SPE-16 Template (Acid Blue) Kit, Cat# 3171	Kit: 10 Plates	9/14/1993
Helena Laboratories	REP SPE-16 Template (Ponceau S) Kit, Cat# 3161	Kit: 10 Plates	9/14/1993
Helena Laboratories	REP SPE-16 Template Gel	Plate: 5.8"x 2.18"	9/14/1993
Helena Laboratories	REP SPE-30 Template (Acid Blue) Kit, Cat# 3170	Kit: 10 Plates	9/14/1993
Helena Laboratories	REP SPE-30 Template (Ponceau S) Kit, Cat# 3160	Kit: 10 Plates	9/14/1993
Helena Laboratories	REP SPE-30 Template Gel	Plate: 5.8"x 5.5"	9/14/1993
Helena Laboratories	REP SPE-8 Template (Acid Blue) Kit, Cat# 3172	Kit: 10 Plates	9/14/1993

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Helena Laboratories	REP SPE-8 Template Gel	Plate: 5.8"x 1.25"	9/14/1993
Helena Laboratories	REP Ultra SPE-16 Gel	Gel: 5.8" x 2.18"	12/9/2002
Helena Laboratories	REP Ultra SPE-30 Gel	Gel: 5.8" x 5.5"	12/9/2002
Helena Laboratories	REP Ultra SPE-8 Gel	Gel: 5.8" x 1.25"	12/9/2002
Helena Laboratories	REP Ultra SPE-Ponceau S Kit, Cat. No. 3154, 3155, 3156	Kit: 10 gels	12/9/2002
Helena Laboratories	REP Ultra-30 HDL, VLDL/LDL Gel	Plate: 5.8"x 5.5"	9/24/1993
Helena Laboratories	REP Ultra-30 HDL, VLDL/LDL Kit, Cat# 3183	Kit: 10 Plates	9/24/1993
Helena Laboratories	REP Ultra-8 HDL, VLDL/LDL Gel	Plate: 5.8"x 1.25"	9/24/1993
Helena Laboratories	REP Ultra-8 HDL, VLDL/LDL Kit, Cat# 3185	Kit: 10 Plates	9/24/1993
Helena Laboratories	REP Vis Cholesterol Gel	Gel: 5.8" x 5.5"	6/17/1998
Helena Laboratories	REP Vis Cholesterol Kit, Cat# 3226, 3227, 3228	Kit: 10 gels	6/17/1998
Helena Laboratories	REP-HDL-12 Isoenzyme Kit Cat. No. 3187	Kit: 10 Plates (5.8" X 2.18")	9/15/1988
Helena Laboratories	REP-HDL-30 Isoenzyme Kit Cat. No. 3186	Kit: 10 Plates (5.8" X 5.5")	9/15/1988
Helena Laboratories	REP-HDL-6 Isoenzyme Kit Cat. No. 3188	Kit: 10 Plates (5.8" X 1.25")	9/15/1988
Helena Laboratories	REP-Lipo-12 Kit Cat. No. 3181	Kit: 10 Plates (5.8" X 2.18")	9/15/1988
Helena Laboratories	REP-Lipo-30 Kit Cat. No. 3180	Kit: 10 Plates (5.8" X 5.5")	9/15/1988
Helena Laboratories	REP-Lipo-6 Kit Cat. No. 3182	Kit: 10 Plates (5.8" X 1.25")	9/15/1988
Helena Laboratories	REP-SP-12 Isoenzyme Kit Cat. No. 3171	Kit: 10 Plates (5.8" X 2.18")	9/15/1988
Helena Laboratories	REP-SP-30 Isoenzyme Kit Cat. No. 3170	Kit: 10 Plates (5.8" X 5.5")	9/15/1988
Helena Laboratories	REP-SP-6 Isoenzyme Kit Cat. No. 3172	Kit: 10 Plates (5.8" X 1.25")	9/15/1988
Helena Laboratories	SPIFE Alkaline Phosphatase Gel	Gel: 5.8" x 5.5"	11/10/2003
Helena Laboratories	SPIFE Alkaline Phosphatase Kit, Cat. No. 3345, 3346	Kit: 10 gels	11/10/2003
Helena Laboratories	SPIFE Cholesterol Gel	Gel: 5.8" x 5.5"	8/5/2002
Helena Laboratories	SPIFE Cholesterol Kit, Cat. No. 3438, 3439, 3440, 3441, 3442	Kit: 10 gels	8/5/2002
Helena Laboratories	SPIFE Hi-Res-15 Template Gel	Plate	9/14/1993
Helena Laboratories	SPIFE Hi-Res-15 Template Kit	Kit: 10 gels	9/14/1993
Helena Laboratories	SPIFE IFE Gel	Gel: 5.8" x 5.5"	11/10/2004
Helena Laboratories	SPIFE IFE Gel	Gel: 4-7/16" x 2-3/4"	11/10/2004
Helena Laboratories	SPIFE IFE Gel	Gel: 5.8" x 5.5"	6/17/1998
Helena Laboratories	SPIFE IFE Kit, Cat # 3401	Kit: 10 gels	6/17/1998
Helena Laboratories	SPIFE IFE Kit, Cat. No. 3351, 3551	Kit: 10 gels	11/10/2004
Helena Laboratories	SPIFE IFE Kit, Cat. No. 3401, 3406, 3408, 3409	Kit: 10 gels	11/10/2004
Helena Laboratories	SPIFE LD Gel	Gel: 5.8" x 5.5"	8/5/2002
Helena Laboratories	SPIFE LD Kit, Cat. No. 3335, 3336, 3337	Kit: 10 gels	8/5/2002
Helena Laboratories	SPIFE Lipo Gel	Gel: 5.8" x 5.5"	8/5/2002
Helena Laboratories	SPIFE Lipo Kit, Cat. No. 3340, 3341, 3342, 3343	Kit: 10 gels	8/5/2002
Helena Laboratories	SPIFE SPE Gel	Gel: 5.8" x 5.5"	4/15/2004
Helena Laboratories	SPIFE SPE Kit, Cat. No. 3460, 3461, 3462	Kit: 10 gels	4/15/2004
Helena Laboratories	SPIFE SPE Vis-60 Gel	Gel: 5.8" x 5.5"	6/17/1998
Helena Laboratories	SPIFE Split-Beta SPE Gel	Gel: 5.8" x 5.5"	8/5/2002
Helena Laboratories	SPIFE Split-Beta SPE Kit, Cat. No. 3420, 3421, 3422	Kit: 10 gels	8/5/2002
Helena Laboratories	SPIFE Ultra IFE Gel	Gel: 5.8" x 5.5"	5/5/2005
Helena Laboratories	SPIFE Ultra IFE Kit, Cat. No. 3444, 3445, 3446, 3447	Kit: 10 gels	5/5/2005

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Helena Laboratories	Super Z-12XHDL Cholesterol Supply Kit Catalog No. 5470)	Kit: 3 Packages buffer 36 g.	1/24/1986
Helena Laboratories	TITAN GEL Alkaline Phosphatase (HR) Cat# 3058	Kit: 10 Plates	8/26/1993
Helena Laboratories	TITAN GEL Alkaline Phosphatase (HR) Kit, Cat. No. 3058	Kit: 1 bag	6/19/1989
Helena Laboratories	TITAN GEL Alkaline Phosphatase Buffer	Plastic Bag: 13.1g	6/19/1989
Helena Laboratories	TITAN GEL Alkaline Phosphatase Gel	Plate: 3.5"x 2.9"	8/26/1993
Helena Laboratories	Titan Gel High Resolution Protein Buffer	Packet: 25.9 g.	4/12/1983
Helena Laboratories	Titan Gel High Resolution Protein Kit Catalog No. 3040	Kit: 10 Plates (90 mm X 75 mm) , 2 Packages Buffer	3/3/1986
Helena Laboratories	Titan Gel High Resolution Protein Plate	Plate:(90 mm X 7 5mm)	3/3/1986
Helena Laboratories	TITAN GEL IEP Gel	Gel: 3.8" x 2.9"	12/9/2002
Helena Laboratories	TITAN GEL IEP Kit, Cat. No. 3047	Kit: 10 gels	12/9/2002
Helena Laboratories	Titan Gel IFE Buffer	Packet: 25.9 g.	12/18/1985
Helena Laboratories	Titan Gel IFE Plate	Plate:(90 mm X 75 mm)	3/5/1986
Helena Laboratories	Titan Gel Immuno Fix Kit Catalog No.3046	Kit: 10 Plates (90 mm X 75 mm), 2 Packets IFE Buffer	1/24/1986
Helena Laboratories	Titan Gel ImmunoFix Plus Kit # 3067	Kit: 10 plates, 1 pkg IFE buffer	3/9/1993
Helena Laboratories	Titan Gel ImmunoFix-9 Kit # 3051	Kit: 10 plates, 1 pkg IFE buffer	3/9/1993
Helena Laboratories	Titan Gel Iso Dot LDH Buffer	Packet: 9.6 g.	1/7/1986
Helena Laboratories	Titan Gel Iso Dot LDH Isoenzyme Plate	Plate: (90 mm X 75 mm)	12/18/1985
Helena Laboratories	Titan Gel LD Buffer	Packet: 21.5 g	11/26/1986
Helena Laboratories	Titan Gel LD Isoenzyme Diluent	Bottle: 10 mL	11/26/1986
Helena Laboratories	Titan Gel LDH Isoenzyme Buffer	Packet: 22.7 g.	3/7/1983
Helena Laboratories	Titan Gel LDH Isoenzyme Plate	Plate: (90 mm X 75 mm)	12/18/1985
Helena Laboratories	Titan Gel LDH Isoenzyme Reagent	Vial: 2 mL, 10 vials/box	1/7/1986
Helena Laboratories	Titan Gel Lipoprotein Buffer	Packet: 17.3 g.	12/18/1985
Helena Laboratories	Titan Gel Lipoprotein Kit Catalog No.3045	Kit: 1 Packet Buffer	1/24/1986
Helena Laboratories	Titan Gel Lipoprotein Plate	Plate: (90 x 75 mm)	1/9/1987
Helena Laboratories	Titan Gel Multi-Slot Lipo-17 Kit Catalog No. 3095	Kit: 10 plates (81 x 143 mm) 1 packet buffer (21.6 g)	1/9/1987
Helena Laboratories	Titan Gel Multi-Slot Lipo-17 Plate	Plate: (81 x 143 mm)	1/9/1987
Helena Laboratories	Titan Gel Multi-Slot SP-17 Kit Catalog No. 3091	Kit: 10 plates (81 x 143 mm) 1 packet buffer (29.1 g)	1/9/1987
Helena Laboratories	Titan Gel Multi-Slot SP-17 Plate	Plate: 81 x 143 mm	1/9/1987
Helena Laboratories	Titan Gel Serum Protein Buffer	Packet: 29.1 g.	4/12/1983
Helena Laboratories	Titan Gel Serum Protein Kit Catalog No. 3041	Kit: 10 Plates (90 mm X 75 mm), 1 Packet Buffer	1/24/1986
Helena Laboratories	Titan Gel Serum Protein Plate	Plate: (90 mm X 75 mm)	12/18/1985
Helena Laboratories	Titan Gel Silver Stain Buffer	Packet: 25.9g	12/18/1985
Helena Laboratories	Titan Gel Silver Stain Kit Catalog No.3035	Kit: 10 Plates (90 mm X 75 mm), 2 Packets Buffer	1/24/1986
Helena Laboratories	Titan Gel Silver Stain Plate	Plate:(90 mm X 75 mm)	3/3/1986
Helena Laboratories	Titan Gel-PC LDH Isoenzyme Kit Catalog No. 3053	Kit: 10 Plates (90 mm X 75 mm), 1 Packet LDH Buffer, 1 Box LDH Reagent	1/24/1986

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Helena Laboratories	Titan Gel-PC LDH Isoenzyme Plate	Plate: (90 mm X 75 mm)	12/18/1985
Helena Laboratories	Titan III Agar Catalog No. 5023	Packet: 5 g. (5 Packets/box)	12/28/1973
Helena Laboratories	Titan IV IE Plate (large)	Package: plates, 3 x 4 in.	12/28/1973
Helena Laboratories	Titan IV IE Plate (small)	Package: plates, 1 x 3 in.	12/28/1973
Helena Laboratories	Titan IV IE Plate Kit	Kit: 12 small (1 x 3 in.) IE plates, 1 box B1 Buffer	12/28/1973
Helena Laboratories	Titan IV IE Plate Kit	Kit: 10 large (3 x 4 in.) IE Plates, 1 box B1 Buffer	12/28/1973
Helena Laboratories	Universal Gel	Bulk	8/31/1998
Helena Laboratories	Universal PHAB Buffer Blend	Vial: 22 g	8/31/1998
Helena Laboratories	von Willebrand Factor Antigen Rocket Plate Kit, Cat. No. 5361	Gel: 3.8" x 3.05"; Kit: 10 gels	12/9/2002
High Standard Products	(DL) Methamphetamine 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	(DL) Methamphetamine-d10 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	(DL) Methamphetamine-d5 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	11-Nor-Delta8 carboxy THC; 1.0 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	11-Nor-Delta-8-Carboxy-Tetrahydrocannabinol 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	11-nor-Delta9 carboxy THC Controls; 10, 20, 100 ng/mL	Ampules: 6; 3 of 2 mL, 3 of 20 mL	4/15/1994
High Standard Products	11-Nor-Delta9 carboxy THC Screening/Confirmation Calibrators; 10, 25, 50, 100, 250, ng/mL	Ampules: 10; 5 of 2 mL, 5 of 20 mL	4/15/1994
High Standard Products	11-Nor-Delta9 carboxy THC; 1.0 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	11-Nor-Delta9 carboxy THC-d10; 0.1 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	11-Nor-Delta-9-Carboxy-Tetrahydrocannabinol 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	11-Nor-Delta-9-Carboxy-Tetrahydrocannabinol-d10 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	11-Nor-Delta-9-Carboxy-Tetrahydrocannabinol-d3 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	3,4-Methylenedioxymethamphetamine (MDMA) 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	3,4-Methylenedioxymethamphetamine-d5 (MDMA) 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	3-Methylfentanyl 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	3-Methylfentanyl-d3 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	4-Hydroxyamphetamine; 1.0 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	4-Hydroxymethamphetamine; 1.0 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	4-Methoxyamphetamine 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	4-Methoxyamphetamine-d5 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	6-Acetylmorphine 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	6-Acetylmorphine; 0.1 mg/mL, 1.0 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	6-Acetylmorphine-d3 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Amphetamine Cut-Off Controls; 375, 625, 1500 ng/mL	Ampules: 3; 20 mL each	4/15/1994
High Standard Products	Amphetamine Screening Confirmation Calibrators; 500, 1000, 1500, 2000 ng/mL	Ampules: 4; 20 mL each	4/15/1994
High Standard Products	Benzoylcegonine 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Benzoylcegonine Cut-Off Controls; 100, 200, 300, ng/mL	Ampules: 3; 20 mL each	4/15/1994
High Standard Products	Benzoylcegonine Propyl Ester 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Benzoylcegonine Screening Confirmation Calibrators; 150, 300, 450, 600 ng/mL	Ampules: 4; 20 mL each	4/15/1994

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
High Standard Products	Benzoyllecgonine-d3 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Benzoyllecgonine-d3; 0.1 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	Benzoyllecgonine-d8 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Benzoyllecgonine-d8; 0.1 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	Cocaethylene 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Cocaethylene-d3 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Cocaethylene-d3; 0.1 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	Cocaethylene-d8 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Cocaethylene-d8; 0.1 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	Cocaine 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Cocaine-d3 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Cocaine-d8 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Codeine 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Codeine Cut-Off Controls; 225, 375, 900 ng/mL	Ampules: 3; 20 mL each	4/15/1994
High Standard Products	Codeine Screening Confirmation Calibrators; 300, 600, 900, 1200 ng/mL	Ampules: 4; 20 mL each	4/15/1994
High Standard Products	Codeine-d3 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Codeine-d3; 0.1 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	Codeine-d6 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Codeine-d6; 0.1 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	D-Amphetamine; 1.0 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	Delta-8-Tetrahydrocannabinol 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Delta-9-Tetrahydrocannabinol 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Delta-9-Tetrahydrocannabinol-d10 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Delta-9-Tetrahydrocannabinol-d6 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Delta9-THC; 1.0 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	Diazepam 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Diazepam-d5 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Diphenoxylate 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	DL Amphetamine 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	DL Amphetamine-d10 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	DL Amphetamine-d5 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	DL-Amphetamine-d11; 0.1 mg/mL	Ampule: 2 mL, 20 mL	4/15/1994
High Standard Products	DL-Amphetamine-d5; 0.1 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	DL-Amphetamine-d6; 0.1 mg/mL	Ampule: 2 mL, 20 mL	4/15/1994
High Standard Products	Ecgonine 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Ecgonine Methyl Ester 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Ecgonine Methyl Ester-d3 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Ecgonine-d3 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Fentanyl 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Fentanyl-d5 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Fentanyl-d5; 0.1 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	Heroin, 1.0 mg/mL	Ampule: 2 mL	3/21/1995

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
High Standard Products	Heroin-D9, 0.1 mg/mL	Ampule: 2 mL	3/21/1995
High Standard Products	Highly Deuterated Confirm +25% Extraction Tube	Tube: 18 mL	7/8/1996
High Standard Products	Highly Deuterated Confirm -25% Extraction Tube	Tube: 18 mL	7/8/1996
High Standard Products	Highly Deuterated Confirm 3X Cutoff Extraction Tube	Tube: 18 mL	7/8/1996
High Standard Products	Highly Deuterated Confirm Cutoff Extraction Tube	Tube: 18 mL	7/8/1996
High Standard Products	Highly Deuterated Confirm Retest 40% Extraction Tube	Tube: 18 mL	7/8/1996
High Standard Products	Highly Deuterated Internal Standard Sample Extraction Tube	Tube: 18 mL	7/8/1996
High Standard Products	Hydrocodone 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Hydrocodone-d3 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Hydromorphone 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Hydromorphone-d3 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Lysergic Acid Diethylamide 25 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Lysergic Acid Diethylamide-d3 25 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Lysergic acid diethylamide-d7; 0.025 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	Lysergic Acid Diethylamide-dl 25 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Lysergic Acid N-Methyl-Propylamide (LAMPA) 25 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Methadone 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Methadone-d3 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Methadone-D6, 0.1 mg/mL	Ampule: 2 mL	3/21/1995
High Standard Products	Methamphetamine Cut-Off Controls; 225, 375, 900 ng/mL	Ampules: 3; 20 mL each	4/15/1994
High Standard Products	Methamphetamine Screening Confirmation Calibrators; 500, 1000, 1500, 2000 ng/mL	Ampules: 4; 20 mL each	4/15/1994
High Standard Products	Methamphetamine-d14; 0.1 mg/mL	Ampule: 2 mL, 20 mL	4/15/1994
High Standard Products	Methamphetamine-d5; 0.1 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	Methamphetamine-d9; 0.1 mg/mL	Ampule: 2 mL, 20 mL	4/15/1994
High Standard Products	Methaqualone 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Methaqualone-d3 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Methylenedioxyamphetamine (MDA) 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Methylenedioxyamphetamine (MDA) d-5 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Methylenedioxyethylamphetamine, 1.0 mg/mL	Ampule: 2 mL	3/21/1995
High Standard Products	Methylenedioxyethylamphetamine-D7, 0.1 mg/mL	Ampule: 2 mL	3/21/1995
High Standard Products	Morphine 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Morphine Cut-Off Controls; 225, 375, 900 ng/mL	Ampules: 3; 20 mL each	4/15/1994
High Standard Products	Morphine Screening Confirmation Calibrators; 300, 600, 900, 1200 ng/mL	Ampule: 4; 20 mL each	4/15/1994
High Standard Products	Morphine-3-Glucuronide	Ampule: 2 mL	3/5/1996
High Standard Products	Morphine-3-Glucuronide-D3	Ampule: 2 mL	3/5/1996
High Standard Products	Morphine-6-Glucuronide	Ampule: 2 mL	3/5/1996
High Standard Products	Morphine-6-Glucuronide-D3	Ampule: 2 mL	3/5/1996
High Standard Products	Morphine-d3 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Morphine-d3; 0.1 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	Morphine-d4; 0.1 mg/mL	Ampule: 2 mL, 20 mL	4/15/1994
High Standard Products	NIDA Cut-Off Controls; Levels 1, 2, 3	Ampules: 6; 3 of 2 mL, 3 of 20 mL	4/15/1994

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
High Standard Products	Norcocaine 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Norcodeine 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Nordiazepam 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Nordiazepam-d5 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Normorphine 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Oxazepam 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Oxazepam-d5 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Phencyclidine 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Phencyclidine Cut-Off Controls; 18, 32, 75 ng/mL	Ampules: 3; 20 mL each	4/15/1994
High Standard Products	Phencyclidine Screening Confirmation Calibrators; 25, 50, 75, 100 ng/mL	Ampule: 4; 20 mL each	4/15/1994
High Standard Products	Phencyclidine-d10 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Phencyclidine-d10; 0.1 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	Phencyclidine-d5 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Phencyclidine-d5; 0.1 mg/mL	Ampule: 2 mL	4/15/1994
High Standard Products	Phenobarbital, 1.0 mg/mL	Ampule: 2 mL	3/21/1995
High Standard Products	Phenobarbital-D5	Ampule: 2 mL	3/21/1995
High Standard Products	Propoxyphene, 1.0 mg/mL	Ampule: 2 mL	3/21/1995
High Standard Products	Propoxyphene-D5, 0.1 mg/mL	Ampule: 2 mL	3/21/1995
High Standard Products	Secobarbital, 1.0 mg/mL	Ampule: 2 mL	3/21/1995
High Standard Products	Secobarbital-D5, 0.1 mg/mL	Ampule: 2 mL	3/21/1995
High Standard Products	Standard Deuterated +25% Extraction Tube	Tube: 18 mL	7/8/1996
High Standard Products	Standard Deuterated Confirm -25% Extraction Tube	Tube: 18 mL	7/8/1996
High Standard Products	Standard Deuterated Confirm 3X Cutoff Extraction Tube	Tube: 18 mL	7/8/1996
High Standard Products	Standard Deuterated Confirm Cutoff Extraction Tube	Tube: 18 mL	7/8/1996
High Standard Products	Standard Deuterated Confirm Retest 40% Extraction Tube	Tube: 18 mL	7/8/1996
High Standard Products	Standard Deuterated Internal Standard Sample Extraction Tube	Tube: 18 mL	7/8/1996
High Standard Products	Temazepam 1.0 mg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Temazepam-d5 100 µg/mL	Ampule: 2 mL	5/11/1993
High Standard Products	Urine Confirm (+25%)	Ampule: 20 mL	3/20/1995
High Standard Products	Urine Confirm (-25%)	Ampule: 20 mL	3/20/1995
High Standard Products	Urine Confirm (-40%) Retest	Ampule: 20 mL	3/20/1995
High Standard Products	Urine Confirm 3X Cutoff	Ampule: 20 mL	3/20/1995
High Standard Products	Urine Confirm Cutoff	Ampule: 20 mL	3/20/1995
High Standard Products	Urine Screen (+25%)	Ampule: 20 mL	3/20/1995
High Standard Products	Urine Screen (-25%)	Ampule: 20 mL	3/20/1995
High Standard Products	Urine Screen 3X Cutoff	Ampule: 20 mL	3/20/1995
High Standard Products	Urine Screen Cutoff	Ampule: 20 mL	3/20/1995
HyClone Laboratories, Inc.	HyQ-CCM1	Bottle: 50-1000 mL; Lined container: 10-1000 L	2/9/1995
HyClone Laboratories, Inc.	HyQ-CCM1 w/o Phenol Red	Bottle: 50-1000 mL; Lined Container: 10-1000 L	2/9/1995



**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
HyClone Laboratories, Inc.	Medium 925 w/o L-Glutamine, w/o Phenol Red	Bottle: 50-1000 mL; Lined Container: 10-1000 L	2/9/1995
HyClone Laboratories, Inc.	Medium 925 with IGF, w/o Phenol Red	Bottle: 50-1000 mL; Lined Container: 10-1000 L	2/9/1995
HyClone Laboratories, Inc.	Medium 925 with L-Glutamine, w/o Phenol Red	Bottle: 50-1000 mL; Lined Container: 10-1000 L	2/9/1995
HyClone Laboratories, Inc.	Medium TLF with L-Glutamine	Bottle: 50-1000 mL; Lined Container: 10-1000 L	2/9/1995
Hycor Biomedical, Inc.	Allergen Discs for Codeine (C300)	Test tube: 1 mL, 1 disc; Pack: 10 tubes; Bottle: 5 mL, 12 discs	9/30/2002
Hycor Biomedical, Inc.	Allergen Discs for Diazepam (C311)	Test tube: 1 mL, 1 disc; Pack: 10 tubes; Bottle: 5 mL, 12 discs	9/30/2002
Hycor Biomedical, Inc.	Allergen Discs for Oxazepam (C225)	Test tube: 1 mL, 1 disc; Pack: 10 tubes; Bottle: 5 mL, 12 discs	9/30/2002
Hycor Biomedical, Inc.	Allergen Discs for Phenobarbital (C417)	Test tube: 1 mL, 1 disc; Pack: 10 tubes; Bottle: 5 mL, 12 discs	9/30/2002
ICN Pharmaceuticals, Inc.	125I-testosterone COATRIA Standard R2-0 Cat# 07289131LBIO	Vials: 3 mL	5/8/1998
ICN Pharmaceuticals, Inc.	125I-testosterone COATRIA Standard R2-A Cat# 07289132LBIO	Vials: 3 mL	5/8/1998
ICN Pharmaceuticals, Inc.	125I-testosterone COATRIA Standard R2-B Cat# 07289133LBIO	Vials: 3 mL	5/8/1998
ICN Pharmaceuticals, Inc.	125I-testosterone COATRIA Standard R2-C Cat# 07289134LBIO	Vials: 3 mL	5/8/1998
ICN Pharmaceuticals, Inc.	125I-testosterone COATRIA Standard R2-D Cat# 07289135LBIO	Vials: 3 mL	5/8/1998
ICN Pharmaceuticals, Inc.	125I-testosterone COATRIA Standard R2-E Cat# 07289136LBIO	Vials: 3 mL	5/8/1998
ICN Pharmaceuticals, Inc.	125I-testosterone COATRIA Standard Set Cat# 07289130LBIO	Kit: 6 vials, each vial: 3 mL	5/8/1998
ICN Pharmaceuticals, Inc.	125I-testosterone COATRIA Tracer Cat# 07289121LBIO	Vials: 52 mL	5/8/1998
ICN Pharmaceuticals, Inc.	B-hCG SPCS Standards, Cat.Nos. 06B254444, 06B254452, 06B254461, 06B254479, 06B254487, 06B254517, 06B254525	Vial: 2-8 mL	11/8/1996
ICN Pharmaceuticals, Inc.	hCG SPCS Standard Set, Cat.No. 06B264835	8 Vials, 3 mL	11/8/1996
ICN Pharmaceuticals, Inc.	hCG Tracer, Cat.no. 06B254363	Bottle: 10 mL	11/8/1996
ICN Pharmaceuticals, Inc.	ImmuChem Neonatal T4 Tracer, Cat.No. 06D0842	Vial: 100 mL	11/8/1996
ICN Pharmaceuticals, Inc.	ImmuChem T3 Uptake Coated Tube Tracer Cat. No. 07293121	Vial: 52 mL	11/8/1996
ICN Pharmaceuticals, Inc.	ImmuChem T3 Uptake Coated Tube Tracer Cat. No. 07293122	Vial: 250 mL	11/8/1996
ICN Pharmaceuticals, Inc.	ImmuChem Testosterone Coated Tube Standard 1 Lyophilized Cat# 07289131L	Vial: 3 mL	5/6/1998
ICN Pharmaceuticals, Inc.	ImmuChem Testosterone Coated Tube Standard 2 Lyophilized Cat# 07289132L	Vial: 3 mL	5/6/1998
ICN Pharmaceuticals, Inc.	ImmuChem Testosterone Coated Tube Standard 3 Lyophilized Cat# 07289133L	Vial: 3 mL	5/6/1998
ICN Pharmaceuticals, Inc.	ImmuChem Testosterone Coated Tube Standard 4 Lyophilized Cat#07289134L	Vial: 3 mL	5/6/1998
ICN Pharmaceuticals, Inc.	ImmuChem Testosterone Coated Tube Standard 5 Lyophilized Cat# 07289135L	Vial: 3 mL	5/6/1998
ICN Pharmaceuticals, Inc.	ImmuChem Testosterone Coated Tube Standard 6 Lyophilized Cat # 07289136L	Vial: 3 mL	5/6/1998

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
ICN Pharmaceuticals, Inc.	ImmuChem Testosterone Coated Tube Standard Set Cat# 07289130	Kit: 6 vials, each vial: 3 mL	5/6/1998
ICN Pharmaceuticals, Inc.	ImmuChem Testosterone Coated Tube Standard Set Lyophilized Cat# 07289130L	Kit: 6 vials, each vial: 3 mL	5/6/1998
ICN Pharmaceuticals, Inc.	ImmuChem Testosterone Coated Tube Tracer Cat# 07289121	Vial: 52 mL	5/6/1998
ICN Pharmaceuticals, Inc.	ImmuChem Testosterone Double Antibody Standard Set Cat# 07189130	Kit: 8 vials, each vial: 3 mL	5/6/1998
ICN Pharmaceuticals, Inc.	ImmuChem Testosterone Double Antibody Tracer Cat# 07189121	Vial: 52 mL	5/6/1998
ICN Pharmaceuticals, Inc.	Immunoassay Plus 1, 2, 3	Glass bottle: 7 mL; Package: 15 bottles	9/10/2002
ICN Pharmaceuticals, Inc.	Micromedic Neonatal T4 125I Tracer Solution	Nalgene Bottle: 4 oz.	6/25/1987
ICN Pharmaceuticals, Inc.	Micromedic Neonatal T4 Elution Solution	Nalgene Bottle: 2 oz.	6/25/1987
ICN Pharmaceuticals, Inc.	Neonatal T4 Blood Standard Set, Cat.No. 06B257419	1 Card	11/8/1996
ICN Pharmaceuticals, Inc.	Neonatal T4 Elution Buffer, Cat.No. 06D0864	Bottle: 60 mL	11/8/1996
ICN Pharmaceuticals, Inc.	Neonatal T4 Tracer, Cat.No. 06B264015	Bottle: 100 mL	11/8/1996
ICN Pharmaceuticals, Inc.	T3 Uptake Tracer, Cat. No. 06B237728	Bottle: 100 mL	11/8/1996
ICN Pharmaceuticals, Inc.	T4MAb Standard A Cat# 06B263667	Bottle: 1/3 oz.	7/7/1998
ICN Pharmaceuticals, Inc.	T4MAb Standard B Cat# 06B263668	Bottle: 1/3 oz.	7/7/1998
ICN Pharmaceuticals, Inc.	T4MAb Standard C Cat# 06B263669	Bottle: 1/3 oz.	7/7/1998
ICN Pharmaceuticals, Inc.	T4MAb Standard D Cat# 06B263670	Bottle: 1/3 oz.	7/7/1998
ICN Pharmaceuticals, Inc.	T4MAb Standard E Cat# 06B263671	Bottle: 1/3 oz.	7/7/1998
ICN Pharmaceuticals, Inc.	T4MAb Standard F Cat# 06B263672	Bottle: 1/3 oz.	7/7/1998
ICN Pharmaceuticals, Inc.	T4MAb Standard Set Cat# 06B263666	Kit: 6 vials	7/7/1998
ICN Pharmaceuticals, Inc.	Testo-CT Standard 0 Cat# 07289131LCIS	Vial: 3 mL	5/8/1998
ICN Pharmaceuticals, Inc.	Testo-CT Standard 1 Cat# 07289132LCIS	Vial: 3 mL	5/8/1998
ICN Pharmaceuticals, Inc.	Testo-CT Standard 2 Cat# 07289133LCIS	Vial: 3 mL	5/8/1998
ICN Pharmaceuticals, Inc.	Testo-CT Standard 3 Cat# 07289134LCIS	Vial: 3 mL	5/8/1998
ICN Pharmaceuticals, Inc.	Testo-CT Standard 4 Cat# 07289135LCIS	Vial: 3 mL	5/8/1998
ICN Pharmaceuticals, Inc.	Testo-CT Standard 5 Cat# 07289136LCIS	Vial: 3 mL	5/8/1998
ICN Pharmaceuticals, Inc.	Testo-CT Standard Set Cat# 07289130LCIS	Kit: 6 Vials, each vial: 3 mL	5/8/1998
ICN Pharmaceuticals, Inc.	Testo-CT Tracer Cat# 07289121CIS	Vial: 52 mL	5/8/1998
ICN Pharmaceuticals, Inc.	Testosterone 125I 10 µCi Bulk Tracer Cat# 07189126	Vials: 4 mL	5/9/1998
ICN Pharmaceuticals, Inc.	Testosterone 125I 100 µCi Bulk Tracer Cat# 07189129	Vials: 4 mL	5/9/1998
ICN Pharmaceuticals, Inc.	Testosterone 125I 50 µCi Bulk Tracer Cat# 07189128	Vials: 4 mL	5/9/1998
ICN Pharmaceuticals, Inc.	Testosterone 125I Standard - 0.5 mL Bulk Cat# 07189140	Vial: 1 mL	6/5/1998
ICN Pharmaceuticals, Inc.	Testosterone 125I Standard - 1.0 mL Bulk Cat# 07189149	Vial: 1 mL	6/5/1998
ICN Pharmaceuticals, Inc.	Testosterone 3H 10 µCi Bulk Tracer Cat# 07189026	Vials: 4 mL	5/9/1998
ICN Pharmaceuticals, Inc.	Testosterone 3H Standard - 0.5 mL Bulk Cat# 07189040	Vial: 1 mL	6/5/1998
ICN Pharmaceuticals, Inc.	Testosterone 3H Standard Set Cat# 07189030	Kit: 8 vials, each vial: 3 mL	5/6/1998
ICN Pharmaceuticals, Inc.	Testosterone 3H Tracer Cat# 07189021	Vial: 12 mL	5/6/1998
Instant Technologies, Inc.	I Control Negative Toxicology Urine Control	Glass vial: 1-200 mL	12/16/2003
International Technidyne Corp.	Hemochron Control Plasma Quality Control Test Kit	Kit: 18 Tests; Test tube: 9mL; Vial: 5 mL	3/11/1991
ISOTEC, Inc.	(-) 11 Nor-9-Carboxy-Delta-9-THC-D3, 100 µg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	(-) 11-Nor-9-Carboxy-Delta-9-THC, 100 µg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	6-Acetylmorphine, 1 mg/mL	Ampule: 2 mL	6/19/1995

**Exempt Chemical Preparations List**

March 31, 2008

Supplier	Product Name	Form	Date
ISOTEC, Inc.	6-Acetylmorphine-D3, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	6-Acetylmorphine-D6, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Alprazolam, 1 mg/mL	Ampule: 2 mL	1/9/2007
ISOTEC, Inc.	Benzoylcegonine, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Benzoylcegonine-D3, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Butalbital, 1 mg/mL	Ampule: 2 mL	1/9/2007
ISOTEC, Inc.	Butalbital-13C4; 100 µg/mL, 1 mg/mL	Glass ampule: 2 mL	8/28/2003
ISOTEC, Inc.	Cocaethylene, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Cocaethylene-D3, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Cocaine, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Cocaine-D3, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Codeine, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Codeine-13CD3, 1 mg/mL	Ampule: 2 mL	1/9/2007
ISOTEC, Inc.	Codeine-D3, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Delta-9-THC, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Delta-9-THC-D3, 100 µg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	DL-3,4-Methylenedioxyamphetamine, 1 mg/mL	Ampule: 2 mL	9/18/1995
ISOTEC, Inc.	DL-3,4-Methylenedioxyamphetamine-D5, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	9/18/1995
ISOTEC, Inc.	DL-3,4-Methylenedioxymethamphetamine, 1 mg/mL	Ampule: 2 mL	9/18/1995
ISOTEC, Inc.	DL-3,4-Methylenedioxymethamphetamine-D8, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	9/18/1995
ISOTEC, Inc.	DL-Amphetamine, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	DL-Amphetamine-D11; 1 mg/mL, 100 µg/mL	Ampule: 2 mL	5/5/1996
ISOTEC, Inc.	DL-AMphetamine-D6, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	DL-Methamphetamine, 1 mg/mL	Ampule: 2 mL	9/18/1995
ISOTEC, Inc.	DL-Methamphetamine-D14; 1 mg/mL, 100 µg/mL	Ampule: 2 mL	5/5/1996
ISOTEC, Inc.	DL-Methamphetamine-D5; 1 mg/mL, 100 µg/mL	Ampule: 2 mL	5/5/1996
ISOTEC, Inc.	DL-Methamphetamine-D9, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	9/18/1995
ISOTEC, Inc.	DL-Methyl-D3-Phenidate; 1 mg/mL, 100 µg/mL	Ampule: 2 mL	5/5/1996
ISOTEC, Inc.	DL-Methylphenidate, 1 mg/mL	Ampule: 2 mL	9/18/1995
ISOTEC, Inc.	DL-Propoxyphene-D7, 1 mg/mL	Ampule: 2 mL	1/9/2007
ISOTEC, Inc.	Ecgonine Methyl Ester, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Ecgonine Methyl Ester-D3, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Ecgonine, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Fentanyl, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	9/18/1995
ISOTEC, Inc.	Fentanyl-D5, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	9/18/1995
ISOTEC, Inc.	Hydrocodone, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Hydrocodone-D3, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Hydromorphone, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Hydromorphone-D3, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Lysergic Acid Diethylamide, 25 µg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Lysergic Acid Diethylamide-D3, 25 µg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Lysergic Acid N-Methyl Propylamide, 25 µg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Meperidine; 1 mg/mL	Ampule: 2 mL	5/5/1996

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
ISOTEC, Inc.	Meperidine-D4; 1 mg/mL, 100 µg/mL	Ampule: 2 mL	5/5/1996
ISOTEC, Inc.	Methadone, 1 mg/mL	Ampule: 2 mL	9/18/1995
ISOTEC, Inc.	Methadone-D3, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	9/18/1995
ISOTEC, Inc.	Methaqualone, 1 mg/mL	Ampule: 2 mL	5/5/1996
ISOTEC, Inc.	Methaqualone-D7; 1 mg/mL, 100 µg/mL	Ampule: 2 mL	5/5/1996
ISOTEC, Inc.	Morphine, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Morphine-3-β-D-Glucuronide, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	9/18/1995
ISOTEC, Inc.	Morphine-D3, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Norcocaine, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Nordiazepam, 1 mg/mL	Ampule: 2 mL	1/9/2007
ISOTEC, Inc.	Nordiazepam-D5, 1 mg/mL	Ampule: 2 mL	1/9/2007
ISOTEC, Inc.	Normeperidine, 1 mg/mL	Ampule: 2 mL	1/9/2007
ISOTEC, Inc.	Normeperidine-D4, 1 mg/mL	Ampule: 2 mL	1/9/2007
ISOTEC, Inc.	Oxazepam, 1 mg/mL	Ampule: 2 mL	1/9/2007
ISOTEC, Inc.	Oxazepam-D5, 1 mg/mL	Ampule: 2 mL	1/9/2007
ISOTEC, Inc.	Pentobarbital, 1 mg/mL	Ampule: 2 mL	9/18/1995
ISOTEC, Inc.	Pentobarbital-D5, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	9/18/1995
ISOTEC, Inc.	Phencyclidine, 1 mg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Phencyclidine-D5, 100 µg/mL	Ampule: 2 mL	6/19/1995
ISOTEC, Inc.	Secobarbital, 1 mg/mL	Ampule: 2 mL	9/18/1995
ISOTEC, Inc.	Secobarbital-13C4, 100 µg/mL, 1 mg/mL	Glass ampule: 2 mL	8/28/2003
ISOTEC, Inc.	Secobarbital-D5, 100 µg/mL, 1 mg/mL	Ampule: 2 mL	9/18/1995
J&S Medical Associates, Inc.	Drugs of Abuse Comprehensive Urine Control, Above Threshold Screening Control	Bottle: 15 mL; Kit: 4 bottles	4/18/1997
J&S Medical Associates, Inc.	Drugs of Abuse Comprehensive Urine Control, Below Threshold Screening Control	Bottle: 15 mL; Kit: 4 bottles	4/18/1997
J&S Medical Associates, Inc.	Drugs of Abuse Comprehensive Urine Control, Confirmation Control	Bottle: 50 mL; Kit: 4 bottles	4/18/1997
J&S Medical Associates, Inc.	Drugs of Abuse Comprehensive Urine Control, High Positive Screening Control	Bottle: 15 mL; Kit: 4 bottles	4/18/1997
J&S Medical Associates, Inc.	Sentry Drugs of Abuse Urine Calibrator, Amphetamine Urine Calibrator-4 Level	Bottle: 10 mL; Kit: 4 bottles, 12 bottles	4/18/1997
J&S Medical Associates, Inc.	Sentry Drugs of Abuse Urine Calibrator, Barbiturates Urine Calibrator-4 Level	Bottle: 10 mL; Kit: 4 bottles, 12 bottles	4/18/1997
J&S Medical Associates, Inc.	Sentry Drugs of Abuse Urine Calibrator, Benzoylcgonine Urine Calibrator-4 Level	Bottle: 10 mL; Kit: 4 bottles, 12 bottles	4/18/1997
J&S Medical Associates, Inc.	Sentry Drugs of Abuse Urine Calibrator, Delta 9-THCC Urine Calibrator-4 Level	Bottle: 10 mL; Kit: 4 bottles, 12 bottles	4/18/1997
J&S Medical Associates, Inc.	Sentry Drugs of Abuse Urine Calibrator, Nordiazepam Urine Calibrator-3 Level	Bottle: 10 mL; Kit: 3 bottles, 4 bottles	4/18/1997
J&S Medical Associates, Inc.	Sentry Drugs of Abuse Urine Calibrator, Opiates Urine Calibrator-4 Level	Bottle: 10 mL; Kit: 4 bottles, 12 bottles	4/18/1997
J&S Medical Associates, Inc.	Sentry Drugs of Abuse Urine Calibrator, Phencyclidine Urine Calibrator-4 Level	Bottle: 10 mL; Kit: 4 bottles, 12 bottles	4/18/1997

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Janssen Pharmaceutica, Inc.	3H Alfentanil	Vial: 0.5 mL	2/1/1987
Janssen Pharmaceutica, Inc.	3H Fentanyl	Vial: 0.5 mL	2/1/1987
Janssen Pharmaceutica, Inc.	3H Sufentanil	Vial: 0.5 mL	2/1/1987
Janssen Pharmaceutica, Inc.	Alfentanil Radioimmunoassay Kit	Kit: 200 tests	5/13/1985
Janssen Pharmaceutica, Inc.	Fentanyl Radioimmunoassay Kit	Kit: 200 tests	5/13/1985
Janssen Pharmaceutica, Inc.	Sufentanil Radioimmunoassay Kit	Kit: 500 tests	5/13/1985
JRH Biosciences	HH4 Cell Culture Media	Bulk Plastic Bag: 20, 10, 1 L	5/11/1995
Life Technologies, Inc.	AmnioMax-C100 First Dilution	Bottle: 1 L	2/17/1994
Life Technologies, Inc.	AmnioMax-C100 Second Dilution	Bottle: 1 L	2/17/1994
Life Technologies, Inc.	AmnioMax-C100 Stock Solution	Bottle: 1 L	2/17/1994
Life Technologies, Inc.	AmnioMax-C100 Supplement	Bottle: 15 mL, 60 mL, 75 mL, 100 mL	2/17/1994
Life Technologies, Inc.	Testosterone Stock Solution	Bottle: 1 L, 100 mL	10/4/1994
LifePoint, Inc.	LifePoint Drugs of Abuse and Alcohol Control Positive	Vial: 5 mL	6/18/2001
LifePoint, Inc.	Quality Check: Positive Control	Glass vial: 5 mL	6/12/2002
LifeSign	Status Positive Control Urine	Glass vial: 1-200 mL	12/16/2003
Lin-Zhi International, Inc.	Barbiturate DAU Calibrator/Control	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Cannabinoid Urine DAU Calibrator	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Cannabinoid Urine DAU Control	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Ecstasy DAU Calibrator	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Ecstasy DAU Control	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Single Analyte Urine DAU Calibrator, Amphetamines	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Single Analyte Urine DAU Calibrator, Benzodiazepine	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Single Analyte Urine DAU Calibrator, Cocaine	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Single Analyte Urine DAU Calibrator, Methadone	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Single Analyte Urine DAU Calibrator, Opiate	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Single Analyte Urine DAU Calibrator, Propoxyphene	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Single Analyte Urine DAU Calibrator, Phencyclidine	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Single Analyte Urine DAU Control, Amphetamines	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Single Analyte Urine DAU Control, Benzodiazepine	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Single Analyte Urine DAU Control, Cocaine	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Single Analyte Urine DAU Control, Methadone	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Single Analyte Urine DAU Control, Opiate	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Single Analyte Urine DAU Control, Phencyclidine	Dropper bottle: 8 mL	12/15/2003
Lin-Zhi International, Inc.	Single Analyte Urine DAU Control, Propoxyphene	Dropper bottle: 8 mL	12/15/2003
Lipomed Inc.	(-)-11-nor-delta-9-THC, 0.1 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	(-)-delta-8-THC, 0.1 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	(-)-delta-8-THC, 1.0 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	(-)-delta-9-THC, 0.1 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	(-)-delta-9-THC, 1.0 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	(-)-delta-9-THC, 1.0 mg/mL	Glass ampule: 2 mL	7/5/2006
Lipomed Inc.	(-)-delta-9-THC-D3, 0.1 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	(-)-delta-9-THC-D3, 1.0 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	(+)-11-nor-delta-9-THC carboxylic acid, 0.1 mg/mL	Glass ampule: 2 mL	4/4/2006

**Exempt Chemical Preparations List**

March 31, 2008

Supplier	Product Name	Form	Date
Lipomed Inc.	(+)-11-nor-delta9-THC carboxylic acid, 1.0 mg/mL	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	(+)-11-nor-delta9-THC carboxylic acid, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	7/5/2006
Lipomed Inc.	11-Hydroxy-Delta-9-THC 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	11-Hydroxy-Delta-9-THC-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	11-Nor-9-carboxy-Delta-9-THC 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	11-Nor-9-carboxy-Delta-9-THC-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	2C-B HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	2-C-T-7 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	3,6-Diacetylmorphine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	3,6-Diacetylmorphine-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	3-Acetylmorphine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	3-Acetylmorphine amidosulfonate, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	6-Acetylcodeine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	6-Acetylcodeine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	6-Acetylcodeine-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	6-Acetylcodeine-D3 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	6-Acetylcodeine-D3 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	6-Acetylmorphine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	6-Acetylmorphine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	6-Acetylmorphine-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	6-Acetylmorphine-D3 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	6-Acetylmorphine-D3 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Allobarbitol 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Alprazolam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Alprazolam-d5 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Alprazolam-D5, 0.1 mg/mL	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	Alprazolam-D5, 1.0 mg/mL	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	Amobarbital 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Anhydroecgonine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Anhydroecgonine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Anhydroecgonine methylester HBr, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Anhydroecgonine methylester-D3 HBr, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Anhydroecgonine methylester-D3 HBr, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Anhydroecgonine-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Anhydroecgonine-D3 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Anhydroecgonine-D3 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Anhydroecgonine-methylester 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Anhydroecgonine-methylester-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Apomorphine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Barbital 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Benzoylcegonine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Benzoylcegonine H2O, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Benzoylcegonine-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Lipomed Inc.	Benzoylcegonine-D3 H2O, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Benzoylcegonine-D3 H2O, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Bromazepam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Buprenorphine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Buprenorphine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Buprenorphine-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Cannabidiol 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Cannabinol 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Cathine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Chlorazepate, dipotassium salt 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Chlordiazepoxide 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Clobazam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Clonazepam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Clonazepam-d4 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Clorazepate dipotassium H2O, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Cocaethylene 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Cocaethylene-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Cocaethylene-D3, 1.0 mg/mL	Glass ampule: 2 mL	7/5/2006
Lipomed Inc.	Cocaine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Cocaine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Cocaine-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Cocaine-D3 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Cocaine-D3 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Codeine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Codeine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Codeine-6-Beta-D-glucuronide TFA, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Codeine-6-Beta-D-glucuronide-D3 TFA, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Codeine-6-Beta-D-glucuronide-D3 TFA, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Codeine-6-glucuronide 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Codeine-6-glucuronide-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Codeine-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Codeine-D3 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Codeine-D3 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-11-Hydroxy-delta-9-THC carboxylic acid, 0.1 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-11-Hydroxy-delta-9-THC, 0.1 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-11-Hydroxy-delta-9-THC, 1.0 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	D,L-Amphetamine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	d,l-Amphetamine H2SO4, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-Amphetamine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	D,L-Amphetamine-d11 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	d,l-Amphetamine-D6 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-Amphetamine-D6 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	D,L-BDB 1.0 mg/mL	Vial: 1 mL	8/9/1999

**Exempt Chemical Preparations List**

March 31, 2008

Supplier	Product Name	Form	Date
Lipomed Inc.	d,l-BDB HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-BDB-D2 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-BDB-D2 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-cis-3-methylfentanyl HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	7/5/2006
Lipomed Inc.	D,L-MBDB 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	d,l-MBDB HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	D,L-MBDB-d5 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	d,l-MBDB-D5 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-MBDB-D5 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	D,L-MDA 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	d,l-MDA HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	D,L-MDA-d2 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	d,l-MDA-D2 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-MDA-D2 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	D,L-MDA-d5 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	d,l-MDA-D5 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-MDA-D5 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-MDDMA HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	7/5/2006
Lipomed Inc.	D,L-MDEA 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	d,l-MDEA HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	D,L-MDEA-d5 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	d,l-MDEA-D5 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-MDEA-D5 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	D,L-MDMA 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	d,l-MDMA HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	D,L-MDMA-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	d,l-MDMA-D3 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-MDMA-D3 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	D,L-MDMA-d5 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	d,l-MDMA-D5 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-MDMA-D5 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-Methadone HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-Methadone-D3 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-Methadone-D3 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-Methadone-D9 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-Methadone-D9 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	D,L-Methamphetamine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	d,l-Methamphetamine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-Methamphetamine-D5 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-Methamphetamine-D5 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	D,L-Methamphetamine-d9 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	d,l-Methcathinone HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	d,l-N-Ethylamphetamine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006



**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Lipomed Inc.	d,l-PMA HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d,l-Propoxyphene-D5 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	d,l-Propoxyphene-D5 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	d,l-trans-methylfentanyl HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	7/5/2006
Lipomed Inc.	D-Amphetamine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	d-Amphetamine H2SO4, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d-Amphetamine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d-Amphetamine-D3 H2SO4, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	d-Amphetamine-D3 H2SO4, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d-Amphetamine-D3 H2SO4, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	d-Amphetamine-D3 H2SO4, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	D-Amphetamine-d6 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Delta-8-THC 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Delta-8-THC-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Delta-9-THC 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Delta-9-THC-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Diazepam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Diazepam-D5, 0.1 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Diazepam-D5, 1.0 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Diazepam-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Dihydrocodeine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Dihydrocodeine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Dihydrocodeine-6-beta-D-glucuronide TFA, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Dihydrocodeine-6-glucuronide 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Dihydrocodeine-6-glucuronide-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Dihydrocodeine-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Dihydrocodeine-D3 H2O, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Dihydrocodeine-D3 H2O, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Dihydrocodeine-d6 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Dihydromorphine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Dihydromorphine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Dihydromorphine-3-beta-D-glucuronide H2O, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Dihydromorphine-6-beta-D-glucuronide TFA, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Dihydronorcodeine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Dihydronorcodeine TFA, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Dihydronormorphine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Dihydronormorphine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	d-Methamphetamine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	d-Methamphetamine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	DOB HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	DOET HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	DOM HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Lipomed Inc.	d-Propoxyphene HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Ecgonine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Ecgonine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Ecgonine methylester HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Ecgonine methylester-D3 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Ecgonine methylester-D3 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Ecgonine-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Ecgonine-Methylester 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Ecgonine-Methylester-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Ethylmorphine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Fentanyl, 1.0 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Fludiazepam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Flunitrazepam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Flunitrazepam-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Flurazepam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	GHB, 1.0 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	GHB-D6, 0.1 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	GHB-D6, 1.0 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Heroin HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Heroin, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	Heroin-D3 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Heroin-D3 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Heroin-D3, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	Heroin-D3, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	Hydrocodone 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Hydrocodone-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Hydromorphone 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Hydromorphone-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Ketamine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	LAMPA, 1.0 mg/mL	Glass ampule: 2 mL	7/5/2006
Lipomed Inc.	L-Amphetamine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	l-Amphetamine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Lorazepam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Lorazepam-d4 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Lormetazepam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	LSD 25 µg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	LSD, 0.1 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	LSD, 1.0 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	LSD-d3 , 1.0 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	LSD-d3 25 µg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	LSD-d3, 0.1 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Medazepam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Meperidine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Lipomed Inc.	Mescaline HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Methaqualone, 1.0 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Methaqualone-D7, 0.1 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Methaqualone-D7, 1.0 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Midazolam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Morphine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Morphine H2SO4, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Morphine-3beta-D-glucuronide H2O, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Morphine-3beta-D-glucuronide-D3 H2O, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Morphine-3beta-D-glucuronide-D3 H2O, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Morphine-3-glucuronide 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Morphine-3-glucuronide-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Morphine-6beta-D-glucuronide H2O, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Morphine-6beta-D-glucuronide-D3 H2O, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Morphine-6beta-D-glucuronide-D3 H2O, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Morphine-6-glucuronide 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Morphine-6-glucuronide-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Morphine-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	N,N-Dimethyltryptamine, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	Nalorphine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Naloxone-3beta-D-glucuronide H2O, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Nitrazepam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Nitrazepam-d5 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Noranhydroecgonine methylester HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Norcocaine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Norcocaine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Norcocaine-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Norcodeine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Norhydrocodone HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/29/2006
Lipomed Inc.	Normorphine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Normorphine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Oxazepam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Oxazepam-D5, 0.1 mg/mL	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	Oxazepam-D5, 1.0 mg/mL	Glass ampule: 2 mL	7/5/2006
Lipomed Inc.	Oxazepam-D5, 1.0 mg/mL	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	Oxazepam-d6 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Oxycodone HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Oxycodone-D5 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	Oxycodone-D5 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	PCP HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	PCP-D5 HCl, 0.1 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	PCP-D5 HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Pentobarbital sodium salt, 1.0 mg/mL (as free acid)	Glass ampule: 2 mL	3/24/2005

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Lipomed Inc.	Phenobarbital, 1.0 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Phentermine HCl, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	Pholcodine, 1.0 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Prazepam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Prazepam-d5 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Secobarbital 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Secobarbital-d5 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Sulfentanyl, 1.0 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Temazepam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Temazepam-d5 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Testosterone, 1.0 mg/mL	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	Testosterone-D3, 0.1 mg/mL	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	Testosterone-D3, 1.0 mg/mL	Glass ampule: 2 mL	4/4/2006
Lipomed Inc.	Tetrazepam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Tetrazepam-d3 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Thebaine 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	trans-Cinnamoylcocaine, 1.0 mg/mL	Glass ampule: 2 mL	3/24/2005
Lipomed Inc.	Triazolam 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Triazolam-d4 0.1 mg/mL; 1.0 mg/mL	Vial: 1 mL	8/9/1999
Lipomed Inc.	Zolpidem tartrate, 1.0 mg/mL (as free base)	Glass ampule: 2 mL	4/4/2006
MacDermid, Inc.	118192 Nimac SF Maintenance	Plastic pail/drum: 5, 55 Gal	8/2/2006
MacDermid, Inc.	178139 Nimac Hypore XL Dispersant	Plastic pail/drum: 5, 55 Gal	8/2/2006
MacDermid, Inc.	178159 Nimac SF Blend	Plastic pail/drum: 5, 55 Gal	8/2/2006
MacDermid, Inc.	187326 Nimac Stabilizer	Plastic pail/drum: 5, 55 Gal	8/2/2006
MacDermid, Inc.	Nimac Initial XD7400	Plastic pail/drum: 5, 55 Gal	1/6/2006
MacDermid, Inc.	Nimac Maintenance XD7401	Plastic pail/drum: 5, 55 Gal	1/6/2006
Maine Standards Company LLC	Validate TDM Calibration Verification Test Set	Plastic bottle: 7.5 mL; Kit: 6 bottles	11/5/2003
Mallinckrodt Chemical, Inc.	Naloxone/6-β Naltrexol	Bottle: 60 mL	10/6/1994
Mallinckrodt Chemical, Inc.	Naltrexone/6-β Naltrexol Standard Solution	Bottle: 60 mL	10/4/1994
Mallinckrodt Inc.	Delta-9-THC in Methanol	Glass vial: 4 mL	11/6/2001
McGean-Rohco, Inc.	Chloral Solution Denatured	Plastic container: 1, 5, 55 Gallons	1/11/1991
McGean-Rohco, Inc.	Reflexion Semi-Bright B	Plastic container: 1, 5, 55 Gallons	1/11/1991
McGean-Rohco, Inc.	Reflexion Semi-Bright S	Plastic container: 1, 5, 55 Gallons	1/11/1991
Medical Analysis Systems, Inc.	Amobarbital, #117 Intermediate Solution	Bottle: 10-100 mL	10/22/1993
Medical Analysis Systems, Inc.	Amobarbital, #428 Intermediate Solution	Bottle: 10-300 mL	4/29/1996
Medical Analysis Systems, Inc.	Benzoylcegonine, #432 Intermediate Solution	Bottle: 10-250 mL	10/22/1993
Medical Analysis Systems, Inc.	Benzoylcegonine, #483 Intermediate Solution	Bottle: 10-100 mL	10/22/1993
Medical Analysis Systems, Inc.	Benzoylcegonine, #719 Intermediate Solution	Bottle: 10-1800 mL	10/22/1993
Medical Analysis Systems, Inc.	Biosite® Triage® Drugs of Abuse Control, Level 2	Glass vial: 5 mL; Kit: 6 vials	7/15/2004
Medical Analysis Systems, Inc.	Biosite® Triage® Drugs of Abuse Control, Level 3	Glass vial: 5 mL; Kit: 6 vials	7/15/2004
Medical Analysis Systems, Inc.	Butalbital, #429 Intermediate Solution	Bottle: 10-100 mL	10/22/1993
Medical Analysis Systems, Inc.	chemTRAK Liquid Unassayed Therapeutic Drug Control Level 2	Kit: 6 x 5 mL vials	10/8/1986
Medical Analysis Systems, Inc.	chemTRAK Liquid Unassayed Therapeutic Drug Control Level 3	Kit: 6 x 5 mL vials	10/8/1986

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Medical Analysis Systems, Inc.	chemTRAK Liquid Unassayed Therapeutic Drug Control Level 1	Kit: 6 x 5 mL vials	10/8/1986
Medical Analysis Systems, Inc.	Clonazepam, #473 Intermediate Solution	Bottle: 50-500 mL	10/22/1993
Medical Analysis Systems, Inc.	Codeine, #435 Intermediate Solution	Bottle: 10-100 mL	10/22/1993
Medical Analysis Systems, Inc.	D,L Amphetamine, #424 Intermediate Solution	Bottle: 10-300 mL	4/29/1996
Medical Analysis Systems, Inc.	DADE DOA, Liquid Drugs of Abuse Control, Level 2	Glass vial: 30 mL, Box: 6 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE DOA, Liquid Drugs of Abuse Control, Level 3	Glass vial: 30 mL, Box: 6 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE DOA, Liquid Drugs of Abuse Control, Sample Pack	Glass vial: 30 mL, Pack: 3 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE Immunoassay	Glass bottle: 7 mL	9/10/2002
Medical Analysis Systems, Inc.	DADE Immunoassay, Liquid Assayed Immunoassay Control, Level 1	Glass vial: 7 mL, Box: 6 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE Immunoassay, Liquid Assayed Immunoassay Control, Level 2	Glass vial: 7 mL, Box: 6 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE Immunoassay, Liquid Assayed Immunoassay Control, Level 3	Glass vial: 7 mL, Box: 6 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE Immunoassay, Liquid Assayed Immunoassay Control, Sample Pack	Glass vial: 7 mL, Pack: 3 vials	12/9/2002
Medical Analysis Systems, Inc.	Dade Liquid Immunoassay Control Level 1	Glass vial: 5 mL	10/14/1999
Medical Analysis Systems, Inc.	Dade Liquid Immunoassay Control Level 2	Glass vial: 5 mL	10/14/1999
Medical Analysis Systems, Inc.	Dade Liquid Immunoassay Control Level 3	Glass vial: 5 mL	10/14/1999
Medical Analysis Systems, Inc.	DADE Moni-Trol * H. Liquid Assayed Chemistry Control, Level 1	Glass vial: 7 mL, Box: 6 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE Moni-Trol * H. Liquid Assayed Chemistry Control, Level 2	Glass vial: 7 mL, Box: 6 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE Moni-Trol * H. Liquid Assayed Chemistry Control, Sample Pack	Glass vial: 7 mL, Pack: 2 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE Moni-Trol * H. Liquid Unassayed Chemistry Control, Level 1	Glass vial: 30 mL, Box: 10 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE Moni-Trol * H. Liquid Unassayed Chemistry Control, Level 2	Glass vial: 30 mL, Box: 10 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE Moni-Trol * H. Liquid Unassayed Chemistry Control, Sample Pack	Glass vial: 30 mL, Box: 2 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE TDM Plus * L, Liquid Assayed Therapeutic Drug Control, Level 1	Glass vial: 7 mL, Box: 6 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE TDM Plus * L, Liquid Assayed Therapeutic Drug Control, Level 2	Glass vial: 7 mL, Box: 6 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE TDM Plus * L, Liquid Assayed Therapeutic Drug Control, Level 3	Glass vial: 7 mL, Box: 6 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE TDM Plus * L, Liquid Assayed Therapeutic Drug Control, Levels 1, 2, 3	Glass vial: 7 mL, Box: 6 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE TDM Plus * L, Liquid Assayed Therapeutic Drug Control, Sample Pack	Glass vial: 7 mL, Pack: 3 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE TDM Plus * L, Liquid Unassayed Therapeutic Drug Control, Level 1	Glass vial: 7 mL, Box: 6 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE TDM Plus * L, Liquid Unassayed Therapeutic Drug Control, Level 2	Glass vial: 7 mL, Box: 6 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE TDM Plus * L, Liquid Unassayed Therapeutic Drug Control, Level 3	Glass vial: 7 mL, Box: 6 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE TDM Plus * L, Liquid Unassayed Therapeutic Drug Control, Sample Pack	Glass vial: 7 mL, Pack: 3 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE TRU-Liquid Moni-Trol, (Unassayed), Level 1	Glass vial: 7 mL, Box: 10 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE TRU-Liquid Moni-Trol, (Unassayed), Level 2	Glass vial: 7 mL, Box: 10 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE TRU-Liquid Moni-Trol, Liquid Assayed Chemistry Control, Level 1	Glass vial: 7 mL, Box: 10 vials	12/9/2002

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Medical Analysis Systems, Inc.	DADE TRU-Liquid Moni-Trol, Liquid Assayed Chemistry Control, Level 2	Glass vial: 7 mL, Box: 10 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE TRU-Liquid Moni-Trol, Liquid Unassayed Chemistry Control, Level 1	Glass vial: 7 mL, Box: 10 vials	12/9/2002
Medical Analysis Systems, Inc.	DADE TRU-Liquid Moni-Trol, Liquid Unassayed Chemistry Control, Level 2	Glass vial: 7 mL, Box: 10 vials	12/9/2002
Medical Analysis Systems, Inc.	d-Amphetamine Solution, Stock No. 922	Glass container: 10-250 mL	9/7/2004
Medical Analysis Systems, Inc.	D-Amphetamine, #423 Intermediate Solution	Bottle: 10-250 mL	10/22/1993
Medical Analysis Systems, Inc.	Diazepam, #430 Intermediate Solution	Bottle: 10-100 mL	10/22/1993
Medical Analysis Systems, Inc.	d-Methamphetamine Solution, Stock No. 925	Glass container: 10-250 mL	9/7/2004
Medical Analysis Systems, Inc.	D-Methamphetamine, #422 Intermediate Solution	Bottle: 10-250 mL	10/22/1993
Medical Analysis Systems, Inc.	DOA Calibrator 1, #1921 Bulk Solution	Bottle: 10-100 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Calibrator 2, #1922 Bulk Solution	Bottle: 10-100 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Calibrator 2, #C38979 Bulk Solution	Bottle: 10-100 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Calibrator 3, #C38978 Bulk Solution	Bottle: 10-100 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Calibrator 4, #C38980 Bulk Solution	Bottle: 10-100 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Calibrator 4, #C38980P Pilot Solution	Bottle: 20-300 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Control 2, #1912 Bulk Solution	Bottle: 20-200 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Control 3, #1943 Bulk Solution	Bottle: 20-100 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Control 3, #1913 Bulk Solution	Bottle: 20-300 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Control 4, #1914 Bulk Solution	Bottle: 20-300 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Control 4, #1914P Pilot Solution	Bottle: 0.1-1 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Control 4, #1944 Bulk Solution	Bottle: 20-100 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Control 4, #1944P Pilot Solution	Bottle: 0.1-1 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Control G2, #1915 Bulk Solution	Bottle: 20-200 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Control G3, #1916 Bulk Solution	Bottle: 20-300 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Control G4, #1917 Bulk Solution	Bottle: 20-300 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Control G4, #1917P Pilot Solution	Bottle: 0.1-1 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Cutoff Control, #1946 Bulk Solution	Bottle: 1-10 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Cutoff Control, #1946P Pilot Solution	Bottle: 0.1-1 L	10/22/1993
Medical Analysis Systems, Inc.	DOA High Control, #1945 Bulk Solution	Bottle: 1-10 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Liquid Drugs of Abuse Controls Level 2,3,4	Vial: 5 mL, 18 mL; Box: 6-18 mL vials; Box: 8-5 mL vials	10/12/1990
Medical Analysis Systems, Inc.	DOA Low Control, #1947 Bulk Solution	Bottle: 1-10 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Positive Control, #1924 Bulk Solution	Bottle: 10-100 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Positive Control, #1924P Pilot Solution	Bottle: 0.1-1 L	10/22/1993
Medical Analysis Systems, Inc.	DOA Positive Control, #C38981 Bulk Solution	Bottle: 10-100 L	10/22/1993
Medical Analysis Systems, Inc.	Estazolam Solution, Stock No. 1011	Glass container: 10-250 mL	9/7/2004
Medical Analysis Systems, Inc.	Liquid Urine Control Level 1	Vial: 5 mL	4/3/1987
Medical Analysis Systems, Inc.	Liquimmune Immunoassay Control 1, #2300 Bulk Solution	Bottle: 40-100 L	10/22/1993
Medical Analysis Systems, Inc.	Liquimmune Immunoassay Control 1, #2300P Pilot Solution	Bottle: 0.1-1 L	10/22/1993
Medical Analysis Systems, Inc.	Liquimmune Immunoassay Control 2, #2301 Bulk Solution	Bottle: 20-300 L	10/22/1993
Medical Analysis Systems, Inc.	Liquimmune Immunoassay Control 3, #2302 Bulk Solution	Bottle: 20-300 L	10/22/1993

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Medical Analysis Systems, Inc.	Liquimmune Immunoassay Control 3, #2302P Pilot Solution	Bottle: 0.1-1 L	10/22/1993
Medical Analysis Systems, Inc.	LSD, #842 Intermediate Solution	Bottle: 10-300 mL	4/29/1996
Medical Analysis Systems, Inc.	MAS chemTRAK H, Liquid Assayed Chemistry Control, Level 1	Glass vial: 5 mL; Box: 6 vials	6/20/2003
Medical Analysis Systems, Inc.	MAS chemTRAK H, Liquid Assayed Chemistry Control, Level 1	Glass vial: 5 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK H, Liquid Assayed Chemistry Control, Level 2	Glass vial: 5 mL; Box: 6 vials	6/20/2003
Medical Analysis Systems, Inc.	MAS chemTRAK H, Liquid Assayed Chemistry Control, Level 2	Glass vial: 5 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK H, Liquid Assayed Chemistry Control, Level 3	Glass vial: 5 mL; Box: 6 vials	6/20/2003
Medical Analysis Systems, Inc.	MAS chemTRAK H, Liquid Assayed Chemistry Control, Sample Pack	Glass vial: 5 mL; Box: 3 vials	6/20/2003
Medical Analysis Systems, Inc.	MAS chemTRAK H, Liquid Assayed Chemistry Control, Sample Pack	Glass vial: 5 mL; Pack: 2 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK H, Liquid Unassayed Chemistry Control, Level 1	Glass vial: 30 mL; Box: 10 vials	6/20/2003
Medical Analysis Systems, Inc.	MAS chemTRAK H, Liquid Unassayed Chemistry Control, Level 1	Glass vial: 15 mL; Box: 10 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK H, Liquid Unassayed Chemistry Control, Level 2	Glass vial: 30 mL; Box: 10 vials	6/20/2003
Medical Analysis Systems, Inc.	MAS chemTRAK H, Liquid Unassayed Chemistry Control, Level 2	Glass vial: 15 mL; Box: 10 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK H, Liquid Unassayed Chemistry Control, Level 3	Glass vial: 30 mL; Box: 10 vials	6/20/2003
Medical Analysis Systems, Inc.	MAS chemTRAK H, Liquid Unassayed Chemistry Control, Sample Pack	Glass vial: 15 mL; Pack: 2 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK H, Liquid Unassayed Chemistry Control, Sample Pack	Glass vial: 30 mL; Box: 3 vials	6/20/2003
Medical Analysis Systems, Inc.	MAS chemTRAK HG, Liquid Unassayed Chemistry Control, Level 1	Glass vial: 15 mL; Box: 10 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK HG, Liquid Unassayed Chemistry Control, Level 2	Glass vial: 15 mL; Box: 10 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK HG, Liquid Unassayed Chemistry Control, Sample Pack	Glass vial: 15 mL; Pack: 2 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK Platinum, Liquid Assayed Chemistry & TDM Control, Level 1	Glass vial: 15 mL; Box: 10 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK Platinum, Liquid Assayed Chemistry & TDM Control, Level 2	Glass vial: 15 mL; Box: 10 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK Platinum, Liquid Assayed Chemistry & TDM Control, Level 3	Glass vial: 15 mL; Box: 10 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK Platinum, Liquid Assayed Chemistry & TDM Control, Sample Pack	Glass vial: 15 mL; Pack: 3 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK Platinum, Liquid Unassayed Chemistry & TDM Control, Level 1	Glass vial: 15 mL; Box: 10 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK Platinum, Liquid Unassayed Chemistry & TDM Control, Level 2	Glass vial: 15 mL; Box: 10 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK Platinum, Liquid Unassayed Chemistry & TDM Control, Level 3	Glass vial: 15 mL; Box: 10 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK Platinum, Liquid Unassayed Chemistry & TDM Control, Sample Pack	Glass vial: 15 mL; Pack: 3 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK Plus, Liquid Assayed Chemistry & TDM Control, Level 1	Glass vial: 5 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK Plus, Liquid Assayed Chemistry & TDM Control, Level 2	Glass vial: 5 mL; Box: 6 vials	10/21/2002

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Medical Analysis Systems, Inc.	MAS chemTRAK Plus, Liquid Assayed Chemistry & TDM Control, Level 3	Glass vial: 5 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK Plus, Liquid Assayed Chemistry & TDM Control, Sample Pack	Glass vial: 5 mL; Pack: 3 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK Plus, Liquid Unassayed Chemistry & TDM Control, Level 1	Glass vial: 15 mL; Box: 10 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK Plus, Liquid Unassayed Chemistry & TDM Control, Level 2	Glass vial: 15 mL; Box: 10 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK Plus, Liquid Unassayed Chemistry & TDM Control, Level 3	Glass vial: 15 mL; Box: 10 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK Plus, Liquid Unassayed Chemistry & TDM Control, Sample Pack	Glass vial: 15 mL; Pack: 3 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK TDM, Liquid Unassayed Therapeutic Drug Control, Level 1	Glass vial: 5 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK TDM, Liquid Unassayed Therapeutic Drug Control, Level 2	Glass vial: 5 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK TDM, Liquid Unassayed Therapeutic Drug Control, Level 3	Glass vial: 5 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS chemTRAK TDM, Liquid Unassayed Therapeutic Drug Control, Sample Pack	Glass vial: 5 mL; Pack: 3 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS DOA GC/MS, Liquid Assayed Drugs of Abuse Control, Level G2	Glass vial: 18 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS DOA GC/MS, Liquid Assayed Drugs of Abuse Control, Level G3	Glass vial: 18 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS DOA GC/MS, Liquid Assayed Drugs of Abuse Control, Level G4	Glass vial: 18 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS DOA GC/MS, Liquid Assayed Drugs of Abuse Control, Sample Pack	Glass vial: 18 mL; Pack: 4 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS DOA-XAB, Liquid Assayed Drugs of Abuse Control, Level 2	Glass vial: 18 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS DOA-XAB, Liquid Assayed Drugs of Abuse Control, Level 3	Glass vial: 18 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS DOA-XAB, Liquid Assayed Drugs of Abuse Control, Level 4	Glass vial: 18 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS DOA-XAB, Liquid Assayed Drugs of Abuse Control, Sample Pack	Glass vial: 18 mL; Pack: 4 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS DOA-XSE, Liquid Assayed Drugs of Abuse Control, Level 2	Glass vial: 18 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS DOA-XSE, Liquid Assayed Drugs of Abuse Control, Level 3	Glass vial: 18 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS DOA-XSE, Liquid Assayed Drugs of Abuse Control, Level 4	Glass vial: 18 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS DOA-XSE, Liquid Assayed Drugs of Abuse Control, Sample Pack	Glass vial: 18 mL; Pack: 4 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS Liquimmune, Liquid Assayed Immunoassay Control, Level 1	Glass vial: 5 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS Liquimmune, Liquid Assayed Immunoassay Control, Level 2	Glass vial: 5 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS Liquimmune, Liquid Assayed Immunoassay Control, Level 3	Glass vial: 5 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS Liquimmune, Liquid Assayed Immunoassay Control, Sample Pack	Glass vial: 5 mL; Pack: 3 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS Opiates 2000 GC/MS, Liquid Assayed Opiates DOA Control, Levels G2 and G3	Glass vial: 18 mL; Multi-Pack: 4 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS Opiates 2000, Liquid Opiates Drugs of Abuse Control, Levels 2 and 3	Glass vial: 18 mL; Multi-Pack: 4 vials	10/21/2002



**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Medical Analysis Systems, Inc.	MAS PAR Brand TDM, Liquid Assayed Therapeutic Drug Control, Level 1	Glass vial: 5 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS PAR Brand TDM, Liquid Assayed Therapeutic Drug Control, Level 2	Glass vial: 5 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS PAR Brand TDM, Liquid Assayed Therapeutic Drug Control, Level 3	Glass vial: 5 mL; Box: 6 vials	10/21/2002
Medical Analysis Systems, Inc.	MAS PAR Brand TDM, Liquid Assayed Therapeutic Drug Control, Sample Pack	Glass vial: 5 mL; Pack: 3 vials	10/21/2002
Medical Analysis Systems, Inc.	MDMA Solution, Stock No. 931	Glass container: 10-250 mL	9/7/2004
Medical Analysis Systems, Inc.	Methadone Solution, Stock No. 924	Glass container: 10-250 mL	9/7/2004
Medical Analysis Systems, Inc.	Methadone, #438 Intermediate Solution	Bottle: 10-250 mL	10/22/1993
Medical Analysis Systems, Inc.	Methaqualone, #439 Intermediate Solution	Bottle: 10-250 mL	10/22/1993
Medical Analysis Systems, Inc.	Morphine Glucuronide Solution, Stock No. 915	Glass container: 10-250 mL	9/7/2004
Medical Analysis Systems, Inc.	Morphine Glucuronide, #433 Intermediate Solution	Bottle: 10-100 mL	10/22/1993
Medical Analysis Systems, Inc.	Morphine, #434 Intermediate Solution	Bottle: 10-250 mL	10/22/1993
Medical Analysis Systems, Inc.	Morphine, #485 Intermediate Solution	Bottle: 10-300 mL	4/29/1996
Medical Analysis Systems, Inc.	Nitrazepam, #518 Intermediate Solution	Bottle: 10-300 mL	4/29/1996
Medical Analysis Systems, Inc.	Nordiazepam, #431 Intermediate Solution	Bottle: 10-250 mL	10/22/1993
Medical Analysis Systems, Inc.	Nordiazepam, #487 Intermediate Solution	Bottle: 10-300 mL	4/29/1996
Medical Analysis Systems, Inc.	OLYMPUS Chemistry Control, Liquid Assayed General Chemistry Controls	Glass vial: 5 mL; Box: 12 vials	8/18/2003
Medical Analysis Systems, Inc.	Oxazepam Solution, Stock No. 875	Vial: 50 mL, 100 mL	5/23/1997
Medical Analysis Systems, Inc.	Pentobarbital, #426 Intermediate Solution	Bottle: 10-100 mL	10/22/1993
Medical Analysis Systems, Inc.	Phencyclidine Solution, Stock No. 923	Glass container: 10-250 mL	9/7/2004
Medical Analysis Systems, Inc.	Phencyclidine, #436 Intermediate Solution	Bottle: 10-300 mL	4/29/1996
Medical Analysis Systems, Inc.	Phencyclidine, #437 Intermediate Solution	Bottle: 10-100 mL	10/22/1993
Medical Analysis Systems, Inc.	Phencyclidine, #484 Intermediate Solution	Bottle: 10-300 mL	4/29/1996
Medical Analysis Systems, Inc.	Phenobarbital, #418 Intermediate Solution	Bottle: 50-700 mL	10/22/1993
Medical Analysis Systems, Inc.	Phenobarbital, #425 Intermediate Solution	Bottle: 10-100 mL	10/22/1993
Medical Analysis Systems, Inc.	Phenobarbital, #745 Intermediate Solution	Bottle: 50-200 mL	10/22/1993
Medical Analysis Systems, Inc.	Propoxyphene Solution, Stock No. 920	Glass container: 10-250 mL	9/7/2004
Medical Analysis Systems, Inc.	Propoxyphene, #440 Intermediate Solution	Bottle: 10-250 mL	10/22/1993
Medical Analysis Systems, Inc.	Roche Testcup (1.5x)	Vial: 60 mL	3/21/2000
Medical Analysis Systems, Inc.	Roche Testcup (1/4x)	Vial: 60 mL	3/21/2000
Medical Analysis Systems, Inc.	Secobarbital Solution, Stock No. 921	Glass container: 10-250 mL	9/7/2004
Medical Analysis Systems, Inc.	Secobarbital, #427 Intermediate Solution	Bottle: 10-250 mL	10/22/1993
Medical Analysis Systems, Inc.	Secobarbital, #486 Intermediate Solution	Bottle: 10-300 mL	4/29/1996
Medical Analysis Systems, Inc.	Testosterone, #748 Intermediate Solution	Bottle: 50-200 mL	10/22/1993
Medical Analysis Systems, Inc.	THC Solution, Stock No. 880	Vial: 50 mL, 100 mL	5/23/1997
Medical Analysis Systems, Inc.	Therapeutic Drug Monitoring Control 1, #1581 Bulk Solution	Bottle: 20-300 L	10/22/1993
Medical Analysis Systems, Inc.	Therapeutic Drug Monitoring Control 2, #1582 Bulk Solution	Bottle: 20-300 L	10/22/1993
Medical Analysis Systems, Inc.	Therapeutic Drug Monitoring Control 3, #1583 Bulk Solution	Bottle: 20-300 L	10/22/1993
Medical Analysis Systems, Inc.	Therapeutic Drug Monitoring Control 3, #1583P Pilot Solution	Bottle: 0.1-1 L	10/22/1993

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Medical Analysis Systems, Inc.	Transfer Pilot Material Calibrators; Levels 2,3,4,5	Glass vial: 3-5 mL	7/29/1994
Medical Analysis Systems, Inc.	Transfer Pilot Material Controls; Negative QC and Positive QC	Glass vial: 3-5 mL	7/29/1994
Medical Analysis Systems, Inc.	Tri-Point Liquimune Ligand Control, Levels 1, 2 and 3	Glass bottle: 5 mL; Kit: 6 Bottles	10/23/1991
Medical Laboratory Evaluation	Specimen UDS-X	Glass vial: 15 mL	5/17/2004
Medical University of South Carolina	Deuterated Methylphenidate Hydrochloride, 0.14 mg/mL	Vial: 7 mL	11/13/1997
MEDTOX Diagnostics, Inc.	MEDTOX 2000 Positive Toxicology Urine Control	Glass vial: 1-200 mL	12/16/2003
Microdiagnostics, Inc.	Amphetamine Bulk Tracer	Tube: 1 mL; Bottle: 10 mL, 100 mL, 500 mL	1/17/1996
Microdiagnostics, Inc.	Amphetamine Enzyme Conjugate	Bottle: 10 mL	12/24/1992
Microdiagnostics, Inc.	Benzoylcegonine Bulk Tracer	Tube: 1 mL; Bottle: 10 mL, 100 mL, 500 mL	1/17/1996
Microdiagnostics, Inc.	Cocaine Enzyme Conjugate	Bottle: 10 mL	12/24/1992
Microdiagnostics, Inc.	EIA for Amphetamine Metabolites	Kit: 2 bottles	12/24/1992
Microdiagnostics, Inc.	EIA for Cocaine Metabolites	Kit: 2 bottles	12/24/1992
Microdiagnostics, Inc.	EIA for Marijuana Metabolites	Kit: 2 bottles	12/24/1992
Microdiagnostics, Inc.	EIA for Opiate Metabolites	Kit: 2 bottles	12/24/1992
Microdiagnostics, Inc.	EIA for PCP Metabolites	Kit: 2 bottles	12/24/1992
Microdiagnostics, Inc.	Morphine Bulk Tracer	Tube: 1 mL; Bottle: 10 mL, 100 mL, 500 mL	1/17/1996
Microdiagnostics, Inc.	Opiate Enzyme Conjugate	Bottle: 10 mL	12/24/1992
Microdiagnostics, Inc.	PCP Enzyme Conjugate	Bottle: 10 mL	12/24/1992
Microdiagnostics, Inc.	Phencyclidine Bulk Tracer	Tube: 1 mL; Bottle: 10 mL, 100 mL, 500 mL	1/17/1996
Microdiagnostics, Inc.	Positive Amphetamine Standard	Bottle: 2 mL	12/24/1992
Microdiagnostics, Inc.	Positive Cocaine Standard	Bottle: 2 mL	12/24/1992
Microdiagnostics, Inc.	Positive Opiate Standard	Bottle: 2 mL	12/24/1992
Microdiagnostics, Inc.	Positive PCP Standard	Bottle: 2 mL	12/24/1992
Microdiagnostics, Inc.	Positive THC Standard	Bottle: 2 mL	12/24/1992
Microdiagnostics, Inc.	Tetrahydrocannabinol Bulk Tracer	Tube: 1 mL; Bottle: 10 mL, 100 mL, 500 mL	1/17/1996
Microdiagnostics, Inc.	THC Enzyme Conjugate	Bottle: 10 mL	12/24/1992
Microgenics Corporation	2a Amph ED Reagent for 500 mL; Cat# 1300796	Vial: 500 mL	4/13/1994
Microgenics Corporation	2a Amphetamines ED Reagent for 85 mL; Cat# 1404234	Vial: 100 mL	4/13/1994
Microgenics Corporation	6MAM Immunogen	Bulk	5/21/1996
Microgenics Corporation	Amphetamine System Pack for 85 mL; Cat# 81-3300	Kit: 4 Bottles	4/13/1994
Microgenics Corporation	Amphetamines Systems Pack for 500 mL; Cat# 81-3400	Kit: 4 Bottles	4/13/1994
Microgenics Corporation	Benzodiazepine Spiking Solution	Carboy: 2L	12/1/1993
Microgenics Corporation	CEDIA Amphetamine DAU Assay, Cat# 1557343	Kit: 18 mL	8/28/2000
Microgenics Corporation	CEDIA Amphetamine DAU Assay, Cat# 1661094	Kit: 85 mL	4/13/1994
Microgenics Corporation	CEDIA Amphetamine DAU Assay, Cat# 1661205	Kit: 500 mL	4/13/1994
Microgenics Corporation	CEDIA Amphetamine ED Bulk Reagent	Carboy: 25 L	4/13/1994
Microgenics Corporation	CEDIA Amphetamine Manufacturing Bulk Calibrators B,C,D,E,F,G,H,I,J,K,Open	Carboy: 4 L	4/20/1994
Microgenics Corporation	CEDIA Amphetamine Manufacturing Calibrators B,C,D,E,F,G,H,I,J,K,Open	Vial: 3.5 or 5.0 mL	4/20/1994
Microgenics Corporation	CEDIA Amphetamine/Methamphetamine Bulk Manufacturing Calibrator Open	Carboy: 4 L	4/20/1994

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Microgenics Corporation	CEDIA Amphetamine/Methamphetamine Manufacturing Calibrator Open	Vial: 3.5, 5.0 mL	4/20/1994
Microgenics Corporation	CEDIA Amphetamines Spiking Solution	Carboy: 2L	12/1/1993
Microgenics Corporation	CEDIA Amphetamines-Ecstasy Assay, Catalog # 100040	Plastic bottle: 600 mL; Glass bottle: 600 mL; Kit: 2 plastic and 3 glass bottles	6/5/2003
Microgenics Corporation	CEDIA Amphetamines-Ecstasy Assay, Catalog # 100103	Plastic bottle: 70 mL; Glass bottle: 100 mL; Kit: 2 plastic and 2 glass bottles	6/5/2003
Microgenics Corporation	CEDIA Amphetamines-Ecstasy Assay, Catalog # 100104	Plastic bottle: 20 mL; Glass bottle: 7 mL; Kit: 6 plastic and 6 glass bottles	6/5/2003
Microgenics Corporation	CEDIA Barbiturate Manufacturing Bulk Calibrators	Carboy: 4 L	4/20/1994
Microgenics Corporation	CEDIA Barbiturate Spiking Solution	Carboy: 2L	12/1/1993
Microgenics Corporation	CEDIA Barbiturates Manufacturing Calibrators B,C,D,E,F,G,H,I,J,K,Open	Vial: 3.5, 5.0 mL	4/20/1994
Microgenics Corporation	CEDIA Benzodiazepine Manufacturing Bulk Calibrators B,C,D,E,F,G,H,I,J,K, Open	Carboy: 4 L	4/20/1994
Microgenics Corporation	CEDIA Benzodiazepine Manufacturing Calibrators B,C,D,E,F,G,H,I,J,K, Open	Vial: 3.5, 5.0 mL	4/20/1994
Microgenics Corporation	CEDIA Benzodiazepine Stock Solution	Vial: 25 mL	12/1/1993
Microgenics Corporation	CEDIA Cocaine DAU Assay, Cat# 1557378	Kit: 18 mL	8/28/2000
Microgenics Corporation	CEDIA Cocaine DAU Assay, Cat# 1661167	Kit: 85 mL	8/28/2000
Microgenics Corporation	CEDIA Cocaine DAU Assay, Cat# 1661230	Kit: 500 mL	8/28/2000
Microgenics Corporation	CEDIA Cocaine DAU Assay, Cat# 1815687	Kit: 70 mL	8/28/2000
Microgenics Corporation	CEDIA Cocaine Manufacturing Bulk Calibrators B,C,D,E,F,G,H,I,J,K,Open	Carboy: 4 L	4/20/1994
Microgenics Corporation	CEDIA Cocaine Manufacturing Calibrators B,C,D,E,F,G,H,I,J,K, Open	Vial: 3.5, 5.0 mL	4/20/1994
Microgenics Corporation	CEDIA Cocaine Spiking Solution	Carboy: 5 L	8/28/2000
Microgenics Corporation	CEDIA Core TDM Multi-Cal High (5.0 mL)	Vial: 10 mL	10/14/1997
Microgenics Corporation	CEDIA Core TDM Multi-Cal Low Calibrators (7.5 mL)	Vial: 10 mL	10/14/1997
Microgenics Corporation	CEDIA Core TDM Multi-Calibrators, Catalog # 10007	Plastic bottle: 10 mL; Box: 4 plastic bottles	1/27/2003
Microgenics Corporation	CEDIA DAU 2K High control, 5 mL, 15 mL	Kit: 6 bottles	7/27/1998
Microgenics Corporation	CEDIA DAU Cocaine ED Reagent, Cat# 80-2300	Vial: 100 mL	12/1/1993
Microgenics Corporation	CEDIA DAU LSD Reagent	Vial: 7, 100 mL	12/1/1995
Microgenics Corporation	CEDIA DAU Methadone ED Reagent	Vial: 7, 100, 190 mL	8/18/1995
Microgenics Corporation	CEDIA DAU Multi-Level THC Assay	Kit: 4 bottles; 65 mL	12/2/1997
Microgenics Corporation	CEDIA DAU Multi-Level THC Assay; Cat# 81-2700	Kit: 4 Bottles, 85 mL	1/24/1994
Microgenics Corporation	CEDIA DAU Multi-Level THC Assay; Cat# 81-2800	Kit: 4 Bottles, 500 mL	1/24/1994
Microgenics Corporation	CEDIA DAU Opiate ED Reagent, Cat# 80-2900	Vial: 100 mL	12/1/1993
Microgenics Corporation	CEDIA DAU Phenobarbital II ED Reagent (for 18 mL)	Vial: 7 mL	10/10/1997
Microgenics Corporation	CEDIA DAU Sample Check Assay	Kit: 4 bottles; 65 mL	12/2/1997
Microgenics Corporation	CEDIA DAU Sample Check Assay-For 18 mL Cat #1815547	Kit: 12 bottles	8/2/1996
Microgenics Corporation	CEDIA DAU Sample Check Assay-For 500 mL Cat #1815563	Kit: 4 bottles	8/2/1996
Microgenics Corporation	CEDIA DAU Sample Check Assay-For 85 mL Cat #1815555	Kit: 4 bottles	8/2/1996
Microgenics Corporation	CEDIA DAU Specialty Control Set 1, #80-0121	2 Vials; 15 mL/vial	5/10/1994

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Microgenics Corporation	CEDIA DAU THC 100 ng/mL Calibrator	Bottle: 15 mL	12/1/1993
Microgenics Corporation	CEDIA DAU THC 150 ng/mL Calibrator	Bottle: 15 mL	12/1/1993
Microgenics Corporation	CEDIA DAU THC 25ng/mL Calibrator	Bottle: 15 mL	12/1/1993
Microgenics Corporation	CEDIA DAU THC 50 ng/mL Calibrator	Bottle: 15 mL	12/1/1993
Microgenics Corporation	CEDIA DAU THC 75ng/mL Calibrator	Bottle: 15 mL	12/1/1993
Microgenics Corporation	CEDIA Heroin Metabolite (6-AM) Assay, Catalog # 100107	Plastic bottle: 20 mL; Glass bottle: 7 mL; Kit: 6 plastic and 6 glass bottles	6/4/2003
Microgenics Corporation	CEDIA Heroin Metabolite (6-AM) Assay, Catalog # 100108	Plastic bottle: 70 mL; Glass bottle: 100 mL; Kit: 2 plastic and 2 glass bottles	6/4/2003
Microgenics Corporation	CEDIA Heroin Metabolite (6-AM) Assay, Catalog # 100186	Plastic bottle: 600 mL; Glass bottle: 600 mL; Kit: 2 plastic and 3 glass bottles	6/4/2003
Microgenics Corporation	CEDIA Heroin Metabolite (6-AM) Controls, Catalog # 100041	Plastic bottle: 10 mL; Kit: 2 bottles	6/4/2003
Microgenics Corporation	CEDIA Heroin Metabolite (6-AM) Cutoff Calibrator, Catalog # 100031	Plastic bottle: 10 mL	6/4/2003
Microgenics Corporation	CEDIA Heroin Metabolite (6-AM) High Calibrator, Catalog # 100034	Plastic bottle: 10 mL	6/4/2003
Microgenics Corporation	CEDIA LSD Conjugate	Bottle: 0.5, 2, 50 mL	8/28/2000
Microgenics Corporation	CEDIA LSD Cutoff Calibrator Bulk	Carboy: 4 L	8/28/2000
Microgenics Corporation	CEDIA LSD DAU Assay	Kit: 85 mL	8/28/2000
Microgenics Corporation	CEDIA LSD DAU Assay	Kit: 18 mL	8/28/2000
Microgenics Corporation	CEDIA LSD DAU Cutoff Calibrator	Bottle: 5 mL	8/28/2000
Microgenics Corporation	CEDIA LSD DAU High Calibrator	Vial: 5 mL	8/28/2000
Microgenics Corporation	CEDIA LSD DAU Intermediate Calibrator	Vial: 5 mL	8/28/2000
Microgenics Corporation	CEDIA LSD High Calibrator Bulk	Carboy: 4 L	8/28/2000
Microgenics Corporation	CEDIA LSD Intermediate Calibrator Bulk	Carboy: 4 L	8/28/2000
Microgenics Corporation	CEDIA LSD Manufacturing Calibrator A,B,C,D,E,F,G,Open	Vial: 3.5, 5 mL	8/28/2000
Microgenics Corporation	CEDIA LSD Manufacturing Calibrator Bulk A,B,C,D,E,F,G,Open	Carboy: 4 L	8/28/2000
Microgenics Corporation	CEDIA LSD Spiking Solution	Carboy: 2L	8/28/2000
Microgenics Corporation	CEDIA Methadone Conjugate	Vial: 0.5, 2, 50 mL	8/28/2000
Microgenics Corporation	CEDIA Methadone DAU Assay	Kit: 18 mL	8/28/2000
Microgenics Corporation	CEDIA Methadone DAU Assay	Kit: 85 mL	8/28/2000
Microgenics Corporation	CEDIA Methadone DAU Assay	Kit: 500 mL	8/28/2000
Microgenics Corporation	CEDIA Methadone Manufacturing Calibrators E,F,G,H,I,J,K,Open	Carboy: 5 L	8/28/2000
Microgenics Corporation	CEDIA Methadone Manufacturing Calibrators E,F,G,H,I,J,K,Open	Vial: 3.5, 5 mL	8/28/2000
Microgenics Corporation	CEDIA Methamphetamine Conjugate	Vial: 0.5, 2, 50 mL	4/13/1994
Microgenics Corporation	CEDIA Methamphetamine Manufacturing Bulk Calibrators B,C,D,E,F,G,H,I,J,K,Open	Carboy: 4 L	4/20/1994
Microgenics Corporation	CEDIA Methamphetamine Manufacturing Calibrators B,C,D,E,F,G,H,I,J,K,Open	Vial: 3.5, 5.0 mL	4/20/1994
Microgenics Corporation	CEDIA Methamphetamine Spiking Solution	Carboy: 5 L	8/28/2000
Microgenics Corporation	CEDIA Multi-Drug DAU Control Set	Set: 3 vials; Vial: 5 mL	5/10/1994
Microgenics Corporation	CEDIA Multi-Drug DAU High Calibrator	Vial: 5, 15 mL	8/28/2000
Microgenics Corporation	CEDIA Multi-Drug DAU High Calibrator Bulk	Carboy: 20 L	8/28/2000
Microgenics Corporation	CEDIA Multi-Drug DAU Intermediate Calibrator	Vial: 5, 15 mL	8/28/2000
Microgenics Corporation	CEDIA Multi-Drug DAU Intermediate Calibrator Bulk	Carboy: 20 L	8/28/2000

**Exempt Chemical Preparations List**

March 31, 2008

Supplier	Product Name	Form	Date
Microgenics Corporation	CEDIA Multi-Drug DAU Primary Cutoff Calibrator	Vial: 5, 15 mL	8/28/2000
Microgenics Corporation	CEDIA Multi-Drug DAU Primary Cutoff Calibrator Bulk	Carboy: 20 L	8/28/2000
Microgenics Corporation	CEDIA Multi-Drug DAU Secondary Cutoff Calibrator	Vial: 5, 15 mL	8/28/2000
Microgenics Corporation	CEDIA Multi-Drug DAU Secondary Cutoff Calibrator Bulk	Carboy: 20 L	8/28/2000
Microgenics Corporation	CEDIA Multi-Level THC Assay-CAT# 83-2700 and 85-2700	Kit: 4 Bottles; 18 mL each	7/19/1994
Microgenics Corporation	CEDIA Opiate 2K Bulk Manufacturing Calibrator E,F,G,H,I,J,K, Open	Carboy: 4 L	8/28/2000
Microgenics Corporation	CEDIA Opiate 2K DAU Assay, Cat# 1815270	Kit: 18 mL	8/28/2000
Microgenics Corporation	CEDIA Opiate 2K Manufacturing Calibrator E,F,G,H,I,J,K, Open	Vial: 3.5, 5.0 mL	8/28/2000
Microgenics Corporation	CEDIA Opiate DAU Assay, Cat# 1161175	Kit: 85 mL	8/28/2000
Microgenics Corporation	CEDIA Opiate DAU Assay, Cat# 1161248	Kit: 500 mL	8/28/2000
Microgenics Corporation	CEDIA Opiate DAU Assay, Cat# 1557386	Kit: 18 mL	8/28/2000
Microgenics Corporation	CEDIA Opiate DAU Assay, Cat# 1816128	Kit: 70 mL	8/28/2000
Microgenics Corporation	CEDIA Opiate ED Bulk Reagent	Carboy: 25 L	12/1/1993
Microgenics Corporation	CEDIA Opiate Manufacturing Bulk Calibrators E,F,G,H,I,J,K,Open	Carboy: 4 L	4/20/1994
Microgenics Corporation	CEDIA Opiate Manufacturing Calibrators E,F,G,H,I,J,K,Open	Vial: 3.5, 5.0 mL	4/20/1994
Microgenics Corporation	CEDIA Opiate Spiking Solution	Carboy: 2L	12/1/1993
Microgenics Corporation	CEDIA Opiate Spiking Solution	Carboy: 5 L	8/28/2000
Microgenics Corporation	CEDIA PCP Conjugate	Vial: 0.5, 2, 50 mL	8/28/2000
Microgenics Corporation	CEDIA PCP DAU Assay	Kit: 18 mL	8/28/2000
Microgenics Corporation	CEDIA PCP DAU Assay	Kit: 85 mL	8/28/2000
Microgenics Corporation	CEDIA PCP DAU Assay	Kit: 70 mL	8/28/2000
Microgenics Corporation	CEDIA PCP DAU Assay	Kit: 500 mL	8/28/2000
Microgenics Corporation	CEDIA PCP ED Bulk Reagent	Carboy: 25 L	8/28/2000
Microgenics Corporation	CEDIA PCP Manufacturing Bulk Calibrators E,F,G,H,I,J,K,Open	Carboy: 4 L	4/20/1994
Microgenics Corporation	CEDIA PCP Manufacturing Calibrators E,F,G,H,I,J,K,Open	Vial: 3.5, 5.0 mL	4/20/1994
Microgenics Corporation	CEDIA PCP Spiking Solution	Carboy: 2L	12/1/1993
Microgenics Corporation	CEDIA PCP Stock Concentrate	Vial: 10 mL	12/1/1993
Microgenics Corporation	CEDIA Phenobarbital ED Bulk Reagent	Carboy: 50 L	8/28/2000
Microgenics Corporation	CEDIA Phenobarbital Manufacturing Calibrator 10 µg/mL, 20 µg/mL, 40 µg/mL, 60 µg/mL, 80 µg/mL, 90 µg/mL	Vial: 3.5 mL	11/13/1990
Microgenics Corporation	CEDIA Phenobarbital Manufacturing Calibrator 10 µg/mL, 20 µg/mL, 40 µg/mL, 60 µg/mL, 80 µg/mL, 90 µg/mL bulk	Carboy: 2L	11/13/1990
Microgenics Corporation	CEDIA Phenobarbital Primary Standard 40 µg/mL, 80 µg/mL	Microvial: 1.5 mL; Box: 100 tubes	11/13/1990
Microgenics Corporation	CEDIA Phenobarbital Primary Standard 40 µg/mL, 80 µg/mL bulk	Carboy: 2L	11/13/1990
Microgenics Corporation	CEDIA Propoxyphene DAU Assay	Kit: 70 mL	8/28/2000
Microgenics Corporation	CEDIA Propoxyphene DAU Assay	Kit: 18 mL	8/28/2000
Microgenics Corporation	CEDIA Propoxyphene DAU Assay	Kit: 500 mL	8/28/2000
Microgenics Corporation	CEDIA Propoxyphene DAU Assay	Kit: 85 mL	8/28/2000
Microgenics Corporation	CEDIA Propoxyphene ED Bulk Reagent	Carboy: 25 L	8/28/2000
Microgenics Corporation	CEDIA Propoxyphene Manufacturing Calibrators Bulk E,F,G,H,I,J,K,Open	Carboy: 4 L	8/28/2000
Microgenics Corporation	CEDIA Propoxyphene Manufacturing Calibrators E,F,G,H,I,J,K,Open	Vial: 3.5, 5 mL	8/28/2000
Microgenics Corporation	CEDIA Propoxyphene Spiking Solution	Carboy: 2L	8/28/2000

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Microgenics Corporation	CEDIA Propoxyphene/Methadone Cutoff Calibrator	Vial: 5 mL	3/2/1995
Microgenics Corporation	CEDIA Propoxyphene/Methadone Cutoff Calibrator Bulk	Carboy: 4 L	3/2/1995
Microgenics Corporation	CEDIA Propoxyphene/Methadone High Calibrator	Vial: 5 mL	3/2/1995
Microgenics Corporation	CEDIA Propoxyphene/Methadone High Calibrator Bulk	Carboy: 4 L	3/2/1995
Microgenics Corporation	CEDIA Propoxyphene/Methadone Intermediate Calibrator	Vial: 5 mL	3/2/1995
Microgenics Corporation	CEDIA Propoxyphene/Methadone Intermediate Calibrator Bulk	Carboy: 4 L	3/2/1995
Microgenics Corporation	CEDIA Sample Check ED Reagent-For 18 mL	Vial: 7 mL	8/2/1996
Microgenics Corporation	CEDIA Sample Check ED Reagent-For 500 mL	Vial: 500 mL	8/2/1996
Microgenics Corporation	CEDIA Sample Check ED Reagent-For 85 mL	Vial: 100 mL	8/2/1996
Microgenics Corporation	CEDIA THC 100 Control Bulk (High & Low)	Carboy: 150 L	6/30/1994
Microgenics Corporation	CEDIA THC 100 Controls (High & Low)	Box: 2 vials; Vial: 15 mL	6/30/1994
Microgenics Corporation	CEDIA THC 25 Control Bulk (High & Low)	Carboy: 150 L	6/30/1994
Microgenics Corporation	CEDIA THC 25 Controls (High & Low)	Box: 2 vials; Vial: 15 mL	6/30/1994
Microgenics Corporation	CEDIA THC 50 Control Bulk (High & Low)	Carboy: 150 L	6/30/1994
Microgenics Corporation	CEDIA THC 50 Controls (High & Low)	Box: 2 vials; Vial: 15 mL	6/30/1994
Microgenics Corporation	CEDIA THC Calibrator 100 ng/mL Bulk	Carboy: 4 L	12/1/1993
Microgenics Corporation	CEDIA THC Calibrator 150 ng/mL Bulk	Carboy: 4 L	12/1/1993
Microgenics Corporation	CEDIA THC Calibrator 25 ng/mL Bulk	Carboy: 2L	12/1/1993
Microgenics Corporation	CEDIA THC Calibrator 50 ng/mL Bulk	Carboy: 4 L	12/1/1993
Microgenics Corporation	CEDIA THC Calibrator 75ng/mL Bulk	Carboy: 1 L	12/1/1993
Microgenics Corporation	CEDIA THC ED Bulk Reagent	Carboy: 25 L	12/1/1993
Microgenics Corporation	CEDIA THC Manufacturing Calibrators B,C,D,E,F,G,H,I,J,K,L,Open	Vial: 3.5, 5 mL	4/20/1994
Microgenics Corporation	CEDIA THC Manufacturing Calibrators B,C,D,E,F,G,H,I,J,K,L,Open Bulk	Carboy: 4 L	4/20/1994
Microgenics Corporation	Cocaine Conjugate	Vial: 25 mL	12/1/1993
Microgenics Corporation	Dimension Vista Integrated System UDAT CON (-), Catalog # DADE BEHRING REF KC516	Vial: 2.5 mL; Kit: 6 vials	1/10/2006
Microgenics Corporation	Dimension Vista Integrated System UDAT CON (+), Catalog # DADE BEHRING REF KC515	Vial: 2.5 mL; Kit: 6 vials	1/10/2006
Microgenics Corporation	DRI Ecstasy Assay, 100 mL, Catalog # 100075	Plastic bottle: 100 mL; Kit: 2 plastic bottles	1/21/2003
Microgenics Corporation	DRI Ecstasy Assay, 500 mL, Catalog # 100076	Plastic bottle: 500 mL; Kit: 2 plastic bottles	1/21/2003
Microgenics Corporation	DRI Ecstasy Calibrator, 1000 ng/mL, Catalog # 100079	Plastic bottle: 15 mL	1/21/2003
Microgenics Corporation	DRI Ecstasy Calibrator, 250 ng/mL, Catalog # 100082	Plastic bottle: 15 mL	1/21/2003
Microgenics Corporation	DRI Ecstasy Calibrator, 500 ng/mL, Catalog # 100081	Plastic bottle: 15 mL	1/21/2003
Microgenics Corporation	DRI Ecstasy Calibrator, 750 ng/mL, Catalog # 100080	Plastic bottle: 15 mL	1/21/2003
Microgenics Corporation	DRI Ecstasy Controls, Catalog # 100078	Plastic bottle: 15 mL; Kit: 2 plastic bottles	1/21/2003
Microgenics Corporation	DRI Opiate Assay, 100 mL, Catalog # 0135	Plastic bottle: 100 mL; Kit: 2 plastic bottles	1/27/2003
Microgenics Corporation	DRI Opiate Assay, 500 mL, Catalog # 0136	Plastic bottle: 500 mL; Kit: 2 plastic bottles	1/27/2003
Microgenics Corporation	DRI Opiate Calibrator 1, Catalog # 1609	Plastic bottle: 30 mL	1/27/2003
Microgenics Corporation	DRI Opiate Calibrator 3, Catalog # 1610	Plastic bottle: 30 mL	1/27/2003
Microgenics Corporation	EIA AED Calibrator Kit	Kit: 6 Bottles; 5 mL each	8/28/2000
Microgenics Corporation	EIA AED Calibrators 1,2,3,4,5	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA Amphetamines Enzyme Conjugate Reagent, Bulk	Carboy: 20, 10, 5, 1 L	8/28/2000
Microgenics Corporation	EIA Amphetamines Enzyme Immunoassay (EIA) Kit	Kit: 3 Bottles; Bottles: two - 6 L, one - 125 mL	8/28/2000

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Microgenics Corporation	EIA Amphetamines Enzyme Immunoassay (EIA) Kit	Kit: 2 Bottles; Bottles: 4 L each	8/28/2000
Microgenics Corporation	EIA Amphetamines Enzyme Immunoassay Kit# 0017	Kit: 2 Bottles; 100 mL each	8/28/2000
Microgenics Corporation	EIA Amphetamines Enzyme Immunoassay Kit# 0018	Kit: 2 Bottles; 500 mL each	8/28/2000
Microgenics Corporation	EIA Barbiturate Enzyme Congugate Reagent, Bulk	Carboy: 20, 10, 5, 1 L	8/28/2000
Microgenics Corporation	EIA Barbiturate Enzyme Immunoassay (EIA) Kit	Kit: 2 Bottles; Bottles: 4 L each	8/28/2000
Microgenics Corporation	EIA Barbiturate Enzyme Immunoassay (EIA) Kit	Kit: 3 Bottles; Bottles: two - 6 L, one - 125 mL	8/28/2000
Microgenics Corporation	EIA Barbiturate Enzyme Immunoassay Kit# 0225	Kit: 2 Bottles; 100 mL each	8/28/2000
Microgenics Corporation	EIA Barbiturate Enzyme Immunoassay Kit# 0226	Kit: 2 Bottles; 500 mL each	8/28/2000
Microgenics Corporation	EIA Barbiturate Serum Tox EIA Kit	Kit: 2 Bottles; 8, 25 mL	8/28/2000
Microgenics Corporation	EIA Benzodiazepine Enzyme Conjugate Reagent, Bulk	Carboy: 20, 10, 5, 1 L	8/28/2000
Microgenics Corporation	EIA Benzodiazepine Enzyme Immunoassay Kit# 0039	Kit: 2 Bottles; 100 mL each	8/28/2000
Microgenics Corporation	EIA Benzodiazepine Enzyme Immunoassay Kit# 0040	Kit: 2 Bottles; 500 mL each	8/28/2000
Microgenics Corporation	EIA Benzodiazepine Serum Tox EIA Kit	Kit: 2 Bottles; 8, 25 mL	8/28/2000
Microgenics Corporation	EIA Benzodiazepines Enzyme Immunoassay (EIA) Kit	Kit: 3 Bottles; Bottles: two - 6 L, one - 125 mL	8/28/2000
Microgenics Corporation	EIA Benzodiazepines Enzyme Immunoassay (EIA) Kit	Kit: 2 Bottles; Bottles: 4 L each	8/28/2000
Microgenics Corporation	EIA Cannabinoid (THC) Enzyme Immunoassay (EIA) Kit	Kit: 2 Bottles; Bottles: 4 L each	8/28/2000
Microgenics Corporation	EIA Cannabinoid (THC) Enzyme Immunoassay (EIA) Kit	Kit: 3 Bottles; Bottles: two - 6 L, one - 125 mL	8/28/2000
Microgenics Corporation	EIA Cannabinoid Enzyme Conjugate Reagent, Bulk	Carboy: 20, 10, 5, 1 L	8/28/2000
Microgenics Corporation	EIA Cannabinoid Enzyme Immunoassay Kit# 0185	Kit: 2 Bottles; 100 mL each	8/28/2000
Microgenics Corporation	EIA Cannabinoid Enzyme Immunoassay Kit# 0186	Kit: 2 Bottles; 500 mL each	8/28/2000
Microgenics Corporation	EIA Cocaine Enzyme Immunoassay (EIA) Kit	Kit: 2 Bottles; Bottles: 4 L each	8/28/2000
Microgenics Corporation	EIA Cocaine Enzyme Immunoassay (EIA) Kit	Kit: 3 Bottles; Bottles: two - 6 L, one - 125 mL	8/28/2000
Microgenics Corporation	EIA Cocaine Metabolite Enzyme Conjugate Reagent, Bulk	Carboy: 20, 10, 5, 1 L	8/28/2000
Microgenics Corporation	EIA Cocaine Metabolite Enzyme Immunoassay Kit# 0055	Kit: 2 Bottles; 100 mL each	8/28/2000
Microgenics Corporation	EIA Cocaine Metabolite Enzyme Immunoassay Kit# 0056	Kit: 2 Bottles; 500 mL each	8/28/2000
Microgenics Corporation	EIA Drugs of Abuse High Calibrator A, Bulk	Bottle: 5 L, 1 L, 500 mL	8/28/2000
Microgenics Corporation	EIA Drugs of Abuse High Calibrator A, Cat# 0324	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA Drugs of Abuse High Calibrator, Bulk	Bottle: 5 L, 1 L, 500 mL	8/28/2000
Microgenics Corporation	EIA Drugs of Abuse High Calibrator, Cat# 0036	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA Drugs of Abuse Level 2 Control, Bulk	Bottle: 5 L, 1 L, 500 mL	8/28/2000
Microgenics Corporation	EIA Drugs of Abuse Level 2 Control, Cat# 0208	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA Drugs of Abuse Level 2A Control, Bulk	Bottle: 5 L, 1 L, 500 mL	8/28/2000
Microgenics Corporation	EIA Drugs of Abuse Level 2A Control, Cat# 0331	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA Drugs of Abuse Level I Control, Bulk	Bottle: 5 L, 1 L, 500 mL	8/28/2000
Microgenics Corporation	EIA Drugs of Abuse Level I Control, Cat# 0210	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA Drugs of Abuse Level IA Control, Bulk	Bottle: 5 L, 1 L, 500 mL	8/28/2000
Microgenics Corporation	EIA Drugs of Abuse Level IA Control, Cat# 0329	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA Drugs of Abuse Low Calibrator A, Cat# 0322	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA Drugs of Abuse Low Calibrator, Bulk	Bottle: 5 L, 1 L, 500 mL	8/28/2000
Microgenics Corporation	EIA Drugs of Abuse Low Calibrator, Cat# 0034	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA Methadone Enzyme Conjugate Reagent, Bulk	Carboy: 20, 10, 5, 1 L	8/28/2000
Microgenics Corporation	EIA Methadone Enzyme Immunoassay (EIA) Kit	Kit: 3 Bottles; Bottles: two - 6 L, one - 125 mL	8/28/2000
Microgenics Corporation	EIA Methadone Enzyme Immunoassay (EIA) Kit	Kit: 2 Bottles; Bottles: 4 L each	8/28/2000

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Microgenics Corporation	EIA Methadone Enzyme Immunoassay Kit# 0596	Kit: 2 Bottles; 100 mL each	8/28/2000
Microgenics Corporation	EIA Methadone Enzyme Immunoassay Kit# 0597	Kit: 2 Bottles; 500 mL each	8/28/2000
Microgenics Corporation	EIA Methadone Metabolite Enzyme Conjugate Reagent, Bulk	Carboy: 20, 10, 5, 1 L	8/28/2000
Microgenics Corporation	EIA Methadone Metabolite Enzyme Immunoassay Kit# 0200	Kit: 2 Bottles; 100 mL each	8/28/2000
Microgenics Corporation	EIA Methadone Metabolite Enzyme Immunoassay Kit# 0201	Kit: 2 Bottles; 500 mL each	8/28/2000
Microgenics Corporation	EIA Methaqualone Enzyme Conjugate Reagent, Bulk	Carboy: 20, 10, 5, 1 L	8/28/2000
Microgenics Corporation	EIA Methaqualone Enzyme Immunoassay (EIA) Kit	Kit: 3 Bottles; Bottles: two - 6 L, one - 125 mL	8/28/2000
Microgenics Corporation	EIA Methaqualone Enzyme Immunoassay (EIA) Kit	Kit: 2 Bottles; Bottles: 4 L each	8/28/2000
Microgenics Corporation	EIA Methaqualone Enzyme Immunoassay Kit# 0514	Kit: 2 Bottles; 100 mL each	8/28/2000
Microgenics Corporation	EIA Methaqualone Enzyme Immunoassay Kit# 0515	Kit: 2 Bottles; 500 mL each	8/28/2000
Microgenics Corporation	EIA Multi-Drug Urine Calibrator 1, Kit # 1588	Bottle: 10 mL	8/28/2000
Microgenics Corporation	EIA Multi-Drug Urine Calibrator 1, Kit # 1589	Bottle: 25 mL	8/28/2000
Microgenics Corporation	EIA Multi-Drug Urine Calibrator 2, Kit # 1591	Bottle: 10 mL	8/28/2000
Microgenics Corporation	EIA Multi-Drug Urine Calibrator 2, Kit # 1592	Bottle: 25 mL	8/28/2000
Microgenics Corporation	EIA Multi-Drug Urine Calibrator 3, Kit # 1594	Bottle: 10 mL	8/28/2000
Microgenics Corporation	EIA Multi-Drug Urine Calibrator 3, Kit # 1595	Bottle: 25 mL	8/28/2000
Microgenics Corporation	EIA Multi-Drug Urine Calibrator 4, Kit # 1597	Bottle: 10 mL	8/28/2000
Microgenics Corporation	EIA Multi-Drug Urine Calibrator 4, Kit # 1598	Bottle: 25 mL	8/28/2000
Microgenics Corporation	EIA Multi-Drug Urine Control 1, Kit # 1553	Bottle: 25 mL	8/28/2000
Microgenics Corporation	EIA Multi-Drug Urine Control 1, Kit # 1599	Bottle: 10 mL	8/28/2000
Microgenics Corporation	EIA Multi-Drug Urine Control 2, Kit # 1555	Bottle: 25 mL	8/28/2000
Microgenics Corporation	EIA Multi-Drug Urine Control 2, Kit # 1600	Bottle: 10 mL	8/28/2000
Microgenics Corporation	EIA Opiate Enzyme Conjugate Reagent, Bulk	Carboy: 20, 10, 5, 1 L	8/28/2000
Microgenics Corporation	EIA Opiate Enzyme Immunoassay (EIA) Kit	Kit: 3 Bottles; Bottles: two 6 L, one 125 mL	8/28/2000
Microgenics Corporation	EIA Opiate Enzyme Immunoassay (EIA) Kit	Kit: 2 Bottles; Bottles: 4 L each	8/28/2000
Microgenics Corporation	EIA Opiate Enzyme Immunoassay Kit# 0135	Kit: 2 Bottles; 100 mL each	8/28/2000
Microgenics Corporation	EIA Opiate Enzyme Immunoassay Kit# 0136	Kit: 2 Bottles; 500 mL each	8/28/2000
Microgenics Corporation	EIA Phencyclidine Enzyme Conjugate Reagent, Bulk	Carboy: 20, 10, 5, 1 L	8/28/2000
Microgenics Corporation	EIA Phencyclidine Enzyme Immunoassay (EIA) Kit	Kit: 2 Bottles; Bottles: 4 L each	8/28/2000
Microgenics Corporation	EIA Phencyclidine Enzyme Immunoassay (EIA) Kit	Kit: 3 Bottles; Bottles: two - 6 L, one - 125 mL	8/28/2000
Microgenics Corporation	EIA Phencyclidine Enzyme Immunoassay Kit# 0160	Kit: 2 Bottles; 100 mL each	8/28/2000
Microgenics Corporation	EIA Phencyclidine Enzyme Immunoassay Kit# 0161	Kit: 2 Bottles; 500 mL each	8/28/2000
Microgenics Corporation	EIA Phenobarbital EIA Kit	Kit: 2 Bottles; 8, 25 mL	8/28/2000
Microgenics Corporation	EIA Propoxyphene Enzyme Conjugate Reagent, Bulk	Carboy: 20, 10, 5, 1 L	8/28/2000
Microgenics Corporation	EIA Propoxyphene Enzyme Immunoassay (EIA) Kit	Kit: 3 Bottles; Bottles: two - 6 L, one - 125 mL	8/28/2000
Microgenics Corporation	EIA Propoxyphene Enzyme Immunoassay (EIA) Kit	Kit: 2 Bottles; Bottles: 4 L each	8/28/2000
Microgenics Corporation	EIA Propoxyphene Enzyme Immunoassay Kit# 0432	Kit: 2 Bottles; 100 mL each	8/28/2000
Microgenics Corporation	EIA Propoxyphene Enzyme Immunoassay Kit# 0433	Kit: 2 Bottles; 500 mL each	8/28/2000
Microgenics Corporation	EIA Serum Tox Calibrators 1,2,3,4	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 100 ng/mL, Bulk	Bottle: 5 L, 1 L, 500 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 100 ng/mL, Cat# 0044	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 100 ng/mL, Cat#1399	Bottle: 25 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 125 ng/mL, Bulk	Bottle: 5 L, 1 L, 500 mL	8/28/2000



### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Microgenics Corporation	EIA THC Urine Calibrator 125 ng/mL, Cat# 0212	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 125 ng/mL, Cat#1404	Bottle: 25 mL	8/28/2000
Microgenics Corporation	EIA THC urine Calibrator 20 ng/mL, Bulk	Bottle: 5 L, 1 L, 500 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 20 ng/mL, Cat# 0235	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 20 ng/mL, Cat#1397	Bottle: 25 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 200 ng/mL Cat# 0206	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 200 ng/mL Cat# 1400	Bottle: 25 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 200 ng/mL, Bulk	Bottle: 5 L, 1 L, 500 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 40 ng/mL, Bulk	Bottle: 5 L, 1 L, 500 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 40 ng/mL, Cat# 0170	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 40 ng/mL, Cat# 1401	Bottle: 25 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 50 ng/mL	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 50 ng/mL, Bulk	Bottle: 5 L, 1 L, 500 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 50 ng/mL, Cat#1398	Bottle: 25 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 60 ng/mL, Bulk	Bottle: 5 L, 1 L, 500 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 60 ng/mL, Cat# 0168	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 60 ng/mL, Cat# 1402	Bottle: 25 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 75 ng/mL, Bulk	Bottle: 5 L, 1 L, 500 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 75 ng/mL, Cat# 0214	Bottle: 5 mL	8/28/2000
Microgenics Corporation	EIA THC Urine Calibrator 75 ng/mL, Cat#1403	Bottle: 25 mL	8/28/2000
Microgenics Corporation	Methadone Reference Manufacturing Calibrator Spiking Solution	Carboy: 10 L	8/18/1995
Microgenics Corporation	MGC Clinical DAU Control Set, Catalog # 100201	Glass bottle: 7 mL; Kit: 6 glass bottles	10/12/2005
Microgenics Corporation	MGC Primary DAU Control Set, Catalog # 100200	Glass bottle: 7 mL; Kit: 6 glass bottles	10/12/2005
Microgenics Corporation	MGC Select DAU Control Set, Catalog # 100202	Glass bottle: 7 mL; Kit: 6 glass bottles	10/12/2005
Microgenics Corporation	Microgenics CEDIA Phenobarbital Assay 40 µg/mL, 80 µg/mL	Vial: 3.5 mL; Kit: 2 vials	11/13/1990
Microgenics Corporation	Microgenics MAS Tox Control Liquid Assayed Toxicology Control Level 1	Vial: 9 mL / Box: 6 vials	3/13/2008
Microgenics Corporation	Microgenics MAS Tox Control Liquid Assayed Toxicology Control Level 2	Vial: 9 mL / Box: 6 vials	3/13/2008
Microgenics Corporation	Microgenics MAS Tox Control Liquid Assayed Toxicology Control Level 3	Vial: 9 mL / Box: 6 vials	3/13/2008
Microgenics Corporation	Morphine Conjugate	Vial: 25 mL	12/1/1993
Microgenics Corporation	MULTIGENT Cannabinoids 100 Cal (3L41-03)	Plastic bottle: 6 mL	12/14/2007
Microgenics Corporation	MULTIGENT Cannabinoids 125 Control (3L41-16)	Plastic bottle: 6 mL	12/14/2007
Microgenics Corporation	MULTIGENT Cannabinoids 20 Cal (3L41-01)	Plastic bottle: 6 mL	12/14/2007
Microgenics Corporation	MULTIGENT Cannabinoids 200 Cal (3L41-04)	Plastic bottle: 6 mL	12/14/2007
Microgenics Corporation	MULTIGENT Cannabinoids 40 Control (3L41-10)	Plastic bottle: 6 mL	12/14/2007
Microgenics Corporation	MULTIGENT Cannabinoids 50 Cal (3L41-02)	Plastic bottle: 6 mL	12/14/2007
Microgenics Corporation	MULTIGENT Cannabinoids 60 Control (3L41-12)	Plastic bottle: 6 mL	12/14/2007
Microgenics Corporation	MULTIGENT Cannabinoids 75 Control (3L41-14)	Plastic bottle: 6 mL	12/14/2007
Microgenics Corporation	MULTIGENT DOA MC I Cal 1 (3L43-01)	Glass bottle: 11 mL	12/14/2007
Microgenics Corporation	MULTIGENT DOA MC I Cal 2 (3L43-02)	Glass bottle: 11 mL	12/14/2007
Microgenics Corporation	MULTIGENT DOA MC I Cal 3 (3L43-03)	Glass bottle: 11 mL	12/14/2007

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Microgenics Corporation	MULTIGENT DOA MC I Cal 4 (3L43-04)	Glass bottle: 11 mL	12/14/2007
Microgenics Corporation	MULTIGENT DOA MC I Control Set (3L43-10)	Kit: 2 glass bottles; Glass bottle: 6 mL	12/14/2007
Microgenics Corporation	MULTIGENT DOA MC II Control Set (3L42-10)	Kit: 4 glass bottles; Glass bottle: 6 mL	12/14/2007
Microgenics Corporation	MULTIGENT Ecstasy 1000 Cal (3L42-04)	Plastic bottle: 15 mL	12/14/2007
Microgenics Corporation	MULTIGENT Ecstasy 250 Cal (3L42-01)	Plastic bottle: 15 mL	12/14/2007
Microgenics Corporation	MULTIGENT Ecstasy 500 Cal (3L42-02)	Plastic bottle: 15 mL	12/14/2007
Microgenics Corporation	MULTIGENT Ecstasy 750 Cal (3L42-03)	Plastic bottle: 15 mL	12/14/2007
Microgenics Corporation	MULTIGENT Opiates 1000 Cal (3L34-04)	Plastic bottle: 6 mL	12/14/2007
Microgenics Corporation	MULTIGENT Opiates 150 Cal (3L34-01)	Plastic bottle: 6 mL	12/14/2007
Microgenics Corporation	MULTIGENT Opiates 300 Cal (3L34-02)	Plastic bottle: 6 mL	12/14/2007
Microgenics Corporation	MULTIGENT Opiates 500 Cal (3L34-03)	Plastic bottle: 6 mL	12/14/2007
Microgenics Corporation	MULTIGENT Opiates Low Control Set (3L34-10)	Kit: 2 glass bottles; Glass bottle: 6 mL	12/14/2007
Microgenics Corporation	Phenobarbital II Conjugate	Vial: 100 mL	10/10/1997
Microgenics Corporation	Phenobarbital Stock Solution	Flask: 100 mL	11/13/1990
Microgenics Corporation	Precitrol Unassayed 1, 2 and 3	Vial: 9 mL	3/20/1997
Microgenics Corporation	Propoxyphene Conjugate	Vial: 25 mL	11/30/1994
Microgenics Corporation	THC Conjugate	Vial: 25 mL	12/1/1993
New Jersey Department of Health	Urine Drug Screen, UT-1-0X, Specimen #X	Glass vial: 15 mL	5/17/2004
Nova Century Scientific, Inc.	DOA Urine Toxicology Control-Positive	Glass vial: 1-200 mL	12/16/2003
Nova Medical Solutions, Inc.	Nova-check Urine Toxicology Control-Positive	Glass vial: 1-200 mL	12/16/2003
OraSure Technologies, Inc.	4-Methoxyamphetamine Stock Solution	Vial: 4 mL	10/18/2000
OraSure Technologies, Inc.	6-Monoacetylmorphine Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Alprazolam Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Amobarbital Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Amphetamine Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Aprobarbital Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Barbital Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Benzoylcegonine Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Bromazepam Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Butabarbital Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Butalbital Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Chlordiazepoxide Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Clonazepam Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Clorazepate Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Cocaine Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Codeine Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Dextropropoxyphene Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Diazepam Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Ecgonine methyl ester Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Estazolam Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Fenfluramine Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Flurazepam Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Heroin Stock Solution	Vial: 4 mL	10/27/2000

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
OraSure Technologies, Inc.	Hexobarbital Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Hydrocodone Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Hydromorphone Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	LAAM Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Levorphanol Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Lorazepam Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	LSD Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Lysergic Acid Diethylamide Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	MDA Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	MDMA Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Medazepam Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Mephobarbital Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Methadone Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Methamphetamine Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Methaqualone Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Midazolam Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Morphine Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Nalorphine Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Nitrazepam Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Nordiazepam Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Normorphine Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Oxazepam Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Oxycodone Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Oxymorphone Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Pentobarbital Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Phencyclidine Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Phendimetrazine Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Phenobarbital Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Phentermine Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Prazepam Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Secobarbital Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Talbutal Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Temazepam Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	THC Stock Solution	Vial: 4 mL	10/27/2000
OraSure Technologies, Inc.	Triazolam Stock Solution	Vial: 4 mL	10/27/2000
Organon Teknika Corp.	Owren's Veronal Buffer for FIBRIQUIK	Bottle: 37 mL	5/7/1980
Organon Teknika Corp.	Simplastin	Vial: 4.7 mL, 7.3 mL, and 16.5 mL	3/13/1972
Organon Teknika Corp.	Simplastin-A	Vial: 7.3 mL	3/13/1972
Ortho-Clinical Diagnostics	Cal Kit 30	Bottle: 12 mL	8/1/2006
Ortho-Clinical Diagnostics	Calibrator Kit 26	Plastic bottle: 15 mL	5/8/2007
Ortho-Clinical Diagnostics	Calibrator Kit 30	Bottle: 20 mL	8/1/2006
Ortho-Clinical Diagnostics	HRP Conjugate Reagent	Bottle: 16.9 mL	7/1/1996

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Ortho-Clinical Diagnostics	VITROS Chemistry Products DAT Performance Verifier I, Catalog No. 680 2327	Bottle: 20 mL; Box: 6 bottles	5/26/2006
Ortho-Clinical Diagnostics	VITROS Chemistry Products DAT Performance Verifier II, Catalog No. 680 2328	Bottle: 20 mL; Box: 6 bottles	5/26/2006
Ortho-Clinical Diagnostics	VITROS Chemistry Products DAT Performance Verifier III, Catalog No. 680 2329	Bottle: 20 mL; Box: 6 bottles	5/26/2006
Ortho-Clinical Diagnostics	VITROS Chemistry Products DAT Performance Verifier IV, Catalog No. 680 2330	Bottle: 20 mL; Box: 6 bottles	5/26/2006
Ortho-Clinical Diagnostics	VITROS Chemistry Products DAT Performance Verifier V, Catalog No. 680 2331	Bottle: 20 mL; Box: 6 bottles	5/26/2006
Ortho-Clinical Diagnostics	VITROS Chemistry Products: Calibrator Kit 26	Bottle: 14 mL	5/19/2006
Ortho-Clinical Diagnostics	VITROS Chemistry Products: Calibrator Kit 9	Vial: 2 mL; Kit: 6 vials	5/17/2005
Ortho-Clinical Diagnostics	VITROS Chemistry Products: DT Control I	Vial: 3 mL, 5 mL; Kit: 24 vials	8/2/2005
Ortho-Clinical Diagnostics	VITROS Chemistry Products: DT Control II	Vial: 3 mL, 5 mL; Kit: 24 vials	8/2/2005
Ortho-Clinical Diagnostics	VITROS Chemistry Products: dTIBC Performance Verifier I	Vial: 3 mL, 5 mL; Kit: 12 vials	3/13/2006
Ortho-Clinical Diagnostics	VITROS Chemistry Products: dTIBC Performance Verifier II	Vial: 3 mL, 5 mL; Kit: 12 vials	3/13/2006
Ortho-Clinical Diagnostics	VITROS Chemistry Products: Performance Verifier I	Vial: 3 mL, 5 mL; Kit: 24 vials	5/17/2005
Ortho-Clinical Diagnostics	VITROS Chemistry Products: Performance Verifier II	Vial: 3 mL, 5 mL; Kit: 24 vials	5/17/2005
Ortho-Clinical Diagnostics	VITROS Chemistry Products: PHBR Slides	Cartridge: 18 slides; Box: 5 cartridges	5/17/2005
Ortho-Clinical Diagnostics	VITROS Chemistry Products: TDM Performance Verifier I	Vial: 2 mL; Kit: 6 vials	5/17/2005
Ortho-Clinical Diagnostics	VITROS Chemistry Products: TDM Performance Verifier II	Vial: 2 mL; Kit: 6 vials	5/17/2005
Ortho-Clinical Diagnostics	VITROS Chemistry Products: TDM Performance Verifier III	Vial: 2 mL; Kit: 6 vials	5/17/2005
Ortho-Clinical Diagnostics	Vitros Immunodiagnostic Products Total T4 Reagent Pack	Kit: 100 Tests	7/1/1996
Ortho-McNeil Pharmaceutical	Codeine-N-Oxide	Bottle: 2 mL	10/11/1995
Pantex	2nd Antiserum	Glass Bottle: 50 mL	8/3/2007
Pantex	Bulk 2nd Antiserum	Plastic vessel: 100 L	8/3/2007
Pantex	Immuno T3 Kit: (1)L-Triiodothyronine 125I (2)1st Antiserum (3)2nd Antiserum (4)Diluent (5)Standards	Kit Containing Bottle: (1)10 mL (2)10 mL (3)50 mL (4)5 mL (5)3 mL	1/4/1979
Pantex	Immuno-Digoxin Kit Containing: (1)Digoxin 125I (2)1st Antiserum (3) 2nd Antiserum (4)Diluent	Kit Containing Bottle: (1)10 mL (2)20 mL (3)50 mL (4)5 mL	1/4/1979
Pantex	Immuno-Estriol 125I Kit:2nd Antiserum	Bottle: 50 mL	1/4/1979
Pantex	Immuno-Estriol Kit: (1)Estril 3H RIA (2)Estril 3H Recovery (3)1st Antiserum (4)2nd Antiserum (5)Diluent (6)Buffer (7)Standards	Kit Containing Bottle: (1)10 mL (2)5 mL (3)10 mL (4)20 mL (5)100 mL (6)50 mL (7)5 mL	1/4/1979
Pantex	Immuno-T4 Kit: (1)Thyroxine 125I (2)1st Antiserum (3)2nd Antiserum (4)Diluent (5)Standards	Kit Containing Bottle: (1)100 mL, 1000 mL (2)50 mL (3)100 mL (4)5 mL (5)3 mL	1/4/1979
Pantex	Immuno-Testosterone 125I Kit: (1)Testosterone 125I (2)1st Antiserum (3)2nd Antiserum (4)Diluent (5)Standards	Kit Containing Bottle: (1)10 mL (2)10 mL (3)50 mL (4)100 mL (5)5 mL	1/4/1979
Pantex	T3 Uptake Kit: L-Triiodothyronine 125I	Bottle: 100 mL, 1000 mL	1/4/1979
Perkin-Elmer Corporation	Amphetamine Polarization Fluoroimmunoassay Kit	Kit: 100 tests	12/18/1986
Perkin-Elmer Corporation	Barbiturates Polarization Fluoroimmunoassay Kit	Kit: 100 tests	12/18/1986
Perkin-Elmer Corporation	Cocaine Polarization Fluoroimmunoassay Kit	Kit: 100 tests	12/18/1986
Perkin-Elmer Corporation	Methadone Polarization Fluoroimmunoassay Kit	Kit: 100 tests	12/18/1986
Perkin-Elmer Corporation	Morphine Polarization Fluoroimmunoassay Kit	Kit: 100 tests	12/18/1986

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Perkin-Elmer Corporation	Opiates Polarization Fluoroimmunoassay Kit	Kit: 100 tests	12/18/1986
PerkinElmer Life Sciences	(+)-Lysergic acid diethylamide, [N-methyl-3H]-, NET-638 (250 µCi)	Nensure Vial: 0.5 mL	11/15/2002
PerkinElmer Life Sciences	(+)-Pentazocine, [ring-1,3-3H]- NET-1056 (25 µCi, 250 µCi, 1 mCi)	Nensure Vial: 1.5 mL	11/15/2002
PerkinElmer Life Sciences	Androst-4-ene-3,17-dione, [1,2,6,7-3H(N)]-, NET-469 (1 mCi)	Vial: 1.0 mL	4/11/2006
PerkinElmer Life Sciences	Androst-4-ene-3,17-dione, [1,2,6,7-3H(N)]-, NET-469 (250 µCi)	Vial: 1.0 mL	4/11/2006
PerkinElmer Life Sciences	Androst-4-ene-3,17-dione, [1b-3H(N)]-, NET-926 (1 mCi)	Vial: 1.0 mL	4/11/2006
PerkinElmer Life Sciences	Androst-4-ene-3,17-dione, [1b-3H(N)]-, NET-926 (250 µCi)	Vial: 1.0 mL	4/11/2006
PerkinElmer Life Sciences	Androst-4-ene-3,17-dione, [1b-3H(N)]-, NET-926 (5 mCi)	Vial: 5.0 mL	4/11/2006
PerkinElmer Life Sciences	Androst-4-ene-3,17-dione, [4-14C]-, NET-136 (10 µCi)	Vial: 1.0 mL	4/11/2006
PerkinElmer Life Sciences	Androst-4-ene-3,17-dione, [4-14C]-, NET-136 (50 µCi)	Vial: 5.0 mL	4/11/2006
PerkinElmer Life Sciences	Androstane-3a,17b-diol, 5a-[9,11-3H(N)]-, NET-806 (250 µCi)	Vial: 0.5 mL	4/11/2006
PerkinElmer Life Sciences	Cocaine, levo-[benzoyl-3,4-3H(N)]-, NET-510 (100 µCi, 250 µCi)	Nensure Vial: 0.5 mL	11/15/2002
PerkinElmer Life Sciences	Diazepam, [methyl-3H]-, NET-564 (250 µCi)	Nensure Vial: 0.5 mL	11/15/2002
PerkinElmer Life Sciences	Dihydrotestosterone, [1,2,4,5,6,7-3H(N)]-, NET-453 (250 µCi, 1 mCi)	Nensure Vial: 1.5 mL	11/15/2002
PerkinElmer Life Sciences	Dihydrotestosterone, [1,2-3H(N)]-, NET-302 (250 µCi, 1 mCi)	Nensure Vial: 1.5 mL	11/15/2002
PerkinElmer Life Sciences	Dihydrotestosterone, [4-14C]-, NEC-607 (10 µCi)	Nensure Vial: 5.0 mL	11/15/2002
PerkinElmer Life Sciences	Diprenorphine, [15,16-3H]-, NET-1121 (25 µCi, 250 µCi)	Nensure Vial: 0.5 mL	5/1/2001
PerkinElmer Life Sciences	Flunitrazepam, [methyl-3H]-, NET-567 (25 µCi, 250 µCi, 1 mCi)	Nensure Vial: 1.5 mL	11/15/2002
PerkinElmer Life Sciences	Mazindol, [4'-3H], NET-816 (250 µCi)	Nensure Vial: 1.5 mL	11/15/2002
PerkinElmer Life Sciences	Methyltrienolone, [17a-methyl-3H]-, NET-590 (1 mCi)	Vial: 5.0 mL	4/11/2006
PerkinElmer Life Sciences	Methyltrienolone, [17a-methyl-3H]-, NET-590 (250 µCi)	Vial: 0.5 mL	4/11/2006
PerkinElmer Life Sciences	Mibolerone, [17-α-methyl-3H], NET-919 (250 µCi, 1 mCi)	Nensure Vial: 1.5 mL	11/15/2002
PerkinElmer Life Sciences	Mibolerone, NLP-024	Nensure Vial: 5 mL	11/15/2002
PerkinElmer Life Sciences	Morphine, [N-methyl-3H]-, NET-653 (250 µCi)	Nensure Vial: 0.5 mL	11/15/2002
PerkinElmer Life Sciences	TCP, [piperidyl-3,4-3H(N)]-, NET-886 (25 µCi, 250 µCi, 1 mCi)	Nensure Vial: 0.5 mL, 5.0 mL	11/15/2002
PerkinElmer Life Sciences	Testosterone, [1,2,6,7,16,17-3H(N)]-, NET-553 (250 µCi, 1 mCi)	Nensure Vial: 1.5 mL	11/15/2002
PerkinElmer Life Sciences	Testosterone, [1,2,6,7-3H]-, NET-370 (250 µCi, 1 mCi)	Nensure Vial: 1.5 mL	11/15/2002
PerkinElmer Life Sciences	Testosterone, [1-α, 2-α-3H]-, NET-387 (250 µCi, 1 mCi)	Nensure Vial: 1.5 mL	11/15/2002
PerkinElmer Life Sciences	Testosterone, [4-14C]-, NEC-101 (10 µCi, 50 µCi, 250 µCi)	Nensure Vial: 1.5 mL, 5.0 mL; Combivial: 10 mL	11/15/2002
Pharmacia & Upjohn Co. LLC	AD-EX	Closed processing system	6/1/2006
Pharmacia & Upjohn Co. LLC	AD-F	Vessel: 10,000-15,000 L	6/1/2006
Prestwick Chemical Inc.	Prestwick Chemical Library	96 Microtube Plate	5/21/2001
Princeton Separations, Inc.	Panagel 16	Pouch: 1 slide	6/29/1987
Princeton Separations, Inc.	Panagel 8	Pouch: 1 slide	6/29/1987
Princeton Separations, Inc.	Panagel Electrobuffer	Fiber Drum: 25 kg	6/29/1987
Princeton Separations, Inc.	Panagel Electrode Buffer	Pouch: 18.3 gms	6/29/1987
Princeton Separations, Inc.	Panagel LD Isoenzyme Electrode Buffer	Pouch: 11.85 gms	6/29/1987
Princeton Separations, Inc.	Panagel LD Isoenzyme Slide	Pouch: 1 slide	6/29/1987
QMP-LS	Endocrine Material	Glass vial: 7 mL; Box (Flat): 140-200 vials	7/31/2003
Quality Assurance Service Corp.	Q.A. Toxicology Blood Controls	Vial: 6mL, 12 mL Plastic bottle: 60 mL, 90 mL, 250 mL, 625 mL; Glass bottle: 6-100 mL	1/23/1990

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Quality Assurance Service Corp.	Q.A. Toxicology Serum Controls	Vial: 6mL, 12 mL Plastic bottle: 60 mL, 90 mL, 250 mL, 625 mL; Glass bottle: 6-100 mL	1/23/1990
Quality Assurance Service Corp.	Q.A. Toxicology Urine Controls	Vial: 6mL, 12 mL Plastic bottle: 60 mL, 90 mL, 250 mL, 625 mL; Glass bottle: 6-100 mL	1/23/1990
Quantimetrix	Quantimetrix Anticonvulsant Serum Drug Control, Liquid Level II Control No. 17-0303-2	Polyethylene Dropper Bottle: 15 mL	4/16/1986
Quantimetrix	Quantimetrix Antidepressant Serum Drug Control, Liquid Level I Control No. 17-0303-1	Polyethylene Dropper Bottle: 15 mL	4/16/1986
Quantimetrix	Quantimetrix Antidepressant Serum Drug Control, Liquid Level I Control No. 17-0305-1	Polyethylene Dropper Bottle: 15 mL	4/16/1986
Quantimetrix	Quantimetrix Antidepressant Serum Drug Control, Liquid Level II Control No. 17-0305-2	Polyethylene Dropper Bottle: 15 mL	4/16/1986
Quantimetrix	Urine Drugs of Abuse Control Catalog No. 12-2411-1	Dropper Bottle: 15 mL	2/23/1987
Quantimetrix Corporation	C.f.a.s. DAT Qualitative Plus	Bottle: 5.5 mL; Box: 6 bottles	3/14/2002
Quantimetrix Corporation	Drugs of Abuse Urine Screen Control Level 2, Catalog # 1492-31	Bottle: 5 mL; Box: 3 bottles	12/27/2001
Quantimetrix Corporation	Drugs of Abuse Urine Screen Control Level 3/2000 Opiates, Catalog # 1494-31	Bottle: 5 mL; Box: 3 bottles	12/27/2001
Quantimetrix Corporation	Drugs of Abuse Urine Screen Control Level 3/300 Opiates, Catalog # 1493-31	Bottle: 5 mL; Box: 3 bottles	12/27/2001
Quantimetrix Corporation	PreciControl DAT Set 1 PreciPos and PreciNeg	Bottle: 10.5 mL; Box: 4 bottles	3/14/2002
Quantimetrix Corporation	PreciControl DAT Set 2 PreciPos and PreciNeg	Bottle: 10.5 mL; Box: 4 bottles	3/14/2002
Quantimetrix Corporation	PreciControl DAT Set 3 PreciPos and PreciNeg	Bottle: 10.5 mL; Box: 4 bottles	3/14/2002
Quantimetrix Corporation	Preciset DAT Plus Set 1 Level 1-6	Bottle: 5.5 mL; Box: 6 bottles	3/14/2002
Quantimetrix Corporation	Preciset DAT Plus Set 2 Level 1-6	Bottle: 5.5 mL; Box: 6 bottles	3/14/2002
Quest Diagnostics	High GC/MS Control	Glass vial: 30 mL	12/13/2002
R&D Systems, Inc.	Testosterone Standard	Glass vial: 4 mL	3/11/2008
RCPA-AACB Chemical Pathology QAP	Endocrine Material	Glass vial: 15 mL; Box (Flat): 140-200 vials	7/31/2003
Research Biochemicals International	Glutethimide in Ethylene Glycol	Bottle: 100 mL	2/21/1998
Research Triangle Institute	11-Nor-9-carboxy-delta-9 THC Blood Standards Kit.	Kit Containing: 18-21 mL Ampules; 1-5 mL Ampule	10/26/1981
Research Triangle Institute	11-Nor-9-carboxy-delta-9 THC Plasma Standards Kit.	Kit Containing: 18-21 mL Ampules; 1-5 mL Ampule	10/26/1981
Research Triangle Institute	Delta-9 THC Blood Standards Kit	Kit Containing: 16-2 mL Ampules; 1-5 mL Ampule	10/26/1981
Research Triangle Institute	Delta-9 THC Plasma Standards Kit	Kit Containing: 16-2 mL Ampules; 1-5 mL Ampule	11/2/1981
Research Triangle Institute	Iodine Kit for Radioimmunoassay of 11-Nor-9-carboxy-delta-9 THC in Blood	Kit Containing: 26-1 mL Ampules; 2-20 mL Vials; 2-250 mL Bottles	10/26/1981
Research Triangle Institute	Iodine Kit for Radioimmunoassay of 11-Nor-9-carboxy-delta-9 THC in Plasma	Kit Containing: 24-1 mL Ampules; 2-20 mL Vials; 2-250 mL Bottles	10/26/1981

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Research Triangle Institute	Iodine Kit for Radioimmunoassay of Delta-9 THC	Kit Containing:20-1 mL Ampules; 2-20 mL Vials; 2-250 mL Bottles	10/20/1980
Research Triangle Institute	Iodine Kit for Radioimmunoassay of Delta-9 THC in Blood	Kit Containing: 22-1 mL Ampules; 2-20 mL Vials; 2-250 mL Bottles	7/10/1981
Research Triangle Institute	Tritium Kit for Radioimmunoassay of Delta-9 THC	Kit Containing: 20-1 mL Ampules; 2- 20 mL Vials; 2-250 mL Bottles	6/27/1980
Restek Corporation	(+/-) 11-nor-9-carboxy-delta-9-THC Standard	Glass ampule: 2 mL	6/26/2007
Restek Corporation	3,4-MDA HCl Standard	Glass ampule: 2 mL	1/12/2007
Restek Corporation	3,4-MDEA HCl Standard	Glass ampule: 2 mL	1/12/2007
Restek Corporation	3,4-MDMA HCl Standard	Glass ampule: 2 mL	1/12/2007
Restek Corporation	Alprazolam	Ampule: 2 mL	1/8/1993
Restek Corporation	Amobarbital	Ampule: 2 mL	1/8/1993
Restek Corporation	Amphetamine	Ampule: 2 mL	1/8/1993
Restek Corporation	Appendix IX Mix #1	Glass ampule: 2 mL	6/12/2007
Restek Corporation	Appendix IX Mix #1	Ampule: 2 mL	8/3/2000
Restek Corporation	Aprobarbital	Ampule: 2 mL	1/8/1993
Restek Corporation	Barbital	Ampule: 2 mL	1/8/1993
Restek Corporation	Benzoylcegonine	Ampule: 2 mL	1/8/1993
Restek Corporation	Benzphetamine	Ampule: 2 mL	1/8/1993
Restek Corporation	Bromazepam	Ampule: 2 mL	1/8/1993
Restek Corporation	Butabarbital	Ampule: 2 mL	1/8/1993
Restek Corporation	Butalbital	Ampule: 2 mL	1/8/1993
Restek Corporation	Cannabidiol delta-8	Ampule: 2 mL	1/8/1993
Restek Corporation	Cannabinol	Ampule: 2 mL	1/8/1993
Restek Corporation	Chloral Hydrate, Cat. # 30609	Glass ampule: 2 mL	8/24/2004
Restek Corporation	Chlordiazepoxide	Ampule: 2 mL	1/8/1993
Restek Corporation	Clobazam	Ampule: 2 mL	1/8/1993
Restek Corporation	Clonazepam	Ampule: 2 mL	1/8/1993
Restek Corporation	Cocaethylene	Ampule: 2 mL	1/8/1993
Restek Corporation	Cocaethylene Standard	Glass ampule: 2 mL	9/5/2007
Restek Corporation	Cocaine	Ampule: 2 mL	1/8/1993
Restek Corporation	Codeine	Ampule: 2 mL	1/8/1993
Restek Corporation	Custom 8270/625 Custom Mix #4, Cat. # 553473	Glass ampule: 2 mL	1/6/2003
Restek Corporation	Custom d-9-THC-TMS Derivative Standard, Catalog # 559938	Glass ampule: 2 mL	3/7/2006
Restek Corporation	Custom Revised Appendix IX Add On Kit / Ampule #2	Glass ampule: 2 mL	5/30/2007
Restek Corporation	Delta-9-THC Standard	Glass ampule: 2 mL	1/12/2007
Restek Corporation	Derivatized THC, Catalog # G1540-85010	Glass ampule: 2 mL	9/13/2006
Restek Corporation	Desmethyl Diazepam	Ampule: 2 mL	1/8/1993
Restek Corporation	Diacetylmorphine	Ampule: 2 mL	1/8/1993
Restek Corporation	Diazepam	Ampule: 2 mL	1/8/1993
Restek Corporation	Ecgonine	Ampule: 2 mL	1/8/1993
Restek Corporation	Ecgonine methyl ester	Ampule: 2 mL	1/8/1993
Restek Corporation	EPA Exempt Mix #1	Glass ampule: 2 mL	6/12/2007

## Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Restek Corporation	EPA Exempt Mix #1	Ampule: 1.25 mL	3/18/1994
Restek Corporation	EPA Exempt Mix #2	Ampule: 1.25 mL	3/18/1994
Restek Corporation	EPA Exempt Mix #3	Ampule: 1.25 mL	3/18/1994
Restek Corporation	Ethylmorphine HCl Standard	Ampule: 2 mL	8/9/2007
Restek Corporation	Fenfluramine	Ampule: 2 mL	1/8/1993
Restek Corporation	Fentanyl	Ampule: 2 mL	1/8/1993
Restek Corporation	Fentanyl Citrate Standard	Glass ampule: 2 mL	1/12/2007
Restek Corporation	Flunitrazepam	Ampule: 2 mL	1/8/1993
Restek Corporation	Flurazepam	Ampule: 2 mL	1/8/1993
Restek Corporation	Forensic Drug Screen Internal Standard Solution 1 rev A	Glass ampule: 2 mL	6/12/2007
Restek Corporation	Forensic Drug Screen System Test Mixture 1 rev A	Glass ampule: 2 mL	6/12/2007
Restek Corporation	GHB Standard	Glass ampule: 2 mL	1/12/2007
Restek Corporation	Glutethimide	Ampule: 2 mL	1/8/1993
Restek Corporation	Hexobarbital	Ampule: 2 mL	1/8/1993
Restek Corporation	Hydrocodone	Ampule: 2 mL	1/8/1993
Restek Corporation	Hydromorphone HCl Standard	Glass ampule: 2 mL	9/5/2007
Restek Corporation	LAMPA Standard	Glass ampule: 2 mL	1/12/2007
Restek Corporation	Levorphanol	Ampule: 2 mL	1/8/1993
Restek Corporation	Lorazepam	Ampule: 2 mL	1/8/1993
Restek Corporation	LS4434 Mix #1	Ampule: 2 mL	8/29/2007
Restek Corporation	LSD Standard, 100 µg/mL in Acetonitrile	Glass ampule: 2 mL	4/26/2007
Restek Corporation	LSD Standard, 25 µg/mL in Acetonitrile	Glass ampule: 2 mL	4/26/2007
Restek Corporation	Medazepam	Ampule: 2 mL	1/8/1993
Restek Corporation	Meperidine	Ampule: 2 mL	1/8/1993
Restek Corporation	Mephobarbital	Ampule: 2 mL	1/8/1993
Restek Corporation	Meprobamate	Ampule: 2 mL	1/8/1993
Restek Corporation	Methadone	Ampule: 2 mL	1/8/1993
Restek Corporation	Methamphetamine	Ampule: 2 mL	1/8/1993
Restek Corporation	Methaqualone HCl Standard	Glass ampule: 2 mL	9/5/2007
Restek Corporation	Methohexital	Ampule: 2 mL	1/8/1993
Restek Corporation	Methypylon	Ampule: 2 mL	1/8/1993
Restek Corporation	Morphine	Ampule: 2 mL	1/8/1993
Restek Corporation	Nitrazepam	Ampule: 2 mL	1/8/1993
Restek Corporation	Oxazepam	Ampule: 2 mL	1/8/1993
Restek Corporation	Oxycodone	Ampule: 2 mL	1/8/1993
Restek Corporation	Oxymorphone Standard	Glass ampule: 2 mL	9/5/2007
Restek Corporation	Pentazocine	Ampule: 2 mL	1/8/1993
Restek Corporation	Pentobarbital	Ampule: 2 mL	1/8/1993
Restek Corporation	Phencyclidine	Ampule: 2 mL	1/8/1993
Restek Corporation	Phendimetrazine	Ampule: 2 mL	1/8/1993
Restek Corporation	Phenmetrazine	Ampule: 2 mL	1/8/1993
Restek Corporation	Phenobarbital	Ampule: 2 mL	1/8/1993
Restek Corporation	Phentermine	Ampule: 2 mL	1/8/1993



**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Restek Corporation	Prazepam	Ampule: 2 mL	1/8/1993
Restek Corporation	Propoxyphene	Ampule: 2 mL	1/8/1993
Restek Corporation	Secobarbital	Ampule: 2 mL	1/8/1993
Restek Corporation	Talbutal	Ampule: 2 mL	1/8/1993
Restek Corporation	Temazepam	Ampule: 2 mL	1/8/1993
Restek Corporation	Tetrahydrocannabinol 11-nor delta-9-THC-carboxylic acid	Ampule: 2 mL	1/8/1993
Restek Corporation	Tetrahydrocannabinol delta-9	Ampule: 2 mL	1/8/1993
Restek Corporation	Thebaine	Ampule: 2 mL	1/8/1993
Restek Corporation	Thiamylal	Ampule: 2 mL	1/8/1993
Restek Corporation	Thiopental	Ampule: 2 mL	1/8/1993
Restek Corporation	Triazolam	Ampule: 2 mL	1/8/1993
Roche Diagnostics Corporation	0.25X Multi-Analyte 6 in 1 Standards, material no. 03385507001	Glass bottle: 500 mL	4/13/2005
Roche Diagnostics Corporation	0.25X Multi-Analyte 6 in 1 Standards, Part # 001485400	Bottle: 50 mL	1/21/2000
Roche Diagnostics Corporation	0.25X Multi-Analyte 6 in 1 Standards, Part # 001485500	Bottle: 500 mL	1/21/2000
Roche Diagnostics Corporation	0.25X Multi-Analyte NIDA 5 Standards, Part # 001816100	Bottle: 50 mL	1/21/2000
Roche Diagnostics Corporation	0.25X Multi-Analyte NIDA 5 Standards, Part # 001816200	Bottle: 500 mL	1/21/2000
Roche Diagnostics Corporation	0.25X Multi-Analyte NIDA 5 Standards, Part # 001816200	Bottle: 50 mL	9/19/2000
Roche Diagnostics Corporation	0.5X Multi-Analyte 6 in 1 Standards, material no. 03385523001	Glass bottle: 500 mL	4/13/2005
Roche Diagnostics Corporation	0.5X Multi-Analyte 6 in 1 Standards, Part # 001485600	Bottle: 50 mL	1/21/2000
Roche Diagnostics Corporation	0.5X Multi-Analyte 6 in 1 Standards, Part # 001485700	Bottle: 500 mL	1/21/2000
Roche Diagnostics Corporation	0.5X Multi-Analyte NIDA 5 Standards, Part # 001816300	Bottle: 50 mL	1/21/2000
Roche Diagnostics Corporation	0.5X Multi-Analyte NIDA 5 Standards, Part # 001816400	Bottle: 500 mL	1/21/2000
Roche Diagnostics Corporation	1.5X Multi-Analyte 6 in 1 Standards, material no. 03385566001	Glass bottle: 500 mL	4/13/2005
Roche Diagnostics Corporation	1.5X Multi-Analyte 6 in 1 Standards, Part # 001486000	Bottle: 50 mL	1/21/2000
Roche Diagnostics Corporation	1.5X Multi-Analyte 6 in 1 Standards, Part # 001486100	Bottle: 500 mL	1/21/2000
Roche Diagnostics Corporation	1.5X Multi-Analyte NIDA 5 Standards, Part # 001816700	Bottle: 50 mL	1/21/2000
Roche Diagnostics Corporation	1.5X Multi-Analyte NIDA 5 Standards, Part # 001816800	Bottle: 500 mL	1/21/2000
Roche Diagnostics Corporation	1X Multi-Analyte 6 in 1 Standards, material no. 03385540001	Glass bottle: 500 mL	4/13/2005
Roche Diagnostics Corporation	1X Multi-Analyte 6 in 1 Standards, Part # 001485800	Bottle: 50 mL	1/21/2000
Roche Diagnostics Corporation	1X Multi-Analyte 6 in 1 Standards, Part # 001485900	Bottle: 500 mL	1/21/2000
Roche Diagnostics Corporation	1X Multi-Analyte NIDA 5 Standards, Part # 001816500	Bottle: 50 mL	1/21/2000
Roche Diagnostics Corporation	1X Multi-Analyte NIDA 5 Standards, Part # 001816600	Bottle: 500 mL	1/21/2000
Roche Diagnostics Corporation	2X Multi-Analyte 6 in 1 Standards, material no. 03385582001	Glass bottle: 500 mL	4/13/2005
Roche Diagnostics Corporation	2X Multi-Analyte 6 in 1 Standards, Part # 001486200	Bottle: 50 mL	1/21/2000
Roche Diagnostics Corporation	2X Multi-Analyte 6 in 1 Standards, Part # 001486300	Bottle: 500 mL	1/21/2000
Roche Diagnostics Corporation	2X Multi-Analyte NIDA 5 Standards, Part # 001816900	Bottle: 50 mL	1/21/2000
Roche Diagnostics Corporation	2X Multi-Analyte NIDA 5 Standards, Part # 001817000	Bottle: 500 mL	1/21/2000
Roche Diagnostics Corporation	Abuscreen Calibration Standard for Amphetamine	Kit: 2 Vials	10/12/1987
Roche Diagnostics Corporation	Abuscreen Calibration Standard for Barbiturate	Kit: 2 Vials	10/12/1987
Roche Diagnostics Corporation	Abuscreen Calibration Standard for Cannabinoids	Kit: 2 Vials	10/12/1987
Roche Diagnostics Corporation	Abuscreen Calibration Standard for Cocaine Metabolite	Kit: 2 Vials	10/12/1987
Roche Diagnostics Corporation	Abuscreen Calibration Standard for LSD (Lysergic Acid Diethylamide)	Kit: 2 Vials	10/12/1987

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Roche Diagnostics Corporation	Abuscreen Calibration Standard for Methamphetamine (High Specificity)	Kit: 2 vials	5/27/1992
Roche Diagnostics Corporation	Abuscreen Calibration Standard for Morphine	Kit: 2 Vials	10/12/1987
Roche Diagnostics Corporation	Abuscreen Calibration Standard for Phencyclidine (PCP)	Kit: 2 Vials	10/12/1987
Roche Diagnostics Corporation	Abuscreen ONLINE Benzoylecgonine Microparticle Reagent	Bottle: 4.5 L	3/31/1994
Roche Diagnostics Corporation	ABUSCREEN Online C.f.a.s. DAT CAL Levels 5, 6, 7, 8	Kit: 4 vials/level; 3 mL each	8/5/1999
Roche Diagnostics Corporation	Abuscreen ONLINE Calibration Pack	Kit: 8 vials	5/18/1992
Roche Diagnostics Corporation	Abuscreen ONLINE Calibrator Level 3	Pack: 6 vials	5/18/1992
Roche Diagnostics Corporation	Abuscreen OnLine Cannabinoids Cat# 3016650	Kit: 3 bottles	2/28/2000
Roche Diagnostics Corporation	Abuscreen ONLINE Cannabinoids Microparticle Reagent	Bottle: 4.5 L	3/31/1994
Roche Diagnostics Corporation	Abuscreen ONLINE Cannabinoids THC Cat. No. 1986554	Bottle: 100 mL	9/1/1999
Roche Diagnostics Corporation	Abuscreen OnLine Cocaine Bulk Microparticle Reagent for COBAS; Part #003686300	Vessel: 2000 L	8/30/2000
Roche Diagnostics Corporation	Abuscreen OnLine Cocaine Bulk Microparticle Reagent for Hitachi; Part #003686400	Vessel: 2000 L	8/30/2000
Roche Diagnostics Corporation	Abuscreen OnLine Cocaine Metabolite Cat# 3016692	Kit: 3 bottles	2/28/2000
Roche Diagnostics Corporation	Abuscreen ONLINE Cocaine Metabolite Cat. No. 1986503	Bottle: 100 mL	9/1/1999
Roche Diagnostics Corporation	Abuscreen ONLINE for Cannabinoids-ES 50/100	Kit: 3 Vials; 1000 tests	6/27/1996
Roche Diagnostics Corporation	Abuscreen ONLINE for Cocaine Metabolite	Kit: 100, 1000, 8000 Tests	3/19/1991
Roche Diagnostics Corporation	Abuscreen ONLINE for Cocaine Metabolites, Cat# 1986040	Vial: 20 mL	11/3/1998
Roche Diagnostics Corporation	Abuscreen ONLINE for Cocaine Metabolites, Cat# 1986155	Vial: 70 mL	11/3/1998
Roche Diagnostics Corporation	Abuscreen ONLINE for LSD	Kit: 3 Vials; 1000 tests	6/27/1996
Roche Diagnostics Corporation	Abuscreen ONLINE for Opiates	Kit: 100, 1000, 8000 Tests	3/19/1991
Roche Diagnostics Corporation	Abuscreen ONLINE for THC	Vial: 100, 1000, 8000 Tests	3/19/1991
Roche Diagnostics Corporation	Abuscreen ONLINE for THC, Cat# 1986031	Vial: 20 mL	11/3/1998
Roche Diagnostics Corporation	Abuscreen ONLINE for THC, Cat# 1986147	Vial: 70 mL	11/3/1998
Roche Diagnostics Corporation	Abuscreen OnLine II for Opiates 300/2000	Kit: 90 & 720 mL	2/5/1998
Roche Diagnostics Corporation	Abuscreen OnLine LSD Bulk Microparticle Reagent for COBAS; Part #003464100	Vessel: 2000 L	8/30/2000
Roche Diagnostics Corporation	Abuscreen OnLine LSD Bulk Microparticle Reagent for Hitachi; Part #003463700	Vessel: 2000 L	8/30/2000
Roche Diagnostics Corporation	Abuscreen OnLine LSD Calibration/Control Pack	Kit: 3 vials, 10 mL each	4/23/1998
Roche Diagnostics Corporation	Abuscreen OnLine LSD Calibration/Control Pack Cat. # 0766356	Kit: 5 vials, 10 mL each	11/7/2000
Roche Diagnostics Corporation	Abuscreen OnLine Methadone 911/912 Kit 1986511	Bottle: 50 mL	7/25/2000
Roche Diagnostics Corporation	Abuscreen OnLine Methadone 917 Kit 1986104	Bottle: 70 mL	7/25/2000
Roche Diagnostics Corporation	Abuscreen OnLine Methadone 917 Universal Kit 1986007	Bottle: 20 mL	7/25/2000
Roche Diagnostics Corporation	Abuscreen OnLine Methadone Bulk Microparticle Reagent for COBAS Part #003312000	Plastic vessel: 2000 L	7/25/2000
Roche Diagnostics Corporation	Abuscreen OnLine Methadone Bulk Microparticle Reagent for Hitachi Part #003311900	Plastic vessel: 2000 L	7/25/2000
Roche Diagnostics Corporation	Abuscreen OnLine Methadone Conjugate Part #003311700	Bottle: 1, 2, 5, 10, or 20 L	7/25/2000
Roche Diagnostics Corporation	Abuscreen OnLine Methadone DAT Module Kit 3016714	Bottle: 330 mL	7/25/2000
Roche Diagnostics Corporation	Abuscreen OnLine Methadone H717/AU800 Kit 43444	Bottle: 200 mL	7/25/2000

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Roche Diagnostics Corporation	Abuscreen OnLine Methadone H747/AU5200 Kit 43570	Bottle: 1600 mL	7/25/2000
Roche Diagnostics Corporation	Abuscreen OnLine Methadone Integra 400/700 Cassette 0738034	Bottle: 12.5 mL	7/25/2000
Roche Diagnostics Corporation	Abuscreen OnLine Methadone Mira/Fara Kit 43443	Bottle: 4 mL	7/25/2000
Roche Diagnostics Corporation	Abuscreen OnLine Methadone Stock Latex Part #003311800	Plastic vessel: 5, 10, 20, 45, 50, 60, 115, 200, 400, 800 or 1200 L	7/25/2000
Roche Diagnostics Corporation	Abuscreen OnLine Morphine Bulk Microparticle Reagent for COBAS; Part #003539900	Vessel: 2000 L	8/30/2000
Roche Diagnostics Corporation	Abuscreen OnLine Morphine Bulk Microparticle Reagent for Hitachi; Part #003563100	Vessel: 2000 L	8/30/2000
Roche Diagnostics Corporation	Abuscreen ONLINE Negative Control Cat. #42321	Vial: 5 mL; Box: 6 vials	9/21/2000
Roche Diagnostics Corporation	Abuscreen OnLine NIDA 5 Benzodiazepine 300 ng/mL Calibrator; Cat.# 43442	Bottle: 54 mL	7/19/2000
Roche Diagnostics Corporation	Abuscreen Online Opiates 20 mL Kit, Cat# 1985990	Bottle: 20 mL; 140 Test Kits	7/6/1999
Roche Diagnostics Corporation	Abuscreen Online Opiates 70 mL Kit, Cat# 1986082	Bottle: 70 mL; 300 Test Kits	7/6/1999
Roche Diagnostics Corporation	Abuscreen ONLINE Opiates Calibration Pack	Box: 6 vials; 7 mL each	6/2/1999
Roche Diagnostics Corporation	ABUSCREEN Online Opiates Calibration Pack (Levels 1, 2, 3, 4, 5, 6)	Kit: 6 vials; 3 mL each	8/18/1999
Roche Diagnostics Corporation	Abuscreen OnLine Opiates Cat# 3016749	Kit: 2 bottles	2/28/2000
Roche Diagnostics Corporation	Abuscreen ONLINE Opiates Cat. No. 1986520	Bottle: 50 mL	9/1/1999
Roche Diagnostics Corporation	ABUSCREEN Online Opiates Control Pack	Kit: 6 vials; 4 mL each	8/19/1999
Roche Diagnostics Corporation	Abuscreen ONLINE Opiates Control Pack	Box: 6 vials; 10 mL each	6/2/1999
Roche Diagnostics Corporation	Abuscreen ONLINE Opiates Microparticle Reagent	Bottle: 4.5 L	3/31/1994
Roche Diagnostics Corporation	Abuscreen ONLINE Positive Control	Pack: 6 vials	5/18/1992
Roche Diagnostics Corporation	Abuscreen Online Preciset DAT I Cal Pack	Vial: 5 mL; Kit: 8 vials	12/29/1998
Roche Diagnostics Corporation	Abuscreen Online Preciset DAT II Cal Pack	Vial: 5 mL; Kit: 4 vials	12/29/1998
Roche Diagnostics Corporation	Abuscreen ONLINE Serum Barbiturates Calibrators	Box: 5 vials; 5 mL each	6/2/1999
Roche Diagnostics Corporation	Abuscreen ONLINE Serum Benzodiazepine Calibrators	Box: 5 vials; 5 mL each	6/2/1999
Roche Diagnostics Corporation	Abuscreen OnLine THC Bulk Microparticle Reagent for COBAS; Part #003818200	Vessel: 2000 L	8/30/2000
Roche Diagnostics Corporation	Abuscreen OnLine THC Bulk Microparticle Reagent for Hitachi; Part #003468300	Vessel: 2000 L	8/30/2000
Roche Diagnostics Corporation	Abuscreen OnLine THC Bulk Microparticle Reagent for Hitachi; Part #003818300	Vessel: 2000 L	8/30/2000
Roche Diagnostics Corporation	Abuscreen ONLINE THC Positive Control	Kit: 6 vials; 4 mL/vial	3/22/1993
Roche Diagnostics Corporation	Abuscreen ONTRAK Amphetamine	Kit: 50 tests, 100 tests	3/14/1988
Roche Diagnostics Corporation	Abuscreen ONTRAK Amphetamine Positive Control	Vial: 4 mL	3/14/1988
Roche Diagnostics Corporation	Abuscreen ONTRAK Barbiturate	Kit: 50 tests, 100 tests	3/14/1988
Roche Diagnostics Corporation	Abuscreen ONTRAK Barbiturates Positive Control	Vial: 4 mL	3/14/1988
Roche Diagnostics Corporation	Abuscreen ONTRAK Benzodiazepines	Kit: 50 Tests, 100 Tests	5/3/1991
Roche Diagnostics Corporation	Abuscreen ONTRAK Cocaine Metabolite	Kit: 50 tests, 100 tests	3/14/1988
Roche Diagnostics Corporation	Abuscreen ONTRAK Cocaine Metabolite Positive Control	Vial: 4 mL	3/14/1988
Roche Diagnostics Corporation	Abuscreen ONTRAK for Benzodiazepines Positive Control	Vial: 4 mL	3/22/1993
Roche Diagnostics Corporation	Abuscreen ONTRAK Methadone	Kits: 50, 100 Tests	9/8/1993
Roche Diagnostics Corporation	Abuscreen ONTRAK Methadone Positive Reference Control	Vial: 4 mL	9/8/1993

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Roche Diagnostics Corporation	Abuscreen ONTRAK Morphine	Kits: 50 tests, 100 tests	3/14/1988
Roche Diagnostics Corporation	Abuscreen ONTRAK Morphine Positive Control	Vial: 4 mL	3/14/1988
Roche Diagnostics Corporation	Abuscreen ONTRAK Multianalyte Positive Control	Kit: 1 Vial, 8 mL	9/18/1995
Roche Diagnostics Corporation	Abuscreen ONTRAK Phencyclidine (PCP)	Kit: 50 tests, 100 tests	11/22/1989
Roche Diagnostics Corporation	Abuscreen ONTRAK Phencyclidine (PCP) Positive Control	Vial: 4 mL	11/22/1989
Roche Diagnostics Corporation	Abuscreen ONTRAK THC (100 ng/mL)	Kit: 50 tests, 100 tests	3/14/1988
Roche Diagnostics Corporation	Abuscreen ONTRAK THC (50 ng/mL)	Kit: 50 tests, 100 tests	5/3/1991
Roche Diagnostics Corporation	Abuscreen ONTRAK THC Positive Control	Vial: 4 mL	3/14/1988
Roche Diagnostics Corporation	Abuscreen Radioimmunoassay for Amphetamine High Specificity	Kit: 100 tests, 2500 tests	9/13/1985
Roche Diagnostics Corporation	Abuscreen Radioimmunoassay for Barbiturates	Kit: 100 tests, 2500 tests	2/15/1983
Roche Diagnostics Corporation	Abuscreen Radioimmunoassay for Benzodiazepines	Kit: 100 tests, 2500 tests	3/6/1987
Roche Diagnostics Corporation	Abuscreen Radioimmunoassay for Cannabinoids	Kit: 100 tests, 2500 tests	8/14/1981
Roche Diagnostics Corporation	Abuscreen Radioimmunoassay for Cocaine Metabolite	Kit: 100 tests, 2500 tests	2/15/1983
Roche Diagnostics Corporation	Abuscreen Radioimmunoassay for LSD (Lysergic Acid Diethylamide)	Kit: 100 tests, 2500 tests	1/28/1986
Roche Diagnostics Corporation	Abuscreen Radioimmunoassay for Methamphetamine High Specificity	Kit: 100 tests, 2500 tests	3/1/1989
Roche Diagnostics Corporation	Abuscreen Radioimmunoassay for Methaqualone	Kit: 100 tests, 2500 tests	2/15/1983
Roche Diagnostics Corporation	Abuscreen Radioimmunoassay for Morphine	Kit: 100 tests, 2500 tests	2/15/1983
Roche Diagnostics Corporation	Abuscreen Radioimmunoassay for Phencyclidine (PCP)	Kit: 100 tests, 2500 tests	2/15/1983
Roche Diagnostics Corporation	Abuscreen Reference Controls and Calibrators for LSD	Box: 3 vials; 100 mL each	5/10/1999
Roche Diagnostics Corporation	ABUSCREENOnTrak Multianalyte Positive Control	Vial: 3 mL	8/5/1999
Roche Diagnostics Corporation	Amphetamine Standards (100 µg/mL, and 250, 500 ng/mL)	Glass bottle/flask: 5-100 mL	3/24/2004
Roche Diagnostics Corporation	Amphetamine/Methamphetamine Standards (50/80, 100/150, 250/250, 500/500, 1000/1000 ng/mL)	Glass flask: 50 mL	3/24/2004
Roche Diagnostics Corporation	Barbiturate 100 ng/mL Part # 003659300	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Barbiturate 100 ng/mL, #002004100	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Barbiturate 100 ng/mL, #002004100	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Barbiturate 160 ng/mL Part # 003659400	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Barbiturate 160 ng/mL, #002004200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Barbiturate 160 ng/mL, #002004200	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Barbiturate 200 ng/mL Part # 003659500	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Barbiturate 200 ng/mL, #002004300	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Barbiturate 200 ng/mL, #002004300	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Barbiturate 2000 ng/mL, #001821100 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Barbiturate 2000 ng/mL, #001821400	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	Barbiturate 2000 ng/mL, #001821400	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Barbiturate 240 ng/mL Part # 003659600	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Barbiturate 240 ng/mL, #002004400	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Barbiturate 240 ng/mL, #002004400	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Barbiturate 300 ng/mL Part # 003659700	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Barbiturate 300 ng/mL, #002004500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Barbiturate 300 ng/mL, #002004500	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Barbiturate 3000 ng/mL, #001821200 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Barbiturate 3000 ng/mL, #001821500	Plastic bottle: 100 mL	4/2/2003

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Roche Diagnostics Corporation	Barbiturate 3000 ng/mL, #001821500	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	Barbiturate 40 ng/mL Part # 003659200	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Barbiturate 40 ng/mL, #002007300	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Barbiturate 40 ng/mL, #002007300	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Barbiturate 400 ng/mL Part # 003659800	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Barbiturate 400 ng/mL, #002004600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Barbiturate 400 ng/mL, #002004600	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Barbiturate 50 ng/mL Part # 003661200	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Barbiturate 50 ng/mL, #002004000	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Barbiturate 50 ng/mL, #002004000	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Barbiturate 600 ng/mL, #001821000 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Barbiturate 600 ng/mL, #001821300	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	Barbiturate 600 ng/mL, #001821300	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Barbiturate Internal Reference Standard 100 ng/mL, material no. 03403262001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Barbiturate Internal Reference Standard 200 ng/mL, material no. 03403297001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Barbiturate Internal Reference Standard 300 ng/mL, material no. 03403327001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Barbiturate Internal Reference Standard 400 ng/mL, material no. 03403335001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Barbiturate Internal Reference Standard 50 ng/mL, material no. 03403254001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Benzodiazepine II 100 ng/mL Part # 003661900	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Benzodiazepine II 100 ng/mL, # 002008400	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Benzodiazepine II 100 ng/mL, # 002008400	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Benzodiazepine II 200 ng/mL Part # 003662000	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Benzodiazepine II 200 ng/mL, # 002008300	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Benzodiazepine II 200 ng/mL, # 002008300	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Benzodiazepine II 25 ng/mL Part # 003606500	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Benzodiazepine II 25 ng/mL, # 002009600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Benzodiazepine II 25 ng/mL, # 002009600	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Benzodiazepine II 300 ng/mL Part # 003662100	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Benzodiazepine II 300 ng/mL, # 002008200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Benzodiazepine II 300 ng/mL, # 002008200	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Benzodiazepine II 400 ng/mL Part # 003662200	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Benzodiazepine II 400 ng/mL, # 002008100	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Benzodiazepine II 400 ng/mL, # 002008100	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Benzodiazepine II 50 ng/mL Part # 003661800	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Benzodiazepine II 50 ng/mL, # 002008500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Benzodiazepine II 50 ng/mL, # 002008500	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Benzodiazepine II Internal Reference Standard 100 ng/mL, material no. 03403696001	Plastic bottle: 100 mL	4/13/2005

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Roche Diagnostics Corporation	Benzodiazepine II Internal Reference Standard 200 ng/mL, material no. 03403688001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Benzodiazepine II Internal Reference Standard 25 ng/mL, material no. 03403734001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Benzodiazepine II Internal Reference Standard 300 ng/mL, material no. 03403670001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Benzodiazepine II Internal Reference Standard 400 ng/mL, material no. 03403661001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Benzodiazepine II Internal Reference Standard 50 ng/mL, material no. 03403700001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Benzodiazepines Internal Reference Standard Solution (20 ng/mL), Material No. 002005900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Benzodiazepines Internal Reference Standard Solution (450 ng/mL), Material No. 002006000	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Benzodiazepines Internal Reference Standard Solution (600 ng/mL), Material No. 002006100	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Benzoylcegonine Standards (100 µg/mL, and 25, 50, 100, 200, 250, 500, 600 ng/mL)	Glass bottle/flask: 5-100 mL	3/24/2004
Roche Diagnostics Corporation	Benzoylcegonine, 30,000 ng/mL; # 003660301	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	Benzoylcegonine, 75,000 ng/mL; # 003664900	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	Bulk C.f.a.s. DAT Amphetamine, Material No. 03632024001	Glass or SS vessel: 0.1-30 L	6/10/2003
Roche Diagnostics Corporation	Bulk C.f.a.s. DAT Qualitative Plus, Material No. 03628515001	Glass or SS vessel: 0.1-30 L	6/10/2003
Roche Diagnostics Corporation	Bulk Cocaine II AMD-Conjugate Reagent Hitachi, #001853400	Plastic vessel: 70-1260 L	2/13/2002
Roche Diagnostics Corporation	Bulk Cocaine II AMD-Conjugate Reagent Integra, #001853300	Plastic vessel: 25-450 L	2/13/2002
Roche Diagnostics Corporation	Bulk Control Set Amphetamine 1000, PreciNeg, Material No. 03632105001	Glass or SS vessel: 0.1-30 L	6/10/2003
Roche Diagnostics Corporation	Bulk Control Set Amphetamine 1000, PreciPos, Material No. 03632091001	Glass or SS vessel: 0.1-30 L	6/10/2003
Roche Diagnostics Corporation	Bulk Control Set Amphetamine 500, PreciNeg, Material No. 03632067001	Glass or SS vessel: 0.1-30 L	6/10/2003
Roche Diagnostics Corporation	Bulk Control Set Amphetamine 500, PreciPos, Material No. 03632059001	Glass or SS vessel: 0.1-30 L	6/10/2003
Roche Diagnostics Corporation	Bulk Control Set DAT I, PreciNeg, Material No. 03606341001	Glass or SS vessel: 0.1-30 L	3/24/2004
Roche Diagnostics Corporation	Bulk Control Set DAT I, PreciNeg, Material No. 03628523001	Glass or SS vessel: 0.1-30 L	6/10/2003
Roche Diagnostics Corporation	Bulk Control Set DAT I, PreciPos, Material No. 03606333001	Glass or SS vessel: 0.1-30 L	3/24/2004
Roche Diagnostics Corporation	Bulk Control Set DAT I, PreciPos, Material No. 03628531001	Glass or SS vessel: 0.1-30 L	6/10/2003
Roche Diagnostics Corporation	Bulk Control Set DAT II, PreciNeg, Material No. 03609910001	Glass or SS vessel: 0.1-30 L	3/24/2004
Roche Diagnostics Corporation	Bulk Control Set DAT II, PreciNeg, Material No. 03631818001	Glass or SS vessel: 0.1-30 L	6/10/2003
Roche Diagnostics Corporation	Bulk Control Set DAT II, PreciPos, Material No. 03609251001	Glass or SS vessel: 0.1-30 L	3/24/2004
Roche Diagnostics Corporation	Bulk Control Set DAT II, PreciPos, Material No. 03631800001	Glass or SS vessel: 0.1-30 L	6/10/2003
Roche Diagnostics Corporation	Bulk Control Set DAT III, PreciNeg, Material No. 03611264001	Glass or SS vessel: 0.1-30 L	3/24/2004
Roche Diagnostics Corporation	Bulk Control Set DAT III, PreciNeg, Material No. 03631869001	Glass or SS vessel: 0.1-30 L	6/10/2003
Roche Diagnostics Corporation	Bulk Control Set DAT III, PreciPos, Material No. 03611094001	Glass or SS vessel: 0.1-30 L	3/24/2004

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Roche Diagnostics Corporation	Bulk Control Set DAT III, PreciPos, Material No. 03631842001	Glass or SS vessel: 0.1-30 L	6/10/2003
Roche Diagnostics Corporation	Bulk Phenobarbital Hapt/Conj Rgt Material No. 03435997001	Plastic Vessel: 4 mL - 1800L	7/9/2007
Roche Diagnostics Corporation	Bulk Phenobarbital II Hapten/Conjugate Reagent, #001121000	Plastic vessel: 10-55 L	12/9/2002
Roche Diagnostics Corporation	Bulk Preciset DAT Amphetamine, Level 2, Material No. 03631907001	Glass or SS vessel: 0.1-30 L	6/10/2003
Roche Diagnostics Corporation	Bulk Preciset DAT Amphetamine, Level 3, Material No. 03631915001	Glass or SS vessel: 0.1-30 L	6/10/2003
Roche Diagnostics Corporation	Bulk Preciset DAT Amphetamine, Level 4, Material No. 03631923001	Glass or SS vessel: 0.1-30 L	6/10/2003
Roche Diagnostics Corporation	Bulk Preciset DAT Amphetamine, Level 5, Material No. 03631931001	Glass or SS vessel: 0.1-30 L	6/10/2003
Roche Diagnostics Corporation	Bulk Preciset DAT Amphetamine, Level 6, Material No. 03631940001	Glass or SS vessel: 0.1-30 L	6/10/2003
Roche Diagnostics Corporation	Bulk Preciset DAT Plus I, Level 2, Material No. 03586910001	Glass or SS vessel: 0.1-30 L	6/10/2003
Roche Diagnostics Corporation	Bulk Preciset DAT Plus I, Level 3, Material No. 03586936001	Glass or SS vessel: 0.1-30 L	6/10/2003
Roche Diagnostics Corporation	Bulk Preciset DAT Plus I, Level 4, Material No. 03586944001	Glass or SS vessel: 0.1-30 L	6/10/2003
Roche Diagnostics Corporation	Bulk Preciset DAT Plus I, Level 5, Material No. 03586952001	Glass or SS vessel: 0.1-30 L	6/10/2003
Roche Diagnostics Corporation	Bulk Preciset DAT Plus I, Level 6, Material No. 03586979001	Glass or SS vessel: 0.1-30 L	6/10/2003
Roche Diagnostics Corporation	Bulk Preciset DAT Plus II, Level 2, Material No. 03630803001	Glass or SS vessel: 0.1-30 L	6/10/2003
Roche Diagnostics Corporation	Bulk Preciset DAT Plus II, Level 3, Material No. 03630811001	Glass or SS vessel: 0.1-30 L	6/10/2003
Roche Diagnostics Corporation	Bulk Preciset DAT Plus II, Level 4, Material No. 03630820001	Glass or SS vessel: 0.1-30 L	6/10/2003
Roche Diagnostics Corporation	Bulk Preciset DAT Plus II, Level 5, Material No. 03630838001	Glass or SS vessel: 0.1-30 L	6/10/2003
Roche Diagnostics Corporation	Bulk Preciset DAT Plus II, Level 6, Material No. 03630846001	Glass or SS vessel: 0.1-30 L	6/10/2003
Roche Diagnostics Corporation	Bulk TDM I Level B, Manufacturing No. 03516725001	Plastic vessel: 10 - 55 L	4/1/2003
Roche Diagnostics Corporation	Bulk TDM I Level C, Manufacturing No. 03516733001	Plastic vessel: 10 - 55 L	4/1/2003
Roche Diagnostics Corporation	Bulk TDM I Level D, Manufacturing No. 03516741001	Plastic vessel: 10 - 55 L	4/1/2003
Roche Diagnostics Corporation	Bulk TDM I Level E, Manufacturing No. 03516750001	Plastic vessel: 10 - 55 L	4/1/2003
Roche Diagnostics Corporation	Bulk TDM I Level F, Manufacturing No. 03516768001	Plastic vessel: 10 - 55 L	4/1/2003
Roche Diagnostics Corporation	Bulk THC 10,000 ng/mL Stock Solution Part #003380500/003380700	Container: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Bulk THC Gen II Conjugate Stock; #001862201	Plastic vessel: 10-200 mL	5/10/2002
Roche Diagnostics Corporation	Bulk THC II AMD-Conjugate Reagent Hitachi; #001862300	Plastic vessel: 70-1260 L	5/10/2002
Roche Diagnostics Corporation	Bulk THC II AMD-Conjugate Reagent Integra; #001862400	Plastic vessel: 25-450 L	5/10/2002
Roche Diagnostics Corporation	Bulk THC Urine Cal - 10 ng/mL, Material No. 03753921001	Glass or SS vessel: 0.1-30 L	9/26/2003
Roche Diagnostics Corporation	Bulk THC Urine Cal - 100 ng/mL, Material No. 03757641001	Glass or SS vessel: 0.1-30 L	9/26/2003
Roche Diagnostics Corporation	Bulk THC Urine Cal - 20 ng/mL, Material No. 03757625001	Glass or SS vessel: 0.1-30 L	9/26/2003
Roche Diagnostics Corporation	Bulk THC Urine Cal - 200 ng/mL, Material No. 03753948001	Glass or SS vessel: 0.1-30 L	9/26/2003
Roche Diagnostics Corporation	Bulk THC Urine Cal - 300 ng/mL, Material No. 03753956001	Glass or SS vessel: 0.1-30 L	9/26/2003
Roche Diagnostics Corporation	Bulk THC Urine Cal - 40 ng/mL, Material No. 03753930001	Glass or SS vessel: 0.1-30 L	9/26/2003
Roche Diagnostics Corporation	Bulk THC Urine Cal - 50 ng/mL, Material No. 03757633001	Glass or SS vessel: 0.1-30 L	9/26/2003
Roche Diagnostics Corporation	C.f.a.s. DAT Amphetamine, Catalog No. 3510824	Glass bottle: 5.5 mL; Box: 3 bottles	2/11/2003
Roche Diagnostics Corporation	C.f.a.s. DAT Plus, #03304698	Glass bottle: 5.5 mL; Box: 6 bottles	12/13/2001
Roche Diagnostics Corporation	CAL PACK Abuscreen ONLINE THC Calibration Pack, Cat. No. 42349	Bottle: 5 mL; Box: 5 bottles	11/1/2000
Roche Diagnostics Corporation	CEDIA Core TDM Multi-Cal; Cat. # 1815253	Bottle: 10 mL; Box: 4 bottles	1/4/2002
Roche Diagnostics Corporation	Cfas DAT Qualitative Calibrator Cat. # 1986376	Pack: 6 vials	11/7/2000
Roche Diagnostics Corporation	Cobas Cocaine Microparticle Reagent Dispensed Bottles, # 003684901	Plastic bottle: 4 mL	4/2/2002
Roche Diagnostics Corporation	Cobas Cocaine Microparticle Reagent Dispensed Bottles, # 003686200	Plastic bottle: 12.5 mL	4/2/2002

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Roche Diagnostics Corporation	COBAS FP Phenobarbital Calibrators	Kit: 6 Vials	11/13/1984
Roche Diagnostics Corporation	COBAS FP Reagents for Phenobarbital	Kit: 100 tests	11/13/1984
Roche Diagnostics Corporation	COBAS FP TDM Controls	Kit: 6 Vials	11/13/1984
Roche Diagnostics Corporation	COBAS INTEGRA Cassette for Cannabinoids	Kit: 3 Vials	9/27/1995
Roche Diagnostics Corporation	COBAS INTEGRA Cassette for Cocaine Metabolite	Kit: 3 Vials	9/27/1995
Roche Diagnostics Corporation	COBAS INTEGRA Cassette for LSD	Cassette: 3 vials (200 tests)	9/12/1997
Roche Diagnostics Corporation	COBAS INTEGRA Cassette for Opiates	Kit: 3 Vials	9/27/1995
Roche Diagnostics Corporation	Cobas LSD Microparticle Reagent Dispensed Bottles, # 003467300	Plastic bottle: 12.5 mL	4/2/2002
Roche Diagnostics Corporation	Cobas Methadone Microparticle Reagent Dispensed Bottles, # 003593900	Plastic bottle: 4 mL	4/2/2002
Roche Diagnostics Corporation	Cobas Methadone Microparticle Reagent Dispensed Bottles, # 003594500	Plastic bottle: 12.5 mL	4/2/2002
Roche Diagnostics Corporation	Cobas Opiate Microparticle Reagent Dispensed Bottles, # 003423400	Plastic bottle: 12.5 mL	4/2/2002
Roche Diagnostics Corporation	Cobas Opiate Microparticle Reagent Dispensed Bottles, # 003563000	Plastic bottle: 4 mL	4/2/2002
Roche Diagnostics Corporation	cobas PHENOBARB/100 Material No. 04490924190	Plastic bottles: 20 mL Cassette: 2 bottles	7/9/2007
Roche Diagnostics Corporation	cobas PHENOBARB/200 Material No. 05027446190	Plastic Bottles: 1x40 mL, 1x70 mL Cassette: 2 bottles	7/9/2007
Roche Diagnostics Corporation	Cobas THC Microparticle Reagent Dispensed Bottles, # 003816800	Plastic bottle: 4 mL	4/2/2002
Roche Diagnostics Corporation	Cobas THC Microparticle Reagent Dispensed Bottles, # 003818100	Plastic bottle: 12.5 mL	4/2/2002
Roche Diagnostics Corporation	Cobas/Hitachi Gen II Opiate Conjugate Reagent Dispensed Bottles, # 001104200	Plastic bottle: 100 mL	4/2/2002
Roche Diagnostics Corporation	Cobas/Hitachi Gen II Opiate Conjugate Reagent Dispensed Bottles, # 001492300	Plastic bottle: 20 mL	4/2/2002
Roche Diagnostics Corporation	Cobas/Hitachi Gen II Opiate Conjugate Reagent Dispensed Bottles, # 001494900	Plastic bottle: 70 mL	4/2/2002
Roche Diagnostics Corporation	Cobas/Hitachi Gen II Opiate Conjugate Reagent Dispensed Bottles, # 001514800	Plastic bottle: 720 mL	4/2/2002
Roche Diagnostics Corporation	Cobas/Hitachi Gen II Opiate Conjugate Reagent Dispensed Bottles, # 001727401	Plastic bottle: 25 mL	4/2/2002
Roche Diagnostics Corporation	Cobas/Hitachi Gen II Opiate Conjugate Reagent Dispensed Bottles, # 003488100	Plastic bottle: 200 mL	4/2/2002
Roche Diagnostics Corporation	Cobas/Hitachi Gen II Opiate Conjugate Reagent Dispensed Bottles, # 003489500	Plastic bottle: 1600 mL	4/2/2002
Roche Diagnostics Corporation	Cocaine 1000 ng/mL, #001823900 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Cocaine 1000 ng/mL, #001824600	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	Cocaine 1000 ng/mL, #001824600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Cocaine 120 ng/mL, #001823700 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Cocaine 120 ng/mL, #001824400	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	Cocaine 120 ng/mL, #001824400	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Cocaine 150 ng/mL Part # 003650200	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Cocaine 150 ng/mL, #001656400	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Cocaine 150 ng/mL, #001656400	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Cocaine 180 ng/mL, #001823800 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000



**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Roche Diagnostics Corporation	Cocaine 180 ng/mL, #001824500	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	Cocaine 180 ng/mL, #001824500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Cocaine 240 ng/mL Part # 003650300	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Cocaine 240 ng/mL, #001656500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Cocaine 240 ng/mL, #001656500	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Cocaine 30 ng/mL Part # 003650000	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Cocaine 30 ng/mL, #001656200	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Cocaine 30 ng/mL, #001656200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Cocaine 300 ng/mL Part # 003650400	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Cocaine 300 ng/mL, #001656600	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Cocaine 300 ng/mL, #001656600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Cocaine 3000 ng/mL, #001824000 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Cocaine 3000 ng/mL, #001824700	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	Cocaine 3000 ng/mL, #001824700	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Cocaine 360 ng/mL Part # 003650500	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Cocaine 360 ng/mL, #001656700	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Cocaine 360 ng/mL, #001656700	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Cocaine 4000 ng/mL, #001824100 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Cocaine 4000 ng/mL, #001824800	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	Cocaine 4000 ng/mL, #001824800	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Cocaine 450 ng/mL Part # 003650600	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Cocaine 450 ng/mL, #001656800	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Cocaine 450 ng/mL, #001656800	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Cocaine 5000 ng/mL, #001824200 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Cocaine 5000 ng/mL, #001824900	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	Cocaine 5000 ng/mL, #001824900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Cocaine 60 ng/mL Part # 003664500	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Cocaine 600 ng/mL Part # 003650700	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Cocaine 600 ng/mL, #001656900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Cocaine 600 ng/mL, #001656900	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Cocaine 75 ng/mL Part # 003650100	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	Cocaine 75 ng/mL, #001656300	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Cocaine 75 ng/mL, #001656300	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Cocaine 8000 ng/mL, #001824300 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Cocaine 8000 ng/mL, #001825000	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	Cocaine 8000 ng/mL, #001825000	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Cocaine II 911/912/917/P Module Kit, # 03800148	HDPE Bottle: 20 mL; Kit: 4 bottles	2/13/2002
Roche Diagnostics Corporation	Cocaine II 917/P Module Kit, # 03800156	HDPE Bottle: 70 mL; Kit: 2 bottles	2/13/2002
Roche Diagnostics Corporation	Cocaine II DAT2400 Module Kit, # 03800172	HDPE Bottle: three-330 mL, three-720 mL; Kit: 6 bottles	2/13/2002
Roche Diagnostics Corporation	Cocaine II Integra 400/700/800 Cassette, # 03800130	HDPE Bottle: one-12 mL, one-25 mL; Kit: 2 bottles	2/13/2002

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Roche Diagnostics Corporation	Cocaine II P Module Kit, # 03064956	HDPE Bottle: one-130 mL, one-290 mL; Kit: 2 bottles	2/13/2002
Roche Diagnostics Corporation	Cocaine Internal Reference Standard 3000 ng/mL, material no. 03400620001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Cocaine Internal Reference Standard 450 ng/mL, material no. 03388166001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Cocaine Internal Reference Standard Solution (60 ng/mL), Material No. 002007100	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Cocaine Test Strip	Strip: 0.5 cm x 3.0 cm	6/1/1995
Roche Diagnostics Corporation	Control Set Amphetamine 1000, Catalog No. 3510867	Glass bottle: 5.5 mL; Box: 4 bottles	2/11/2003
Roche Diagnostics Corporation	Control Set Amphetamine 500, Catalog No. 3510859	Glass bottle: 5.5 mL; Box: 4 bottles	2/11/2003
Roche Diagnostics Corporation	Control Set DAT 1 PreciNeg and PreciPos, #03312950	Glass bottle: 10.5 mL; Box: 4 bottles	12/13/2001
Roche Diagnostics Corporation	Control Set DAT 2 PreciNeg and PreciPos, #03312968	Glass bottle: 10.5 mL; Box: 4 bottles	12/13/2001
Roche Diagnostics Corporation	Control Set DAT 3 PreciNeg and PreciPos, #03312976	Glass bottle: 10.5 mL; Box: 4 bottles	12/13/2001
Roche Diagnostics Corporation	Control Set DAT I, Catalog No. 03312950190	Glass bottle: 12 mL; Box: 4 bottles	3/24/2004
Roche Diagnostics Corporation	Control Set DAT II, Catalog No. 03312968190	Glass bottle: 12 mL; Box: 4 bottles	3/24/2004
Roche Diagnostics Corporation	Control Set DAT III, Catalog No. 03312976190	Glass bottle: 12 mL; Box: 4 bottles	3/24/2004
Roche Diagnostics Corporation	d,l-Amphetamine 1000 ng/mL Part # 003652400	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	d,l-Amphetamine 1000 ng/mL, # 001658800	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d,l-Amphetamine 1000 ng/mL, # 001658800	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d,l-Amphetamine 1500 ng/mL Part # 003652500	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	d,l-Amphetamine 1500 ng/mL, # 001658900	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d,l-Amphetamine 1500 ng/mL, # 001658900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d,l-Amphetamine 2000 ng/mL Part # 003652600	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	d,l-Amphetamine 2000 ng/mL, # 001659000	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d,l-Amphetamine 2000 ng/mL, # 001659000	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d,l-Amphetamine 250 ng/mL Part # 003652200	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	d,l-Amphetamine 250 ng/mL, # 001658600	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d,l-Amphetamine 250 ng/mL, # 001658600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d,l-Amphetamine 500 ng/mL Part # 003652300	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	d,l-Amphetamine 500 ng/mL, # 001658700	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d,l-Amphetamine 500 ng/mL, # 001658700	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amph Internal Reference Standard Solution (200 ng/mL), Material No. 002007200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 100 ng/mL Part # 003650800	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 100 ng/mL, #001657100	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 100 ng/mL, #001657100	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d-Amphetamine 1000 ng/mL Part # 003651200	Bottles: 0.1 L-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 1000 ng/mL, #001657500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 1000 ng/mL, #001657500	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d-Amphetamine 1200 ng/mL, #001511100	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 1200 ng/mL, #001511100	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 1200 ng/mL, #001511200 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Roche Diagnostics Corporation	d-Amphetamine 150 ng/mL, #001825100 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 150 ng/mL, #001826200	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 150 ng/mL, #001826200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 1500 ng/mL Part # 003651300	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 1500 ng/mL, #001657600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 1500 ng/mL, #001657600	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d-Amphetamine 200 ng/mL Part # 003664600	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 2000 ng/mL Part # 003651400	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 2000 ng/mL, #001657700	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 2000 ng/mL, #001657700	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d-Amphetamine 240 ng/mL, #001825200 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 240 ng/mL, #001826300	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 240 ng/mL, #001826300	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 250 ng/mL Part # 003650900	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 250 ng/mL, #001657200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 250 ng/mL, #001657200	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d-Amphetamine 300 ng/mL, #001825300 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 300 ng/mL, #001826400	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 300 ng/mL, #001826400	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 3000 ng/mL, #001826000 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 3000 ng/mL, #001827100	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 3000 ng/mL, #001827100	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 360 ng/mL, #001825400 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 360 ng/mL, #001826500	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 360 ng/mL, #001826500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 400 ng/mL, #001825500 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 400 ng/mL, #001826600	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 400 ng/mL, #001826600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 450 ng/mL, #001825600 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 450 ng/mL, #001826700	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 450 ng/mL, #001826700	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 500 ng/mL Part # 003651000	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 500 ng/mL, #001657300	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 500 ng/mL, #001657300	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d-Amphetamine 5000 ng/mL, #001826100 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 5000 ng/mL, #001827200	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 5000 ng/mL, #001827200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 60 ng/mL, #001817100 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 60 ng/mL, #001817200	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 60 ng/mL, #001817200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 600 ng/mL, #001825700 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 600 ng/mL, #001826800	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 600 ng/mL, #001826800	Plastic bottle: 100 mL	4/2/2003

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Roche Diagnostics Corporation	d-Amphetamine 750 ng/mL, #001825800 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 750 ng/mL, #001826900	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 750 ng/mL, #001826900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine 800 ng/mL Part # 003651100	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine 800 ng/mL, #001657400	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d-Amphetamine 800 ng/mL, #001657400	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine sulfate, 50,000 ng/mL; #003659901	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 100/250 ng/mL, #001828100 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 100/250 ng/mL, #001828500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 100/250 ng/mL, #001828500	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 100/400 ng/mL, #001522600 (bulk)	Plastic vessel: 0.1-10 L	3/9/2001
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 100/400 ng/mL, #001522900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 100/400 ng/mL, #001522900	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 100/500 ng/mL, #001522700 (bulk)	Plastic vessel: 0.1-10 L	3/9/2001
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 100/500 ng/mL, #001523000	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 100/500 ng/mL, #001523000	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 200/500 ng/mL Part # 003652100	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 200/500 ng/mL, #001658400	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 200/500 ng/mL, #001658400	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 250/250 ng/mL, #001828300 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 250/250 ng/mL, #001828700	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 250/250 ng/mL, #001828700	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 250/500 ng/mL, #001522800 (bulk)	Plastic vessel: 0.1-10 L	3/9/2001
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 250/500 ng/mL, #001523100	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 250/500 ng/mL, #001523100	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 50/1000 ng/mL Part # 003651900	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 50/1000 ng/mL, #001658200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 50/1000 ng/mL, #001658200	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 50/250 ng/mL, #001828200 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 50/250 ng/mL, #001828600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 50/250 ng/mL, #001828600	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 500/100 ng/mL Part # 003651800	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 500/100 ng/mL, #001658100	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 500/100 ng/mL, #001658100	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 500/200 ng/mL Part # 003652000	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 500/200 ng/mL, #001658300	Plastic bottle: 100 mL	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 500/200 ng/mL, #001658300	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 500/200 ng/mL, #001658300	Plastic bottle: 100 mL	4/2/2003

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 800/250 ng/mL, #001828400 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 800/250 ng/mL, #001828800	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Amphetamine/Methamphetamine 800/250 ng/mL, #001828800	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	DISP 70 ML R1 HAPT/CONJ PHENOBARBITAL Material No. 03510638001	Plastic bottle: 70 mL	7/9/2007
Roche Diagnostics Corporation	DISP BTL 1 HAPT/CONJ PHENOBARBITAL Material No. 03424561001	Plastic bottle: 20 mL	7/9/2007
Roche Diagnostics Corporation	Disp Preciset DAT THC - 20 ng/mL, Manufacturing No. 03753867001	Glass bottle: 7 mL	9/26/2003
Roche Diagnostics Corporation	Disp Preciset DAT THC - 50 ng/mL, Manufacturing No. 03753883001	Glass bottle: 7 mL	9/26/2003
Roche Diagnostics Corporation	Disp Preciset DAT THC 100 ng/mL, Manufacturing No. 03753891001	Glass bottle: 7 mL	9/26/2003
Roche Diagnostics Corporation	Disp Preciset DAT THC 20 - 10 ng/mL, Manufacturing No. 03753859001	Glass bottle: 7 mL	9/26/2003
Roche Diagnostics Corporation	Disp Preciset DAT THC 20 - 100 ng/mL, Manufacturing No. 03758869001	Glass bottle: 7 mL	9/26/2003
Roche Diagnostics Corporation	Disp Preciset DAT THC 20 - 20 ng/mL, Manufacturing No. 03758842001	Glass bottle: 7 mL	9/26/2003
Roche Diagnostics Corporation	Disp Preciset DAT THC 20 - 40 ng/mL, Manufacturing No. 03753875001	Glass bottle: 7 mL	9/26/2003
Roche Diagnostics Corporation	Disp Preciset DAT THC 200 ng/mL, Manufacturing No. 03753905001	Glass bottle: 7 mL	9/26/2003
Roche Diagnostics Corporation	Disp Preciset DAT THC 300 ng/mL, Manufacturing No. 03753913001	Glass bottle: 7 mL	9/26/2003
Roche Diagnostics Corporation	DISP R1 PHENOBARB/100 cobas c501 Material No. 04712803001	Plastic Bottle: 20 mL	7/9/2007
Roche Diagnostics Corporation	DISP R1 PHENOBARB/200 cobas c501 Material No. 05028779001	Plastic bottle: 40 mL	7/9/2007
Roche Diagnostics Corporation	Disp TDM I Level B, Manufacturing No. 03516784002	Plastic bottle: 7.5 mL	4/1/2003
Roche Diagnostics Corporation	Disp TDM I Level C, Manufacturing No. 03516792002	Plastic bottle: 7.5 mL	4/1/2003
Roche Diagnostics Corporation	Disp TDM I Level D, Manufacturing No. 03516806002	Plastic bottle: 7.5 mL	4/1/2003
Roche Diagnostics Corporation	Disp TDM I Level E, Manufacturing No. 03516814002	Plastic bottle: 7.5 mL	4/1/2003
Roche Diagnostics Corporation	Disp TDM I Level F, Manufacturing No. 03516822002	Plastic bottle: 7.5 mL	4/1/2003
Roche Diagnostics Corporation	Disp THC II Conj Integra; #001853800	HDPE bottle: 25 mL	5/10/2002
Roche Diagnostics Corporation	Disp THC II Conj R1 911/912/917/P; #001854000	HDPE bottle: 20 mL	5/10/2002
Roche Diagnostics Corporation	Disp THC II Conj R1 917/P; #001854200	HDPE bottle: 70 mL	5/10/2002
Roche Diagnostics Corporation	Disp THC II Conj R1 Mod D; #001854600	HDPE bottle: 720 mL	5/10/2002
Roche Diagnostics Corporation	Disp THC II Conj R1 Mod P; #001854400	HDPE bottle: 290 mL	5/10/2002
Roche Diagnostics Corporation	Disp. C.f.a.s. DAT Amphetamine, Material No. 03632032001	Glass bottle: 5.5 mL	6/10/2003
Roche Diagnostics Corporation	Disp. C.f.a.s. DAT Qualitative Plus, Material No. 03632407001	Glass bottle: 7 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Control Set Amphetamine 1000, PreciNeg, Material No. 03632121001	Glass bottle: 7 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Control Set Amphetamine 1000, PreciPos, Material No. 03632113001	Glass bottle: 7 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Control Set Amphetamine 500, PreciNeg, Material No. 03632083001	Glass bottle: 7 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Control Set Amphetamine 500, PreciPos, Material No. 03632075001	Glass bottle: 7 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Control Set DAT I, PreciNeg, Material No. 03607615001	Glass bottle: 12 mL	3/24/2004

**Exempt Chemical Preparations List**

March 31, 2008

Supplier	Product Name	Form	Date
Roche Diagnostics Corporation	Disp. Control Set DAT I, PreciNeg, Material No. 03632423001	Glass bottle: 12 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Control Set DAT I, PreciPos, Material No. 03606643001	Glass bottle: 12 mL	3/24/2004
Roche Diagnostics Corporation	Disp. Control Set DAT I, PreciPos, Material No. 03632415001	Glass bottle: 12 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Control Set DAT II, PreciNeg, Material No. 03611086001	Glass bottle: 12 mL	3/24/2004
Roche Diagnostics Corporation	Disp. Control Set DAT II, PreciNeg, Material No. 03631834001	Glass bottle: 12 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Control Set DAT II, PreciPos, Material No. 03610926001	Glass bottle: 12 mL	3/24/2004
Roche Diagnostics Corporation	Disp. Control Set DAT II, PreciPos, Material No. 03631826001	Glass bottle: 12 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Control Set DAT III, PreciNeg, Material No. 03612007001	Glass bottle: 12 mL	3/24/2004
Roche Diagnostics Corporation	Disp. Control Set DAT III, PreciNeg, Material No. 03631885001	Glass bottle: 12 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Control Set DAT III, PreciPos, Material No. 03611582001	Glass bottle: 12 mL	3/24/2004
Roche Diagnostics Corporation	Disp. Control Set DAT III, PreciPos, Material No. 03631877001	Glass bottle: 12 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Phenobarbital II Hapten/Conjugate Reagent, #001121400	HDPE bottle: 20 mL	12/9/2002
Roche Diagnostics Corporation	Disp. Phenobarbital II Hapten/Conjugate Reagent, #03510638001	HDPE bottle: 70 mL	12/9/2002
Roche Diagnostics Corporation	Disp. Preciset DAT Amphetamine, Level 2, Material No. 03631966001	Glass bottle: 5.5 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Preciset DAT Amphetamine, Level 3, Material No. 03631974001	Glass bottle: 5.5 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Preciset DAT Amphetamine, Level 4, Material No. 03631982001	Glass bottle: 5.5 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Preciset DAT Amphetamine, Level 5, Material No. 03632008001	Glass bottle: 5.5 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Preciset DAT Amphetamine, Level 6, Material No. 03632016001	Glass bottle: 5.5 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Preciset DAT Plus I, Level 2, Material No. 03603555001	Glass bottle: 7 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Preciset DAT Plus I, Level 3, Material No. 03603563001	Glass bottle: 7 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Preciset DAT Plus I, Level 4, Material No. 03603571001	Glass bottle: 7 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Preciset DAT Plus I, Level 5, Material No. 03603580001	Glass bottle: 7 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Preciset DAT Plus I, Level 6, Material No. 03603598001	Glass bottle: 7 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Preciset DAT Plus II, Level 2, Material No. 03630862001	Glass bottle: 7 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Preciset DAT Plus II, Level 3, Material No. 03630889001	Glass bottle: 7 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Preciset DAT Plus II, Level 4, Material No. 03631770001	Glass bottle: 7 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Preciset DAT Plus II, Level 5, Material No. 03631788001	Glass bottle: 7 mL	6/10/2003
Roche Diagnostics Corporation	Disp. Preciset DAT Plus II, Level 6, Material No. 03631796001	Glass bottle: 7 mL	6/10/2003
Roche Diagnostics Corporation	Dispensed Cocaine II Conj Integra, #001853100	HDPE Bottle: 25 mL	2/13/2002
Roche Diagnostics Corporation	Dispensed Cocaine II Conj R1 911/912/917/P, #001852300	HDPE Bottle: 20 mL	2/13/2002
Roche Diagnostics Corporation	Dispensed Cocaine II Conj R1 917/P, #001852500	HDPE Bottle: 70 mL	2/13/2002
Roche Diagnostics Corporation	Dispensed Cocaine II Conj R1 Mod D, #001852900	HDPE Bottle: 720 mL	2/13/2002
Roche Diagnostics Corporation	Dispensed Cocaine II Conj R1 Mod P, #001852700	HDPE Bottle: 290 mL	2/13/2002
Roche Diagnostics Corporation	d-Amphetamine sulfate, 250,000 ng/mL; # 003660901	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	d-Methamphetamine 100 ng/mL, #001520000 (bulk)	Plastic vessel: 0.1-10 L	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 100 ng/mL, #001521300	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 100 ng/mL, #001521300	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 1000 ng/mL, #001827400 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Methamphetamine 1000 ng/mL, #001827800	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Methamphetamine 1000 ng/mL, #001827800	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 1200 ng/mL, #001521000 (bulk)	Plastic vessel: 0.1-10 L	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 1200 ng/mL, #001522300	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 1200 ng/mL, #001522300	Plastic bottle: 100 mL	4/2/2003

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Roche Diagnostics Corporation	d-Methamphetamine 150 ng/mL, #001520100 (bulk)	Plastic vessel: 0.1-10 L	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 150 ng/mL, #001521400	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 150 ng/mL, #001521400	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 1500 ng/mL, #001521100 (bulk)	Plastic vessel: 0.1-10 L	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 1500 ng/mL, #001522400	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 1500 ng/mL, #001522400	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 200,000 ng/mL Part # 003651600	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Methamphetamine 200,000 ng/mL, #001657900	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d-Methamphetamine 200,000 ng/mL, #001657900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 2000 ng/mL, #001521200 (bulk)	Plastic vessel: 0.1-10 L	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 2000 ng/mL, #001522500	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 2000 ng/mL, #001522500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 240 ng/mL, #001520200 (bulk)	Plastic vessel: 0.1-10 L	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 240 ng/mL, #001521500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 240 ng/mL, #001521500	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 250 ng/mL, #001520300 (bulk)	Plastic vessel: 0.1-10 L	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 250 ng/mL, #001521600	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 250 ng/mL, #001521600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 300 ng/mL, #001827300 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Methamphetamine 300 ng/mL, #001827700	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Methamphetamine 300 ng/mL, #001827700	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 3000 ng/mL, #001827500 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Methamphetamine 3000 ng/mL, #001827900	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Methamphetamine 3000 ng/mL, #001827900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 360 ng/mL, #001520400 (bulk)	Plastic vessel: 0.1-10 L	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 360 ng/mL, #001521700	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 360 ng/mL, #001521700	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 400 ng/mL, #001520500 (bulk)	Plastic vessel: 0.1-10 L	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 400 ng/mL, #001521800	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 400 ng/mL, #001521800	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 450 ng/mL, #001520600 (bulk)	Plastic vessel: 0.1-10 L	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 450 ng/mL, #001521900	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 450 ng/mL, #001521900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 500 ng/mL Part # 003651500	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Methamphetamine 500 ng/mL, #001657800	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 500 ng/mL, #001657800	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	d-Methamphetamine 5000 ng/mL, #001827600 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	d-Methamphetamine 5000 ng/mL, #001828000	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 5000 ng/mL, #001828000	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	d-Methamphetamine 60 ng/mL, #001523200 (bulk)	Plastic vessel: 0.1-10 L	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 60 ng/mL, #001523300	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 60 ng/mL, #001523300	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 600 ng/mL, #001520700 (bulk)	Plastic vessel: 0.1-10 L	3/9/2001

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Roche Diagnostics Corporation	d-Methamphetamine 600 ng/mL, #001522000	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 600 ng/mL, #001522000	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 750 ng/mL, #001520800 (bulk)	Plastic vessel: 0.1-10 L	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 750 ng/mL, #001522100	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine 750 ng/mL, #001522100	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 800 ng/mL, #001520900 (bulk)	Plastic vessel: 0.1-10 L	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 800 ng/mL, #001522200	Plastic bottle: 60 mL	3/9/2001
Roche Diagnostics Corporation	d-Methamphetamine 800 ng/mL, #001522200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	d-Methamphetamine HCl, 125,000 ng/mL; # 003665000	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	d-Methamphetamine HCl, 50,000 ng/mL; # 003660001	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	d-Propoxyphene HCl, 60,000 ng/mL; # 003660801	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	Hitachi Cocaine Microparticle Reagent Dispensed Bottles, # 001103600	Plastic bottle: 100 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi Cocaine Microparticle Reagent Dispensed Bottles, # 001492000	Plastic bottle: 20 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi Cocaine Microparticle Reagent Dispensed Bottles, # 001494600	Plastic bottle: 70 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi Cocaine Microparticle Reagent Dispensed Bottles, # 001513400	Plastic bottle: 330 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi Cocaine Microparticle Reagent Dispensed Bottles, # 003427500	Plastic bottle: 1600 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi Cocaine Microparticle Reagent Dispensed Bottles, # 003685300	Plastic bottle: 200 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi Methadone Bulk Microparticle Reagent, # 003607600	Plastic vessels: 0.1-1000 L	4/2/2002
Roche Diagnostics Corporation	Hitachi Methadone Microparticle Reagent Dispensed Bottles, # 001103900	Plastic bottle: 50 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi Methadone Microparticle Reagent Dispensed Bottles, # 001490800	Plastic bottle: 20 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi Methadone Microparticle Reagent Dispensed Bottles, # 001493400	Plastic bottle: 70 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi Methadone Microparticle Reagent Dispensed Bottles, # 001513700	Plastic bottle: 330 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi Methadone Microparticle Reagent Dispensed Bottles, # 003427800	Plastic bottle: 1600 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi Methadone Microparticle Reagent Dispensed Bottles, # 003594200	Plastic bottle: 200 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi Opiate Microparticle Reagent Dispensed Bottles, # 003428100	Plastic bottle: 1600 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi Opiate Microparticle Reagent Dispensed Bottles, # 003563300	Plastic bottle: 200 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi THC Microparticle Reagent Dispensed Bottles, # 001105000	Plastic bottle: 100 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi THC Microparticle Reagent Dispensed Bottles, # 001491700	Plastic bottle: 20 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi THC Microparticle Reagent Dispensed Bottles, # 001494300	Plastic bottle: 70 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi THC Microparticle Reagent Dispensed Bottles, # 001514600	Plastic bottle: 330 mL	4/2/2002
Roche Diagnostics Corporation	Hitachi THC Microparticle Reagent Dispensed Bottles, # 003428700	Plastic bottle: 1600 mL	4/2/2002



**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Roche Diagnostics Corporation	Hitachi THC Microparticle Reagent Dispensed Bottles, # 003817200	Plastic bottle: 200 mL	4/2/2002
Roche Diagnostics Corporation	Immunizing Preparation No. 1, 2, 3, 4, 5, 6, 7, or 8.	Vial: 10, 20, 50, or 100 mL	1/25/1983
Roche Diagnostics Corporation	Immunizing Preparation No. 11	Vial: 10, 20, 50 or 100 mL	5/3/2001
Roche Diagnostics Corporation	Immunizing Preparation No. 11A	Vial: 10, 20, 50 or 100 mL	5/3/2001
Roche Diagnostics Corporation	Immunizing Preparation No. 9	Vial: 10 mL, 20 mL, 50 mL, or 100 mL	7/24/1984
Roche Diagnostics Corporation	Immunizing Preparation No. 9A	Vial: 10 mL, 20 mL, 50 mL, or 100 mL	7/24/1984
Roche Diagnostics Corporation	Immunizing Preparation No.10	Vial: 10 mL, 20 mL, 50 mL, or 100 mL	4/2/1986
Roche Diagnostics Corporation	Immunizing Preparation No.10A	Vial: 10 mL, 20 mL, 50 mL, or 100 mL	4/2/1986
Roche Diagnostics Corporation	Immunizing Preparations No. 1A, 2A, 3A, 4A, 5A, 6A, 7A, or 8A.	Vial: 10 mL, 20 mL, 50 mL, or 100 mL	7/12/1983
Roche Diagnostics Corporation	LSD 0.25 ng/mL Part # 003658700	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	LSD 0.25 ng/mL, #002003400	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	LSD 0.25 ng/mL, #002003400	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	LSD 0.50 ng/mL Part # 003658800	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	LSD 0.50 ng/mL, #002003500	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	LSD 0.50 ng/mL, #002003500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	LSD 0.75 ng/mL Part # 003658900	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	LSD 0.75 ng/mL, #002003600	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	LSD 0.75 ng/mL, #002003600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	LSD 1 ng/mL Part # 003659000	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	LSD 1 ng/mL, #002003700	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	LSD 1 ng/mL, #002003700	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	LSD 1.5 ng/mL, # 001817400 (bulk)	Plastic vessel: 0.1-10 L	11/16/2000
Roche Diagnostics Corporation	LSD 1.5 ng/mL, # 001817500	Bottle: 60 mL, 480 mL	11/16/2000
Roche Diagnostics Corporation	LSD 1.5 ng/mL, # 001817500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	LSD 10 ng/mL, #001829100 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	LSD 10 ng/mL, #001829400	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	LSD 10 ng/mL, #001829400	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	LSD 2 ng/mL Part # 003659100	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	LSD 2 ng/mL, #002003800	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	LSD 2 ng/mL, #002003800	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	LSD 3 ng/mL, #001828900 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	LSD 3 ng/mL, #001829200	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	LSD 3 ng/mL, #001829200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	LSD 5 ng/mL, #001829000 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	LSD 5 ng/mL, #001829300	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	LSD 5 ng/mL, #001829300	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	LSD hemitartrate, 1,000 ng/mL; # 00366100, 003841601	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	LSD Microparticle Reagent	Vial: 50 mL	6/27/1996
Roche Diagnostics Corporation	Methadone 150 ng/mL Part # 003653800	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Methadone 150 ng/mL, #001660400	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Methadone 150 ng/mL, #001660400	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Methadone 1500 ng/mL, #001829700 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Methadone 1500 ng/mL, #001829900	Plastic bottle: 60 mL	11/7/2000

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Roche Diagnostics Corporation	Methadone 1500 ng/mL, #001829900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Methadone 2000 ng/mL, #001829800 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Methadone 2000 ng/mL, #001830000	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	Methadone 2000 ng/mL, #001830000	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Methadone 240 ng/mL Part # 003653900	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Methadone 240 ng/mL, #001661500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Methadone 240 ng/mL, #001661500	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Methadone 300 ng/mL Part # 003654000	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Methadone 300 ng/mL, #001661600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Methadone 300 ng/mL, #001661600	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Methadone 360 ng/mL Part # 003654100	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Methadone 360 ng/mL, #001661700	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Methadone 360 ng/mL, #001661700	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Methadone 450 ng/mL Part # 003654200	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Methadone 450 ng/mL, #001661800	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Methadone 450 ng/mL, #001661800	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Methadone 60 ng/mL Part # 003653700	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Methadone 60 ng/mL, #001660300	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Methadone 60 ng/mL, #001660300	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Methadone 600 ng/mL Part # 003654300	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Methadone 600 ng/mL, #001661900	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Methadone 600 ng/mL, #001661900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Methadone HCl, 60,000 ng/mL; # 003660401	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	Methadone Standards (100 µg/mL, and 50, 100, 200, 300, 400, 600 ng/mL)	Glass bottle/flask: 5-100 mL	3/24/2004
Roche Diagnostics Corporation	Methamphetamine Standards (100 µg/mL, and 250, 500 ng/mL)	Glass bottle/flask: 5-100 mL	3/24/2004
Roche Diagnostics Corporation	Methaqualone 150 ng/mL Part # 003657400	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Methaqualone 150 ng/mL, # 002001900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Methaqualone 150 ng/mL, # 002001900	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Methaqualone 240 ng/mL Part # 003657500	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Methaqualone 240 ng/mL, # 002002000	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Methaqualone 240 ng/mL, # 002002000	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Methaqualone 300 ng/mL Part # 003657600	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Methaqualone 300 ng/mL, # 002002100	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Methaqualone 300 ng/mL, # 002002100	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Methaqualone 360 ng/mL Part # 003657700	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Methaqualone 360 ng/mL, # 002002200	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Methaqualone 360 ng/mL, # 002002200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Methaqualone 450 ng/mL Part # 003657800	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Methaqualone 450 ng/mL, # 002002300	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Methaqualone 450 ng/mL, # 002002300	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Methaqualone 60 ng/mL Part # 003657300	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Methaqualone 60 ng/mL, # 002001800	Plastic bottle: 100 mL	4/2/2003

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Roche Diagnostics Corporation	Methaqualone 60 ng/mL, # 002001800	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Methaqualone 600 ng/mL Part # 003657900	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Methaqualone 600 ng/mL, # 002002400	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Methaqualone 600 ng/mL, # 002002400	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Methaqualone HCl, 60,000 ng/mL; # 003660701	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	Methaqualone Standards (100 µg/mL, and 50, 100, 200, 300, 400, 600 ng/mL)	Glass bottle/flask: 5-100 mL	3/24/2004
Roche Diagnostics Corporation	Morphine Standards (100 µg/mL, and 50, 100, 300, 500, 800 ng/mL)	Glass bottle/flask: 5-100 mL	3/24/2004
Roche Diagnostics Corporation	Morphine sulfate pentahydrate, 60,000 ng/mL; # 003660501	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	Morphine Test Strip	Strip: 0.5 cm x 3.0 cm	6/1/1995
Roche Diagnostics Corporation	Multianalyte-6 0.25X Part # 001484700	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Multianalyte-6 0.5X Part # 001484800	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Multianalyte-6 1.5X Part # 001485000	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Multianalyte-6 1X Part # 001484900	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Multianalyte-6 2X Part # 001485100	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Multiclinical 6 0.25x, #001830300 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Multiclinical 6 0.25x, #001831500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Multiclinical 6 0.25x, #001831500/#001834800	Plastic bottle: 60 mL, 480 mL	11/7/2000
Roche Diagnostics Corporation	Multiclinical 6 0.5x, #001830900 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Multiclinical 6 0.5x, #001831900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Multiclinical 6 0.5x, #001831900/#001834900	Plastic bottle: 60 mL, 480 mL	11/7/2000
Roche Diagnostics Corporation	Multiclinical 6 1.0x, #001831100 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Multiclinical 6 1.0x, #001832000	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Multiclinical 6 1.0x, #001832000/#001835100	Plastic bottle: 60 mL, 480 mL	11/7/2000
Roche Diagnostics Corporation	Multiclinical 6 1.5x, #001831200 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Multiclinical 6 1.5x, #001832500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Multiclinical 6 1.5x, #001832500/#001835200	Plastic bottle: 60 mL, 480 mL	11/7/2000
Roche Diagnostics Corporation	Multiclinical 6 2.0x, #001831300 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Multiclinical 6 2.0x, #001834600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Multiclinical 6 2.0x, #001834600/#001835300	Plastic bottle: 60 mL, 480 mL	11/7/2000
Roche Diagnostics Corporation	Multiclinical 6 Reference Standard 0.25X, material no. 03401065001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Multiclinical 6 Reference Standard 0.5X, material no. 03401073001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Multiclinical 6 Reference Standard 1.5X, material no. 03401120001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Multiclinical 6 Reference Standard 1X, material no. 03401081001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Multiclinical 6 Reference Standard 2X, material no. 03401197001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Nordiazepam 100 ng/mL Part # 003653000	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 100 ng/mL, #001659500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Nordiazepam 100 ng/mL, #001659500	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Nordiazepam 1000 ng/mL, #001820500 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 1000 ng/mL, #001820800	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 1000 ng/mL, #001820800	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Nordiazepam 120 ng/mL Part # 003653100	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 120 ng/mL, #001659600	Plastic bottle: 100 mL	4/2/2003

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Roche Diagnostics Corporation	Nordiazepam 120 ng/mL, #001659600	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Nordiazepam 150 ng/mL Part # 003653200	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 150 ng/mL, #001659700	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Nordiazepam 150 ng/mL, #001659700	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Nordiazepam 160 ng/mL, #001820400 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 160 ng/mL, #001820700	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 160 ng/mL, #001820700	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Nordiazepam 20 ng/mL Part # 003663600	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 200 ng/mL Part # 003653300	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 200 ng/mL, #001659800	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Nordiazepam 200 ng/mL, #001659800	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Nordiazepam 240 ng/mL Part # 003653400	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 240 ng/mL, #001659900	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Nordiazepam 240 ng/mL, #001659900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Nordiazepam 25 ng/mL Part # 003652700	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 25 ng/mL, #001659200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Nordiazepam 25 ng/mL, #001659200	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Nordiazepam 300 ng/mL Part # 003653500	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 300 ng/mL, #001660000	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Nordiazepam 300 ng/mL, #001660000	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Nordiazepam 3000 ng/mL, #001820600 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 3000 ng/mL, #001820900	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 3000 ng/mL, #001820900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Nordiazepam 360 ng/mL Part # 003653600	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 360 ng/mL, #001660100	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Nordiazepam 360 ng/mL, #001660100	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Nordiazepam 450 ng/mL Part # 003663700	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 50 ng/mL Part # 003652800	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 50 ng/mL, #001659300	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Nordiazepam 50 ng/mL, #001659300	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Nordiazepam 600 ng/mL Part # 003663800	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 80 ng/mL Part # 003652900	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Nordiazepam 80 ng/mL, #001659400	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Nordiazepam 80 ng/mL, #001659400	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Nordiazepam Standards (100 µg/mL, and 25, 50, 100, 200, 300 ng/mL)	Glass bottle/flask: 5-100 mL	3/24/2004
Roche Diagnostics Corporation	Nordiazepam, 20,000 ng/mL; # 003660201	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	Nordiazepam, 30,000 ng/mL; # 001101501	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	ONLINE Bulk Opium Hapten/Conjugate; Part #003484400	Bottle: 2000 L	8/30/2000
Roche Diagnostics Corporation	ONLINE Cocaine Conjugate	Bottle: 1 L-10 L	11/18/1998
Roche Diagnostics Corporation	ONLINE Cocaine Stock Latex 1.0%	Bottle: 0.25 L-400 L	11/20/1998
Roche Diagnostics Corporation	ONLINE LSD Conjugate	Bottle: 1 L-10 L	11/18/1998
Roche Diagnostics Corporation	ONLINE LSD Stock Latex 1.0%	Bottle: 0.25 L-400 L	11/20/1998
Roche Diagnostics Corporation	ONLINE Morphine Conjugate	Bottle: 1 L-10 L	11/18/1998

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Roche Diagnostics Corporation	ONLINE Morphine Stock Latex 1.0%	Bottle: 0.25 L-400 L	11/20/1998
Roche Diagnostics Corporation	ONLINE Stock Opiate 2000 Conjugate; Part# 003484300	Bottle: 1000 L	8/30/2000
Roche Diagnostics Corporation	ONLINE THC Conjugate	Bottle: 1 L-10 L	11/18/1998
Roche Diagnostics Corporation	ONLINE THC Stock Latex 1.0% Part #003817400	Container: 30-300 L	11/7/2000
Roche Diagnostics Corporation	ONLINE THC Stock Latex 1.5%	Bottle: 0.25 L-400 L	11/20/1998
Roche Diagnostics Corporation	OnTrak Cocaine Conjugate Part# 001751000	Conical Tube: 15 mL	1/18/2000
Roche Diagnostics Corporation	ONTRAK Special Control for Cocaine/THC Assays	Glass bottle: 60 mL	1/2/2002
Roche Diagnostics Corporation	OnTrak TesTcard 9 Evaluation Specimens, Samples A - J	Glass bottle: 2 mL; Box: up to 10 bottles	1/10/2003
Roche Diagnostics Corporation	OnTrak TesTcup 5 Collection/Urinalysis Panel for Amphetamine, Cocaine, Morphine, PCP and THC	Kit: 25 cups	9/12/1997
Roche Diagnostics Corporation	OnTrak TesTcup 5 M2K Collection/Urinalysis Panel for Amphetamines, Cocaine, Morphine 2000, PCP and THC, Cat# 1118501	Kit: 25 cups	7/6/1999
Roche Diagnostics Corporation	OnTrak TesTcup Collection/Urinalysis for Amphetamines, Cocaine, THC and Morphine	Kit: 25 cups	6/18/1999
Roche Diagnostics Corporation	OnTrak TesTcup Collection/Urinalysis Panel for Amphetamine, Cocaine, THC, Morphine 2000 and Methamphetamine Cat. #3016641	Kit: 25 cups	1/28/2000
Roche Diagnostics Corporation	OnTrak TesTcup Collection/Urinalysis Panel for Amphetamine, Cocaine, THC, Morphine and Methamphetamine Cat. #3016633	Kit: 25 cups	1/28/2000
Roche Diagnostics Corporation	OnTrak TesTCup Collection/Urinalysis Panel for Amphetamines, Barbiturates, Benzodiazepines, Cocaine and Morphine, Cat# 1117718	Kit: 25 cups	7/6/1999
Roche Diagnostics Corporation	OnTrak TesTcup er M2K Collection/Urinalysis Panel for Amphetamines, Barbiturates, Benzodiazepines, Cocaine and Morphine 2000, Cat# 1118528	Kit: 25 cups	9/1/1999
Roche Diagnostics Corporation	OnTrak TesTcup M2K Collection/Urinalysis Panel for Amphetamines, Cocaine, Morphine 2000 and THC, Cat# 1118498	Kit: 25 cups	7/6/1999
Roche Diagnostics Corporation	OnTrak Testcup/Testik Positive M2K Control	Kit: 6 vials; Vial: 15 mL	4/6/2000
Roche Diagnostics Corporation	OnTrak Testcup/Teststik Positive Control	Kit: 6 vials; 15 mL each	8/23/1999
Roche Diagnostics Corporation	OnTrak TesTcupPro 5 Collection/Urinalysis Panel for Benzodiazepines, Cocaine, Methamphetamine, Morphine and THC	Kit: 16 cups	4/4/2000
Roche Diagnostics Corporation	OnTrak TesTstick for Amphetamines	Kit: 50 tests	9/12/1997
Roche Diagnostics Corporation	OnTrak TesTstik 2 for Cocaine/THC Cat. # 1118579	Kit: 100 tests	1/20/2000
Roche Diagnostics Corporation	OnTrak TesTstik 3 for Cocaine/THC/Morphine Cat. # 1118595	Kit: 100 tests	1/20/2000
Roche Diagnostics Corporation	OnTrak TesTstik for Cocaine	Kit: 50 tests	9/12/1997
Roche Diagnostics Corporation	OnTrak TesTstik for Methamphetamine Cat. # 1986686	Kit: 50 tests	2/3/2000
Roche Diagnostics Corporation	OnTrak TesTstik for Morphine	Kit: 50 tests	9/12/1997
Roche Diagnostics Corporation	OnTrak TesTstik for Morphine 2000 (M2K) Cat# 1118563	Kit: 50 tests	9/1/1999
Roche Diagnostics Corporation	OnTrak TesTstik for PCP Cat. # 0766542	Kit: 50 tests	9/12/1997
Roche Diagnostics Corporation	OnTrak TesTstik for THC	Kit: 50 tests	9/12/1997
Roche Diagnostics Corporation	OnTrakTesTCup M2K Collection/Urinalysis Panel	Kit: 12 vials; 15 mL each	5/28/1999
Roche Diagnostics Corporation	OnTrakTesTCup M2K Positive Control	Vial: 15 mL	5/28/1999
Roche Diagnostics Corporation	Opiate 1000 ng/mL Part # 003655100	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Opiate 1000 ng/mL, # 001663400	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Opiate 1000 ng/mL, # 001663400	Plastic bottle: 100 mL	4/2/2003

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Roche Diagnostics Corporation	Opiate 150 ng/mL Part # 003654500	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Opiate 150 ng/mL, # 001662200	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Opiate 150 ng/mL, # 001662200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Opiate 1600 ng/mL Part # 003664700	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Opiate 2000 ng/mL Part # 003655200	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Opiate 2000 ng/mL, # 001663500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Opiate 2000 ng/mL, # 001663500	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Opiate 240 ng/mL Part # 003654600	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Opiate 240 ng/mL, # 001662300	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Opiate 240 ng/mL, # 001662300	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Opiate 2400 ng/mL Part # 003664800	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Opiate 300 ng/mL Part # 003654700	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Opiate 300 ng/mL, # 001663000	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Opiate 300 ng/mL, # 001663000	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Opiate 3000 ng/mL Part # 003664300	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Opiate 360 ng/mL Part # 003654800	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Opiate 360 ng/mL, # 001663100	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Opiate 360 ng/mL, # 001663100	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Opiate 4000 ng/mL Part # 003664200	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Opiate 4000 ng/mL, # 001666600	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Opiate 4000 ng/mL, # 001666600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Opiate 450 ng/mL Part # 003654900	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Opiate 450 ng/mL, # 001663200	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Opiate 450 ng/mL, # 001663200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Opiate 500 ng/mL Part # 003664100	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Opiate 60 ng/mL Part # 003664000	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Opiate 600 ng/mL Part # 003655000	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Opiate 600 ng/mL, # 001663300	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Opiate 600 ng/mL, # 001663300	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Opiate 75 ng/mL Part # 003654400	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Opiate 75 ng/mL, # 001662100	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Opiate 75 ng/mL, # 001662100	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Opiate 8000 ng/mL Part # 003664400	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	Opiate 8000 ng/mL, # 002007000	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Opiate 8000 ng/mL, # 002007000	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	Opiate Internal Reference Standard 1000 ng/mL, material no. 03388727001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Opiate Internal Reference Standard 2000 ng/mL, material no. 03388735001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Opiate Internal Reference Standard 3000 ng/mL, material no. 03388751001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Opiate Internal Reference Standard 4000 ng/mL, material no. 03388743001	Plastic bottle: 100 mL	4/13/2005

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Roche Diagnostics Corporation	Opiate Internal Reference Standard 450 ng/mL, material no. 03388697001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Opiate Internal Reference Standard 500 ng/mL, material no. 03388760001	Plastic bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Opiate Internal Reference Standard Solution (1600 ng/mL), Material No. 001668500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Opiate Internal Reference Standard Solution (2400 ng/mL), Material No. 001668600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Opiate Internal Reference Standard Solution (3000 ng/mL), Material No. 001666700	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Opiate Internal Reference Standard Solution (500 ng/mL), Material No. 001666800	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Opiate Internal Reference Standard Solution (60 ng/mL), Material No. 002006400	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	OPIATES II 300/2000 Integra	Cassette: 200 kits; 2 vials: 12 mL, 25 mL	6/18/1999
Roche Diagnostics Corporation	Oxazepam Standards (100 µg/mL, and 25, 50, 100, 200, 300 ng/mL)	Glass bottle/flask: 5-100 mL	3/24/2004
Roche Diagnostics Corporation	Oxazepam, 20,000 ng/mL; # 001765001	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	Oxazepam, 25,000 ng/mL; # 003665100	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	PCP 12.5 ng/mL Part # 003655400	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	PCP 12.5 ng/mL, #001717900	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	PCP 12.5 ng/mL, #001717900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	PCP 20 ng/mL Part # 003655500	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	PCP 20 ng/mL, #001718000	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	PCP 20 ng/mL, #001718000	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	PCP 225 ng/mL, #001823400 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	PCP 225 ng/mL, #001823600	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	PCP 225 ng/mL, #001823600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	PCP 25 ng/mL Part # 003655600	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	PCP 25 ng/mL, #001718200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	PCP 25 ng/mL, #001718200	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	PCP 30 ng/mL Part # 003655700	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	PCP 30 ng/mL, #002000000	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	PCP 30 ng/mL, #002000000	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	PCP 37.5 ng/mL Part # 003655800	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	PCP 37.5 ng/mL, #002000100	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	PCP 37.5 ng/mL, #002000100	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	PCP 5 ng/mL Part # 003663900	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	PCP 50 ng/mL Part # 003655900	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	PCP 50 ng/mL, #002000200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	PCP 50 ng/mL, #002000200	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	PCP 6.25 ng/mL Part # 003655300	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	PCP 6.25 ng/mL, #001717800	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	PCP 6.25 ng/mL, #001717800	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Roche Diagnostics Corporation	PCP 75 ng/mL, #001823300 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	PCP 75 ng/mL, #001823500	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	PCP 75 ng/mL, #001823500	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	PCP Internal Reference Standard Solution (5 ng/mL), Material No. 002006200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Phencyclidine HCl, 5,000 ng/mL; # 003660601	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	Phencyclidine Standards (100, 10 µg/mL, and 5, 10, 15, 20, 30, 50, 80 ng/mL)	Glass bottle/flask: 5-100 mL	3/24/2004
Roche Diagnostics Corporation	Phenobarbital II (911/912/917/P), #3016757	HDPE bottle: 20 mL; Kit: 4 bottles	12/9/2002
Roche Diagnostics Corporation	Phenobarbital II (912/917/P) Material No. 03016757190	Plastic bottles: 20 mL Kit: 4 bottles	7/9/2007
Roche Diagnostics Corporation	Phenobarbital II (917/P) Material No. 03510620190	Plastic bottles: 70 mL Kit: 2 bottles	7/9/2007
Roche Diagnostics Corporation	Phenobarbital II (917/P), #3510620	HDPE bottle: 70 mL; Kit: 2 bottles	12/9/2002
Roche Diagnostics Corporation	Phenobarbital USP Calibrator Set, Material Number 3515923	Glass bottle: 6 mL; Box: 6 bottles	11/14/2003
Roche Diagnostics Corporation	PPX 150 ng/mL Part # 003658100	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	PPX 150 ng/mL, #002002700	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	PPX 150 ng/mL, #002002700	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	PPX 2000 ng/mL, #001829500 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	PPX 2000 ng/mL, #001829600	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	PPX 2000 ng/mL, #001829600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	PPX 240 ng/mL Part # 003658200	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	PPX 240 ng/mL, #002002800	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	PPX 240 ng/mL, #002002800	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	PPX 300 ng/mL Part # 003658300	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	PPX 300 ng/mL, #002002900	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	PPX 300 ng/mL, #002002900	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	PPX 360 ng/mL Part # 003658400	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	PPX 360 ng/mL, #002003000	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	PPX 360 ng/mL, #002003000	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	PPX 450 ng/mL Part # 003658500	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	PPX 450 ng/mL, #002003100	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	PPX 450 ng/mL, #002003100	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	PPX 60 ng/mL Part # 003658000	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	PPX 60 ng/mL, #002002600	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	PPX 60 ng/mL, #002002600	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	PPX 600 ng/mL Part # 003658600	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	PPX Internal Reference Standard Solution (600 ng/mL), Material No. 002003200	Plastic bottle: 100 mL	4/2/2003
Roche Diagnostics Corporation	Preciset DAT Amphetamine, Catalog No. 3510832	Glass bottle: 5.5 mL; Box: 6 bottles	2/11/2003
Roche Diagnostics Corporation	Preciset DAT Plus 1 Levels 1-6, #03304671	Glass bottle: 5.5 mL; Box: 6 bottles	12/13/2001
Roche Diagnostics Corporation	Preciset DAT Plus 2 Levels 1-6, #03304680	Glass bottle: 5.5 mL; Box: 6 bottles	12/13/2001
Roche Diagnostics Corporation	Preciset DAT THC 20, Catalog No. 3753972	Glass bottle: 7 mL; Box: 5 bottles	9/26/2003
Roche Diagnostics Corporation	Preciset DAT THC, Catalog No. 3753964	Glass bottle: 7 mL; Box: 6 bottles	9/26/2003
Roche Diagnostics Corporation	Preciset MDMA Calibrator (Levels 1, 2, 3, 4)	Kit: 4 vials; 4 mL each	8/24/1999



### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Roche Diagnostics Corporation	Preciset MDMA Control (Levels 1, 2, 3, 4)	Kit: 4 vials; 4 mL each	8/26/1999
Roche Diagnostics Corporation	Preciset TDM I, Cat. No. 3375790	Plastic bottle: 6 x 7.5 mL, 1 x 12.5 mL; Box: 7 bottles	4/1/2003
Roche Diagnostics Corporation	Propoxyphene Standards (100 µg/mL, and 50, 100, 200, 300, 400, 600 ng/mL)	Glass bottle/flask: 5-100 mL	3/24/2004
Roche Diagnostics Corporation	ROCHE Abuscreen OnLine Amphetamine Special Controls	Glass vial: 5 mL; Kit: 6 vials	10/20/2003
Roche Diagnostics Corporation	ROCHE Abuscreen OnLine Benzodiazepine Special Controls	Glass vial: 5 mL; Kit: 6 vials	10/20/2003
Roche Diagnostics Corporation	ROCHE Abuscreen OnLine MDMA Control Pack	Glass vial: 5 mL; Kit: 4 vials	10/20/2003
Roche Diagnostics Corporation	ROCHE Abuscreen OnLine Preciset MDMA Control Calibrator	Glass vial: 5 mL; Kit: 8 vials	10/20/2003
Roche Diagnostics Corporation	Roche Amphetamine Special Controls Levels 1 and 2	Kit: 6 vials; 3 mL each	6/1/1999
Roche Diagnostics Corporation	Roche Benzodiazepine Special Controls Levels 1, 2 and 3	Kit: 2 vials/level; 3 mL each	6/1/1999
Roche Diagnostics Corporation	Roche Preciset DAT II Cal Levels 5, 6, 7, 8	Kit: 4 vials; 3 mL each	5/28/1999
Roche Diagnostics Corporation	Secobarbital Standards (100 µg/mL, and 25, 50, 100, 200, 250, 400 ng/mL)	Glass bottle/flask: 5-100 mL	3/24/2004
Roche Diagnostics Corporation	SimpleChek AMP Test Card, Cat. #3356981	Foil pouch: one test card; Box: 50 pouches	8/8/2002
Roche Diagnostics Corporation	SimpleChek BAR Test Card, Cat. #3358631	Foil pouch: one test card; Box: 50 pouches	8/8/2002
Roche Diagnostics Corporation	SimpleChek BNZ Test Card, Cat. #3358623	Foil pouch: one test card; Box: 50 pouches	8/8/2002
Roche Diagnostics Corporation	SimpleChek COC Test Card, Cat. #3356965	Foil pouch: one test card; Box: 50 pouches	8/8/2002
Roche Diagnostics Corporation	SimpleChek MET Test Card, Cat. #3358615	Foil pouch: one test card; Box: 50 pouches	8/8/2002
Roche Diagnostics Corporation	SimpleChek MOR Test Card, Cat. #3356973	Foil pouch: one test card; Box: 50 pouches	8/8/2002
Roche Diagnostics Corporation	SimpleChek THC Test Card, Cat. #3356957	Foil pouch: one test card; Box: 50 pouches	8/8/2002
Roche Diagnostics Corporation	SimpleChek THC/COC Test Card, Cat. #3356990	Foil pouch: one test card; Box: 50 pouches	8/8/2002
Roche Diagnostics Corporation	SimpleChek THC/COC/AMP Test Card, Cat. #3358577	Foil pouch: one test card; Box: 50 pouches	8/8/2002
Roche Diagnostics Corporation	SimpleChek THC/COC/M2K/AMP/PCP Test Card, Cat. #3358607	Foil pouch: one test card; Box: 50 pouches	8/8/2002
Roche Diagnostics Corporation	SimpleChek THC/COC/MET Test Card, Cat. #3358569	Foil pouch: one test card; Box: 50 pouches	8/8/2002
Roche Diagnostics Corporation	SimpleChek THC/COC/MOR Test Card, Cat. #3357007	Foil pouch: one test card; Box: 50 pouches	8/8/2002
Roche Diagnostics Corporation	SimpleChek THC/COC/MOR/AMP Test Card, Cat. #3357015	Foil pouch: one test card; Box: 50 pouches	8/8/2002
Roche Diagnostics Corporation	SimpleChek THC/COC/MOR/AMP/MET Test Card, Cat. #3357023	Foil pouch: one test card; Box: 50 pouches	8/8/2002
Roche Diagnostics Corporation	SimpleChek THC/COC/MOR/AMP/PCP Test Card, Cat. #3358593	Foil pouch: one test card; Box: 50 pouches	8/8/2002
Roche Diagnostics Corporation	SimpleChek THC/COC/MOR/MET Test Card, Cat. #3358585	Foil pouch: one test card; Box: 50 pouches	8/8/2002
Roche Diagnostics Corporation	Sodium secobarbital, 40,000 ng/mL; # 003660101	Glass vessel: 0.1-10 L	6/5/2001
Roche Diagnostics Corporation	TesTcard 9 Panel	Foil pouch: 1 card; Kit: 25 cards	4/18/2001
Roche Diagnostics Corporation	THC 10 ng/mL, #001821600 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	THC 10 ng/mL, #001821900	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	THC 100 ng/mL Part # 003656900	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	THC 100 ng/mL, #001100100	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	THC 100 ng/mL, #001100100	Glass bottle: 500 mL	4/2/2003
Roche Diagnostics Corporation	THC 12.5 ng/mL Part # 003656000	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	THC 12.5 ng/mL, #001768100	Glass bottle: 500 mL	4/2/2003
Roche Diagnostics Corporation	THC 12.5 ng/mL, #001768100	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	THC 120 ng/mL Part # 003657000	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	THC 150 ng/mL Part # 003657100	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	THC 16 ng/mL, #001821700 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Roche Diagnostics Corporation	THC 16 ng/mL, #001823100	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	THC 20 ng/mL Part # 003656100	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	THC 200 ng/mL, #001812500 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	THC 200 ng/mL, #001812600	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	THC 25 ng/mL Part # 003656200	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	THC 25 ng/mL, #001768300	Glass bottle: 500 mL	4/2/2003
Roche Diagnostics Corporation	THC 25 ng/mL, #001768300	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	THC 30 ng/mL Part # 003656300	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	THC 300 ng/mL, #001821800 (bulk)	Plastic vessel: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	THC 300 ng/mL, #001823200	Plastic bottle: 60 mL	11/7/2000
Roche Diagnostics Corporation	THC 40 ng/mL Part # 003656400	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	THC 50 ng/mL Part # 003656500	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	THC 50 ng/mL, #001806000	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	THC 50 ng/mL, #001806000	Glass bottle: 500 mL	4/2/2003
Roche Diagnostics Corporation	THC 60 ng/mL Part # 003656600	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	THC 75 ng/mL Part # 003656700	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	THC 75 ng/mL, #001806200	Glass bottle: 500 mL	4/2/2003
Roche Diagnostics Corporation	THC 75 ng/mL, #001806200	Glass bottle: 60 mL; Plastic bottle: 1200 mL	6/2/1998
Roche Diagnostics Corporation	THC 80 ng/mL Part # 003656800	Bottles: 0.1-10 L	11/7/2000
Roche Diagnostics Corporation	THC CAL PACK 20, Abuscreen ONLINE Cannabinoids Calibration Pack 20	Kit: 4 vials	9/11/1991
Roche Diagnostics Corporation	THC Conjugate Lyophilized; #001817600	Plastic vessel: 10-200 mL	5/10/2002
Roche Diagnostics Corporation	THC II 911/912/917/P Module Kit; #03046761	HDPE bottle: 20 mL; Kit: 4 bottles	5/10/2002
Roche Diagnostics Corporation	THC II 917/P Module Kit; #03800105	HDPE bottle: 70 mL; Kit: 2 bottles	5/10/2002
Roche Diagnostics Corporation	THC II DAT2400 Module Kit; #03800121	HDPE bottle: three-330 mL, three-720 mL; Kit: 6 bottles	5/10/2002
Roche Diagnostics Corporation	THC II Integra 400/700/800 Cassette; #03046753	HDPE bottle: one-12 mL, one-25 mL; Kit: 2 bottles	5/10/2002
Roche Diagnostics Corporation	THC II P Module Kit; #03064948	HDPE bottle: one-130 mL, one-290 mL; Kit: 2 bottles	5/10/2002
Roche Diagnostics Corporation	THC Microparticle Reagent	Vial: 80 mL	6/27/1996
Roche Diagnostics Corporation	THC Reference Standard 75 ng/mL, material no. 03402967001	Glass bottle: 60 mL	4/13/2005
Roche Diagnostics Corporation	THC Standards (10 µg/mL, and 5, 10, 20, 50, 80 ng/mL)	Glass bottle/flask: 5-100 mL	3/24/2004
Roche Diagnostics Corporation	THC Test Strip	Strip: 0.5 cm x 3.0 cm	6/1/1995
Roche Diagnostics Corporation	Varian Barbiturates Standards, material no. 04590503160	Kit: 6 bottles; bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Varian Benzodiazepine II Standards, material no. 04590511160	Kit: 7 bottles; bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Varian Clinical-6 Standard Kit, material no. 04590520160	Kit: 6 bottles; bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Varian Cocaine Standards, material no. 04590538160	Kit: 8 bottles; bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Varian Multi-6 Standard Kit, material no. 04590546160	Kit: 6 bottles; bottle: 500 mL	4/13/2005
Roche Diagnostics Corporation	Varian Opiates Standards, material no. 04590554160	Kit: 7 bottles; bottle: 100 mL	4/13/2005
Roche Diagnostics Corporation	Varian THC Standard, material no. 04590490160	Kit: 10 bottles; bottle: 60 mL	4/13/2005
Roche Diagnostics Operations, Inc.	BULK 10K NG/ML THC-30KD/BSA, Material No. 03606287002	Glass container: 0.1-20 L	12/20/2005

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Roche Diagnostics Operations, Inc.	BULK 125K NG/ML M/A-30KD/BSA, Material No. 03605078002	Glass container: 0.1-20 L	12/20/2005
Roche Diagnostics Operations, Inc.	BULK 30K NG/ML NRDZP-30KD/BSA, Material No. 03606031002	Glass container: 0.1-20 L	12/20/2005
Roche Diagnostics Operations, Inc.	BULK 40K NG/ML BARB-30KD/BSA, Material No. 03604632002	Glass container: 0.1-20 L	12/20/2005
Roche Diagnostics Operations, Inc.	BULK 5K NG/ML PCP-30KD/BSA, Material No. 03605698002	Glass container: 0.1-20 L	12/20/2005
Roche Diagnostics Operations, Inc.	BULK 60K NG/ML METH-30KD/BSA, Material No. 03605825002	Glass container: 0.1-20 L	12/20/2005
Roche Diagnostics Operations, Inc.	BULK 60K NG/ML MOR-30KD/BSA, Material No. 03604683002	Glass container: 0.1-20 L	12/20/2005
Roche Diagnostics Operations, Inc.	BULK 60K NG/ML MTQL-30KD/BSA, Material No. 04368690002	Glass container: 0.1-20 L	12/20/2005
Roche Diagnostics Operations, Inc.	BULK 60K NG/ML PPX-30KD/BSA, Material No. 03604624002	Glass container: 0.1-20 L	12/20/2005
Roche Diagnostics Operations, Inc.	BULK 75K NG/ML COC-30KD/BSA, Material No. 03605540002	Glass container: 0.1-20 L	12/20/2005
Roche Diagnostics Operations, Inc.	BULK C.f.a.s. DAT QUAL PLUS, Material No. 04644611001	Glass container: 0.1-20 L	12/20/2005
Roche Diagnostics Operations, Inc.	Bulk MDEA 10,000 ng/mL Stock, Material No. 04954777001	Glass container: 10 mL - 1 L	10/13/2006
Roche Diagnostics Operations, Inc.	Bulk MDEA 1000 ng/mL Std, Material No. 04954807001	Glass container: 10 mL - 1 L	10/13/2006
Roche Diagnostics Operations, Inc.	Bulk MDEA 300 ng/mL Std, Material No. 04954785001	Glass container: 10 mL - 1 L	10/13/2006
Roche Diagnostics Operations, Inc.	Bulk MDEA 500 ng/mL Std, Material No. 04954793001	Glass container: 10 mL - 1 L	10/13/2006
Roche Diagnostics Operations, Inc.	BULK PRECISET DAT QUAL PLUS I LEVEL 2, Material No. 04644492001	Glass container: 0.1-20 L	12/20/2005
Roche Diagnostics Operations, Inc.	BULK PRECISET DAT QUAL PLUS I LEVEL 3, Material No. 04644506001	Glass container: 0.1-20 L	12/20/2005
Roche Diagnostics Operations, Inc.	BULK PRECISET DAT QUAL PLUS I LEVEL 4, Material No. 04644514001	Glass container: 0.1-20 L	12/20/2005
Roche Diagnostics Operations, Inc.	BULK PRECISET DAT QUAL PLUS I LEVEL 5, Material No. 04644522001	Glass container: 0.1-20 L	12/20/2005
Roche Diagnostics Operations, Inc.	BULK PRECISET DAT QUAL PLUS I LEVEL 6, Material No. 04644549001	Glass container: 0.1-20 L	12/20/2005
Roche Diagnostics Operations, Inc.	BULK PRECISET DAT QUAL PLUS II LEVEL 2, Material No. 04644565001	Glass container: 0.1-20 L	12/20/2005
Roche Diagnostics Operations, Inc.	BULK PRECISET DAT QUAL PLUS II LEVEL 3, Material No. 04644573001	Glass container: 0.1-20 L	12/20/2005

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Roche Diagnostics Operations, Inc.	BULK PRECISET DAT QUAL PLUS II LEVEL 4, Material No. 04644581001	Glass container: 0.1-20 L	12/20/2005
Roche Diagnostics Operations, Inc.	BULK PRECISET DAT QUAL PLUS II LEVEL 5, Material No. 04644590001	Glass container: 0.1-20 L	12/20/2005
Roche Diagnostics Operations, Inc.	BULK PRECISET DAT QUAL PLUS II LEVEL 6, Material No. 04644603001	Glass container: 0.1-20 L	12/20/2005
Roche Diagnostics Operations, Inc.	C.f.a.s. DAT Qualitative Clinical, Bottle 1, Disp. material No. 04502671001	Glass bottle: 7 mL	9/8/2004
Roche Diagnostics Operations, Inc.	C.f.a.s. DAT Qualitative Clinical, Bottle 2, Disp. material No. 04502680001	Glass bottle: 7 mL	9/8/2004
Roche Diagnostics Operations, Inc.	C.f.a.s. DAT Qualitative Clinical, Bottle 3, Disp. material No. 04502698001	Glass bottle: 7 mL	9/8/2004
Roche Diagnostics Operations, Inc.	C.f.a.s. DAT Qualitative Clinical, Bottle 4, Disp. material No. 04502701001	Glass bottle: 7 mL	9/8/2004
Roche Diagnostics Operations, Inc.	C.f.a.s. DAT Qualitative Clinical, Bottle 5, Disp. material No. 04502710001	Glass bottle: 7 mL	9/8/2004
Roche Diagnostics Operations, Inc.	C.f.a.s. DAT Qualitative Clinical, Catalog No. 04500865160	Glass bottle: 7 mL; Box: 10 bottles	9/8/2004
Roche Diagnostics Operations, Inc.	C.f.a.s. DAT Qualitative Plus, Catalog No. 03304698190	Glass bottle: 7 mL, Kit: 6 bottles	12/20/2005
Roche Diagnostics Operations, Inc.	cobas Cocaine/200 Cassette, Catalog No. 04490827190	Plastic bottle: 60 mL	10/24/2005
Roche Diagnostics Operations, Inc.	cobas Cocaine/200 Dispensed AMD-Conjugate Reagent, Material No. 04559622001	Plastic bottle: 60 mL	10/24/2005
Roche Diagnostics Operations, Inc.	Cobas FP T-Uptake Calibrator, Catalog No. 20762059322	Glass bottles: 5 mL; Box: 4 bottles	12/6/2005
Roche Diagnostics Operations, Inc.	Cobas Integra Total T4 (Thyroxine), Catalog No. 20739006322	HDPE bottles: 2x12 mL, 1x25 mL; Cassette: 3 bottles	12/6/2005
Roche Diagnostics Operations, Inc.	Cobas Integra T-Uptake, Catalog No. 20739014322	HDPE bottles: 2x12 mL, 1x25 mL; Cassette: 3 bottles	12/6/2005
Roche Diagnostics Operations, Inc.	cobas Opiates/200 Cassette, Catalog No. 04490894190	Plastic bottle: 60 mL	10/24/2005
Roche Diagnostics Operations, Inc.	cobas Opiates/200 Dispensed Hapten/Conjugate Reagent, Material No. 04559754001	Plastic bottle: 60 mL	10/24/2005
Roche Diagnostics Operations, Inc.	cobas THC/200, Catalog No. 01191009190	HDPE bottles: 60 mL, 20 mL	4/28/2006
Roche Diagnostics Operations, Inc.	DISP C.f.a.s. DAT QUAL PLUS, Material No. 04644425001	Glass bottle: 7 mL	12/20/2005
Roche Diagnostics Operations, Inc.	Disp cobas 200 THC R1 Conjugate, Material No. 04559894001	HDPE bottle: 60 mL	4/28/2006
Roche Diagnostics Operations, Inc.	Disp LSD High/Positive Control, Material No. 03405214001	Glass bottle: 10 mL	4/28/2006

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Roche Diagnostics Operations, Inc.	Disp LSD Low/Neg Control, Material No. 03405346001	Glass bottle: 10 mL	4/28/2006
Roche Diagnostics Operations, Inc.	Disp LSD Mid/Cal Control, Material No. 03405206001	Glass bottle: 10 mL	4/28/2006
Roche Diagnostics Operations, Inc.	DISP PRECISET DAT QUAL PLUS I LEVEL 2, Material No. 04644107001	Glass bottle: 7 mL	12/20/2005
Roche Diagnostics Operations, Inc.	DISP PRECISET DAT QUAL PLUS I LEVEL 3, Material No. 04644115001	Glass bottle: 7 mL	12/20/2005
Roche Diagnostics Operations, Inc.	DISP PRECISET DAT QUAL PLUS I LEVEL 4, Material No. 04644123001	Glass bottle: 7 mL	12/20/2005
Roche Diagnostics Operations, Inc.	DISP PRECISET DAT QUAL PLUS I LEVEL 5, Material No. 04644140001	Glass bottle: 7 mL	12/20/2005
Roche Diagnostics Operations, Inc.	DISP PRECISET DAT QUAL PLUS I LEVEL 6, Material No. 04644158001	Glass bottle: 7 mL	12/20/2005
Roche Diagnostics Operations, Inc.	DISP PRECISET DAT QUAL PLUS II LEVEL 2, Material No. 04644271001	Glass bottle: 7 mL	12/20/2005
Roche Diagnostics Operations, Inc.	DISP PRECISET DAT QUAL PLUS II LEVEL 3, Material No. 04644301001	Glass bottle: 7 mL	12/20/2005
Roche Diagnostics Operations, Inc.	DISP PRECISET DAT QUAL PLUS II LEVEL 4, Material No. 04644310001	Glass bottle: 7 mL	12/20/2005
Roche Diagnostics Operations, Inc.	DISP PRECISET DAT QUAL PLUS II LEVEL 5, Material No. 04644328001	Glass bottle: 7 mL	12/20/2005
Roche Diagnostics Operations, Inc.	DISP PRECISET DAT QUAL PLUS II LEVEL 6, Material No. 04644336001	Glass bottle: 7 mL	12/20/2005
Roche Diagnostics Operations, Inc.	Disp. MDEA 1000 ng/mL Std, Material No. 04954831001	Glass bottle: 12 mL	10/13/2006
Roche Diagnostics Operations, Inc.	Disp. MDEA 300 ng/mL Std, Material No. 04954815001	Glass bottle: 12 mL	10/13/2006
Roche Diagnostics Operations, Inc.	Disp. MDEA 500 ng/mL Std, Material No. 04954823001	Glass bottle: 12 mL	10/13/2006
Roche Diagnostics Operations, Inc.	PRECISET DAT Plus I, Catalog No. 03304671190	Glass bottle: 7 mL, Kit: 6 bottles	12/20/2005
Roche Diagnostics Operations, Inc.	PRECISET DAT Plus II, Catalog No. 03304680190	Glass bottle: 7 mL, Kit: 6 bottles	12/20/2005
Roche Diagnostics Operations, Inc.	TDM Control Set, Catalog No. 04521536190	LDPE bottle: 6 mL, Box: 6 bottles	1/13/2006
Rowley Biochemical Institute, Inc.	Aldehyde Fuchsin Solution	Bottle: Pint, Quart, Gallon	2/2/1984
Rowley Biochemical Institute, Inc.	Aldehyde Thionin Solution	Bottle: Pint, Quart, Gallon	2/2/1984
Rowley Biochemical Institute, Inc.	Mayer's Hematoxylin Solution	Bottle: Pint, Quart, Gallon	2/2/1984
Salimetrics, LLC	Expanded Range Salivary Testosterone Enzyme Immunoassay Kit, Cat. # 1-2312	Plastic vial: 1.5 mL; Kit: 3 vials	1/16/2006
Salimetrics, LLC	Expanded Range Salivary Testosterone Enzyme Immunoassay Kit, Cat. # 1-2402/1-2412	Plastic vial: 1.5 mL; Kit: 3 vials	1/16/2006

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Salimetrics, LLC	Salivary Testosterone Control Set, Cat. # 4-T001	Plastic vial: 1.5 mL; Set: 6 vials	3/8/2004
Salimetrics, LLC	Testosterone Standard (Component of Kit(s), Cat. # 1-1402/1-1412)	Plastic vial: 1.5 mL; Kit: 1 vial	3/8/2004
Salimetrics, LLC	Testosterone Standard (Component of Kit(s), Cat. # 1-2402/1-2412 and 1-2312)	Plastic vial: 1.5 mL	1/16/2006
Schering Corp.	Hepaquick	Vial: 9 Dram and Plate	7/16/1972
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	AAB Special Chemistry Survey Material	Vial: 10 mL	2/12/1997
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	AAB Therapeutic Drug Monitoring Survey Material	Vial: 10 mL	5/7/1996
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	AAB Urine Drug Screening Survey Material	Vial: 20 mL	9/29/1995
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	AACC/CAP Athletic Drug Testing Survey Material	Bottle: 125 mL	12/16/1996
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	AACC/CAP Forensic Toxicology Survey Material	Vial: 10, 30, 50 mL	12/16/1996
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	AACC/CAP Forensic Urine Drug Testing Confirmatory Survey Material	Vial: 50 mL	12/16/1996
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	AACC/CAP Forensic Urine Drug Testing Screening Survey Material	Vial: 15 mL	12/16/1996
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	AAFP-PT MultiChem 10, Levels 1-5	Glass vial: 5 mL	1/21/2000
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	AAFP-PT MultiChem 15, Levels 1-5	Glass vial: 5 mL	1/21/2000
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	AAFP-PT MultiChem 20, Levels 1-5	Glass vial: 5 mL	1/21/2000
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	AAFP-PT MultiChem 21, Levels 1-5	Glass vial: 5 mL	1/21/2000
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	AAFP-PT MultiChem 5, Levels 1-5	Glass vial: 5 mL	1/21/2000
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	AAFP-PT Special Chem, Level 1	Glass vial: 7 mL	1/21/2000
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	ACA Toxicology Urine Survey	Bottle: 15-60 mL	9/29/1995
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	CAP Reference Material for Delta-9-THC in Urine	Vial: 30 mL	1/9/1997
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	CAP Toxicology Survey Material	Vial: 30, 50 mL	12/16/1996
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	CAP Urine Toxicology Survey Material	Vial: 50 mL	12/16/1996
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	CONFORMANCE MCC Ligand Control Levels 1, 2 and 3	Vial: 15 mL; Box: 9 vials	6/23/1997
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Drugs of Abuse Control Level 2	Vial: 7 mL	5/11/1999

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Drugs of Abuse Control Set	Kit: 6 vials; Vial: 7 mL	5/11/1999
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Drugs of Abuse, Urine	Vial: 20 mL	1/9/1997
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Ligand Plus (Levels 1, 2, 3)	Vial: 7 mL	1/20/1999
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	MCC LiquiChem CONFORMANCE Unassayed Chemistry Control Levels 1 and 2	Vial: 10 mL, Set: 6 (3 of each level); 15 vials each level	1/24/1997
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	NFL Drug Control	Vial: 15 mL	1/20/1999
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	OPUS TDM Controls Levels 1, 2 and 3	Vial: 10 mL, Set: 9 vials	12/16/1996
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	QCS (Levels 1, 2, 3)	Vial: 15 mL	1/20/1999
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Qualitrol DHP Immunoassay Control Levels 1, 2 and 3	Vial: 15 mL; Kit: 9 vials	6/23/1997
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Qualitrol Immunoassay Plus Control (Levels 1, 2, and 3)	Glass vial: 7 mL	8/31/1999
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	QUICKCHECK Unassayed Chemistry Control Level 1	Vial: 5 mL	5/7/1996
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	QUICKCHECK Unassayed Chemistry Control Level 2	Vial: 5 mL	5/7/1996
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Rapid Drug Screen Controls	Glass vial: 7 mL	8/16/1999
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Reference Material for Amphetamine and Methamphetamine in Human Urine	Vial: 15 mL; Kit: 4 vials	5/30/1997
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Reference Material for Phencyclidine in Human Urine	Vial: 15 mL; Kit: 4 vials	5/30/1997
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Reproductive Endocrinology: Calibration Verification Linearity (Levels 1-5)	Vial: 7 mL	5/15/1999
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Serum Chemistry	Vial: 10 mL	1/9/1997
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	SureTRAK Basic Chemistry/TDM Control-Assayed, Levels 1, 2, and 3	Glass vial: 7 mL	1/14/2000
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	SureTRAK Basic Chemistry/TDM Control-Unassayed, Levels 1, 2, and 3	Glass vial: 15 mL, 25 mL, 40 mL	1/14/2000
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	SureTRAK Complete Chemistry/TDM Control-Assayed, Levels 1, 2, and 3	Glass vial: 15 mL, 25 mL, 40 mL	1/14/2000
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	SureTRAK Complete Chemistry/TDM Control-Unassayed, Levels 1, 2, and 3	Glass vial: 15 mL, 25 mL, 40 mL	1/14/2000
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	SureTRAK Immunoassay Control, Levels 1, 2 and 3	Glass vial: 7 mL	1/14/2000

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Therapeutic Drug Monitoring Calibration Verification Linearity (Levels 1-5)	Vial: 7 mL	5/15/1999
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Urine Chemistry Controls, Levels 1 and 2 (10 mL fill)	Glass vial: 15 mL	8/16/1999
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Urine Chemistry Controls, Levels 1 and 2 (25 mL fill)	Glass vial: 40 mL	8/16/1999
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Urine Control	Vial: 15 mL	1/20/1999
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Urine Drug Control/Screen 25% Human Urine Bulk	Bottles: 500 mL-40 L; Drums: 30 L-75 L	8/19/1999
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Urine Drug Control/Screen Synthetic Urine Bulk	Bottles: 500 mL-40 L; Drums: 30 L-75 L	8/19/1999
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Urine Drug Screening Bulk	Bottles: 500 mL-40 L; Drums: 30 L-75 L	8/19/1999
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Urine Multi-analyte Drugs of Abuse Control	Vial: 40 mL	1/20/1999
SeraCare Technology, Inc., d.b.a. Consolidated Technologies	Urine Toxicology, 25% Human Urine Bulk	Bottles: 500 mL-40 L; Drums: 30 L-75 L	8/19/1999
Seradyn, Inc.	Antibody Reagent, Phenobarbital Reagent Test Kit	Plastic bottle: 14.5 mL; Carboy: 20 L	4/21/2000
Seradyn, Inc.	INNOFLUOR Phenobarbital Calibrator Set: A,B,C,D,E,F	Bottle: 3 mL	4/10/1996
Seradyn, Inc.	INNOFLUOR Phenobarbital Reagent Set	Set: 3 Bottles; 6mL each	4/10/1996
Seradyn, Inc.	MULTIGENT Cannabinoids 100 Cal (3L41-03)	Plastic bottle: 6 mL	10/6/2005
Seradyn, Inc.	MULTIGENT Cannabinoids 125 Control (3L41-16)	Plastic bottle: 6 mL	10/6/2005
Seradyn, Inc.	MULTIGENT Cannabinoids 20 Cal (3L41-01)	Plastic bottle: 6 mL	10/6/2005
Seradyn, Inc.	MULTIGENT Cannabinoids 200 Cal (3L41-04)	Plastic bottle: 6 mL	10/6/2005
Seradyn, Inc.	MULTIGENT Cannabinoids 40 Control (3L41-10)	Plastic bottle: 6 mL	10/6/2005
Seradyn, Inc.	MULTIGENT Cannabinoids 50 Cal (3L41-02)	Plastic bottle: 6 mL	10/6/2005
Seradyn, Inc.	MULTIGENT Cannabinoids 60 Control (3L41-12)	Plastic bottle: 6 mL	10/6/2005
Seradyn, Inc.	MULTIGENT Cannabinoids 75 Control (3L41-14)	Plastic bottle: 6 mL	10/6/2005
Seradyn, Inc.	MULTIGENT DOA MC I Cal 1 (3L43-01)	Glass bottle: 11 mL	10/6/2005
Seradyn, Inc.	MULTIGENT DOA MC I Cal 2 (3L43-02)	Glass bottle: 11 mL	10/6/2005
Seradyn, Inc.	MULTIGENT DOA MC I Cal 3 (3L43-03)	Glass bottle: 11 mL	10/6/2005
Seradyn, Inc.	MULTIGENT DOA MC I Cal 4 (3L43-04)	Glass bottle: 11 mL	10/6/2005
Seradyn, Inc.	MULTIGENT DOA MC I Control Set (3L43-10)	Kit: 2 glass bottles; Glass bottle: 6 mL	10/6/2005
Seradyn, Inc.	MULTIGENT DOA MC II Control Set (3L42-10)	Kit: 4 glass bottles; Glass bottle: 6 mL	10/6/2005
Seradyn, Inc.	MULTIGENT Ecstasy 1000 Cal (3L42-04)	Plastic bottle: 15 mL	10/6/2005
Seradyn, Inc.	MULTIGENT Ecstasy 250 Cal (3L42-01)	Plastic bottle: 15 mL	10/6/2005
Seradyn, Inc.	MULTIGENT Ecstasy 500 Cal (3L42-02)	Plastic bottle: 15 mL	10/6/2005
Seradyn, Inc.	MULTIGENT Ecstasy 750 Cal (3L42-03)	Plastic bottle: 15 mL	10/6/2005
Seradyn, Inc.	MULTIGENT Opiates 1000 Cal (3L34-04)	Plastic bottle: 6 mL	10/6/2005
Seradyn, Inc.	MULTIGENT Opiates 150 Cal (3L34-01)	Plastic bottle: 6 mL	10/6/2005
Seradyn, Inc.	MULTIGENT Opiates 300 Cal (3L34-02)	Plastic bottle: 6 mL	10/6/2005
Seradyn, Inc.	MULTIGENT Opiates 500 Cal (3L34-03)	Plastic bottle: 6 mL	10/6/2005



### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Seradyn, Inc.	MULTIGENT Opiates Low Control Set (3L34-10)	Kit: 2 glass bottles; Glass bottle: 6 mL	10/6/2005
Seradyn, Inc.	Phenobarbital Stock Tracer	Vial: 5 mL	9/23/1987
Siemens Healthcare Diagnostics Inc.	ACS: 180 FT4 Solid Phase	Plastic Bottle: 35 mL	2/7/2008
Siemens Healthcare Diagnostics Inc.	ADVIA Centaur FT4 Readypack	Plastic Bottle: 44 mL	2/7/2008
Siemens Healthcare Diagnostics Inc.	FT4 Solid Phase Bulk	Plastic Vessel: 500L-1400L	2/7/2008
Sigma Chemical Co.	(-) Deoxyephedrine, D-7258	Ampule: 2 mL	9/25/1991
Sigma Chemical Co.	(+)Deoxyephedrine-d5 HCl #D-5914	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	(+/-) 2,5-Dimethoxy-4-bromo-amphetamine Hydrobromide, D-7633	Ampule: 2 mL	9/25/1991
Sigma Chemical Co.	(+/-) 2,5-Dimethoxy-4-methyl-amphetamine HCl, D-7883	Ampule: 2 mL	9/25/1991
Sigma Chemical Co.	(+/-) Deoxyephedrine HCl, D-7508	Ampule: 2 mL	9/25/1991
Sigma Chemical Co.	(+/-)-(2 Methylamino)propiofenone Hydrochloride	Ampule: 1 mL	7/30/1992
Sigma Chemical Co.	11-Hydroxy-delta 9 Tetrahydrocannabinol Cat. No. H3879	Ampule: 2 mL	11/6/1991
Sigma Chemical Co.	11-nor-delta-9-Tetrahydrocannabinol, 9-carboxylic .05 mg/mL acid, No. N-5642	Glass ampule: 2 mL	6/29/1989
Sigma Chemical Co.	11-nor-delta-9THC-9-Carboxylic Acid #N-6893	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	11 $\beta$ -Hydroxytestosterone, H-4646	Vial: 2 mL	2/4/1994
Sigma Chemical Co.	15B-Hydroxytestosterone Drug Standard, H-4150	Vial: 4 mL	11/21/1997
Sigma Chemical Co.	17 $\alpha$ -Methyltestosterone, Product #M8783	Ampule: 2 mL	1/30/1992
Sigma Chemical Co.	19-Nortestosterone 17-Phenylpropionate, N 2771	Ampule: 1 mL	7/30/1992
Sigma Chemical Co.	19-Nortestosterone 17-Propionate, N 2896	Ampule: 1 mL	7/30/1992
Sigma Chemical Co.	19-Nortestosterone 17-Decanoate, N 3021	Ampule: 1 mL	7/30/1992
Sigma Chemical Co.	19-Nortestosterone, Product #N1269	Ampule: 2 mL	1/30/1992
Sigma Chemical Co.	1-Dehydrotestosterone, Product #D5791	Ampule: 2 mL	1/30/1992
Sigma Chemical Co.	1-Tetrahydrocannabinol, Product No. T4764	Vial: 1 mL	5/11/1981
Sigma Chemical Co.	3,4 Methyleneoxyamphetamine 1 mg/mL, No. M-5029	Glass ampule: 2 mL	6/29/1989
Sigma Chemical Co.	3,4-Methyleneoxyamphetamine, No. M-3272	Glass ampule: 2 mL	6/6/1989
Sigma Chemical Co.	3-Methylfentanyl HCl, M-6255	Ampule: 2 mL	9/25/1991
Sigma Chemical Co.	5,5-Diallylbarbituric Acid, Product No. D-6013	Ampule: 1 mL	6/30/1977
Sigma Chemical Co.	5-Androstene-3 $\beta$ , 17 $\beta$ -Diol, Product #A0684	Ampule: 2 mL	1/30/1992
Sigma Chemical Co.	5- $\alpha$ -Androstan-17 $\beta$ -ol-3-one Benzoate, A 9768	Ampule: 1 mL	7/30/1992
Sigma Chemical Co.	6-Tetrahydrocannabinol, Product No. T-4889	Vial: 1 mL	5/11/1981
Sigma Chemical Co.	Acid Hematoxylin Solution, No. 285-2	Bulk: 1000 L	5/4/1993
Sigma Chemical Co.	Acid Hematoxylin Solution, No.285-2	Bottle: 25 mL, 100 mL	8/6/1973
Sigma Chemical Co.	Adenosine Phosphate Substrate, Product No. 675-1	Bottle: 4 oz.	7/25/1983
Sigma Chemical Co.	Alkaline Phosphatase Isoenzymes # 710-A	Plastic jar: 30 mL; Glass bottles: 4 oz; Kit: 3 containers	12/8/1998
Sigma Chemical Co.	Allylcyclopentylbarbituric Acid (A-7787)	Sealed Ampule:1 mL	4/10/1985
Sigma Chemical Co.	Allylisobutylbarbituric Acid (A-1038)	Sealed Ampule:1 mL	4/10/1985
Sigma Chemical Co.	Alphaprodine Hydrochloride (A-1537)	Ampule: 1 mL	8/27/1984
Sigma Chemical Co.	Alphenal (A-1163)	Ampule: 1 mL	4/10/1985

**Exempt Chemical Preparations List**

March 31, 2008

Supplier	Product Name	Form	Date
Sigma Chemical Co.	Alprazolam .25 mg/mL, No. A-5052	Glass ampule: 2 mL	6/29/1989
Sigma Chemical Co.	Alprazolam-d5 #A-7055	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Ammonia in Plasma Kit	Kit: 100 tests, 30 tests	12/13/1977
Sigma Chemical Co.	Ammonia Reagent Kit, Stock No. 170-10	Kit: 10 Vials	2/17/1977
Sigma Chemical Co.	Ammonia Reagent Stock No. 170-10	Vial: 30 mL	12/13/1977
Sigma Chemical Co.	Ammonia Reagent, Stock No. 170-10	Vial: 10 mL	2/17/1977
Sigma Chemical Co.	Amobarbital Sodium Salt, Product No. A-7441	Ampule: 1 mL	5/13/1993
Sigma Chemical Co.	Amobarbital, Product No. A-5142	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	Antibody Sensitized Sheep Erythrocytes (EA7S)	Vials: 2 mL and 5X 2 mL	4/2/1986
Sigma Chemical Co.	Aprobarbital, Product No. A-7023	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	AST Reagent A, Stock No.56-2	Vial: 10 mL	6/27/1979
Sigma Chemical Co.	Barbital Buffer 5X Concentrate Electrophoresis Reagent Cat. No. B-3506	Bottle: 200 mL	11/14/1991
Sigma Chemical Co.	Barbital Buffer with Albumin Stock No. 880-3	Vial: 20 mL	7/11/1980
Sigma Chemical Co.	Barbital Buffer, Product No. B-6632	Polyethylene Vial: 30 mL	5/11/1977
Sigma Chemical Co.	Barbital, Product No. B-8632	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	Benzoylcegonine 1 mg/mL, No. B-8900	Glass ampule: 2 mL	6/29/1989
Sigma Chemical Co.	Benzoylcegonine-d3 #B-3277	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Benzphetamine Hydrochloride, Product No. B-8765	Sealed Ampule:1 mL	6/8/1984
Sigma Chemical Co.	Bolasterone, Product #B3404	Ampule: 1 mL	1/30/1992
Sigma Chemical Co.	Bromazepam #B-5402	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Bufotenine Monooxalate, Product No. B-8757	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	Bulk CA/Amelung Systems Buffer # J6347	SS tank: 650 gal	12/8/1998
Sigma Chemical Co.	Bulk LDH Electrophoresis Buffer # 705-1	Plastic vessel: 5 gal	12/8/1998
Sigma Chemical Co.	Bulk Owren's Buffer # O5880	Plastic or SS tank: 30, 55 gal	12/8/1998
Sigma Chemical Co.	Bulk Trizmol Barbital Buffer # 710-1	Plastic vessel: 5 gal	12/8/1998
Sigma Chemical Co.	Buprenorphine Hydrochloride	Vial: 2 mL	9/12/1994
Sigma Chemical Co.	Butabarbital, Product No. B-8882	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	Butalbital, Product No. B-5514	Sealed Ampule:1 mL	9/19/1983
Sigma Chemical Co.	Butethal (B-7516)	Ampule: 1 mL	9/5/1985
Sigma Chemical Co.	Cannabidiol, Product No. C-6395	Vial: 1 mL	5/11/1981
Sigma Chemical Co.	Cannabinol, Product No. C-6520	Vial: 1 mL	5/11/1981
Sigma Chemical Co.	Chloral Hydrate, Product #C9954	Ampule: 1 mL	5/10/1995
Sigma Chemical Co.	Chloral Hydrate, Product No. C-6516	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	Chlorazepam Dipotassium Salt, (C-9531)	Ampule: 1 mL	5/24/1985
Sigma Chemical Co.	Chlordiazepoxide (C-4782)	Ampule: 1 mL	9/5/1985
Sigma Chemical Co.	Chlordiazepoxide Hydrochloride Acetonitrile Drug Standard #C-9547	Ampule: 2 mL	6/26/1990
Sigma Chemical Co.	Chlordiazepoxide-d5 #C-5047	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Clobazam, No. C-6667	Glass ampule: 2 mL	6/6/1989
Sigma Chemical Co.	Clonazepam, Product No. C-4404	Sealed Ampule:1 mL	6/8/1984
Sigma Chemical Co.	Cocaethylene, #C-8205	Ampule: 1 mL	10/9/1995
Sigma Chemical Co.	Cocaethylene, C-7313	Vial: 2 mL	2/4/1994
Sigma Chemical Co.	Cocaethylene-D5, #C-7073	Ampule: 1 mL	10/9/1995

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Sigma Chemical Co.	Cocaine Hydrochloride Product No. C-1528	Sealed Ampule:1 mL	9/19/1983
Sigma Chemical Co.	Cocaine-d3 #C-3547	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Codeine.Product No. C-1653	Sealed Ampule:1 mL	9/19/1983
Sigma Chemical Co.	Codeine-d3 HCl #C-3672	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	D-Amphetamine Sulfate, Product No. A-3278	Vial: 1 mL	5/11/1981
Sigma Chemical Co.	d-Amphetamine-d3 Sulfate #A-7180	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Delorazepam #D-5789	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	delta-9-tetrahydrocannabinol-d3 #T-8783	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Desmethyldiazepam 1 mg/mL, No. D-3162	Glass ampule: 2 mL	6/29/1989
Sigma Chemical Co.	Desmethyldiazepam-d5 #D-6039	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Diazepam, Product No. D-9900	Sealed Ampule:1 mL	6/8/1984
Sigma Chemical Co.	Diazepam-d5 #D-5664	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Diethylpropion Hydrochloride, Product No. D-7274	Sealed Ampule:1 mL	9/19/1983
Sigma Chemical Co.	Diphenoxylate HCl, Product #D0780	Ampule: 1 mL	9/5/1985
Sigma Chemical Co.	DL-Amphetamine HCl, Product No. A-5017	Sealed Ampule: 1 mL	6/30/1977
Sigma Chemical Co.	dl-Amphetamine, A-2262	Ampule: 2 mL	9/25/1991
Sigma Chemical Co.	d-Lysergic Acid Cat. No. L-9752	Ampule: 2 mL	11/6/1991
Sigma Chemical Co.	D-Propoxyphene Hydrochloride, P-1550	Ampule: 1 mL	9/27/1984
Sigma Chemical Co.	d-Propoxyphene-d7 HCl #P-4179	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Drug Standard Mix 1, D-3155	Ampule: 2 mL	4/18/1986
Sigma Chemical Co.	Drug Standard Mix 2, D-3030	Ampule: 2 mL	4/18/1986
Sigma Chemical Co.	Ecgonine Hydrochloride 1 mg/mL, No. E-9762	Glass ampule: 2 mL	6/29/1989
Sigma Chemical Co.	Ecgonine-d3 HCl #E-2014	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Ecgonine-d3 Methyl Ester HCl #E-2139	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Estazolam #E-1139	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Ethinamate (E-8508)	Ampule: 1 mL	4/10/1985
Sigma Chemical Co.	Ethylmorphine, E-3377	Ampule: 2 mL	9/25/1991
Sigma Chemical Co.	Fencamfamine Hydrochloride	Vial: 2 mL	9/12/1994
Sigma Chemical Co.	Fenfluramine Hydrochloride, Product No. F-1884	Sealed Ampule:1 mL	9/19/1983
Sigma Chemical Co.	Fenproporex Hydrochloride, No. F-7261	Glass ampule: 2 mL	6/6/1989
Sigma Chemical Co.	Fentanyl Citrate, No. F-5886	Glass ampule: 2 mL	6/6/1989
Sigma Chemical Co.	Fentanyl-d5 Citrate #F-2520	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Flunitrazepam No. F-8763	Vial: 1 mL	6/30/1987
Sigma Chemical Co.	Fluoxymesterone, Product #F6891	Ampule: 2 mL	1/30/1992
Sigma Chemical Co.	Flurazepam Dihydrochloride Product # F9134	Vial: 1 mL	10/20/1989
Sigma Chemical Co.	Gelatin Veronal Buffer (GVB2+) No. G-6514	Vial: 50 mL, 250 mL	9/15/1986
Sigma Chemical Co.	Gelatin Veronal Buffer-EDTA, No. G-9660	Bottle: 500 mL, Vial: 50 mL, Box: 5 vials	11/6/1996
Sigma Chemical Co.	Glutethimide, Product No. G-3134	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	Glycerophosphate Substrate, Product No. 675-2	Bottle: 4 oz.	7/25/1983
Sigma Chemical Co.	Heroin Hydrochloride .1 mg/mL, No. H-5144	Glass ampule: 2 mL	6/29/1989
Sigma Chemical Co.	Hexobarbital, Product No. H-2007	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	Hydrocodone Bitartrate, No. H-2269	Glass ampule: 2 mL	6/6/1989
Sigma Chemical Co.	Hydromorphone Hydrochloride No. H-7141	Vial: 1 mL	6/30/1987

**Exempt Chemical Preparations List**

March 31, 2008

Supplier	Product Name	Form	Date
Sigma Chemical Co.	Hydroxytestosterone, Product #H9901	Vial: 0.5 mL	5/10/1995
Sigma Chemical Co.	Ibogaine HCl, Product No. I-4630	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	I-Amphetamine, A-9136	Ampule: 2 mL	9/25/1991
Sigma Chemical Co.	LDH Electrophoresis Buffer, Stock No. 705-1	Bottle: 30 mL	1/4/1977
Sigma Chemical Co.	LDH Isoenzymes # 705-A	Plastic jar: 30 mL; Glass vials: 30 mL, 50 mL; Kit: 8 containers	12/8/1998
Sigma Chemical Co.	LDH-P Reagent No. 125-100	Vial: 100 mL	5/29/1973
Sigma Chemical Co.	Levorphanol Tartrate 1 mg/mL, No. L-0896	Glass ampule: 2 mL	6/29/1989
Sigma Chemical Co.	Lorazepam (L-0140)	Ampule: 1 mL	5/24/1985
Sigma Chemical Co.	Lormetazepam, No. 8145	Glass ampule: 2 mL	6/6/1989
Sigma Chemical Co.	Lysergic Acid Diethylamide #L-8147	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Lysergic Acid Diethylamide, Drug Standard No. L-5406	Ampule: 1 mL	8/17/1994
Sigma Chemical Co.	Lysergic Acid, Product No. L-5881	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	Mayer's Hematoxylin Solution, MHS-1, MHS-16, MHS-32, MHS-80, MHS-128	Bottle: 3 mL, 6 mL, 25 mL, 100 mL, 225 mL, 500 mL, 1.0 L, 2.5 L, 4.0 L	8/6/1973
Sigma Chemical Co.	Mayer's Hematoxylin Solution, No. MHS-1	Bulk: 1000 L	5/4/1993
Sigma Chemical Co.	Mebutamate (M-3772)	Ampule: 1 mL	9/5/1985
Sigma Chemical Co.	Medazepam (M-7646)	Ampule: 1 mL	5/24/1985
Sigma Chemical Co.	Meperidine Hydrochloride (M-1020)	Ampule: 1 mL	8/27/1984
Sigma Chemical Co.	Mephobarbital, Product No. M-3514	Vial: 1 mL	5/11/1981
Sigma Chemical Co.	Meprobamate (M-0271)	Ampule: 1 mL	5/24/1985
Sigma Chemical Co.	Mescaline HCl, Product No. M-5153	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	Mesterolone, Product #M8283	Ampule: 2 mL	1/30/1992
Sigma Chemical Co.	Methadone Hydrochloride, Product No. M-3268	Sealed Ampule:1 mL	9/19/1983
Sigma Chemical Co.	Methadone-d3 #M-4781	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Methamphetamine HCl, Product No. M-5260	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	Methandrostenedione, Product #M6910	Ampule: 2 mL	1/30/1992
Sigma Chemical Co.	Methaqualone Hydrochloride, Product No. M-3393	Sealed Ampule:1 mL	9/19/1983
Sigma Chemical Co.	Methaqualone-d4 #M-5406	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Methylphenidate Hydrochloride (M-1145)	Ampule: 1 mL	10/31/1984
Sigma Chemical Co.	Methyprylon, Product No. M-1769	Sealed Ampule:1 mL	6/8/1984
Sigma Chemical Co.	Morphine Sulfate, No. M-9524	Glass ampule: 2 mL	6/6/1989
Sigma Chemical Co.	Morphine-3-B-D Glucuronide, Product No. M-4266	Ampule: 1 mL	10/21/1982
Sigma Chemical Co.	Morphine-d3 HCl, M-6380	Ampule: 2 mL	9/25/1991
Sigma Chemical Co.	N,N-Diethyltryptamine, Product No. D-0392	Vial: 1 mL	5/11/1981
Sigma Chemical Co.	N,N-Dimethyltryptamine, Product No. D-6263	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	Nalorphine Hydrochloride	Ampule: 1 mL	8/27/1984
Sigma Chemical Co.	Nitrazepam, N-3397	Ampule: 1 mL	9/8/1993
Sigma Chemical Co.	Norcodeine Hydrochloride, No. N-3017	Glass ampule: 2 mL	6/6/1989
Sigma Chemical Co.	Normorphine HCl #N-7393	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Noroxymorphone #N-7018	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Owren's Buffer, No. 05880	Bottle: 500 mL; Vial: 20 mL; Box: 5 vials	4/5/1989
Sigma Chemical Co.	Oxazepam, No. O-1755	Vial: 1 mL	6/30/1987

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Sigma Chemical Co.	Oxazepam-d5 #O-1381	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Oxazolam, No. O-8005	Glass ampule: 2 mL	6/6/1989
Sigma Chemical Co.	Oxycodone Hydrochloride, Product No. O-2628	Sealed Ampule:1 mL	9/19/1983
Sigma Chemical Co.	Oxymetholone, Product #O4006	Ampule: 2 mL	1/30/1992
Sigma Chemical Co.	Paraldehyde, Product No. P-3778	Ampule: 1 mL	10/21/1982
Sigma Chemical Co.	Pemoline, Product No. P-3518	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	Pentazocine Hydrochloride, Product No. P-7530	Sealed Ampule:1 mL	9/19/1983
Sigma Chemical Co.	Pentobarbital, Product No. P-3393	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	Phencyclidine HCl, Product #P7043	Vial: 1 mL	6/30/1987
Sigma Chemical Co.	Phencyclidine-d5 HCl #P-6054	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Phendimetrazine Bitartrate, Product #P3524	Vial: 1 mL	5/11/1981
Sigma Chemical Co.	Phenobarbital FPIA Calibrator Set Cat. No. P9051	Kit: 6 vials	11/21/1989
Sigma Chemical Co.	Phenobarbital FPIA Calibrator: A-No.P8301, B-No.P8426, C-No.P8551, D-No.P8676, E-No.P8801, F-NO.P8926	Vial: 2.5 mL	11/21/1989
Sigma Chemical Co.	Phenobarbital Primary Stock Solution No. Z-5419	Bottle: 10 L, 5 L, 1 L, 500 mL, 100 mL	2/1/1991
Sigma Chemical Co.	Phenobarbital, Prod. No.P-3643	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	Phentermine Hydrochloride, Product No. P-7655	Sealed Ampule:1 mL	9/19/1983
Sigma Chemical Co.	Phenylacetone, Product #P3958	Ampule: 1 mL	5/10/1995
Sigma Chemical Co.	Phenylacetone, Product No. P-2024	Vial: 1 mL	5/11/1981
Sigma Chemical Co.	p-Methoxyamphetamine HCl #M-4656	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Prazepam, No. P-7168	Vial: 1 mL	6/30/1987
Sigma Chemical Co.	Psilocin #P-4054	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Secobarbital, Product No. S-4006	Sealed Ampule:1 mL	6/30/1977
Sigma Chemical Co.	Secobarbital-d5, S-4628	Ampule: 2 mL	9/25/1991
Sigma Chemical Co.	SIA Cocaine Metabolites	Kit: 96 Tests	7/11/1991
Sigma Chemical Co.	SIA Conjugate Cocaine Metabolites	Bottle: 75 mL	7/11/1991
Sigma Chemical Co.	SIA Positive Reference Cocaine Metabolites	Vial: 1 mL	7/11/1991
Sigma Chemical Co.	Stanozolol, Product #S7649	Ampule: 2 mL	1/30/1992
Sigma Chemical Co.	Stanozolol-d3, Product #S7774	Ampule: 2 mL	1/30/1992
Sigma Chemical Co.	Temazepam, No. T-4903	Vial: 1 mL	6/30/1987
Sigma Chemical Co.	Tenocyclidine HCl, T-3507	Ampule: 2 mL	9/25/1991
Sigma Chemical Co.	Testosterone 17β-Cypionate, T 3415	Ampule: 1 mL	7/30/1992
Sigma Chemical Co.	Testosterone Acetate, Product #T5661	Ampule: 2 mL	1/30/1992
Sigma Chemical Co.	Testosterone Benzoate, Product #T1913	Ampule: 2 mL	1/30/1992
Sigma Chemical Co.	Testosterone Enanthate, T 3540	Ampule: 1 mL	7/30/1992
Sigma Chemical Co.	Testosterone Propionate, T 3665	Ampule: 1 mL	7/30/1992
Sigma Chemical Co.	Testosterone, Product #T5411	Ampule: 2 mL	1/30/1992
Sigma Chemical Co.	Testosterone-d3, Product #T5536	Ampule: 2 mL	1/30/1992
Sigma Chemical Co.	Thebaine, Product No. T-5270	Sealed Ampule:1 mL	9/19/1983
Sigma Chemical Co.	Thiamylal Sodium, Product No. T-6896	Sealed Ampule:1 mL	6/8/1984
Sigma Chemical Co.	Thiopental (T-1022)	Ampule: 1 mL	8/27/1984
Sigma Chemical Co.	Triazolam #T-7658	Ampule: 2 mL	8/28/1990
Sigma Chemical Co.	Trizma-Barbital Buffer, Stock No. 710-1	Bottle: 30 mL	1/4/1977

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Sigma Chemical Co.	Tropacocaine HCl, Product #T4576	Vial: 1 mL	5/11/1981
Sigma Chemical Co.	Z9999, Field Test Sample PSEUDOnarcotics Marihuana Formulation	Vial: 400 mL	3/14/1991
Sigma Chemical Co.	α-Ethyltryptamine Acetate, Product #E1392	Vial: 2 mL	2/4/1994
Sigma Diagnostics	Accutrol Chemistry Control Abnormal, Unassayed, A5088	Vial: 10 mL; Box: 20 vials Box 20 vials	12/4/1997
Sigma Diagnostics	Accutrol Chemistry Control Normal, Unassayed, A4088	Vial: 10 mL; Box: 20 vials Box: 20 vials	12/4/1997
Sigma Diagnostics	Amelung Systems Buffer	Box: 6 Vials; Bottle: 25 mL	2/8/1996
Sigma Diagnostics	CA System Buffer	Bottle: 500 mL	9/9/1993
Sigma Diagnostics Corporation	Accumark liquid DM/Thyroid Control, Levels 1,2, and 3	Vial: 5 mL; Kit: 3 or 15 vials	1/25/1999
Sigma-Aldrich, Inc.	Barbital Buffer, Product # B5934	Vial: 30 mL; Package: 12 vials	2/5/2003
SmithKline Beecham	Benzo/PCP QC	Bottle: 10 mL	7/31/1995
SmithKline Beecham	GC/MS 1	Bottle: 50 mL	7/31/1995
SmithKline Beecham	NIDA LODQC	Bottle: 50 mL	7/31/1995
SmithKline Beecham	SAP LODQC	Bottle: 50 mL	7/31/1995
SmithKline Beecham	SB50N	Bottle: 10, 25, 50 mL	7/31/1995
SmithKline Beecham	SB50P	Bottle: 10, 25, 50 mL	7/31/1995
SmithKline Beecham	Urine Drug Standards Pool A,B,C,D,E,F,G	Bottle: 25 mL	7/31/1995
Sterling Diagnostics Inc.	Sterling Abnormal Control Level 2 Cat# 1003-A	Bottle: 10 mL; Kit: 6 Bottles	6/9/1997
Sterling Diagnostics Inc.	Sterling Normal Control Level 1 Cat# 1003-N	Bottle: 10 mL; Kit: 6 Bottles	6/9/1997
Supelco, Inc.	8270B Base-Neutrals Mix, Product No. 48195	Ampule: 1 mL	10/1/1997
Supelco, Inc.	Chloral Hydrate Kit, Product # 4-8112	Kit: 19 Vials; 2 mL each	9/6/1994
Supelco, Inc.	Chloral Hydrate, Product No. 47335-U	Ampule: 1 mL	10/1/1997
Supelco, Inc.	Chloral Hydrate, Product# 4-7335	Ampule: 2 mL	9/15/1995
Supelco, Inc.	Custom Mix Product No. 20195489	Ampule: 2 mL	5/16/2001
Supelco, Inc.	Custom Mix, Cat. # 20195489	Glass ampule: 2 mL	5/25/2001
Supelco, Inc.	Custom Mix, Supelco Product No.: 20910302	Glass ampule: 1 mL	9/21/2007
Supelco, Inc.	EPA 8270 Base/Neutrals Mix B, Product # 4-8195	Vial: 2 mL	8/31/1994
Supelco, Inc.	Equity 8270 Appendix IX Supplemental Mix 2 Cat # 86-1141	Ampule: 2 mL	6/16/1998
Supelco, Inc.	Equity Chloral Hydrate	Vial: 1 mL	8/14/1997
Supelco, Inc.	α, α-Dimethylphenethylamine	Ampule: 2 mL	2/7/1995
Supelco, Inc.	α, α-Dimethylphenethylamine Cat# 47448-U	Ampule: 2 mL	5/26/1998
Supelco, Inc.	α, α-Dimethylphenethylamine Product No. 48377	Ampule: 1 mL	10/1/1997
Supelco, Inc.	α, α-Dimethylphenethylamine Product No. 4-8377	Vial: 2 mL	8/31/1994
Sure-Tech Diagnostic Associates, Inc.	3,4-Methylenedioxyamphetamine in Urine Matrix; Prod 928	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	3,4-Methylenedioxymethylamphetamine in Urine Matrix; Prod 929	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	9-Carboxyl-11 Nor-A-9-THC in Urine Matrix; Prod 923	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	Alprazolam in Urine Matrix; Prod. 920	Vial: 20 mL	4/24/1992

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Sure-Tech Diagnostic Associates, Inc.	Benzoylcegonine in Urine Matrix; Prod 922	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	Codeine in Urine Matrix; Prod 924	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	D-Amphetamine in Urine Matrix; Prod. 921	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	D-Methamphetamine/D-Amphetamine in Urine Matrix; Prod 926	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	D-Propoxyphene in Urine Matrix; Prod 936	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	Drugs of Abuse Urine Control (Blind Sample) Positive Amphetamine Kit No. ST 904, Vial No. 904-P	Vial: 4 mL Kit: 1 vial	5/11/1990
Sure-Tech Diagnostic Associates, Inc.	Drugs of Abuse Urine Control (Blind Sample) Positive Cocaine & Marijuana Kit No. ST 903	Kit: 2 vials	5/11/1990
Sure-Tech Diagnostic Associates, Inc.	Drugs of Abuse Urine Control (Blind Sample) Positive Cocaine, Kit No. ST 901, Vial No. 901-P	Vial: 4 mL Kit: 1 vial	5/11/1990
Sure-Tech Diagnostic Associates, Inc.	Drugs of Abuse Urine Control (Blind Sample) Positive Marijuana, Kit No. ST 902, Vial No. 902-P	Vial: 4 mL Kit: 1 vial	5/11/1990
Sure-Tech Diagnostic Associates, Inc.	Drugs of Abuse Urine Control (Blind Sample) Positive Opiates Kit No. ST 905, Vial No. 905-P	Vial: 4 mL Kit: 1 vial	5/11/1990
Sure-Tech Diagnostic Associates, Inc.	Drugs of Abuse Urine Control (Blind Sample) Positive Phencyclidine Kit No. ST 906, Vial No. 906-P	Vial: 4 mL Kit: 1 vial	5/11/1990
Sure-Tech Diagnostic Associates, Inc.	Drugs of Abuse: Urine Controls (Blind Samples) positive Codeine No. 907-P	Vial: 20 mL; Box: 1 vial	9/13/1990
Sure-Tech Diagnostic Associates, Inc.	Drugs of Abuse: Urine Controls (Blind Samples) positive Methadone NNo. 908-P	Vial: 20 mL; Box: 1 vial	9/13/1990
Sure-Tech Diagnostic Associates, Inc.	Drugs of Abuse: Urine Controls (Blind Samples) positive Methamphetamine No. 909-P	Vial: 20 mL; Box: 1 vial	9/13/1990
Sure-Tech Diagnostic Associates, Inc.	Drugs of Abuse: Urine Controls (Blind Samples) positive Methaqualone No. 913-P	Vial: 20 mL, Box: 1 vial	9/13/1990
Sure-Tech Diagnostic Associates, Inc.	Drugs of Abuse: Urine Controls (Blind Samples) positive Oxazepam No. 910-P	Vial: 20 mL, Box: 1 vial	9/13/1990
Sure-Tech Diagnostic Associates, Inc.	Drugs of Abuse: Urine Controls (Blind Samples) positive Propoxyphene No. 911-P	Vial: 20 mL, Box: 1 vial	9/13/1990
Sure-Tech Diagnostic Associates, Inc.	Drugs of Abuse: Urine Controls (Blind Samples) positive Secobarbital No. 912-P	Vial: 20 mL, Box: 1 vial	9/13/1990
Sure-Tech Diagnostic Associates, Inc.	Meperidine in Urine Matrix; Prod 930	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	Methadone in Urine Matrix; Prod 925	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	Methaqualone in Urine Matrix; Prod 927	Vial: 20 mL	4/24/1992

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Sure-Tech Diagnostic Associates, Inc.	Morphine-3-Glucuronide in Urine Matrix; Prod 931	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	Nordiazepam in Urine Matrix; Prod 932	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	Normeperidine in Urine Matrix; Prod 933	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	Oxazepam in Urine Matrix; Prod 934	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	Phencyclidine in Urine Matrix; Prod 935	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	Secobarbital in Urine Matrix; Prod 937	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	Temazepam in Urine Matrix; Prod 938	Vial: 20 mL	4/24/1992
Sure-Tech Diagnostic Associates, Inc.	Triazolam in Urine Matrix; Prod 939	Vial: 20 mL	4/24/1992
Syva Company	Emit 2000 Phenobarbital Calibrators (5,10,20,40,80)	Kit: 5 vials	6/18/1997
Syva Company	Emit 2000 Phenobarbital Calibrators (5,10,20,40,80)	Bottle: 6 mL	7/31/1997
Syva Company	Emit 5B3 THC; Calibrators: 0 ng/mL, 50 ng/mL, 100 ng/mL, 200 ng/mL	Vial: 10 mL	12/14/1995
Syva Company	Emit AED-No. 1 Calibrator	Vial: 3 mL, Lyophilized	8/27/1974
Syva Company	Emit AED-No. 2 Calibrator	Vial: 3 mL, Lyophilized	8/27/1974
Syva Company	Emit AED-No. 3 Calibrator	Vial: 3 mL, Lyophilized	8/27/1974
Syva Company	Emit AED-No. 4 Calibrator	Vial: 3 mL, Lyophilized	8/27/1974
Syva Company	Emit AED-No. 5 Calibrator	Vial: 3 mL, Lyophilized	8/27/1974
Syva Company	Emit Antiepileptic (AED) Drug Calibrators (1,2,3,4,5)	Kit: 5 vials	6/18/1997
Syva Company	Emit Calibrator B Level 2 (high)	Kit: 5 mL, 25 mL; Bottle: 5 mL, 25 mL	3/28/1997
Syva Company	Emit Calibrator B Level I (cutoff)	Kit: 5 mL, 25 mL; Bottle: 5 mL, 25 mL	3/28/1997
Syva Company	EMIT Calibrator/Control Level I	Bottle: 15 mL	6/4/1999
Syva Company	EMIT Calibrator/Control Level II	Bottle: 15 mL	6/4/1999
Syva Company	EMIT Calibrator/Control Level III	Bottle: 15 mL	6/4/1999
Syva Company	EMIT Calibrator/Control Level IV	Bottle: 15 mL	6/4/1999
Syva Company	EMIT Calibrator/Control Level V	Bottle: 15 mL	6/4/1999
Syva Company	EMIT Class Amphetamine Level I (Cutoff)	Bottle: 15 mL	6/4/1999
Syva Company	EMIT Class Amphetamine Level II (High)	Bottle: 15 mL	6/4/1999
Syva Company	Emit Convenience Pack: Thyroxine Assay Enzyme Reagent B	Cassette: 8 mL	7/31/1997
Syva Company	Emit Convenience Pack: T-Uptake Assay (Thyroid Hormone Binding Ratio)	Cassette: 16 mL, Kit: 100 tests Kit: 100 tests	7/31/1997
Syva Company	Emit d.a.u. Low Calibrator A	Vial: 5 mL	6/30/1989
Syva Company	Emit d.a.u. Low Calibrator A, Cat# 3C579	Vial: 5 mL	10/6/1988
Syva Company	Emit d.a.u. Low Calibrator B	Bottle: 5 mL	7/31/1997
Syva Company	Emit d.a.u. Medium Calibrator A	Vial: 5 mL	6/30/1989
Syva Company	Emit d.a.u. Medium Calibrator A, Cat# 3C569	Vial: 5 mL	10/6/1988
Syva Company	Emit d.a.u. Medium Calibrator B	Bottle: 5 mL	7/31/1997



**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Syva Company	Emit Delta 9 Cannabinoid 20 ng/mL Calibrator/Control	Vial: 3 mL	8/22/1989
Syva Company	Emit Delta 9 Cannabinoid 50 ng/mL Calibrator/Control	Vial: 3 mL	8/22/1989
Syva Company	Emit delta9 Cannabinoid 100 ng/mL Calibrator Control	Vial: 3 mL	6/18/1997
Syva Company	Emit delta9 Cannabinoid 400 ng/mL Calibrator Control	Vial: 3 mL	6/18/1997
Syva Company	Emit II Calibrator A Level 1 (cutoff)	Vial: 5 mL, 25 mL	6/18/1997
Syva Company	Emit II Calibrator A Level 2 (high)	Vial: 5 mL, 25 mL	6/18/1997
Syva Company	Emit II delta9 Cannabinoid 100 ng/mL Calibrator	Vial: 10 mL	6/18/1997
Syva Company	Emit II delta9 Cannabinoid 20 ng/mL Calibrator	Vial: 10 mL	6/18/1997
Syva Company	Emit II delta9 Cannabinoid 200 ng/mL Calibrator	Vial: 10 mL	6/18/1997
Syva Company	Emit II delta9 Cannabinoid 50 ng/mL Calibrator	Vial: 10 mL	6/18/1997
Syva Company	Emit LSD Calibrator; 0.5 ng/mL, 1.5 ng/mL, 2.5 ng/mL	Bottle: 10 mL, 25 mL	2/22/1996
Syva Company	Emit LSD Control, Level I and Level II	Bottle: 25 mL	2/22/1996
Syva Company	Emit st Serum Calibrator	Vial: 3 mL	6/18/1997
Syva Company	Emit st Serum Controls	Vial: 3 mL; Kit: 2 vials	6/18/1997
Syva Company	Emit st Urine Calibrator A	Vial: 3 mL	7/31/1997
Syva Company	Emit st Urine Control Set A	Vial: 3 mL, Kit: 2 vials Kit: 2 vials	7/31/1997
Syva Company	Emit st Urine Opiate Assay	Vial: 3 mL; Kit: 80 vials	6/18/1997
Syva Company	Emit THC Calibrators; 0 ng/mL, 50 ng/mL, 100 ng/mL, 200 ng/mL	Vial: 10 mL	10/11/1993
Syva Company	Emit Thyroxine Assay	Kit: 1300 tests	6/18/1997
Syva Company	Emit Thyroxine Assay	Kit: 500 tests	6/18/1997
Syva Company	Emit Thyroxine Bulk Powder Reagent B	Bottle: 1000 mL	7/31/1997
Syva Company	Emit Thyroxine Bulk Powder Reagent B Satellite	Bottle: 4 oz	7/31/1997
Syva Company	Emit tox Serum Calibrator Kit Containing: (1) Emit tox Serum Low Calibrator and (1) Emit tox Serum Medium Calibrator	Bottle: 3 mL	6/18/1997
Syva Company	Emit T-Uptake Assay	Bottle: 4 oz, Kit: 500 tests Kit: 500 tests	7/31/1997
Syva Company	Emit T-Uptake Bulk Powder Reagent A	Bottle: 1000 mL	7/31/1997
Syva Company	Emit T-Uptake Bulk Powder Reagent A Satellite	Bottle: 4 oz	7/31/1997
Syva Company	Emit-st Cannabinoid Calibrator	Vial: 3 mL, 2 vials/kit	7/10/1981
Syva Company	Emit-st Cannabinoid Controls	Vial: 3 mL, 2 vials/kit	7/10/1981
Syva Company	Emit-st Urine Methaqualone Calibrator	Vial: 3 mL	4/27/1982
Syva Company	Emit-st Urine Methaqualone Controls	Vial: 3 mL	4/27/1982
Syva Company, Dade Behring, Inc.	EII Plus Control 10	Glass flask: 50-500 mL; Plastic tank/carboy: 1-10 L; Plastic vial: 15 mL	5/8/2003
Syva Company, Dade Behring, Inc.	EII Plus Control 11	Glass flask: 50-500 mL; Plastic tank/carboy: 1-10 L; Plastic vial: 15 mL	5/8/2003
Syva Company, Dade Behring, Inc.	EII Plus Control 12	Glass flask: 50-500 mL; Plastic tank/carboy: 1-10 L; Plastic vial: 15 mL	5/8/2003
Syva Company, Dade Behring, Inc.	EII Plus Control 13	Glass flask: 50-500 mL; Plastic tank/carboy: 1-10 L; Plastic vial: 15 mL	5/8/2003
Syva Company, Dade Behring, Inc.	EII Plus Control 14	Glass flask: 50-500 mL; Plastic tank/carboy: 1-10 L; Plastic vial: 15 mL	5/8/2003

## Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Syva Company, Dade Behring, Inc.	EII Plus Control 15	Glass flask: 50-500 mL; Plastic tank/carboy: 1-10 L; Plastic vial: 15 mL	5/8/2003
Syva Company, Dade Behring, Inc.	EII Plus Control 16	Glass flask: 50-500 mL; Plastic tank/carboy: 1-10 L; Plastic vial: 15 mL	5/8/2003
Syva Company, Dade Behring, Inc.	EII Plus Control 17	Glass flask: 50-500 mL; Plastic tank/carboy: 1-10 L; Plastic vial: 15 mL	5/8/2003
Syva Company, Dade Behring, Inc.	EII Plus Control 18	Glass flask: 50-500 mL; Plastic tank/carboy: 1-10 L; Plastic vial: 15 mL	5/8/2003
Syva Company, Dade Behring, Inc.	EII Plus Control 9	Glass flask: 50-500 mL; Plastic tank/carboy: 1-10 L; Plastic vial: 15 mL	5/8/2003
Syva Company, Dade Behring, Inc.	EMIT Calibrator B Level 1 (cutoff)	Vial: 15 mL, 63 mL	10/16/2002
Syva Company, Dade Behring, Inc.	EMIT Calibrator B Level 2 (high)	Vial: 15 mL, 63 mL	10/16/2002
Syva Company, Dade Behring, Inc.	EMIT II Control	Bottle: 15 mL	2/23/1998
Syva Company, Dade Behring, Inc.	EMIT II Plus Calibrator/Control	Bottle: 1000 mL	2/23/1998
The Binding Site, Inc.	Buffer Powder, SR021	Sachet: 18.2 g	10/30/2001
The Binding Site, Inc.	I.F.E. Buffer	Plastic bottle: 125 mL	12/5/1991
The Binding Site, Inc.	Immunofixation Kit	Kit: 125 mL plastic bottle	12/5/1991
The Upjohn Company	DDHQ Spent Oxidant	Fiber Drum: 30 gallons	12/19/1994
Ultra Scientific	[d]-Amphetamine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	[d]-Lysergic Acid Diethylamide Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	[d]-Lysergic Acid N-[methylpropyl]amide Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	[d]-Methamphetamine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	[d]-Propoxyphene Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	[dl]-Alphaprodine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	[dl]-Methadone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	[dl]-N-Ethylamphetamine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	[l]-Amphetamine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	[l]-Cocaine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	[l]-Methamphetamine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	2,3-MDA Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	2,3-MDMA Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	3,4-MDA Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	3,4-MDE Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	3,4-MDMA Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	4-Bromo-2,5-Dimethoxyphenethylamine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	4-Chlorotestosterone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	4-Methoxyamphetamine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	4-Methylaminorex Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	6-Acetylcodeine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	6-Monoacetylmorphine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	a,a-Dimethylphenethylamine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Allobarbitol Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Alphenal Solution	Ampule: 2 mL	5/21/2003

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Ultra Scientific	Alprazolam Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Amobarbital Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Aprobarbital Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Barbital Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Base/Neutrals Mixture #3	Ampule: 2 mL	5/21/2003
Ultra Scientific	Benzoylcegonine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Benzphetamine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Boldenone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Bromazepam Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Butabarbital Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Butalbital Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Butethal Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Cannabinol Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Cannabidiol Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Chloral Hydrate Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Clobazam Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Clonazepam Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Clorazepate Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Clostebol Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Cocaethylene Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Codeine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Cyclopentobarbital Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Diacetylmorphine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Diazepam Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Dihydrocodeine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Diphenoxylate Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Drostanolone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Ecgonine Methyl Ester Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Ecgonine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Ethinamate Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Ethylmorphine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Fenfluramine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Fentanyl Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Flunitrazepam Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Flurazepam Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Glutethimide Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Halazepam Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Hexobarbital Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Hydrocodone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Hydromorphone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Ketamine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Levorphanol Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Lorazepam Solution	Ampule: 2 mL	5/21/2003

**Exempt Chemical Preparations List**

**March 31, 2008**

<b>Supplier</b>	<b>Product Name</b>	<b>Form</b>	<b>Date</b>
Ultra Scientific	Medazepam Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Meperidine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Mephobarbital Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Meprobamate Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Mescaline Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Mesterolone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Methandriol Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Methandrostenolone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Methaqualone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Metharbital Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Methohexital Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Methylphenidate Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Methyltestosterone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Methypylon Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Midazolam Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Morphine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	N,N-Dimethyltryptamine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Nalorphine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Nandrolone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	N-Hydroxy-MDA Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Nitrazepam Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Norcocaine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Norcodeine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Nordiazepam Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Norethandrolone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Normeperidine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Normorphine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Oxandrolone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Oxazepam Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Oxycodone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Oxymesterone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Oxymetholone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Oxymorphone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Pentazocine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Pentobarbital Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Phencyclidine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Phendimetrazine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Phenmetrazine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Phenobarbital Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Phentermine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Prazepam Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Propylbenzoylcegonine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Psilocybin Solution	Ampule: 2 mL	5/21/2003

## Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Ultra Scientific	Psilocyn Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Secobarbital Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Semi-Volatiles Mixture #3	Ampule: 2 mL	5/21/2003
Ultra Scientific	Semi-Volatiles Mixture SVM-140	Ampule: 2 mL	3/3/2008
Ultra Scientific	Stanozolol Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Talbutal Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Temazepam Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Testosterone Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Thebaine Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Thiopental Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	Triazolam Solution	Ampule: 2 mL	5/21/2003
Ultra Scientific	ULTRAcHECK WS Chloral Hydrate Solution	Ampule: 2 mL	5/21/2003
Universal Reagents, Inc.	Drug Monitoring & Toxicology No. DM 90-5, DM-62	Bottle: 10 mL	10/9/1990
USP	Delta-9-tetrahydrocannabinol	Glass ampule: 2 mL	11/9/2005
USP	Exo-tetrahydrocannabinol	Glass ampule: 2 mL	11/9/2005
Utak Laboratories	Toxicology Control-High Range Anticonvulsants No. 71910	Bottle: 10 mL	4/14/1980
Utak Laboratories	Toxicology Control-High Range Barbiturates No. 71916	Bottle: 10 mL	4/14/1980
Utak Laboratories	Toxicology Control-High Range Hypnotic Plus Acetaminophem, No. 71918	Bottle: 10 mL	4/14/1980
Utak Laboratories	Toxicology Control-High Range Hypnotic Plus Salicylate, No. 71920	Bottle: 10 mL	4/14/1980
Utak Laboratories	Toxicology Control-Mid Range Anticonvulsants No. 71911	Bottle: 10 mL	4/14/1980
Utak Laboratories	Toxicology Control-Mid Range Barbiturates No. 71917	Bottle: 10 mL	4/14/1980
Utak Laboratories	Toxicology Control-Mid Range Hypnotic Plus Acetaminophem, No. 71919	Bottle: 10 mL	4/14/1980
Utak Laboratories	Toxicology Control-Mid Range Hypnotic Plus Salicylate, No. 71921	Bottle: 10 mL	4/14/1980
Utak Laboratories	Toxicology Serum Control Dried #88112	Bottle: 10 mL	7/29/1982
Utak Laboratories	Toxicology Serum Control Dried #88113	Bottle: 10 mL	7/29/1982
Utak Laboratories	Toxicology Serum Control Dried #88120	Bottle: 10 mL	7/29/1982
Utak Laboratories	Toxicology Serum Control-Dried Catalog Nos. 44610, 44612, 44632, 44635, 44636, 44637, 44642, 44645, 44646, 44647, 44658.	In Bottles	5/24/1976
Utak Laboratories	Toxicology Urine Control Dried #88100	Bottle: 20 mL	7/29/1982
Utak Laboratories	Toxicology Urine Control Dried #88121	Bottle: 10 mL	7/29/1982
Utak Laboratories	Toxicology Urine Control-Dried Catalog Nos. 44650, 44651, 44652, 44653	Bottle: 1 oz.	5/24/1976
Varian, Inc.	OnSite CupKit	Kit: 50 cards	9/15/2003
Varian, Inc.	OnSite CupKit 4	Kit: 50 cards	9/29/2004
Varian, Inc.	OnSite CupKit 5	Kit: 50 cards	12/14/2005
Varian, Inc.	OnSite CupKit 501	Kit: 50 cards	9/15/2003
Varian, Inc.	OnSite CupKit M2K	Kit: 50 cards	9/15/2003
Varian, Inc.	OnSite CupKit Pro 5	Kit: 50 cards	9/29/2004
Varian, Inc.	OnSite CupKit Pro 5-AS	Kit: 50 cards	12/14/2005
Varian, Inc.	OnTrak TestCard™	Foil pouch: 1 card; Box: 25 cards	5/6/2005
Varian, Inc.	OnTrak TestCard™ 3AMP	Foil pouch: 1 card; Box: 25 cards	5/6/2005

Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Varian, Inc.	OnTrak TesTcard™ 3MET	Foil pouch: 1 card; Box: 25 cards	5/6/2005
Varian, Inc.	OnTrak TesTcard™ 4	Foil pouch: 1 card; Box: 25 cards	5/6/2005
Varian, Inc.	OnTrak TesTcard™ 401	Foil pouch: 1 card; Box: 25 cards	5/6/2005
Varian, Inc.	OnTrak TesTcard™ 501	Foil pouch: 1 card; Box: 25 cards	5/6/2005
Varian, Inc.	OnTrak TesTcard™ 6	Foil pouch: 1 card; Box: 25 cards	5/6/2005
Varian, Inc.	OnTrak TesTcard™ 9	Foil pouch: 1 card; Box: 25 cards	5/6/2005
Varian, Inc.	OnTrak TesTcup 4	Kit: 25 cups	8/20/2003
Varian, Inc.	OnTrak TesTcup 5	Kit: 25 cups	8/20/2003
Varian, Inc.	OnTrak TesTcup 5 M2K	Kit: 25 cups	8/20/2003
Varian, Inc.	OnTrak TesTcup 501	Kit: 25 cups	8/20/2003
Varian, Inc.	OnTrak TesTcup II	Kit: 25 devices	3/22/2004
Varian, Inc.	OnTrak TesTcup II 5	Kit: 25 devices	2/17/2004
Varian, Inc.	OnTrak TesTcup II 501	Kit: 25 devices	3/22/2004
Varian, Inc.	OnTrak TesTcup II M2K	Kit: 25 devices	2/17/2004
Varian, Inc.	OnTrak TesTcup II Pro 5	Kit: 25 devices	2/17/2004
Varian, Inc.	OnTrak TesTcup II Pro 5-AS	Kit: 25 devices	12/14/2005
Varian, Inc.	OnTrak TesTcup Pro-5	Kit: 25 cups	8/20/2003
Varian, Inc.	OnTrak TesTstik 2 COC/THC	Kit: 50 tests	8/20/2003
Varian, Inc.	OnTrak TesTstik 3 COC/MOR/THC	Kit: 50 tests	8/20/2003
Varian, Inc.	OnTrak TesTstik COC	Kit: 50 tests	8/20/2003
Varian, Inc.	OnTrak TesTstik MOR	Kit: 50 tests	8/20/2003
Varian, Inc.	OnTrak TesTstik TOC	Kit: 50 tests	8/20/2003
Varian, Inc.	Special Procedure Standard TOXI-DISCS: Benzodiazepines: Hydrolysis Procedure	Plastic Vial: 50 discs	9/2/2003
Varian, Inc.	Special Procedure Standard TOXI-DISCS: Benzoylecgonine	Plastic Vial: 50 discs	9/2/2003
Varian, Inc.	Special Procedure Standard TOXI-DISCS: Morphine and Hydromorphone: Differentiation	Plastic Vial: 50 discs	9/2/2003
Varian, Inc.	Special Procedure Standard TOXI-DISCS: Opiate	Plastic Vial: 50 discs	9/2/2003
Varian, Inc.	Special Procedure Standard TOXI-DISCS: Sympathomimetic amines: Differentiation	Plastic Vial: 50 discs	9/2/2003
Varian, Inc.	Special Standard LTD Opiate TOXI-DISCS; 1,2, or 3 drugs	Plastic Vial: 50 discs	9/2/2003
Varian, Inc.	Special Standard TOXI-DISCS; 1, 2, or 3 drugs	Plastic Vial: 50 discs	9/2/2003
Varian, Inc.	TOXI-CONTROL LTD FM	Plastic bottle: 2 oz.	9/2/2003
Varian, Inc.	TOXI-CONTROL No. 19	Plastic bottle: 2 oz.	9/2/2003
Varian, Inc.	TOXI-CONTROL No. 2	Plastic bottle: 2 oz.	9/2/2003
Varian, Inc.	TOXI-CONTROL No. 3	Plastic bottle: 2 oz.	9/2/2003
Varian, Inc.	TOXI-CONTROL No. 5	Plastic bottle: 2 oz.	9/2/2003
Varian, Inc.	TOXI-CONTROL THC	Plastic bottle: 2 oz.	9/2/2003
Varian, Inc.	TOXI-DISCS A-1	Plastic vial: 50 discs	9/2/2003
Varian, Inc.	TOXI-DISCS A-2	Plastic vial: 50 discs	9/2/2003
Varian, Inc.	TOXI-DISCS A-3	Plastic vial: 50 discs	9/2/2003
Varian, Inc.	TOXI-DISCS A-4	Plastic vial: 50 discs	9/2/2003
Varian, Inc.	TOXI-DISCS B-1	Plastic vial: 50 discs	9/2/2003

### Exempt Chemical Preparations List

March 31, 2008

Supplier	Product Name	Form	Date
Varian, Inc.	TOXI-DISCS B-2	Plastic vial: 50 discs	9/2/2003
Varian, Inc.	TOXI-DISCS B-3	Plastic vial: 50 discs	9/2/2003
Varian, Inc.	TOXI-DISCS B-4	Plastic vial: 50 discs	9/2/2003
Varian, Inc.	TOXI-DISCS LTD HD	Plastic vial: 50 discs	9/2/2003
Varian, Inc.	TOXI-DISCS LTD OP	Plastic vial: 50 discs	9/2/2003
Varian, Inc.	TOXI-DISCS LTD OPI	Plastic vial: 50 discs	9/2/2003
Varian, Inc.	TOXI-DISCS THC	Plastic vial: 50 discs	9/2/2003
Varian, Inc.	TOXI-GRAMS A	Glass jar: 100 Chromatograms	9/2/2003
Varian, Inc.	TOXI-GRAMS B	Glass jar: 100 Chromatograms	9/2/2003
Varian, Inc.	TOXI-LAB Proficiency Sample	Plastic bottle: 2 oz.	9/2/2003
Wisconsin State Laboratory Hygiene	Special Chemistry	Glass vial: 7 mL	12/5/2002
Wisconsin State Laboratory Hygiene	Urine Drug Screen (UD0X)	Glass vial: 15 mL	10/2/2002