

December 5, 2001

Mr. Oliver D. Kingsley, President  
Exelon Nuclear  
Exelon Generation Company, LLC  
4300 Winfield Road  
Warrenville, IL 60555

SUBJECT: ASSESSMENT FOLLOWUP - LASALLE COUNTY STATION

Dear Mr. Kingsley:

On December 3, 2001, the NRC staff completed a review of the performance indicators of the LaSalle County Station as reflected in the performance indicators for the third quarter of 2001. Our review identified that LaSalle Unit 2 crossed the threshold from Green to White for the unplanned scrams per 7000 critical hours performance indicator. Therefore, we plan to conduct supplemental inspection procedure 95001 during the week of December 10, 2001, to better understand the causes contributing to this issue.

In accordance with 10 CFR 2.790 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of the NRC's document system (ADAMS). ADAMS is accessible from the NRC web site at <http://www.nrc.gov/reading-rm.html> (the Public Electronic Reading Room).

Please contact Bruce Burgess at 630-829-0629 with any questions you may have regarding this letter.

Sincerely,

*/RA/*

Geoffrey E. Grant, Director  
Division of Reactor Projects

Docket Nos. 50-373; 50-374  
License Nos. NPF-11; NPF-18

See Attached Distribution

DOCUMENT NAME: G:\lasa\lasa\_2001q3.wpd

To receive a copy of this document, indicate in the box "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	RIII		RIII		RIII		RIII	
NAME	GWright/trn		BBurgess		GGrant			
DATE	12/ /01		12/ /01		12/05/01			

**OFFICIAL RECORD COPY**

cc w/encl: W. Bohlke, Senior Vice President, Nuclear Services  
C. Crane, Senior Vice President - Mid-West Regional  
J. Cotton, Senior Vice President - Operations Support  
J. Benjamin, Vice President - Licensing and Regulatory Affairs  
R. Hovey, Operations Vice President  
J. Skolds, Chief Operating Officer  
K. Jury, Director - Licensing  
R. Helfrich, Senior Counsel, Nuclear  
DCD - Licensing  
C. Pardee, Site Vice President  
M. Schiavoni, Station Manager  
W. Riffer, Regulatory Assurance Supervisor  
M. Aguilar, Assistant Attorney General  
Illinois Department of Nuclear Safety  
State Liaison Officer  
Chairman, Illinois Commerce Commission

ADAMS Distribution:

AJM

DFT

DMS6

RidsNrrDipmlipb

GEG

HBC

ERD

C. Ariano (hard copy)

DRPIII

DRSIII

PLB1

JRK1