FOCI No: 6MF05

FINAL CRUISE INSTRUCTIONS ECO-FOCI

NOAA Ship MILLER FREEMAN, Cruise MF-05-08 May 21, 2005 – June 3, 2005 Chief Scientist – Annette Dougherty, NOAA/AFSC

1.0 FINAL CRUISE INSTRUCTIONS

1.1 <u>Cruise Title</u> – Ecosystem and Fisheries-Oceanography Coordinated Investigations (Eco-FOCI).

1.2 Cruise Numbers

- **1.2.1** Cruise Number MF-05-08
- **1.2.2** Eco-FOCI Number 6MF05

1.3 Cruise Dates

- **1.3.1** <u>Departure</u> Depart Saturday, May 21, 2005 at 1500 hours from Dutch Harbor, Alaska.
- **1.3.2** Arrival Arrive Friday, June 3, 2005 at 0800 hours in Kodiak, Alaska.
- **1.4** Operating Area Unimak Pass to Shelikof Strait and northeast Kodiak Island time permitting, ending at Kodiak Island, Alaska.

2.0 CRUISE OVERVIEW

- 2.1 <u>Cruise Objectives</u> The objectives of this cruise are to conduct an ichthyoplankton survey and process oriented studies in the region between Unimak Pass, the Shumagin Islands, and through Shelikof Strait to Kodiak Island, Alaska, so that we may estimate the abundance, transport, and factors influencing the survival of young walleye pollock larvae. We will also occupy stations on Line 8 to continue our 20 year time series of environmental and biological conditions in Shelikof Strait.
- **2.2** Applicability These instructions, with <u>FOCI Standard Operating Instructions for NOAA</u>
 Ship MILLER FREEMAN, dated March 1, 2005, present complete information for this cruise.

FOCI No: 6MF05

2.3 Participating Organizations

NOAA – Pacific Marine Environmental Laboratory (PMEL) 7600 Sand Point Way N.E. Seattle, Washington 98115-6439

NOAA – Alaska Fisheries Science Center (AFSC) 7600 Sand Point Way N.E. Seattle, Washington 98115-0070

2.4 Personnel

2.4.1 Chief Scientist

Name	Gender	Affiliation	E-mail Address
Annette L. Dougherty	Female	AFSC	Annette.Dougherty@noaa.gov
(206) 526-6523			

2.4.2 Participating Scientists

Name	Gender	Affiliation	E-mail Address
Annette L. Dougherty	Female	AFSC	Annette.Dougherty@noaa.gov
Morgan S. Busby	Male	AFSC	Morgan.Busby@noaa.gov
Steven Porter	Male	AFSC	Steve.Porter@noaa.gov
Ingrid Spies	Female	AFSC	Ingrid.Spies@noaa.gov

2.5 Administration

2.5.1 Ship Operations

Marine Operations Center, Pacific 1801 Fairview Avenue East Seattle, Washington 98102-3767 Telephone: (206) 553-4548

Fax: (206) 553-1109

Commander Mark P. Ablondi, NOAA Chief, Operations Division, Pacific (MOP1)

Telephone: (206) 553-8705 Cellular: (206) 390-7527

E-mail: Mark.Ablondi@noaa.gov

Larry Mordock

Deputy Chief, Operations Division (MOP1x1)

Telephone - Work: (206) 553-4764

Home: (206) 365-3567 Cellular: (206) 465-9316

E-mail: <u>Larry.Mordock@noaa.gov</u>

FOCI No: 6MF05

2.5.2 Scientific Operations

Dr. Phyllis J. Stabeno, PMEL
Telephone: (206) 526-6453
Telephone: (206) 526-4148
E-mail: Phyllis.Stabeno@noaa.gov
Telephone: (206) 526-4148
E-mail: Jeff.Napp@noaa.gov

3.0 OPERATIONS

3.1 Data To Be Collected

- **3.1.1** Scientific Computer System (SCS) The ship's SCS shall operate throughout the cruise, acquiring and logging data from navigation, meteorological, oceanographic, and fisheries sensors. See *FOCI Standard Operating Instructions for NOAA Ship MILLER FREEMAN* (SOI 5.2) for specific requirements.
- 3.2 <u>Staging Plan</u> NOAA Ship *MILLER FREEMAN* was loaded with FOCI gear during the week of February 1, 2005, while the ship was in port at Marine Operations Center, Pacific (MOP) in Seattle, Washington.
- 3.3 <u>De-staging Plan</u> Plankton sample collected during the survey will be off-loaded in Seattle, Washington, the week of June 12, 2005. AFSC will off-load FOCI gear from NOAA Ship *MILLER FREEMAN* while the ship is alongside Marine Operations Center, Pacific (MOP). The hold will need to be opened and the loading crane will be required to remove all FOCI gear from the vessel's hold. The scientific party off-loading the vessel will supply vehicles from AFSC for transportation of the gear from the vessel.
- 3.4 <u>Cruise Plan</u> An ichthyoplankton survey will be conducted from Unimak Pass through the Shumagin Islands and Shelikof Strait, ending at Kodiak Island. The standard gear for this survey will be 60-cm Bongos with 0.505-mm mesh netting. Tows will be to 100 meters or 10 meters off the bottom where water depth is shallower. See <u>Section 9.2 MF-05-08 Station</u> <u>Locations</u> and <u>Section 9.3 MF-05-08 Chartlet</u> for a complete listing of station locations and an overview of the cruise area of operations.

A total of four Methot tows will be conducted on the grid. Stations GF101, GH107, GP123, and GP127 will be fished with the Methot after the 60-cm Bongos to investigate the potential for larger larvae avoiding the Bongo gear. Approximately 190 stations from the list will be chosen for occupation from the stations listed in Section 9.2.1 MF-05-08 Potential Station Locations. Live tows may be conducted with the Bongos to examine larval walleye pollock condition if larvae 8-mm or less are found. While we are working up the grid toward Kodiak Island, Alaska, we will occupy Line 8.

Line 8 sampling will include 20-cm and 60-cm Bongos and Conductivity, Temperature, and Depth (CTD) profiles with Niskin bottle samples taken for chlorophyll, microzooplankton, and nutrients. See Section 9.2.2 Line 8 Station Locations and Activities for further details. Net tows at Line 8 are to 10 meters off the bottom. The 60-cm Bongo will be fitted with 0.505-mm and 0.333-mm mesh nets for Line 8 sampling while the 20-cm Bongo mesh will be 0.153-mm. On completion of Line 8, the 60-cm Bongo will be refitted with the 0.505-mm mesh netting and cod ends and sampling will resume as before.

3.5 <u>Station Locations</u> – See <u>Section 9.2 MF-05-08 Station Locations</u> and <u>Section 9.3 MF-05-08 Chartlet</u>.

FOCI No: 6MF05

3.6 <u>Station Operations</u> – The following are operations to be conducted on this cruise. The procedures for these operations are listed in the <u>FOCI Standard Operating Instructions for NOAA Ship MILLER FREEMAN</u> (SOI). Operations not addressed in the SOI and changes to standard procedures are addressed below.

- CTD/Water Sample Operations (SOI 3.2.1),
- MARMAP Bongo Tows (SOI 3.2.2),
- Bongo Larval Condition Tows (SOI 3.2.3),
- Methot Trawls (SOI 3.2.7),
- Chlorophyll Sampling Operations (SOI 3.2.10), and
- SIMRAD EK 500 Scientific Echosounder Monitoring (SOI 3.2.12).
- 3.7 <u>Underway Operations</u> The following are underway operations to be conducted on this cruise. The procedures for these operations are listed in the <u>FOCI Standard Operating</u> <u>Instructions for NOAA Ship MILLER FREEMAN</u> (SOI). Operations not addressed in the SOI and changes to standard procedures are addressed below.
 - Radiometer Operations (SOI 3.2.14),
 - Scientific Computer System (SCS) data acquisition (SOI 5.2),
 - Fluorometer monitoring (SOI 5.3), and
 - Thermosalinograph monitoring (SOI 5.3).
- **3.8** Applicable Restrictions None.
- **3.9** Small Boat Operations None.

4.0 FACILITIES

4.1 Equipment and Capabilities Provided by Ship

- Oceanographic winch with slip rings and 3-conductor cable terminated for CTD,
- Manual wire-angle indicator,
- Oceanographic winch with slip rings and 3-conductor cable terminated for the SBE SEACAT, for net tow operations,
- Sea-Bird Electronics' SBE 911*plus* CTD system with stand, each CTD system should include underwater CTD, weights, and pinger. There should be one deck unit and tape recorder for the two systems,
- 10-liter Niskin sampling bottles for use with rosette (10 plus 4 spares),
- Conductivity and temperature sensor package to provide dual sensors on the CTD (primary),
- AUTOSAL salinometer, for CTD field corrections,
- Sea-Bird Electronics' SBE-19 SEACAT system,
- Meter block for plankton tows,
- Wire speed indicators and readout for quarterdeck, Rowe, and Marco winches,
- For meteorological observations: 2 anemometers (one R. M. Young system interfaced to the SCS), calibrated air thermometer (wet-and dry-bulb) and a calibrated barometer and/or barograph,

FOCI No: 6MF05

- Freezer space for storage of biological and chemical samples (blast and storage freezers, indicate desired temperatures),
- SIMRAD EQ-50 echosounder,
- JRC JFV-200R color sounder recorder,
- RD Instruments' ADCP written to Iomega Zip drive,
- Scientific Computer System (SCS),
- Laboratory space with exhaust hood, sink, lab tables and storage space,
- Sea-water hoses and nozzles to wash nets (quarterdeck and aft deck),
- Adequate deck lighting for night-time operations,
- Navigational equipment including GPS and radar,
- Safety harnesses for working on quarterdeck and fantail, and
- Ship's crane(s) used for loading and/or deploying.

4.2 Equipment and Capabilities Provided by Scientists

- Sea-Bird Electronics' SBE 911plus CTD system,
- Sea-Bird Electronics' SBE-19 SEACAT system,
- PMEL PC with SEASOFT software for CTD data collection and processing,
- Fluorometer and light meter to be mounted on CTD,
- CTD stand modified for attachment of fluorometer,
- Conductivity and temperature sensor package to provide dual sensors on the CTD (backup),
- CTD rosette sampler,
- IAPSO standard water,
- 60-cm Bongo sampling arrays,
- 20-cm Bongo arrays,
- Spare wire angle indicator,
- Scanmar.
- Methot trawl,
- Miscellaneous scientific sampling and processing equipment,
- Sorting tables and baskets for processing trawl catches,
- Scientific ultra-cold freezer, and
- Cruise Operations Database (COD).

5.0 DISPOSITION OF DATA AND REPORTS

- **5.1** The following data products will be included in the cruise data package:
 - NOAA Form 77-13d, <u>Deck Log Weather Observation Sheets</u>,
 - Electronic Marine Operations Abstracts,
 - SCS backup recordable compact diskette (CD),
 - Calibration Sheets for all ship's instruments used,
 - PMEL CTD Weather Observation Logs,
 - CTD Cast Information/Rosette Log,
 - Autosalinometer Logs, and
 - Ultra-cold Freezer Temperature Daily Log (SOI 5.4).

FOCI No: 6MF05

5.2 <u>Pre and Post-cruise Meetings</u> – Cruise meetings may be held in accordance with <u>FOCI</u>

<u>Standard Operating Instructions for NOAA Ship MILLER FREEMAN</u> (SOI 5.5).

6.0 ADDITIONAL PROJECTS

- **6.1 Definition** Ancillary and piggyback projects are secondary to the objectives of the cruise and should be treated as additional investigations. The difference between the two types of secondary projects is that an ancillary project does not have representation aboard and is accomplished by the ship's force.
- **Ancillary Projects** Any ancillary work done during this project will be accomplished with the concurrence of the Chief Scientist and on a not-to-interfere basis with the programs described in these instructions and in accordance with the **NOAA Fleet Standing Ancillary Instructions**.
- **6.3** Piggyback Projects None.

7.0 HAZARDOUS MATERIALS

- **7.1** Inventory See Section 9.4 MF-05-08 HAZMAT Inventory for a complete listing of HAZMATS brought onboard the vessel. Spill kit contains materials for cleanup of formaldehyde, ethanol, and sodium borate. All scientific staff onboard are trained to handle spills.
- 7.2 <u>Material Safety Data Sheet (MSDS)</u> All MSDSs can be found on the <u>OERD HAZMAT</u> <u>Emergency Guidelines MSDS</u> compact diskette dated January 25, 2005, supplied to the ship. A copy of all required MSDS will also be delivered with the chemicals when ship is loaded.

8.0 MISCELLANEOUS

8.1 Communications – Specific information on how to contact the **NOAA Ship** *MILLER FREEMAN* and all other fleet vessels can be found at:

http://www.moc.noaa.gov/phone.htm

- 8.2 Important Telephone and Facsimile Numbers and E-mail Addresses
 - 8.2.1 Pacific Marine Environmental Laboratory (PMEL)

FOCI – Ocean Environmental Research Division (OERD2):

- (206) 526-4700 (voice)
- (206) 526-6485 (fax)

Administration:

- (206) 526-6810 (voice)
- (206) 526-6815 (fax)

E-Mail: FirstName.LastName@noaa.gov

FOCI No: 6MF05

8.2.2 Alaska Fisheries Science Center (AFSC)

FOCI – Resource Assessment and Conservation Engineering (RACE):

- (206) 526-4171 (voice)
- (206) 526-6723 (fax)

E-Mail: FirstName.LastName@noaa.gov

8.2.3 NOAA Ship MILLER FREEMAN – Telephone methods listed in order of increasing expense:

Homeport – Seattle, Washington:

- (206) 553-4589
- (206) 553-4581
- (206) 553-8344

United States Coast Guard - Kodiak, Alaska

- (907) 487-9752
- (907) 487-9753
- (907) 487-4397
- (907) 487-4398

Cellular:

• (206) 790-7594

Iridium:

• (808) 659-5684

INMARSAT Mini-M

- 011-872-761-267-346 (voice/PBX)
- 011-872-761-267-347 (voice)
- 011-872-761-267-348 (fax)

INMARSAT B

- 011-872-330-394-120 (voice)
- 011-872-330-394-121 (fax)

E-Mail: <u>NOAA.Ship.Miller.Freeman@noaa.gov</u> (mention the person's name in SUBJECT field)

8.2.4 Marine Operations Center, Pacific (MOP)

Operations Division (MOP1)

- (206) 553-4548 (voice)
- (206) 553-1109 (facsimile)

E-Mail: FirstName.LastName@noaa.gov

E-Mail to Radio Room: Radio.Room@noaa.gov

FOCI No: 6MF05

9.0 APPENDICES

9.1 MF-05-08 Equipment Inventory

Equipment	Qty	Dimension	Weig	ght	Total W	eight					
Larval Supply Trunk	1	20"x22"x36"	80.0	lbs	80.0	lbs					
Microzooplankton Supply Trunks	2	20"x22"x36"	90.0	lbs	180.0	lbs					
Miscellaneous Gear Trunks	4	20"x22"x36"	80.0	lbs	320.0	lbs					
60-cm Bongo Frame	1	8"x26"x60"									
20-cm Bongo Frame	1	8"x14"x16"									
Cases Glass Jars (32-oz)	20	8"x12"x15"	2.5	lbs	50.0	lbs					
Cases Glass Jars (8-oz)	6	4"x6"x8"	1.3	lbs	7.8	lbs					
20-L Container, Formaldehyde 37%	3		40.0	lbs	120.0	lbs					
20-L Container, Ethanol 95%	1		40.0	lbs	40.0	lbs					
20-L Container, Sodium Borate Solution, Saturated	1		40.0	lbs	40.0	lbs					
500-g Container, Sodium Borate	2		1.0	lbs	2.0	lbs					
1-L Zinc-Formalin, 10%, (Z-Fix)	1		0.5	lbs	0.5	lbs					
Spill Kit	1	8"x12"x14"	1.5	lbs	1.5	lbs					
	TOTAL WEIGHT:										

9.2 MF-05-08 Station Locations

9.2.1 <u>MF-05-08 Potential Station Locations</u> – Highlighted stations need to be checked for bottom depth.

Station	XY Grid		Latitude]	Longitude	
1	u1	54°	29.0000'	N	165°	18.0000'	W
2	u2	54°	24.0000'	N	165°	07.0000'	W
3	gd103	54°	16.9032'	N	164°	42.6300'	W
4	gd101	54°	09.6456'	N	164°	54.4080'	W
5	gf101	54°	02.7588'	N	164°	39.6360'	W
6	gf103	54°	10.0158'	N	164°	27.8880'	W
7	gh103	54°	03.1290'	N	164°	13.1940'	W
8	gj105	54°	03.4992'	N	163°	46.8360'	W
9	gh105	54°	10.3866'	N	164°	01.4460'	W
10	gf105	54°	17.2734'	N	164°	16.1040'	W
11	gf107	54°	24.5310'	N	164°	04.2900'	W
12	gh107	54°	17.6436'	N	163°	49.6620'	W
13	gj107	54°	10.7568'	N	163°	35.0880'	W
14	gl107	54°	03.8700'	N	163°	20.5620'	W
15	g1109	54°	11.1270'	N	163°	08.8080'	W

Station	XY Grid		Latitude			Longitude	
16	gj109	54°	18.0144'	N	163°	23.3040'	W
17	gh109	54°	24.9012'	N	163°	37.8420'	W
18	gf109	54°	31.7880'	N	163°	52.4400'	W
19	gh111	54°	32.1588'	N	163°	25.9920'	W
20	gj111	54°	25.2714'	N	163°	11.4840'	W
21	gl111	54°	18.3846'	N	162°	57.0240'	W
22	gn111	54°	11.4972'	N	162°	42.6120'	W
23	gn117	54°	33.2700'	N	162°	07.1400'	W
24	gn119	54°	40.5300'	N	161°	55.2500'	W
25	gn121	54°	47.7800'	N	161°	43.3200'	W
26	gp123	54°	48.1500'	N	161°	17.1900'	W
27	gp125	54°	55.4118'	N	161°	05.2260'	W
28	gr125	54°	48.5250'	N	160°	51.1440'	W
29	gt125	54°	41.6382'	N	160°	37.1100'	W
30	gv125	54°	34.7508'	N	160°	23.1240'	W
31	gv127	54°	42.0084'	N	160°	11.2200'	W
32	gt127	54°	48.8952'	N	160°	25.1760'	W
33	gr127	54°	55.7826'	N	160°	39.1740'	W
34	gp127	55°	02.6694'	N	160°	53.2200'	W
35	gn127	55°	09.5568'	N	161°	07.3140'	W
36	gl127	55°	16.4436'	N	161°	21.4560'	W
37	B4	55°	21.7800'	N	161°	38.3400'	W
38	B2	55°	20.7000'	N	161°	02.1600'	W
39	go133	55°	30.0000'	N	160°	20.0000'	W
40	gp135	55°	31.6992'	N	160°	04.8480'	W
41	gp137	55°	38.9562'	N	159°	52.6620'	W
42	gr135	55°	24.8118'	N	159°	50.9400'	W
43	gt135	55°	17.9250'	N	159°	37.0800'	W
44	gx135	55°	04.1508'	N	159°	09.4860'	W
45	gz135	54°	57.2640'	N	158°	55.7580'	W
46	hb135	54°	50.3766'	N	158°	42.0720'	W
47	gz139	55°	11.7786'	N	158°	31.6980'	W
48	gx139	55°	18.6654'	N	158°	45.3600'	W
49	gv139	55°	25.5528'	N	158°	59.0640'	W
50	gt139	55°	32.4396'	N	158°	12.8100'	W
51	gv143	55°	40.0674'	N	158°	34.7160'	W
52	gx143	55°	33.1806'	N	158°	21.0780'	W
53	gz143	55°			158°	07.4940'	W
54	hb143	55°	19.4064'	N	157°	53.9460'	W
55	hb141	55°	12.1488'	N	158°	06.0360'	W

Station	XY Grid		Latitude			Longitude	
56	hd143	55°	12.5190'	N	157°	40.4400'	W
57	hf147	55°	20.1468'	N	157°	02.8380'	W
58	hd147	55°	27.0342'	N	157°	16.2300'	W
59	hb147	55°	33.9210'	N	157°	29.6640'	W
60	gz147	55°	40.8078'	N	157°	43.1340'	W
61	gx147	55°	47.6952'	N	157°	56.6520'	W
62	gv147	55°	54.5820'	N	158°	10.2120'	W
63	gr151	56°	22.8708'	N	158°	12.6660'	W
64	gt151	56°	15.9840'	N	157°	59.0940'	W
65	gv151	56°	09.0972'	N	157°	45.5640'	W
66	gx151	56°	02.2098'	N	157°	32.0760'	W
67	gz151	55°	55.3230'	N	157°	18.6300'	W
68	hb151	55°	48.4356'	N	157°	05.2260'	W
69	hd151	55°	41.5488'	N	156°	51.8640'	W
70	hf151	55°	34.6614'	N	156°	38.5440'	W
71	hh151	55°	27.7746'	N	156°	25.2660'	W
72	hh153	55°	35.0322'	N	156°	13.0980'	W
73	hf153	55°	41.9190'	N	156°	26.3400'	W
74	hd153	55°	48.8058'	N	156°	39.6300'	W
75	hb153	55°	55.6932'	N	156°	52.9560'	W
76	gz153	56°	02.5800'	N	157°	06.3180'	W
77	gx153	56°	09.4674'	N	157°	19.7280'	W
78	gv153	56°	16.3542'	N	157°	33.1800'	W
79	gt153	56°	23.2416'	N	157°	46.6740'	W
80	gt155	56°	30.4986'	N	157°	34.2120'	W
81	gv155	56°	23.6118'	N	157°	20.7540'	W
82	gx155	56°	16.7244'	N	157°	07.3440'	W
83	gz155	56°	09.8376'	N	156°	53.9700'	W
84	hd155	55°	56.0634'	N	156°	27.3540'	W
85	hf155	55°	49.1766'	N	156°	14.1000'	W
86	hh155	55°	42.2892'	N	156°	00.8940'	W
87	hf157	55°	56.4336'	N	156°	01.8240'	W
88	hd157	56°	03.3210'	N	156°	15.0360'	W
89	hb157	56°	10.2078'	N	156°	28.2900'	W
90	gz157	56°	17.0952'	N	156°	41.5800'	W
91	gx157	56°	23.9820'	N	156°	54.9180'	W
92	gu158	56°	40.0000'	N	157°	13.0000'	W
93	gv159	56°	38.1264'	N	156°	55.7880'	W
94	gx159	56°	31.2396'	N	156°	42.4500'	W
95	gz159	56°	24.3522'	N	156°	29.1540'	W

Station	XY Grid		Latitude			Longitude	
96	hb159	56°	17.4654'	N	156°	15.9000'	W
97	hd159	56°	10.5780'	N	156°	02.6820'	W
98	hf159	56°	03.6912'	N	155°	49.5060'	W
99	hd161	56°	17.8356'	N	155°	50.2920'	W
100	hb161	56°	24.7224'	N	156°	03.4680'	W
101	gz161	56°	31.6098'	N	156°	16.6860'	W
102	gx161	56°	38.4966'	N	156°	29.9460'	W
103	gv161	56°	45.3840'	N	156°	43.2480'	W
104	gt163	56°	51.0000'	N	156°	45.0000'	W
105	gv163	56°	52.6410'	N	156°	30.6660'	W
106	gx163	56°	45.7542'	N	156°	17.4000'	W
107	gz163	56°	38.8674'	N	156°	04.1820'	W
108	hb163	56°	31.9800'	N	155°	51.0000'	W
109	hd163	56°	25.0932'	N	155°	37.8600'	W
110	hd165	56°	32.3502'	N	155°	25.3860'	W
111	hb165	56°	39.2376'	N	155°	38.4900'	W
112	gz165	56°	46.1244'	N	155°	51.6360'	W
113	gx165	56°	53.0118'	N	156°	04.8180'	W
114	gv165	56°	59.8986'	N	156°	18.0420'	W
115	gv167	57°	07.1562'	N	156°	05.3760'	W
116	gx167	57°	00.2688'	N	155°	52.1880'	W
117	gz167	56°	53.3820'	N	155°	39.0480'	W
118	hb167	56°	46.4946'	N	155°	25.9440'	W
119	hd167	56°	39.6078'	N	155°	12.8760'	W
120	hd169	56°	46.8654'	N	155°	00.3240'	W
121	hb169	56°	53.7522'	N	155°	13.3500'	W
122	gz169	57°	00.6390'	N	155°	26.4180'	W
123	gx169	57°	07.5264'	N	155°	39.5220'	W
124	gv169	57°	14.4132'	N	155°	52.6680'	W
125	gt169	57°	21.3000'	N	156°	05.0000'	W
126	gt171	57°	27.0000'	N	155°	46.0000'	W
127	gv171	57°	21.6708'	N	155°	39.9180'	W
128	gx171	57°	14.7840'	N	155°	26.8140'	W
129	gz171	57°	07.8966'	N	155°	13.7460'	W
130	hb171	57°	01.0098'	N	155°	00.7200'	W
131	hd171	56°	54.1224'	N	154°	47.7360'	W
132	hb173	57°	08.2668'	N	154°	48.0480'	W
133	gz173	57°	15.1542'	N	155°	01.0380'	W
134	gx173	57°	22.0410'	N	155°	14.0640'	W
135	gv173	57°	28.9284'	N	155°	27.1260'	W

Station	XY Grid		Latitude		J	Longitude	
136	gt173	57°	37.0000'	N	155°	28.0000'	W
137	gv175	57°	36.1854'	N	155°	14.2980'	W
138	gz175	57°	22.4112'	N	154°	48.2820'	W
139	FOX56	57°	31.2000'	N	154°	46.8000'	W
140	FOX57	57°	33.0000'	N	154°	52.8000'	W
141	FOX58	57°	36.6000'	N	155°	00.6000'	W
142	FOX59	57°	38.4000'	N	155°	04.2000'	W
143	FOX60	57°	40.8000'	N	155°	10.2000'	W
144	FOX61	57°	43.2000'	N	155°	15.6000'	W
145	gx177	57°	36.5556'	N	154°	48.4380'	W
146	gv177	57°	43.4430'	N	155°	01.4220'	W
147	gv179	57°	50.7006'	N	154°	48.4980'	W
148	gx179	57°	43.8132'	N	154°	35.5620'	W
149	gx181	57°	51.0708'	N	154°	22.6380'	W
150	gz181	57°	44.1834'	N	154°	09.7740'	W
151	gz183	57°	51.4410'	N	153°	56.8500'	W
152	gx183	57°	58.3278'	N	154°	09.6720'	W
153	gx185	58°	05.5854'	N	153°	56.6640'	W
154	gz185	57°	58.6986'	N	153°	43.8840'	W
155	gz189	58°	13.2132'	N	153°	17.8200'	W
156	gx189	58°	20.1000'	N	153°	30.5160'	W
157	gv189	58°	26.9874'	N	153°	43.2480'	W
158	gv193	58°	41.5020'	N	153°	16.8300'	W
159	gx193	58°	34.6152'	N	153°	04.1820'	W
160	gz193	58°	27.7278'	N	152°	51.5760'	W
161	gz197	58°	42.2424'	N	152°	25.1460'	W
162	gx197	58°	49.1298'	N	152°	37.6740'	W
163	gv197	58°	56.0166'	N	152°	50.2320'	W
164	gt197	59°	02.9040'	N	153°	02.8260'	W
165	gv201	59°	10.5318'	N	152°	23.4480'	W
166	gx201	59°	03.6444'	N	152°	10.9740'	W
167	hb203	58°	57.1278'	N	151°	32.8080'	W
168	hd203	58°	50.2410'	N	151°	20.4840'	W
169	hd201	58°	42.9834'	N	151°	33.7740'	W
170	hb201	58°	49.8702'	N	151°	46.1340'	W
171	hb199	58°	42.6132'	N	151°	59.4180'	W
172	hd199	58°	35.7258'	N	151°	47.0100'	W
173	hd197	58°	28.4688'	N	152°	00.2040'	W
174	hf199	58°	28.8390'	N	151°	34.6320'	W
175	hf197	58°	21.5814'	N	151°	47.7840'	W


Station	XY Grid		Latitude]	Longitude	
176	hh199	58°	21.9516'	N	151°	22.2900'	W
177	hh197	58°	14.6900'	N	151°	35.4000'	W
178	hh195	58°	07.4400'	N	151°	48.4600'	W
179	hh193	58°	00.1800'	N	152°	01.4800'	W
180	h1193	57°	46.4100'	N	151°	36.6500'	W
181	hl191	57°	39.1500'	N	151°	49.5400'	W
182	h1189	57°	31.8900'	N	152°	02.3900'	W
183	h1187	57°	24.6300'	N	152°	15.2000'	W
184	hl185	57°	17.3800'	N	152°	27.9600'	W
185	h1183	57°	10.1200'	N	152°	40.6900'	W
186	h1181	57°	02.8600'	N	152°	53.3700'	W
187	h1179	56°	55.6000'	N	153°	06.0100'	W
188	hl177	56°	48.3500'	N	153°	18.6100'	W
189	hl175	56°	41.0900'	N	153°	31.1700'	W
190	h1173	56°	33.8300'	N	153°	43.6900'	W
191	hn171	56°	19.6900'	N	153°	43.3700'	W
192	hn173	56°	26.9400'	N	153°	30.9300'	W
193	hn175	56°	34.2000'	N	153°	18.4500'	W
194	hn177	56°	41.4600'	N	153°	05.9300'	W
195	hn179	56°	48.7200'	N	152°	53.3600'	W
196	hn181	56°	55.9700'	N	152°	40.7600'	W
197	hn183	57°	03.2300'	N	152°	28.1200'	W
198	hn185	57°	10.4900'	N	152°	15.4400'	W
199	hn187	57°	17.7500'	N	152°	02.7100'	W
200	hn189	57°	25.0000'	N	151°	49.9400'	W
201	hn191	57°	32.2600'	N	151°	37.1300'	W
202	hn193	57°	39.5200'	N	151°	24.2800'	W
203	B12	57°	38.7600'	N	152°	21.7200'	W
204	B13	57°	43.4400'	N	152°	25.1400'	W
205	B14	57°	52.5000'	N	152°	15.7200'	W
206	hf191	57°	59.8092'	N	152°	26.9700'	W
207	B15	57°	55.2000'	N	152°	41.3400'	W
208	B16	57°	49.5000'	N	152°	51.2400'	W

FOCI No: 6MF05

9.2.2 MF-05-08 Line 8 Station Locations and Activities

Station	I	Latitude Longitude Lat (dd)		Longitude		atitude Longitude		Lon (dd)	CTDB	Chlor	Nuts	MZ	20/60 Bongo
FOX61	57°	43.20'	N	155°	15.60'	W	57.72	-155.26	X	X	X	X	X
FOX60	57°	40.80'	N	155°	10.20'	W	57.68	-155.17	X	X	X	X	X
FOX59	57°	38.40'	N	155°	04.20'	W	57.64	-155.07	X	X	X	X	X
FOX58	57°	36.60'	N	155°	00.60'	W	57.61	-155.01	X	X	X	X	X
FOX57	57°	33.00'	N	154°	52.80'	W	57.55	-154.88	X	X	X	X	X
FOX56	57°	31.20'	N	154°	46.80'	W	57.52	-154.78	X	X	X	X	X
FOX55	57°	28.80'	N	154°	42.00'	W	57.48	-154.70	X	X	X	X	X

9.3 MF-05-08 Chartlet



Page 15 of 16

FOCI No: 6MF05

9.4 MF-05-08 HAZMAT Inventory

Chemical	CAS Number	Respondee	Org	Qty	18 1	F	R	Storage Color Code	Hazard Class	Packing Group Number	UN	Reportable Quantity	Response Indices
Ethanol, 95%	64-17-5	Dougherty	AFSC	20-L	3	4	2	Flammable	3	II	1170	5,000 LBS	1
Formaldehyde, 37%	50-00-0	Dougherty	AFSC	60-L	3	2	2	Flammable	3 & 8	III	1198	100 LBS	1
Sodium Borate	1330-43-4	Dougherty	AFSC	1-kg	1	0	0	General	Not regulated				2
Sodium Borate Solution, Saturated	mix	Dougherty	AFSC	20-L	1	0	0	General	Not regulated				2
Zinc-Formalin, 10%, (Z-Fix)	mix	Dougherty	AFSC	1-L	2	1	0	General	9		3334		

Spill Response 1: Ventilate area of leak or spill. Remove all sources of ignition. Wear appropriate personal protective equipment. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Contain and recover liquid when possible. Use non-sparking tools and equipment. Collect liquid in an appropriate container or absorb with an inert material (e. g., vermiculite, dry sand, or earth), and place in a chemical waste container. Do not use combustible materials, such as saw dust. **Do not flush to sewer!** If a leak or spill has not ignited, use water spray to disperse the vapors, to protect personnel attempting to stop leak, and to flush spills away from exposures. U.S. Regulations (CERCLA) requires reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the U.S. Coast Guard National Response Center is (800) 424-8802.

Spill Response 2: Ventilate area of leak or spill. Wear appropriate personal protective equipment. Pick up and place in a suitable container for reclamation or disposal, using a method that does not generate dust.