Section 4: State Data

Table 4-1. State estimates of lost-time injuries, restricted workdays, lost-time injuries per 200,000 hours worked, and restricted workdays per 200,000 hours worked, 1993.

State	Estimated Lost-time Injuries	Estimated Restricted Workdays	Lost-time Injury Rate*	Restricted Workday Rate*
Arizona	3199	28317	9.3 ± 1.4	82.0 ± 21.6
California	14161	210594	6.3 ± 0.7	94.0 ± 30.6
Colorado	2477	61673	6.3 ± 0.9	157.4 ± 49.4
Florida	2178	30589	4.0 ± 1.0	56.0 ± 23.4
Iowa	11137	203678	7.8 ± 1.4	142.0 ± 35.1
Kansas	5917	46744	9.5 ± 2.1	74.9 ± 20.2
Maine, New Hampshire, Vermont	1936	17479	6.5 ± 0.6	58.6 ± 9.7
Michigan	5998	816778	7.5 ± 1.4	101.7 ± 34.9
Missouri	4555	129148	6.3 ± 1.2	179.9 ± 69.5
New Jersey	592	12969	4.4 ± 0.9	96.0 ± 32.2
North Carolina	2129	30726	3.7 ± 0.8	53.9 ± 18.0
North Dakota	3679	47232	7.6 ± 1.9	97.5 ± 12.9
Oklahoma	4258	105019	8.7 ± 1.7	214.5 ± 79.1
Pennsylvania	6116	48927	6.6 ± 1.2	52.8 ± 17.2
Tennessee	2351	20492	4.6 ± 1.0	39.9 ± 16.5
Virginia	3783	71024	5.4 ± 0.9	165.2 ± 82.6
Washington, Alaska	4046	34101	5.0 ± 0.9	93.3 ± 25.4
Wisconsin	10173	130115	7.2 ± 1.6	92.3 ± 20.8

^{*} Includes sample-based estimate of the standard error for the rate.

Table 4-2. Estimates of lost-time injuries by status of the injured worker for the State of Arizona, 1993.

Status of			Cumulative	Cumulative
Injured Worker	Frequency	Percent	Frequency	Percent
Operator/family	1736.5	54.3	1736.5	54.3
Partner/family	209.0	6.5	1945.5	60.8
Hired labor	1187.5	37 .1	3133.0	97.9
Other	65.6	2.1	3198.6	100.0

Table 4-3. Estimates of lost-time injuries by gender for the State of Arizona, 1993.

			Cumulative	Cumulative
Gender	Frequency	Percent	Frequency	Percent
Male	3083.8	96.4	3083.8	96.4
Female	114.8	3.6	3198.6	100.0

Table 4-4. Estimates of lost-time injuries by age group for the State of Arizona, 1993.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
10-19	759.9	23.8	759.9	23.8
20-29	283.6	8.9	1043.5	32.6
30-39	1196.0	37.4	2239.5	70.0
40-49	405.4	12.7	2644.9	82.7
50-59	402.3	12.6	3047.2	95.3
60-69	95.9	3.0	3143.1	98.3
>=70	55.5	1.7	3198.6	100.0

Table 4-5. Estimates of lost-time injuries by race or ethnic origin for the State of Arizona, 1993.

Race/			Cumulative	Cumulative
Ethnic Origin	Frequency	Percent	Frequency	Percent
White	2028.4	63.4	2028.4	63.4
Hispanic	971.3	30.4	2999.7	93.8
Black	65.6	2.1	3065.3	95.8
Other	133.3	4.2	3198.6	100.0

Table 4-6. Estimates of lost-time injuries by month for the State of Arizona, 1993.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	8.3	0.3	8.3	0.3
February	65.6	2.1	73.9	2.3
March	75.0	2.4	148.9	4.7
April	96.3	3.0	245.2	7.7
May	200.9	6.3	446.1	14.0
June	307.8	9.6	753.9	23.6
July	87.6	2.7	841.5	26.4
August	751.2	23.5	1592.7	49.9
September	116.2	3.6	1708.9	53.6
October	334.3	10.5	2043.2	64.0
November	220.8	6.9	2264.0	71.0
December	926.3	29.0	3190.3	100.0
	(Fre	equency Mi	.ssing = 8.3)	

Table 4-7. Estimates of lost-time injuries by severity of the injury for the State of Arizona, 1993.

Severity			Cumulative	Cumulative
of Injury	Frequency	Percent	Frequency	Percent
Temporary	3198.6	100.0	3198.6	100.0

Table 4-8. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Arizona, 1993.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Yes	2864.0	89.5	2864.0	89.5
No	334.6	10.5	3198.6	100.0

Table 4-9. Estimates of lost-time injuries by body part injured for the State of Arizona, 1993.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	45.3	1.4	45.3	1.4
Eye	186.0	5.8	231.3	7.2
Chest/trunk	272.8	8.5	504.1	15.8
Back	280.9	8.8	785.0	24.5
Arm/shoulder	229.1	7.2	1014.1	31.7
Finger	987.1	30.9	2001.2	62.6
Hand/wrist	160.1	5.0	2161.3	67.6
Leg/knee/hip	807.7	25.3	2969.0	92.8
Toe	96.3	3.0	3065.3	95.8
Mult. parts	133.3	4.2	3198.6	100.0

Table 4-10. Estimates of lost-time injuries by nature of the injury for the State of Arizona, 1993.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	321.0	10.0	321.0	10.0
Cut	217.4	6.8	538.4	16.8
Crush	833.9	26.1	1372.3	42.9
Fracture	63.8	2.0	1436.1	44.9
Poisoning	96.3	3.0	1532.4	47.9
Puncture	722.5	22.6	2254.9	70.5
Sprain/strain	660.4	20.6	2915.3	91.1
Mult. injury	37.0	1.2	2952.3	92.3
Other	246.3	7.7	3198.6	100.0

Table 4-11. Estimates of lost-time injuries by type of event for the State of Arizona, 1993.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught between	986.7	30.8	986.7	30.8
Caught under	87.6	2.7	1074.3	33.6
Struck by/against	77.8	2.4	1152.1	36.0
Struck by falling	18.5	0.6	1170.6	36.6
Struck by flying	849.6	26.6	2020.2	63.2
Contact sharp obj.	. 173.7	5.4	2193.9	68.6
Fall, same level	255.7	8.0	2449.6	76.6
Fall, elevation	37.0	1.2	2486.6	77.7
Overexertion	404.0	12.6	2890.6	90.4
Other	308.0	9.6	3198.6	100.0

Table 4-12. Estimates of lost-time injuries by activity when injured for the State of Arizona, 1993.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	264.1	8.3	264.1	8.3
Machine maint.	1758.5	55.0	2022.6	63.2
Field work	286.4	9.0	2309.0	72.2
Crop handling	200.9	6.3	2509.9	78.5
Livestock handling	g 397.1	12.4	2907.0	90.9
Other	291.6	9.1	3198.6	100.0

Table 4-13. Estimates of lost-time injuries by source of injury for the State of Arizona, 1993.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Tractor	32.1	1.0	32.1	1.0
Machinery	1024.4	32.0	1056.5	33.0
Livestock	282.3	8.8	1338.8	41.9
Hand tool	821.7	25.7	2160.5	67.5
Power tool	92.4	2.9	2252.9	70.4
Plant/tree	258.5	8.1	2511.4	78.5
Working surface	73.9	2.3	2585.3	80.8
Truck/auto	116.2	3.6	2701.5	84.5
Liquids	65.6	2.1	2767.1	86.5
Other	431.5	13.5	3198.6	100.0

Table 4-14. Estimates of lost-time injuries by status of the injured worker for the State of California, 1993.

Status of			Cumulative	Cumulative
Injured Worker	Frequency	Percent	Frequency	Percent
Operator/family	2255.0	15.9	2255.0	15.9
Partner/family	423.9	3.0	2678.9	18.9
Hired labor	11481.5	81.1	14160.4	100.0

Table 4-15. Estimates of lost-time injuries by gender for the State of California, 1993.

			Cumulative	Cumulative
Gender	Frequency	Percent	Frequency	Percent
Male	13498.1	95.3	13498.1	95.3
Female	662.3	4.7	14160.4	100.0

Table 4-16. Estimates of lost-time injuries by age group for the State of California, 1993.

Age Group)		Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
20-29	4735.4	33.4	4735.4	33.4
30-39	3720.3	26.3	8455.7	59.7
40-49	3760.7	26.6	12216.4	86.3
50-59	1211.8	8.6	13428.2	94.8
60-69	225.0	1.6	13653.2	96.4
>=70	507.2	3.6	14160.4	100.0

Table 4-17. Estimates of lost-time injuries by race or ethnic origin for the State of California, 1993.

Race/			Cumulative	Cumulative
Ethnic Origin	Frequency	Percent	Frequency	Percent
White	2453.9	17.3	2453.9	17.3
Hispanic	11481.5	81.1	13935.4	98.4
Asian	225.0	1.6	14160.4	100.0

Table 4-18. Estimates of lost-time injuries by month for the State of California, 1993.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	1292.0	9.1	1292.0	9.1
February	106.9	0.8	1398.9	9.9
March	1211.2	8.6	2610.1	18.4
April	413.8	2.9	3023.9	21.4
May	366.6	2.6	3390.5	23.9
June	2130.9	15.0	5521.4	39.0
July	2834.7	20.0	8356.1	59.0
August	2698.5	19.1	11054.6	78.1
September	977.8	6.9	12032.4	85.0
October	751.0	5.3	12783.4	90.3
November	921.6	6.5	13705.0	96.8
December	455.4	3.2	14160.4	100.0

Table 4-19. Estimates of lost-time injuries by severity of the injury for the State of California, 1993.

Severity			Cumulative	Cumulative
of Injury	Frequency	Percent	Frequency	Percent
Temporary	13653.2	96.4	13653.2	96.4
Permanent	507.2	3.6	14160.4	100.0

Table 4-20. Estimates of lost-time injuries by whether professional medical attention was sought for the State of California, 1993.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	507.2	3.6	507.2	3.6
Yes	11780.2	83.2	12287.4	86.8
No	1873.0	13.2	14160.4	100.0

Table 4-21. Estimates of lost-time injuries by body part injured for the State of California, 1993.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	744.2	5.3	744.2	5.3
Eye	1573.0	11.1	2317.2	16.4
Chest/trunk	1716.4	12.1	4033.6	28.5
Back	4601.5	32.5	8635.1	61.0
Arm/shoulder	1258.3	8.9	9893.4	69.9
Finger	1983.2	14.0	11876.6	83.9
Hand/wrist	976.0	6.9	12852.6	90.8
Leg/knee/hip	787.2	5.6	13639.8	96.3
Foot	290.2	2.0	13930.0	98.4
Other	230.4	1.6	14160.4	100.0

Table 4-22. Estimates of lost-time injuries by nature of the injury for the State of California, 1993.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Bruise	2002.4	14.1	2002.4	14.1
Burn	413.8	2.9	2416.2	17.1
Cut	2227.0	15.7	4643.2	32.8
Crush	323.9	2.3	4967.1	35.1
Fracture	1393.4	9.8	6360.5	44.9
Puncture	413.8	2.9	6774.3	47.8
Sprain/strain	5766.1	40.7	12540.4	88.6
Mult. injury	230.4	1.6	12770.8	90.2
Other	1389.6	9.8	14160.4	100.0

Table 4-23. Estimates of lost-time injuries by type of event for the State of California, 1993.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	183.3	1.3	183.3	1.3
Caught between	737.6	5.2	920.9	6.5
Caught under	413.8	2.9	1334.7	9.4
Struck by/agains	654.3	4.6	1989.0	14.0
Struck by falling	460.8	3.3	2449.8	17.3
Struck by flying	133.3	0.9	2583.1	18.2
Contact sharp obj.	. 2316.9	16.4	4900.0	34.6
Fall, same level	1433.2	10.1	6333.2	44.7
Fall, elevation	985.1	7.0	7318.3	51.7
Overexertion	4240.3	29.9	11558.6	81.6
Other	2601.8	18.4	14160.4	100.0

Table 4-24. Estimates of lost-time injuries by activity when injured for the State of California, 1993.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
				
Farm maint.	2111.6	14.9	2111.6	14.9
Machine maint.	824.5	5.8	2936.1	20.7
Field work	4431.9	31.3	7368.0	52.0
Crop handling	1424.6	10.1	8792.6	62.1
Livestock handlin	g 1395.6	9.9	10188.2	71.9
Other	3972.2	28.1	14160.4	100.0

Table 4-25. Estimates of lost-time injuries by source of injury for the State of California, 1993.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Machinery	1679.1	11.9	1679.1	11.9
Livestock	1816.3	12.8	3495.4	24.7
Hand tool	2316.9	16.4	5812.3	41.0
Power tool	795.5	5.6	6607.8	46.7
Plant/tree	916.2	6.5	7524.0	53.1
Working surface	967.6	6.8	8491.6	60.0
Truck/auto	183.3	1.3	8674.9	61.3
Other vehicle	413.7	2.9	9088.6	64.2
Other	5071.8	35.8	14160.4	100.0

Table 2-26. Estimates of lost-time injuries by status of the injured worker for the State of Colorado, 1993.

Status of			Cumulative	Cumulative
Injured Worker	Frequency	Percent	Frequency	Percent
Operator/family	1310.6	52.9	1310.6	52.9
Partner/family	107.1	4.3	1417.7	57.2
Hired labor	891.6	36.0	2309.3	93.2
Unpaid nonfamily	121.6	4.9	2430.9	98.1
Other	46.3	1.9	2477.2	100.0

Table 4-27. Estimates of lost-time injuries by gender for the State of Colorado, 1993.

			Cumulative	Cumulative
Gender	Frequency	Percent	Frequency	Percent
Male	2279.5	92.0	2279.5	92.0
Female	197.7	8.0	2477.2	100.0

Table 4-28. Estimates of lost-time injuries by age group for the State of Colorado, 1993.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
10-19	136.9	5.5	136.9	5.5
20-29	305.6	12.3	442.5	17.9
30-39	617.8	24.9	1060.3	42.8
40-49	502.5	20.3	1562.8	63.1
50-59	364.8	14.7	1927.6	77.8
60-69	488.8	19.7	2416.4	97.5
>=70	60.8	2.5	2477.2	100.0

Table 4-29. Estimates of lost-time injuries by race or ethnic origin for the State of Colorado, 1993.

Race/			Cumulative	Cumulative
Ethnic Origin	Frequency	Percent	Frequency	Percent
White	1803.5	72.8	1803.5	72.8
Hispanic	384.6	15.5	2188.1	88.3
Asian	76.1	3.1	2264.2	91.4
American Indian	76.1	3.1	2340.3	94.5
Other	136.9	5.5	2477.2	100.0

Table 4-30. Estimates of lost-time injuries by month for the State of Colorado, 1993.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	121.6	4.9	121.6	4.9
February	136.9	5.5	258.5	10.4
March	107.1	4.3	365.6	14.8
April	92.6	3.7	458.2	18.5
May	167.9	6.8	626.1	25.3
June	182.4	7.4	808.5	32.6
July	290.3	11.7	1098.8	44.4
August ·	167.9	6.8	1266.7	51.1
September	426.0	17.2	1692.7	68.3
October	277.5	11.2	1970.2	79.5
November	507.0	20.5	2477.2	100.0
December	0.0	0.0	2477.2	100.0

Table 4-31. Estimates of lost-time injuries by severity of the injury for the State of Colorado, 1993.

Severity			Cumulative	Cumulative
of Injury	Frequency	Percent	Frequency	Percent
Temporary	2233.2	90.2	2233.2	90.2
Permanent	244.0	9.8	2477.2	100.0

Table 4-32. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Colorado, 1993.

Medical Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	244.0	9.8	244.0	9.8
Yes	1929.2	77.9	2173.2	87.7
No	304.0	12.3	2477.2	100.0

Table 4-33. Estimates of lost-time injuries by body part injured for the State of Colorado, 1993.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	167.9	6.8	167.9	6.8
Eye	46.3	1.9	214.2	8.6
Chest/trunk	167.9	6.8	382.1	15.4
Back	213.0	8.6	595.1	24.0
Arm/shoulder	294.0	11.9	889.1	35.9
Finger	60.8	2.5	949.9	38.3
Hand/wrist	429.7	17.3	1379.6	55.7
Leg/knee/hip	502.5	20.3	1882.1	76.0
Toe	60.8	2.5	1942.9	78.4
Foot	60.8	2.5	2003.7	80.9
Mult. parts	244.0	9.8	2247.7	90.7
Other	229.5	9.3	2477.2	100.0

Table 4-34. Estimates of lost-time injuries by nature of the injury for the State of Colorado, 1993.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Amputation	76.1	3.1	76.1	3.1
Bruise	198.5	8.0	274.6	11.1
Cut	107.1	4.3	381.7	15.4
Crush	277.5	11.2	659.2	26.6
Fracture	488.0	19.7	1147.2	46.3
Poisoning	46.3	1.9	1193.5	48.2
Puncture	136.9	5.5	1330.4	53.7
Sprain/strain	552.5	22.3	1882.9	76.0
Mult. injury	197.7	8.0	2080.6	84.0
Other	396.6	16.0	2477.2	100.0

Table 4-35. Estimates of lost-time injuries by type of event for the State of Colorado, 1993.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	323.0	13.0	323.0	13.0
Caught between	136.9	5.5	459.9	18.6
Caught under	136.9	5.5	596.8	24.1
Struck by/against	624.9	25.2	1221.7	49.3
Struck by falling	136.9	5.5	1358.6	54.8
Struck by flying	244.0	9.8	1602.6	64.7
Contact sharp obj	. 60.8	2.5	1663.4	67.1
Fall, same level	76.1	3.1	1739.5	70.2
Fall, elevation	308.5	12.5	2048.0	82.7
Overexertion	122.4	4.9	2170.4	87.6
Other	306.8	12.4	2477.2	100.0

Table 4-36. Estimates of lost-time injuries by activity when injured for the State of Colorado, 1993.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm main.	349.9	14.1	349.9	14.1
Machine main.	229.5	9.3	579.4	23.4
Field work	92.6	3.7	672.0	27.1
Crop handling	198.5	8.0	870.5	35.1
Livestock handling	ng 1111.3	44.9	1981.8	80.0
Other	495.4	20.0	2477.2	100.0

Table 4-37. Estimates of lost-time injuries by source of injury for the State of Colorado, 1993.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	201.4	8.1	201.4	8.1
Machinery	521.5	21.1	722.9	29.2
Livestock	533.5	21.5	1256.4	50.7
Hand tool	396.2	16.0	1652.6	66.7
Power tool	60.8	2.5	1713.4	69.2
Pesticide/chem.	46.3	1.9	1759.7	71.0
Working surface	136.9	5.5	1896.6	76.6
Truck/auto	107.1	4.3	2003.7	80.9
Other	473.5	19.1	2477.2	100.0

Table 4-38. Estimates of lost-time injuries by status of the injured worker for the State of Florida, 1993.

Status of			Cumulative	Cumulative
Injured Worker	Frequency	Percent	Frequency	Percent
Operator/family	353.4	16.2	353.4	16.2
Partner/family	69.8	3.2	423.2	19.4
Hired labor	1685.4	77.4	2108.6	96.8
Unpaid nonfamily	69.8	3.2	2178.4	100.0

Table 4-39. Estimates of lost-time injuries by gender for the State of Florida, 1993.

			Cumulative	Cumulative
Gender	Frequency	Percent	Frequency	Percent
Male	1980.0	90.9	1980.0	90.9
Female	198.4	9.1	2178.4	100.0

Table 4-40. Estimates of lost-time injuries by age group for the State of Florida, 1993.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
10-19	69.8	3.3	69.8	3.3
20-29	690.9	32.5	760.7	35.7
30-39	845.7	39.7	1606.4	75. 5
40-49	257.7	12.1	1864.1	87.6
50-59	69.8	3.3	1933.9	90.8
60-69	75.5	3.5	2009.4	94.4
>=70	119.4	5.6	2128.8	100.0
	(Frequenc	cy Missin	q = 49.6	

Table 4-41. Estimates of lost-time injuries by race or ethnic origin for the State of Florida, 1993.

Race/			Cumulative	Cumulative
Ethnic Origin	Frequency	Percent	Frequency	Percent
White	1307.0	61.4	1307.0	61.4
Hispanic	733.1	34.4	2040.1	95.8
Black	88.7	4.2	2128.8	100.0
	(Frequer	ncv Missin	a = 49.6	

Table 4-42. Estimates of lost-time injuries by month for the State of Florida, 1993.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	69.8	3.3	69.8	3.3
February	360.2	16.9	430.0	20.2
March	208.1	9.8	638.1	30.0
April	255.0	12.0	893.1	42.0
May	125.1	5.9	1018.2	47.8
June	237.9	11.2	1256.1	59.0
July	49.6	2.3	1305.7	61.3
August	49.6	2.3	1355.3	63.7
September	99.2	4.7	1454.5	68.3
October	485.1	22.8	1939.6	91.1
November	119.4	5.6	2059.0	96.7
December	69.8	3.3	2128.8	100.0
	(Frequen	cy Missin	49.6	

Table 4-43. Estimates of lost-time injuries by severity of the injury for the State of Florida, 1993.

Severity			Cumulative	Cumulative
of Injury	Frequency	Percent	Frequency	Percent
Temporary	2059.0	94.5	2059.0	94.5
Permanent	119.4	5.5	2178.4	100.0

Table 4-44. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Florida, 1993.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	119.4	5.5	119.4	5.5
Yes	1801.3	82.7	1920.7	88.2
No	257.7	11.8	2178.4	100.0

Table 4-45. Estimates of lost-time injuries by body part injured for the State of Florida, 1993.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	75.5	3.5	75.5	3.5
Eye	99.6	4.6	175.1	8.0
Chest/trunk	494.1	22.7	669.2	30.7
Back	779.6	35.8	1448.8	66.5
Arm/shoulder	88.7	4.1	1537.5	70.6
Finger	49.6	2.3	1587.1	72.9
Hand/wrist	349.5	16.0	1936.6	88.9
Leg/knee/hip	75.5	3.5	2012.1	92.4
Foot	116.7	5.4	2128.8	97.7
Mult. parts	49.6	2.3	2178.4	100.0

Table 4-46. Estimates of lost-time injuries by nature of the injury for the State of Florida, 1993.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Bruise	448.9	20.6	448.9	20.6
Cut	136.6	6.3	585.5	26.9
Crush	259.0	11.9	844.5	38.8
Fracture	236.1	10.8	1080.6	49.6
Sprain/strain	829.2	38.1	1909.8	87.7
Mult. injury	49.6	2.3	1959.4	89.9
Other	219.0	10.1	2178.4	100.0

Table 4-47. Estimates of lost-time injuries by type of event for the State of Florida, 1993.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught between	192.2	8.8	192.2	8.8
Struck by/against	812.9	37.3	1005.1	46.1
Struck by falling	69.8	3.2	1074.9	49.3
Struck by flying	5.7	0.3	1080.6	49.6
Fall, same level	237.5	10.9	1318.1	60.5
Fall, elevation	119.4	5.5	1437.5	66.0
Overexertion	591.7	27.2	2029.2	93.2
Other	149.2	6.8	2178.4	100.0

Table 4-48. Estimates of lost-time injuries by activity when injured for the State of Florida, 1993.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	591.7	27.2	591.7	27.2
Machine maint.	158.5	7.3	750.2	34.4
Field work	509.1	23.4	1259.3	57.8
Crop handling	218.6	10.0	1477.9	67.8
Livestock handlin	g 700.5	32.2	2178.4	100.0

Table 4-49. Estimates of lost-time injuries by source of injury for the State of Florida, 1993.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Tractor	49.6	2.3	49.6	2.3
Machinery	409.5	18.8	459.1	21.1
Livestock	700.5	32.2	1159.6	53.2
Hand tool	187.9	8.6	1347.5	61.9
Pesticide/chem.	50.0	2.3	1397.5	64.2
Plant/tree	99.2	4.6	1496.7	68.7
Working surface	148.8	6.8	1645.5	75.5
Other	532.9	24.5	2178.4	100.0

Table 4-50. Estimates of lost-time injuries by status of the injured worker the State of Iowa, 1993.

Status of			Cumulative	Cumulative
Injured Worker	Frequency	Percent	Frequency	Percent_
Operator/family	9990.7	89.7	9990.7	89.7
Partner/family	360.1	3.2	10350.8	92.9
Hired labor	786.3	7.1	11137.1	100.0

Table 4-51. Estimates of lost-time injuries by gender for the State of Iowa, 1993.

			Cumulative	Cumulative
Gender _	Frequency	Percent	Frequency	Percent
Male	10203.8	91.6	10203.8	91.6
Female	933.3	8.4	11137.1	100.0

Table 4-52. Estimates of lost-time injuries by age group for the State of Iowa, 1993.

Age			Cumulative	Cumulative
Group	Frequency	Percent	Frequency	Percent
10-19	1753.5	15.7	1753.5	15.7
20-29	1146.4	10.3	2899.9	26.0
30-39	1819.5	16.3	4719.4	42.4
40-49	1719.6	15.4	6439.0	57.8
50-59	2292.8	20.6	8731.8	78.4
60-69	1832.1	16.5	10563.9	94.9
>=70	573.2	5.1	11137.1	100.0

Table 4-53. Estimates of lost-time injuries by race or ethnic origin for the State of Iowa, 1993.

Race/			Cumulative	Cumulative
Ethnic Origin	F'requency	Percent	Frequency	Percent
White	11137.1	100.0	$1\overline{1}137.1$	100.0

Table 4-54. Estimates of lost-time injuries by month for the State of Iowa, 1993.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent_
January	0.0	0.0	0.0	0.0
February	360.1	3.2	360.1	3.2
March	0.0	0.0	360.1	3.2
April	2326.7	20.9	2686.9	24.1
May	0.0	0.0	2686.9	24.1
June	1606.4	14.4	4293.3	38.5
July	1719.6	15.4	6012.9	54.0
August	786.3	7.1	6799.2	61.0
September	1719.6	15.4	8518.8	76.5
October	685.7	6.2	9204.5	82.6
November	933.3	8.4	10137.8	91.0
December	999.3	9.0	11137.1	100.0

Table 4-55. Estimates of lost-time injuries by severity of the injury for the State of Iowa, 1993.

Severity			Cumulative	Cumulative
of Injury	Frequency	Percent	Frequency	Percent
Temporary	10924.0	98.1	10924.0	98.1
Permanent	213.1	1.9	11137.1	100.0

Table 4-56. Estimates of lost-time injuries by whether professional medical attention was required for the State of Iowa, 1993.

Medical Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	213.1	1.9	213.1	1.9
Yes	9023.4	81.0	9236.5	82.9
No	1900.6	17.1	11137.1	100.0

Table 4-57. Estimates of lost-time injuries by body part injured for the State of Iowa, 1993.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	213.1	1.9	213.1	1.9
Eye	573.2	5.1	786.3	7.1
Chest/trunk	573.2	5.1	1359.4	12.2
Back	1619.0	14.5	2978.5	26.7
Arm/shoulder	786.3	7.1	3764.7	33.8
Finger	852.2	7.7	4617.0	41.5
Hand/wrist	2047.7	18.4	6664.7	59.8
Leg/knee/hip	2145.7	19.3	8810.4	79.1
Foot	1327.4	11.9	10137.8	91.0
Mult. parts	999.3	9.0	11137.1	100.0

Table 4-58. Estimates of lost-time injuries by nature of injury for the State of Iowa, 1993.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Bruise	999.3	9.0	999.3	9.0
Cut	1359.4	12.2	2358.8	21.2
Crush	720.3	6.5	3079.0	27.6
Fracture	2358.8	21.2	5437.8	48.8
Puncture	1180.3	10.6	6618.1	59.4
Sprain/strain	2978.5	26.7	9596.6	86.2
Mult. injury	1180.3	10.6	10777.0	96.8
Other	360.1	3.2	11137.1	100.0

Table 4-59. Estimates of lost-time injuries by the type of injury event for the State of Iowa, 1993.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	426.1	3.8	426.1	3.8
Caught between	1146.4	10.3	1572.5	14.1
Caught under	639.2	5.7	2211.7	19.9
Struck by/against	2047.7	18.4	4259.4	38.2
Struck by falling	426.1	3.8	4685.5	42.1
Sruck by flying	213.1	1.9	4898.5	44.0
Contact sharp obj.	1327.4	11.9	6226.0	55.9
Fall, same level	685.7	6.2	6911.7	62.1
Fall, elevation	2505.8	22.5	9417.5	84.6
Overexertion	1146.4	10.3	10563.9	94.9
Other	573.2	5.1	11137.1	100.0

Table 4-60. Estimates of lost-time injuries by activity when worker was injured for the State of Iowa, 1993.

Activity When	_		Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm main.	2571.8	23.1	2571.8	23.1
Machine main.	1753.5	15.7	4325.4	38.8
Field work	639.2	5.7	4964.5	44.6
Crop handling	3013.1	27.1	7977.6	71.6
Livestock handling	2799.4	25.1	10777.0	96.8
Other	360.1	3.2	11137.1	100.0

Table 4-61. Estimates of lost-time injuries by source of the injury for the State of Iowa, 1993.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Tractor	786.3	7.1	786.3	7.1
Machinery	2539.8	22.8	3326.0	29.9
Livestock	1471.9	13.2	4798.0	43.1
Hand tool	2260.8	20.3	7058.8	63.4
Power tool	213.1	1.9	7271.8	65.3
Working surface	1146.4	10.3	8418.2	75.6
Other vehicle	573.2	5.1	8991.4	80.7
Other	2145.7	19.3	11137.1	100.0

Table 4-62. Estimates of lost-time injuries by status of the injured worker for the State of Kansas, 1993.

Status of			Cumulative	Cumulative
Injured Worker	Frequency	Percent	Frequency	Percent
Operator/family	3392.1	57.3	3392.1	57.3
Partner/family	912.6	15.4	4304.7	72.7
Hired labor	1279.6	21.6	5584.3	94.4
Unpaid nonfamily	111.2	1.9	5695.5	96.2
Other	222.4	3.8	5917.9	100.0

Table 4-63. Estimates of lost-time injuries by gender for the State of Kansas, 1993.

			Cumulative	Cumulative
Gender	Frequency	Percent	Frequency	Percent
Male	5367.6	90.7	5367.6	90.7
Female	550.3	9.3	5917.9	100.0

Table 4-64. Estimates of lost-time injuries by age group for the State of Kansas, 1993.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
10-19	306.8	5.2	306.8	5.2
20-29	621.5	10.5	928.3	15.7
30-39	2572.3	43.5	3500.6	59.2
40-49	574.2	9.7	4074.8	68.9
50-59	725.4	12.3	4800.2	81.1
60-69	654.7	11.1	5454.9	92.2
>=70	463.0	7.8	5917.9	100.0

Table 4-65. Estimates of lost-time injuries by race or ethnic origin for the State of Kansas, 1993.

Race/			Cumulative	Cumulative
Ethnic Origin	Frequency	Percent	Frequency	Percent
White	5806.7	98.1	5806.7	98.1
Hispanic	111.2	1.9	5917.9	100.0

Table 4-66. Estimates of lost-time injuries by month for the State of Kansas, 1993.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	0.0	0.0	0.0	0.0
February	111.2	1.9	111.2	1.9
March	0.0	0.0	111.2	1.9
April	218.3	3.7	329.5	5.6
May	1166.6	19.7	1496.1	25.3
June	444.8	7.5	1940.9	32.8
July	911.1	15.4	2852.0	48.2
August	734.2	12.4	3586.2	60.6
September	239.1	4.0	3825.3	64.6
October	574.2	9.7	4399.5	74.3
November	703.6	11.9	5103.1	86.2
December	814.8	13.8	5917.9	100.0

Table 4-67. Estimates of lost-time injuries by severity of the injury for the State of Kansas, 1993.

Severity			Cumulative	Cumulative
of Injury	Frequency	Percent	Frequency	Percent
Temporary	5566.1	94.1	5566.1	94.1
Fatality	351.8	5.9	5917.9	100.0

Table 4-68. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Kansas, 1993.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	351.8	5.9	351.8	5.9
Yes	5270.3	89.1	5622.1	95.0
No	295.8	5.0	5917.9	100.0

Table 4-69. Estimates of lost-time injuries by body part injured for the State of Kansas, 1993.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	336.9	5.7	336.9	5.7
Chest/trunk	111.2	1.9	448.1	7.6
Back	493.6	8.3	941.7	15.9
Arm/shoulder	111.2	1.9	1052.9	17.8
Finger	1148.4	19.4	2201.3	37.2
Hand/wrist	463.0	7.8	2664.3	45.0
Leg/knee/hip	1166.6	19.7	3830.9	64.7
Toe	111.2	1.9	3942.1	66.6
Foot	712.0	12.0	4654.1	78.6
Mult. parts	1183.3	20.0	5837.4	98.6
Other	80.5	1.4	5917.9	100.0

Table 4-70. Estimates of lost-time injuries by nature of the injury for the State of Kansas, 1993.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Bruise	1197.2	20.2	1197.2	20.2
Burn	127.9	2.2	1325.1	22.4
Cut	1135.0	19.2	2460.1	41.6
Crush	222.4	3.8	2682.5	45.3
Fracture	320.2	5.4	3002.7	50.7
Poisoning	16.7	0.3	3019.4	51.0
Puncture	333.6	5.6	3353.0	56.7
Sprain/strain	1095.4	18.5	4448.4	75.2
Mult. injury	1277.8	21.6	5726.2	96.8
Other	191.7	3.2	5917.9	100.0

Table 4-71. Estimates of lost-time injuries by type of event for the State of Kansas, 1993.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught between	907.8	15.3	907.8	15.3
Caught under	351.8	5.9	1259.6	21.3
Struck by/against	1473.4	24.9	2733.0	46.2
Struck by falling	484.8	8.2	3217.8	54.4
Struck by flying	463.0	7.8	3680.8	62.2
Contact sharp obj.	463.0	7.8	4143.8	70.0
Fall, same level	703.6	11.9	4847.4	81.9
Fall, elevation	30.6	0.5	4878.0	82.4
Overexertion	351.8	5.9	5229.8	88.4
Other	688.1	11.6	5917.9	100.0

Table 4-72. Estimates of lost-time injuries by activity when injured for the State of Kansas, 1993.

Activity When			Cumulative	Cumulative
	Frequency	Percent	Frequency	Percent
Farm maint.	1620.7	27.4	1620.7	27.4
Machine maint.	1722.6	29.1	3343.3	56.5
Field work	672.0	11.4	4015.3	67.9
Crop handling	111.2	1.9	4126.5	69.7
Livestock handlin	g 1406.2	23.8	5532.7	93.5
Other	385.2	6.5	5917.9	100.0

Table 4-73. Estimates of lost-time injuries by source of injury for the State of Kansas, 1993.

Source of	5	.	Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Tractor	111.2	1.9	111.2	1.9
Machinery	912.6	15.4	1023.8	17.3
Livestock	845.4	14.3	1869.2	31.6
Hand tool	796.6	13.5	2665.8	45.0
Power tool	351.8	5.9	3017.6	51.0
Pesticide/chem.	33.4	0.6	3051.0	51.6
Truck/auto	814.8	13.8	3865.8	65.3
Other vehicle	320.2	5.4	4186.0	70.7
Liquids	111.2	1.9	4297.2	72.6
Other	1620.7	27.4	5917.9	100.0

Table 4-74. Estimates of lost-time injuries by status of the injured worker for the States of Maine, New Hampshire, and Vermont, 1993.

Status of			Cumulative	Cumulative
Injured Worker	Frequency	Percent	Frequency	Percent
Operator/family	1377.9	71.1	1377.9	71.1
Partner/family	166.4	8.6	1544.3	79.7
Hired labor	352.5	18.2	1896.8	97.9
Other	41.6	2.1	1938.4	100.0

Table 4-75. Estimates of lost-time injuries by gender for the States of Maine, New Hampshire, and Vermont, 1993.

			Cumulative	Cumulative
Gender	Frequency	Percent	Frequency	Percent
Male	1519.4	78.4	1519.4	78.4
Female	419.0	21.6	1938.4	100.0

Table 4-76. Estimates of lost-time injuries by age group for the States of Maine, New Hampshire, and Vermont, 1993

Age			Cumulative	Cumulative
Group	Frequency	Percent	Frequency	Percent
10-19	166.4	8.6	166.4	8.6
20-29	496.1	25.6	662.5	34.2
30-39	255.5	13.2	918.0	47.4
40-49	413.8	21.3	1331.7	68.7
50-59	532.0	27.4	1863.8	96.1
60-69	33.1	1.7	1896.8	97.9
>=70	41.6	2.1	1938.4	100.0

Table 4-77. Estimates of lost-time injuries by race or ethnic origin for the States of Maine, New Hampshire, and Vermont, 1993.

Race/			Cumulative	Cumulative
Ethnic Origin	Frequency	Percent	Frequency	Percent
White	1938.4	100.0	1938.4	100.0

Table 4-78. Estimates of lost-time injuries by month for the States of Maine, New Hampshire, and Vermont, 1993.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	0.0	0.0	0.0	0.0
February	83.2	4.3	83.2	4.3
March	61.9	3.2	145.1	7.5
April	0.0	0.0	145.1	7.5
May	335.8	17.3	480.9	24.8
June	182.9	9.4	663.8	34.2
July	434.8	22.4	1098.6	56.7
August	83.2	4.3	1181.8	61.0
September	318.4	16.4	1500.1	77.4
October	205.8	10.6	1705.9	88.0
November	74.7	3.9	1780.6	91.9
December	157.9	8.1	1938.4	100.0

Table 4-79. Estimates of lost-time injuries by severity of the injury for the States of Maine, New Hampshire, and Vermont, 1993.

Severity			Cumulative	Cumulative
of Injury	Frequency	Percent	Frequency	Percent
Temporary	1896.8	97.9	896.8	97.9
Permanent	41.6	2.1	1938.4	100.0

Table 4-80. Estimates of lost-time injuries by whether professional medical attention was required for the States of Maine, New Hampshire, and Vermont, 1993.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	41.6	2.1	41.6	2.1
Yes	1544.3	79.7	1585.9	81.8
No	352.5	18.2	1938.4	100.0

Table 4-81. Estimates of lost-time injuries by body part injured for the States of Maine, New Hampshire, and Vermont, 1993.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	83.2	4.3	83.2	4.3
Eye	193.6	10.0	276.8	14.3
Chest/trunk	83.2	4.3	356.0	18.6
Back	141.3	7.3	501.2	25.9
Arm/shoulder	166.4	8.6	667.6	34.4
Finger	453.1	23.4	1120.8	57.8
Hand/wrist	213.2	11.0	1334.0	68.8
Leg/knee/hip	343.7	17.7	1677.7	86.5
Foot	135.9	7.0	1813.6	93.6
Mult. parts	41.6	2.1	1855.2	95.7
Other	83.2	4.3	1938.4	100.0

Table 4-82. Estimates of lost-time injuries by nature of injury for the States of Maine, New Hampshire, and Vermont, 1993.

Nature of	_	_	Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Amputation	41.6	2.1	41.6	2.1
Bruise	380.3	19.6	421.9	21.8
Cut	227.7	11.7	649.6	33.5
Crush	122.5	6.3	772.1	39.8
Fracture	266.1	13.7	1038.2	53.6
Puncture	101.8	5.3	1140.0	58.8
Sprain/strain	551 .1	28.4	1691.1	87.2
Mult. injury	41.6	2.1	1732.7	89.4
Other	205.8	10.6	1938.4	100.0

Table 4-83. Estimates of lost-time injuries by the type of injury event for the States of Maine, New Hampshire, and Vermont, 1993.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	144.5	7.5	144.5	7.5
Caught between	329.7	17.0	474.2	24.5
Caught under	41.6	2.1	515.8	26.6
Struck by/against	276.8	14.3	792.5	40.9
Struck by falling	108.2	5.6	900.7	46.5
Struck by flying	83.2	4.3	983.9	50.8
Contact sharp obj.	238.8	12.3	1222.7	63.1
Fall, same level	144.5	7.5	1367.2	70.5
Fall, elevation	199.5	10.3	1566.7	80.8
Overexertion	166.4	8.6	1733.1	89.4
Other	205.3	10.6	1938.4	100.0

Table 4-84. Estimates of lost-time injuries by activity when worker was injured for the States of Maine, New Hampshire, and Vermont, 1993.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm main.	241.1	12.4	241.1	12.4
Machine main.	193.6	10.0	434.6	22.4
Field work	410.4	21.2	845.1	43.6
Crop handling	227.7	11.7	1072.7	55.3
Livestock handling	551.7	28.5	1624.5	83.8
Other	314.0	16.2	1938.4	100.0

Table 4-85. Estimates of lost-time injuries by source of the injury for the States of Maine, New Hampshire, and Vermont, 1993.

Source of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Tractor	33.1	1.7	33.1	1.7
Machinery	289.0	14.9	322.0	16.6
Livestock	426.9	22.0	748.9	38.6
Hand tool	124.8	6.4	873.7	45.1
Power tool	102.9	5.3	976.6	50.4
Plant/tree	135.4	7.0	1112.0	57.4
Working surface	235.2	12.1	1347.1	69.5
Other vehicle	41.6	2.1	1388.7	71.6
Other	549.7	28.4	1938.4	100.0

Table 4-86. Estimates of lost-time injuries by status of the injured worker for the State of Michigan, 1993.

Status of			Cumulative	Cumulative
Injured Worker	Frequency	Percent	Frequency	Percent
Operator/family	3638.4	60.7	3638.4	60.7
Partner/family	550.5	9.2	4188.9	69.8
Hired labor	1809.7	30.2	5998.6	100.0

Table 4-87. Estimates of lost-time injuries by gender for the State of Michigan, 1993.

			Cumulative	Cumulative
Gender	Frequency	Percent	Frequency	Percent
Male	5427.0	90.5	5427.0	90.5
Female	571.6	9.5	5998.6	100.0

Table 4-88. Estimates of lost-time injuries by age group for the State of Michigan, 1993.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
10-19	316.6	5.3	316.6	5.3
20-29	1220.5	20.3	1537.1	25.6
30-39	1312.0	21.9	2849.1	47.5
40-49	388.4	6.5	3237.5	54.0
50-59	2430.9	40.5	5668.4	94.5
60-6 9	330.2	5.5	5998.6	100.0
>=70	0.0	0.0	5998.6	100.0

Table 4-89. Estimates of lost-time injuries by race or ethnic origin for the State of Michigan, 1993.

Race/			Cumulative	Cumulative
Ethnic Origin	Frequency	Percent	Frequency	Percent
White	5626.9	93.8	5626.9	93.8
Hispanic	371.7	6.2	5998.6	100.0

Table 4-90. Estimates of lost-time injuries by month for the State of Michigan, 1993.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	433.0	7.2	433.0	7.2
February	325.1	5.4	758.1	12.6
March	158.3	2.6	916.4	15.3
April	230.1	3.8	1146.5	19.1
May	1171.7	19.5	2318.2	38.6
June	1499.0	25.0	3817.2	63.6
July	283.6	4.7	4100.8	68.4
August	444.0	7.4	4544.8	75.8
September	0.0	0.0	4544.8	75.8
October	1173.9	19.6	5718.7	95.3
November	93.3	1.6	5812.0	96.9
December	186.6	3.1	5998.6	100.0

Table 4-91. Estimates of lost-time injuries by severity of the injury for the State of Michigan, 1993.

Severity			Cumulative	Cumulative
of Injury	Frequency	Percent	Frequency	Percent
Temporary	5905.3	98.4	5905.3	98.4
Permanent	93.3	1.6	5998.6	100.0

Table 4-92. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Michigan, 1993.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	93.3	1.6	93.3	1.6
Yes	5485.3	91.4	5578.6	93.0
No	420.0	7.0	5998.6	100.0

Table 4-93. Estimates of lost-time injuries by body part injured for the State of Michigan, 1993.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	455.1	7.6	455.1	7.6
Eye	1202.2	20.0	1657.3	27.6
Chest/trunk	901.8	15.0	2559.1	42.7
Back	390.1	6.5	2949.2	49.2
Arm/shoulder	258.4	4.3	3207.6	53.5
Finger	613.8	10.2	3821.4	63.7
Hand/wrist	498.0	8.3	4319.4	72.0
Leg/knee/hip	1327.5	22.1	5646.9	94.1
Mult. parts	351.7	5.9	5998.6	100.0

Table 4-94. Estimates of lost-time injuries by nature of the injury for the State of Michigan, 1993.

Nature of	Frequency	Dansant	Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Amputation	93.3	1.6	93.3	1.6
Bruise	1313.4	21.9	1406.7	23.5
Cut	1997.0	33.3	3403.7	56.7
Crush	423.5	7.1	3827.2	63.8
Fracture	1037.1	17.3	4864.3	81.1
Puncture	158.3	2.6	5022.6	83.7
Sprain/strain	355.4	5.9	5378.0	89.7
Mult. injury	230.1	3.8	5608.1	93.5
Other	390.5	6.5	5998.6	100.0

Table 4-95. Estimates of lost-time injuries by type of event for the State of Michigan, 1993.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	93.3	1.6	93.3	1.6
Caught between	388.4	6.5	481.7	8.0
Caught under	225.4	3.8	707.1	11.8
Struck by/against	1457.1	24.3	2164.2	36.1
Struck by flying	258.4	4.3	2422.6	40.4
Contact sharp obj.	. 763.2	12.7	3185.8	53.1
Fall, same level	1108.9	18.5	4294.7	71.6
Fall, elevation	406.9	6.8	4701.6	78.4
Overexertion	230.1	3.8	4931.7	82.2
Other	1066.9	17.8	5998.6	100.0

Table 4-96. Estimates of lost-time injuries by activity when injured for the State of Michigan, 1993.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	516.8	8.6	516.8	8.6
Machine maint.	230.1	3.8	746.9	12.5
Field work	1747.8	29.1	2494.7	41.6
Crop handling	656.3	10.9	3151.0	52.5
Livestock handlir	ng 2589.2	43.2	5740.2	95.7
Other	258.4	4.3	5998.6	100.0

Table 4-97. Estimates of lost-time injuries by source of injury for the State of Michigan, 1993.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Tractor	65.0	1.1	65.0	1.1
Machinery	1616.7	27.0	1681.7	28.0
Livestock	1552.1	25.9	3233.8	53.9
Hand tool	569.8	9.5	3803.6	63.4
Power tool	330.2	5.5	4133.8	68.9
Plant/tree	60.3	1.0	4194.1	69.9
Working surface	330.2	5.5	4524.3	75.4
Other vehicle	60.3	1.0	4584.6	76.4
Other	1414.0	23.6	5998.6	100.0

Table 4-98. Estimates of lost-time injuries by status of the injured worker for the State of Missouri, 1993.

Status of			Cumulative	Cumulative
Injured Worker	Frequency	Percent	Frequency	Percent
Operator/family	3442.3	75.6	3442.3	75.6
Partner/family	546.0	12.0	3988.3	87.6
Hired labor	430.9	9.5	4419.2	97.0
Unpaid nonfamily	135.5	3.0	4554.7	100.0

Table 4-99. Estimates of lost-time injuries by gender for the State of Missouri, 1993.

			Cumulative	Cumulative
Gender	Frequency	Percent	Frequency	Percent
Male	4415.2	96.9	4415.2	96.9
Female	139.5	3.1	4554.7	100.0

Table 4-100. Estimates of lost-time injuries by age group for the State of Missouri, 1993.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	P.ercent
10-19	139.5	3.1	139.5	3.1
20-29	135.5	3.0	275.0	6.0
30-39	1225.0	26.9	1500.0	32.9
40-49	554.0	12.2	2054.0	45.1
50-59	705.9	15.5	2759.9	60.6
60-69	1240.8	27.2	4000.7	87.8
>=70	554.0	12.2	4554.7	100.0

Table 4-101. Estimates of lost-time injuries by race or ethnic origin for the State of Missouri, 1993.

Race/			Cumulative	Cumulative
Ethnic Origin	Frequency	Percent	Frequency	Percent
White	4275.7	93.9	4275.7	93.9
Hispanic	279.0	6.1	4554.7	100.0

Table 4-102. Estimates of lost-time injuries by month for the State of Missouri, 1993.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	554.0	12.2	554.0	12.2
February	0.0	0.0	554.0	12.2
March	0.0	0.0	554.0	12.2
April	279.0	6.1	833.0	18.3
May	341.4	7.5	1174.4	25.8
June	825.0	18.1	1999.4	43.9
July	414.5	9.1	2413.9	53.0
August	418.5	9.2	2832.4	62.2
September	884.9	19.4	3717.3	81.6
October	410.5	9.0	4127.8	90.6
November	291.4	6.4	4419.2	97.0
December	135.5	3.0	4554.7	100.0

Table 4-103. Estimates of lost-time injuries by severity of the injury for the State of Missouri, 1993.

Severity			Cumulative	Cumulative
of Injury	Frequency	Percent	Frequency	Percent
Temporary	4419.2	97.0	4419.2	97.0
Permanent	135.5	3.0	4554.7	100.0

Table 4-104. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Missouri, 1993.

Medical Attention Required	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Unknown	135.5	3.0	135.5	3.0
Yes	3190.2	70.0	3325.7	73.0
No	1229.0	27.0	4554.7	100.0

Table 4-105. Estimates of lost-time injuries by body part injured for the State of Missouri, 1993.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	484.9	10.6	484.9	10.6
Chest/trunk	135.5	3.0	620.4	13.6
Back	968.5	21.3	1588.9	34.9
Arm/shoulder	418.5	9.2	2007.4	44.1
Finger	745.4	16.4	2752.8	60.4
Hand/wrist	566.4	12.4	3319.2	72.9
Leg/knee/hip	414.5	9.1	3733.7	82.0
Foot	410.5	9.0	4144.2	91.0
Mult. parts	275.0	6.0	4419.2	97.0
Other	135.5	3.0	4554.7	100.0

Table 4-106. Estimates of lost-time injuries by nature of the injury for the State of Missouri, 1993.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Bruise	414.5	9.1	414.5	9.1
Cut	1090.8	23.9	1505.3	33.0
Crush	139.5	3.1	1644.8	36.1
Fracture	426.9	9.4	2071.7	45.5
Puncture	418.5	9.2	2490.2	54.7
Sprain/strain	1654.0	36.3	4144.2	91.0
Mult. injury	135.5	3.0	4279.7	94.0
Other	275.0	6.0	4554.7	100.0

Table 4-107. Estimates of lost-time injuries by type of event for the State of Missouri, 1993.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	135.5	3.0	135.5	3.0
Caught between	287.4	6.3	422.9	9.3
Caught under	139.5	3.1	562.4	12.3
Struck by/against	620.4	13.6	1182.8	26.0
Struck by falling	139.5	3.1	1322.3	29.0
Struck by flying	205.9	4.5	1528.2	33.6
Contact sharp obj.	. 683.0	15.0	2211.2	48.5
Fall, same level	960.5	21.1	3171.7	69.6
Fall, elevation	554.0	12.2	3725.7	81.8
Overexertion	554.0	12.2	4279.7	94.0
Other	275.0	6.0	4554.7	100.0

Table 4-108. Estimates of lost-time injuries by activity when injured for the State of Missouri, 1993.

Activity When	_		Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	693.5	15.2	693.5	15.2
Machine maint.	275.0	6.0	968.5	21.3
Field work	689.5	15.1	1658.0	36.4
Crop handling	685.5	15.1	2343.5	51.5
Livestock handling	1190.8	26.1	3534.3	77.6
Other	1020.4	22.4	4554.7	100.0

Table 4-109. Estimates of lost-time injuries by source of injury for the State of Missouri, 1993.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Tractor	685.5	15.1	685.5	15.1
Machinery	414.5	9.1	1100.0	24.2
Livestock	484.9	10.6	1584.9	34.8
Hand tool	275.0	6.0	1859.9	40.8
Power tool	139.5	3.1	1999.4	43.9
Pesticide/chem.	135.5	3.0	2134.9	46.9
Plant/tree	345.4	7.6	2480.3	54.5
Working surface	410.5	9.0	2890.8	63.5
Truck/auto	554.0	12.2	3444.8	75.6
Liquids	135.5	3.0	3580.3	78.6
Other	974.4	21.4	4554.7	100.0

Table 4-110. Estimates of lost-time injuries by status of the injured worker for the State of New Jersey, 1993.

Status of			Cumulative	Cumulative
Injured Worker	Frequency	Percent	Frequency	Percent
Operator/family	372.6	62.9	372.6	62.9
Partner/family	72.5	12.2	445.1	75.1
Hired labor	147.3	24.9	592.4	100.0

Table 4-111. Estimates of lost-time injuries by gender for the State of New Jersey, 1993.

			Cumulative	Cumulative
Gender	Frequency	Percent	Frequency_	Percent
Male	483.7	81.7	483.7	81.7
Female	108.7	18.3	592.4	100.0

Table 4-112. Estimates of lost-time injuries by age group for the State of New Jersey, 1993

Age			Cumulative	Cumulative
Group	Frequency	Percent	Frequency	Percent
10-19	23.9	4.0	23.9	4.0
20-29	90.0	15.2	113.9	19.2
30-39	117.4	19.8	231.3	39.0
40-49	77.3	13.0	308.5	52.1
50-59	179.6	30.3	488.1	82.4
60-69	89.1	15.0	577.2	97.4
>=70	15.2	2.6	592.4	100.0

Table 4-113. Estimates of lost-time injuries by race or ethnic origin for the State of New Jersey, 1993.

Race/			Cumulative	Cumulative
Ethnic Origin	Frequency	Percent	Frequency	Percent
White	521.2	88.0	521.2	88.0
Hispanic	71.2	12.0	592.4	100.0

Table 4-114. Estimates of lost-time injuries by month for the State of New Jersey, 1993.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	38.9	6.6	38.9	6.6
February	52.1	8.8	91.0	15.4
March	43.3	7.3	134.3	22.7
April	57.3	9.7	191.9	32.4
May	115.9	19.6	307.8	51.9
June	0.0	19.6	307.8	51.9
July	71.8	12.1	379.5	64.1
August	61.1	10.3	440.6	74.4
September	33.6	5.7	474.2	80.0
October	31.8	5.4	506.0	85.4
November	54.1	9.1	560.1	94.6
December	32.3	5.4	592.4	100.0

Table 4-115. Estimates of lost-time injuries by severity of the injury for the State of New Jersey, 1993.

Severity			Cumulative	Cumulative
of Injury	Frequency	Percent	Frequency	Percent
Temporary	592.4	100.0	592.4	100.0

Table 4-116. Estimates of lost-time injuries by whether professional medical attention was required for the State of New Jersey, 1993.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Yes	510.3	86.1	510.3	86.1
No	82.1	13.9	592.4	100.0

Table 4-117. Estimates of lost-time injuries by body part injured for the State of New Jersey, 1993.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	114.3	19.3	114.3	19.3
Eye	33.6	5.7	148.0	25.0
Chest/trunk	24.6	4.1	172.5	29.1
Back	97.7	16.5	270.3	45.6
Arm/shoulder	57.6	9.7	327.8	55.3
Finger	50.9	8.6	378.7	63.9
Hand/wrist	46.8	7.9	425.4	71.8
Leg/knee/hip	64.4	10.9	489.9	82.7
Toe	10.6	1.8	500.5	84.5
Foot	53.0	8.9	553.5	93.4
Mult. parts	38.9	6.6	592.4	100.0

Table 4-118. Estimates of lost-time injuries by nature of injury for the State of New Jersey, 1993.

Nature of Injury	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Bruise	107.2	18.1	107.1	18.1
Cut	57.5	9.7	164.6	27.8
Crush	38.9	6.6	203.5	34.3
Fracture	180.6	30.5	384.2	64.8
Sprain/strain	197.7	33.4	581.8	98.2
Other	10.6	1.8	592.4	100.0

Table 4-119. Estimates of lost-time injuries by the type of injury event for the State of New Jersey, 1993.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	38.9	6.6	38.9	6.6
Caught between	38.9	6.6	77.8	13.1
Caught under	10.6	1.8	88.4	14.9
Struck by/against	121.7	20.5	210.1	35.5
Struck by falling	38.9	6.6	249.0	42.0
Struck by flying	23.9	4.0	272.9	46.1
Contact sharp obj.	. 23.9	4.0	296.8	50.1
Fall, same level	94.4	15.9	391.2	66.0
Fall, elevation	50.4	8.5	441.7	74.6
Overexertion	110.9	18.7	552.6	93.3
Other	39.9	6.7	592.4	100.0

Table 4-120. Estimates of lost-time injuries by activity when worker was injured for the State of New Jersey, 1993.

Activity When Injured	Frequency	Percent	Cumulative Frequency	Cumulative Percent
			77.8	13.1
Farm main.	77.8	13.1		
Machine main.	66.4	11.2	144.2	24.3
Field work	138.2	23.3	282.4	47.7
Crop handling	170.9	28.8	453.3	76.5
Livestock handling	122.4	20.7	575.8	97.2
Other	16.7	2.8	592.4	100.0

Table 4-121. Estimates of lost-time injuries by source of the injury for the State of New Jersey, 1993.

Source of			Cumulative	Cumulative
<u>Injury </u>	Frequency	Percent	Frequency	Percent
Tractor	25.1	4.2	25.1	4.2
Machinery	106.0	17.9	131.1	22.1
Livestock	111.8	18.9	242.9	41.0
Plant/tree	82.3	13.9	325.2	54.9
Working surface	145.3	24.5	470.5	79.4
Truck/auto	18.6	3.1	489.1	82.6
Other	103.3	17.4	592.4	100.0

Table 4-122. Estimates of lost-time injuries by status of the injured worker for the State of North Carolina, 1993.

Status of			Cumulative	Cumulative
Injured Worker	Frequency	Percent	Frequency	Percent
Operator/family	961.8	45.2	961.8	45.2
Partner/family	337.5	15.9	1299.3	61.0
Hired labor	622.2	29.2	1921.5	90.3
Unpaid nonfamily	207.5	9.7	2129.0	100.0

Table 4-123. Estimates of lost-time injuries by gender for the State of North Carolina, 1993.

			Cumulative	Cumulative
Gender	Frequency	Percent	Frequency	Percent
Male	2129.0	100.0	2129.0	100.0

Table 4-124. Estimates of lost-time injuries by age group for the State of North Carolina, 1993.

Age Group)		Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
10-19	112.5	5.3	112.5	5.3
20-29	476.8	22.4	589.3	27.7
30-39	524.7	24.6	1114.0	52.3
40-49	353.6	16.6	1467.6	68.9
50-59	132.5	6.2	1600.1	75.2
60-69	274.2	12.9	1874.3	88.0
>=70	254.7	12.0	2129.0	100.0

Table 4-125. Estimates of lost-time injuries by race or ethnic origin for the State of North Carolina, 1993.

Race/ Ethnic Origin	Frequency	Percent	Cumulative Frequency	Cumulative Percent
White	1689.3	79.3	1689.3	79.3
Hispanic	337.5	15.9	2026.8	95.2
Black	102.2	4.8	2129.0	100.0

Table 4-126. Estimates of lost-time injuries by month for the State of North Carolina, 1993.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	95.0	4.5	95.0	4.5
February	139.3	6.5	234.3	11.0
March	316.1	14.8	550.4	25.9
April	172.4	8.1	722.8	34.0
May	102.2	4.8	825.0	38.8
June	139.3	6.5	964.3	45.3
July	222.9	10.5	1187.2	55.8
August	450.0	21.1	1637.2	76.9
September	85.1	4.0	1722.3	80.9
October	101.8	4.8	1824.1	85.7
November	139.3	6.5	1963.4	92.2
December	165.6	7.8	2129.0	100.0

Table 4-127. Estimates of lost-time injuries by severity of the injury for the State of North Carolina, 1993.

Severity			Cumulative	Cumulative
of Injury	Frequency	Percent	Frequency	Percent
Temporary	1956.6	91.9	1956.6	91.9
Permanent	172.4	8.1	2129.0	100.0

Table 4-128. Estimates of lost-time injuries by whether professional medical attention was sought for the State of North Carolina, 1993.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	172.4	8.1	172.4	8.1
Yes	1844.1	86.6	2016.5	94.7
No	112.5	5.3	2129.0	100.0

Table 4-129. Estimates of lost-time injuries by body part injured for the State of North Carolina, 1993.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	196.8	9.2	196.8	9.2
Eye	37.5	1.8	234.3	11.0
Chest/trunk	172.4	8.1	406.7	19.1
Back	139.7	6.6	546.4	25.7
Arm/shoulder	108.1	5.1	654.5	30.7
Finger	255.1	12.0	909.6	42.7
Hand/wrist	262.5	12.3	1172.1	55.1
Leg/knee/hip	426.5	20.0	1598.6	75.1
Toe	101.8	4.8	1700.4	79.9
Foot	316.1	14.8	2016.5	94.7
Mult. parts	112.5	5.3	2129.0	100.0

Table 4-130. Estimates of lost-time injuries by nature of the injury for the State of North Carolina, 1993.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Bruise	349.6	16.4	349.6	16.4
Burn	37.5	1.8	387.1	18.2
Cut	571.2	26.8	958.3	45.0
Crush	112.5	5.3	1070.8	50.3
Fracture	342.9	16.1	1413.7	66.4
Puncture	112.5	5.3	1526.2	71.7
Sprain/strain	324.7	15.3	1850.9	86.9
Mult. injury	70.6	3.3	1921.5	90.3
Other	207.5	9.7	2129.0	100.0

Table 4-131. Estimates of lost-time injuries by type of event for the State of North Carolina, 1993.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	101.8	4.8	101.8	4.8
Caught under	163.6	7.7	265.4	12.5
Struck by/against	223.5	10.5	488.9	23.0
Struck by falling	214.3	10.1	703.2	33.0
Contact sharp obj	. 367.6	17.3	1070.8	50.3
Fall, same level	376.0	17.7	1446.8	68.0
Fall, elevation	443.6	20.8	1890.4	88.8
Overexertion	163.6	7.7	2054.0	96.5
Other	75.0	3.5	2129.0	100.0

Table 4-132. Estimates of lost-time injuries by activity when injured for the State of North Carolina, 1993.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	244.4	11.5	244.4	11.5
Machine maint.	101.8	4.8	346.2	16.3
Field work	662.2	31.1	1008.4	47.4
Crop handling	632.1	29.7	1640.5	77.1
Livestock handlin	ıg 349.2	16.4	1989.7	93.5
Other	139.3	6.5	2129.0	100.0

Table 4-133. Estimates of lost-time injuries by source of injury for the State of North Carolina, 1993.

Source of			Cumulative	Cumulative
Injur <u>y</u>	Frequency	Percent	Frequency	Percent
Tractor	419.7	19.7	419.7	19.7
Machinery	448.5	21 .1	868.2	40.8
Livestock	176.8	8.3	1045.0	49.1
Hand tool	255.1	12.0	1300.1	61.1
Pesticide/chem.	112.5	5.3	1412.6	66.4
Working surface	241.1	11.3	1653.7	77.7
Truck/auto	51.1	2.4	1704.8	80.1
Other vehicle	101.8	4.8	1806.6	84.9
Other	322.4	15.1	2129.0	100.0

Table 4-134. Estimates of lost-time injuries by status of the injured worker for the State of North Dakota, 1993.

Status of			Cumulative	Cumulative
Injured Worker	Frequency	Percent	Frequency	Percent
Operator/family	3148.6	85.6	3148.6	85.6
Partner/family	326.0	8.9	3474.6	94.4
Hired labor	116.8	3.2	3591.4	97.6
Other	87.4-	2.4	3678.8	100.0

Table 4-135. Estimates of lost-time injuries by gender for the State of North Dakota, 1993.

			Cumulative	Cumulative
Gender	Frequency	Percent	Frequency	Percent
Male	3352.8	91.1	3352.8	91.1
Female	326.0	8.9	3678.8	100.0

Table 4-136. Estimates of lost-time injuries by age group for the State of North Dakota, 1993.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
10-19	413.4	11.2	413.4	11.2
20-29	58.8	1.6	472.2	12.8
30-39	1380.6	37.5	1852.8	50.4
40-49	553.8	15.1	2406.6	65.4
50-59	379.0	10.3	2785.6	75.7
60-69	718.4	19.5	3504.0	95.2
>=70	174.8	4.8	3678.8	100.0

Table 4-137. Estimates of lost-time injuries by race or ethnic origin for the State of North Dakota, 1993.

Race/			Cumulative	Cumulative
Ethnic Origin	Frequency	Percent	Frequency	Percent
White	3562.0	99.2	3562.0	99.2
Hispanic	29.4	0.8	3591.4	100.0
	(Frequer	ncy Missin	q = 87.4	

Table 4-138. Estimates of lost-time injuries by month for the State of North Dakota, 1993.

6			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	174.8	4.9	174.8	4.9
February	116.8	3.3	291.6	8.1
March	87.4	2.4	379.0	10.6
April	321.0	8.9	700.0	19.5
May	262.2	7.3	962.2	26.8
June	1152.8	32.1	2115.0	58.9
July	174.8	4.9	2289.8	63.8
August	204.2	5.7	2494.0	69.4
September	718.4	20.0	3212.4	89.4
October	349.6	9.7	3562.0	99.2
November	29.4	0.8	3591.4	100.0
December	0.0	0.0	3591.4	100.0
	(Frequer	ncy Missin	g = 87.4)	

Table 4-139. Estimates of lost-time injuries by severity of the injury for the State of North Dakota, 1993.

Severity			Cumulative	Cumulative
of Injury	Frequency	Percent	Frequency	Percent
Temporary	3241.8	90.3	3241.8	90.3
Permanent	262.2	7.3	3504.0	97.6
Fatality	87.4	2.4	3591.4	100.0
	(Frequer	cy Missin	g = 87.4)	

Table 4-140. Estimates of lost-time injuries by whether professional medical attention was sought for the State of North Dakota, 1993.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	437.0	11.9	437.0	11.9
Yes	2979.6	81.0	3416.6	92.9
No	262.2	7.1	3678.8	100.0

Table 4-141. Estimates of lost-time injuries by body part injured for the State of North Dakota, 1993.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	321.0	8.7	321.0	8.7
Eye	29.4	0.8	350.4	9.5
Chest/trunk	262.2	7.1	612.6	16.7
Back	659.6	17.9	1272.2	34.6
Arm/shoulder	617.6	16.8	1889.8	51.4
Finger	914.2	24.9	2804.0	76.2
Hand/wrist	291.6	7.9	3095.6	84.1
Leg/knee/hip	291.6	7.9	3387.2	92.1
Toe	116.8	3.2	3504.0	95.2
Foot	87.4	2.4	3591.4	97.6
Mult. parts	87.4	2.4	3678.8	100.0

Table 4-142. Estimates of lost-time injuries by nature of the injury for the State of North Dakota, 1993.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Amputation	87.4	2.4	87.4	2.4
Bruise	87.4	2.4	174.8	4.8
Burn	29.4	0.8	204.2	5.6
Cut	1205.8	32.8	1410.0	38.3
Crush	87.4	2.4	1497.4	40.7
Fracture	718.4	19.5	2215.8	60.2
Puncture	87.4	2.4	2303.2	62.6
Sprain/strain	700.0	19.0	3003.2	81.6
Mult. injury	174.8	4.8	3178.0	86.4
Other	500.8	13.6	3678.8	100.0

Table 4-143. Estimates of lost-time injuries by type of event for the State of North Dakota, 1993.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	174.8	4.8	174.8	4.8
Caught between	204.2	5.6	379.0	10.3
Caught under	87.4	2.4	466.4	12.7
Struck by/against	792.4	21.5	1258.8	34.2
Struck by falling	29.4	0.8	1288.2	35.0
Contact sharp obj	. 826.8	22.5	2115.0	57.5
Fall, same level	233.6	6.3	2348.6	63.8
Fall, elevation	188.2	5.1	2536.8	69.0
Overexertion	262.2	7.1	2799.0	76.1
Other	879.8	23.9	3678.8	100.0

Table 4-144. Estimates of lost-time injuries by activity when injured for the State of North Dakota, 1993.

Activity When			Cumulative	Cumulative
Injured -	Frequency	Percent	Frequency	Percent
Farm maint.	495.8	13.5	495.8	13.5
Machine maint.	1277.2	34.7	1773.0	48.2
Field work	530.2	14.4	2303.2	62.6
Crop handling	29.4	0.8	2332.6	63.4
Livestock handling	1171.4	31.8	3504.0	95.2
Other	174.8	4.8	3678.8	100.0

Table 4-145. Estimates of lost-time injuries by source of injury for the State of North Dakota, 1993.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Tractor	321.0	8.7	321.0	8.7
Machinery	705.0	19.2	1026.0	27.9
Livestock	1054.6	28.7	2080.6	56.6
Hand tool	500.8	13.6	2581.4	70.2
Power tool	87.4	2.4	2668.8	72.5
Working surface	543.6	14.8	3212.4	87.3
Other vehicle	87.4	2.4	3299.8	89.7
Other	379.0	10.3	3678.8	100.0

Table 4-146. Estimates of lost-time injuries by status of the injured worker for the State of Oklahoma, 1993.

Status of			Cumulative	Cumulative
Injured Worker	Frequency	Percent	Frequency	Percent
Operator/family	3341.5	78.5	3341.5	78.5
Partner/family	265.8	6.2	3607.3	84.7
Hired labor	651.5	15.3	4258.8	100.0

Table 4-147. Estimates of lost-time injuries by gender for the State of Oklahoma, 1993.

			Cumulative	Cumulative
Gender	Frequency	Percent	Frequency	Percent
Male	3527.2	82.8	3527.2	82.8
Female	731.6	17.2	4258.8	100.0

Table 4-148. Estimates of lost-time injuries by age group for the State of Oklahoma, 1993.

Age Group	p	-	Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
20-29	412.9	9.7	412.9	9.7
30-39	839.5	19.7	1252.4	29.4
40-49	1026.4	24.1	2278.8	53.5
50-59	812.0	19.1	3090.8	72.6
60-69	527.3	12.4	3618.1	85.0
>=70	640.7	15.0	4258.8	100.0

Table 4-149. Estimates of lost-time injuries by race or ethnic origin for the State of Oklahoma, 1993.

Race/			Cumulative	Cumulative
Ethnic Origin	Frequency	Percent	Frequency	Percent
White	3997.3	93.9	3997.3	93.9
American Indian	261.5	6.1	4258.8	100.0

Table 4-150. Estimates of lost-time injuries by month for the State of Oklahoma, 1993.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	279.1	6.6	279.1	6.6
February	265.8	6.2	544.9	12.8
March	0.0	0.0	544.9	12.8
April	200.0	4.7	744.9	17.5
May	465.8	10.9	1210.7	28.4
June	717.3	16.8	1928.0	45.3
July	265.8	6.2	2193.8	51.5
August	574.9	13.5	2768.7	65.0
September	332.9	7.8	3101.6	72.8
October	132.9	3.1	3234.5	75.9
November	549.9	12.9	3784.4	88.9
December	474.4	11.1	4258.8	100.0

Table 4-151. Estimates of lost-time injuries by severity of the injury for the State of Oklahoma, 1993.

Severity			Cumulative	Cumulative
of Injury	Frequency	Percent	Frequency	Percent
Temporary	3661.1	86.0	3661.1	86.0
Permanent	597.7	14.0	4258.8	100.0

Table 4-152. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Oklahoma, 1993.

Medical Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	597.7	14.0	597.7	14.0
Yes	2503.9	58.8	3101.6	72.8
No	1157.2	27.2	4258.8	100.0

Table 4-153. Estimates of lost-time injuries by body part injured for the State of Oklahoma, 1993.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	132.9	3.1	132.9	3.1
Eye	132.9	3.1	265.8	6.2
Chest/trunk	442.0	10.4	707.8	16.6
Back	345.8	8.1	1053.6	24.7
Arm/shoulder	309.1	7.3	1362.7	32.0
Finger	465.8	10.9	1828.5	42.9
Hand/wrist	493.6	11.6	2322.1	54.5
Leg/knee/hip	731.6	17.2	3053.7	71.7
Toe	132.9	3.1	3186.6	74.8
Foot	673.5	15.8	3860.1	90.6
Mult. parts	398.7	9.4	4258.8	100.0

Table 4-154. Estimates of lost-time injuries by nature of the injury for the State of Oklahoma, 1993.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Amputation	132.9	3.1	132.9	3.1
Bruise	527.3	12.4	660.2	15.5
Burn	132.9	3.1	793.1	18.6
Cut	440.8	10.4	1233.9	29.0
Crush	464.8	10.9	1698.7	39.9
Fracture	1615.6	37.9	3314.3	77.8
Sprain/strain	345.8	8.1	3660.1	85.9
Mult. injury	398.7	9.4	4058.8	95.3
Other	200.0	4.7	4258.8	100.0

Table 4-155. Estimates of lost-time injuries by type of event for the State of Oklahoma, 1993.

Type of Event	Framionau	Domaont	Cumulative	Cumulative
	Frequency	Percent	Frequency	Percent
Caught in	132.9	3.1	132.9	3.1
Caught between	385.7	9.1	518.6	12.2
Caught under	265.8	6.2	784.4	18.4
Struck by/against	1372.3	32.2	2156.7	50.6
Struck by falling	128.6	3.0	2285.3	53.7
Contact sharp obj.	175.0	4.1	2460.3	57.8
Fall, same level	840.7	19.7	3301.0	77.5
Fall, elevation	612.0	14.4	3913.0	91.9
Other	345.8	8.1	4258.8	100.0

Table 4-156. Estimates of lost-time injuries by activity when injured for the State of Oklahoma, 1993.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	607.7	14.3	607.7	14.3
Machine maint.	1050.2	24.7	1657.9	38.9
Field work	640.8	15.0	2298.7	54.0
Crop handling	545.8	12.8	2844.5	66.8
Livestock handling	ng 1281.4	30.1	4125.9	96.9
Other	132.9	3.1	4258.8	100.0

Table 4-157. Estimates of lost-time injuries by source of injury for the State of Oklahoma, 1993.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Tractor	647.2	15.2	647.2	15.2
Machinery	573.7	13.5	1220.9	28.7
Livestock	882.7	20.7	2103.6	49.4
Pesticide/chem.	132.9	3.1	2236.5	52.5
Plant/tree	465.8	10.9	2702.3	63.5
Working surface	332.9	7.8	3035.2	71.3
Truck/auto	332.9	7.8	3368.1	79.1
Other vehicle	132.9	3.1	3501.0	82.2
Other	757.8	17.8	4258.8	100.0

Table 4-158. Estimates of lost-time injuries by status of the injured worker for the State of Pennsylvania, 1993.

Status of			Cumulative	Cumulative
Injured Worker	Frequency	Percent	Frequency	Percent
Operator/family	3837.0	62.7	3837.0	62.7
Partner/family	639.6	10.5	4476.6	73.2
Hired labor	1429.1	3.4	5905.6	96.6
Unpaid nonfamily	184.1	3.0	6089.7	99.6
Other	26.6	0.4	6116.3	100.0

Table 4-159. Estimates of lost-time injuries by gender for the State of Pennsylvania, 1993.

			Cumulative	Cumulative
Gender	Frequency	Percent	Frequency	Percent
Male	4569.2	74.7	4569.2	74.7
Female	1547.1	25.3	6116.3	100.0

Table 4-160. Estimates of lost-time injuries by age group for the State of Pennsylvania, 1993

Age			Cumulative	Cumulative
Group	Frequency	Percent	Frequency	Percent
10-19	580.1	9.5	580.1	9.5
20-29	1636.8	26.8	2216.8	36.2
30-39	667.3	10.9	2884.2	47.2
40-49	1058.0	17.3	3942.2	64.5
50-59	636.6	10.4	4578.8	74.9
60-69	675.2	11.0	5254.0	85.9
>=70	862.3	14.1	6116.3	100.0

Table 4-161. Estimates of lost-time injuries by race or ethnic origin for the State of Pennsylvania, 1993.

Race/			Cumulative	Cumulative
Ethnic Origin	Frequency	Percent	Frequency	Percent
White	5581.4	91.3	5581.4	91.3
Hipanic	534.9	8.7	6116.3	100.0
All Other	0.0	0.0	6116.3	100.0

Table 4-162. Estimates of lost-time injuries by month for the State of Pennsylvania, 1993.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	53.2	0.9	53.2	0.9
February	265.3	4.3	318.5	5.2
March	133.3	2.2	451.8	7.4
April	810.1	13.2	1262.0	20.6
May	449.4	7.3	1711.4	28.0
June	264.8	4.3	1976.2	32.3
July	1273.7	20.8	3249.9	53.1
August	476.7	7.8	3726.6	60.9
September	558.8	9.1	4285.4	70.1
October	751.2	12.3	5036.6	82.3
November	610.1	10.0	5646.6	92.3
December	469.1	7.7	6116.3	100.0

Table 4-163. Estimates of lost-time injuries by severity of the injury for the State of Pennsylvania, 1993.

Severity			Cumulative	Cumulative
of Injury	Frequency	Percent	Frequency	Percent
Temporary	5877.0	96.1	5877.0	96.1
Permanent	239.3	3.9	6116.3	100.0

Table 4-164. Estimates of lost-time injuries by whether professional medical attention was required for the State of Pennsylvania, 1993.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Yes	4938.1	80.7	4938.1	3.9
No	938.9	15.4	5877.0	96.1
Unknown	239.3	3.9	6116.3	100.0

Table 4-165. Estimates of lost-time injuries by body part injured for the State of Pennsylvania, 1993.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	264.8	4.3	264.8	4.3
Eye	396.0	6.5	660.8	10.8
Chest/trunk	291.9	4.8	952.7	15.6
Back	265.3	4.3	1218.0	19.9
Arm/shoulder	350.4	5.7	1568.5	25.6
Finger	1282.5	21.0	2851.0	46.6
Hand/wrist	2053.5	33.6	4904.5	80.2
Leg/knee/hip	471.8	7.7	5376.3	87.9
Foot	581.4	9.5	5957.7	97.4
Mult. parts	26.6	0.4	5984.3	97.8
Other	132.0	2.2	6116.3	100.0

Table 4-166. Estimates of lost-time injuries by nature of injury for the State of Pennsylvania, 1993.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Amputation	80.7	1.3	80.7	1.3
Bruise	850.7	13.9	931.5	15.2
Cut	1458.3	23.8	2389.7	39.1
Crush	212.7	3.5	2602.5	42.5
Fracture	1064.9	17.4	3667.3	60.0
Puncture	184.1	3.0	3851.4	63.0
Sprain/Strain	1492.3	24.4	5343.7	87.4
Mult. Injury	26.6	0.4	5370.3	87.8
Other	746.0	12.2	6116.3	100.0

Table 4-167. Estimates of lost-time injuries by the type of injury event for the State of Pennsylvania, 1993.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught in	184.1	3.0	184.1	3.0
Caught between	801.2	13.1	985.2	16.1
Caught under	133.3	2.2	1118.6	18.3
Struck by/against	346.1	5.7	1464.6	23.9
Struck by falling	264.0	4.3	1728.6	28.3
Struck by flying	396.0	6.5	2124.6	34.7
Contact sharp obj.	. 1246.4	20.4	3371.0	55.1
Fall, same level	829.7	13.6	4200.7	68.7
Fall, elevation	400.8	6.6	4601.5	75.2
Overexertion	614.4	10.0	5215.9	85.3
Other	900.4	14.7	6116.3	100.0

Table 4-168. Estimates of lost-time injuries by activity when worker was injured for the State of Pennsylvania, 1993.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm main.	909.3	14.9	909.3	14.9
Machine main.	1163.1	19.0	2072.3	33.9
Field work	1072.7	17.5	3145.1	51.4
Crop handling	1303.4	21.3	4448.5	72.7
Livestock handling	1320.4	21.6	5768.9	94.3
Other	347.4	5.7	6116.3	100.0

Table 4-169. Estimates of lost-time injuries by source of the injury for the State of Pennsylvania, 1993.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Tractor	132.0	2.2	132.0	2.2
Machinery	1291.5	21.1	1423.5	23.3
Livestock	1055.1	17.2	2478.6	40.5
Hand tool	132.0	2.2	2610.6	42.7
Power tool	776.3	12.7	3386.9	55.4
Working surface	506.8	8.3	3893.7	63.7
Truck/auto	264.0	4.3	4157.7	68.0
Other	1958.6	32.0	6116.3	100.0

Table 4-170. Estimates of lost-time injuries by status of the injured worker for the State of Tennessee, 1993.

Status of			Cumulative	Cumulative
Injured Worker	Frequency	Percent	Frequency	Percent
Operator/family	1509.4	64.2	1509.4	64.2
Partner/family	189.8	8.1	1699.2	72.3
Hired labor	651.8	27.7	2351.0	100.0

Table 4-171. Estimates of lost-time injuries by gender for the State of Tennessee, 1993.

			Cumulative	Cumulative
Gender	Frequency	Percent	Frequency	Percent
Male	2292.2	97.5	2292.2	97.5
Female	58.8	2.5	2351.0	100.0

Table 4-172. Estimates of lost-time injuries by age group for the State of Tennessee, 1993.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
10-19	282.4	12.0	282.4	12.0
20-29	228.9	9.7	511.3	21.7
30-39	122.6	5.2	633.9	27.0
40-49	359.1	15.3	993.0	42.2
50-59	409.0	17.4	1402.0	59.6
60-69	569.4	24.2	1971.4	83.9
>=70	379.6	16.1	2351.0	100.0

Table 4-173. Estimates of lost-time injuries by race or ethnic origin for the State of Tennessee, 1993.

Race/			Cumulative	Cumulative
Ethnic Origin	Frequency	Percent	Frequency	Percent
White	2228.4	94.8	2228.4	94.8
Hispanic	122.6	5.2	2351.0	100.0

Table 4-174. Estimates of lost-time injuries by month for the State of Tennessee, 1993.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	379.6	16.1	379.6	16.1
February	0.0	0.0	379.6	16.1
March	0.0	0.0	379.6	16.1
April	0.0	0.0	379.6	16.1
May	189.8	8.1	569.4	24.2
June	570.7	24.3	1140.1	48.5
July	29.4	1.3	1169.5	49.7
August	282.4	12.0	1451.9	61.8
September	176.1	7.5	1628.0	69.2
October	0.0	0.0	1628.0	69.2
November	343.4	14.6	1971.4	83.9
December	379.6	16.1	2351.0	100.0

Table 4-175. Estimates of lost-time injuries by severity of the injury for the State of Tennessee, 1993.

Severity			Cumulative	Cumulative
of Injury	Frequency	Percent	Frequency	Percent
Temporary	1847.2	78.6	1847.2	78.6
Permanent	379.6	16.1	2226.8	94.7
Fatality	124.2	5.3	2351.0	100.0

Table 4-176. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Tennessee, 1993.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	503.8	21.4	503.8	21.4
Yes	1817.8	77.3	2321.6	98.7
No	29.4	1.3	2351.0	100.0

Table 4-177. Estimates of lost-time injuries by body part injured for the State of Tennessee, 1993.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	153.6	6.5	153.6	6.5
Eye	122.6	5.2	276.2	11.7
Chest/trunk	189.8	8.1	466.0	19.8
Arm/shoulder	219.2	9.3	685.2	29.1
Finger	106.3	4.5	791.5	33.7
Hand/wrist	219.2	9.3	1010.7	43.0
Leg/knee/hip	851.8	36.2	1862.5	79.2
Foot	298.7	12.7	2161.2	91.9
Mult. parts	189.8	8.1	2351.0	100.0

Table 4-178. Estimates of lost-time injuries by nature of the injury for the State of Tennessee, 1993.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Bruise	219.2	9.3	219.2	9.3
Cut	906.6	38.6	1125.8	47.9
Crush	124.2	5.3	1250.0	53.2
Fracture	692.0	29.4	1942.0	82.6
Sprain/strain	29.4	1.3	1971.4	83.9
Mult. injury	379.6	16.1	2351.0	100.0

Table 4-179. Estimates of lost-time injuries by type of event for the State of Tennessee, 1993.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	106.3	4.5	106.3	4.5
Caught between	122.6	5.2	228.9	9.7
Struck by/agains	818.0	34.8	1046.9	44.5
Struck by falling	189.8	8.1	1236.7	52.6
Struck by flying	296.1	12.6	1532.8	65.2
Contact sharp obj	. 664.6	28.3	2197.4	93.5
Fall, same level	29.4	1.3	2226.8	94.7
Other	124.2	5.3	2351.0	100.0

Table 4-180. Estimates of lost-time injuries by activity when injured for the State of Tennessee, 1993.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	501.6	21.3	501.6	21.3
Field work	594.8	25.3	1096.4	46.6
Crop handling	343.4	14.6	1439.8	61.2
Livestock handlin	g 911.2	38.8	2351.0	100.0

Table 4-181. Estimates of lost-time injuries by source of the injury for the State of Tennessee, 1993.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Tractor	314.0	13.4	314.0	13.4
Machinery	402.4	17.1	716.4	30.5
Livestock	818.0	34.8	1534.4	65.3
Hand tool	365.9	15.6	1900.3	80.8
Power tool	176.1	7.5	2076.4	88.3
Plant/tree	122.6	5.2	2199.0	93.5
Working surface	29.4	1.3	2228.4	94.8
Other vehicle	122.6	5.2	2351.0	100.0

Table 4-182. Estimates of lost-time injuries by status of the injured worker for the State of Virginia, 1993.

Status of			Cumulative	Cumulative
Injured Worker	Frequency	Percent	Frequency	Percent
Operator/family	2005.4	53.0	2005.4	53.0
Partner/family	185.0	4.9	2190.4	57.9
Hired labor	1500.4	39.7	3690.8	97.6
Other	92.5	2.4	3783.3	100.0

Table 4-183. Estimates of lost-time injuries by gender for the State of Virginia, 1993.

		Cumulat	ive Cumulat	ive
Gender	Frequency	Percent	Frequency	Percent
Male	3269.3	86.4	3269.3	86.4
Female	514.0	13.6	3783.3	100.0

Table 4-184. Estimates of lost-time injuries by age group for the State of Virginia, 1993.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
20-29	766.8	20.3	766.8	20.3
30-39	1137.1	30.1	1903.9	50.3
40-49	346.4	9.2	2250.3	59.5
50-59	831.4	22.0	3081.7	81.5
60-69	601.6	15.9	3683.3	97.4
>=70	100.0	2.6	3783.3	100.0

Table 4-185. Estimates of lost-time injuries by race or ethnic origin for the State of Virginia, 1993.

Race/			Cumulative	Cumulative
Ethnic Origin	Frequency	Percent	Frequency	Percent
White	2863.4	75.7	2863.4	75.7
Hispanic	691.3	18.3	3554.7	94.0
Black	228.6	6.0	3783.3	100.0

Table 4-186. Estimates of lost-time injuries by month for the State of Virginia, 1993.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	134.1	3.5	134.1	3.5
February	560.0	14.8	694.1	18.3
March	185.0	4.9	879.1	23.2
April	403.2	10.7	1282.3	33.9
May	92.5	2.4	1374.8	36.3
June	152.4	4.0	1527.2	40.4
July	232.2	6.1	1759.4	46.5
August	203.9	5.4	1963.3	51.9
September	538.1	14.2	2501.4	66.1
October	704.0	18.6	3205.4	84.7
November	101.5	2.7	3306.9	87.4
December	476.4	12.6	3783.3	100.0

Table 4-187. Estimates of lost-time injuries by severity of the injury for the State of Virginia, 1993.

Severity			Cumulative	Cumulative
of Injury	Frequency	Percent	Frequency	Percent
Temporary	3681.8	97.3	3681.8	97.3
Permanent	101.5	2.7	3783.3	100.0

Table 4-188. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Virginia, 1993.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	101.5	2.7	101.5	2.7
Yes	3232.4	85.4	3333.9	88.1
No	449.4	11.9	3783.3	100.0

Table 4-189. Estimates of lost-time injuries by body part injured for the State of Virginia, 1993.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	176.6	4.7	176.6	4.7
Eye	148.1	3.9	324.7	8.6
Chest/trunk	509.1	13.5	833.8	22.0
Back	589.0	15.6	1422.8	37.6
Arm/shoulder	117.5	3.1	1540.3	40.7
Finger	373.7	9.9	1914.0	50.6
Hand/wrist	364.5	9.6	2278.5	60.2
Leg/knee/hip	545.7	14.4	2824.2	74.6
Toe	87.0	2.3	2911.2	76.9
Foot	696.4	18.4	3607.6	95.4
Mult. parts	134.1	3.5	3741.7	98.9
Other	41.6	1.1	3783.3	100.0

Table 4-190. Estimates of lost-time injuries by nature of the injury for the State of Virginia, 1993.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Bruise	523.6	13.8	523.6	13.8
Cut	829.7	21.9	1353.3	35.8
Crush	494.8	13.1	1848.1	48.8
Fracture	614.9	16.3	2463.0	65.1
Puncture	246.9	6.5	2709.9	71.6
Sprain/strain	632.1	16.7	3342.0	88.3
Mult. injury	41.6	1.1	3383.6	89.4
Other	399.7	10.6	3783.3	100.0

Table 4-191. Estimates of lost-time injuries by type of event for the State of Virginia, 1993.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Caught in	84.1	2.2	84.1	2.2
Caught between	460.7	12.2	544.8	14.4
Struck by/against	823.2	21.8	1368.0	36.2
Struck by falling	926.6	24.5	2294.6	60.7
Contact sharp obj.	423.5	11.2	2718.1	71.8
Fall, same level	387.4	10.2	3105.5	82.1
Fall, elevation	117.5	3.1	3223.0	85.2
Overexertion	412.2	10.9	3635.2	96.1
Other	148.1	3.9	3783.3	100.0

Table 4-192. Estimates of lost-time injuries by activity when injured for the State of Virginia, 1993.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	870.0	23.0	870.0	23.0
Machine maint.	161.4	4.3	1031.4	27.3
Field work	518.5	13.7	1549.9	41.0
Crop handling	632.7	16.7	2182.6	57 . 7
Livestock handling	1600.7	42.3	3783.3	100.0

Table 4-193. Estimates of lost-time injuries by source of injury for the State of Virginia, 1993.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Tractor	84.1	2.2	84.1	2.2
Machinery	687.3	18.2	771.4	20.4
Livestock	866.5	22.9	1637.9	43.3
Hand tool	254.3	6.7	1892.2	50.0
Power tool	92.5	2.4	1984.7	52.5
Plant/tree	134.1	3.5	2118.8	56.0
Working surface	618.4	16.3	2737.2	72.3
Truck/auto	59.9	1.6	2797.1	73.9
Other	986.2	26.1	3783.3	100.0

Table 4-194. Estimates of lost-time injuries by status of the injured worker for the States of Washington and Alaska, 1993.

Status of			Cumulative	Cumulative
Injured Worker	Frequency	Percent	Frequency	Percent
Operator/family	885.9	21.9	885.9	21.9
Partner/family	218.5	5.4	1104.4	27.3
Hired labor	2840.6	70.2	3945.0	97.5
Other	101.1	2.5	4046.1	100.0

Table 4-195. Estimates of lost-time injuries by gender for the States of Washington and Alaska, 1993.

			Cumulative	Cumulative
Gender	Frequency	Percent	Frequency	Percent
Male	3807.6	94.1	3807.6	94.1
Female	238.5	5.9	4046.1	100.0

Table 4-196. Estimates of lost-time injuries by age group for the States of Washington and Alaska, 1993.

Age Group			Cumulative	Cumulative
(Years)	Frequency	Percent	Frequency	Percent
10-19	235.6	5.8	235.6	5.8
20-29	1512.2	37.4	1747.8	43.2
30-39	852.0	21.1	2599.8	64.3
40-49	712.6	17.6	3312.4	81.9
50-59	261.6	6.5	3574.0	88.3
60-69	269.9	6.7	3843.9	95.0
>=70	202.2	5.0	4046.1	100.0

Table 4-197. Estimates of lost-time injuries by race or ethnic origin for the States of Washington and Alaska, 1993.

Race/	D	5		Cumulative
Ethnic Origin	Frequency	Percent	Frequency	Percent
White	2795.5	69.1	2795.5	69.1
Hispanic	1204.8	29.8	4000.3	98.9
Other	45.8	1.1	4046.1	100.0

Table 4-198. Estimates of lost-time injuries by month for the States of Washington and Alaska, 1993.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	193.9	4.8	193.9	4.8
February	101.1	2.5	295.0	7.3
March	252.1	6.2	547.1	13.5
April	248.0	6.1	795.1	19.7
May	1000.0	24.7	1795.1	44.4
June	436.5	10.8	2231.6	55.2
July	440.7	10.9	2672.3	66.0
August	246.5	6.1	2918.8	72.1
September	269.9	6.7	3188.7	78.8
October	45.8	1.1	3234.5	79.9
November	550.0	13.6	3784.5	93.5
December	261.6	6.5	4046.1	100.0

Table 4-199. Estimates of lost-time injuries by severity of the injury for the States of Washington and Alaska, 1993.

Severity			Cumulative	Cumulative
of Injury	Frequency	Percent	Frequency	Percent
Temporary	3751.1	92.7	3751.1	92.7
Permanent	295.0	7.3	4046.1	100.0

Table 4-200. Estimates of lost-time injuries by whether professional medical attention was sought for the States of Washington and Alaska, 1993.

Medical				
Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	295.0	7.3	295.0	7.3
Yes	2779.0	68.7	3074.0	76.0
No	972.1	24.0	4046.1	100.0

Table 4-201. Estimates of lost-time injuries by body part injured for the States of Washington and Alaska, 1993.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	252.1	6.2	252.1	6.2
Eye	1091.6	27.0	1343.7	33.2
Chest/trunk	196.6	4.9	1540.3	38.1
Back	504.2	12.5	2044.5	50.5
Arm/shoulder	206.3	5.1	2250.8	55.6
Finger	134.5	3.3	2385.3	59.0
Hand/wrist	180.3	4.5	2565.6	63.4
Leg/knee/hip	349.1	8.6	2914.7	72.0
Foot	361.5	8.9	3276.2	81.0
Mult. parts	118.8	2.9	3395.0	83.9
Other	651.1	16.1	4046.1	100.0

Table 4-202. Estimates of lost-time injuries by nature of the injury for the States of Washington and Alaska, 1993.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Bruise	432.4	10.7	432.4	10.7
Burn	168.8	4.2	601.2	14.9
Cut	1428.3	35.3	2029.5	50.2
Crush	49.7	1.2	2079.2	51.4
Fracture	252.1	6.2	2331.3	57.6
Puncture	45.8	1.1	2377.1	58.8
Sprain/strain	1445.0	35.7	3822.1	94.5
Mult. injury	118.8	2.9	3940.9	97.4
Other	105.2	2.6	4046.1	100.0

Table 4-203. Estimates of lost-time injuries by type of event for the States of Washington and Alaska, 1993.

Type of			Cumulative	Cumulative
Event	Frequency	Percent	Frequency	Percent
Caught between	184.2	4.6	184.2	4.6
Caught under	59.4	1.5	243.6	6.0
Struck by/against	1164.6	28.8	1408.2	34.8
Struck by falling	146.9	3.6	1555.1	38.4
Struck by flying	101.1	2.5	1656.2	40.9
Contact sharp obj.	45.8	1.1	1702.0	42.1
Fall, same level	428.3	10.6	2130.3	52.7
Fall, elevation	385.4	9.5	2515.7	62.2
Overexertion	1109.5	27.4	3625.2	89.6
Other	420.9	10.4	4046.1	100.0

Table 4-204. Estimates of lost-time injuries by activity when injured for the States of Washington and Alaska, 1993.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	297.9	7.4	297.9	7.4
Machine maint.	353.0	8.7	650.9	16.1
Field work	1063.3	26.3	1714.2	42.4
Crop handling	362.7	9.0	2076.9	51.3
Livestock handlin	g 463.8	11.5	2540.7	62.8
Other	1505.4	37.2	4046.1	100.0

Table 4-205. Estimates of lost-time injuries by source of injury for the States of Washington and Alaska, 1993.

Source of	_	_	Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Machinery	49.7	1.2	49.7	1.2
Livestock	303.3	7.5	353.0	8.7
Hand tool	151.0	3.7	504.0	12.5
Power tool	45.8	1.1	549.8	13.6
Pesticide/chem.	45.8	1.1	595.6	14.7
Plant/tree	595.8	14.7	1191.4	29.4
Working surface	437.8	10.8	1629.2	40.3
Liquids	228.2	5.6	1857.4	45.9
Other	2188.7	54.1	4046.1	100.0

Table 4-206. Estimates of lost-time injuries by status of the injured worker for the State of Wisconsin, 1993.

Status of			Cumulative	Cumulative
Injured Worker	Frequency	Percent	Frequency	Percent
Operator/family	7442.7	75.3	7442.7	75.3
Partner/family	1245.8	12.6	8688.5	87.9
Hired labor	1192.2	12.1	9880.7	100.0
(Frequency Missing = 292.0)				

Table 4-207. Estimates of lost-time injuries by gender for the State of Wisconsin, 1993.

			Cumulative	Cumulative
Gender	Frequency	Percent	Frequency	Percent
Male	8161.0	82.6	8161.0	82.6
Female	1719.7	17.4	9880.7	100.0
	(Frequenc	y Missing	= 292.0)	

Table 4-208. Estimates of lost-time injuries by age group for the State of Wisconsin, 1993.

Age Group	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10-19	752.4	7.6	752.4	7.6
20-29	1518.3	15.4	2270.7	23.0
30-39	2535.2	25.7	4805.9	48.6
40-49	2933.6	29.7	7739.5	78.3
50-59	1330.5	13.5	9070.0	91.8
60-69	642.3	6.5	9712.3	98.3
>=70	168.4	1.7	9880.7	100.0
	(Frequenc	cy Missing	j = 292.0	

Table 4-209. Estimates of lost-time injuries by race or ethnic origin for the State of Wisconsin, 1993.

Race/			Cumulative	Cumulative
Ethnic Origin	Frequency	Percent	Frequency	Percent
White	9685.9	98.0	9685.9	98.0
Hispanic	194.8	2.0	9880.7	100.0
_	(Frequenc	cy Missing	= 292.0)	

Table 4-210. Estimates of lost-time injuries by month for the State of Wisconsin, 1993.

			Cumulative	Cumulative
Month	Frequency	Percent	Frequency	Percent
January	1135.7	11.5	1135.7	11.5
February	0.0	0.0	1135.7	11.5
March	661.8	6.7	1797.5	18.2
April	194.8	2.0	1992.3	20.2
May	584.0	5.9	2576.3	26.1
June	408.6	4.1	2984.9	30.2
July	2165.4	21.9	5150.3	52.1
August	1537.8	15.6	6688.1	67.7
September	1537.8	15.6	8225.9	83.3
October	0.0	0.0	8225.9	83.3
November	1362.8	13.8	9588.7	97.0
December	292.0	3.0	9880.7	100.0
	(Frequenc	cy Missing	r = 292.0)	

Table 4-211. Estimates of lost-time injuries by severity of the injury for the State of Wisconsin, 1993.

Severity			Cumulative	Cumulative
of Injury	Frequency	Percent	Frequency	Percent
Temporary	9588.7	97.0	9588.7	97.0
Permanent	292.0	3.0	9880.7	100.0
	(Frequenc	y Missing	= 292.0)	

Table 4-212. Estimates of lost-time injuries by whether professional medical attention was sought for the State of Wisconsin, 1993.

Medical Attention			Cumulative	Cumulative
Required	Frequency	Percent	Frequency	Percent
Unknown	584.0	5.7	584.0	5.7
Yes	7668.3	75.4	8252.3	81.1
No	1920.4	18.9	10172.7	100.0

Table 4-213. Estimates of lost-time injuries by body part injured for the State of Wisconsin, 1993.

Body Part			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Head/neck	292.0	3.0	292.0	3.0
Chest/trunk	584.0	5.9	876.0	8.9
Back	694.8	7.0	1570.8	15.9
Arm/shoulder	1284.6	13.0	2855.4	28.9
Finger	584.0	5.9	3439.4	34.8
Hand/wrist	1317.0	13.3	4756.4	48.1
Leg/knee/hip	2173.5	22.0	6929.9	70.1
Foot	1581.4	16.0	8511.3	86.1
Mult. parts	1077.4	10.9	9588.7	97.0
Other	292.0	3.0	9880.7	100.0
	(Frequen	cy Missin	g = 292.0)	

Table 4-214. Estimates of lost-time injuries by nature of the injury for the State of Wisconsin, 1993.

Nature of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Bruise	1946.8	19.7	1946.8	19.7
Cut	1173.9	11.9	3120.7	31.6
Crush	785.4	7.9	3906.1	39.5
Fracture	1168.0	11.8	5074.1	51.4
Puncture	292.0	3.0	5366.1	54.3
Sprain/strain	3268.8	33.1	8634.9	87.4
Mult. injury	661.8	6.7	9296.7	94.1
Other	584.0	5.9	9880.7	100.0
	(Frequenc	cy Missing	J = 292.0	

Table 4-215. Estimates of lost-time injuries by type of event for the State of Wisconsin, 1993.

Type of Event	Frequency	Percent	Cumulative Frequency	Cumulative Percent
	168.4	1.7	168.4	1.7
Caught in	100.4	1./		-
Caught between	1564.2	15.8	1732.6	17.5
Caught under	1070.8	10.8	2803.4	28.4
Struck by/against	2562.7	25.9	5366.1	54.3
Struck by falling	785.4	7.9	6151.5	62.3
Contact sharp obj.	. 292.0	3.0	6443.5	65.2
Fall, same level	1866.4	18.9	8309.9	84.1
Fall, elevation	876.0	8.9	9185.9	93.0
Overexertion	694.8	7.0	9880.7	100.0
	(Frequenc	y Missing	= 292.0)	

Table 4-216. Estimates of lost-time injuries by activity when injured for the State of Wisconsin, 1993.

Activity When			Cumulative	Cumulative
Injured	Frequency	Percent	Frequency	Percent
Farm maint.	841.5	8.5	841.5	8.5
Machine maint.	752.4	7.6	1593.9	16.1
Field work	1421.1	14.4	3015.0	30.5
Crop handling	3108.6	31.5	6123.6	62.0
Livestock handling	3465.1	35.1	9588.7	97.0
Other	292.0	3.0	9880.7	100.0
	(Frequen	cy Missin	g = 292.0)	

Table 4-217. Estimates of lost-time injuries by source of injury for the State of Wisconsin, 1993.

Source of			Cumulative	Cumulative
Injury	Frequency	Percent	Frequency	Percent
Tractor	778.8	7.9	778.8	7.9
Machinery	1752.0	17.7	2530.8	25.6
Livestock	2530.8	25.6	5061.6	51.2
Hand tool	628.8	6.4	5690.4	57.6
Power tool	201.4	2.0	5891.8	59.6
Plant/tree	292.0	3.0	6183.8	62.6
Working surface	1282.4	13.0	7466.2	75.6
Truck/auto	292.0	3.0	7758.2	78.5
Other vehicle	292.0	3.0	8050.2	81.5
Other	1830.5	18.5	9880.7	100.0
	(Frequency	Missing	= 292.0)	

