

8. REFERENCES

- *Adhya TK, Barik S, Sethunathan N. 1981. Hydrolysis of selected organophosphorus insecticides by two bacteria isolated from flooded soil. *J Appl Bacteriol* 50:167-172.
- *Adler B, Braun R, Schoneich J et al. 1976. Repair-defective mutants of Protens mirabilis as a prescreening system for the detection of potential carcinogens. *Biol Zentralbl* 95:463-469.
- *Aelion CM, Swindoll CM, Pfaender FK. 1987. Adaptation to and biodegradation of xenobiotic compounds by microbial communities from a pristine aquifer. *APP- Environ Microbial* 9:2212-2217.
- *Alexander M, Lustigman BK. 1966. Effect of chemical structure on microbial degradation of substituted benzenes. *J Agric Food Chem* 14:410-413.
- Alif A, Boule P, Lemaire J. 1987. [Photochemical behavior of 4-nitrophenol in aqueous solution.] *Chemosphere* 16:2213-2223. (French)
- *Amacher DE, Turner GN. 1982. Mutagenic evaluation of carcinogens and non-carcinogens in the L5178Y/TK assay utilizing postmitochondrial fractions (S9) from normal rat liver. *Mutat Res* 97:49-65.
- *Angerhofer RA. 1985. Final phase effect of dermal applications of paranitrophenol on the reproductive functions of rats. Study no. 75-51-0047-85. September 1980 - March 1985. United States Army Environmental Hygiene Agency. Aberdeen Proving Ground, MD.
- *Araya H, Mizuma T, Horie T, et al. 1986. Heterogeneous distribution of the conjugation activity of acetaminophen and p-nitrophenol in isolated rat liver cells. *J Pharmacobio-Dyn* 9:218-222.
- *Arterberry JD, Durham WF, Elliot JW et al. 1961. Exposure to parathion. *Arch Environ Health* 3:112-121.
- *Artiola-Fortuny J, Fuller WH. 1982. Adsorption of some monohydroxybenzene derivatives by soils. *Soil Sci* 133:18-26.
- *Atkinson R. 1985. Kinetics and mechanisms of the gas-phase reactions of the hydroxyl radical with organic compounds under atmospheric conditions. *Chem Rev* 85:69-201.
- *ATSDR (1991). Case Studies in Environmental Medicine: Nitrate/Nitrite Toxicity. Agency for Toxic Substances and Disease Registry, Atlanta, GA.

* Cited in text.

8. REFERENCES

- *Barnes D, Bellen J, DeRosa C, et al. 1988. Reference dose (RFD): description and use in health risk assessments. Volume I, APPENDIX A: Integrated risk information system supportive documentation. Washington, DC; US Environmental Protection Agency, Office of Health and Environmental Assessment. EPA/600/8-86/032a.
- *Battersby NS, Wilson V. 1989. Survey of the anaerobic biodegradation potential of organic chemicals in digesting sludge. *Appl Environ Microbiol* 55:433-439.
- *Beard RR, Noe JT. 1981. Aromatic nitro and amino compounds. In: Clayton GD, Clayton FE, eds. *Patty's industrial hygiene and toxicology*, Vol IIA, 3rd ed. New York, NY: John Wiley and Sons, 2415-2419.
- *Bengtsson G. 1985. A gas chromatographic micromethod for trace determinations of phenols. *J Chromatogr Sci* 23:397-401.
- *Beuers U, Pogonka T, Esterline R, et al. 1986. Inhibition of paranitrophenol extraction by stimulation of the hepatic nerves in the perfused rat liver. *Toxicol Lett* 34:247-252.
- *Blackman WC Jr., Garnas RL, Preston JE, et al. 1984. Chemical composition of drum samples from hazardous waste sites. *Hazardous Materials Control Research Inst., Management of Uncontrolled Hazardous Waste Sites*, November 7-9, 1984, Washington DC. 39-44.
- *Blok J, deMorsier A, Gerik P, et al. 1985. Harmonization of ready biodegradability tests. *Chemosphere* 14:1805-1820.
- *Boatman RJ, Cunningham SL, Ziegler DA. 1986. A method for measuring the biodegradation of organic chemicals. *Environ Toxicol Chem* 5:233-243.
- *Borys A. 1981. High-performance liquid chromatographic determination of 4-nitroso- and 4-nitrophenols in the presence of phenol and alkylphenols. *J Chromatogr* 216:361-366.
- *Bosch F, Font G, Manes J. 1987. Ultraviolet spectrophotometric determination of phenols in natural and waste waters with iodine monobromide. *Analyst* 112:1335-1337.
- *Bourquin AW. 1984. Biodegradation in the estuarine-marine environments and the genetically altered microbe. U.S. EPA, Environmental Research Laboratory, Gulf Breeze, FL. EPA-600/D-84-051. NTIS PB84-151315.
- *Bourquin AW, Spain JC, Pritchard PH. 1982. Microbial degradation of xenobiotic compounds. In: *Proc 12th Conf on Environ Toxicol* 3,4,5 Nov 81. Air Force Aerospace Medical Res Lab, OH. Paper No. 21:354-369.

8. REFERENCES

- *Boutwell RK, Bosch DK. 1959. The tumor-promoting action of phenol and related compounds for mouse skin. *Cancer Res* 19:413-424.
- *Boyd SA. 1982. Adsorption of substituted phenols by soil. *Soil Sci* 134:337-343.
- *Boyd SA, Shelton DR, Berry D, et al. 1983. Anaerobic biodegradation of phenolic compounds in digested sludge. *Appl Environ Microbiol* 46:50-54.
- *Brown KW, Donnelly KC. 1988. An estimation of the risk associated with the organic constituents of hazardous and municipal waste landfill leachates. *Haz Wast Haz Mater* 5:1-30.
- *Bursey JT, Pellizzari ED. 1982. Analysis of industrial wastewater for organic pollutants in consent decree survey. Contract No. 68-03-2867. Athens, GA: US EPA Environ Res Lab, 84.
- *Buselmaier W, Rohrborn G, Propping P. 1973. Comparative investigations on the mutagenicity of pesticides in mammalian test systems. *Mutat Res* 21:25-26.
- *Call DJ, Brooke LT, Lu PY. 1980. Uptake, elimination, and metabolism of three phenols by fathead minnows. *Arch Environ Contam Toxicol* 9:699-714.
- Cameron MAM. 1958. The action of nitrophenols on the metabolic rate of rats. *Br J Pharmacol* 13:25-29.
- *Carey AE, Kutz FW. 1985. Trends in ambient concentration of agrochemicals in humans and the environment of the United States. *Environmental Monitoring and Assessment* 5:155-163.
- *Chambers CW, Tabak HH, Kabler PW. 1963. Degradation of aromatic compounds by phenol-adapted bacteria. *J Water Pollut Control Fed* 35:1517-1528.
- *Chiu CW, Lee LH, Wang CY et al. 1978. Mutagenicity of some commercially available nitro compounds for Salmonella typhimurium. *Mutat Res* 58:11-22.
- *Chudyk WA, Carrabba MM, Kenney JE. 1985. Remote detection of groundwater contaminants using far-ultraviolet laser-induced fluorescence. *Anal Chem* 57:1237-1242.
- *CLPSD. 1988. Contract Laboratory Program Statistical Database. August 17, 1988.
- *CMR (Chemical Marketing Reporter). 1987. Chemical profile: p-nitrophenol. New York: Schnell Publishing Co., Inc., Sept. 28, 1987.

8. REFERENCES

- *Cole RH, Frederick RE, Healy RP, et al. 1984. Preliminary findings of the priority pollutant monitoring project of the nationwide urban runoff program. *J Water Pollut Control Fed* 56:898-908.
- *Dellarco VL, Prival MJ. 1989. Mutagenicity of nitro compounds in Salmonella typhimurium in the presence of flavin mononucleotide in a preincubation assay. *Environ Mol Mutagen* 13:116-127.
- *Diamond G, Quebbemann AJ. 1979. Rapid separation of p-nitrophenol and its glucuronide and sulphate conjugates by reversed phase high-performance liquid chromatography. *J Chromatogr* 177:368-371.
- *Diamond GL, Anders MW, Tremaine IM, et al. 1982. Salicylate enhancement of renal glucuronide conjugation and tubular excretory transfer of phenols. *Drug Metab Dispos* 10:573-578.
- *Dobson ER, Stephenson M, Greenfield PF, et al. 1985. Identification and treatability of organics in oil shale retort water. *Water Res* 19:849-856.
- *ECETOC. 1984. The phototransformation of chemicals in water: Results of a ring-test. Tech Report No. 12. Brussels, Belgium: European Chemical Industry. Ecology and Toxicology Center, 64.
- *Eisenreich SJ, Looney BB, Thornton JD. 1981. Airborne organic contaminants in the Great Lakes ecosystem. *Environ Sci Technol* 15:30-38.
- Ellenhorn MJ, Barceloux DG, eds. 1988. Medical toxicology, diagnosis and treatment of human poisoning. New York, NY: Elsevier, 844-852.
- *Ellis DD, Jone CM, Larson RA, et al. 1982. Organic constituents of mutagenic secondary effluents from wastewater treatment plants. *Arch Environ Contam Toxicol* 11:373-382.
- *EPA. 1980. Ambient water quality criteria for nitrophenols. Washington, DC: U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Criteria and Standards Division. EPA 440/5-80-063
- *EPA. 1981. Treatability manual. vol. 1. Treatability data. Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, 1.8.6-3, 1.8.7-3. EPA 600/2-82-001a
- *EPA. 1982. Methods for organic chemical analysis of municipal and industrial wastewater. Cincinnati, OH: U.S. Environmental Protection Agency, Environment Monitoring and Support Laboratory, 604-1 to 604-9, 625-1 to 625-19. EPA 600/4-82-057

8. REFERENCES

- *EPA. 1985. Health and environmental effects profile for nitrophenols. Final draft. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Criteria and Assessment Office.
- *EPA. 1988a. U.S. Environmental Protection Agency. Analysis of clean water act effluent guidelines pollutants. Summary of the chemicals regulated by industrial point source category. 40 CFR parts 400-475, 261.33.
- *EPA. 1988b. U.S. EPA Contract Labor Program: Statement of work for organic analysis. Washington, DC: U.S. Environmental Protection Agency, C-4 to C-5, D-32 to D-45.
- *EPA. 1988c. U.S. Environmental Protection Agency. Effluent guidelines and standards: Organic chemicals, plastics, and synthetic fibers. 40 CFR part 414.
- *EPA. 1988d. U.S. Environmental Protection Agency. Designation of hazardous substances and reportable quantities. 40 CFR 302.4.
- *EPA. 1988e. U.S. Environmental Protection Agency. Designation of hazardous substances. 40 CFR 116.4.
- *EPA. 1988f. U.S. Environmental Protection Agency. Identification and listing of hazardous waste. 40 CFR 261.33 and Appendix VIII.
- *EPA. 1988g. U.S. Environmental Protection Agency. Toxic chemical release reporting: Community Right-to-Know. 40 CFR 372.65.
- *EPA. 1989. Interim methods for development of inhalation reference doses. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. EPA 600/8-88-066F.
- *EPA. 1991. Pesticide fact sheet: Ethyl parathion. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticides and Toxic Substances.
- *Fatiadi AJ. 1984. Priority toxic pollutants in human urine: Their occurrence and analysis. Environment International 10:175-205.
- *Figge K, Klahn J, Koch J. 1983. Testing of chemicals by evaluation of their distribution and degradation patterns in an environmental standard system. Regul Toxicol Pharmacol 3:199-215.
- *Freitag D, Geyer H, Kraus A, et al. 1982. Ecotoxicological profile analysis. VII. Screening chemicals for their environmental behavior by comparative evaluation. Ecotoxicol Environ Safety 6:60-81.
- *FSTRAC. 1988. Federal-State Toxicology and Regulatory Alliance Committee, Chemical Communication Subcommittee. Summary of state and federal drinking water standards and guidelines.

8. REFERENCES

Gabor M, Piukovich I, Lacsan I. 1962. Experimental thrombocytosis with o-nitrophenol. *Naturwissenschaften* 49:470-471.

Garrett NE, Lewtas J. 1983. Cellular toxicity in Chinese hamster ovary cell cultures. I. Analysis of cytotoxicity endpoints for twenty-nine priority pollutants. *Environ Res* 32(2):455-465.

*Gartell MJ, Craun JC, Podrebarac DS, Gunderson EL. 1986. Pesticides, selected elements, and other chemicals in adult total diet samples, October 1980-March 1982. *J Assoc Off Anal Chem* 69:146-161.

*Gerike P, Fischer WK. 1979. A correlation study of biodegradability determinations with various chemicals in various tests. *Ecotoxicol Environ Safety* 3:159-173.

*Geyer H, Politzki G, Freitag D. 1984. Prediction of ecotoxicological behavior of chemicals: Relationship between n-octanol/water partition coefficient and bioaccumulation of organic chemicals by alga *Chlorella*. *Chemosphere* 13:269-284.

*Gomaa HM, Faust SD. 1972. Chemical hydrolysis and oxidation of parathion and paraoxon in aquatic environments. In: Fate of organic pesticides. Research and Development Division, Keramchemie (Canada) Ltd. and Department of Environmental Sciences, Rutgers, New Brunswick, NJ, 189-209.

Grant CM. 1959. The action of nitrophenols on the pulmonary ventilation of rats. *Br J Pharmacol* 14:401-403.

*Great Lakes Water Quality board. 1983. An inventory of chemical substances identified in the Great Lakes ecosystem. Volume 1 - Summary. Report to the Great Lakes Water Quality Board. Windsor Ontario, Canada, 24.

*Gusten H, Klasnic L, Marie D. 1984. Prediction of the abiotic degradability of organic compounds in the troposphere. *J Atmos Chem* 2:83-93.

*Hailer HD. 1978. Degradation of mono-substituted benzoates and phenols by wastewater. *J Water Pollut Control Fed* 50:2771-2777.

*Hansch C, Leo AJ. 1985. Medchem Project, Issue No. 26, Pomona College, Claremont, CA.

*Hashimoto Y, Tokura K, Kishi H, et al. 1984. Prediction of seawater solubility of aromatic compounds. *Chemosphere* 13:881-888.

*Hauser TR, Bromberg SM. 1982. EPA's monitoring program at Love Canal 1980. *Environmental Monitoring and Assessment* 2:249-271.

8. REFERENCES

- *Haworth S, Lawlor T, Mortelmans K, et al. 1983. Salmonella mutagenicity test results for 250 chemicals. Environ Mutagen Supplement 1:3-142.
- *Hazleton. 1983. Subacute dust inhalation toxicity study in rats. p-Nitrophenol. Final report (HLA, study no. 82-242). Sponsored by Monsanto co., St. Louis, MO. NTIS/OTS0520433.
- *Hazleton. 1989. Subchronic toxicity study in rats with paranitrophenol (HLA, study no. 241-221). Sponsored by Monsanto Co., St. Louis, MO. NTIS/GTS0526338.
- *Heimbuch JA, Wilhelmi AR. 1985. Wet air oxidation -- a treatment means for aqueous hazardous waste streams. J Hazard Mater 12:187-200.
- *Ho YL, Ho SK. 1981. Screening of carcinogens with the prophage lclts 857 induction test. Cancer Res 41:532-536.
- *Hodson J, Williams NA. 1988. The estimation of the adsorption coefficient (Koc) for soils by high performance liquid chromatography. Chemosphere 17:67-77.
- *Hoover DG, Borgonovi GE, Jones SH, et al. 1986. Anomalies in mineralization of low concentrations of organic compounds in lake water and sewage. APPE- Environ Microbiol 51:226-232.
- *Horowitz A, Shelton DR, Cornell CP, et al. 1982. Anaerobic degradation of aromatic compounds in sediment and digested sludge. Developmental and Industrial Microbiology 23:435-444.
- *HSDB. 1989. Hazardous Substances Data Bank. National Library of Medicine. National Toxicology Information Program, Bethesda, MD. September 11, 1989.
- *Hustert K, Mansour M, Parlar H, et al. 1981. "The EPA test": - A method to determine the photochemical degradation of organic compounds in aqueous systems. Chemosphere 10:995-998.
- *Isaacson PJ. 1985. Sorption of phenol vapors and influence of ring substitution. Soil Sci 140:189-193.
- *Isnard P, Lambert S. 1988. Estimating bioconcentration factors from octanol-water partition coefficient and aqueous solubility. Chemosphere 17:21-34.
- *Jones SH, Alexander M. 1986. Kinetics of mineralization of phenols in lake water. Appl Environ Microbiol 51:892-897.
- *Jones SH, Alexander M. 1988. Effect of inorganic nutrients on the acclimation period preceding mineralization of organic chemicals in lake water. Appl Environ Microbiol 54:3177-3179.

8. REFERENCES

- *Kavlock RJ. 1990. Structure-activity relationship in the developmental toxicity of substituted phenols: In vivo effects. *Teratology* 41:43-59.
- *Kincannon DF, Lin YS. 1985. Microbial degradation of hazardous wastes by land treatment. *Proc Ind Waste Conf* 40:607-619.
- *Kirby KW, Keiser JE, Groene J, et al. 1979. Confirmation of 4-nitrophenol as a human urinary metabolite at the nanogram level. *J Agric Food Chem* 27:757-759.
- *Kitano M. 1978. Biodegradation and bioaccumulation test on chemical substances. Organization for Economic Co-operation and Development (OECD) Tokyo Meeting. Reference Book TSU-No. 3. OECD Publications and Information Centre, Washington, DC.
- *Kool HJ. 1984. Influence of microbial biomass on the biodegradability of organic compounds. *Chemosphere* 13:751-761.
- *Korte F, Klein W. 1982. Degradation of benzene in the environment. *Ecotoxicol Environ Saf* 6:311-327.
- *Kutz FW. 1983. Chemical exposure monitoring. *Residue Rev* 85:227-292.
- *Lawford DJ, King E, Harvey DG. 1954. On the metabolism of some aromatic nitrocompounds by different species of animal. Part II. The elimination of various nitro-compounds from the blood of different species of animal. *J Pharm Pharmacol* 6:619-624.
- *Lemaire J, Guth JA, Klais O, et al. 1985. Ring test of a method for assessing the phototransformation of chemicals in water. *Chemosphere* 14:53-77.
- *Leuenberger C, Ligocki MP, Pankow JF. 1985. Trace organic compounds in rain. 4. Identities, concentrations, and scavenging mechanisms for phenols in urban air and rain. *Environ Sci Technol* 19:1053-1058.
- *Leuenberger C, Czuczwa J, Tremp J, et al. 1988. Nitrated phenols in rain: Atmospheric occurrence of phytotoxic pollutants. *Chemosphere* 17:511-515.
- *Loehr RC, Krishnamoorthy R. 1988. Terrestrial bioaccumulation potential of phenolic compounds. *Haz Waste Haz Mat* 5:109-128.
- *Loecke H. 1985. Degradation of 4-nitrophenol in two Danish soils. *Environ Pollut Ser A* 38:171-181.
- *Lozano MC, Perez RT, Tomas V, et al. 1989. Coulometric determination of organic compounds with methyl viologen cation-radical. *Microchem J* 39:59-64.

8. REFERENCES

*Machida M, Morita Y, Hayashi M, et al. 1982. Pharmacokinetic evidence for the occurrence of extrahepatic conjugative metabolism of p-nitrophenol in rats. *Biochem Pharmacol* 31:787-791.

*Mangani F, Fabbri A, Crescentini G, et al. 1986. Stationary phase for the gas chromatographic determination of phenols at the nanogram level. *Anal Chem* 58:3261-3263.

*Matsue T, Fujihira M, Osa T. 1981. Cyclic voltametric determination of onitrophenol in the presence of p-nitrophenol by addition of alpha-cyclodextrin. *Anal Chem* 53:722-723.

*McCormick NG, Feeherry FE, Levinson HS. 1976. Microbial transformation of 2,4,6-trinitrotoluene and other nitroaromatic compounds. *Appl Environ Microbial* 31:949-958.

*McCrary JK, Johnson DE, Turner LW. 1985. Volatility of ten priority pollutants from fortified avian toxicity test diets. *Bull Environ Contam Toxicol* 34:634-644.

*Means JL, Anderson SJ. 1981. Comparison of five different methods for measuring biodegradability in aqueous environments. *Water Air Soil Pollut* 16:301-315.

*Meerman JHN, Nijland C, Mulder GJ. 1987. Sex differences in sulfation and glucuronidation of phenol, 4-nitrophenol and N-hydroxy-2-acetylaminofluorene in the rat in vivo. *Biochem Pharmacol* 36:2605-2608.

*Monsanto. 1983a. Acute oral toxicity, of p-nitrophenol to rats. NTIS/OTS0518152.

*Monsanto. 1983b. Acute dermal toxicity of p-nitrophenol to rabbits. NTIS/OTS0518153.

*Monsanto. 1983c. Primary eye irritation of p-nitrophenol to rabbits. NTIS/OTS0518154.

*Monsanto. 1983d. Primary skin irritation of p-nitrophenol to rabbits. NTIS/OTS0518155.

*Monsanto. 1984. Primary skin irritation and Department of Transportation (DOT) skin corrosivity test of p-nitrophenol in rabbits. NTIS/OTS0518156.

*Moldeus P, Vadi H, Berggren M. 1976. Oxidative and conjugative metabolism of p-nitroanisole and p-nitrophenol in isolated rat liver cells. *Acta Pharmacol. Toxicol* 39:17-32.

8. REFERENCES

- *Morrison RT, Boyd RN. 1969. Organic chemistry. 2nd ed. Boston, MA: Allyn and Bacon, Inc., 797-803.
- *Nakano K, Ohashi M, Harigaya S. 1986. The beta-glucosidation and beta-glucuronidation of pantothenic acid compared with p-nitrophenol in dog liver microsome. Chem Pharm Bull 34:3949-3552.
- *NATICH. 1988. National Air Toxics Information Clearinghouse. U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards, Research Triangle Park, NC. July 1988.
- *Neujahr HY, Varga JM. 1970. Degradation of phenols by intact cells and cell free preparation of Trichosporon cutaneum. Eur J Biochem 13:37-44.
- *Neujahr HY, Lindsjo S, Varga JM. 1974. Oxidation of phenols by cells and cell-free enzyme from Candida tronicalis. Antonie Van Leeuwenhoek 40:209-216.
- *Ni F, Thomas L, Cotton TM. 1989. Surface-enhanced resonance Raman spectroscopy as an ancillary high-performance liquid chromatography detector for nitrophenol compounds. Anal Chem 61:888-894.
- *Nielen MWF, Brinkman UAT, Frei RW. 1985. Industrial waste-water analysis by liquid chromatography with precolumn technology and diode-array detection. Anal Chem 57:806-810.
- *NIOSH. 1989. National Institute for Occupational Safety and Health. National occupational exposure survey as of 03/29/89. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control.
- *Nojima K, Fukaya K, Fukui S, et al. 1976. Studies on photochemistry of aromatic hydrocarbons, III. Chemosphere 1:25-30.
- *Nojima K, Ikarigawa T, Kanno S. 1980. Studies on photochemistry of aromatic hydrocarbons VI. Photochemical reaction of bromobenzene with nitrogen oxides in air. Chemosphere 9:421-436.
- *Nojima K, Kawaguchi A, Ohya T, et al. 1983. Studies on photochemical reaction of air pollutants. X. Identification of nitrophenols in suspended particulates. Chem Pharm Bull 31:1047-1051.
- *NAS/NRC. 1989. Biologic markers in reproductive toxicology. National Academy of Sciences/National Research Council. Washington, DC: National Academy Press, 15-35.
- *NTP. 1990. National Toxicology Program. Review of current DHHS, DOE, and EPA research related to toxicology: FY 1990. Research Triangle Park, NC:

8. REFERENCES

U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health.

*NTP. 1991. National Toxicology Program. Toxicology and Carcinogenesis studies of p-nitrophenol (CAS no. 100-02-7) in Swiss-Webster mice (dermal studies). Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health. NIH publication no. 91-3148.

*Oberly TJ, Bewsey BJ, Probst GS. 1984. An evaluation of the L5178YTK +/- mouse lymphoma forward mutation assay using 42 chemicals. *Mutat Res* 125:291-306.

Ogino S, Yasumura K. 1957. VI. Production of cataracts in guinea pigs with dinitrophenol. *Am J Ophthalmol* 43:936-946.

*OHM/TADS. 1989. Oil and Hazardous Materials - Technical Assistance Data System. U.S. Environmental Protection Agency, Office of Toxic Substances, Washington, DC. September 1, 1989.

*Papadoyannis IN, Kouimitzis TA, Vasilikiotis GS. 1983. Analytical applications of crown ethers. III. Extraction and determination of nitrophenol isomers. *Microchem J* 28:347-350.

*Paris DF, Wolfe NL, Steen WC, et al. 1983. Effect of phenol molecular structure on bacterial transformation rate constants in pond and river samples. *Appl Environ Microbiol* 45:1153-1155.

*Patterson JW, Kodukala PS. 1981. Biodegradation of hazardous organic pollutants. *Chem Eng Prog* 77:48-55.

*Pearce PJ, Simkins RJJ. 1968. Acid strengths of some substituted picric acids. *Can J Chem* 46:241-248.

*Pena-Egido MJ, Marino-Hernandez EL, Santos-Buelga C, et al. 1988. Urinary excretion kinetics of p-nitrophenol following oral administration of parathion in the rabbit. *Arch Toxicol* 62:351-354.

*Piotrowski J. 1967. Further investigations on the evaluation of exposure to nitrobenzene. *Br J Ind Med* 24:60-65.

*Pitter P. 1976. Determination of biological degradability of organic substances. *Water Res* 10:231-523.

*Plasterer MR, Bradshaw WS, Booth GM, et al. 1985. Developmental toxicity of nine selected compounds following prenatal exposure in the mouse: naphthalene, p-nitrophenol, sodium selenite, dimethyl phthalate, ethylenethiourea, and four glycol ether derivatives. *J Toxicol Environ Health* 15:25-38.

8. REFERENCES

- *Polster M, Rittich B, Zaludova R. 1986. Relationships between biological activity of phenols and their physicochemical parameters. *Collect Czech Chem Commun.* 51:241-248.
- *Portier RJ. 1985. Comparison of environmental effect and biotransformation of toxicants on laboratory microcosm and field microbial communities. In: *ASTM Spec Tech Publ: Validation and Predictability of Laboratory Methods for Assessing the Fate Effects of Contaminants in Aquatic Ecosystems*, Philadelphia, PA, 865:14-30.
- *Probst GS, McMahon RE, Hill LE, et al. 1981. Chemically-induced unscheduled DNA synthesis in primary rat hepatocyte cultures: A comparison with bacterial mutagenicity using 218 compounds. *Environ Mutagen* 3:11-32.
- Pugh PM, Stone SL. 1968. The effect of 2,4-dinitrophenol and related compounds on bile secretion. *J Physiol* 198:39-49.
- *Rashid KA, Mumma RO. 1986. Screening pesticides for their ability to damage bacterial DNA. *J Environ Sci Health* 21:319-334.
- *Raymond DGM, Alexander M. 1971. Microbial metabolism and cometabolism of nitrophenols. *Pestic Biochem Physiol* 1:123-130.
- *Reinke LA, Belinsky SA, Evans RR, et al. 1981. Conjugation of p-nitrophenol in the perfused rat liver: The effect of substrate concentration and carbohydrate reserves. *J Pharmacol Exp Ther* 217:863-870.
- *Reinke LA; Moyer MJ. 1985. p-Nitrophenol hydroxylation. A microsomal oxidation which is highly inducible by ethanol. *Drug Metab Dispos* 13:548-552.
- *Rippen G, Zietz E, Frank R, et al. 1987. Do airborne nitrophenols contribute to forest decline? *Environ Technol Lett* 8:475-482.
- *Robinson D, Smith JN, Williams RT. 1951a. Studies in detoxication. 39. Nitro compounds (a) the metabolism of o-, m-, and p-nitrophenols in the rabbit; (b) the glucuronides of the mononitrophenols and observations on the anomalous optical rotations of triacetyl R-O-nitrophenylglucuronide and its methyl ester. *Biochem J* 50:221-227.
- *Robinson D, Smith JN, Williams RT. 1951b. Studies in detoxication. 40. o-, m- and p-Nitrophenols, o-, m- and p-aminophenols and 4-nitrocatechol as metabolites of nitrobenzene. *Biochem J* 50:228-235.
- *Roseboom H, Berkhoff CJ, Wammes JI, et al. 1981. Reversed-phase ion-pair high-performance liquid chromatography of nitrophenols. *J Chromatogr* 208:331-337.

8. REFERENCES

- *Rott B, Viswanathan R, Freitag D, et al. 1982. Comparative study of the applicability of various tests for determining the degradability of environmental chemicals. *Chemosphere* 11:531-538.
- *Rubin HE, Alexander M. 1983. Effect of nutrients on the rates of mineralization of trace concentrations of phenol and p-nitrophenol. *Environ Sci Technol* 17:104-107.
- *Rubin HE, Subba-Rao RV, Alexander M. 1982. Rates of mineralization of trace concentrations of aromatic compounds in lake water and sewage samples. *APP~ Environ Microbial* 43:1133-1138.
- *Rugstad HE, Dybing E. 1975. Glucuronidation in cultures of human skin epithelial cells. *Eur J Clin Invest* 5:133-137.
- *Scala AJ, Banerjee S. 1982. Vapor pressure interlaboratory report. Final report for National Bureau of Standards. Syracuse Research Corporation, Syracuse, NY.
- *Schueuermann G, Klein W. 1988. Advances in biochemical prediction. *Chemosphere* 17:1551-1574.
- *Schwarzenbach RP, Stierli R, Folsom BR, et al. 1988. Compound properties relevant for assessing the environmental partitioning of nitrophenols. *Environ Sci Technol* 22:83-92.
- *Scow KM, Simkins S, Alexander M. 1986. Kinetics of mineralization of organic compounds at low concentrations in soil. *Appl Environ Microbial* 51:1028-1035.
- *Scow KM, Schmidt SK, Alexander M. 1989. Kinetics of biodegradation of mixtures of substrates in soils. *Soil Biol Biochem* 21:703-708.
- *Scully FE Jr., Hoigne J. 1987. Rate constants for reactions of singlet oxygen with phenols and other compounds in water. *Chemosphere* 16:681-694.
- *Sethunathan N. 1973. Degradation of parathion in flooded acid soils. *J Agric Food Chem* 21:602-604.
- *Shafik TM, Sullivan HC, Enos HR. 1973. Multi-residence procedure for haloand nitrophenols. Measurement of exposure to biodegradable pesticides yielding these compounds as metabolites. *J Agric Food Chem* 21:295-298.
- *Shelton DR, Tiedje JM, 1984. General method for determining anaerobic biodegradation potential. *Appl Environ Microbial*. 47:850-857.
- *Shimizu M, Yano E. 1986. Mutagenicity of mono-nitrobenzene derivatives in the Ames test and ret assay. *Mutat Res* 170:11-22.

8. REFERENCES

- *Sin CD, Lee ED, Lee ML. 1991. Atmospheric pressure ionization time-of-flight mass spectrometry with a supersonic beam. *Anal Chem* 63:2897-2990.
- *Siragusa GR, DeLaune RD. 1986. Mineralization and sorption of p-nitrophenol in estuarine sediment. *Environ Toxicol Chem* 5:175-178.
- *Smith LW, Hall GT, Kennedy GL. 1988. Acute and repeated dose inhalation toxicity of para-nitrophenol sodium salt in rats. *Drug Chem Toxicol* 11:319-327.
- *Snider EH, Manning FS. 1982. A survey of pollutant emission levels in waste waters and residuals from the petroleum refining industry. *Environ Int* 7:237-258.
- *Snodgrass HL. 1983. Phase 1. Dermal penetration and distribution of ¹⁴C labeled paranitrophenol (PNP). Study no. 75-51-0047-84. United States Army, Environmental Hygiene Agency, Aberdeen Proving Ground, MD.
- *Spain JC, Van Veld PA. 1983. Adaptation of natural microbial communities to degradation of xenobiotic compounds: Effects of concentration, exposure time, inoculum and chemical structure. *Appl Environ Microbiol* 45:428-435.
- *Spain JC, Wyss O, Gibson DT. 1979. Enzymatic oxidation of p-nitrophenol. *Biochem Biophys Res Commun* 88:634-641.
- *Spain JC, Pritchard P, Bouquin AW. 1980. Effects of adaptation on biodegradation rates in sediment water cores from estuarine and freshwater environments. *Appl Environ Microbiol* 40:726-734.
- *Spain JC, Van Veld PA, Monti CA, et al. 1984. Comparison of p-nitrophenol biodegradation in field and laboratory test systems. *Appl Environ Microbiol* 48:944-950.
- *Sportstoel S, Urdal K, Drangsholt H, et al. 1985. Description of a method for automated determination of organic pollutants in water. *Int J Environ Chem* 21:129-138.
- *SRI. 1989. 1989 Directory of Chemical Producers, United States of America. Stanford Research Institute International, Menlo Park, CA, 808.
- *Staples CA, Werner A, Hoogheem T, 1985, Assessment of priority pollutant concentrations in the United States using Storet database. *Environ Toxicol Chem* 4:131-142.
- *Stone AT. 1987. Reductive dissolution of manganese (III/IV) oxides by substituted phenols. *Environ Sci Technol* 21:979-988.

8. REFERENCES

- *Stutz DR, Janusz SJ, eds. 1989. Hazardous materials injuries. A handbook for pre-hospital care. 2nd ed. Beltsville, MD: Bradford Communications Corporation, 348-349.
- *Suarez C, Louys F, Gunther K, et al. 1970. Hydroxyl radical induced denitration of nitrophenols. *Tetrahedron Lett* 8:575-578.
- *Subba-Rao RV, Rubin HE, Alexander M. 1982. Kinetics and extent of mineralization of organic chemicals at trace levels in freshwater and sewage. *Appl Environ Microbiol* 43:1139-1150.
- *Sudhakar-Barik, Sethunathan N. 1978. Metabolism of nitrophenols in flooded soils. *J Environ Qual* 7:349-352.
- *Sudhakar-Barik, Siddaramappa R, Sethunathan N. 1976. Metabolism of nitrophenols by bacteria isolated from parathion-amended flooded soil. *Antonie van Leeuwenhoek* 42:461-470.
- *Sultatos LG, Minor LD. 1985. Biotransformation of paraoxon and p-nitrophenol by isolated perfused mouse livers. *Toxicology* 36:159-169.
- *Suzuki J, Koyama T, Suzuki S. 1983. Mutagenicity of mono-nitrobenzene derivatives in the presence of norharman. *Mutat Res* 120:105-110.
- *Swindoll CM, Aelion CM, Pfaender FK. 1988. Influence of inorganic and organic nutrients on aerobic biodegradation and on the adaptation response of subsurface microbial communities. *Appl Environ Microbiol* 54:212-217.
- *Szybalski W. 1958. Special microbiological systems. II. Observations on chemical mutagenesis in microorganisms. *Ann NY Acad Sci* 76:475-489.
- *Tabak HH, Quave SA, Mashni CI, et al. 1981. Biodegradability studies with organic priority pollutant compounds. *J Water Pollut Control Fed* 53:1503-1518.
- *Thomas RG. 1982. Volatilization from water. In: Lyman et al., eds. *Handbook of chemical property estimation methods*. New York: McGraw-Hill Book co.
- *Tonda K, Hirata M. 1983. Glucuronidation and sulfation of p-nitrophenol in isolated rat hepatocyte subpopulations. Effects of phenobarbital and 3-methylcholanthrene pretreatment. *Chem Biol Interact* 47:277-287.
- *TRI. 1989. The Toxic Release Inventory. Office of Toxic Substances, Washington, DC. November 8, 1989.
- *TSCAPP. 1989. Toxic Substances Control Act Plant Production. September 1, 1989.

8. REFERENCES

- *USITC. 1989. Synthetic organic chemicals. United States production and sales, 1988. United States International Trade Commission, Washington, DC. USITC Publication 2219, 3-11, 3-16.
- *Vaishnav DD, Korthals ET. 1988. Comparison of chemical biodegradation rates in BOD dilution and natural waters. *Bull Environ Contam Toxicol* 41(2):291-298.
- *Valkenburg CA, Munslow WD, Butler LC. 1989. Evaluation of modifications of extraction procedures used in analysis of environmental samples from superfund sites. *J Assoc Off Anal Chem* 72:602-608.
- *Van Veld PA, Spain JC. 1983. Degradation of selected xenobiotic compounds in three types of aquatic test systems. *Chemosphere* 12:1291-1305.
- *Vernot EH, MacEwen JD, Haun CC, et al. 1977. Acute toxicity and skin corrosion data for some organic and inorganic compounds and aqueous solutions. *Toxicol Appl Pharmacol* 42:417-423.
- *Verschueren K. 1983. Handbook of environmental data on organic chemicals. 2nd ed. New York: Van Nostrand Reinhold Co., 917-920.
- *Villanueva JR. 1961. Organic nitro compounds reduced by *Nocardia V*. *Microbial Espanola* 14:157-162.
- *View. 1989. Agency for Toxic Substance and Disease Registry, Office of External Affairs, Exposure and Disease Registry Branch, Atlanta, GA. November 8, 1989.
- *Wiggins BA, Alexander M. 1988. Role of chemical concentration and second carbon sources in acclimation of microbial communities for biodegradation. *Appl Environ Microbiol* 54:2803-2807.
- *Wilderer P. 1981. A model river test to describe the various impacts of chemical substances on microbial biocommunities. *AIChE Symp Ser* 37:205-213.
- *Williams RT. 1938. CXVIII. Studies in detoxication. I. The influence of (a) dose and (b) o-, m- and p-substitution on the sulfate detoxication of phenol in the rabbit. *Biochem J* 32:878-887.
- *Windholz M, ed. 1983. The Merck index. An encyclopedia of chemicals, drugs and biologicals. 10th ed. Rahway, NJ: Merck and Co., Inc., 950.
- *Yoshida K, Shigeoka T, Yamauchi F. 1983. Non-steady-state equilibrium model for the preliminary prediction of the fate of chemicals in the environment. *Ecotoxicol Environ Safety* 7:179-190.

8. REFERENCES

- *Young DR. 1978. Priority pollutants in municipal wastewaters. Annual Report. South California Coastal Water Research Project, University of California, La Jolla, CA, 103-112.
- *Zaidi BR, Murakami Y, Alexander M. 1988. Factors limiting success of inoculation to enhance biodegradation of low concentrations of organic chemicals. Environ Sci Technol 22:1419-1425.
- *Zaidi BR, Murakami Y, Alexander M. 1989. Predation and inhibitors in lake water affect the success of inoculation to enhance biodegradation of organic chemicals. Environ Sci Technol 23:859-863.
- *Zeyer J, Kearney PC. 1984. Degradation of o-nitrophenol and m-nitrophenol by a Pseudomonas Dutida. J Agric Food Chem 32:238-242.

