



NASALCROM[®] NASAL SPRAY



This product information is intended only for residents of the United States.

Highlights

Prevents and Relieves Nasal Allergy Symptoms

- Runny/itchy nose
- Sneezing
- Allergic stuffy nose
- Without Drowsiness
- Available in 0.44 and 0.88 FL OZ (13 and 26 mL)

Drug Facts

Active ingredient (per spray)	Purpose
Cromolyn sodium 5.2 mg.....	Nasal allergy symptom controller

Uses to prevent and relieve nasal symptoms of hay fever and other nasal allergies:
 ■ runny/itchy nose ■ sneezing ■ allergic stuffy nose



Warnings

Do not use ■ if you are allergic to any of the ingredients

Ask a doctor before use if you have

- fever
- discolored nasal discharge
- sinus pain
- wheezing

When using this product

- it may take several days of use to notice an effect. Your best effect may not be seen for 1 to 2 weeks.
- brief stinging or sneezing may occur right after use
- do not use it to treat sinus infection, asthma, or cold symptoms
- do not share this bottle with anyone else as this may spread germs

Stop use and ask a doctor if

- shortness of breath, wheezing, or chest tightness occurs
- hives or swelling of the mouth or throat occurs
- your symptoms worsen
- you have new symptoms
- your symptoms do not begin to improve within two weeks
- you need to use for more than 12 weeks

If pregnant or breast feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- see package insert on how to use pump
- parent or care provider must supervise the use of this product by young children
- adults and children 2 years and older:
 - spray once into each nostril. Repeat 3-4 times a day (every 4-6 hours). If needed, may be used up to 6 times a day.
 - use every day while in contact with the cause of your allergies (pollen, molds, pets, and dust)
 - to prevent nasal allergy symptoms, use before contact with the cause of your allergies. For best results, start using up to one week before contact.
 - if desired, you can use this product with other medicines, including other allergy medicines.
- children under 2 years: Do not use unless directed by a doctor

Other information

- store between 20°-25°C (68°-77°F)
- keep away from light
- keep carton and package insert.
They contain important instructions.

Inactive ingredients

benzalkonium chloride, edetate, disodium, purified water

Questions?

call toll-free 1-877-9-ALLERGY (1-877-925-5374)

Questions

Check out our [Frequently Asked Questions](#) page or call 1-877-9-ALLERGY (1-877-925-5374), weekdays 9am to 5pm (EST).

The product information provided in this site is intended only for residents of the United States. The products discussed herein may have different product labeling in different countries.

The health information contained herein is provided for educational purposes only and is not intended to replace discussions with a healthcare provider. All decisions regarding patient care must be made with a healthcare provider, considering the unique characteristics of the patient.

[Allergy/Cold/Cough/Sinus](#) | [Chewing Gums, Mints, Dietary Supplements & Throat Drops](#) | [Dietary Supplements](#) | [Digestive Relief](#) | [Eye Care](#)
[First Aid](#) | [Oral Care](#) | [Hair Care](#) | [Personal Care](#) | [Skin Care](#) | [Tobacco Dependence](#)



[Copyright © 2004 Pfizer Inc All rights reserved. Terms of Use](#)
[Privacy Statement](#)