# TOXICOLOGICAL PROFILE FOR NAPHTHALENE, 1-METHYLNAPHTHALENE, AND 2-METHYLNAPHTHALENE

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Public Health Service
Agency for Toxic Substances and Disease Registry

## **DISCLAIMER**

The use of company or product name(s) is for identification only and does not imply endorsement by the Agency for Toxic Substances and Disease Registry.

## **UPDATE STATEMENT**

A Toxicological Profile for Naphthalene, 1-Methylnaphthalene, and 2-Methylnaphthalene, Draft for Public Comment was released in September 2003. This edition supersedes any previously released draft or final profile.

Toxicological profiles are revised and republished as necessary. For information regarding the update status of previously released profiles, contact ATSDR at:

Agency for Toxic Substances and Disease Registry
Division of Toxicology/Toxicology Information Branch
1600 Clifton Road NE
Mailstop F-32
Atlanta, Georgia 30333

### **FOREWORD**

This toxicological profile is prepared in accordance with guidelines\* developed by the Agency for Toxic Substances and Disease Registry (ATSDR) and the Environmental Protection Agency (EPA). The original guidelines were published in the *Federal Register* on April 17, 1987. Each profile will be revised and republished as necessary.

The ATSDR toxicological profile succinctly characterizes the toxicologic and adverse health effects information for the hazardous substance described therein. Each peer-reviewed profile identifies and reviews the key literature that describes a hazardous substance's toxicologic properties. Other pertinent literature is also presented, but is described in less detail than the key studies. The profile is not intended to be an exhaustive document; however, more comprehensive sources of specialty information are referenced.

The focus of the profiles is on health and toxicologic information; therefore, each toxicological profile begins with a public health statement that describes, in nontechnical language, a substance's relevant toxicological properties. Following the public health statement is information concerning levels of significant human exposure and, where known, significant health effects. The adequacy of information to determine a substance's health effects is described in a health effects summary. Data needs that are of significance to protection of public health are identified by ATSDR and EPA.

Each profile includes the following:

- (A) The examination, summary, and interpretation of available toxicologic information and epidemiologic evaluations on a hazardous substance to ascertain the levels of significant human exposure for the substance and the associated acute, subacute, and chronic health effects;
- (B) A determination of whether adequate information on the health effects of each substance is available or in the process of development to determine levels of exposure that present a significant risk to human health of acute, subacute, and chronic health effects; and
- (C) Where appropriate, identification of toxicologic testing needed to identify the types or levels of exposure that may present significant risk of adverse health effects in humans.

The principal audiences for the toxicological profiles are health professionals at the Federal, State, and local levels; interested private sector organizations and groups; and members of the public.

This profile reflects ATSDR's assessment of all relevant toxicologic testing and information that has been peer-reviewed. Staff of the Centers for Disease Control and Prevention and other Federal scientists have also reviewed the profile. In addition, this profile has been peer-reviewed by a nongovernmental panel and was made available for public review. Final responsibility for the contents and views expressed in this toxicological profile resides with ATSDR.

Julie Louise Gerberding M.D

Agency for Toxic Substances and Disease Registry

#### \*Legislative Background

The toxicological profiles are developed in response to the Superfund Amendments and Reauthorization Act (SARA) of 1986 (Public Law 99-499) which amended the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA or Superfund). This public law directed ATSDR to prepare toxicological profiles for hazardous substances most commonly found at facilities on the CERCLA National Priorities List and that pose the most significant potential threat to human health, as determined by ATSDR and the EPA. The availability of the revised priority list of 275 hazardous substances was announced in the *Federal Register* on November 7, 2003 (68 FR 63098). For prior versions of the list of substances, see *Federal Register* notices dated April 17, 1987 (52 FR 12866); October 20, 1988 (53 FR 41280); October 26, 1989 (54 FR 43619); October 17,1990 (55 FR 42067); October 17, 1991 (56 FR 52166); October 28, 1992 (57 FR 48801); February 28, 1994 (59 FR 9486); April 29, 1996 (61 FR 18744); November 17, 1997 (62 FR 61332); October 21, 1999(64 FR 56792) and October 25, 2001 (66 FR 54014). Section 104(i)(3) of CERCLA, as amended, directs the Administrator of ATSDR to prepare a toxicological profile for each substance on the list.

### QUICK REFERENCE FOR HEALTH CARE PROVIDERS

Toxicological Profiles are a unique compilation of toxicological information on a given hazardous substance. Each profile reflects a comprehensive and extensive evaluation, summary, and interpretation of available toxicologic and epidemiologic information on a substance. Health care providers treating patients potentially exposed to hazardous substances will find the following information helpful for fast answers to often-asked questions.

Primary Chapters/Sections of Interest

- **Chapter 1: Public Health Statement**: The Public Health Statement can be a useful tool for educating patients about possible exposure to a hazardous substance. It explains a substance's relevant toxicologic properties in a nontechnical, question-and-answer format, and it includes a review of the general health effects observed following exposure.
- **Chapter 2: Relevance to Public Health**: The Relevance to Public Health Section evaluates, interprets, and assesses the significance of toxicity data to human health.
- **Chapter 3: Health Effects**: Specific health effects of a given hazardous compound are reported by type of health effect (death, systemic, immunologic, reproductive), by route of exposure, and by length of exposure (acute, intermediate, and chronic). In addition, both human and animal studies are reported in this section.

*NOTE*: Not all health effects reported in this section are necessarily observed in the clinical setting. Please refer to the Public Health Statement to identify general health effects observed following exposure.

**Pediatrics**: Four new sections have been added to each Toxicological Profile to address child health issues:

Section 1.6 How Can (Chemical X) Affect Children?

Section 1.7 How Can Families Reduce the Risk of Exposure to (Chemical X)?

Section 3.7 Children's Susceptibility

Section 6.6 Exposures of Children

## **Other Sections of Interest:**

Section 3.8 Biomarkers of Exposure and Effect Section 3.11 Methods for Reducing Toxic Effects

ATSDR Information Center

**Phone:** 1-888-42-ATSDR or (404) 498-0110 **Fax**: (770) 488-4178

The following additional material can be ordered through the ATSDR Information Center:

Case Studies in Environmental Medicine: Taking an Exposure History—The importance of taking an exposure history and how to conduct one are described, and an example of a thorough exposure history is provided. Other case studies of interest include Reproductive and Developmental

Hazards; Skin Lesions and Environmental Exposures; Cholinesterase-Inhibiting Pesticide Toxicity; and numerous chemical-specific case studies.

Managing Hazardous Materials Incidents is a three-volume set of recommendations for on-scene (prehospital) and hospital medical management of patients exposed during a hazardous materials incident. Volumes I and II are planning guides to assist first responders and hospital emergency department personnel in planning for incidents that involve hazardous materials. Volume III—

Medical Management Guidelines for Acute Chemical Exposures—is a guide for health care professionals treating patients exposed to hazardous materials.

Fact Sheets (ToxFAQs) provide answers to frequently asked questions about toxic substances.

### Other Agencies and Organizations

The National Center for Environmental Health (NCEH) focuses on preventing or controlling disease, injury, and disability related to the interactions between people and their environment outside the workplace. Contact: NCEH, Mailstop F-29, 4770 Buford Highway, NE, Atlanta, GA 30341-3724 • Phone: 770-488-7000 • FAX: 770-488-7015.

The National Institute for Occupational Safety and Health (NIOSH) conducts research on occupational diseases and injuries, responds to requests for assistance by investigating problems of health and safety in the workplace, recommends standards to the Occupational Safety and Health Administration (OSHA) and the Mine Safety and Health Administration (MSHA), and trains professionals in occupational safety and health. Contact: NIOSH, 200 Independence Avenue, SW, Washington, DC 20201 • Phone: 800-356-4674 or NIOSH Technical Information Branch, Robert A. Taft Laboratory, Mailstop C-19, 4676 Columbia Parkway, Cincinnati, OH 45226-1998 • Phone: 800-35-NIOSH.

The National Institute of Environmental Health Sciences (NIEHS) is the principal federal agency for biomedical research on the effects of chemical, physical, and biologic environmental agents on human health and well-being. Contact: NIEHS, PO Box 12233, 104 T.W. Alexander Drive, Research Triangle Park, NC 27709 • Phone: 919-541-3212.

#### Referrals

The Association of Occupational and Environmental Clinics (AOEC) has developed a network of clinics in the United States to provide expertise in occupational and environmental issues. Contact: AOEC, 1010 Vermont Avenue, NW, #513, Washington, DC 20005 • Phone: 202-347-4976 • FAX: 202-347-4950 • e-mail: AOEC@AOEC.ORG • Web Page: http://www.aoec.org/.

The American College of Occupational and Environmental Medicine (ACOEM) is an association of physicians and other health care providers specializing in the field of occupational and environmental medicine. Contact: ACOEM, 25 Northwest Point Boulevard, Suite 700, Elk Grove Village, IL 60007-1030 • Phone: 847-818-1800 • FAX: 847-818-9266.

#### **CONTRIBUTORS**

#### **CHEMICAL MANAGER(S)/AUTHOR(S)**:

Hisham El-Masri, Ph.D. Moiz Mumtaz, Ph.D. G. Daniel Todd, Ph.D. ATSDR, Division of Toxicology, Atlanta, GA

Peter McClure, Ph.D., DABT Brian R. Marable, Ph.D., DABT Syracuse Research Corporation, Syracuse, NY

Mona Singh, Ph.D. Syracuse Research Corporation, Arlington, VA

#### THE PROFILE HAS UNDERGONE THE FOLLOWING ATSDR INTERNAL REVIEWS:

- 1. Health Effects Review. The Health Effects Review Committee examines the health effects chapter of each profile for consistency and accuracy in interpreting health effects and classifying end points.
- 2. Minimal Risk Level Review. The Minimal Risk Level Workgroup considers issues relevant to substance-specific Minimal Risk Levels (MRLs), reviews the health effects database of each profile, and makes recommendations for derivation of MRLs.
- 3. Data Needs Review. The Research Implementation Branch reviews data needs sections to assure consistency across profiles and adherence to instructions in the Guidance.
- 4. Green Border Review. Green Border review assures the consistency with ATSDR policy.

#### PEER REVIEW

A peer review panel was assembled for naphthalene, 1-methylnaphthalene, and 2-methylnaphthalene. The panel consisted of the following members:

- 1. Martin Alexander, Ph.D., Cornell University, Ithaca, New York;
- 2. Susan Borghoff, Ph.D., DABT, CIIT Centers for Health Research, Research Triangle Park, North Carolina: and
- 3. G.A. Shakeel Ansari, Ph.D., The University of Texas Medical Branch, Galveston, Texas.

These experts collectively have knowledge of naphthalene, 1-methylnaphthalene, and 2-methylnaphthalene's physical and chemical properties, toxicokinetics, key health end points, mechanisms of action, human and animal exposure, and quantification of risk to humans. All reviewers were selected in conformity with the conditions for peer review specified in Section 104(I)(13) of the Comprehensive Environmental Response, Compensation, and Liability Act, as amended.

Scientists from the Agency for Toxic Substances and Disease Registry (ATSDR) have reviewed the peer reviewers' comments and determined which comments will be included in the profile. A listing of the peer reviewers' comments not incorporated in the profile, with a brief explanation of the rationale for their exclusion, exists as part of the administrative record for this compound.

The citation of the peer review panel should not be understood to imply its approval of the profile's final content. The responsibility for the content of this profile lies with the ATSDR.

## **CONTENTS**

	MER	
UPDATE	STATEMENT	ii
	ORD	
QUICK R	REFERENCE FOR HEALTH CARE PROVIDERS	vi
CONTRI	BUTORS	ix
PEER RE	VIEW	X
	TTS	
LIST OF	FIGURES	xvi
LIST OF	TABLES	xix
1. PUBL	IC HEALTH STATEMENT	1
1.1	WHAT ARE NAPHTHALENE, 1-METHYLNAPHTHALENE, AND	
	2-METHYLNAPHTHALENE?	1
1.2	WHAT HAPPENS TO NAPHTHALENE, 1-METHYLNAPHTHALENE, AND	
	2-METHYLNAPHTHALENE WHEN THEY ENTER THE ENVIRONMENT?	2
1.3	HOW MIGHT I BE EXPOSED TO NAPHTHALENE, 1-METHYLNAPHTHALENE,	
	AND 2-METHYLNAPHTHALENE?	4
1.4	HOW CAN NAPHTHALENE, 1-METHYLNAPHTHALENE, AND	
	2-METHYLNAPHTHALENE ENTER AND LEAVE MY BODY?	5
1.5	HOW CAN NAPHTHALENE, 1-METHYLNAPHTHALENE, AND	
	2-METHYLNAPHTHALENE AFFECT MY HEALTH?	6
1.6	HOW CAN NAPHTHALENE, 1-METHYLNAPHTHALENE, AND	
	2-METHYLNAPHTHALENE AFFECT CHILDREN?	
1.7	HOW CAN FAMILIES REDUCE THE RISK OF EXPOSURE TO NAPHTHALENE,	
	1-METHYLNAPHTHALENE, AND 2-METHYLNAPHTHALENE?	9
1.8	IS THERE A MEDICAL TEST TO DETERMINE WHETHER I HAVE BEEN	
	EXPOSED TO NAPHTHALENE, 1-METHYLNAPHTHALENE, AND	
	2-METHYLNAPHTHALENE?	9
1.9	WHAT RECOMMENDATIONS HAS THE FEDERAL GOVERNMENT MADE	
	TO PROTECT HUMAN HEALTH?	
1.10	WHERE CAN I GET MORE INFORMATION?	11
0 DELE	ALLANGE TO DAIDA IG ALEAT THE	1.0
	VANCE TO PUBLIC HEALTH	13
2.1	BACKGROUND AND ENVIRONMENTAL EXPOSURES TO NAPHTHALENE,	
	1-METHYLNAPHTHALENE, AND 2-METHYLNAPHTHALENE IN THE	1.0
2.2	UNITED STATES	13
2.2	SUMMARY OF HEALTH EFFECTS	
2.3	MINIMAL RISK LEVELS (MRLs)	21
2 ПЕУІ	TH EFFECTS	25
э. неас 3.1	INTRODUCTION	
3.1	DISCUSSION OF HEALTH EFFECTS BY ROUTE OF EXPOSURE	
3.2.1		
	Inhalation Exposure	
	2.1.2 Systemic Effects	
	2.1.3 Immunological and Lymphoreticular Effects	
ے.∠	. 1) HIIII HUHOIO YICAI AHU LYHIDHOICHCUIAI EHECIS	45

3.2		Neurological Effects	
3.2		Reproductive Effects	
3.2		Developmental Effects	
3.2		Cancer	
3.2.2		Exposure	
		Death	
3.2		Systemic Effects	
		Immunological and Lymphoreticular Effects	
		Neurological Effects	
		Reproductive Effects	
		Developmental Effects	
		Cancer	
3.2.3		al Exposure	
		Death	
		Systemic Effects	
		Immunological and Lymphoreticular Effects	
		Neurological Effects	
		Reproductive Effects	
		Developmental Effects	
		Cancer	
3.3		OXICITY	
3.4		OKINETICS	
3.4.1		rption	
		Inhalation ExposureOral Exposure	
		Dermal Exposure	
3.4.2		ibution	
		Inhalation Exposure	
		Oral Exposure	
		Dermal Exposure	
		Other Routes of Exposure	
3.4.3		bolism	
3.4.4		nation and Excretion	
		Inhalation Exposure	
		Oral Exposure	
		Dermal Exposure	
		Other Routes of Exposure	
3.4.5		ologically Based Pharmacokinetic (PBPK)/Pharmacodynamic (PD) Models	
3.5		ANISMS OF ACTION	
3.5.1	Pharr	nacokinetic Mechanisms	112
3.5.2	Mech	nanisms of Toxicity	114
3.5.3	Anim	nal-to-Human Extrapolations	123
3.6		TIES MEDIATED THROUGH THE NEUROENDOCRINE AXIS	
3.7		REN'S SUSCEPTIBILITY	
3.8	BIOMA	RKERS OF EXPOSURE AND EFFECT	129
3.8.1	Biom	arkers Used to Identify or Quantify Exposure to Naphthalene,	
	1-Me	thylnaphthalene, and 2-Methylnaphthalene	130
3.8.2		arkers Used to Characterize Effects Caused by Naphthalene,	
		thylnaphthalene, and 2-Methylnaphthalene	
3.9		ACTIONS WITH OTHER CHEMICALS	
3.10	POPUL	ATIONS THAT ARE UNUSUALLY SUSCEPTIBLE	133

3.11	METHODS FOR REDUCING TOXIC EFFECTS	
3.11.1	Reducing Peak Absorption Following Exposure	135
3.11.2	Reducing Body Burden	136
3.11.3	Interfering with the Mechanism of Action for Toxic Effects	136
3.12	ADEQUACY OF THE DATABASE	137
3.12.1	Existing Information on Health Effects of Naphthalene, 1-Methylnaphthaler	ne,
	and 2-Methylnaphthalene	137
3.12.2	Identification of Data Needs	
3.12.3	Ongoing Studies	156
4 GIVEN O	GALLAND DAWGOOLA DATODAGATION	1.70
	CAL AND PHYSICAL INFORMATION	
	CHEMICAL IDENTITY	
4.2	PHYSICAL AND CHEMICAL PROPERTIES	159
5 PRODI	ICTION, IMPORT/EXPORT, USE, AND DISPOSAL	163
	PRODUCTION	
	IMPORT/EXPORT	
	USE	
	DISPOSAL	
J. <del>T</del>	DIST OS/1E	107
6. POTEN	TIAL FOR HUMAN EXPOSURE	169
6.1	OVERVIEW	169
6.2	RELEASES TO THE ENVIRONMENT	173
6.2.1	Air	174
6.2.2	Water	177
6.2.3	Soil	178
6.3	ENVIRONMENTAL FATE	
6.3.1	Transport and Partitioning	179
6.3.2	Transformation and Degradation	
6.3.2	<u> </u>	
6.3.2	2.2 Water	181
6.3.2		
	LEVELS MONITORED OR ESTIMATED IN THE ENVIRONMENT	
6.4.1	Air	
6.4.2	Water	
6.4.3	Sediment and Soil	
6.4.4	Other Environmental Media	
	GENERAL POPULATION AND OCCUPATIONAL EXPOSURE	
	EXPOSURES OF CHILDREN	
	POPULATIONS WITH POTENTIALLY HIGH EXPOSURES	
	ADEQUACY OF THE DATABASE	
6.8.1	Identification of Data Needs	
6.8.2	Ongoing Studies	
0.0.2	Ongoing budges	177
7. ANALY	TICAL METHODS	203
7.1	BIOLOGICAL MATERIALS	203
7.2	ENVIRONMENTAL SAMPLES	204
7.3	ADEQUACY OF THE DATABASE	209
7.3.1	Identification of Data Needs	
7.3.2	Ongoing Studies	

8. REGULATIONS AND ADVISORIES	213
9. REFERENCES	219
10. GLOSSARY	285
APPENDICES	
A. ATSDR MINIMAL RISK LEVELS AND WORKSHEETS	A-1
B. USER'S GUIDE	B-1
C. ACRONYMS, ABBREVIATIONS, AND SYMBOLS	C-1
D. INDEX	D-1

## **LIST OF FIGURES**

<i>3</i> -1.	Inhalation	37
3-2.	Levels of Significant Exposure to Naphthalene (Nap) or Methylnaphthalene (1-Mn or 2-Mn)—Oral	61
3-3.	Scheme for Naphthalene Metabolism and Formation of Multiple Reactive Metabolites, That May Be Involved in Naphthalene Toxicity	99
3-4.	Metabolism of 2-Methylnaphthalene	103
3-5.	Conceptual Representation of a Physiologically Based Pharmacokinetic (PBPK) Model for a Hypothetical Chemical Substance	110
3-6.	Existing Information on Health Effects of Naphthalene	138
3-7.	Existing Information on Health Effects of 1-Methylnaphthalene	139
3-8.	Existing Information on Health Effects of 2-Methylnaphthalene	140
6-1.	Frequency of NPL Sites with Naphthalene Contamination	170
6-2.	Frequency of NPL Sites with 1-Methylnaphthalene Contamination	171
6-3.	Frequency of NPL Sites with 2-Methylnaphthalene Contamination	172

## **LIST OF TABLES**

3-1.	Inhalation	30
3-2.	Levels of Significant Exposure to Naphthalene (Nap) or Methylnaphthalene (1-Mn or 2-Mn)—Oral	48
3-3.	Levels of Significant Exposure to Naphthalene (Nap) or Methylnaphthalene (1-Mn or 2-Mn)— Dermal	79
3-4.	Results of Genotoxicity Testing of Naphthalene or Metabolites	86
3-5.	Genotoxicity of 1-Methylnaphthalene and 2-Methylnaphthalene In Vitro	92
4-1.	Chemical Identity of Naphthalene, 1-Methylnaphthalene, and 2-Methylnaphthalene	160
4-2.	Physical and Chemical Properties of Naphthalene, 1-Methylnaphthalene, and 2-Methylnaphthalene	161
5-1.	Facilities that Produce, Process, or Use Naphthalene	164
6-1.	Releases to the Environment from Facilities that Produce, Process, or Use Naphthalene	175
6-2.	Ongoing Studies on the Potential for Human Exposure to Naphthalene	200
7-1.	Analytical Methods for Determining Naphthalene, 1-Methylnaphthalene, and 2-Methylnaphthal in Biological Samples	
7-2.	Analytical Methods for Determining Naphthalene in Environmental Samples	206
7-3.	Analytical Methods for Determining 2-Methylnaphthalene in Environmental Samples	208
8-1.	Regulations and Guidelines Applicable to Naphthalene, 1-Methylnaphthalene, and 2-Methylnaphthalene	215