PENTACHLOROPHENOL 213

9. REFERENCES

ACGIH. 1986a. Documentation of the threshold limit values and biological exposure indices. 5th ed. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.

ACGIH. 1986b. Recommended BEI. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.

*ACGIH. 1991. Threshold limit values and biological exposure indices for 1990-1991. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.

ACGIH. 1998. Documentation of the threshold limit values and biological exposure indices. 6th ed. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.

*ACGIH. 2000. Pentachlorophenol. Threshold limit values for chemical substances and physical agents and biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.

*Adinolfi M. 1985. The development of the human blood-CSF-brain barrier. Dev Med Child Neurol 27:532-537.

*Adlercreutz H. 1995. Phytoestrogens: Epidemiology and a possible role in cancer protection. Environ Health Perspect Suppl 103(7):103-112.

*Ahlborg UG, Larsson K, Thunberg T. 1978. Metabolism of pentachlorophenol *in vivo* and *in vitro*. Arch Toxicol 40:45-53.

*Ahlborg UG, Lindgren JE, Mercier M. 1974. Metabolism of pentachlorophenol. Arch Toxicol 32:271-281.

Ahmad W, Ali MN. 1996. A comprehensive assessment of potential hazards of chlorinated phenoxy compounds (2,4-D, PCP and 2,4,5-T) in catfish (*heteropneustes fossilis*): Chromosomal and molecular genotoxicity. Chem Environ Res 5:267-281.

Ahmed FE, Hattis D, Wolke RE, et al. 1993. Risk assessment and management of chemical contaminants in fishery products consumed in the USA. J Appl Toxicol 13:395-410.

Alabanis TA, Danis TG, Jourgia MG. 1998. Adsorption-desorption studies of selected chlorophenols and herbicides and metal release in soil mixtures with fly ash. Environ Technol 19:25-34.

Allard AS, Neilson AH. 1997. Bioremediation of organic waste sites: A critical review of microbiological aspects. Int Biodeterior Biodegrad 39:253-285.

Alm H, Tiemann U, Torner H. 1996. Influence of organochlorine pesticides on development of mouse embryos *in vitro*. Reprod Toxicol 10:321-326.

_

^{*}Cited in text

PENTACHLOROPHENOL 214 9. REFERENCES

Alm H, Torner H, Tiemann U, et al. 1998. Influence of organochlorine pesticides on maturation and postfertilization development of bovine oocytes *in vitro*. Reprod Toxicol 12:559-563.

*Altman PK, Dittmer DS. 1974. In: Biological handbooks: Biology data book. Vol. III, 2nd ed. Bethesda, MD: Federation of American Societies for Experimental Biology, 1987-2008, 2041.

Amer SM, Ali EM. 1969. Cytological effects of pesticides--IV. Mitotic effects of some phenols. Cytologic 34:533-539.

*Andersen KJ, Leighty EG, Takahashi MT. 1972. Evaluation of herbicides for possible mutagenic properties. J Agric Food Chem 20:649-656.

*Andersen ME, Krishnan K. 1994. Relating in vitro to in vivo exposures with physiologically based tissue dosimetry and tissue response models. In: Salem H, ed. Animal test alternatives: Refinement, reduction, replacement. New York: Marcel Dekker, Inc., 9-25.

*Andersen ME, Clewell HJ 3rd, Gargas ML, et al. 1987. Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. Toxicol Appl Pharmacol 87:185-205.

Anderson RS, Brubacher LL. 1993. Inhibition by pentachlorophenol of production of reactive-oxygen intermediates by medaka phagocytic blood cells. Mar Environ Res 35:125-129.

Anderson SL, Hose JE, Knezovich JP. 1994. Genotoxic and developmental effects in sea urchins are sensitive indicators of effects of genotoxic chemicals. Environ Toxicol Chem 13:1033-1041.

Angelova MB, Genova LK, Pashova SB, et al. 1996. Induction of superoxide dismutase synthesis in humicola lutea 110 by pentachlorophenol. Can J Microbiol 42:1197-1202.

Angerer J, Goen T, Lehnert G. 1993. Internal exposure to predioxins and other organic substances in waste incineration plants. In: Organohalogen compounds. Erlangen: Institute of Occupational and Social Medicine. 163-167.

Angerer J, Goen T, Schaller K, et al. 1996. [Prenatal exposure to polychlorinated biphenyls and hexachlorobenzene- a comparison of the results from 1984/85 and 1994/95.] Umweltmed Forsch Prax 1:78-82. (German)

Angerer J, Heinzow B, Reimann DO, et al. 1992. Waste incineration: Estimation of the workers internal exposure to PCB, PAH chlorophenols and other relevant agents. In: Vo-Dinht, Cammann K, eds. International conference on monitoring of toxic chemicals and biomarkers, Berlin, FRG, June 23-36, 1992. Berlin: SPIE, 418-426.

Anonymous. 1966. Recommendation of occupational exposure limits (1996-1997). J Occup Health 38:134-147.

*Anonymous. 1999. Public health assessment for Camilla Wood Preserving Company, Camilla, Mitchell County, Georgia, region 4. CERCLIS No. GAD008212409. NTIS/PB2000-103266. Govt Reports Announcements & Index (GRA&I), No. 13.

*Ansari GAS, Britt SG, Reynolds ES. 1985. Isolation and characterization of palmitoylpentachlorophenol from human fat. Bull Environ Contam Toxicol 34:661-667.

PENTACHLOROPHENOL 215 9. REFERENCES

Ansari GAS, Kaphalia BS, Boor P J. 1987. Selective pancreatic toxicity of palmitoylpentachlorophenol. Toxicology 46:57-63.

Appel KE. 1994. [On the carcinogenicity of pentachlorophenol.] Bundesgesundheitsgblatt 37:334-341. (German)

Argese E, Bettiol C, Ghelli A, et al. 1995. Submitochondrial particles as toxicity biosensors of chlorophenols. Environ Toxicol Chem 14:363-368.

Argus. 1993a. Developmental toxicity (embryo-fetal toxicity and teratogenic potential) study of pentachlorophenol administered orally via stomach tube to New Zealand rabbits. Horsham, PA: Argus Research Laboratories, Inc. (Unpublished study - see Bernard et al. 2001a)

Argus. 1993b. Developmental toxicity (embryo-fetal toxicity and teratogenic potential) study of pentachlorophenol administered orally via gavage to Crl:CD BR VAF/Plus presumed pregnant rats. Horsham, PA: Argus Research Laboratories, Inc. (Unpublished study - see Bernard et al. 2001b)

Argus. 1997. Oral (gavage) two-generation (one litter per generation) reproduction study of pentachlorophenol in rats. Horsham, PA: Argus Research Laboratories, Inc. (Unpublished study - see Bernard et al. 2001c)

*Armstrong RW, Eichner ER, Klein DE, et al. 1969. Pentachlorophenol poisoning in a nursery for newborn infants: II. Epidemiologic and toxicologic studies. J Pediatr 75:317-325.

Arnold SF, Collins BM, Robinson MK, et al. 1996. Differential interaction of natural and synthetic estrogens with extracellular binding proteins in a yeast estrogen screen. Steroids 61:642-646.

*Arrhenius E, Renberg L, Johansson L. 1977. Subcellular distribution, a factor in risk evaluation of pentachlorophenol. Chem Biol Interact 18:23-34.

*Arsenault RD. 1976. Pentachlorophenol and contained chlorinated dibenzodioxins in the environment: A study of environmental fate, stability, and significance when used in wood preservation. Alexandria, VA: American Wood-Preservers Assoc. 122-147.

ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles; Notice. Agency for Toxic Substances and Disease Registry. Federal Register 54(174):37617-37634.

*ATSDR. 1993a. Public health assessment for Koppers Company/Charleston, Charleston County, South Carolina, region 4. CERCLIS No. SCD980310239. Government Reports Announcements & Index (GRA&I), No. 20.

*ATSDR. 1993b. Public health assessment for Munisport Landfill, North Miami, Dade County, Florida, region 4. CERCLIS No. FLD084535442. Government Reports Announcements & Index (GRA&I) Issue 09.

*ATSDR. 1995. Health assessment for American Creosote Works, Incorporated, (Winnfield Plant), Winnfield, Winn Parish, Louisiana, region 6. CERCLIS No. LAD000239814. Government Reports Announcements & Index (GRA&I) No. 13.

PENTACHLOROPHENOL 216 9. REFERENCES

- *Baader EW, Bauer HJ. 1951. Industrial intoxication due to pentachlorophenol. Ind Med Surg 20:286-290.
- *Baker MD, Mayfield CI, Inniss WE. 1980. Degradation of chlorophenols in soil, sediment and water at low temperature. Water Res 14:1765-1771.
- *Ballhorn L, Rozman T, Rozman K, et al. 1981. Cholestryamine enhances fecal elimination of pentachlorophenol in Rhesus monkeys. Chemosphere 10:877-888.
- Banerji SK, Wei SM, Bajpai RK. 1993. Pentachlorophenol interactions with soil. Water Air Soil Pollut 69:149-163.
- Barbeau C, Deschenes L, Karamanev D, et al. 1997. Bioremediation of pentachlorophenol-contaminated soil by bioaugmentation using activated soil. Appl Microbiol Biotechnol 48:745-752.
- *Barbieri F, Colosio C, Schlitt H, et al. 1995. Urine excretion of pentachlorophenol (PCP) in occupational exposure. Pestic Sci 43:259-262.
- *Bargagna S, Chiovato L, Dinetti D, et al. 1997. Neuropsychological development in a child with early-treated congenital hypothyroidism as compared with her unaffected identical twin. Eur J Endocrinol 136:100-104.
- Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. Regul Toxicol Pharmacol 8:471-486.
- Barry TC. 1967. Toxicity of pentachlorophenol. Can Med Assoc J 96:228.
- Barthel W, Curley A, Thrasher C, et al. 1969. Determination of pentachlorophenol in blood, urine, tissue, and clothing. J Assoc Off Agric Chem 52:294-298.
- Battershill JM, Fielder RJ. 1998. Mouse-specific carcinogens: An assessment of hazard and significance for validation of short-term carcinogenicity bioassays in transgenic mice. Hum Exp Toxicol 17:193-205.
- *Bauchinger M, Dresp J, Schmid E, et al. 1982. Chromosome exchanges in lymphocytes after occupational exposure to pentachlorophenol (PCP). Mutat Res 102:83-88.
- *Beard AP, Rawlings NC. 1998. Reproductive effects in mink (*mustela vison*) exposed to the pesticides lindane, carbofuran and pentachlorophenol in a multigeneration study. J Reprod Fertil 113:95-104.
- *Beard AP, Rawlings NC. 1999. Thyroid function and effects of reproduction in ewes exposed to the organochlorine pesticides lindane or pentachlorophenol (PCP) from conception. J Toxicol Environ Health 58:509-530.
- *Beard AP, Bartlewski PM, Chandolia RK. 1999a. Reproductive and endocrine function in rams exposed to the organochlorine pesticides lindane and pentachlorophenol. J Reprod Fertil 115:303-314.
- *Beard AP, Bartlewski PM, Rawlings NC. 1999b. Endocrine and reproductive function in ewes exposed to the organochlorine pesticides lindane or pentachlorophenol. J Toxicol Environ Health 56:23-46.
- Beard AP, Bartlewski PM, Rawlings NC. 1996. Endocrine and reproductive function in ewes exposed to the organochlorine pesticides lindane or pentachlorophenol (PCP) [Abstract]. J Reprod Fertil 18:23-24.

PENTACHLOROPHENOL 217 9. REFERENCES

- *Beard AP, McRae AC, Rawlings NC. 1997. Reproductive efficiency in mink (*mustela vison*) treated with the pesticides lindane, carbofuran and pentachlorophenol. J Reprod Fertil 111:21-28.
- Beaudet R, McSween G, Lepine F, et al. 1997. Anaerobic biodegradation of pentachlorophenol in a liquor obtained after extraction of contaminated chips and wood powder. J Appl Microbiol 82:186-190.
- *Begley J, Reichert EL, Siesmen AW, et al. 1977. Association between renal function tests and pentachlorophenol exposure. Clin Toxicol 11:97-106.
- Belfroid AC, Sijm DTHM, Van Gestel CAM. 1996. Bioavailability and toxicokinetics of hydrophobic aromatic compounds in benthic and terrestrial invertebrates. Environ Res 4:276-299.
- Berg UT, Nyholm N. 1996. Biodegradability simulation studies in semicontinuous activated sludge reactors with low (μ g/L range) and standard (ppm range) chemical concentrations. Chemosphere 33:711-735.
- *Berger GS. 1994. Epidemiology of endometriosis. In: Modern surgical management of endometriosis. New York, NY: Springer-Verlag.
- *Bergner H, Constantinidis P, Martin JH. 1965. Industrial pentachlorophenol poisoning in Winnipeg. Can Med Assoc J 92:448-451.
- *Bernard BK, Ranpuria AK, Hoberman AM. 2001a. Developmental toxicity (embryo-fetal toxicity and teratogenic potential) study of pentachlorophenol in the rabbit. (Submitted for publication in the International Journal of Toxicology see Argus 1993a)
- *Bernard BK, Ranpuria AK, Hoberman AM. 2001b. Developmental toxicity (embryo-fetal toxicity and teratogenic potential) study of pentachlorophenol in the rats. (Submitted for publication in the International Journal of Toxicology see Argus 1993b)
- *Bernard BK, Ranpuria AK, Hoberman AM, et al. 2001c. Oral (gavage) two-generation (one litter per generation) reproduction study of pentachlorophenol in rats. (Submitted for publication in the International Journal of Toxicology see Argus 1997)
- Besombes JL, Cosnier S, Labe P, et al. 1995. Determination of phenol and chlorinated phenolic compounds based on a PPO-bioelectrode and its inhibition. Anal Lett 28:405-424.
- Bevenue A. 1972. Organochlorine pesticides in rainwater, Ohau, Hawaii 1971-1972. Bull Environ Contam Toxicol 8:238-241.
- *Bevenue A, Beckman H. 1967. Pentachlorophenol: A discussion of its properties and its occurrence as a residue in human and animal tissues. Residue Rev 19:83-134.
- *Bevenue A, Emerson ML, Casarett LJ, et al. 1968. A sensitive gas chromatographic method for the determination of pentachlorophenol in human blood. J Chromatogr 38:467-472.
- *Bevenue A, Wilson J, Casarett LJ, et al. 1967. A survey of pentachlorophenol content in human urine. Bull Environ Contam Toxicol 2:319-332.
- Bhattacharya SK, Yuan Q, Jin PL. 1996. Removal of pentachlorophenol from wastewater by combined anaerobic-aerobic treatment. J Hazard Mater 49:143-154.

PENTACHLOROPHENOL 218 9. REFERENCES

- Bidstrup PL, Gauvain S, Spalding JMK, et al. 1969. Toxic chemicals and peripheral neuropathy. Proc R Soc Med 62:208-210.
- Bierkens J, Maes J, Plaetse FV. 1998. Dose-dependent induction of heat shock protein 70 synthesis in *raphidocelis subcapitata* following exposure to different classes of environmental pollutants. Environ Pollut 101:91-97.
- *Birrell J, Frost GJ, Parkin JM. 1983. The development of children with congenital hypothyroidism. Dev Med Child Neurol 25:512-519.
- Blair DM. 1961. Dangers in using and handling sodium pentachlorophenate as a molluscicide. Bull World Health Organ 25:597-601.
- *Blankenship A, Chang DPY, Jones AD, et al. 1994. Toxic combustion by-products form the incineration of chlorinated hydrocarbons and plastics. Chemosphere 28:183-196.
- *Blakley BR, Yole MJ, Brousseau P, et al. 1998. Effect of pentachlorophenol on immune function. Toxicology 125:141-148.
- *BNA. 2001. Environment and safety: States and territories. Bureau of National Affairs. <u>Http://www.bna.com/</u>. February 13, 2001.
- *Borzelleca JF, Hayes JR, Condi LW, et al. 1985. Acute toxicity of monochlorophenols, dichlorophenols and pentachlorophenol in the mouse. Toxicol Lett 29:39-42.
- *Boutwell RK, Bosch DK. 1959. The tumor-promoting action of phenol and related compounds for mouse skin. Cancer Res 19:413-424.
- Bowes RC, Ramos KS. 1994. Assessment of cell-specific cytotoxic responses of the kidney to selected aromatic hydrocarbons. Toxicol in Vitro 8:1151-1160.
- *Boylan J, Egle J, Guzelian R. 1977. Cholestyramine: Use as a new therapeutic approach for chlordecone (Kepone) poisoning. Science 199:893-895.
- *Boyle TP, Robinson-Wilson EF, Petty JD, et al. 1980. Degradation of pentachlorophenol in simulated lentic environment. Bull Environ Contam Toxicol 24:177-184.
- *Braun WH, Sauerhoff MW. 1976. The pharmacokinetic profile of pentachlorophenol in monkeys. Toxicol Appl Pharmacol 38:525-533.
- *Braun WH, Blau GE, Chenoweth MB. 1979. The metabolism/pharmacokinetics of pentachlorophenol in man, and a comparison with the rat and monkey. In: Deichmann WE, ed. Toxicology and occupational medicine. New York, NY: Elsevier, 289-296.
- *Braun WH, Young JD, Blau GE, et al. 1977. The pharmacokinetics and metabolism of pentachlorophenol in rats. Toxicol Appl Pharmacol 41:395-406.
- Brisset JL. 1998. Removal of pentachlorophenol from water by AC corona discharge treatment in air. J Trace Microprobe Tech 16:363-370.

PENTACHLOROPHENOL 219 9. REFERENCES

Brouwer A, Morse DC, Lans MC, et al. 1998. Interactions of persistent environmental organohalogens with the thyroid hormone system: Mechanisms and possible consequences for animal and human health. Toxicol Ind Health 14:59-84.

Bryant DE, Schultz TW. 1994. Toxicological assessment of biotransformation products of pentachlorophenol: Tetrahymena population growth impairment. Arch Environ Contam Toxicol 26:299-303.

*Bryant FO, Hale DD, Rogers JE. 1991. Region specific dechlorination of pentachlorophenol by dichlorophenol-adapted microorganisms in freshwater, anaerobic sediment slurries. Appl Environ Microbiol 57:2293-2301.

Buckley TJ, Liddle J, Ashley DL, et al. 1997. Environmental and biomarker measurements in nine homes in the lower Rio Grande valley: Multimedia results for pesticides, metals, PAHs, and VOCs. Environ Int 23:705-732.

*Budavari S, O'Neil MJ, Smith A, et al. 1989. The Merck index: An encyclopedia of chemicals, drugs, and biologicals. 11th ed. Rahway, NJ: Merck and Co., Inc., 1126.

*Buhler DR, Rasmussen ME, Nakane HS. 1973. Occurrence of hexachlorophene and pentachlorophenol in sewage and water. Environ Sci Technol 7:929-934.

*Buisson RSK, Kirk PWW, Lester JN. 1984. Determination of chlorinated phenols in water, wastewater, and wastewater sludge by capillary GC/ECD. J Chromatogr Sci 22:339-342.

*Bunce NJ, Nakai JS. 1989. Atmospheric chemistry of chlorinated phenols. J Air Pollut Control Assoc 39:820-823.

Burton BT. 1993. Hazardous materials. In: Kravis TC, Warner CG, Jacobs LMJ, eds. Emergency medicine. New York, NY: Raven Press, Ltd, 747-759.

*Buselmaier W, Rohrborn G, Propping P. 1973. Comparative investigations on the mutagenicity of pesticides in mammalian test systems. Mutat Res 21:25-26.

*Butler ECV, Dal Pont G. 1992. Liquid chromatography-electrochemistry procedure for the determination of chlorophenolic compounds in pulp mill effluents and receiving waters. J Chromatogr 609:113-123.

Butte W. 1985. Pentachlorophenol concentrations in serum and urine of persons that have used wood preserving agents. J Clin Chem Clin Biochem 23:599.

Carr RS, Thomas P, Neff JM. 1982. A simple spectrophotometric technique for the determination of pentachlorophenol in water. Bull Environ Contam Toxicol 28:477-479.

Carstens CP, Blum JK, Witte I. 1990. The role of hydroxyl radicals in tetrachlorohydroquinone induced DNA strand break formation in PM2 DNA and human fibroblasts. Chem Biol Interact 74:305-314.

*Casarett LJ, Benevue WL, Yauger WL, et al. 1969. Observations on pentachlorophenol in human blood and urine. Am Ind Hyg Assoc J 30:360-366.

PENTACHLOROPHENOL 220 9. REFERENCES

CDC. 1996. Pentachlorophenol poisoning in newborn infants- St. Louis, Missouri, April-August 1967. MMWR Morb Mortal Wkly Rep 45:545-551.

*CDC. 1999a. Hawaii. Center for Disease Control & Prevention. <u>Http://search.cdc.gov/shd/search2.html</u>. May 25, 1999.

*CDC. 1999b. Kansas. Center for Disease Control & Prevention. <u>Http://search.cdc.gov/shd/search2.html</u>. May 25, 1999.

*CELDS. 1992. Computer-Environmental Legislative Data Systems. Urbana, IL: University of Illinois, March 1992.

Cerda F, Godoy F, Garcia A, et al. 1997. Effects of pentachlorophenol upon the expression of outer membrane proteins, and role of exopolysaccharide and lipopolysaccharide in the tolerance of *pseudomonas fluorescens* to this compound. Microbios 90:79-85.

*Cessna AJ, Waite DT, Constable M. 1997. Concentrations of pentachlorophenol in atmospheric samples from three Canadian locations, 1994. Bull Environ Contam Toxicol 58:651-658.

*Chadwick RW, George SE, Chang J, et al. 1993. Effects of age, species difference, antibiotics and toxicants on intestinal enzyme activity and genotoxicity. Environ Toxicol Chem 12:1339-1352.

*Chang NI, Choi J. 1974. Studies on the adsorption of pentachlorophenol (PCP) in soil. Hanguk Touang Bilyo Hakkhoe Chi 7:197-20.

Chapman JB. 1970. Poisoning with PCP. Br Med J 2:480.

*Chapman JB, Robson P. 1965. Pentachlorophenol poisoning from bath water. Lancet 1:1266-1267.

*Cheng WN, Coenraads PJ, Hao ZH, et al. 1993. A health survey of workers in the pentachlorophenol section of a chemical manufacturing plant. Am J Ind Med 24:81-92.

*Chhabra RS, Maronpot RM, Bucher JR, et al. 1999. Toxicology and carcinogenesis studies of pentachlorophenol in rats. Toxicol Sci 48:14-20.

*Choi J, Aomine S. 1974. Adsorption of pentachlorophenol by soils. Soil Sci Plant Nutr 20:135-144.

*Chou PP, Bailey JL. 1986. Liquid chromatographic determination of urinary pentachlorophenol. Clin Chem 32:1026-1028.

*Christodoulatos C, Korfiatis GP, Talimcioglu NM, et al. 1994. Adsorption of pentachlorophenol by natural soils. J Environ Sci Health A29:883-898.

Chu JP, Kirsch EJ. 1972. Metabolism of pentachlorophenol by an axenic bacterial culture. Appl Microbiol 23:1033-1035.

*Cirelli DP. 1978a. Patterns of pentachlorophenol usage in the United States of America—an overview. In: Rao KR, ed. Pentachlorophenol, chemistry, pharmacology, and environmental toxicology. New York, NY: Plenum Press, 13-18.

PENTACHLOROPHENOL 221 9. REFERENCES

Cirelli DP. 1978b. Pentachlorophenol: Position document 1. U.S. Environmental Protection Agency. Federal Register 40:48446-48477.

Clausen CA. 1996. Bacterial associations with decaying wood: A review. Int Biodeterior Biodegrad 101-107.

*Clewell HJ III, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. Toxicol Ind Health 1:111-131.

*Cline RE, Hill RH Jr, Phillips DL, et al. 1989. Pentachlorophenol measurements in body fluids of people in log homes and workplaces. Arch Environ Contam Toxicol 18:475-481.

*CMR. 1987. Biocide ranks thin as costs multiply. Chemical Marketing Reporter. New York, NY: Schnell Publishing Company.

*Coad S, Newhook RC. 1992. PCP exposure for the Canadian general population: A multimedia analysis. J Exp Anal Environ Epidemiol 2:391-413.

Coenraads PJ, Brouwer A, Olie K, et al. 1994. Chloracne: Some recent issues. Dermatol Clin 12:569-576.

*Colosio C, Barberi F, Bersani M, et al. 1993a. Markers of occupational exposure to pentachlorophenol. Bull Environ Contam Toxicol 51:820-826.

*Colosio C, Maroni M, Barcellini W, et al. 1993b. Toxicological and immune findings in workers exposed to pentachlorophenol (PCP). Arch Environ Health 48:81-88.

Comstock EG. 1974. Urinary excretion of pentachlorophenol in an occupationally exposed population. Clin Tox 7:208.

Copeland TL, Raustenbach DJ, Harris MA, et al. 1993. Comparing the results of a Monte Carlo analysis with EPA's reasonable maximum exposed individual (RMEI): A case study of a former wood treatment site. Regul Toxicol Pharmacol 18:275-312.

Cornwall R, Toomey BH, Bard S, et al. 1995. Characterization of multixenobiotic/multidrug transport in the gills of the mussel m*ytilus californianus* and identification of environmental substrates. Aquat Toxicol 31:277-296.

*Courtney KD, Copeland MF, Robbins A. 1976. The effects of pentachloronitrobenzene, hexachlorobenzene, and related compounds on fetal development. Toxicol Appl Pharmacol 35:239-256.

*Cranmer M, Freal J. 1970. Gas chromatographic analysis of pentachlorophenol in human urine by formation of alkyl ethers. Life Sci 9:121-128.

*Cretney MJ. 1976. Pentachlorophenol death. Bull TIAFT 12:10.

*CRISP. 1992. Computer Retrieval of Information on Scientific Projects. National Library of Medicine. Medlars Toxline File.

*Crosby DG. 1981. Environmental chemistry of pentachlorophenol: A special report on pentachlorophenol in the environment. Pure Appl Chem 53:1051-1080.

PENTACHLOROPHENOL 222 9. REFERENCES

*Crosby DG, Hamadad N. 1971. The photoreduction of pentachlorobenzenes. Food Chem 19:1171-1174.

Crosby DG, Wong AS. 1976. Photochemical generation of chlorinated dioxins. Chemosphere 5:327-332.

Cserjesi J. 1967. The adaptation of fungi to pentachlorophenol and its biodegradation. Can J Microbiol 13:1234-1249.

Cserjesi AJ, Johnson EL. 1972. Methylation of pentachlorophenol by *trichoderma virgatum*. Can J Microbiol 18:45-49.

*Cuiu C, Halman R, Li K, et al. 1986. Analytical procedures to assay environmental samples for PCDD/PCDF, PAH, PCB, chlorobenzenes (CB), and chlorophenols. Chemosphere 15:1091-1098.

*Dahlhaus M, Almstadt E, Appel KE. 1994. The pentachlorophenol metabolite tetrachloro-phydroquinone induces the formation of 8-hydroxy-2-deoxyguanosine in liver DNA of male B6C3F1 mice. Toxicol Lett 74:265-274.

*Dahlhaus M, Almstadt E, Henschke P, et al. 1996. Oxidative DNA lesions in V79 cells mediated by pentachlorophenol metabolites. Arch Toxicol 70:457-460.

Daimon H, Sawada S, Asakura S, et al. 1997/1998. Inhibition of sulfotransferase affecting in vivo genotoxicity and DNA adducts induced by safrole in rat liver. Teratog Carcinog Mutagen 17:327-337.

*Daniel V, Huber W, Bauer K, et al. 1995. Impaired in-vitro lymphocyte responses in patients with elevated pentachlorophenol (PCP) blood levels. Arch Environ Health 50:287-292.

*Daniels CR, Swan EP. 1979. Determination of chlorinated phenols in surface-related lumber by HPLC. J Chromatogr Sci 17:628-630.

*Davis A, Campbell J, Gilbert C, et al. 1994. Attenuation and biodegradation of chlorophenols in ground water at a former wood treating facility. Ground Water 32:248-257.

Deichmann W, Keplinger ML. 1981. Patty's industrial hygiene and toxicology. 3rd ed. Toxicology 2A:2610.

*Deichmann W, Machle W, Kitzmiller KV, et al. 1942. Acute and chronic effects of pentachlorophenol and sodium pentachlorophenate upon experimental animals. J Pharmacol Exp Ther 76:104-117.

De Maeyer J, Schepens PJC, Jorens PG, et al. 1995. Exposure to pentachlorophenol as a possible cause of miscarriages. Br J Obstet Gynaecol 102:1010-1011.

*den Besten C, Vet JJRM, Besselink HT, et al. 1991. The liver, kidney, and thyroid toxicity of chlorinated benzenes. Toxicol Appl Pharmacol 111:69-81.

*den Besten C, Bennik MHJ, Bruggeman I, et al. 1993. The role of oxidative metabolism in hexachlorobenzene-induced porphyria and thyroid hormone homeostatsis: A comparison with pentachlorobenzene in a 13-week feeding study. Toxicol Appl Pharmacol 119:181-194.

PENTACHLOROPHENOL 223 9. REFERENCES

- Derner M, Gerhard I, Monga B, et al. 1995. [Immunological, endocrine and chemical changes in women with hormonal disorders due to exposure to pentachlorophenol and lindane.] Zentralbl Arbeitsmed Arbeitsschutz Prophyl 45:312-328. (German)
- *de Ruiter C, Brinkman J-HW, Frei RW, et al. 1990. Liquid chromatographic determination of pentachlorophenol in serum, using pre-column phase-transfer catalyzed dansylation and post-column photolysis and fluorescence detection. Analyst 115:1033-1036.
- *Detrick RS. 1977. Pentachlorophenol, possible sources of human exposure. Forest Proc J 27:13-16.
- Dich J, Zahm SH, Hanberg A, et al. 1997. Pesticides and cancer. Cancer Causes Control 8:420-443.
- *Dimich-Ward H, Hertzman C, Teschke K, et al. 1996. Reproductive effects of paternal exposure to chlorophenate wood preservatives in the sawmill industry. Scand J Work Environ Health 22:267-273.
- Dolan DG. 1995. A cohort study of the effects of pentachlorophenol on male reproductive function. Doctor of Philosophy Thesis, University of Illinois at Chicago.
- *Donaldson S, Miller G. 1997. Transport and photolysis of pentachlorophenol in soils subject to evaporating water. J Environ Qual 26:402-409.
- *Donnelly KC, Claxton LD, Huebner HJ, et al. 1998. Mutagenic interactions of model chemical mixtures. Chemosphere 37:1253-1261.
- *DOT. 2001a. Hazardous materials tables and hazardous materials communications regulations. U.S. Department of Transportation. Code of Federal Regulations. 49 CFR 172.101. Http://www.dot.gov/safety.html. April 04, 2001.
- *DOT. 2001b. List of marine pollutants. U.S. Department of Transportation. Code of Federal Regulations. 49 CFR 172.101, Appendix B. http://www.dot.gov/safety.html. April 04, 2001.
- *DOT. 2001c. Use of tank cars. List of hazardous substances. U.S. Department of Transportation. Code of Federal Regulations. 49 CFR 173.31 (f)(2). http://www.dot.gov/safety.html. April 04, 2001.
- *Dougherty RC. 1978. Human exposure to pentachlorophenol. In: Rao KR, ed. Pentachlorophenol, chemistry, pharmacology, and environmental toxicology. New York, NY: Plenum Press, 351-361.
- *Dougherty RC, Piotrowska K. 1976. Screening by negative chemical ionization mass spectrometry for environmental contamination with toxic residues: Application to human urine. Proc Natl Acad Sci USA 73:1777-1781.
- *Dreisbach RH. 1980. Handbook of poisonings: Prevention, diagnosis, and treatment. 10th ed. Los Altos, CA: Lange Medical Publications, 364.
- *Drummond I, Van Roosmalen PB, Kornicki M. 1982. Determination of total pentachlorophenol in the urine of workers. Int Arch Occup Environ Health 50:321-327.
- *Dubois M, Plaisance H, Thome JP, et al. 1996. Hierarchical cluster analysis of environmental pollutants through P450 induction in cultured hepatic cells. Ecotoxicol Environ Saf 34:205-215.
- Duncan CG, Deverall FJ. 1964. Degradation of wood preservatives by fungi. Appl Microbiol 12:57-62.

PENTACHLOROPHENOL 224 9. REFERENCES

- *Dust JV, Thompson WS. 1972. Pollution control in the wood preserving industry: Part 3. Chemical and physical methods of treating wastewater. Forest Prod J 22:25-30.
- *Duxbury CL, Thompson JE. 1987. Pentachlorophenol alters the molecular organization of membranes in mammalian cells. Arch Environ Contam Toxicol 16:367-373.
- *Edgehill RV, Finn RK. 1983. Microbial treatment of soil to remove pentachlorophenol. Appl Environ Microbiol 45:1122-1125.
- Edgerton TR. 1981. Storage stability of chlorinated phenols in urine. J Agric Food Chem 29:415-416.
- *Edgerton TR, Moseman RF. 1979. Determination of pentachlorophenol in urine: The importance of hydrolysis. J Agric Food Chem 27:197-199.
- *Edgerton TR, Moseman RF, Linder RE, et al. 1979. Multi-residue method for the determination of chlorinated phenol metabolites in urine. J Chromatogr 170:331-342.
- *Ehrlich W. 1990. The effect of pentachlorophenol and its metabolite tetrachlorohydroquinone on cell growth and the induction of DNA damage in Chinese hamster ovary cells. Mutat Res 244:299-302.
- *Ellinger C, Seffner W, Schiller F. 1991. Investigations on the sensitivity of several biochemical and histological methods after liver intoxication induced by pentachlorophenol and carbon tetrachloride. Arch Toxicol Suppl 14:63-67.
- *EMMI. 1997. Environmental Monitoring Methods Index, Ver 1.1 Environ Dynamics, Inc. McLean, VA.
- Enarson DA, Chan-Yeung M, Embree V, et al. 1986. Occupational exposure to chlorophenates. Scand J Work Environ Health 12:144-148.
- *Engelhardt G, Wallnofer PR, Mucke W, et al. 1986. Transformations of pentachlorophenol. Toxicol Environ Chem 11:233-252.
- EPA. 1975. Identification of organic compounds in effluents from industrial sources. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances. EPA 560/3-75-002.
- *EPA. 1978a. National organic monitoring survey. Washington, DC: U.S. Environmental Protection Agency.
- EPA. 1978b. Designation of hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 116.4.
- EPA. 1978c. Designation of hazardous substances. U.S. Environmental Protection Agency. Federal Register 43(49):10474-10488.
- EPA. 1978d. Notice of rebuttable presumption against registration and continued registration of pesticide products containing pentachlorophenol. Position document 1. U.S. Environmental Protection Agency. Federal Register 43:48443-48477.
- EPA. 1978e. Wood preservative pesticides, initiation of schedule for review and notices. U.S. Environmental Protection Agency. Federal Register 43:48446-48447.

PENTACHLOROPHENOL 225 9. REFERENCES

- *EPA. 1979a. Criteria and standards for the national pollutant discharge elimination system. U.S. Environmental Protection Agency. Federal Register 44:32948-32956. 40 CFR 125.
- *EPA. 1979b. STORET data base. Washington, DC: U.S. Environmental Protection Agency.
- EPA. 1979c. Toxic pollutants. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 401.15.
- EPA. 1979d. Toxic pollutants. U.S. Environmental Protection Agency. Federal Register 44(147):44502-44503.
- *EPA 1979e. Water-related environmental fate of 129 priority pollutants. Vol. 2. Washington, DC: U.S. Environmental Protection Agency, Office of Water and Waste Management. EPA 440/4-79-029B.
- *EPA. 1980a. Identification and listing of hazardous waste, discarded commercial chemical products, off-specification species, container residues, and spill residues thereof. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.33(f).
- *EPA. 1980b. Manual of analytical methods for the analysis of pesticides in humans and environmental samples section 5.4.a. Research Triangle Park, NC: U.S. Environmental Protection Agency, Health Effects Research Laboratory, Environmental Toxicology Division. EPA 600/8-80-038.
- *EPA. 1980c. Hazardous waste management system: Identification and listing of hazardous waste. Appendix VIII. Hazardous constituents. U.S. Environmental Protection Agency. Federal Register 45:33133. 40 CFR 261.33(f).
- EPA. 1980d. Ambient water quality criteria for pentachlorophenol. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Criteria and Assessment Office. NTIS PB 81-117764. EPA 400/4-80-065.
- EPA. 1980e. Guidelines and methodology used in the preparation of health effect assessment chapters of the consent decree water criteria documents. U.S. Environmental Protection Agency. Federal Register 45:79347-79357.
- *EPA. 1980f. Exposure and risk assessment for pentachlorophenol. Washington, DC: U.S. Environmental Protection Agency. NTIS PB85-211944. EPA 440/4-81-021.
- *EPA. 1980g. Timber products. U.S. Environmental Protection Agency. Federal Register 45:62810-62846.
- EPA. 1981a. Hazardous wastes from non-specific sources. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.31/261.32.
- EPA. 1981b. Hazardous wastes from non-specific sources. U.S. Environmental Protection Agency. Federal Register 46(11):4615-4620.
- EPA. 1982. Wood preservative pesticides creosote, pentachlorophenol and the inorganic arsenicals (wood uses). Position document 2/3. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticides and Toxic Substances. EPA 540/9-82-004.

PENTACHLOROPHENOL 226 9. REFERENCES

- EPA. 1983. EPA administered permit programs: The national pollutant discharge elimination system: General permits. U.S. Environmental Protection Agency. Federal Register 49:14153-14178. 40 CFR 122.28.
- *EPA. 1984a. Notice of intent to cancel registration of pesticide products containing creosote, pentachlorophenol (including its salts), and the inorganic arsenical. 49 CAR 28666. July 13, 1984.
- *EPA. 1984b. Wood preservative pesticides: Creosote, pentachlorophenol, inorganic arsenicals. Position document 4. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticides and Toxic Substances.
- EPA. 1985. Designation, reportable quantities, and notification: Designation of hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4.
- *EPA. 1986a. Water pollution: General pretreatment regulations for existing and new sources; Final rule. U.S. Environmental Protection Agency. Federal Register 51:20429.
- EPA. 1986b. Test methods for evaluating solid waste: Volume II: Field manual physical/chemical methods. Vol. 2, 3rd ed. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response.
- *EPA. 1986c. Ambient water quality criteria for pentachlorophenol. Washington, DC: U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Criteria and Standards Division. EPA 440/5-86-009.
- EPA. 1987a. Emergency planning and notification: The list of extremely hazardous substances and their threshold planning quantities. U.S. Environmental Protection Agency. Federal Register 52:13395-13410.
- EPA. 1987b. Emergency planning and notification: The list of extremely hazardous substances and their threshold planning quantities. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 355.
- EPA. 1987c. List (phase 1) of hazardous constituents for ground-water monitoring. U.S. Environmental Protection Agency. Federal Register 52(131):25942-25953.
- EPA. 1987d. Final determination and intent to cancel and deny applications for registrations of pesticide products containing pentachlorophenol (including but not limited to its salts and esters) for non-wood uses. U.S. Environmental Protection Agency. Federal Register 52:2282-2293.
- *EPA. 1987e. Pentachlorophenol: Health advisory. Washington, DC: U.S. Environmental Protection Agency, Office of Drinking Water.
- EPA. 1987f. Maximum concentration of constituents for ground-water protection. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 264.94.
- EPA. 1988a. Hazardous waste management system: Identification and listing of hazardous waste. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.
- EPA. 1988b. Hazardous waste management system: Identification and listing of hazardous waste. U.S. Environmental Protection Agency. Federal Register 53(78):13382-13393.

PENTACHLOROPHENOL 227 9. REFERENCES

EPA. 1988c. Contract Laboratory Program Statistical Database (CLPD). U.S. Environmental Protection Agency.

EPA. 1988d. Toxic chemical release reporting: Community right-to-know. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.

EPA. 1988e. Toxic chemical release reporting: Community right-to-know. U.S. Environmental Protection Agency. Federal Register 53(30):4500-4554.

EPA. 1988f. General pretreatment regulations for existing and new sources of pollution. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 403 Appendix B.

EPA. 1988g. General pretreatment regulations for existing and new sources of pollution. U.S. Environmental Protection Agency. Federal Register 53(200):40610-40616.

EPA. 1989a. List of hazardous substances and reportable quantities. U.S. Environmental Protection Agency. Federal Register 54(155):33426-33484.

*EPA. 1989b. Recognition and management of pesticide poisonings. 4th ed. Washington, DC: U.S. Environmental Protection Agency. EPA-540/9-88-001.

EPA. 1990a. Interim methods for development of inhalation reference concentrations. Research Triangle Park, NC: U.S. Environmental Protection Agency. EPA/600/8-90/066A.

EPA. 1990b. Toxicity characteristics. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.24.

EPA. 1990c. Toxicity characteristics. U.S. Environmental Protection Agency. Federal Regulations 55(61):11863.

*EPA. 1991. Land disposal restrictions. U.S. Environmental Protection Agency. Federal Register 55(21):3864-3928.

*EPA. 1992. Land disposal restrictions. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.

EPA. 1996. Drinking Water Regulations and Health Advisories. Washington DC: U.S. Environmental Protection Agency, Office of Water. EPA 822-B-96-002.

*EPA. 1997. Special report on environmental endocrine disruption: An effects assessment and analysis. Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. EPA/630/R-96/012.

EPA. 1998a. U. S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.61.

EPA. 1998b. U. S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.50.

EPA. 1998c. U. S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.32.

EPA. 1998d. U. S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4.

EPA. 1998e. U. S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 116.4.

PENTACHLOROPHENOL 228 9. REFERENCES

- EPA. 1998f. U. S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 401.15.
- EPA. 1998g. Rainbow Report. Washington, DC: U. S. Environmental Protection Agency, Office of Pesticide Programs. EPA-738/R-98-002.
- *EPA. 1998h. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4.
- *EPA. 1999a. National Recommended Water Quality Criteria- Correction. U.S. Environmental Protection Agency, Office of Water. EPA822-Z-99-001.
- *EPA. 1999b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.61.
- *EPA. 1999c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.65.
- *EPA. 2000a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.50.
- *EPA. 2000b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.32.
- *EPA. 2000c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 401.15.
- *EPA. 2000d. Drinking Water Standards and Health Advisories. U.S. Environmental Protection Agency, Office of Water. EPA-822-B-00-001.
- *EPA. 2000e. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 116.4
- *EPA. 2000f. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.24.
- *EPA. 2001a. Effluent guidelines and standards. Toxic pollutants. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 401.15. http://ecfrback.access.gpo.gov/otcg...=BSECCT&SUBSET=SUBSET&FROM=1&ITEM=1. April 04, 2001.
- *EPA. 2001b. General pretreatment regulations for existing and new sources of pollution. Pollutants eligible for a removal credit. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 403, Appendix G. http://ecfrback.access.gpo.gov/otcgi/cfr/otfilter.... April 04, 2001.
- *EPA. 2001c. Hazardous waste. Health based limits for exclusion of waste-derived-residue. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 266, Appendix VII. http://ecfrback.access.gpo.gov/otcgi/cf...=BAPPCT&SUBSET=SUBSET&FROM=1&ITEM=1. April 04, 2001.
- *EPA. 2001d. Health and environmental protection standards for uranium and thorium mill tailings. Listed constituents. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 192, Appendix I.
- Http://ecfrback.access.gpo.gov/otcgi/cf...=BAPPCT&SUBSET=SUBSET&FROM=1&ITEM=1. April 04, 2001.
- *EPA. 2001e. Identification and listing of hazardous waste. Hazardous constituent. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261, Appendix VIII. Http://ecfrback.access.gpo.gov/otcgi/cfr/otfilter.... April 06, 2001.

PENTACHLOROPHENOL 229 9. REFERENCES

- *EPA. 2001f. Identification and listing of hazardous waste. Comparable/Singes fuel exclusion. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.38. Http://ecfrback.access.gpo.gov/otcgi/cfr/otfilter.... April 06, 2001.
- *EPA. 2001g. Identification and listing of hazardous waste. Toxicity characteristics. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.24. http://ecfrback.access.gpo.gov/otcg...=BSECCT&SUBSET=SUBSET&FROM=1&ITEM=1. April 06, 2001.
- *EPA. 2001h. National primary drinking water regulations. Maximum contaminant levels for organic contaminants. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.61. http://ecfrback.access.gpo.gov/otcg...=BSECCT&SUBSET=SUBSET&FROM=1&ITEM=1. April 06, 2001.
- *EPA. 2001i. National primary drinking water regulations. Maximum contaminant level goals for organic contaminants. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.50. http://ecfrback.access.gpo.gov/otcg...=BSECCT&SUBSET=SUBSET&FROM=1&ITEM=1. April 06, 2001.
- *EPA. 2001j. National primary drinking water regulations. Public notification. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.32. <u>Http://ecfrback.access.gpo.gov/otcg...=BSECCT&SUBSET=SUBSET&FROM=1&ITEM=1</u>. April 06, 2001.
- *EPA. 2001k. Reference air concentrations. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 266, Appendix IV. http://ecfrback.access.gpo.gov/otcgi...=BAPPCT&SUBSET=SUBSET&FROM=1&ITEM=1. April 04, 2001.
- *EPA. 20011. Standards for owners and operators of hazardous waste treatment, storage, and disposal facilities. Groundwater monitoring list. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 264, Appendix IX. http://ecfrback.access.gpo.gov/otcgi/cfr/otfilter.... April 04, 2001.
- *EPA. 2001m. Superfund. Designation of hazardous substance. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4. http://ecfrback.access.gpo.gov/otcgi/cfr/otfil.... April 04, 2001.
- *EPA. 2001n. Toxic chemical release reporting: Community right-to-know. Chemicals and chemical categories to which this part applies. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.65. http://ecfrback.access.gpo.gov/otcgi...=BSECCT&SUBSET=SUBSET&FROM=1&ITEM=1. April 06, 2001.
- *EPA. 2001o. Toxic criteria for those states not complying with Clean Water Act section 303(c)(2)(B). U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 131.36. http://ecfrback.access.gpo.gov/otcgi/cfr/otfil.... April 06, 2001.
- *EPA. 2001p. Water programs. Designation of hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 116.4. http://ecfrback.access.gpo.gov/otcgi/cf...= BAPPCT&SUBSET = SUBSET & FROM=1&ITEM=1. April 04, 2001.

PENTACHLOROPHENOL 230 9. REFERENCES

- *EPA. 2001q. Water programs. Determination of reportable quantities of hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 117.3. <a href="http://ecfrback.access.gpo.gov/otcgi/cf...="http://ecfrba
- *Eriksson M, Hardell L, Adami HO. 1990. Exposure to dioxins as a risk factor for soft tissue sarcoma: A population-based case-control study. J Natl Cancer Inst 82:486-490.
- *Eriksson M, Hardell L, Berg NO, et al. 1981. Soft-tissue sarcomas and exposure to chemical substances: A case-referent study. Br J Ind Med 38:27-33.
- *Ervin HE, McGinnis GD. 1980. Analysis of pentachlorophenol in waste water using high-performance liquid chromatography. J Chromatogr 190:203-207.
- Exon JH. 1984. A review of chlorinated phenols. Vet Hum Toxicol 26:508-520.
- *Exon JM, Koller LD. 1982. Effects of transplacental exposure to chlorinated phenols. Environ Health Perspect 46:137-140.
- Exon JM, Koller LD. 1983. Effects of chlorinated phenols on immunity in rats. Int J Immunopharmacol 5:131-136.
- Faber F, Egli T, Harder W. 1993. Transient repression of the synthesis of Hmpf and aspartame transcarbamoylase in escherichia coli K12 as a response to pollutant stress. FEMS Microbiol Lett 111:189-196.
- *Fahrig R. 1974. Comparative mutagenicity studies with pesticides. IARC Sci Publ 10:161-181.
- *Fahrig R, Steinkamp-Zucht A. 1996. Co-recombinogenic and anti-mutagenic effects of diethylhexylphthalate, inactiveness of pentachlorophenol in the spot test with mice. Mutat Res 354:59-67.
- *Fahrig R, Nilsson C, Rappe C. 1978. Genetic activity of chlorophenols and chlorophenol impurities. In: Rao KR, ed. Pentachlorophenol: Chemistry, pharmacology and environmental toxicology. Vol. 325-338. New York, NY: Plenum Press.
- *Farrington DS, Munday JW. 1976. Determination of trace amounts of chlorophenols by gas-liquid chromatography. Analyst 101:639-643.
- FDA. 1977a. Compliance program evaluation TY 9174 total diet studies. Washington, DC: U.S. Food and Drug Administration, Bureau of Foods.
- FDA. 1977b. Indirect food additives: Adhesive coatings and components; adhesives. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 175.105. Federal Register 42:14539.
- FDA. 1977c. Indirect food additives: Adhesives coatings and components. Food and Drug Administration. Federal Register 42(50):14434-14554.
- *FDA. 1989. Food and Drug Administration program residues in foods 1988. J Assoc Off Anal Chem 72:133A-152A.

PENTACHLOROPHENOL 231 9. REFERENCES

- FDA. 1998a. Food and Drug Administration. Code of Federal Regulations. 21 CFR 176.200.
- *FDA. 1998b. Food and Drug Administration. Code of Federal Regulations. 21 CFR 181.30.
- FDA. 1998c. Food and Drug Administration. Code of Federal Regulations. 21 CFR 178.3120.
- FDA. 1998d. Food and Drug Administration. Code of Federal Regulations. 21 CFR 177.1210.
- FDA. 1998e. Food and Drug Administration. Code of Federal Regulations. 21 CFR 165.110.
- FDA. 1998f. Food and Drug Administration. Code of Federal Regulations. 21 CFR 175.105.
- FDA. 1998g. Food and Drug Administration. Code of Federal Regulations. 21 CFR 176.210.
- *FDA. 2000a. Food and Drug Administration. Code of Federal Regulations. 21 CFR 165.110.
- *FDA. 2000b. Food and Drug Administration. Code of Federal Regulations. 21 CFR 175.105.
- *FDA. 2000c. Indirect food additives: Adjuvants, production aids, and sanitizers. Animal glue. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 178.3120 (d)(3). http://frwebgate.access.gpo.gov/cgi...78&SECTION=3120&YEAR=2000&TYPE=TEXT. April 04, 2001.
- *FDA. 2000d. Indirect food additives: Adjuvants, production aids, and sanitizers. Preservatives in wood. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 178.3800 (b). http://frwebgate.access.gpo.gov/cgi...78&SECTION=3800&YEAR=2000&TYPE=TEXT. April 04, 2001.
- *FDA. 2000e. Indirect food additives: Polymers. Rubber articles intended for repeated use. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 177.2600 (c)(4). http://frwebgate.access.gpo.gov/cgi...77&SECTION=2600&YEAR=2000&TYPE=TEXT. April 04, 2001.
- *FDA. 2000f. Indirect food additives: Polymers. Textiles and textile fibers. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 177.2800 (d)(5). http://frwebgate.access.gpo.gov/cgi...77&SECTION=2800&YEAR=2000&TYPE=TEXT. April 04, 2001.
- FEDRIP. 1992. Federal Research in Progress: Pentachlorophenol. Dialog Information Services, Inc. Palo Alto, CA. February 1992.
- *FEDRIP. 1999. Federal Research in Progress: Pentachlorophenol. Dialog Information Services, Inc. Palo Alto, CA. May 1999.
- Fent K, Hunn J. 1996. Cytotoxicity of organic environmental chemicals to fish liver cells (PLHC-1). Mar Environ Res 42:377-382.
- *Ferreira AG, Vieira DN, Marques EP, et al. 1997. Occupational exposure to pentachlorophenol: The Portugese situation. Ann NY Acad Sci 837:291-299.

PENTACHLOROPHENOL 232 9. REFERENCES

Ferro AM, Sims RC, Bugbee B. 1994. Hycrest crested wheatgrass accelerates the degradation of pentachlorophenol in soil. J Environ Qual 23:272-279.

Fijalkowska S, Lisowska K, Dlugonski J. 1998. Bacterial elimination of polycyclic aromatic hydrocarbons and heavy metals. J Basic Microbiol 38:361-369.

*Fingerhut MA, Halperin WE, Honchar PA, et al. 1984. An evaluation of reports of dioxin exposure and soft tissue sarcoma pathology among chemical workers in the United States. Scand J Work Environ Health 10:299-303.

*Fleischer M, Meiss R, Robenek H, et al. 1980. Ultrastructural morphometric investigations on rat liver of young and adult rats after treatment with technical pentachlorophenol (PCP). Arch Toxicol 44:243-257.

Flouriot G, Pakdel F, Ducouret B, et al. 1995. Influence of xenobiotics on rainbow trout liver estrogen receptor and vitellogenin gene expression. J Mol Endocrinol 15:143-151.

*Fomon SJ. 1966. Body composition of the infant. Part I: The male "reference infant". In: Falkner F, ed. Human Development. Philadelphia, PA: WB Saunders, 239-246.

*Fomon SJ, Haschke F, Ziegler EE, et al. 1982. Body composition of reference children from birth to age 10 years. Am J Clin Nutr 35:1169-1175.

Forsell JH, Shull LR, Kateley JR. 1981. Subchronic administration of technical pentachlorophenol in lactating dairy cattle: Immunologic evaluation. J Toxicol Environ Health 8:543-558.

*Fort DJ, Stover EL. 1997. Development of short-term, whole-embryo assays to evaluation detrimental effects on amphibian limb development and metamorphosis using xenopus laevis. In: Dwyer FJ, Doane TR, Hinman M, eds. Environmental toxicology and risk assessment: Modeling and risk assessment. Philadelphia, PA: ASTM, 376-390.

Fossi MC. 1998. Biomarkers as diagnostic and prognostic tools for wildlife risk assessment: Integrating endocrine-disrupting chemicals. Toxicol Ind Health 14:291-309.

*Fountaine JE, Joshipura PB, Keliher PN. 1975. Some observations regarding pentachlorophenol levels in Haverford Township, Pennsylvania. Water Res 10:185-188.

*Franco G, Fonte R, Tempini G, et al. 1986. Serum bile acid concentrations as a liver function test in workers occupationally exposed to organic solvents. Int Arch Occup Environ Health 58:157-164.

Frankovic L, Khan MAQ, Ghais SMA. 1995. Metabolism of hexachlorobenzene in the fry of Steelhead trout, Salmo gairdneri (*oncorhynchus mykiss*). Arch Environ Contam Toxicol 28:209-214.

Fries GF, Feil VJ, Davison KL. 1996. Evidence that pentachlorophenol-treated wood is an important source of dioxin residues in beef. J Anim Sci 74(Suppl. 1):209.

*Frisbie AAJ, Nies L. 1997. Aerobic and anaerobic biodegradation of aged pentachlorophenol by indigenous microorganisms. Biorem J 1:65-75.

FSTRAC. 1988. Summary of state and federal drinking water standards and guidelines. Federal-State Toxicology and Regulatory Alliance Committee.

PENTACHLOROPHENOL 233 9. REFERENCES

*FSTRAC. 1999. Federal-State Toxicology and Risk Analysis Committee. Office of Water. U. S. Environmental Protection Agency. Http://www.epa.gov/ostwater/fstrac/states.html. May 20, 1999.

Fullerton PM. Toxic chemicals and peripheral neuropathy: Clinical and epidemiological features. Proc R Soc Med 62:201-204.

*Gab S, Nitz H, Korte F. 1975. Photomineralisation of certain aromatic xenobiotica. Chemosphere 4:251-257.

*Galil NI, Novak JT. 1995. Pentachlorophenol-induced release of soil organics and colloids. Water Res 29:1533-1540.

Gandy J, Millner GC, Bates HK, et al. 1990. Effects of selected chemicals on the glutathione status in the male reproductive system of rats. J Toxicol Environ Health 29:45-57.

Ganjidouse H, Tatsumi K, Wada S, et al. 1996. Role of peroxidase and chitosan in removing chlorophenols from aqueous solution. Water Sci Technol 34:151-159.

Gates M, Fredrickson H, Gunnison D, et al. 1997. Bioremediation of high pH soil from a wood treatment facility from El Dorado, AR. Abstr Annu Meet Am Soc Microbiol 97:477.

Gates VL, Tjeerdema RS. 1993. Disposition and biotransformation of pentachlorophenol in the striped bass (morone saxatilis). Pestic Biochem Physiol 46:161-170.

*Gebefugi I, Korte F. 1983. Pentachlorophenol contamination of human milk samples. Chemosphere 12:1055-1060.

*Gebefugi I, Parlar H, Korte F. 1976. [Contribution of ecological chemistry CXXVI: Short note on the analytical determination of pentachlorophenol in closed areas]. Chemosphere 5:227-230. (German)

Gebefugi I, Parlar H, Korte F. 1979. Occurrence of PCP in enclosed environments. Ecotoxicol Environ Safety 3:269-300.

Gerhard I. 1993. Reproductive risks of heavy metals and pesticide in women. In: Reproduction Toxicology, 167-183.

Gerhard I. 1995. [Environment and reproduction.] Arch Gynecol Obstet 257:239-246. (German)

*Gerhard I, Daniel V, Link S, et al. 1998. Chlorinated hydrocarbons in women with repeated miscarriages. Environ Health Perspect 106:675-681.

*Gerhard I, Derner M, Runnebaum B. 1991. Prolonged exposure to wood preservatives induces endocrine and immunologic disorders in women [Letter]. Am J Obstet Gynecol 165:487-488.

Gerhard I, Eckrich W, Runnebaum B. 1993. [Toxic substances and infertility: Organic solvents, pesticides.] Geburtshilfe Frauenheilkd 53:147-160. (German)

*Gerhard I, Frick A Monga B, et al. 1999. Pentachlorophenol exposure in women with gynecological and endocrine dysfunction. Environ Res 80(Section A):383-388.

PENTACHLOROPHENOL 234 9. REFERENCES

- *Geyer HJ, Scheunert I, Korte F. 1987. Distribution and bioconcentration potential of the environmental chemical pentachlorophenol (PCP) in different tissue of humans. Chemosphere 16:887-899.
- *Giam CS, Trujillo DA, Kira S, et al. 1980. Simplified monitoring procedures for benzo(a)pyrene, hexachlorobenzene and pentachlorophenol in water. Bull Environ Contam Toxicol 25:824-827.
- *Gilbert FI Jr, Minn CE, Duncan RC, et al. 1990. Effects of pentachlorophenol and other chemical preservatives on the health of wood-treating workers in Hawaii. Arch Environ Contam Toxicol 19:603-609.
- *Giwercman A, Carlsen E, Keiding N, et al. 1993. Evidence for increasing incidence of abnormalities of the human testis: A review. Environ Health Perspect Suppl 101:65-71.
- *Gluth G, Freitage D, Hanke W, et al. 1985. Accumulation of pollutants in fish. Comp Biochem Physiol 81:273-277.
- Goldstein JA, Friesen M, Linder RE, et al. 1977. Effects of pentachlorophenol on hepatic drug-metabolizing enzymes and porphyria related to contamination with chlorinated dibenzo-p-dioxins and dibenzofurans. Biochem Pharmacol 26:1549-1577.
- *Gómez-Catalán J, To-Figueras J, Planas J, et al. 1987. Pentachlorophenol and hexachlorobenzene in serum and urine of the population of Barcelona. Human Toxicol 6:397-400.
- *Gómez-Catalán J, To-Figueras J, Rodamilans M, et al. 1991. Transport of organochlorine residues in the rat and human blood. Arch Environ Contam Toxicol 20:61-66.
- *Goodman AG, Rall TW, Nies AS, et al. 1990. Goodman & Gilman's the pharmacological basis of therapeutics. 8th ed. New York, NY: Pergamon Press, 1635.
- Goodrich-Mahoney JW, Murarka IP, Holcombe LJ, et al. 1993. Pentachlorophenol-treated wood poles and crossarms: Toxicity characteristics leaching procedure (TCLP) results. Environ Int 19:535-542.
- *Gordon D. 1956. How dangerous is pentachlorophenol? Med J Austr 43:485-488.
- *Gould E, Franfurt M, Westlind-Danielsson A, et al. 1990. Developing forebrain astrocytes are sensitive to thyroid hormone. Glia 3:283-292.
- *Gray RE, Gilliland RD, Smith EE, et al. 1985. Pentachlorophenol intoxication: Report of a fatal case, with comments on the clinical course and pathologic anatomy. Arch Environ Health 40:161-164.
- *Greene MH, Brinton LA, Fraumeni JF, et al. 1978. Familial and sporadic Hodgkin's disease associated with occupational wood exposure. Lancet 2:626-627.
- *Greichus YA, Libal GW, Johnson DD. 1979. Diagnosis and physiologic effects of pentachlorophenols on young pigs: Part I. Effects of purified pentachlorophenol. Bull Environ Contam Toxicol 23:418-422.
- *Grimm H-G, Schellman B, Schaller K-H, et al. 1981. [Pentachlorophenol concentrations in tissues and bodyfluids of normal persons.] Zentrabl Bakteriol Mikrobiol Hyg [B] 174:77-90. (German)
- Gschwendt G, Huber W. 1996. [Therapeutic approaches to the detoxification of selected environmental toxins]. Forum Staedte Hyg 47:225-230. (German)

PENTACHLOROPHENOL 235 9. REFERENCES

- Gu Y, Korus RA. 1995. Effects of *p*-cresol and chlorophenols on pentachlorophenol biodegradation. Biotechnol Bioeng 47:470-475.
- Gulden M. 1993. *In vitro* toxicity screening using cultured rat skeletal muscle cells. I. Surfactants and mitochondrial poisons. Toxicol in Vitro 7:25-34.
- Gulden M, Seibert H. 1996. Cytotoxic and non-cytotoxic effects of the MEIC reference chemicals on spontaneously contracting primary cultured rat skeletal muscle cells. Toxicol in Vitro 10:395-406.
- *Gunderson EL. 1988. FDA total diet study, April 1982–April 1984: Dietary intakes of pesticides, selected elements, and other chemicals. J Assoc Off Anal Chem 71:1200-1209.
- *Gunderson EL. 1995a. FDA total diet study, July 1986-August 1991, dietary intake on pesticides, selected elements, and other chemicals. J AOAC Int 78:1353-1363.
- *Gunderson EL. 1995b. Dietary intakes of pesticides, selected elements, and other chemicals: FDA total diet study, June 1984-April 1986. J AOAC Int 78:910-921.
- Gunter EW. 1997. Biological and environmental specimen banking at the Centers for Disease Control and Prevention. Chemosphere 34:1945-1953.
- *Guzelian PS, Henry CJ, Olin SS. 1992. Similarities and differences between children and adults: Implications for risk assessment. Washington, DC: International Life Sciences Institute Press.
- *Haley TJ. 1977. Human poisoning with pentachlorophenol and its treatment. Ecotoxicol Environ Saf 1:343-347.
- *Hall LT, Van Emon J, Lopez-Avila V. 1992. Development of immunochemical personal exposure monitors for pentachlorophenol. Proc SPIE-Int Soc Opt Eng, Environ Process Monit Technol 1637:189-195.
- *Haque A, Ebing W. 1988. Uptake and accumulation of pentachlorophenol and sodium pentachlorophenate by earthworms from water and soil. Sci Total Environ 68:113-125.
- *Hardell L, Sandstrom A. 1979. Case-control study: Soft tissue sarcomas and exposure to phenoxyacetic acids or chlorphenols. Br J Cancer 39:711-717.
- *Hardell L, Eriksson M, Degerman A. 1994. Exposure to phenoxyacetic acids, chlorphenols, or organic solvents in relation to histopathology, stage, and anatomical localization of non-Hodgkin's lymphoma. Cancer Res 54:2386-2389.
- *Hardell L, Erikksson M, Degereman A. 1995. Meta-analysis of four Swedish case-control studies on exposure to pesticides as risk-factor for soft-tissue sarcoma including the relation to tumour localization and histopathological type. Int J Oncol 6:847-851.
- *Hassan AB, Hiseligmann H, Bassan HM. 1985. Intravascular haemolysis induced by pentachlorophenol. Br Med J 291:21-22.
- *Hattemen-Frey HA, Travis CC. 1989. Pentachlorophenol: Environmental partitioning and human exposure. Arch Environ Contam Toxicol 18:482-489.

PENTACHLOROPHENOL 236 9. REFERENCES

Hautala E, Rekila R, Tarhanen J, et al. 1995. Deposition of motor vehicle emissions and winter maintenance along roadside assessed by snow analysis. Environ Pollut 87:45-49.

*Hayes WJ. 1982. Pesticides studied in man. Baltimore, MD: Waverly Press, 477.

HazDat. 1993. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta, GA.

HazDat. 1999. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta, GA.

*HazDat. 2001. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta, GA. http://www.atsdr.cdc.gov/gsql/sitecontam.script. February 07, 2001.

*Hebert VR, Miller GC. 1990. Depth dependence of direct and indirect photolysis on soil surfaces. J Agric Food Chem 38:913-918.

*Heeb NV, Dolezal TB, Mattrel P, et al. 1995. Distribution of halogenated phenols including mixed brominated and chlorinated phenols in municipal waste incineration flue gas. Chemosphere 31:3033-3041.

Heida H, Van Der Berg M, Olie K. 1995. Risk assessment approach to evaluating potential remedial actions at the Diemerzeedijk hazardous waste site. Haz Waste Haz Mater 12:1-14.

Heikes DL. 1979. FDA finds PCP in peanut butter in market basket study. Food Chem News 21:14.

Helmstetter MF, Alden RW. 1995. Toxic responses of Japanese medaka (*oryzias latipes*) eggs following topical and immersion exposures to pentachlorophenol. Aquat Toxicol 32:15-29.

*Helrich, K. 1990. Official methods of analysis of the Association of Official Analytical Chemists. Arlington, VA: Association of Official Analytical Chemists, Inc., 308-309.

*Hendriksen HV, Larsen S, Ahring BK. 1991. Anaerobic degradation of PCP and phenol in fixed-film reactors: The influence of an additional substrate. Water Sci Technol 24:431-436.

Herr C, Harpel S, Petereit-Wolf G, et al. 1997. [Pentachlorophenol in a weekend cottage.] Zentralbl Hyg Umweltmed 199:435. (German)

*Hertzman C, Teschke K, Ostry A, et al. 1997. Mortality and cancer incidence among sawmill workers exposed to chlorophenate wood preservatives. Am J Public Health 87:71-79.

Heussen GAH, Schefferlie GJ, Talsma MJG, et al. 1993. Effects on thyroid hormone metabolism and depletion of lung vitamin A in rats by airborne particulate matter. J Toxicol Environ Health 38:419-434.

Hiatt CW. 1960. The action of sunlight on sodium pentachlorophenate. Am J Tropical Med Hyg 19:527-531.

*Hill RH Jr, Head SL, Baker S, et al. 1995. Pesticide residues in urine of adults living in United States: Reference range concentrations. Environ Res 71:99-108.

*Hill RH Jr, To T, Holler JS, et al. 1989. Residues of chlorinated phenols and phenoxy acid herbicides in the urine of Arkansas children. Arch Environ Contam Toxicol 18:469-474.

PENTACHLOROPHENOL 237 9. REFERENCES

- Hiraku Y, Oikawa S, Kawanishi S. 1995. [Oxidative DNA damage induced by interaction of metals and carcinogenic organic compounds.] Kankyo Hen'igen Kenkyu 17:75-85. (Japanese)
- *Hoak RD. 1957. The causes of tastes and odors in drinking water. Water Sewage W:104, 243-247.
- *Hoben HJ, Ching SA, Casarett LJ. 1976a. A study of the inhalation of pentachlorophenol by rat: Part II. A new inhalation exposure system for high doses in short exposure time. Bull Environ Contam Toxicol 15:86-92.
- *Hoben HJ, Ching SA, Casarett LJ. 1976b. A study of inhalation of pentachlorophenol by rats: Part III. Inhalation toxicity study. Bull Environ Contam Toxicol 15:463-465.
- *Hoben HJ, Ching SA, Casarett LJ. 1976c. A study of inhalation of pentachlorophenol by rats: Part IV. Distribution and excretion of inhaled pentachlorophenol. Bull Environ Contam Toxicol 15:466-474.
- *Hoben HJ, Ching SA, Young RA, et al. 1976d. A study of the inhalation of pentachlorophenol by rats: Part V. A protein binding study of pentachlorophenol. Bull Environ Contam Toxicol 16:225-232.
- *Hoel DG, Davis DL, Miller AB, et al. 1992. Trends in cancer mortality in 15 industrialized countries, 1969-1986. J Natl Cancer Inst 84:313-320.
- *Holler JS, Fast DM, Hill RH Jr, et al. 1989. Qualification of selected herbicides and chlorinated phenols in urine by using gas chromatography/mass spectrometry/mass spectrometry. J Anal Toxicol 13:152-157.
- *Holsapple MP, McNerney PJ, McCay JA. 1987. Effects of pentachlorophenol on the in vitro and in vivo antibody response. J Toxicol Environ Health 20:229-239.
- *Hoppin JA, Tolbert PE, Herrick RF, et al. 1998. Occupational chlorophenol exposure and soft tissue sarcoma risk among men aged 30-60 years. Am J Epidemiol 148:693-703.
- *Horstman SW, Rossner A, Kalman DA, et al. 1989. Penetration of pentachlorophenol and tetrachlorophenol through human skin. J Environ Sci Health A24:229-242.
- *Hosenfeld JM, Moody LA, Gabriel MJ, et al. 1986. Pentachlorophenol in log homes: A study of environmental and clinical aspects. U.S. Environmental Protection Agency Report. Washington, DC: Office of Toxic Substances. EPA-560/5-87-001.
- Houx NWH, Aben WJM. 1993. Bioavailability of pollutants to soil organisms via the soil solution. Sci Total Environ (Suppl 1993):387-395.
- *Hryhorczuk DO, Wallace WH, Persky V, et al. 1998. A morbidity study of former pentachlorophenol-production workers. Environ Health Perspect 107:401-408.
- *HSDB. 1992. Hazardous Substances Data Bank. Bethesda, MD: National Library of Medicine, National Toxicology Information Program. January 23, 1992.
- HSDB. 1999a. Pentachlorophenol, Sodium Salt. Hazardous Substances Data Bank. Bethesda, MD: National Library of Medicine, National Toxicology Information Program. April 20, 1999.

PENTACHLOROPHENOL 238 9. REFERENCES

*HSDB. 1999b. Pentachlorophenol. Hazardous Substances Data Bank. Bethesda, MD: National Library of Medicine, National Toxicology Information Program. Http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB. April 16, 1999.

*HSDB. 2001. Pentachlorophenol. Hazardous Substance Data Bank. Bethesda, MD: National Library of Medicine, National Toxicology Information Program. Http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB. February 2, 2001.

Hughes BJ, Forsell JH, Sleight SD, et al. 1985. Assessment of pentachlorophenol toxicity in newborn calves: Clinicopathology and tissue residues. J Anim Sci 61:1587-1603.

*IARC. 1979. IARC monographs on the evaluation of the carcinogenic risk of chemicals to humans: Some halogenated hydrocarbons. Lyon, France: World Health Organization, International Agency for Research on Cancer. Vol. 20:303-325.

IARC. 1982. IARC monographs on the evaluation of the carcinogenic risk of chemicals to humans: Chemical, industrial processes and industries associated with cancer in humans. Supplement 4. Lyon, France: World Health Organization, International Agency for Research on Cancer, 205-206.

IARC. 1991. IARC monographs for the evaluation of the carcinogenic risk of chemicals to humans. Lyon, France: World Health Organization, International Agency for Research on Cancer.

*IARC. 1999. IARC monographs for the evaluation of the carcinogenic risk of chemicals to humans: Re-evaluation of some organic chemicals, hydrazine and hydrogen peroxide. Vol. 71. Lyon, France: World Health Organization, International Agency for Research on Cancer. Http://193.51.164.11/ntdocs/monographs/Vol71/028-polychloroph.html. May 05, 1999.

*IARC. 2001. IARC monographs for the evaluation of the carcinogenic risk of chemicals to humans: Polychlorophenols and their sodium salts. (Group 2B). Vol. 71. Lyon, France: World Health Organization, International Agency for Research on Cancer. Http://193.51.164.11/htdocs/Monographs/Vol71/028-polychloroph.html. February 07, 2001.

*Ide A, Niki Y, Watanabe I, et al. 1972. Decomposition of pentachlorophenol in paddy soil. Agric Biol Chem 36:1937-1944.

Igisu H. 1993a. [Binding of toxic substances and suppression of their toxicities by albumin—studies on psychosine and pentachlorophenol.] J Uoeh 15:217-225. (Japanese)

Igisu H. 1993b. Haemolysis of human erythrocytes by pentachlorophenol and its suppression by albumin. Br J Ind Med 50:378-379.

Igisu H, Matsumura H, Matsuoka M. 1994. [Acetylcholinesterase in the erythrocyte membrane.] J Uoeh 16:253-262. (Japanese)

*Ingerslev F, Baun A, Nyholm N. 1998. Aquatic biodegradation behavior of pentachlorophenol assessed through a battery of shake flask die-away tests. Environ Toxicol Chem 17:1712-1719.

*Ingram LLJ, McGinnis GD, Gjovik LR. 1986. Studies on the vaporization of pentachlorophenol from treated wood. Arch Environ Contam Toxicol 15:669-676.

PENTACHLOROPHENOL 239 9. REFERENCES

- *Innes J, Ulland B, Valerio M, et al. 1969. Bioassay of pesticides and industrial chemicals for tumorigenicity in mice: A preliminary note. J Natl Cancer Inst 42:1101-1114.
- IRIS. 1992. Integrated Risk Information Systems. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office.
- *IRIS. 1999. Integrated Risk Information Systems. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office.
- *IRIS. 2001. Integrated Risk Information Systems. Cincinnati, OH: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office.
- *Jackson DR, Bisson DL. 1990. Mobility of polychlorinated aromatic compounds in soils contaminated with wood-preserving oil. J Air Waste Manage Assoc 40:1129-1133.
- *Jagels R. 1985. Health hazards of natural and introduced chemical compounds of boat building woods. Am J Ind Med 8:241-251.
- *Jakobson K, Yllner S. 1971. Metabolism of 14C-pentachlorophenol in the mouse. Acta Pharmacol Toxicol 19:513-524.
- Jansson K, Jansson V. 1986. Inability of chlorophenols to induce 6-thioguanine-resistant mutants in V79 Chinese hamster cells. Mutat Res 171:165-168.
- *Jansson K, Jansson V. 1991. Induction of mutation in V79 Chinese hamster cells by tetrachloro-hydroquinone, a metabolite of pentachlorophenol. Mutat Res 260:83-87.
- Jansson K, Jansson V. 1992. Induction of micronuclei in V79 Chinese hamster cells by tetrachlorohydroquinone, a metabolite of pentachlorophenol. Mutat Res 279:205-208.
- Jansson K, Jansson V. 1993. The toxicity of chlorophenols in V79 Chinese hamster cells. Toxicol Lett 69:289-294.
- *Jäppinen P, Pukkala E, Tola S. 1989. Cancer incidence of workers in a Finnish sawmill. Scand J Work Environ Health 15:18-23.
- *Jekat FW, Meisel ML, Eckard R, et al. 1994. Effects of pentachlorophenol (PCP) on the pituitary and thyroidal hormone regulation in the rat. Toxicol Lett 71:9-25.
- Jeong YC, Yoon BS, Lee YS, et al. 1997. [Covalent interactions of reactive pentachlorophenol metabolites with cellular macromolecules.] Korean Journal of Toxicology 13:257-263. (Korean)
- *Johanson CE. 1980. Permeability and vascularity of the developing brain: Cerebellum vs cerebral cortex. Brain Res 190:3-16.
- *Johnson CC, Feingold M, Tilley B. 1990. A meta-analysis of exposure to phenoxy acid herbicides and chlorophenols in relation to risk of soft tissue sarcoma. Int Arch Occup Environ Health 62:513-520.
- *Johnson RD, Manske DD. 1977. Pesticides in food and feed: Pesticide and other chemical residues in total diet samples (XI). Pest Monit J 11:116-131.

PENTACHLOROPHENOL 240 9. REFERENCES

*Johnson RL, Gehring PJ, Kociba RJ, et al. 1973. Chlorinated dibenzodioxins and pentachlorophenol. Environ Health Perspect 5:171-175.

*Jones RD, Winter DP, Cooper AJ. 1986. Absorption study of pentachlorophenol in persons working with wood preservatives. Hum Toxicol 5:189-194.

Jorens PG, Schepens PJC. 1993. Human pentachlorophenol poisoning. Hum Exp Toxicol 12:479-495.

*Jorens PG, Janssens JJ, van Tichelen WI, et al. 1991. Pentachlorophenol concentrations in human cerebrospinal fluid. Neurotoxicology 12:1-7.

*Juhl U, Witte I, Butte W. 1985. Metabolism of pentachlorophenol to tetrachlorohydroquinone by human liver homogenate. Bull Environ Contam Toxicol 35:596-601.

Juhler RK, Lauriidsen MG, Christensen MR, et al. 1999. Pesticides residues in selected food commodities. Results from the Danish National Pesticide Monitoring Program 1995-1996. J AOAC Intl 82:337.

Kadry AM, Skowronski GA, Abdel-Rahman MS. 1995. Evaluation of the use of uncertainty factors in deriving RfDs for some chlorinated compounds. J Toxicol Environ Health 45:83-95.

*Kalman DA. 1984. Determination of pentachlorophenol and 2,3,4,6-tetrachlorophenol in human urine by high resolution gas chromatography. J Chromatogr Sci 22:452-455.

Kalman DA, Horstman SW. 1983. Persistence of tetrachlorophenol and pentachlorophenol in exposed woodworkers. J Toxicol Clin Toxicol 20:343-352.

Kammenga JE, Van Koert PHG, Koeman JH, et al. 1997. Fitness consequences of toxic stress evaluated within the context of phenotypic plasticity. Ecol Appl 7:726-734.

*Kaphalia BS. 1991. Fatty acid conjugates of chlorinated phenols and their high-performance liquid chromatographic analysis. J Chromatogr 537:85-92.

*Karasek FW, Dickson LC. 1987. Model studies of polychlorinated dibenzo-p-dioxin formation during municipal refuse incineration. Science 237:754-756.

Karmaus W, Wolf N. 1995. Reduced birthweight and length in the offspring of females exposed to PCDFs, PCP, and lindane. Environ Health Perspect 103:1120-1125.

*Kaufman DD. 1978. Degradation of pentachlorophenol in soil, and by soil organisms. In: Rao KR, ed. Pentachlorophenol: Chemistry, pharmacology, and environmental toxicology. New York, NY: Plenum Press, 27-39.

Kelce WR, Gray LE, Wilson EM. 1998. Antiandrogens as environmental endocrine disruptors. Reprod Fertil Develop 10:105-111.

*Kerkvliet NI, Baecher-Steppan L, Schmitz JA. 1982. Immunotoxicity of pentachlorophenol (PCP): Increased susceptibility to tumor growth in adult mice fed technical PCP-contaminated diets. Toxicol Appl Pharmacol 62:55-64.

PENTACHLOROPHENOL 241 9. REFERENCES

- *Kerkvliet NI, Brauner JA, Baecher-Steppan L. 1985b. Effects of dietary technical pentachlorophenol exposure on T-cell, macrophage and natural killer cell activity in C57BL/6 mice. Int J Immunopharmacol 7:239-247.
- *Kerkvliet NI, Brauner JA, Matlock JP. 1985a. Humoral immunotoxicity of polychlorinated diphenyl ethers, phenoxyphenols, dioxins and furans present as contaminants of technical grade pentachlorophenol. Toxicology 36:307-324.
- *Kilzer L, Scheunert I, Geyer H, et al. 1979. Laboratory screening of the volatilization rates of organic chemical from water and soil. Chemosphere 10:751-761.
- *Kimbrough RD, Linder RE. 1978. The effect of technical and purified pentachlorophenol on the rat liver. Toxicol Appl Pharmacol 46:151-162.

Kimura T, Kuroki K, Doi K. 1998. Dermatotoxicity of agricultural chemicals in the dorsal skin of hairless dogs. Toxicol Pathol 26:442-447.

Kinzell JH, Ames NK, Sleight SD, et al. 1981. Subchronic administration of technical pentachlorophenol to lactating dairy cattle: Performance, general health, and pathologic changes. J Dairy Sci 64:42-51.

Kirsch EJ, Etzel JE. 1973. Microbial decomposition of pentachlorophenol. J Water Pollut Control Fed 45:359-364.

- *Klemmer HW. 1972. Human health and pesticides: Community pesticide studies. Res Rev 41:55-63.
- *Klemmer HW, Wong L, Sato MM, et al. 1980. Clinical findings in workers exposed to pentachlorophenol. Arch Environ Contam Toxicol 9:715-725.

Klotz DM, Arnold SF, McLachlan JA. 1997. Inhibition of 17 beta-estradiol and progesterone activity in human breast and endometrial cancer cells by carbamate insecticides. Life Sci 60:1467-1475.

*Knudsen I, Verschuuren HG, den Tonkellar EM, et al. 1974. Short-term toxicity of pentachlorophenol in rats. Toxicology 2:141-152.

*Komori M, Nishio K, Kitada M, et al. 1990. Fetus-specific expression of a form of cytochrome P-450 in human liver. Biochemistry 29:4430-4433.

Konishi-Imamura L, Kim DH, Koizumi M, et al. 1995. Regulation of arylsulfate sulfotransferase from a human intestinal bacterium by nucleotides and magnesium ion. J Enzym Inhib 8:233-241.

Konopka L. 1994. [Environmental pollution with organochlorine compounds and their effect on human health: Human and environmental risks of chloro-organic substances]. Acta Haematol Pol 25:77-90. (Polish)

- *Kooistra L, Laane C, Vulsma T, et al. 1994. Motor and cognitive development in children with congenital hypothyroidism: A long-term evaluation of the effects of neonatal treatment. J Pediatr 124:903-909.
- *Krishnan K, Andersen ME. 1994. Physiologically-based pharmacokinetic modeling in toxicology. In: Hayes AW, ed. Principles and methods of toxicology. New York, NY: Raven Press, Ltd., 149-188.

PENTACHLOROPHENOL 242 9. REFERENCES

- *Krishnan K, Andersen ME, Clewell H 3rd, et al. 1994. Physiologically based pharmacokinetic modeling of chemical mixtures. In: Yang R, ed. Toxicology of chemical mixtures. New York, NY: Academic Press, 399-437.
- *Kuehl DW, Dougherty RC. 1980. Pentachlorophenol in the environment. Evidence for its origin from commercial pentachlorophenol by negative chemical ionization mass spectrometry. Environ Sci Tech 14:447-449.
- *Kutz FW, Cook BT, Carter-Pokras OD, et al. 1992. Selected pesticide residues and metabolites in urine from a survey of the U.S. general population. J Toxicol Environ Health 37:277-291.
- *Kutz FW, Murphy RS, Strassman SC. 1978. Survey of pesticide residues and their metabolites in urine from the general population. In: Rao KR, ed. Pentachlorophenol: Chemistry, pharmacology, and environmental toxicology. New York, NY: Plenum Press, 363-369.
- *Kuwatsuka S, Igarashi M. 1975. Degradation of PCP in soil: II. The relationship between the degradation of PCP and the properties of soils and the identification of the degradation products of PCP. Soil Sci Plant Nutr 21:405-414.
- Lamar RT, Glaser JA, Kirk TK. 1990. Fate of pentachlorophenol (PCP) in sterile soils inoculated with the white-rot basidiomycete *phanerochaete chrysosporium*. Mineralization, volatilization and depletion of PCP. Soil Biol Biochem 22:433-440.
- *Lambert J, Schepens P, Janssens J, et al. 1986. Skin lesions as a sign of subacute pentachlorophenol intoxication. Acta Derm Venreol 66:170-172.
- Lamparski LL, Stehl RH, Johnson RL. 1980. Photolysis of pentachlorophenol-treated wood. Chlorinated dibenzo-p-dioxin formation. Environ Sci Technol 14:196-200.
- *Lampi P, Hakulinen T, Luostarinen T, et al. 1992. Cancer incidence following chlorophenol exposure in a community in Southern Finland. Arch Environ Health 47:167-175.
- Lang D, Mueller-Ruchholtz W. 1991. Human lymphocyte reactivity after *in vitro* exposure to technical and analytical grade pentachlorophenol. Toxicology 70:271-282.
- Langwaldr JH, Mannisto MK, Wichmann R, et al. 1998. Simulation of in situ subsurface biodegradation of polychlorophenols in air-lift percolators. Appl Microbiol Biotechnol 49:663-668.
- Larsen RV. 1976. The placental transfer and teratology of pentachlorophenol in rats [Abstract]. Diss Abstr Int B37:1184-1185.
- *Larsen RV, Born GS, Kessler WV, et al. 1975. Placental transfer and teratology of pentachlorophenol in rats. Environ Lett 10:121-128.
- *Larsen RV, Kirsch LE, Shaw SM, et al. 1972. Excretion and tissue distribution of uniformly labeled [14C]- pentachlorophenol in rats. J Pharmacol Sci 61:2004-2006.
- Lee HB, Hong-You RL, Fowlie PJA. 1989. Chemical derivatization analysis of phenols: Part VI. Determination of chlorinated phenolics in pulp and paper effluents. J Assoc Off Anal Chem 72:979-984.

PENTACHLOROPHENOL 243 9. REFERENCES

- *Leeder JS, Kearns GL. 1997. Pharmacogenetics in pediatrics: Implications for practice. Pediatr Clin North Am 44:55-77.
- *Leighty EG, Fentiman AF. 1982. Conjugation of pentachlorophenol to palmitic acid by liver microsomes. Bull Environ Contam Toxicol 28:329-333.
- *Lemma A, Ames BN. 1975. Screening for mutagenic activity of some molluscicides. Transcripts of the Royal Society of Tropical Medicine and Hygiene 69:167-168.
- *Leung H-W. 1993. Physiologically-based pharmacokinetic modelling. In: Ballentine B, Marro T, Turner P, eds. General and applied toxicology. New York, NY: Stockton Press, 153-164.
- *Lewis RG, Fortmann RC, Camann DE. 1994. Evaluation of methods for monitoring the potential exposure of small children to pesticides in the residential environment. Arch Environ Contam Toxicol 26:37-46.
- *Lilienblum W. 1985. Formation of pentachlorophenol glucuronide in rat and human liver microsomes. Biochem Pharmacol 34:893-894.
- *Lin PH, Waidyanatha S, Pollack GM, et al. 1997. Dosimetry of chlorinated quinone metabolites of pentachlorophenol in the livers of rats and mice based upon measurement of protein adducts. Toxicol Appl Pharmacol 145:399-408.
- Lin P-H, Waidyanatha S, Pollack GM, et al. 1999. Dose-specific production of chlorinated quinone and semiquinone adducts in rodent livers following administration of pentachlorophenol. Toxicol Sci 47:126-133.
- Lin P-H, Waidyanatha S, Rappaport SM. 1996. Investigation of liver binding of pentachlorophenol based upon measurement of protein adducts. Biomarkers 1:237-243.
- Linko PC, Goldstein JA. 1979. Hepatic effects of technical pentachlorophenol after cutaneous administration. Environ Health Perspect 33:383.
- Lippens R, Claeys M, Wildemauwe C, et al. 1983. Mutagenicity studies on 10 pesticides, on trichloroethane and on diaminobenzidine [Abstract]. Mutat Res 113:277-278.
- Liu D, Thomson K, Strachan WMJ. 1981. Biodegradation of pentachlorophenol in a simulated aquatic environment. Bull Environ Contam Toxicol 26:85-90.
- Liu P-Y, Metcalf RL, Cole LK. 1978. The environmental fate of 14C-pentachlorophenol in laboratory model ecosystems. In: Rao KR, ed. Pentachlorophenol: Chemistry, pharmacology, and environmental toxicology. New York, NY: Plenum Press, 53-63.
- *Livingston, AL. 1978. Forage plant estrogens. J Toxicol Environ Health 4:301-324.
- *Lyman WJ, Reehl WF, Rosenblatt DH. 1982. Handbook of chemical property estimation methods, environmental behavior of organic compounds. New York, NY: McGraw-Hill Book Co.
- *Makela TP, Petanan T, Kukkonen J, et al. 1991. Accumulation and depuration of chlorinated phenolics in the freshwater mussel (*anodonta anatina L*.). Ecotoxicol Environ Safety 22:153-163.

PENTACHLOROPHENOL 244 9. REFERENCES

*Makishima M, Okamoto AY, Repa JJ, et al. 1999. Identification of a nuclear receptor for bile acids. Science 284:1362-1365.

Malfatti MA, Buonarati MH, Turteltaub KW, et al. 1994. The role of sulfation and/or acetylation in the metabolism of the cooked-food mutagen 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine in *salmonella typhimurium* and isolated rat hepatocytes. Chem Res Toxicol 7:139-147.

Manns A, Flauss A, Zastrow D. 1997. Determination of PCP in air by immunoassay. In: Field analytical methods hazardous wastes toxic chemicals: Proceedings of the special conference. Lubeck: Dragerwerk AG - Safety Division, 870-874.

*Mannsville. 1987. Pentachlorophenol. Asbury Park, NF: Mannsville Chemical Products Synopsis.

*Manske DD, Corneliussen PE. 1976. Pesticide residues in total diet samples (VII). Pestic Monit J 8:110-124.

*Maris FA, de Jong GJ, Somsen GW, et al. 1988. Determination of pentachlorophenol in rabbit and human liver using liquid chromatography and gas chromatography with electron-capture detection. Chemosphere 17:1301-1308.

*Markiewicz KV, Howie LE, Safe SH, et al. 1996. Mutagenic potential of binary and complex mixtures using different enzyme induction systems. J Toxicol Environ Health 47:443-451.

*Martins JM, Montrozier LJ, Bardin ACR. 1997. Microbial response to repeated applications of low concentrations of pentachlorophenol in an alfisol under pasture. Chemosphere 35:1637-1650.

Mason MF, Wallace SM, Foerster E, et al. 1965. Pentachlorophenol poisoning: Report of two cases. J Forensic Sci 10:136-147.

Masurekar PS, Kahgan MP, Demain AL. 1972. Mutagenesis and enrichment of auxotrophs in *penicillium chrysogenum*. Appl Microbiol 24:995-996.

Matsumura H, Matsuoka M, Igisu H, et al. 1997. Cooperative inhibition of acetylcholinesterase activities by hexachlorophene in human erythrocytes. Arch Toxicol 71:151-156.

Maurice DM, Brooks D. 1995. The permeability of the mouse cornea as a test for acute ocular toxicity. In Vitro Toxicol 8:113-120.

*Mayr U, Butsch A and Schneider S. 1992. Validation of two in vitro test systems for estrogenic activities with zearalenone, phytoestrogens and cereal extracts. Toxicology 74:135-149.

*McAllister KA, Lee H, Trevore JT. 1996. Microbial degradation of pentachlorophenol. Biodegradation 7:1-40.

McBain ADK, Salkinoja-Salonen MS, Senior E, et al. 1997. Pentachlorophenol-contaminated soil bioremediation: Survival and efficacy of monoculture inoculants and enrichment of indigenous catabolic populations. South African Journal of Plant Soil 14:81-88.

McCarthy DL, Claude AA, Copley SD. 1997. *In vivo* levels of chlorinated hydroquinones in a pentachlorophenol-degrading bacterium. Appl Environ Microbiol 63:1883-1888.

PENTACHLOROPHENOL 245 9. REFERENCES

*McChesney TC. 1988. Unpublished letter and enclosures to B. L. Johnson. Agency for Toxic Substances and Disease Registry. September 16, 1988. Arkansas: Department of Health.

*McConnachie PR, Zahalsky AC. 1991. Immunological consequences of exposure to pentachlorophenol. Arch Environ Health 46:249-253.

McConnell EE, Moore JA, Gupta BN, et al. 1980. The chronic toxicity of technical and analytical pentachlorophenol in cattle: I. Clinicopathology. Toxicol Appl Pharmacol 52:468-490.

McGavack TH, Boyd FV, Piccione FV, et al. 1941. Acute and chronic intoxications with sodium pentachlorophenate in rabbits. J Ind Hyg Toxicol 23:239-251.

*Meerman JHN, Sterenborg HMJ, Mulder GJ. 1983. Use of pentachlorophenol as long-term inhibitor of sulfation of phenols and hydroxamic acids in the rat *in vivo*. Biochem Pharmacol 32:1587-1593.

*Meerman JHN, Vandoorn BD, Mulder GJ. 1980. Inhibition of sulfate conjugation of N-hydroxy-2-acetylaminofluorene in isolated perfused rat liver and in the rat *in vivo* by pentachlorophenol and low sulfate. Cancer Res 40:3772-3779.

*Mehmood Z, Williamson MP, Kelly DE, et al. 1996. Metabolism of organochlorine pesticides: The role of human cytochrome P450 3A4. Chemosphere 33:759-769.

Meissner T, Schweinsberg F. 1996. Pentachlorophenol in the indoor environment: Evidence for a correlation between pentachlorophenol in passively deposited suspended particulate and in urine of exposed persons. Toxicol Lett 88:237-242.

Melin ES, Ferguson JF, Puhakka JA. 1997. Pentachlorophenol biodegradation kinetics of an oligotrophic fluidized-bed enrichment culture. Appl Microbiol Biotechnol 47:675-682.

Melin ES, Jarvinen KT, Puhakka JA. 1998. Effects of temperature on chlorophenol biodegradation kinetics in fluidized-bed reactors with different biomass carriers. Water Res 32:81-90.

*Menon JA. 1958. Tropical hazards associated with the use of pentachlorophenol. Br Med J 1:1156-1158.

*Meylan WM, Howard P. 1993. Computer estimation of the atmospheric gas-phase reaction rate of organic compounds with hydroxyl radicals and ozone. Chemosphere 26:2293-2299.

Middeldorp PJ, Briglia M, Salkinoja-Salonen MS. 1990. Biodegradation of pentachlorophenol in natural soil by inoculated *rhodococcus chlorophenolicus*. Microbiol Ecol 20:123-139.

Miller GC, Hebert VR, Mille MJ, et al. 1989. Photolysis of octachlorodibenzo-*p*-dioxin on soils: Production of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin. Chemosphere 18:1265-1274.

*Mohammed SA, Sorensen DL, Sims RC, et al. 1998. Pentachlorophenol and phenanthrene biodegradation in creosote contaminated aquifer material. Chemosphere 37:103-111.

Mohtashamipur E, Norpoth K. 1984. Non-mutagenicity of some wood related compounds in the bacterial/microsome plate incorporation and microsuspension assays. Int Arch Occup Environ Health 54:83-90.

PENTACHLOROPHENOL 246 9. REFERENCES

*Monteith DK. 1992. Inhibition of sulfotransferase affecting unscheduled DNA synthesis induced by 2-acetylaminofluorene: An in vivo and in vitro comparison. Mutat Res 282:253-258.

Montoya GA, Roa J, Cruz F, et al. 1988. The actions of phenol and pentachlorophenol (PCP) on axonal conduction, ganglionic synaptic transmission, and the effect of pH changes. Comp Biochem Physiol 89C:377-382.

Moorthy B, Randerath K. 1996. Pentachlorophenol enhances 9-hydroxybenzo[a]pyrene-induced hepatic DNA adduct formation in vivo and inhibits microsomal epoxide hydrolase and glutathione S-transferase activities in vitro: Likely inhibition of epoxide detoxification by pentachlorophenol. Arch Toxicol 70:696-703.

Morgade C, Barquet A, Pfaffenber CD. 1980. Determination of polyhalogenated phenolic compounds in drinking water, human blood serum, and adipose tissue. Bull Environ Contam Toxicol 24:257-264.

Morgan DP. 1989. Recognition and management of pesticide poisonings. 4th Ed. U.S. Environmental Protection Agency.

*Moriya M, Ohta T, Watanabe K, et al. 1983. Further mutagenicity studies on pesticides in bacterial reversion assay systems. Mutat Res 116:185-216.

Morselli PL, Franco-Morselli R, Bossi L. 1980. Clinical pharmacokinetics in newborns and infants. Clin Pharmacokin 5:485-527.

Mueller JG, Middaugh DP, Lantz SE, et al. 1991. Biodegradation of creosote and pentachlorophenol in contaminated groundwater: Chemical and biological assessment. Appl Environ Microbiol 57:1277-1285.

*Muiño FMA, Lozano SJ. 1991. Mass spectrometric determination of pentachlorophenol in honey. Anal Chim Acta 247:121-123.

*Mulder G, Scholtens E. 1977. Phenol sulphotransferase and uridine diphosphate glucuronyltransferase from rat liver in vivo and in vitro. Biochem J 165:553-559.

*Mundy DE, Machin AF. 1981. Determination of pentachlorophenol and related compounds in animal materials by high-performance liquid chromatography and gas chromatography. J Chromatogr 216:229-238.

*Murphy RS, Kutz FW, Strassman SC. 1983. Selected pesticide residues or metabolites in blood and urine specimens from a general population survey. Environ Health Perspect 48:81-86.

Murthy NBK. 1979. Degradation of pentachlorophenol (PCP) in aerobic and anaerobic soil. J Environ Sci Health B14:1-14.

NAS. 1977. Organic solutions. In: Drinking water and health. Vol. 1. Washington, DC: National Academy of Sciences, Washington, DC, 750-753.

NAS. 1986. Drinking water and health. Vol. 6. Washington, DC: National Academy of Sciences.

NAS/NRC. 1989. Report of the oversight committee. In: Biologic markers in reproductive toxicology. Washington, DC: National Academy of Sciences, National Research Council, National Academy Press, 15-35.

PENTACHLOROPHENOL 247 9. REFERENCES

NATICH. 1992. Data base report on state, local, and EPA air toxics activities. National Air Toxics Information Clearinghouse. Washington, DC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards. March 23, 1992.

*NCI. 1968. Evaluation of carcinogenic, teratogenic, and mutagenic activities of selected pesticides and industrial chemicals. Volume I: Carcinogenic study. Bethesda, MD: National Cancer Institute. NTIS PB-223-159.

*NCI/NTP. 1980. Bioassay of a mixture of 1,2,3,6,7,8-hexachlorodibenzo-p-dioxin and 1,2,3,7,8,9-hexachlorodibenzo-p-dioxin (gavage) for possible carcinogenicity. Research Triangle Park, NC: National Cancer Institute/National Toxicology Program. NTP no. 80-12. NCI carcinogenesis technical report series No. 198.

*Needham LL, Cline RE, Head SL, et al. 1981. Determining pentachlorophenol in body fluids by gas chromatography after acetylation. J Anal Toxicol 5:283-286.

Needham LL, Hill RHJ, Ashley DL, et al. 1995. The priority toxicant reference range study: Interim report. Environ Health Perspect Suppl 103:89-94.

Nelson DR, Kamataki T, Waxman DJ, et al. 1993. The P450 superfamily: Update on new sequences, gene mapping, accession numbers, early trivial names of enzymes, and nomenclature. DNA Cell Biol 12:1-51.

*Neveu I, Arenas E. 1996. Neurotrophins promote the survival and development of neurons in the cerebellum of the hypothyroid rats in vivo. J Cell Biol 133:631-646.

*Niimi AJ, Cho CY. 1983. Laboratory and field analysis of pentachlorophenol (PCP) accumulation by salmonids. Water Res 17:1791-1795.

*NIOSH. 1976. National occupational hazard survey 1970 (1972-1974). Cincinnati, OH: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health.

NIOSH. 1978. NIOSH/OSHA pocket guide to chemical hazards. Washington, DC: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health. DHEW (NIOSH) publication no. 78-210., 74.

NIOSH. 1984a. National occupational exposure survey (1980-1983). Cincinnati, OH: National Institute for Occupational Safety and Health, U.S. Department of Health and Human Services.

*NIOSH. 1984b. NIOSH manual of analytical methods. Vol. 1, 3rd ed. Cincinnati, OH: U.S. Department of Human Health Services, National Institute for Occupational Safety and Health, Division of Physical Sciences and Engineering.

NIOSH. 1992. NIOSH pocket guide to chemicals hazards. Washington, DC: U.S. Department of Health and Human Service, Centers for Disease Control, National Institute for Occupational Safety and Health, Division of Standard Development and Technology Transfer. NIOSH publication no. 90-117.

NIOSH. 1994. NIOSH manual of analytical methods. 4th ed. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health.

PENTACHLOROPHENOL 248 9. REFERENCES

- NIOSH. 1999. Pentachlorophenol. Pocket guide to chemical hazards. Washington D.C.: National Institute for Occupational Safety and Health, U.S. Department of Health and Human Services.
- *NIOSH. 2001a. Pentachlorophenol. National Institute for Occupational Safety and Health, U.S. Department of Health and Human Services. http://www.cdc.gov/niosh/npg/npgd0484.html. February 07, 2001.
- *NIOSH. 2001b. Pentachlorophenol. Documentation for immediately dangerous to life or health concentrations (IDLHs). National Institute for Occupational Safety and Health, U.S. Department of Health and Human Services. http://www.cdc.gov/niosh/idlh/87865.html. February 07, 2001.
- *Nishimura H, Nishimura N, Oshima H. 1980. Experimental studies on the toxicity of pentachlorophenol. J Aichi Med Univ Assoc 8:203-209.
- *Nishimura H, Nishimura N, Oshima H. 1982. Effects of pentachlorophenol on the levels of hepatic glycogen. Sangyo Igaku 24:398-399.
- Norris B, Quevedo L. 1993. Pentachlorophenol (PCP) inhibits ion transport in the isolated toad cornea. Gen Pharmacol 24:867-872.
- *NRC. 1993. Pesticides in the diets of infants and children. National Research Council. Washington, DC: National Academy Press.
- NREPC. 1986. Natural Resources and Environmental Protection Cabinet. Department for Environmental Protection, Division of Air Pollution, Frankfort, KY. 401 KAR 63:022.
- *NTP. 1989. NTP technical report on the toxicology and carcinogenesis studies of two pentachlorophenol technical grade mixtures (CAS no 87-86-5) in B6C3F1 mice (feed studies). National Toxicology Program, Research Triangle Park, NC. NTP TR 349. NIH publication No. 89-2804.
- NTP. 1997. NTP technical report on the toxicology and carcinogenesis studies of pentachlorophenol (CAS no 87-86-5) in F344/N rats (feed studies): Scheduled peer review date: 9-10 December 1997. Draft. National Toxicology Program. Research Triangle Park, NC: NTP TR 483. NIH publication No. 97-3973.
- *NTP. 1999. Toxicology and carcinogenesis studies of pentachlorophenol (CAS no 87-86-5) in F344/N rats (feed studies). Research Triangle Park, NC: National Institutes of Health, Public Health Service, U.S. Department of Health and Human Services, National Toxicology Program. NIH publication no. 99-3973. NTP TR 483.
- *Ohe T. 1979. Pentachlorophenol residues in human adipose tissue. Bull Environ Contam Toxicol 22:287-292.
- *O'Malley MA, Carpenter AV, Sweeney MH, et al. 1990. Chloracne associated with employment in the production of pentachlorophenol. Am J Ind Med 17:411-421.
- OSHA. 1974. Occupational Safety and Health Standards. U.S. Department of Labor, Occupational Safety and Health Administration. Federal Register 39:23542.
- OSHA. 1989a. Toxic and hazardous substances. U.S. Department of Labor, Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1000.

PENTACHLOROPHENOL 249 9. REFERENCES

- OSHA. 1989b. Toxic and hazardous substances. U.S. Department of Labor, Occupational Safety and Health Administration. Federal Register 54(12):2920-2960.
- OSHA. 1998a. U.S. Department of Labor, Occupational Safety and Health Administration. Code of, Federal Regulations. 29 CFR 1926.55.
- OSHA. 1998b. U.S. Department of Labor. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1915.1000.
- *OSHA. 1998c. U.S. Department of Labor. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1000.
- *OSHA. 1999a. U.S. Department of Labor. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1926.55.
- *OSHA. 2000a. U.S. Department of Labor. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910, 1000.
- *OSHA. 2000b. U.S. Department of Labor. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1915. 1000.
- *OSHA. 2001a. Air contaminants. Shipyards. Occupational Safety and Health Administration. U.S. Department of Labor. Code of Federal Regulations. 29 CFR 1915.1000, Table Z. <u>Http://www.osha-slc.gov/OshStd data/1915 1000.html. March 26, 2001.</u>
- *OSHA. 2001b. Limits for air contaminants. U.S. Department of Labor. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1000, Table Z-1. <u>Http://www.osha-slc.gov/OshStd data/1910 1000 Table Z-1.html. March 26, 2001.</u>
- *OSHA. 2001c. Threshold limit values of airborne contaminants for construction. U.S. Department of Labor, Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1926.55, Appendix A. http://www.osha-slc.gov/OshStd data/1926 0055 APP A.html. March 26, 2001.
- *Owen GM, Brozek J. 1966. Influence of age, sex, and nutrition on body composition during childhood and adolescence. In: Falkner F, ed. Human Development. Philadelphia, PA: WB Saunders, 222-238.
- *Parks DJ, Blanchard SG, Bledsoe RK, et al. 1999. Bile acids: Natural ligands for an orphan nuclear receptor. Science 284:1365-1368.
- Parks LG, Leblanc GA. 1996. Reductions in steroid hormone biotransformation/elimination as a biomarker of pentachlorophenol chronic toxicity. Aquat Toxicol 34:291-303.
- *Pekari K, Aitio A. 1982. A simple liquid chromatographic method for the analysis of penta- and tetrachlorophenols in urine of exposed workers. J Chromatogr 232:129-136.
- *Pekari K, Luotamo M, Järvisalo J, et al. 1991. Urinary excretion of chlorinated phenols in saw-mill workers. Int Arch Occup Environ Health 63:57-62.
- *Peper M, Ertl M Gerhard I. 1999. Long-term exposure to wood-preserving chemicals containing pentachlorophenol and lindane is related to neurobehavioral performance in women. Am J Ind Med 35:632-641.

PENTACHLOROPHENOL 250 9. REFERENCES

- *Pierce RH, Jr, Victor DM. 1978. The fate of pentachlorophenol in an aquatic ecosystem. In: Rao KR, ed. Pentachlorophenol: Chemistry, pharmacology, and environmental toxicology. New York, NY: Plenum Press, 41-52.
- *Pignatello JJ, Johnson LK, Martinson MM, et al. 1985. Response of the microflor in outdoor experimental streams to pentachlorophenol: Compartmental contributions. Appl Environ Microbiol 50:127-132.
- *Pignatello JJ, Martinson MM, Steiert JG, et al. 1983. Biodegradation and photolysis of pentachlorophenol in artificial freshwater streams. Appl Environ Microbiol 46:1024-1031.
- Pohl HR, Smith-Simon C, Hicks H. 1998. Health effects classification and its role in the derivation of minimal risk levels: Developmental effects. Regul Toxicol Pharmacol 28:55-60.
- Pohland FG, Karadagli F, Kim JC, et al. 1998. Landfill codisposal of pentachlorophenol (PCP)-treated waste wood with municipal solid waste. Water Sci Technol 38:169-175.
- Prescott CA, Wilkie BN, Hunter B, et al. 1982. Influence of a purified grade of pentachlorophenol on the immune response of chickens. Am J Vet Res 42:481-487.
- *Pruitt GW, Grantham BJ, Pierce RH. 1977. Accumulation and elimination of pentachlorophenol by the bluegill, *lepomis macrochirus*. Transactions of the American Fisheries Society 106:462-465.
- *Qiao GL, Brooks JD, Riviere JE. 1997. Pentachlorophenol dermal absorption and disposition from soil in swine: Effects of occlusion and skin microorganism inhibition. Toxicol Appl Pharmacol 147:234-246.
- *Ramlow JM, Spadacene NW, Hoag SR, et al. 1996. Mortality in a cohort of pentachlorophenol manufacturing workers, 1940-1989. Am J Ind Med 30:180-194.
- Randerath E, Zhou GD, Donnelly KC, et al. 1996. DNA damage induced in mouse tissues by organic wood preserving waste extracts as assayed by 32P-postlabeling. Arch Toxicol 70:683-695.
- Randerath K, Zhou GD, Randerath E, et al. 1997. Comparative 32P-postlabeling analysis of exogenous and endogenous DNA adducts in mouse skin exposed to a wood-preserving waste extract, a complex mixture of polycyclic and polychlorinated chemicals. Environ Mol Mutagen 29:372-378.
- *Rawlings NC, Cook SJ, Waldbillig D. 1998. Effects of the pesticides carbofuran, chlorpyrifos, dimethoate, lindane, triallate, trifluralin, 2,4-D, and pentachlorophenol on the metabolic endocrine and reproductive endocrine system in ewes. J Toxicol Environ Health Part A 54:21-36.
- *Realini PA. 1981. Determination of priority pollutant phenols in water by HPLC. J Chromatogr Sci 19:124-129.
- *Rehwagen M, Rolle-Kampczyk U, Herbarth O, et al. 1999. [Pentachlorophenol in house dusts and urine of Eastern German children.] Geharstoffe Reinhalt Luft 59:43-47. (German)
- *Reigner BG, Bois FY, Tozer TN. 1992a. Assessment of pentachlorophenol exposure in humans using the clearance concept. Hum Exp Toxicol 11:17-26.
- *Reigner BG, Bois FY, Tozer TN. 1993. Pentachlorophenol carcinogenicity: Extrapolation of risk from mice to humans. Hum Exp Toxicol 12:215-225.

PENTACHLOROPHENOL 251 9. REFERENCES

- *Reigner BG, Gungon RA, Hoag MK, et al. 1991. Pentachlorophenol toxicokinetics after intravenous and oral administration to rat. Xenobiotica 21:1547-1558.
- Reigner BG, Rigod JF, Tozer TN. 1990. Simultaneous assay of pentachlorophenol and its metabolite, tetrachlorohydroquinone, by gas chromatography without derivatization. J Chromatogr Biomed Appl 98:111-124.
- *Reigner BG, Rigod JF, Tozer TN. 1992b. Disposition, bioavailability, and serum protein binding of pentachlorophenol in the B6C3F1 mouse. Pharm Res 9:1053-1057.
- *Reiman W, Walton H. 1970. Ion exchange in analytical chemistry. New York, NY: Pergamon Press, 168
- *Reiner EA, Chu J, Kirsch EJ. 1978. Microbial metabolism of pentachlorophenol. In: Rao, KR, ed. Pentachlorophenol: Chemistry, pharmacology, and environmental toxicology. New York, NY: Plenum Press, 67-81.
- *Renner G. 1989. Urinary excretion of pentachlorophenol (PCP) and its metabolite tetrachlorohydroquinone (TCH) in rats. Toxicol Environ Chem 25:29-32.
- *Renner G, Hopfer C. 1990. Metabolic studies on pentachlorophenol (PCP) in rats. Xenobiotica 20:573-582.
- Renner G, Hopfer C, Gokel JM. 1986. Acute toxicities of pentachlorophenol, pentachloroanisole, tetrachlorodydroquinone, tetrachlorocatechol, tetrachlororesorcinol, tetrachlorodimethoxybenzenes and tetrachlorodibenzenediol diacetates administered to mice. Toxicol Environ Chem 11:37-50.
- *Rick DL, Licht CF, McCarty LP. 1982. Determination of phenol and pentachlorophenol in plasma and urine samples by gas liquid chromatography. J Anal Toxicol 6:297-300.
- Rivera MD, Haggblom MM, Young LY. 1993. Anaerobic degradation of mixtures of pentachlorophenol and cresols [Abstract]. Abstr Annu Meet Am Soc Microbiol 93:414.
- *Roberts HJ. 1963. Aplastic anemia due to pentachlorophenol and tetrachlorophenol. South Med J 56:632-635.
- *Roberts HJ. 1981. Aplastic anemia due to pentachlorophenol [Letter]. N Eng J Med 305:1605-1651.
- *Roberts HJ. 1983. Aplastic anemia and cell aplasia due to pentachlorophenol. South Med J 76:45-48.
- *Roberts HJ. 1990. Pentachlorophenol-associated aplastic anemia, red cell aplasia, leukemia and other blood disorders. J Fla Med Assoc 77:86-90.
- *Robinson C, Fowler D, Brown D, et al. 1985. Plywood Mill workers' mortality 1945-1977. Menlo Park, CA: Stanford Research Institute.
- *Robson AM, Kissane JM, Elvick HN, et al. 1969. Pentachlorophenol poisoning in a nursery for newborn infants: I. Clinical features and treatment. J Pediatr 75:309-316.
- Roszell LE, Anderson RS. 1996. Effect of chronic *in vivo* exposure to pentachlorophenol on non-specific immune functions in *fundulus heteroclitus*. Mar Environ Res 42:191-194.

PENTACHLOROPHENOL 252 9. REFERENCES

*Rozman T, Ballhorn L, Rozman K, et al. 1982. Effect of cholestyramine on the disposition of pentachlorophenol in Rhesus monkeys. J Toxicol Environ Health 10:277-283.

*RTECS. 1991. Registry of Toxic Effects of Chemical Substances. Washington, DC: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health. December 24, 1991.

RTECS. 1999. Pentachlorophenol. Registry of Toxic Effects of Chemical Substances. National Institute for Occupational Safety and Health. April 19, 1999.

*Rudling L. 1970. Determination of pentachlorophenol in organic tissues and water. Water Res 4:533-537.

*Rugman FP, Cosstick R. 1990. Aplastic anemia associated with organochlorine pesticide: Case reports and review of evidence. J Clin Pathol 43:98-101.

Rumack BH. 1999. POISONDEC DATABASE. Micromedex.

Rutgers M, Gooch DD, Breure AM, et al. 1996. Assessment of inhibition kinetics of the growth of strain P5 on pentachlorophenol under steady-state conditions in a nutristat. Arch Microbiol 165:194-200.

*Sai-Kato K, Umemura T, Takagi A, et al. 1995. Pentachlorophenol-induced oxidative DNA damage in mouse liver and protective effect of antioxidants. Food Chem Toxicol 33:877-882.

*Samokyszyn VM, Freeman JP, Maddipati KR, et al. 1995. Peroxidase-catalyzed oxidation of pentachlorophenol. Chem Res Toxicol 8:349-355.

*Santodonato J. 1986. Monograph on human exposure to chemicals in the workplace: Pentachlorophenol. NTIS/PB86-155116.

Saracci R, Kogevinas M, Bertazzi PA, et al. 1991. Cancer mortality in workers exposed to chlorophenoxy herbicides and chlorophenols. Lancet 338:1027-1032.

*Savolainen H, Pekari K. 1979. Neurochemical effects of peroral administration of technical pentachlorophenol. Res Commun Chem Pathol Pharmacol 23:97-105.

Sax NI. 1984. Dangerous properties of industrial materials. New York, NY: Van Nostrand Reinhold, 2127.

*Schellenberg K, Leuenberger C, Schwarzenbach RP. 1984. Sorption of chlorinated phenols by natural sediments and aquifer materials. Environ Sci Technol 18:652-657.

Schmid K, Lederer P, Goen T, et al. 1997. Internal exposure to hazardous substances of persons from various continents: Investigations on exposure to different organochlorine compounds. Int Arch Occup Environ Health 69:399-406.

Schnelle-Kreis J, Scherb H, Gebefugi I, et al. 2000. Pentachlorophenol in indoor environments. Correlation of PCP concentrations in air and settled dust from floors. Sci Total Environ 256:125.

PENTACHLOROPHENOL 253 9. REFERENCES

Schuur Ag, Bergman A, Brouwer A, et al. 1999. Effects of pentachlorophenol and hydroxylated polychlorinated biphenyls on thyroid hormone conjugation in a rat and a human hepatoma cell line. Toxicol In Vitro 13:417-425.

*Schwetz BA, Keeler PA, Gehring PJ. 1974. The effect of purified and commercial grade pentachlorophenol on rat embryonal and fetal development. Toxicol Appl Pharmacol 28:151-161.

*Schwetz BA, Quast JF, Keeler PA, et al. 1978. Results of two-year toxicity and reproduction studies on pentachlorophenol in rats. In: Rao KR, ed. Pentachlorophenol: Chemistry, pharmacology and environmental toxicology. New York, NY: Plenum Press, 301-309.

Seech AG, Trevors JT, Bulman TL. 1991. Biodegradation of pentachlorophenol in soil: The response to physical, chemical, and biological treatments. Can J Micobiol 37:440-444.

*Sehgal VN, Ghorpade A. 1983. Fume inhalation chloracne. Dermatologica 167:33-36.

*Seidler A, Hellenbrand W, Robra BP, et al. 1996. Possible environmental, occupational, and other etiologic factors for Parkinson's disease. Neurology 46:1275-1284.

Seidler JJ, Landau M, Dierberg FE, et al. 1986. Persistence of pentachlorophenol in a wastewater-estuarine aquaculture system. Bull Environ Contam Toxicol 36:101-108.

*Setchell BP, Waites GMH. 1975. The blood testis barrier. In: Creep RO, Astwood EB, Geiger SR, eds. Handbook of physiology: Endocrinology V. Washington, DC: American Physiological Society.

*Shafik TM. 1973. The determination of pentachlorophenol and hexachlorophene in human adipose tissue. Bull Environ Contam Toxicol 10:57-63.

Shealy DB, Bonin MA, Wooten JV, et al. 1996. Application of an improved method for the analysis of pesticides and their metabolites in the urine of farmer applicators and their families. Environ Int 22:661-675.

Shofer SL, Tjeerdema RS. 1993. Comparative disposition and biotransformation of pentachlorophenol in the oyster (*crassostrea gigas*) and abalone (*haliotis fulgens*). Pestic Biochem Physiol 46:85-95.

Shofer SL, Willis JA, Tjeerdema RS. 1996. Sublethal effects of pentachlorophenol and hypoxia on rates of arginine kinase flux in Red Abalone (*haliotis rufescens*) as measured by 31P magnetization saturation transfer NMR. Mar Environ Res 42:363-367.

Shoji R, Sakoda A, Sakai Y, et al. 1998. Rapid bioassay of toxicity in environmental water by LDL-uptaking activity of human cell. Water Sci Technol 38:271-278.

Sikka K, Sharma AK. 1976. The effects of some herbicides on plant chromosomes. Proceedings of the Indian National Science Academy 46 Pt B:299-307.

*Simmon VF, Mitchell AD, Jorgenson TA. 1977. Evaluation of selected pesticides as chemical mutagens: *In vitro* and *in vivo* studies. Washington, DC: U.S. Environmental Protection Agency. EPA 600/1-77-028.

*Siqueina MEPB, Fernicola NAGG. 1981. Determination of pentachlorophenol in urine. Bull Environ Contam Toxicol 27:380-385.

PENTACHLOROPHENOL 254 9. REFERENCES

*Smejtek P. 1987. The physicochemical basis of the membrane toxicity of pentachlorophenol: An overview. J Membr Sci 33:249-268.

*Smith AD, Bharath A, Mallard C, et al. 1990. Bioconcentration kinetic of some chlorinated benzene and chlorinated phenols in American flagfish, *jordanella floridae* (Goode and Bean). Chemosphere 20:379-386.

*Smith GB, Lee SF, Netzer A. 1976. Model studies in aqueous chlorination: The chlorination of phenols in dilute aqueous solutions. Water Res 10:985-990.

Smith J, Loveless L, Belden E. 1967. Pentachlorophenol poisoning in newborn infants. MMWR Morb Mortal Wkly Rep 16:124-133.

*Smith JE, Loveless LE, Belden EA. 1996. Pentachlorophenol poisoning in newborn infants—St. Louis, Missouri, April-August 1967. MMWR Morb Mortal Wkly Rep 45:545-548.

Smith JG, Christophers AJ. 1992. Penoxy herbicides and chlorophenols: A case control study on soft tissue sarcoma and malignant lymphoma. Arch Environ Health 47:167-175.

Sodum RS, Sohn OS, Nie G, et al. 1994. Activation of the liver carcinogen 2-nitropropane by aryl sulfotransferase. Chem Res Toxicol 7:344-351.

Soimasuo R, Jokinen I, Kukkonen J, et al. 1995. Biomarker responses along a pollution gradient: Effects of pulp and paper mill effluents on caged whitefish. Aquat Toxicol 31:329-345.

Spencer EY. 1982. Guide to the chemicals used in crop protection. Ottawa, Canada: Research Institute, Agriculture Canada, Information Canada. Publication 1093, 443.

SRI. 1991. Directory of chemical producers: United States of America. Menlo Park, CA: Stanford Research Institute International, 849.

SRI. 1996. Directory of chemical producers: United States of America. Menlo Park, CA: Stanford Research Institute International, 409-410.

*SRI. 1998. Directory of chemical producers: United States of America. Menlo Park, CA: Stanford Research Institute International, 797.

Stangroom SJ, Collins CD, Lester JN. 1998. Sources of organic micropollutants to lowland rivers. Environ Technol 19:643-666.

STAPPA/ALAPCO. 1999. State and Territorial Air Pollution Program Administrators/Association of Local Air Pollution Control Officials. Washington, DC. <u>Http://www.4cleanair.org/states.html#NorthC</u>. June 16, 1999.

Stehl RH, Papenfus RR, Bredeweg RA, et al. 1973. Stability of pentachlorophenol and chlorophenol and chlorinated dioxins to sunlight, heat, and combustion. Adv Chem Ser 120:119-125.

Stein K, Ohlenbusch G. 1997. Inhibition of the enzyme phosphoenolpyruvate-carboxylase (PEPC) by different pollutants. Talanta 44:475-481.

PENTACHLOROPHENOL 255 9. REFERENCES

- *Stein SA, Kirkpatrick LL, Shanklin DR, et al. 1991. Hypothyroidism reduces the rate of slow component A (Sca) axonal transport and the amount of transported tubulin in the *hyt/hyt* mouse optic nerve. J Neurosci Res 28:121-133.
- *St. Omer VEV, Gadusek F. 1987. The acute oral LD50 of technical pentachlorophenol in developing rats. Environ Toxicol Chem 6:147-149.
- *Thompson TS, Treble RG. 1994. Preliminary results of a survey of pentachlorophenol levels in human urine. Bull Environ Contam Toxicol 53:274-279.
- *Thompson TS, Treble RG. 1996. Pentachlorophenol levels in human urine. Bull Environ Contam Toxicol 56:520-526.
- *Thompson TS, Treble RG, Mariasegaram M. 1997. Determination of atmospheric contamination by pentachlorophenol using pine needles located near treated utility pole storage sites. Bull Environ Contam Toxicol 59:548-555.
- Tjeerdema RS, Kauten RJ, Crosby DG. 1993. Interactive effects of pentachlorophenol and temperature in the abalone (*haliotis rufescens*) as measured by in vivo 32p-NMR spectroscopy. Aquat Toxicol 26:117-132.
- Tjeerdema RS, Lukrich KL, Stevens EM. 1994. Toxicokinetics and biotransformation of pentachlorophenol in the sea urchin (*strongylocentrotus purpuratus*). Xenobiotica 24:749-757.
- *Tran DQ, Klotz DM, Ladlie BL, et al. 1996. Inhibition of progesterone receptor activity in yeast by synthetic chemicals. Biochem Biophys Res Commun 229:518-523.
- Trapido M, Hirvonen A, Veressinina Y, et al. 1997. Ozonation, ozone/UV and UV/H2O2 degradation of chlorophenols. Ozone Sci Eng 19:75-96.
- *Treble RG, Thompson TS. 1996. Normal values for pentachlorophenol in urine samples collected from a general population. J Anal Toxicol 20:313-317.
- Trenti T, Ventura E, Ceccarelli D, et al. 1986. Porphyrins and pentachlorophenol in rat-liver mitochondria in hexachlorobenzene-induced porphyria. IARC Sci Publ:457-459.
- Trevors JT, Mayfield CI, Inniss WE, et al. 1981. Effects of phenolic antioxidants on the toxicity of pentachlorophenol in short-term bacterial bioassays. Bull Environ Contam Toxicol 27:433-439.
- Trevors JT, Mayfield CI, Inniss WE. 1982. Effect of sequence of exposure to chlorophenols in short-term bacterial bioassays. Arch Environ Contam Toxicol 11:203-207.
- TRI90. 1992. Toxic Chemical Release Inventory. Bethesda, MD: National Library of Medicine, National Toxicology Information Program.
- TRI92. 1996. Toxic Substances Release Inventory. Bethesda, MD: National Library of Medicine, National Toxicology Information Program.
- TRI96. 1999. Toxic Substances Release Inventory. Bethesda, MD: National Library of Medicine, National Toxicology Information Program.

PENTACHLOROPHENOL 256 9. REFERENCES

TRI98. 2000. TRI explorer: Providing access to EPA's toxics release inventory data. Washington, DC: Office of Information Analysis and Access. Offices of Environmental Information. U.S. Environmental Protection Agency. Toxic Release Inventory. http://www.epa.gov/triexplorer/. November 09, 2000.

*TR199. 2001. TRI explorer. Providing access to EPA's toxics release inventory data. Washington, DC: Office of Information Analysis and Access. Offices of Environmental Information. U.S. Environmental Protection Agency. Toxic Release Inventory. http://www.epa.gov/triexplorer/. May 15, 2001.

*Triebig G, Csuzda I, Krekeler HJ, et al. 1987. Pentachlorophenol and the peripheral nervous system: A longitudinal study in exposed workers. Br J Ind Med 44:638-641.

UATW. 1999. Unified air toxics website. Office of Air Quality Planning and Standards, U.S. Environmental Protection Agency. <u>Http://www.epa.gov/ttnuatw1/uatwn.html</u>. May 6, 1999.

*Uhl S, Schmid P, Schlatter C. 1986. Pharmacokinetics of pentachlorophenol in man. Arch Toxicol 58:182-186.

Umegaki K, Ikegami S, Ichikawa T. 1993. [Hepatic DNA damage in mice given organochlorine chemicals.] J Food Hyg Soc Jpn 34:68-73. (Japanese)

*Umemura T, Kai S, Hasegawa R, et al. 1999. Pentachlorophenol (PCP) produces liver oxidative stress and promotes but does not initiate hepatocarcinogenesis in B6C3F1 mice. Carcinogenesis 20(6):1115-1120.

*Umemura T, Sai-Kato K, Takagi A, et al. 1996. Oxidative DNA damage and cell proliferation in the livers of B6C3F1 mice exposed to pentachlorophenol in their diet. Fundam Appl Toxicol 30:285-289.

*USC. 1998. United States Code. 42 USC 7412.

*USC. 2001. United States Code. 42 USC Section 7412.

*van Gestel C, Ma V. 1988. Toxicity and bioaccumulation of chlorophenols in earthworms, in relation to bioavailability in soil. Ecotoxicol Environ Safety 15:289-297.

Van Gestel CAM, Adema DMM, Dirven-Van Breemen EM. 1996. Phytoxicity of some chloroanilines and chlorophenols in relation to bioavailability in soil. Water Air Soil Pollut 88:119-132.

*Van Langeveld HEAM. 1975. Determination of pentachlorophenol in toy paints. J Off Anal Chem 58:19-22.

*van Raaij JA, van den Berg KJ, Engel R, et al. 1991a. Effects of hexachlorobenzene and its metabolites pentachlorophenol and tetrachlorohydroquinone on serum thyroid hormone levels in rats. Toxicology 67:107-116.

*van Raaij JA, van den Berg KJ, Notten WR. 1991b. Hexachlorobenzene and its metabolites pentachlorophenol and tetrachlorohydroquinone: Interaction with thyroxine binding sites of rat thyroid hormone carriers *ex vivo* and *in vitro*. Toxicol Lett 59:101-107.

*van Raaij JAGM, Frijters CMG, Kong LWY, et al. 1994. Reduction of thyroxine uptake into cerebrospinal fluid and rat brain by hexachlorobenzene and pentachlorophenol. Toxicology 94:197-208.

PENTACHLOROPHENOL 257 9. REFERENCES

- Vasarhelyi B, Balzovics A, Feher J. 1993. [The place of pentachlorophenol in general medicinal practice]. [Hungarian] Orv Hetil 134:2649-2652.
- *Vega-Nunez E, Menedez-Hurtado A, Garesse R, et al. 1995. Thyroid hormone-regulated brain mitrochondrial genes revealed by differential cDNA cloning. J Clin Invest 96:893-899.
- Veith GD, Defoe D, Knuth M. 1985. Structure-activity relationships for screening organic chemicals for potential ecotoxicity effects. Drug Metab Rev 15:1295-1303.
- Venegas W, Hermosilla I, Quevedo L, et al. 1993. Genotoxic and teratogenic effect of pentachlorophenol, pollutant present in continental water bodies in the south of Chile. Bull Environ Contam Toxicol 51:107-114.
- Venegas W, Zapata I, Carbonell E, et al. 1998. Micronuclei analysis in lymphocytes of pesticide sprayers from Concepcion, Chile. Teratog Carcinog Mutagen 18:123-129.
- *Veningerova M, Uhnak J, Prachar V, et al. 1996. Chlorinated phenols in human milk. Z Lebensm Unters Forsch 203:309-310.
- *Verschueren K. 1983. Handbook of environmental data on organic chemicals. 2nd ed. New York, NY: Van Nostrand Reinhold Co., 953-954.
- *Vieira I, Sonnier M, Cresteil T. 1996. Developmental expression of CYP2E1 in the human liver: hypermethylation control of gene expression during the neonatal period. Eur J Biochem 238:476-483.
- *Villena F, Montoya G, Klaasen R, et al. 1992. Morphological changes on nerves and histopathological effects on liver and kidney of rats by pentachlorophenol (PCP). Comp Biochem Physiol, C: Comp Pharmacol Toxicol 101C:353-363.
- *Vizethum W, Goerz G. 1979. Induction of the hepatic microsomal and nuclear cytochrome P-450 system by hexachlorobenzene, pentachlorophenol, and trichlorophenol. Chem Biol Interact 28:291-299.
- *Vogel E, Chandler JLR. 1974. Mutagenicity testing of cyclamate and some pesticides in *drosophila melanogaster*. Experientia 30:621-623.
- Vonier PM, Crain DA, McLachlan JA, et al. 1996. Interaction of environmental chemicals with the estrogen and progesterone receptors from the oviduct of the American alligator. Environ Health Perspect 104:1318-1322.
- *Vulcan Chemicals. 1989. Vulcan Chemicals. Written communication May 15, 1989 to ATSDR. Public comment on toxicological profile for pentachlorophenol. Birmingham, AL.
- *Wade AL, Hawkridge FM, Williams HP. 1979. Direct determination of pentachlorophenol by differential pulse polarography. Anal Chem Acta 105:91-97.
- *Wagner SL, Durand LR, Inman RD, et al. 1991. Residues of pentachlorophenol and other chlorinated contaminants in human tissues: Analysis by electron capture gas chromatography and electron capture negative ion mass spectrometry. Arch Environ Contam Toxicol 21:596-606.

PENTACHLOROPHENOL 258 9. REFERENCES

*Waidyanatha S, Lin PH, Rappaport SM. 1996. Characterization of chlorinated adducts of hemoglobin and albumin following administration of pentachlorophenol to rats. Chem Res Toxicol 9:647-653.

*Waidyanatha S, McDonald TA, Lin PH, et al. 1994. Measurement of hemoglobin and albumin adducts of tetrachlorobenzquinone. Chem Res Toxicol 7:463-468.

*Wall AJ, Stratton GW. 1991. Comparison of methods for the extraction of pentachlorophenol from aqueous and soil systems. Chemosphere 22:99-106.

Waltner-Toews D, McEwen SA. 1994. Residues of industrial chemicals and metallic compounds in foods of animal origin: A risk assessment. Prev Vet Med 20:201-218.

Wang WX, Widdows J. 1993. Interactive effects of pentachlorophenol (PCP) and hypoxia on the energy metabolism of the mussel, *mytilus edulis*. Mar Environ Res 35:109-113.

*Wang YJ, Lin JK. 1995. Estimation of selected phenols in drinking water with in situ acetylation and study on the DNA damaging properties of polychlorinated phenols. Bull Environ Contam Toxicol 28:537-542.

Wassom JS, Huff JE, Loprieno N. 1977/1978. A review of the genetic toxicology of chlorinated dibenzo-p-dioxins. Mutat Res 47:141-160.

Watanabe I. 1973. Isolation of pentachlorophenol decomposing bacteria from soil. Soil Sci Plant Nutr 19:109-116.

Watanabe S, Kato Y, Miyasaka K, et al. 1994. Inhibitory effect of riboflavin tetrabutyrate on the lipid peroxidation by pentachlorophenol. Jpn J Toxicol Environ Health (Eisei Kagaku) 40:433-439.

Watanabe S, Miyasaka K, Yamamoto K, et al. 1993. [Production of active oxygen species and lipid peroxidation by the metabolism of pentachlorophenol.] Jpn J Toxicol Environ Health (Eisei Kagaku) 39:534-542. (Japanese)

*Waters MD, Sandhu SS, Simmon VF. 1982. Study of pesticide genotoxicity. Basic Life Sci 21:275-326.

WDNR. 1987. Surface water quality criteria for toxic substances. Wisconsin Department of Natural Resources, 1987. Order of the State of Wisconsin Natural Resources Board Repealing, Renumbering, Renumbering and Amending, Amending, Repealing and Recreating, and Creating Rules. Section 27, Chapter NR 105.

*Weinbach EC. 1954. The effect of pentachlorophenol on oxidative phosphorylation. J Biol Chem 210:545-550.

*Weinbach EC, Garbus J. 1965. The interaction of uncoupling phenols with mitochondria and mitochondrial proteins. J Biol Chem 240:1811-1819.

*Weinberg. 1997. Draft: Preliminary risk assessment of microcontaminant leaching from pentachlorophenol-treated wood poles in Canada. Washington, DC: The Weinberg Group Inc.

*Welsh JJ, Collins TFX, Black TN, et al. 1987. Teratogenic potential of purified pentachlorophenol and pentachloroanisole in subchronically exposed Sprague-Dawley rats. Food Cosmet Toxicol 25:163-172.

PENTACHLOROPHENOL 259 9. REFERENCES

*West JR, Smith HW, Chasis H. 1948. Glomerular filtration rate, effective renal blood flow, and maximal tubular excretory capacity in infancy. J Pediatr 32:10-18.

*Wester RC, Maibach HI, Sedik L, et al. 1993. Percutaneous absorption of pentachlorophenol from soil. Fundam Appl Toxicol 20:68-71.

*White KL, Jr, Anderson AC. 1985. Suppression of mouse complement activity by contaminants of technical grade pentachlorophenol. Agents Actions 16:385-392.

White R, Jobling S, Hoare SA, et al. 1994. Environmentally persistent alkylphenolic compounds are estrogenic. Endocrinology 135:175-182.

WHO. 1984. Guidelines for drinking water quality: Recommendations. Vol. 1. Lyon, France: World Health Organization, 8.

*WHO. 1987. Environmental health criteria 71: Pentachlorophenol. International Programme on Chemical Safety, World Health Organization, Geneva, Switzerland, CH-1211.

*WHO. 2001. Water, sanitation and health. Guidelines for drinking water quality. Geneva, Switzerland; World Health Organization.

Http://www.who.int/water sanitation..Chemicals/pentachlorophenolfull.htm. February 07, 2001.

*Widdowson EM, Dickerson JWT. 1964. Chapter 17: Chemical composition of the body. In: Comar CL, Bronner F, eds. Mineral metabolism: An advanced treatise. Volume II: The elements Part A. New York, NY: Academic Press.

*Wild SR, Jones KC. 1992. Pentachlorophenol in the UK environment: II. Human exposure and an assessment of pathways. Chemosphere 24:847-855.

Williams PL. 1982. Pentachlorophenol, an assessment of the occupational hazard. Am Ind Hyg Assoc J 43:799-810.

Willis KJ, Ling N, Chapman MA. 1995. Effects of temperature and chemical formulation on the acute toxicity of pentachlorophenol to *simocephalus vetulus* (Schoedler, 1858) (Crustacea: Cladocera). N Z J Mar Freshwater Res 29:289-294.

Windolz M, ed. 1983. The Merck index. 10th ed. Rahway, NJ: Merck & Co.

*Wisconsin DNR. 2001. Draft NR 445 chemical list final tag Sept 2001. Wisconsin Department of Natural Resources.

Witte I, Juhl U, Butte W. 1985. DNA-damaging properties and cytotoxicity in human fibroblasts of tetrachlorohydroquinone, a pentachlorophenol metabolite. Mutat Res 145:71-75.

Wolf J, Fengel D, Klein RG, et al. 1998. [Etiology of nose cancer in the wood working industry.] Geharstoffe Reinhalt Luft 58:455-461. (German)

Wong AS, Crosby DG. 1978. Photolysis of pentachlorophenol in water. In: Rao KR, ed. Pentachlorophenol: Chemistry, pharmacology, and environmental toxicology. New York, NY: Plenum Press, 19-25.

PENTACHLOROPHENOL 260 9. REFERENCES

- *Wong AS, Crosby DG. 1981. Photodecomposition of pentachlorophenol in water. J Agric Food Chem 29:125-130.
- *Wood S, Rom WN, White GL, et al. 1983. Pentachlorophenol poisoning. J Occup Med 25:527-530.
- *Wyllie JA, Gabica J, Benson WW, et al. 1975. Exposure and contamination of the air and employees of a pentachlorophenol plant, Idaho-1972. Pestic Monit J 9:150-153.
- *Xie TM. 1983. Determination of trace amounts of chlorophenols and chloroguaiacols in sediment. Chemosphere 12:1183-1191.
- Xing B, Mcgill WB, Dudas MJ. 1993. Thermodynamic parameters for pentachlorophenol sorption on montmorillonite in aqueous suspensions. Chemosphere 26:1311-1324.
- *Yess NJ, Genderson EL, Roy RR. 1993. U.S. Food and Drug Administration monitoring of pesticide residues in infant foods and adult foods eaten by infants/children. J AOAC Int 76:492-507.
- Yoon B, Cho M, Kim I, et al. 1997. [Mutant frequency at the *HPRT* locus in human T-cell exposed to pentachlorophenol.] Korean Journal of Toxicology 13:71-78. (Korean)
- *You CN, Liu JC. 1996. Desorptive behavior of chlorophenols in contaminated soils. Water Sci Technol 33:263-270.
- *Young HC, Carroll JC. 1951. The decomposition of pentachlorophenol when applied as a residual preemergence herbicide. Agron J 43:504-507.
- *Young RHF, Lau LS, Konno SK, et al. 1976. Water quality monitoring: Kaneohe bay and selected watersheds, July to December 1975. Water Resources Research Center, University of Hawaii, Honolulu, Hawaii. Technical Report No. 98.
- Yu Z, Iryo Y, Matsuoka M, et al. 1998. Effects of pentachlorophenol, pentylenetetrazol and carnitine on mitochondria. J Uoeh 20:315-322.
- Yuan JH, Goehl TJ, Murrill E, et al. 1993. Toxicokinetics of pentachloroanisole in F344 rats and B6C3F1 mice. Xenobiotica 23:427-438.
- *Yuan JH, Goehl TJ, Murrill E, et al. 1994. Toxicokinetics of pentachlorophenol in the F344 rat. Gavage and dosed feed studies. Xenobiotica 24:553-560.
- Zamorano-Ponce E, Fernandez JR, Vega LR, et al. 1994. [Pentachlorophenol inhibits the mutagenic effect of benzidine.] Rev Toxicol 11:32-35. (Spanish)
- Zhao F, Mayura K, Hutchinson RW, et al. 1995. Developmental toxicity and structure-activity relationships of chlorophenols using human embryonic palatal mesenchymal cells. Toxicol Lett 78:35-42.
- Zhao W, Ramos KS. 1998. Cytotoxic response profiles of cultured rat hepatocytes to selected aromatic hydrocarbons. Toxicol in Vitro 12:175-182.

PENTACHLOROPHENOL 261 9. REFERENCES

- *Zhu B-Z, Kirotsky N, Chevion M. 2000. Evidence for production of hydroxyl radicals by pentachlorophenol metabolites and hydrogen peroxide: A metal-dependent organic fenton reaction. Biochem Biphys Res Commun 270:942-946.
- *Ziegler EE, Edwards BB, Jensen RL et al. 1978. Absorption and retention of lead by infants. Pediatr Res 12:29-34.
- *Ziemsen B, Angerer J, Lehnart G. 1987. Sister chromatid exchange and chromosomal breakage in PCP exposed workers. Int Arch Occup Environ Health 59:413-417.

PENTACHLOROPHENOL 263

10. GLOSSARY

Absorption—The taking up of liquids by solids, or of gases by solids or liquids.

Acute Exposure—Exposure to a chemical for a duration of 14 days or less, as specified in the Toxicological Profiles.

Adsorption—The adhesion in an extremely thin layer of molecules (as of gases, solutes, or liquids) to the surfaces of solid bodies or liquids with which they are in contact.

Adsorption Coefficient (K_{oc})—The ratio of the amount of a chemical adsorbed per unit weight of organic carbon in the soil or sediment to the concentration of the chemical in solution at equilibrium.

Adsorption Ratio (Kd)—The amount of a chemical adsorbed by a sediment or soil (i.e., the solid phase) divided by the amount of chemical in the solution phase, which is in equilibrium with the solid phase, at a fixed solid/solution ratio. It is generally expressed in micrograms of chemical sorbed per gram of soil or sediment.

Benchmark Dose (BMD)—Usually defined as the lower confidence limit on the dose that produces a specified magnitude of changes in a specified adverse response. For example, a BMD₁₀ would be the dose at the 95% lower confidence limit on a 10% response, and the benchmark response (BMR) would be 10%. The BMD is determined by modeling the dose response curve in the region of the dose response relationship where biologically observable data are feasible.

Benchmark Dose Model—A statistical dose-response model applied to either experimental toxicological or epidemiological data to calculate a BMD.

Bioconcentration Factor (BCF)—The quotient of the concentration of a chemical in aquatic organisms at a specific time or during a discrete time period of exposure divided by the concentration in the surrounding water at the same time or during the same period.

Biomarkers—Broadly defined as indicators signaling events in biologic systems or samples. They have been classified as markers of exposure, markers of effect, and markers of susceptibility.

Cancer Effect Level (CEL)—The lowest dose of chemical in a study, or group of studies, that produces significant increases in the incidence of cancer (or tumors) between the exposed population and its appropriate control.

Carcinogen—A chemical capable of inducing cancer.

Case-Control Study—A type of epidemiological study which examines the relationship between a particular outcome (disease or condition) and a variety of potential causative agents (such as toxic chemicals). In a case-controlled study, a group of people with a specified and well-defined outcome is identified and compared to a similar group of people without outcome.

Case Report—Describes a single individual with a particular disease or exposure. These may suggest some potential topics for scientific research but are not actual research studies.

Case Series—Describes the experience of a small number of individuals with the same disease or exposure. These may suggest potential topics for scientific research but are not actual research studies.

Ceiling Value—A concentration of a substance that should not be exceeded, even instantaneously.

Chronic Exposure—Exposure to a chemical for 365 days or more, as specified in the Toxicological Profiles.

Clastogenic—An agent capable of causing breakage of chromosomes.

Cohort Study—A type of epidemiological study of a specific group or groups of people who have had a common insult (e.g., exposure to an agent suspected of causing disease or a common disease) and are followed forward from exposure to outcome. At least one exposed group is compared to one unexposed group.

Cross-sectional Study—A type of epidemiological study of a group or groups which examines the relationship between exposure and outcome to a chemical or to chemicals at one point in time.

Data Needs—Substance-specific informational needs that if met would reduce the uncertainties of human health assessment.

Developmental Toxicity—The occurrence of adverse effects on the developing organism that may result from exposure to a chemical prior to conception (either parent), during prenatal development, or postnatally to the time of sexual maturation. Adverse developmental effects may be detected at any point in the life span of the organism.

Dose-Response Relationship—The quantitative relationship between the amount of exposure to a toxicant and the incidence of the adverse effects.

Embryotoxicity and Fetotoxicity—Any toxic effect on the conceptus as a result of prenatal exposure to a chemical; the distinguishing feature between the two terms is the stage of development during which the insult occurs. The terms, as used here, include malformations and variations, altered growth, and *in utero* death.

Endocrine System—A system of ductless hormone-secreting glands that includes the hypothalamus, pituitary gland, adrenal glands, thyroid glands, parathyroid glands, and pancreatic islets.

Environmental Protection Agency (EPA) Health Advisory—An estimate of acceptable drinking water levels for a chemical substance based on health effects information. A health advisory is not a legally enforceable federal standard, but serves as technical guidance to assist federal, state, and local officials.

Epidemiology—Refers to the investigation of factors that determine the frequency and distribution of disease or other health-related conditions within a defined human population during a specified period.

FEFR_{25–75}—Forced expiratory flowrate between 25 and 75%.

FEV_{1.0}—Forced expiratory volume in 1.0 seconds.

FVC—Forced vital capacity.

Genotoxicity—A specific adverse effect on the genome of living cells that, upon the duplication of affected cells, can be expressed as a mutagenic, clastogenic or carcinogenic event because of specific alteration of the molecular structure of the genome.

PENTACHLOROPHENOL 265 10. GLOSSARY

Half-life—A measure of rate for the time required to eliminate one half of a quantity of a chemical from the body or environmental media.

Immediately Dangerous to Life or Health (IDLH)—The maximum environmental concentration of a contaminant from which one could escape within 30 minutes without any escape-impairing symptoms or irreversible health effects.

Immune System—A cellular complex that forms the basis of the body's defenses to both biological and chemical exogenous substances.

Incidence—The ratio of individuals in a population who develop a specified condition to the total number of individuals in that population who could have developed that condition in a specified time period.

Intermediate Exposure—Exposure to a chemical for a duration of 15-364 days, as specified in the Toxicological Profiles.

Immunologic Toxicity—The occurrence of adverse effects on the immune system that may result from exposure to environmental agents such as chemicals.

Immunological Effects—Functional changes in the immune response.

In Vitro—Isolated from the living organism and artificially maintained, as in a test tube.

In Vivo—Occurring within the living organism.

Lethal Concentration_(LO) (LC_{LO})—The lowest concentration of a chemical in air which has been reported to have caused death in humans or animals.

Lethal Concentration₍₅₀₎ (LC_{50})—A calculated concentration of a chemical in air to which exposure for a specific length of time is expected to cause death in 50% of a defined experimental animal population.

Lethal Dose_(LO) (LD_{LO})—The lowest dose of a chemical introduced by a route other than inhalation that has been reported to have caused death in humans or animals.

Lethal Dose₍₅₀₎ (LD_{50})—The dose of a chemical which has been calculated to cause death in 50% of a defined experimental animal population.

Lethal Time₍₅₀₎ (LT_{50})—A calculated period of time within which a specific concentration of a chemical is expected to cause death in 50% of a defined experimental animal population.

Lowest-Observed-Adverse-Effect Level (LOAEL)—The lowest exposure level of chemical in a study, or group of studies, that produces statistically or biologically significant increases in frequency or severity of adverse effects between the exposed population and its appropriate control.

Lymphoreticular Effects—Represent morphological effects involving lymphatic tissues such as the lymph nodes, spleen, and thymus.

Malformations—Permanent structural changes that may adversely affect survival, development, or function.

Minimal Risk Level (MRL)—An estimate of daily human exposure to a hazardous substance that is likely to be without an appreciable risk of adverse noncancer health effects over a specified route and duration of exposure.

Modifying Factor (MF)—A value (greater than zero) that is applied to the derivation of a minimal risk level (MRL) to reflect additional concerns about the database that are not covered by the uncertainty factors. The default value for a MF is 1.

Morbidity—State of being diseased; morbidity rate is the incidence or prevalence of disease in a specific population.

Mortality—Death; mortality rate is a measure of the number of deaths in a population during a specified interval of time.

Mutagen—A substance that causes mutations. A mutation is a change in the DNA sequence of a cell's DNA. Mutations can lead to birth defects, miscarriages, or cancer.

Necropsy—The gross examination of the organs and tissues of a dead body to determine the cause of death or pathological conditions.

Neurotoxicity—The occurrence of adverse effects on the nervous system following exposure to a chemical.

No-Observed-Adverse-Effect Level (NOAEL)—The dose of a chemical at which there were no statistically or biologically significant increases in frequency or severity of adverse effects seen between the exposed population and its appropriate control. Effects may be produced at this dose, but they are not considered to be adverse.

Octanol-Water Partition Coefficient (K_{ow})—The equilibrium ratio of the concentrations of a chemical in n-octanol and water, in dilute solution.

Odds Ratio (OR)—A means of measuring the association between an exposure (such as toxic substances and a disease or condition) which represents the best estimate of relative risk (risk as a ratio of the incidence among subjects exposed to a particular risk factor divided by the incidence among subjects who were not exposed to the risk factor). An odds ratio of greater than 1 is considered to indicate greater risk of disease in the exposed group compared to the unexposed.

Organophosphate or Organophosphorus Compound—A phosphorus containing organic compound and especially a pesticide that acts by inhibiting cholinesterase.

Permissible Exposure Limit (PEL)—An Occupational Safety and Health Administration (OSHA) allowable exposure level in workplace air averaged over an 8-hour shift of a 40 hour workweek.

Pesticide—General classification of chemicals specifically developed and produced for use in the control of agricultural and public health pests.

Pharmacokinetics—The science of quantitatively predicting the fate (disposition) of an exogenous substance in an organism. Utilizing computational techniques, it provides the means of studying the absorption, distribution, metabolism and excretion of chemicals by the body.

Pharmacokinetic Model—A set of equations that can be used to describe the time course of a parent chemical or metabolite in an animal system. There are two types of pharmacokinetic models: data-based and physiologically-based. A data-based model divides the animal system into a series of compartments which, in general, do not represent real, identifiable anatomic regions of the body whereby the physiologically-based model compartments represent real anatomic regions of the body.

Physiologically Based Pharmacodynamic (PBPD) Model—A type of physiologically-based dose-response model which quantitatively describes the relationship between target tissue dose and toxic end points. These models advance the importance of physiologically based models in that they clearly describe the biological effect (response) produced by the system following exposure to an exogenous substance.

Physiologically Based Pharmacokinetic (PBPK) Model—Comprised of a series of compartments representing organs or tissue groups with realistic weights and blood flows. These models require a variety of physiological information: tissue volumes, blood flow rates to tissues, cardiac output, alveolar ventilation rates and, possibly membrane permeabilities. The models also utilize biochemical information such as air/blood partition coefficients, and metabolic parameters. PBPK models are also called biologically based tissue dosimetry models.

ppbv—Parts per billion by volume.

ppmv—Parts per million by volume.

Prevalence—The number of cases of a disease or condition in a population at one point in time.

Proportionate Mortality Ratio (PMR)—The ratio of a cause-specific mortality proportion in an exposed group to the mortality proportion in an unexposed group; mortality proportions may be adjusted for confounding variables such as age. Cause-specific mortality proportions can be calculated when the cohort (the population at risk) cannot be defined due to inadequate records, but the number of deaths and the causes of deaths are known.

Prospective Study—A type of cohort study in which the pertinent observations are made on events occurring after the start of the study. A group is followed over time.

 q_1 *—The upper-bound estimate of the low-dose slope of the dose-response curve as determined by the multistage procedure. The q_1 * can be used to calculate an estimate of carcinogenic potency, the incremental excess cancer risk per unit of exposure (usually $\mu g/L$ for water, mg/kg/day for food, and $\mu g/m^3$ for air).

Recommended Exposure Limit (REL)—A National Institute for Occupational Safety and Health (NIOSH) time-weighted average (TWA) concentrations for up to a 10-hour workday during a 40-hour workweek.

Reference Concentration (RfC)—An estimate (with uncertainty spanning perhaps an order of magnitude) of a continuous inhalation exposure to the human population (including sensitive subgroups) that is likely to be without an appreciable risk of deleterious noncancer health effects during a lifetime. The inhalation reference concentration is for continuous inhalation exposures and is appropriately expressed in units of mg/m³ or ppm.

Reference Dose (RfD)—An estimate (with uncertainty spanning perhaps an order of magnitude) of the daily exposure of the human population to a potential hazard that is likely to be without risk of deleterious

effects during a lifetime. The RfD is operationally derived from the No-Observed-Adverse-Effect Level (NOAEL- from animal and human studies) by a consistent application of uncertainty factors that reflect various types of data used to estimate RfDs and an additional modifying factor, which is based on a professional judgment of the entire database on the chemical. The RfDs are not applicable to nonthreshold effects such as cancer.

Relative Risk (RR)—The risk expressed as a ratio of the incidence of diseased subjects exposed to a particular risk factor to the incidence of diseased subjects in a non-exposed referent group.

Reportable Quantity (RQ)—The quantity of a hazardous substance that is considered reportable under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). Reportable quantities are (1) 1 pound or greater or (2) for selected substances, an amount established by regulation either under CERCLA or under Section 311 of the Clean Water Act. Quantities are measured over a 24-hour period.

Reproductive Toxicity—The occurrence of adverse effects on the reproductive system that may result from exposure to a chemical. The toxicity may be directed to the reproductive organs and/or the related endocrine system. The manifestation of such toxicity may be noted as alterations in sexual behavior, fertility, pregnancy outcomes, or modifications in other functions that are dependent on the integrity of this system.

Retrospective Study—A type of cohort study based on a group of persons known to have been exposed at some time in the past. Data are collected from routinely recorded events, up to the time the study is undertaken. Retrospective studies are limited to causal factors that can be ascertained from existing records and/or examining survivors of the cohort.

Risk—The possibility or chance that some adverse effect will result from a given exposure to a chemical.

Risk Factor—An aspect of personal behavior or lifestyle, an environmental exposure, or an inborn or inherited characteristic, that is associated with an increased occurrence of disease or other health-related event or condition.

Risk Ratio—The ratio of the risk among persons with specific risk factors compared to the risk among persons without risk factors. A risk ratio greater than 1 indicates greater risk of disease in the exposed group compared to the unexposed.

Short-Term Exposure Limit (STEL)—The American Conference of Governmental Industrial Hygienists (ACGIH) maximum concentration to which workers can be exposed for up to 15 min continually. No more than four excursions are allowed per day, and there must be at least 60 min between exposure periods. The daily Threshold Limit Value - Time Weighted Average (TLV-TWA) may not be exceeded.

Standardized Mortality Ratio (SMR)—The ratio of a cause-specific mortality rate in an exposed cohort during a given period to the mortality rate of an unexposed cohort; mortality rates are often adjusted for age or other confounding variables.

Standardized Proportionate Incidence Ratio (SPIR)—Similar to a Proportionate Mortality Ratio (PMR) in that it is a ratio of a proportion of a specific disease in an exposed group compared with the proportion in an unexposed group.

Target Organ Toxicity—This term covers a broad range of adverse effects on target organs or physiological systems (e.g., renal, cardiovascular) extending from those arising through a single limited exposure to those assumed over a lifetime of exposure to a chemical.

Teratogen—A chemical that causes structural defects that affect the development of an organism.

Threshold Limit Value (TLV)—An American Conference of Governmental Industrial Hygienists (ACGIH) concentration of a substance to which most workers can be exposed without adverse effect. The TLV may be expressed as a Time Weighted Average (TWA), as a Short-Term Exposure Limit (STEL), or as a ceiling limit (CL).

Time-Weighted Average (TWA)—An allowable exposure concentration averaged over a normal 8-hour workday or 40-hour workweek.

Toxic Dose₍₅₀₎ (TD_{50})—A calculated dose of a chemical, introduced by a route other than inhalation, which is expected to cause a specific toxic effect in 50% of a defined experimental animal population.

Toxicokinetic—The study of the absorption, distribution and elimination of toxic compounds in the living organism.

Uncertainty Factor (UF)—A factor used in operationally deriving the Minimal Risk Level (MRL) or Reference Dose (RfD) or Reference Concentration (RfC) from experimental data. UFs are intended to account for (1) the variation in sensitivity among the members of the human population, (2) the uncertainty in extrapolating animal data to the case of human, (3) the uncertainty in extrapolating from data obtained in a study that is of less than lifetime exposure, and (4) the uncertainty in using Lowest-Observed-Adverse-Effect Level (LOAEL) data rather than No-Observed-Adverse-Effect Level (NOAEL) data. A default for each individual UF is 10; if complete certainty in data exists, a value of one can be used; however a reduced UF of three may be used on a case-by-case basis, three being the approximate logarithmic average of 10 and 1.

Xenobiotic—Any chemical that is foreign to the biological system.