

**Table 40. Tuberculosis Cases and Percentages by Directly Observed Therapy (DOT): Reporting Areas, 2003<sup>1</sup>**

Reporting Area	Total Cases	Cases with Initial Drug Regimen Prescribed <sup>2</sup>	Cases with Information on Directly Observed Therapy		Percentage of Cases by Directly Observed Therapy <sup>3</sup>	
			No.	(%)	DOT Only	Both DOT and Self-Administered
<b>United States</b>	<b>14,840</b>	<b>14,382</b>	<b>14,155</b>	<b>(98.4)</b>	<b>(56.6)</b>	<b>(28.4)</b>
Alabama	258	253	252	(99.6)	(22.2)	(77.4)
Alaska	57	55	55	(100.0)	(96.4)	(1.8)
Arizona	295	283	263	(92.9)	(79.5)	(8.7)
Arkansas	128	125	125	(100.0)	(36.8)	(28.8)
California	3,220	3,140	3,084	(98.2)	(60.8)	(19.6)
Colorado	111	110	110	(100.0)	(87.3)	(3.6)
Connecticut	111	107	107	(100.0)	(11.2)	(58.9)
Delaware	32	30	30	(100.0)	(56.7)	(36.7)
District of Columbia	79	79	79	(100.0)	(35.4)	(7.6)
Florida	1,041	1,005	1,002	(99.7)	(52.5)	(41.1)
Georgia	532	516	494	(95.7)	(77.9)	(18.4)
Hawaii	116	113	112	(99.1)	(7.1)	(71.4)
Idaho	13	13	12	(92.3)	(58.3)	(33.3)
Illinois	632	608	607	(99.8)	(54.2)	(21.1)
Indiana	143	139	139	(100.0)	(71.9)	(23.7)
Iowa	40	38	38	(100.0)	(65.8)	(28.9)
Kansas	75	70	69	(98.6)	(92.8)	(4.3)
Kentucky	138	132	132	(100.0)	(54.5)	(35.6)
Louisiana	256	244	244	(100.0)	(84.0)	(9.0)
Maine	24	23	23	(100.0)	(100.0)	(0.0)
Maryland	269	263	263	(100.0)	(95.4)	(1.5)
Massachusetts	261	256	255	(99.6)	(39.6)	(29.4)
Michigan	243	231	228	(98.7)	(21.5)	(36.8)
Minnesota	214	212	210	(99.1)	(82.4)	(11.4)
Mississippi	131	126	126	(100.0)	(65.1)	(30.2)
Missouri	130	123	122	(99.2)	(42.6)	(43.4)
Montana	7	7	7	(100.0)	(100.0)	(0.0)
Nebraska	28	27	27	(100.0)	(59.3)	(3.7)
Nevada	106	101	101	(100.0)	(85.1)	(5.9)
New Hampshire	15	14	14	(100.0)	(64.3)	(21.4)
New Jersey	495	485	479	(98.8)	(25.7)	(38.4)
New Mexico	49	47	47	(100.0)	(80.9)	(17.0)
New York State <sup>4</sup>	340	332	332	(100.0)	(22.6)	(70.5)
New York City	1,131	1,092	1,090	(99.8)	(0.2)	(67.5)
North Carolina	374	364	361	(99.2)	(88.9)	(10.0)
North Dakota	6	5	5	(100.0)	(60.0)	(0.0)
Ohio	229	217	216	(99.5)	(66.7)	(14.8)
Oklahoma	163	155	155	(100.0)	(99.4)	(0.0)
Oregon	106	103	101	(98.1)	(71.3)	(25.7)
Pennsylvania	336	323	313	(96.9)	(66.1)	(14.1)
Rhode Island	46	45	44	(97.8)	(40.9)	(59.1)
South Carolina	254	248	247	(99.6)	(90.3)	(6.9)
South Dakota	20	19	19	(100.0)	(73.7)	(5.3)
Tennessee	286	272	269	(98.9)	(53.5)	(45.4)
Texas	1,580	1,524	1,439	(94.4)	(69.6)	(26.5)
Utah	39	37	37	(100.0)	(91.9)	(8.1)
Vermont	8	8	8	(100.0)	(12.5)	(37.5)
Virginia	332	326	326	(100.0)	(78.5)	(8.0)
Washington	250	249	249	(100.0)	(70.3)	(19.3)
West Virginia	21	21	21	(100.0)	(61.9)	(9.5)
Wisconsin	66	63	63	(100.0)	(36.5)	(33.3)
Wyoming	4	4	4	(100.0)	(25.0)	(0.0)
American Samoa <sup>5</sup>	...	...	...	...	...	...
Fed. States of Micronesia <sup>5</sup>	...	...	...	...	...	...
Guam <sup>5</sup>	61	60	58	(96.7)	(1.7)	(96.6)
Marshall Islands <sup>5</sup>	...	...	...	...	...	...
N. Mariana Islands <sup>5</sup>	45	45	45	(100.0)	(100.0)	(0.0)
Puerto Rico <sup>5</sup>	115	104	100	(96.2)	(56.0)	(0.0)
Republic of Palau <sup>5</sup>	9	9	9	(100.0)	(0.0)	(77.8)
U.S. Virgin Islands <sup>5</sup>	...	...	...	...	...	...

<sup>1</sup>Most recent year for which data are available.

<sup>2</sup>Includes persons alive at diagnosis with an initial drug regimen of one or more drugs prescribed.

<sup>3</sup>Percentage for U.S. based on 52 reporting areas (50 states, New York City, and the District of Columbia). Percentages shown only for reporting areas with information reported for ≥75% of cases.

<sup>4</sup>Excludes New York City.

<sup>5</sup>Not included in U.S. totals.

**Note:** Ellipses indicate data not available.