



© John and Karen Hollingsworth

Bibliography

Seatuck National Wildlife Refuge

Bibliography

- Allan, B.F., F. Keesing, and R.S. Ostfeld. 2003. Effect of forest fragmentation on Lyme disease risk. *Conservation Biology* 17:267-272.
- Anderson, J. F., and L. A. Magnarelli. 1993. Natural history of *Borrelia burgdorferi* in vectors and vertebrate hosts. Pages 11–24 in H.S. Ginsberg, editor. *Ecology and environmental management of Lyme disease*. Rutgers University Press, New Brunswick, New Jersey.
- Atlantic Coast Joint Venture. 2002. <http://www.acjv.org/>.
- Audubon. 2003. Cooling the hotspots: protecting America's birds, wildlife, and natural heritage from invasive species. Audubon Report. Available at: http://www.dfg.ca.gov/hcpb/species/nuis_exo/final%20invasives%20report.pdf.
- Augustine, D.J. and P.A. Jordan. 1998. Predictors of white-tailed deer grazing intensity in fragmented deciduous forests. *J. Wildl. Manage.* 62:1076-1085.
- Bailey, R.G. 1995. Descriptions of the Ecoregions of the United States. U.S. Department of Agriculture, Forest Service. Misc. Publication 1391.
- Barbour, M.G. and W.D. Billings. 1988. *North American Terrestrial Vegetation*. Cambridge University Press.
- Barbour, M. G., J. H. Burk, W. D. Pitts, F. S. Gillium, and M. K. Schwartz. 1999. *Terrestrial Plant Ecology*, Third Edition. Benjamin Cummings, an imprint of Addison Wesley Longman, Inc..
- Batcher, M.S. 2003. Analysis of historic aerial photographs to assess changes in cover and distribution of *Phragmites australis* at Wertheim National Wildlife Refuge, New York. Prepared for the U.S. Fish & Wildlife Service, Long Island Refuge Complex.
- Blodget, B.G. 1978. The effect of off-road vehicles on least terns and other shorebirds. M.S. Thesis, University of Massachusetts, Amherst, MA.
- Borg, P, and E. Shreeve. 1974. *The Carmans River Story: A Natural and Human History*. Privately printed.
- Bouffard, S.H. 1982. Wildlife values versus human recreation: Ruby Lake National Wildlife Refuge. *Trans. North American Wildlife and Natural Resources Conference* 47:553-558.
- Boyd, H.P. 1991. *A Field Guide to the Pine Barrens of New Jersey*. Plexus Publishing, Inc., Medford, NJ.
- Boyd, H.P. and P.E. Marucci. 1979. Arthropods of the Pine Barrens. *In Pine Barrens Ecosystem and Landscape*. Rutgers University Press, NJ.
- Bratton, S.P. 1979. Impacts of white-tailed deer on the vegetation of Cades Cove, Great Smokey Mountains National Park. *Proceedings of the Annual Conference of the Southeastern Association of Fish and Wildlife Agencies.* 33:305-312.
- Brown, C.L. and R. Clark. 1968. Observations of dredging and dissolved oxygen in a tidal waterway. *Water Resources Res.* 4:1381-1384.
- Brown, S.E. and G.R. Parker. 1997. Impact of white-tailed deer on forest communities within Brown County State Park, Indiana. *Proc. Indiana Acad. Sci.* 106:39-51.
- Brown, Wennona. Date unavailable. Mosquito larvicide non-target organism effects. Prepared for the U.S. Fish & Wildlife Service Maryland Co-Op Unit.
- Burger, J. 1981. The effect of human activity on birds at a coastal bay. *Biological Conservation.* 21:231-241.
- Burger, J. 1986. The effect of human activity on shorebirds in two coastal bays in northeastern United States. *Environmental Conservation.* 13:123-130.
- Burger, J. and M. Gochfeld. 1991. *The Common Tern: Its Breeding Biology and Social Behavior*. Columbia University Press, NY.

- Carreker, R.G. 1985. Habitat suitability index models: least tern. FWS/OBS- Biological Report 82 (10.103).
- Casey, D. and D. Hein. 1983. Effects of heavy browsing on a bird community in deciduous forest. *J. Wildl. Manage.* 47:829-836.
- Central Pine Barrens Joint Planning and Policy Commission. 1996. Comprehensive Land Use Plan, Volume 2. http://pb.state.ny.us/cpb_plan_vol2/vol2_chapter04.htm.
- Citizens Campaign for the Environment. 2003. Carmans River Study. <http://www.citizenscampaign.org/campaigns/brookhaven.htm>.
- Clapp, R. B., D. Morgan-Jacobs and R.C. Banks. 1983. Marine Birds of the Southeastern United States and Gulf of Mexico; Part III, Charadriiformes. USFWS FWS/OBS.
- Connecticut Department of Environmental Protection, Wildlife Bureau. 1988. Publication DR-11.
- Conover, M.R. 1991. Herbivory by Canada geese: Diet selection and its effect on lawns. *Ecological Applications* 1:231-36.
- Cowardin, L. M., V. Carter, F.C. Golet, E.T. LaRoe. 1979. Classification of wetlands and deepwater habitats of the United States. U. S. Department of the Interior, Fish and Wildlife Service, Washington, D.C. Jamestown, ND: Northern Prairie Wildlife Research Center Online. <http://www.npwrc.usgs.gov/resource/1998/classwet/classwet.htm>. (Version 04DEC98).
- Crow, G.E. 1982. New England's Rare, Threatened, and Endangered Plants. U.S. Department of the Interior, Fish & Wildlife Service, Northeast Region.
- Cypher, B.L. and E.A. Cypher. 1988. Ecology and Management of White-tailed Deer in Northeast Coastal Habitats: A Synthesis of the Literature Pertinent to National Wildlife Refuges from Maine to Virginia. USFWS Biological Report 88(15).
- Debano, L F., D. G. Neary, and P. F. Folliot. 1998. Fire's Effects on Ecosystems. John Wiley and Sons, Inc., New York.
- DeCalesta, D.S. 1994. Effects of white-tailed deer on songbirds within managed forests in Pennsylvania. *J. Wildl. Manage.* 58(4):711-718.
- DeCalesta, D. 1997. Deer and ecosystem management. Pages 267-279 in W.J. McShea, H.B. Underwood, and J.H. Rappole, editors. The science of overabundance: deer ecology and population management. Smithsonian Institution Press, Washington, D.C.
- Degroot, R.C., T.W. Popham, L.R. Gjovik, and T. Forehand. 1979. Distribution gradients of arsenic, copper, and chromium around preservative-treated wooden stakes. *J. Env. Qual.* 8:39-41.
- Decker, D.J., and K.G. Purdy. 1988. Toward a concept of wildlife acceptance capacity in wildlife management. *Journal of Wildlife Management.* 58(4):711-718.
- Dindal, D.L. 1979. Soil Arthropod Microcommunities of the Pine Barrens. *In Pine Barrens Ecosystem and Landscape*. Rutgers University Press, NJ.
- Dunn, E.H. and D.J. Agro. 1995. Black Tern (*Chlidonias Niger*). *In* A. Poole and F. Gill (eds.) The Birds of North America, 147. Acad. Nat. Sci. Phil. and Amer. Ornith. Union, Washington D.C.
- Dunn Engineering Associates. 1999. Traffic impact study for the Home Depot, Shirley, New York. Dunn Engineering Associates. Westhampton Beach, New York.
- Edington, J.M and M.A. Edington. 1986. Ecology, recreation and tourism. Cambridge University Press. Cambridge, U.K..
- Eltringham, S.K. 1984. Wildlife and Tourism. John Wiley and Sons, New York.
- Final Compatability Policy Pursuant to the National Wildlife Refuge System Improvement

- Act of 1997, Notice. Federal Register 65 (October 18, 2000): 62484-62496.
- Fish D. 1993. Population ecology of *Ixodes dammini*. Pages 25-42 in Ginsberg H, ed. Ecology and management of Lyme disease. New Brunswick (NJ): Rutgers University Press.
- Gibbs, J.P., J.R. Longcore, D.G. McAuley and J.K. Ringelman. 1991. Use of wetland habitats by selected nongame water birds in Maine. U.S. Fish Wildl. Serv., Fish Wildl. Res. 9.
- Gibbs, J.P. and S.M. Melvin. 1992. Pied-billed grebe. Pp. 31-49 in K.J. Schneider and D. Pence, eds. Migratory nongame birds of management concern in the northeast. U.S. Fish Wildl. Serv.
- Groot Bruinderink, G.W.T.A. 1989. The impact of wild geese visiting improved grasslands in the Netherlands. *J. App. Ecol.* 26:131-46.
- Gutzwiller, K.J., R.T. Wiedenmann, K.L. Clements. 1997. Does human intrusion alter the seasonal timing of avian song during breeding periods? *Auk*. 114:55-65.
- Healy, W.M., D.S. DeCalesta, and S.L. Stout. 1997. A research perspective on white-tailed deer overabundance in the northeastern United States. *Wildl. Soc. Bull.* 25(2):259-263.
- Holt, D.W. and S.M. Leasure. 1993. Short-eared Owl. *In* The Birds of North America, No. 62 (A. Poole and F. Gill, eds.). The Academy of Natural Sciences, Philadelphia, and The American Ornithologists' Union, Washington, DC.
- Hunter, M.L., Jr. 1975. Least tern breeding range extension in Maine. *Auk* 92(1):143-144.
- Jones, J.M. and J.H. Witham. 1990. Post-translocation survival and movements of metropolitan white-tailed deer. *Wildlife Society Bulletin* 18:434-441.
- Jordan, M.J., W. A. Patterson, III, and A. G. Windisch. 2003. Conceptual ecological models for the Long Island pitch pine barrens: implications for managing rare plant communities. *Forest Ecology and Management* 185:151-168.
- Kahl, R. 1991. Boating disturbance of canvasbacks during migration at Lake Poygan, Wisconsin. *Wildlife Society Bulletin* 19:243-248.
- Kaiser, M.S., and E.K. Kaiser. 1984. Effects of river recreationists on green-backed heron behavior. *J. Wildlife Management* 48:561-567.
- Kear, J. 1963. The agricultural importance of wild goose droppings. *Wildfowl* 14:72-77.
- Keith, L.B., 1974. Some features of population dynamics in mammals. *Trans. International Congress of Game Biologists, Stockholm.* 11:17-58.
- Kirkpatrick, H.J., A.M. LaBonte, and J.T. Semour. 2002. A shotgun-archery deer hunt in a residential community: evaluation of hunt strategies and effectiveness. *Wildlife Society Bulletin* 30:478-486.
- Klein, M.L. 1989. Effects of high levels of Human Visitation on Foraging Waterbirds at J.N. "Ding" Darling NWR, Sanibel, Florida. Final Report to USFWS. 103pp.
- Klein, M.L. 1993. Waterbird behavioral responses to human disturbances. *Wildlife Society Bulletin.* 21:31-39.
- Knight, R.L. 1984. Responses of wintering bald eagles to boating activity. *J. Wildlife Management* 48:999-1004.
- Krausman, P.R., L.K. Sowls, and B.D. Leopold. 1992. Revisiting overpopulated deer ranges in the United States. *California Fish & Game Journal.* 78:1-10.
- Krohne, D. T., and G. A. Hoch. 1999. Demography of *Peromyscus leucopus* populations on habitat patches: the role of dispersal. *Canadian Journal of Zoology* 77:1247-1253.
- Kroll, J.C., P.J. Behrman, and W.D. Goodrum. 1986. Twenty-seven years of overbrowsing: implications in white-tailed deer management. Pages 6-7 in *The Ninth Annual Meeting of*

- the Southeast Deer Study Group. Gatlinburg, Tennessee.
- Lane, R. S., J. Piesman, and W. Burgdorfer. 1991. Lyme Borreliosis: relation of its causative agent to its vectors and hosts in North America and Europe. *Annual Review of Entomology* 36:587-609.
- Little, D. Date Unavailable. Personal Communication.
- LoGiudice, K., R.S. Ostfeld, K.A. Schmidt, and F. Keasing. 2003. The ecology of infectious disease: Effects of host diversity and community composition on Lyme disease risk. *Proceedings of the National Academy of Sciences* 100:567-571.
- Long Island Sound Study. 2001. Sound Health 2001: Status and Trends in the Health of Long Island Sound. Sponsored by the U.S. EPA, Connecticut Dept. of Environmental Protection, and NYDEC. Available at <http://www.longislandsoundstudy.net/>.
- Ludwig, M., D. Rusanowsky, and C. Johnson-Hughes. 1997. The impact of installation and use of a pier and dock assembly on eelgrass (*Zostera marina*) at Star Island, Montauk, NY: Kalikow dock case study. NMFS. 23 pp.
- Manny, B.A., W.C. Johnson, and R.G. Wetzel. 1994. Nutrient additives by waterfowl to lakes and reservoirs: Predicting their effects on productivity and water quality. *Hydrobiologia* 279:121-32.
- Maryland Department of Natural Resources. 2003. Mute Swans in Maryland: A Statewide Management Plan. Annapolis, MD. 39 pp. <http://www.dnr.state.md.us/wildlife/finalmsplan.pdf>.
- Mather, T. N. 1993. The dynamics of spirochete transmission between ticks and vertebrates. Pages 43-60 in H. S. Ginsberg, editor. *Ecology and environmental management of Lyme disease*. Rutgers University Press, New Brunswick, New Jersey.
- McShea, W.J., and J.H. Rappole. 1992. White-tailed deer as keystone species within forested habitats of Virginia. *Virginia J. Sci.* 43:177-186.
- Migratory Bird Conservation Act of 1929. (16 U.S.C. 715-715r).
- Miller, S.G., R.L. Knight, and C.K. Miller. 1998. Influence of recreational trails on breeding bird communities. *Ecological Applications*. 8(1) 162-169.
- Mulvihill, E.L., C.A. Francisco, J.B. Glad, K.B. Kaster, and R.E. Wilson. 1980. Biological impacts of minor shoreline structures on the coastal environment: state of the art review. USFWS. Biological Serv. Prog. FWS/OBS-77/51.
- National Oceanic and Atmospheric Administration. Coastal Services Center. http://www.csc.noaa.gov/crs/lca/app_ny.html.
- National Wildlife Refuge Improvement Act of 1997. (16 U.S.C. 668dd et seq.).
- Ness, E. 2003. Oh, deer, exploding populations of white-tailed deer are stripping our forests of life. *Discover* pp.67-71
- Newsday, Inc. Date unavailable. Long Island: Our Story. <http://www.newsday.com/community/guide/lihistory/>.
- New York State Department of Environmental Conservation. 1999. Eastern Mud Turtle Fact Sheet. <http://www.dec.state.ny.us/website/dfwmr/wildlife/endspec/mutufs.html>.
- New York State Department of Environmental Conservation. 2001. Division of Air Resources. <http://www.dec.state.ny.us/website/dar/reports/2001all.pdf>.
- New York State Department of Environmental Conservation. 2003. List of Endangered, Threatened and Special Concern Fish & Wildlife Species of New York State. <http://www.dec.state.ny.us/website/dfwmr/wildlife/endspec/etsclist.html>.

- New York State Department of Environmental Conservation. 2004. New York Natural Heritage Program. <http://www.dec.state.ny.us/website/dfwmr/heritage/>.
- New York State Department of Labor. Date unavailable. Focus on Long Island. <http://www.labor.state.ny.us>.
- New York State Office of Parks, Recreation and Historic Preservation. 2003. Statewide Comprehensive Outdoor Recreation Plan 2003. <http://nysparks.state.ny.us/agency/scorp/>.
- Niedzielski, S. 2002. "Terrapene carolina" (On-line), Animal Diversity Web. Accessed May 2006 at http://animaldiversity.ummz.umich.edu/site/accounts/information/Terrapene_carolina.html.
- Norton, D.J., J. Organ, and T. Litwin. 1984. Habitat classification and cover type mapping for the Long Island National Wildlife Refuge Complex. U.S. Fish & Wildlife Service, Newton, MA.
- Nupp, T. E., and R. K. Swihart. 1998. Effects of forest fragmentation on population attributes of white-footed mice and eastern chipmunks. *Journal of Mammology* 79:1234–1243.
- Obrecht, H. Wildlife Biologist. Patuxent Research Refuge. U.S. Fish & Wildlife Service.
- Olsvig, L. S., J. F. Cryan, and R. H. Whittaker. 1979. Vegetational gradients of the pine plains and barrens of Long Island, New York. IN Pine barrens ecosystem and landscape. Rutgers University Press, NJ.
- Ostfeld R.S., C. G. Jones, and J.O.Wolff. 1996. Of mice and mast. *Bioscience* 46: 323-330.
- Ostfeld R.S., F. Keesing. 2000a. Biodiversity and disease risk: the case of Lyme disease. *Conservation Biology* 14: 1523-1739.
- Ostfeld, R.S. and F. Keesing. 2000b. The function of biodiversity in the ecology of vector-borne zoonotic diseases. *Canadian Journal of Zoology* 78:2061-2078.
- Packer, Laurence. 1999. COSEWIC Status Report on the FROSTED ELFIN BUTTERFLY, *Callophrys (Incisalia) irus*. Committee on the Status of Endangered Wildlife in Canada.
- Partners in Flight. 2000. Landbird Conservation Plan: Physiographic Area 9: Southern New England. Version 1.0. Available at http://www.blm.gov/wildlife/pl_09sum.htm.
- Patterson, W. A., III, and K. E. Sassman. 1988. Indian fires in the prehistory of New England. *In* Holocene human ecology in northeastern North America. Plenum Press, New York.
- Petranka, J. 1998. Salamanders of the United States and Canada. Washington and London: Smithsonian Institution Press.
- Poff, N.L. 1997. Trout Unlimited's North America Salmonid Policy: science-based guidance for 21st century coldwater conservation. Trout Unlimited, Arlington, VA.
- Porter, W.F. 1991. White-tailed deer in eastern ecosystems: implications for management and research in National Parks. Natural Resources Report NPS/NRSSUNY/NRR-91/05.
- Reschke, C. 1990. Ecological Communities of New York State. New York State Department of Environmental Conservation, Natural Heritage Program. Albany, New York.
- Russell, F.L. and N.L. Fowler. 1999. Rarity of oak saplings in savannas and woodlands of the eastern Edwards Plateau, TX. *Southwest. Nat.* 44:31-41.
- Shafer, D.J. 1999. The effects of dock shading on the seagrass (*Halodule wrightii*) in Perdido Bay, Alabama. *Estuaries*. 22:936-943.
- Short, F.T., and S. Wyllie-Echeverria. 1996. Natural and human induced disturbance of seagrasses. *Env. Cons.* 23:17-27.
- Slotta, L.S. and K.J. Williamson. 1974. Estuarine impacts related to dredge spoiling. Sixth Dredging Seminar Rep. CDS-176.

- Smith, A., S.R. Craven, & P.D. Curtis. 1999. Managing Canada geese in urban environments. Jack Berryman Institute Publication 16, and Cornell Cooperative Extension, Ithaca, New York USA. 42 pages.
- Spinello, A. G., J. H. Nakao, R. Busciolano, R. B. Winowitch and V. K. Eagen. 1993. Water Resources Data, New York, Water Year 1992. U.S. Geological Survey Water-Data Report NY 92-2.
- Stapp, W., D. Bennett, W. Bryan, J. Fulton, J. MacGregor, P. Nowak, J. Wan, R. Wall, and S. Havlick. 1969. The Concept of Environmental Education. *Journal of Environmental Education*. 1 (1), 30–31.
- Stebbins, R. 1966. *A Field Guide of Reptiles and Amphibians*. Cambridge: The Riverside Press.
- Strole, T.A., and R.C. Anderson. 1992. White-tailed deer browsing: species preferences and implications for central Illinois forests. *Natural Areas Journal* 12:139-144.
- Suffolk County Department of Health Services. Date unavailable. Unpublished data. For more information, visit <http://www.co.suffolk.ny.us/webtemp3.cfm?dept=6&id=1003>.
- Swihart, R.K., P.M. Picone, A.J. DeNicola, and L. Corncelli. 1995. Ecology of urban and suburban white-tailed deer. Pages 35-44 in J.B. McAninch, editor, Urban deer-a manageable resource? Proceedings of the 1993 Symposium of the Central Section, The Wildlife Society.
- Thompson, B.C., J.A. Jackson, J. Burger, L.A. Hill, E.M. Kirsch, and J.L. Atwood. 1997. Least tern. *The Birds of North America*.
- Trall-Stevenson. A. 1988. Agricultural damage by geese. *Game Conservation Annual Review* 19:155-56.
- USDA and VDGIF. 2000. Pre-Decisional Environmental Assessment. Deer damage management in the commonwealth of Virginia. Prepared by USDA, Animal and Plant Health Inspection Service, Wildlife Services, in conjunction with Virginia Department of Game and Inland Fisheries.
- U.S. Environmental Protection Agency. 2002. Total Maximum Daily Load Report for Oyster Bay Harbor. http://oaspub.epa.gov/pls/tmdl/enviro.control?p_list_id=NY-1702-0016&p_cycle=2002.
- U.S. Fish & Wildlife Service. 1985. Refuge Manual. Wash., D.C. U.S. Gov't Printing Office.
- U.S. Fish & Wildlife Service. 1989. Sandplain Gerardia (*Agalinis acuta*) Recovery Plan. Region 5, Newton Corner, MA. 47 pp. http://ecos.fws.gov/tess_public/SpeciesRecovery.do?sort=1
- U.S. Fish & Wildlife Service. 1990. Regional Wetlands Concept Plan: Emergency Wetlands Resources Act. Northeast Region. Newton Corner, MA.
- U.S. Fish & Wildlife Service. 1991. Northeast Coastal Areas Study: Significant Coastal Habitats of Southern New England and Portions of Long Island, New York. Southern New England-Long Island Sound Coastal and Estuary Office, Charlestown, RI.
- U.S. Fish & Wildlife Service. 1992. Station Management Plan-Long Island, NY National Wildlife Refuges. Unpubl. Rept.
- U.S. Fish & Wildlife Service. 1995. Migratory Nongame Birds of Management Concern in the United States: The 1995 List. <http://migratorybirds.fws.gov/reports/specon/tblconts.html>.
- U.S. Fish & Wildlife Service. 1996a. Piping Plover (*Charadrius melodus*), Atlantic Coast Population, Revised Recovery Plan. Region 5, Hadley, MA. http://ecos.fws.gov/tess_public/SpeciesRecovery.do?sort=1
- U.S. Fish & Wildlife Service. 1996b. Significant Habitats and Habitat Complexes of the New York Bight Watershed. Southern New England – New York Bight Coastal Ecosystems Program. Charlestown, Rhode Island. Pre-publication copy.

- U.S. Fish & Wildlife Service. 1997. Museums: Policy, Responsibilities, and Definitions. In Service Manual. 126 FW 1. <http://www.fws.gov/policy/126fw1.html>.
- U.S. Fish & Wildlife Service. 1998. Roseate Tern (*Sterna dougallii*) Northeastern Population Recovery Plan. First Update. 75 pp. http://ecos.fws.gov/tess_public/SpeciesRecovery.do?sort=1
- U.S. Fish & Wildlife Service. 2000. North American Bird Conservation Initiative. Supplement to the NABCI Bird Conservation Regions map. Arlington, VA.
- U.S. Fish & Wildlife Service. 2001. Fire Management handbook. <http://fire.r9.fws.gov/fm/policy/HANDBOOK/2-3.HTM>.
- U.S. Fish & Wildlife Service. 2004. Migratory Bird Program Strategic Plan. <http://migratorybirds.fws.gov/mbstratplan/MBStratPlanTOC.htm>.
- U.S. Fish & Wildlife Service. 2005. Final Environmental Impact Statement on Resident Canada Goose Management. <http://www.fws.gov/migratorybirds/issues/cangeese/finaleis.htm>.
- U.S. Fish & Wildlife Service. 2005. State Wildlife Grants. <http://federalaid.fws.gov/swg/swg.html>.
- U.S. Shorebird Conservation Plan. 2000. North Atlantic Regional Shorebird Plan, Version 1.0. NJ Division of Fish & Wildlife, Woodbine, NJ.
- Van Buskirk, J., and R.S. Ostfeld. 1995. Controlling Lyme disease by modifying the density and species composition of tick hosts. *Ecological Applications* 5(4):1133-1140.
- Van Deelen, T.R., K.S. Pregitzer, and J.B. Hauffer. 1996. A comparison of presettlement and present-day forests in two northern Michigan deer yards. *Am. Midl. Nat.* 135:181-194.
- Vaughan, D. M., and M. D. Shepherd. 2005. Species Profile: *Mitoura hesseli*. In Shepherd, M. D., D. M. Vaughan, and S. H. Black (Eds). *Red List of Pollinator Insects of North America*. CD-ROM Version 1 (May 2005). Portland, OR: The Xerces Society for Invertebrate Conservation.
- Vickery, P. D. and P. W. Dunwiddie. 1997. Grasslands of Northeastern North America: Ecology and Conservation of Native and Agricultural Landscapes. Massachusetts Audubon, Lincoln, MA.
- Villani, R. 1997. Long Island: A Natural History. Harry Abrams Publishing, New York.
- Wacker, P. O. 1979. Human exploitation of the New Jersey Pine Barrens before 1900. IN Pine barrens ecosystem and landscape. Rutgers University Press.
- Wagner, F.H., R. Foresta, R.B. Gill, D.R. McCullough, M.R. Pelton, W.F. Porter, and H. Salwasser. 1995. Wildlife policies in the U.S. national Parks. Island Press. 242 pp.
- Wall, T. 1984. Summer foods of feral greylag and Canada geese. *British Birds* 77:355.
- Waller, D.M., and W.S. Alverson. 1997. The white-tailed deer: a keystone herbivore. *Wildlife Society Bulletin*. 25:217-226.
- Warren, R.J. 1991. Ecological justification for controlling deer populations in eastern national parks. Transactions of the 56th North American Wildlife & Natural Resources Conference. P. 56-66.
- Weiss, J.S. and P. Weis. 1994. Impacts of chromated-copper-arsenate (CCA)-treated wood in shallow water estuarine systems. *Proc. Marine and estuarine shallow water science and management in the mid-Atlantic*. Pg. 19.
- Whitaker, J. Jr., and W. Hamilton Jr. 1998. Mammals of the Eastern United States. Ithaca and London. Cornell University Press.
- Wolfe, R. J. 1996. Effects of open marsh water management on selected tidal marsh resources: a review. *Journal of the American Mosquito Control Association* 12(4):701-712.
- Wolff, J.O. 1999. Behavioral Model Systems. In G.W. Barrett and J.D. Peles (Eds). *Landscape Ecology of Small Mammals*. Springer-Verlag, New York.

Woolf, A., and J.D. Harder. 1979. Population dynamics of a captive white-tailed deer herd with emphasis on reproduction and mortality. *Wildlife Monographs* 67:53.

Zieman, J.C. 1976. The ecological effects of physical damage from motor boats on turtle grass beds in southern Florida. *J. Aquatic Botany*. 2:127-139.