# POTENTIAL INTERFERENCE FROM BROADBAND OVER POWER LINE (BPL) SYSTEMS TO FEDERAL GOVERNMENT RADIOCOMMUNICATION SYSTEMS AT 1.7 - 80 MHz

**Phase 2 Study** 

#### **VOLUME II**



technical report

U.S. DEPARTMENT OF COMMERCE • National Telecommunications and Information Administration

## POTENTIAL INTERFERENCE FROM BROADBAND OVER POWER LINE (BPL) SYSTEMS TO FEDERAL GOVERNMENT RADIOCOMMUNICATION SYSTEMS AT 1.7 - 80 MHz

**Phase 2 Study** 

#### **VOLUME II**

James C. Richards Jonathan V. Williams



U.S. Department of Commerce Carlos M. Gutierrez, Secretary

John M. R. Kneuer, Assistant Secretary for Communications and Information

October 2007

### VOLUME II TABLE OF CONTENTS

#### TECHNICAL APPENDICES

TABLE OF CON	NTENTS	iii
		iv
APPENDIX A	ANTENNA MEASUREMENT HEIGHT	
A.1	Introduction	A-1
A.2	Height of Peak Field Strength	<b>A-</b> 1
A.3	Compliance Measurement Height for Operation Between 1.7 – 30 MHz	A-10
A.4	Compliance Measurement Height for Operation at 30 MHz and Above	A-53
A.5	Height Correction Factor Above 30 MHz	A-62
APPENDIX B	MEASUREMENT DISTANCE ALONG THE POWER LINE	
B.1	Introduction	B-1
B.2	Simulation Results	B-1
APPENDIX C	MEASUREMENT DISTANCE EXTRAPOLATION	
C.1	Introduction	C-1
C.2	BPL Field Strength Simulation Results	C-1
C.2.1	Extrapolated Field Strength Levels Meeting the Part 15 Limits	C-1
C.2.2	Simulation Results	C-2
APPENDIX D	SPECIAL PROTECTION PROVISIONS	
D.1	Excluded Frequency Bands	D-1
D.2	Exclusion Zones	D-2
D.2.1	Coast Stations	D-2
D.2.2	Radioastronomy Observatories	D-5
D.3	Consultation Areas	D-7

#### **GLOSSARY**

AWG American Wire Gauge

BPL Broadband over Power Line(s)

BW Bandwidth

CISPR International Special Committee on Radio Interference

CONUS Continental United States

COTHEN Customs Over The Horizon Enforcement Network

dB Decibel

dBi Decibel referenced to an isotropic radiator

dBm Decibel referenced to 1 milliwatt
 dBμV Decibel referenced to 1 microvolt
 dBW Decibels referenced to 1 Watt

E Electric Field Strength

EMC Electromagnetic Compatibility

EUT Equipment Under Test

FCC Federal Communications Commission

G Gain GHz Gigahertz

H Magnetic Field Strength

HF High Frequency

Hz Hertz

I Interference Power

ICAO International Civil Aviation Organization IRAC Interdepartment Radio Advisory Committee

ITM Irregular Terrain Model

ITS Institute for Telecommunication Sciences ITU International Telecommunication Union

ITU-R International Telecommunication Union Radiocommunication Sector

kHz Kilohertz km Kilometer LV Low Voltage

m Meter
MHz Megahertz
mm millimeter
mS Siemens/meter
ms Millisecond
MV Medium Voltage
N Noise Power

NEC Numerical Electromagnetic Code

NOI Notice of Inquiry

NPRM Notice of Proposed Rulemaking

NTIA National Telecommunications and Information Administration

OR Off-Route

OTH Over the Horizon PFD Power Flux Density

PLC Power Line Communications
PLT Power Line Telecommunications

R Route

RF Radio Frequency RMS Root Mean Square

RSMS Radio Spectrum Measurement System

S Signal Power

SNR Signal-to-Noise Ratio SSB Single Sideband

SSN Smoothed Sunspot Number

URD Underground Residential Distribution

US&P United States and Possessions UTC Universal Coordinated Time

VHF Very High Frequency VLA Very Large Array VOA Voice of America

VOACAP Voice of America Coverage Analysis Program

W Watt

 $\begin{array}{ll} \mu A & \quad \text{Microampere} \\ \mu V & \quad \text{Microvolt} \end{array}$