

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 2000

Part of body	Part of body code ²	Total cases	Nature of injury or illness ³						
			Sprains, strains	Fractures	Cuts, punctures	Bruises	Heat burns	Chemical burns	Amputations
Private industry		1,664,018	728,202	116,713	141,649	151,680	24,298	9,395	9,658
Head	0	110,251	416	4,869	15,903	15,493	2,348	5,941	—
Head, unspecified	00	17,384	82	79	3,541	6,822	58	—	—
Cranial region, including skull	01	14,136	69	231	2,145	1,650	—	—	—
Cranial region, unspecified	010	573	—	—	131	195	—	—	—
Brain	011	8,746	—	—	—	41	—	—	—
Scalp	012	4,332	67	—	1,994	1,267	—	—	—
Skull	013	396	—	231	—	122	—	—	—
Cranial region, n.e.c.	019	65	—	—	—	—	—	—	—
Ear(s)	02	3,012	—	—	699	499	153	—	—
Face	03	73,730	243	4,517	9,327	6,069	2,040	5,850	—
Face, unspecified	030	4,555	—	152	1,023	1,145	974	229	—
Forehead	031	3,526	—	—	1,934	763	19	—	—
Eye(s)	032	53,816	90	—	3,790	2,858	817	5,328	—
Nose, nasal cavity	033	2,672	—	1,247	430	377	—	—	—
Nose, except internal location of diseases or disorders	0330	2,546	—	1,247	430	377	—	—	—
Internal nasal location, unspecified	0331	58	—	—	—	—	—	—	—
Sinuses	0334	57	—	—	—	—	—	—	—
Cheek(s)	034	1,027	—	368	398	92	—	—	—
Jaw/chin	035	2,175	—	1,484	261	198	—	—	—
Mouth	036	3,031	46	1,172	828	240	54	—	—
Mouth, unspecified	0360	699	46	62	173	181	53	—	—
Lip(s)	0361	825	—	—	623	—	—	—	—
Tooth(teeth)	0363	1,262	—	1,108	—	—	—	—	—
Multiple mouth locations	0368	170	—	—	—	—	—	—	—
Mouth, n.e.c.	0369	62	—	—	—	—	—	—	—
Multiple face locations	038	2,571	—	79	617	341	153	191	—
Face, n.e.c.	039	359	—	—	46	54	—	87	—
Multiple head locations	08	1,872	—	41	146	418	68	76	—
Head, n.e.c.	09	116	—	—	45	36	17	—	—
Neck, including throat	1	28,615	21,864	409	251	750	119	—	—
Neck, except internal location of diseases or disorders	10	28,468	21,864	409	251	750	119	—	—
Internal neck location, unspecified	11	84	—	—	—	—	—	—	—
Trunk	2	618,307	438,235	14,127	1,454	29,266	800	175	—
Trunk, unspecified	20	2,913	1,196	133	—	858	—	—	—
Shoulder, including clavicle, scapula	21	96,117	68,200	2,969	166	5,066	—	—	—
Chest, including ribs, internal organs	22	24,957	5,822	5,509	128	6,475	109	—	—
Chest, except internal location of diseases or disorders	220	22,081	5,822	5,509	128	6,475	109	—	—
Internal chest location, unspecified	221	734	—	—	—	—	—	—	—
Heart	223	402	—	—	—	—	—	—	—
Bronchus	224	259	—	—	—	—	—	—	—
Lung(s), pleura	225	1,418	—	—	—	—	—	—	—
Multiple internal chest locations	228	47	—	—	—	—	—	—	—
Back, including spine, spinal cord	23	411,143	333,446	2,418	254	9,553	163	—	—
Back, including spine, spinal cord, unspecified	230	176,358	143,009	1,208	166	3,867	133	—	—
Lumbar region	231	199,695	164,621	356	82	3,436	—	—	—

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 2000 — Continued

Part of body	Nature of injury or illness ³							All other natures ⁴
	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Back pain and pain, except back		
			Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Private industry	27,697	14,445	59,231	11,670	21,678	118,040	46,109	263,011
Head	—	40	2,999	634	98	3,687	—	58,556
Head, unspecified	—	—	571	—	—	1,679	—	4,548
Cranial region, including skull	—	—	256	—	—	401	—	9,361
Cranial region, unspecified	—	—	71	—	—	—	—	170
Brain	—	—	—	—	—	—	—	8,673
Scalp	—	—	120	—	—	359	—	503
Skull	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	—	—	137	—	1,515
Face	—	40	1,782	500	47	1,234	—	42,630
Face, unspecified	—	—	166	44	—	98	—	732
Forehead	—	—	232	—	—	174	—	355
Eye(s)	—	40	305	—	—	733	—	39,855
Nose, nasal cavity	—	—	118	—	—	47	—	428
Nose, except internal location of diseases or disorders	—	—	118	—	—	47	—	302
Internal nasal location, unspecified	—	—	—	—	—	—	—	58
Sinuses	—	—	—	—	—	—	—	57
Cheek(s)	—	—	42	—	—	—	—	89
Jaw/chin	—	—	18	—	—	70	—	139
Mouth	—	—	158	77	—	63	—	470
Mouth, unspecified	—	—	—	—	—	—	—	157
Lip(s)	—	—	—	—	—	—	—	124
Tooth(teeth)	—	—	—	—	—	—	—	146
Multiple mouth locations	—	—	121	77	—	—	—	—
Mouth, n.e.c.	—	—	—	—	—	—	—	—
Multiple face locations	—	—	732	306	—	—	—	412
Face, n.e.c.	—	—	—	—	—	—	—	150
Multiple head locations	—	—	383	132	—	237	—	489
Head, n.e.c.	—	—	—	—	—	—	—	—
Neck, including throat	—	47	227	—	123	2,241	—	2,697
Neck, except internal location of diseases or disorders	—	47	227	—	123	2,241	—	2,550
Internal neck location, unspecified	—	—	—	—	—	—	—	84
Trunk	—	2,782	5,384	643	3,206	62,124	46,109	63,961
Trunk, unspecified	—	—	74	—	60	291	—	317
Shoulder, including clavicle, scapula	—	2,772	631	44	440	7,837	—	8,411
Chest, including ribs, internal organs	—	—	420	202	75	2,137	—	4,332
Chest, except internal location of diseases or disorders	—	—	420	202	75	2,137	—	1,457
Internal chest location, unspecified	—	—	—	—	—	—	—	734
Heart	—	—	—	—	—	—	—	402
Bronchus	—	—	—	—	—	—	—	259
Lung(s), pleura	—	—	—	—	—	—	—	1,418
Multiple internal chest locations	—	—	—	—	—	—	—	47
Back, including spine, spinal cord	—	—	2,427	101	1,488	46,109	46,109	16,743
Back, including spine, spinal cord, unspecified	—	—	1,077	—	661	18,210	18,210	8,657
Lumbar region	—	—	850	84	493	23,721	23,721	6,615

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 2000 — Continued

Part of body	Part of body code ²	Total cases	Nature of injury or illness ³						
			Sprains, strains	Fractures	Cuts, punctures	Bruises	Heat burns	Chemical burns	Amputations
Thoracic region	232	17,022	13,656	88	—	434	—	—	—
Sacral region	233	2,605	2,134	—	—	85	—	—	—
Coccygeal region	234	3,032	276	726	—	1,309	—	—	—
Multiple back regions	238	11,565	9,199	—	—	387	—	—	—
Back, including spine, spinal cord, n.e.c.	239	864	550	—	—	—	—	—	—
Abdomen	24	39,625	6,233	—	283	842	312	—	—
Abdomen, except internal location of diseases or disorders	240	9,746	6,233	—	283	842	312	—	—
Internal abdominal location, unspecified	241	13,990	—	—	—	—	—	—	—
Stomach organ	242	784	—	—	—	—	—	—	—
Urinary organs	244	138	—	—	—	—	—	—	—
Kidney(s)	2442	136	—	—	—	—	—	—	—
Intestines, peritoneum	245	14,724	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified	2450	13,064	—	—	—	—	—	—	—
Peritoneum	2451	566	—	—	—	—	—	—	—
Large intestine/colon, rectum	2453	943	—	—	—	—	—	—	—
Intestines, n.e.c.	2459	125	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	183	—	—	—	—	—	—	—
Pelvic region	25	29,276	15,423	2,845	533	4,795	75	76	—
Pelvic region, unspecified	250	572	293	52	—	170	—	—	—
Hip(s)	251	11,414	3,827	2,247	206	2,897	—	—	—
Pelvis	252	879	171	524	—	143	—	—	—
Buttock(s)	253	1,739	307	—	58	836	39	18	—
Groin	254	13,059	10,077	—	209	568	19	56	—
External reproductive tract structures	255	589	136	—	42	125	—	—	—
External reproductive tract structures, unspecified	2550	67	55	—	—	—	—	—	—
Scrotum	2551	423	62	—	42	95	—	—	—
External reproductive tract structures, n.e.c.	2559	66	—	—	—	18	—	—	—
Internal reproductive tract structures	256	240	—	—	—	—	—	—	—
Internal reproductive tract structures, unspecified	2560	45	—	—	—	—	—	—	—
Testis(testes)	2562	140	—	—	—	—	—	—	—
Uterus	2564	43	—	—	—	—	—	—	—
Multiple pelvic region locations	258	323	205	—	—	—	—	—	—
Pelvic region, n.e.c.	259	461	407	—	—	—	—	—	—
Multiple trunk locations	28	13,938	7,834	244	44	1,566	82	—	—
Trunk, n.e.c.	29	338	81	—	—	110	—	—	—
Upper extremities	3	382,735	61,916	47,336	104,862	32,052	12,023	1,363	9,163
Upper extremities, unspecified	30	599	82	—	45	61	—	—	—
Arm(s)	31	71,562	19,730	9,857	7,055	10,835	3,351	355	155
Arm(s), unspecified	310	24,643	7,457	4,122	2,594	2,894	1,647	129	—
Upper arm(s)	311	4,368	2,611	521	149	453	—	—	—
Elbow(s)	312	26,969	6,252	3,789	1,227	5,427	80	—	—
Forearm(s)	313	12,890	2,365	1,242	2,993	1,751	1,524	199	125
Multiple arm(s) locations	318	2,048	730	91	42	274	—	—	—
Arm(s), n.e.c.	319	644	315	92	49	36	—	—	—
Wrist(s)	32	85,192	24,503	12,367	3,547	2,677	404	49	—
Hand(s), except finger(s)	33	69,464	5,929	6,653	24,857	9,456	6,169	704	192

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 2000 — Continued

Part of body	Nature of injury or illness ³							All other natures ⁴
	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Back pain and pain, except back		
			Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Thoracic region	—	—	113	—	48	2,202	2,202	511
Sacral region	—	—	—	—	—	268	268	88
Coccygeal region	—	—	18	—	—	372	372	331
Multiple back regions	—	—	346	—	264	1,127	1,127	498
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	209	209	42
Abdomen	—	—	63	—	—	1,232	—	30,635
Abdomen, except internal location of diseases or disorders	—	—	63	—	—	1,232	—	765
Internal abdominal location, unspecified	—	—	—	—	—	—	—	13,990
Stomach organ	—	—	—	—	—	—	—	784
Urinary organs	—	—	—	—	—	—	—	138
Kidney(s)	—	—	—	—	—	—	—	136
Intestines, peritoneum	—	—	—	—	—	—	—	14,716
Intestines, peritoneum, unspecified	—	—	—	—	—	—	—	13,059
Peritoneum	—	—	—	—	—	—	—	566
Large intestine/colon, rectum	—	—	—	—	—	—	—	940
Intestines, n.e.c.	—	—	—	—	—	—	—	125
Internal abdominal location, n.e.c.	—	—	—	—	—	—	—	183
Pelvic region	—	—	255	17	144	3,638	—	1,636
Pelvic region, unspecified	—	—	—	—	—	—	—	18
Hip(s)	—	—	178	—	117	1,386	—	667
Pelvis	—	—	—	—	—	—	—	—
Buttock(s)	—	—	17	—	—	267	—	197
Groin	—	—	—	—	—	1,735	—	373
External reproductive tract structures	—	—	—	—	—	145	—	124
External reproductive tract structures, unspecified	—	—	—	—	—	—	—	—
Scrotum	—	—	—	—	—	121	—	103
External reproductive tract structures, n.e.c.	—	—	—	—	—	17	—	—
Internal reproductive tract structures	—	—	—	—	—	—	—	240
Internal reproductive tract structures, unspecified	—	—	—	—	—	—	—	45
Testis(testes)	—	—	—	—	—	—	—	140
Uterus	—	—	—	—	—	—	—	43
Multiple pelvic region locations	—	—	—	—	—	70	—	—
Pelvic region, n.e.c.	—	—	—	—	—	—	—	—
Multiple trunk locations	—	—	1,513	279	976	827	—	1,829
Trunk, n.e.c.	—	—	—	—	—	53	—	58
Upper extremities	27,697	10,460	9,120	3,227	1,799	16,255	—	50,487
Upper extremities, unspecified	—	221	—	—	—	—	—	150
Arm(s)	—	3,570	1,235	224	605	5,425	—	9,993
Arm(s), unspecified	—	779	370	49	137	1,915	—	2,722
Upper arm(s)	—	128	—	—	—	167	—	262
Elbow(s)	—	2,183	548	122	305	2,820	—	4,636
Forearm(s)	—	378	116	—	—	318	—	1,880
Multiple arm(s) locations	—	100	162	—	114	152	—	455
Arm(s), n.e.c.	—	—	—	—	—	54	—	38
Wrist(s)	27,697	3,842	481	94	267	3,477	—	6,147
Hand(s), except finger(s)	—	1,206	1,665	309	308	2,732	—	9,900

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 2000 — Continued

Part of body	Part of body code ²	Total cases	Nature of injury or illness ³						
			Sprains, strains	Fractures	Cuts, punctures	Bruises	Heat burns	Chemical burns	Amputations
Finger(s), fingernail(s)	34	138,325	8,189	17,598	67,124	7,594	952	95	8,810
Multiple upper extremities locations ...	38	17,520	3,477	842	2,215	1,425	1,144	158	—
Multiple upper extremities locations, unspecified	380	321	166	—	—	84	—	—	—
Hand(s) and finger(s)	381	5,283	385	129	1,807	421	439	—	—
Hand(s) and wrist(s)	382	3,727	1,236	103	157	368	174	84	—
Hand(s) and arm(s)	383	1,963	300	—	59	90	311	50	—
Multiple upper extremities locations, n.e.c.	389	6,227	1,390	581	189	462	215	—	—
Upper extremities, n.e.c.	39	74	—	—	19	—	—	—	—
Lower extremities	4	347,742	159,023	46,620	17,242	56,628	4,924	1,089	495
Lower extremities, unspecified	40	449	39	61	134	—	—	—	—
Leg(s)	41	178,396	86,726	9,619	10,589	30,468	1,864	436	109
Leg(s), unspecified	410	24,487	5,274	3,511	3,690	5,107	930	169	—
Thigh(s)	411	6,594	2,201	374	1,575	1,225	339	72	—
Knee(s)	412	130,063	75,533	3,424	2,783	20,160	63	113	—
Lower leg(s)	413	13,727	2,740	2,019	2,452	3,295	427	59	62
Multiple leg(s) locations	418	3,025	851	201	—	572	96	—	—
Leg(s), n.e.c.	419	500	128	90	56	111	—	—	—
Ankle(s)	42	83,149	58,300	13,341	626	4,366	411	53	—
Foot(foot), except toe(s)	43	58,104	10,424	14,379	4,778	15,630	2,268	504	52
Foot(foot), except toe(s), unspecified	430	51,848	9,472	12,750	3,824	14,208	2,218	481	47
Instep(s)	431	713	—	388	—	155	—	17	—
Sole	432	4,834	708	1,145	912	1,181	17	—	—
Sole(s), unspecified	4320	597	—	—	509	—	—	—	—
Ball(s)	4321	125	—	92	—	—	—	—	—
Arch(es)	4322	159	—	39	—	60	—	—	—
Heel(s)	4323	3,807	667	1,011	306	1,059	—	—	—
Multiple sole(s) locations	4328	56	—	—	—	—	—	—	—
Sole(s), n.e.c.	4329	90	—	—	73	—	—	—	—
Multiple foot(foot) locations	438	372	93	42	—	48	—	—	—
Foot(foot), n.e.c.	439	338	119	54	41	39	—	—	—
Toe(s), toenail(s)	44	18,240	976	8,368	915	4,219	43	18	322
Multiple lower extremities locations ...	48	9,303	2,511	836	200	1,914	337	75	—
Multiple lower extremities locations, unspecified	480	166	56	—	—	46	—	—	—
Foot(foot) and leg(s)	481	1,129	161	78	—	379	79	—	—
Foot(foot) and ankle(s)	482	2,443	874	278	—	315	143	—	—
Foot(foot) and toe(s)	483	1,509	101	109	102	386	46	—	—
Multiple lower extremities locations, n.e.c.	489	4,056	1,319	350	82	788	68	—	—
Lower extremities, n.e.c.	49	101	47	—	—	—	—	—	—
Body systems	5	20,986	—	—	—	—	—	—	—
Multiple body parts	8	145,558	45,686	3,145	1,517	17,084	4,016	784	—
Other body parts	9	46	18	—	—	—	—	—	—

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 2000 — Continued

Part of body	Nature of injury or illness ³							All other natures ⁴
	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Back pain and pain, except back		
			Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Finger(s), fingernail(s)	—	602	3,813	1,865	133	3,032	—	20,518
Multiple upper extremities locations ...	—	1,018	1,909	733	473	1,570	—	3,758
Multiple upper extremities locations, unspecified	—	—	—	—	—	19	—	—
Hand(s) and finger(s)	—	52	879	548	42	192	—	962
Hand(s) and wrist(s)	—	272	239	57	91	383	—	709
Hand(s) and arm(s)	—	42	380	—	193	262	—	448
Multiple upper extremities locations, n.e.c.	—	647	399	121	145	714	—	1,619
Upper extremities, n.e.c.	—	—	—	—	—	—	—	—
Lower extremities	—	601	9,735	1,388	4,504	20,980	—	30,405
Lower extremities, unspecified	—	—	—	—	—	—	—	137
Leg(s)	—	340	5,026	355	2,590	14,355	—	18,861
Leg(s), unspecified	—	52	876	105	199	1,712	—	3,133
Thigh(s)	—	—	—	—	—	310	—	450
Knee(s)	—	265	3,164	103	2,189	10,735	—	13,822
Lower leg(s)	—	—	395	60	20	1,206	—	1,059
Multiple leg(s) locations	—	—	535	87	153	385	—	331
Leg(s), n.e.c.	—	—	—	—	19	—	—	64
Ankle(s)	—	—	1,127	119	723	2,048	—	2,841
Foot(feet), except toe(s)	—	177	1,452	328	472	3,026	—	5,415
Foot(feet), except toe(s), unspecified	—	118	1,246	248	406	2,675	—	4,809
Instep(s)	—	—	—	—	—	101	—	—
Sole	—	40	158	58	66	174	—	497
Sole(s), unspecified	—	—	—	—	—	—	—	59
Ball(s)	—	—	—	—	—	—	—	—
Arch(es)	—	—	—	—	—	—	—	—
Heel(s)	—	—	158	58	66	162	—	397
Multiple sole(s) locations	—	—	—	—	—	—	—	17
Sole(s), n.e.c.	—	—	—	—	—	—	—	—
Multiple foot(feet) locations	—	—	43	17	—	71	—	50
Foot(feet), n.e.c.	—	—	—	—	—	—	—	43
Toe(s), toenail(s)	—	—	403	134	51	675	—	2,301
Multiple lower extremities locations ...	—	49	1,675	452	645	849	—	846
Multiple lower extremities locations, unspecified	—	—	—	—	—	—	—	18
Foot(feet) and leg(s)	—	—	97	—	—	180	—	135
Foot(feet) and ankle(s)	—	41	369	102	215	232	—	151
Foot(feet) and toe(s)	—	—	430	86	—	93	—	212
Multiple lower extremities locations, n.e.c.	—	—	769	254	369	337	—	331
Lower extremities, n.e.c.	—	—	—	—	—	—	—	—
Body systems	—	—	—	—	—	—	—	20,986
Multiple body parts	—	439	31,695	5,765	11,924	12,595	—	28,596
Other body parts	—	—	—	—	—	1	—	27

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 2000 — Continued

Part of body	Part of body code ²	Total cases	Nature of injury or illness ³						
			Sprains, strains	Fractures	Cuts, punctures	Bruises	Heat burns	Chemical burns	Amputations
Other body parts, n.e.c.	98	38	18	—	—	—	—	—	—
Nonclassifiable	9999	9,778	1,044	207	419	408	69	—	—

See footnotes at end of table.

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, 2000 — Continued

Part of body	Nature of injury or illness ³							All other natures ⁴
	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Back pain and pain, except back		
			Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Other body parts, n.e.c.	-	-	-	-	-	-	-	19
Nonclassifiable	-	77	71	-	-	156	-	7,296

¹ Days-away-from-work cases include those which result in days away from work with or without restricted work activity.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Data shown in columns correspond to the following Nature codes: Sprains, strains = 021; Fractures = 012; Cuts, punctures = 034, 037; Bruises = 043; Heat burns = 053; Chemical burns = 051; Amputations = 031; Carpal tunnel syndrome = 1241; Tendonitis = 1733; Multiple traumatic injuries and illnesses, Total = 080-089; With fractures, burns, and other injuries = 083, 084; With sprains and bruises = 082; Back pain and pain,

except back, Total = 0972, 0973; Back pain, hurt back only = 0972; All other natures = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁴ Includes nonclassifiable responses.

NOTE: Dashes indicate data that are not available. Because of rounding, data may not sum to totals. n.e.c. = not elsewhere classified.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor