

TABLE R14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2005

Nature	Nature code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Total		1,234,680	18,440	151,710	46,780	80,460	128,700
Traumatic injuries and disorders	0	1,145,900	11,270	142,870	45,210	78,100	121,970
Traumatic injuries and disorders, unspecified	00	38,480	490	3,230	1,390	2,930	2,730
Traumatic injuries to bones, nerves, spinal cord	01	107,620	130	6,450	3,640	7,260	12,780
Traumatic injuries to bones, nerves, spinal cord, unspecified ...	010	750	–	90	40	50	30
Dislocations	011	10,050	–	1,150	380	310	1,050
Fractures	012	95,830	120	5,160	3,190	6,860	11,650
Traumatic injuries to nerves, except the spinal cord	014	570	–	20	–	20	30
Multiple traumatic injuries to bones, nerves, spinal cord	018	250	–	–	–	–	–
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	019	160	–	–	40	–	–
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	508,760	150	94,670	18,880	17,590	42,400
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	4,220	–	490	130	110	200
Sprains, strains, tears	021	503,530	150	94,090	18,590	17,310	42,120
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	1,020	–	90	160	170	80
Open wounds	03	135,540	110	6,990	4,680	26,480	30,540
Open wounds, unspecified	030	1,100	–	20	–	300	330
Amputations	031	8,450	–	240	80	5,080	950
Amputations, fingertip	0311	5,780	–	180	70	3,350	800
Amputations, except fingertip	0319	2,660	–	60	–	1,730	150
Animal or insect bites	032	4,530	–	–	–	–	–
Avulsions	033	1,630	–	100	40	830	200
Cuts, lacerations	034	101,660	60	6,450	4,480	19,610	19,650
Gunshot wounds	036	480	–	–	–	–	–
Punctures, except bites	037	17,210	40	170	70	510	9,340
Multiple open wounds	038	90	–	–	–	–	40
Open wounds, n.e.c.	039	400	–	30	–	130	20
Surface wounds and bruises	04	132,490	270	11,090	8,550	8,450	13,560
Surface wounds and bruises, unspecified	040	390	–	20	30	–	50
Abrasions, scratches	041	9,750	50	430	580	450	1,320
Blisters	042	480	–	60	–	–	60
Bruises, contusions	043	107,770	120	10,510	7,920	7,850	11,650
Foreign bodies (superficial splinters, chips)	044	13,120	110	–	–	–	380
Friction burns	045	90	–	–	–	–	–

See footnotes at end of table.

TABLE R14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2005 — Continued

Nature	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Total	181,820	234,430	56,970	109,630	54,520	171,210
Traumatic injuries and disorders	149,540	231,980	54,530	107,510	52,920	150,010
Traumatic injuries and disorders, unspecified	4,250	11,780	730	5,600	590	4,760
Traumatic injuries to bones, nerves, spinal cord	2,110	49,780	2,700	12,130	780	9,860
Traumatic injuries to bones, nerves, spinal cord, unspecified ...	30	140	—	330	—	30
Dislocations	960	3,800	110	910	140	1,240
Fractures	1,100	45,660	2,560	10,440	630	8,440
Traumatic injuries to nerves, except the spinal cord	—	—	—	300	—	160
Multiple traumatic injuries to bones, nerves, spinal cord	—	80	—	130	—	—
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	—	80	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	122,280	82,200	9,400	38,600	40,820	41,760
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	1,000	1,080	250	310	130	510
Sprains, strains, tears	121,090	80,990	9,120	38,190	40,650	41,210
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	190	130	30	90	40	40
Open wounds	—	3,810	34,070	5,810	510	22,540
Open wounds, unspecified	—	20	180	140	—	90
Amputations	—	50	1,010	510	—	520
Amputations, fingertip	—	40	630	300	—	410
Amputations, except fingertip	—	—	380	210	—	110
Animal or insect bites	—	—	—	—	380	4,150
Avulsions	—	—	170	130	—	150
Cuts, lacerations	—	3,610	30,460	4,580	90	12,680
Gunshot wounds	—	—	—	—	—	480
Punctures, except bites	—	60	2,220	400	30	4,350
Multiple open wounds	—	—	—	20	—	—
Open wounds, n.e.c.	—	60	30	30	—	90
Surface wounds and bruises	100	35,290	3,090	17,790	1,900	32,410
Surface wounds and bruises, unspecified	—	180	50	30	—	20
Abrasions, scratches	—	1,090	340	460	170	4,860
Blisters	—	90	40	150	—	70
Bruises, contusions	90	33,670	2,620	16,900	1,730	14,730
Foreign bodies (superficial splinters, chips)	—	—	50	—	—	12,580
Friction burns	—	—	—	—	—	40

See footnotes at end of table.

TABLE R14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2005 — Continued

Nature	Nature code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Multiple surface wounds and bruises	048	580	—	40	—	80	70
Surface wounds and bruises, n.e.c.	049	320	—	20	—	30	30
Burns	05	24,890	7,420	550	100	2,130	2,920
Burns, unspecified	050	40	—	—	—	—	—
Chemical burns	051	6,360	6,350	—	—	—	—
Electrical burns	052	1,280	—	—	30	50	1,050
Heat burns, scalds	053	17,150	1,010	550	60	2,060	1,870
Burns, n.e.c.	059	60	—	—	—	—	—
Intracranial injuries	06	6,870	—	310	510	440	700
Intracranial injuries, unspecified	060	110	—	—	—	—	20
Cerebral hemorrhages	061	70	—	—	—	—	—
Concussions	062	6,590	—	310	510	420	670
Multiple intracranial injuries	068	20	—	—	—	—	—
Intracranial injuries, n.e.c.	069	80	—	—	—	—	—
Effects of environmental conditions ...	07	2,560	—	—	—	—	—
Effects of reduced temperature	071	170	—	—	—	—	—
Frostbite	0711	110	—	—	—	—	—
Effects of reduced temperature, n.e.c.	0719	30	—	—	—	—	—
Effects of heat and light	072	2,280	—	—	—	—	—
Effects of heat and light, unspecified	0720	70	—	—	—	—	—
Heat stroke	0721	320	—	—	—	—	—
Heat syncope	0722	70	—	—	—	—	—
Heat fatigue	0723	550	—	—	—	—	—
Heat edema	0724	20	—	—	—	—	—
Multiple effects of heat and light	0728	30	—	—	—	—	—
Effects of heat and light, n.e.c. ...	0729	1,220	—	—	—	—	—
Effects of air pressure	073	90	—	—	—	—	—
Effects of air pressure, unspecified	0730	40	—	—	—	—	—
Aero-otitis media	0731	30	—	—	—	—	—
Effects of air pressure, n.e.c.	0739	20	—	—	—	—	—
Multiple traumatic injuries and disorders	08	50,090	60	2,100	1,720	3,410	4,050
Multiple traumatic injuries and disorders, unspecified	080	1,460	30	50	—	70	50
Cuts, abrasions, bruises	081	8,040	—	530	590	910	880
Sprains and bruises	082	21,240	—	810	770	730	1,140
Fractures and burns	083	100	—	—	—	—	—
Fractures and other injuries	084	9,660	—	240	130	1,110	1,250
Burns and other injuries	085	310	—	40	—	110	40
Intracranial injuries and injuries to internal organs	086	30	—	—	—	—	—

See footnotes at end of table.

TABLE R14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2005 — Continued

Nature	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Multiple surface wounds and bruises	—	130	—	190	—	60
Surface wounds and bruises, n.e.c.	—	130	—	40	—	50
Burns	—	—	600	260	—	10,900
Burns, unspecified	—	—	—	—	—	20
Chemical burns	—	—	—	—	—	—
Electrical burns	—	—	20	20	—	50
Heat burns, scalds	—	—	570	240	—	10,790
Burns, n.e.c.	—	—	—	—	—	40
Intracranial injuries	—	2,440	60	1,360	190	840
Intracranial injuries, unspecified	—	20	—	40	—	—
Cerebral hemorrhages	—	—	—	—	—	—
Concussions	—	2,350	40	1,310	160	810
Multiple intracranial injuries	—	—	—	—	—	—
Intracranial injuries, n.e.c.	—	60	—	—	—	—
Effects of environmental conditions ...	—	—	—	—	—	2,540
Effects of reduced temperature	—	—	—	—	—	150
Frostbite	—	—	—	—	—	100
Effects of reduced temperature, n.e.c.	—	—	—	—	—	30
Effects of heat and light	—	—	—	—	—	2,280
Effects of heat and light, unspecified	—	—	—	—	—	70
Heat stroke	—	—	—	—	—	320
Heat syncope	—	—	—	—	—	70
Heat fatigue	—	—	—	—	—	550
Heat edema	—	—	—	—	—	20
Multiple effects of heat and light	—	—	—	—	—	30
Effects of heat and light, n.e.c. ...	—	—	—	—	—	1,220
Effects of air pressure	—	—	—	—	—	90
Effects of air pressure, unspecified	—	—	—	—	—	40
Aero-otitis media	—	—	—	—	—	30
Effects of air pressure, n.e.c.	—	—	—	—	—	20
Multiple traumatic injuries and disorders	110	21,840	960	9,930	700	5,210
Multiple traumatic injuries and disorders, unspecified	—	510	—	440	70	230
Cuts, abrasions, bruises	—	2,180	440	1,360	120	1,020
Sprains and bruises	50	11,190	130	4,030	460	1,920
Fractures and burns	—	30	—	60	—	—
Fractures and other injuries	—	4,200	250	1,830	—	630
Burns and other injuries	—	20	—	40	—	40
Intracranial injuries and injuries to internal organs	—	—	—	—	—	—

See footnotes at end of table.

TABLE R14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2005 — Continued

Nature	Nature code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Other combinations of traumatic injuries and disorders, n.e.c.	089	9,250	30	420	220	430	690
Other traumatic injuries and disorders	09	138,590	2,630	17,460	5,730	9,420	12,290
Other traumatic injuries and disorders, unspecified	090	440	—	20	40	20	50
Asphyxiations/strangulations, suffocations	091	250	90	—	—	—	40
Electrocutions, electric shocks	093	1,700	—	20	150	470	930
Internal injuries to organs and blood vessels of the trunk	094	160	—	—	—	100	20
Other poisonings and toxic effects	095	6,710	2,190	—	—	—	—
Other poisonings and toxic effects, unspecified	0950	360	300	—	—	—	—
Animal or insect bites, venomous	0951	3,990	—	—	—	—	—
Other poisonings and toxic effects, n.e.c.	0959	2,360	1,890	—	—	—	—
Traumatic complications	096	100	40	—	—	—	—
Multiple traumatic complications	0968	20	—	—	—	—	—
Traumatic complications, n.e.c.	0969	70	30	—	—	—	—
Nonspecified injuries and disorders	097	127,960	290	17,330	5,530	8,730	11,160
Crushing injuries	0971	14,430	—	1,150	520	4,180	3,130
Back pain, hurt back	0972	35,650	—	7,060	1,380	1,350	2,930
Soreness, pain, hurt, except the back	0973	65,160	150	8,130	3,410	2,750	4,570
Multiple nonspecified injuries and disorders	0978	5,110	—	370	70	200	60
Nonspecified injuries and disorders, n.e.c.	0979	7,610	120	620	160	250	470
Other traumatic injuries and disorders, n.e.c.	099	1,260	20	90	—	90	80
Systemic diseases and disorders	1	64,740	4,030	8,380	1,310	2,100	6,340
Systemic diseases and disorders, unspecified	10	380	—	—	—	—	—
Diseases of the blood and blood forming organs	11	20	—	—	—	—	—
Nervous system and sense organs diseases	12	21,990	930	470	100	460	110
Nervous system and sense organs diseases, unspecified	120	30	—	—	—	—	—

See footnotes at end of table.

TABLE R14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2005 — Continued

Nature	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Other combinations of traumatic injuries and disorders, n.e.c.	50	3,710	130	2,160	40	1,360
Other traumatic injuries and disorders	20,690	24,820	2,920	16,030	7,430	19,170
Other traumatic injuries and disorders, unspecified	30	50	—	100	40	100
Asphyxiations/strangulations, suffocations	—	—	—	—	—	120
Electrocutions, electric shocks	—	—	20	—	—	110
Internal injuries to organs and blood vessels of the trunk	—	20	—	—	—	—
Other poisonings and toxic effects	—	—	—	—	—	4,520
Other poisonings and toxic effects, unspecified	—	—	—	—	—	60
Animal or insect bites, venomous	—	—	—	—	—	3,990
Other poisonings and toxic effects, n.e.c.	—	—	—	—	—	460
Traumatic complications	—	—	—	20	—	20
Multiple traumatic complications	—	—	—	20	—	—
Traumatic complications, n.e.c.	—	—	—	—	—	20
Nonspecified injuries and disorders	20,460	24,470	2,880	15,690	7,330	14,070
Crushing injuries	30	440	810	2,500	30	1,630
Back pain, hurt back	7,190	5,250	440	3,160	3,600	3,280
Soreness, pain, hurt, except the back	11,700	14,790	1,350	7,900	2,960	7,460
Multiple nonspecified injuries and disorders	430	1,970	40	1,100	380	500
Nonspecified injuries and disorders, n.e.c.	1,110	2,030	250	1,030	380	1,190
Other traumatic injuries and disorders, n.e.c.	200	280	—	200	50	240
Systemic diseases and disorders	28,500	1,060	2,390	1,340	1,010	8,270
Systemic diseases and disorders, unspecified	330	—	—	—	—	40
Diseases of the blood and blood forming organs	—	—	—	—	—	—
Nervous system and sense organs diseases	17,270	—	1,580	30	30	980
Nervous system and sense organs diseases, unspecified	—	—	—	—	—	—

See footnotes at end of table.

TABLE R14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2005 — Continued

Nature	Nature code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Inflammatory diseases of the central nervous system	121	30	—	—	—	—	—
Inflammatory diseases of the central nervous system, unspecified	1210	20	—	—	—	—	—
Degenerative diseases of the central nervous system	122	20	—	—	—	—	—
Degenerative diseases of the central nervous system, unspecified	1220	20	—	—	—	—	—
Other disorders of the central nervous system	123	70	—	—	—	—	—
Migraine	1232	60	—	—	—	—	—
Disorders of the peripheral nervous system	124	17,140	—	30	40	—	—
Disorders of the peripheral nervous system, unspecified	1240	190	—	—	—	—	—
Carpal tunnel syndrome	1241	16,460	—	—	—	—	—
Inflammatory and toxic neuropathy, toxic polyneuropathy	1242	110	—	—	—	—	—
Other disorders of the peripheral nervous system, n.e.c.	1249	370	—	20	30	—	—
Disorders of the eye, adnexa, vision	125	4,270	910	430	40	460	100
Disorders of the eye, adnexa, vision, unspecified	1250	280	140	—	—	—	—
Conjunctivitis non-viral	1252	870	390	—	—	—	—
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	1253	350	250	—	—	—	—
Blindness, low vision	1255	430	—	—	—	—	—
Welder's flash	1256	1,940	—	—	—	430	—
Visual disturbances	1258	120	—	—	—	—	80
Disorders of the eye, adnexa, vision, n.e.c.	1259	280	110	—	20	—	20
Disorders of the ear, mastoid process, hearing	126	210	—	—	—	—	—
Disorders of the ear, mastoid process, hearing, unspecified ..	1260	20	—	—	—	—	—
Deafness, hearing loss or impairment	1261	100	—	—	—	—	—
Tinnitus	1262	30	—	—	—	—	—
Disorders of the ear, mastoid process, and hearing, n.e.c.	1269	50	—	—	—	—	—
Nervous system and sense organs diseases, n.e.c.	129	220	—	—	—	—	—

See footnotes at end of table.

TABLE R14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2005 — Continued

Nature	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Inflammatory diseases of the central nervous system	20	-	-	-	-	-
Inflammatory diseases of the central nervous system, unspecified	20	-	-	-	-	-
Degenerative diseases of the central nervous system	-	-	-	-	-	-
Degenerative diseases of the central nervous system, unspecified	-	-	-	-	-	-
Other disorders of the central nervous system	-	-	-	-	-	30
Migraine	-	-	-	-	-	30
Disorders of the peripheral nervous system	17,020	-	-	-	-	30
Disorders of the peripheral nervous system, unspecified	170	-	-	-	-	-
Carpal tunnel syndrome	16,440	-	-	-	-	-
Inflammatory and toxic neuropathy, toxic polyneuropathy	100	-	-	-	-	-
Other disorders of the peripheral nervous system, n.e.c.	300	-	-	-	-	-
Disorders of the eye, adnexa, vision	-	-	1,580	-	30	730
Disorders of the eye, adnexa, vision, unspecified	-	-	-	-	-	120
Conjunctivitis non-viral	-	-	-	-	30	440
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	-	-	-	-	-	80
Blindness, low vision	-	-	-	-	-	-
Welder's flash	-	-	1,510	-	-	-
Visual disturbances	-	-	-	-	-	-
Disorders of the eye, adnexa, vision, n.e.c.	-	-	60	-	-	60
Disorders of the ear, mastoid process, hearing	-	-	-	-	-	190
Disorders of the ear, mastoid process, hearing, unspecified ..	-	-	-	-	-	20
Deafness, hearing loss or impairment	-	-	-	-	-	100
Tinnitus	-	-	-	-	-	-
Disorders of the ear, mastoid process, and hearing, n.e.c.	-	-	-	-	-	50
Nervous system and sense organs diseases, n.e.c.	210	-	-	-	-	-

See footnotes at end of table.

TABLE R14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2005 — Continued

Nature	Nature code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Circulatory system diseases	13	540	—	20	—	40	—
Hypertensive disease	132	40	—	—	—	—	—
Ischemic heart disease, including heart attack	133	330	—	—	—	—	—
Myocardial infarction (heart attack)	1331	320	—	—	—	—	—
Cerebrovascular disease	136	30	—	—	—	—	—
Stroke	1361	30	—	—	—	—	—
Diseases of the veins, lymphatics ..	138	100	—	—	—	30	—
Hemorrhoids	1382	60	—	—	—	30	—
Respiratory system diseases	14	1,830	1,200	—	—	—	30
Respiratory system diseases, unspecified	140	180	120	—	—	—	—
Acute respiratory infections (including common cold)	141	50	20	—	—	—	—
Other diseases of upper respiratory tract	142	130	100	—	—	—	—
Other diseases of upper respiratory tract, unspecified	1420	30	30	—	—	—	—
Allergic rhinitis	1421	40	30	—	—	—	—
Other diseases of upper respiratory tract, n.e.c.	1429	50	30	—	—	—	—
Pneumonia, influenza	143	300	20	—	—	—	—
Pneumonia	1431	220	—	—	—	—	—
Influenza	1432	60	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	144	1,020	830	—	—	—	20
Chronic obstructive pulmonary disease and allied conditions, unspecified	1440	40	30	—	—	—	—
Bronchitis	1441	20	20	—	—	—	—
Extrinsic asthma	1443	580	440	—	—	—	20
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	1444	300	280	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions, n.e.c.	1449	70	50	—	—	—	—
Pneumonopathy	146	30	20	—	—	—	—
Other respiratory system diseases	149	100	90	—	—	—	—
Other respiratory system diseases, unspecified	1490	40	40	—	—	—	—
Other respiratory system diseases, n.e.c.	1499	40	40	—	—	—	—
Digestive system diseases and disorders	15	20,480	—	6,670	920	1,080	4,890

See footnotes at end of table.

TABLE R14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2005 — Continued

Nature	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Circulatory system diseases	70	—	—	—	—	380
Hypertensive disease	—	—	—	—	—	40
Ischemic heart disease, including heart attack	—	—	—	—	—	290
Myocardial infarction (heart attack)	—	—	—	—	—	290
Cerebrovascular disease	—	—	—	—	—	20
Stroke	—	—	—	—	—	20
Diseases of the veins, lymphatics ..	20	—	—	—	—	—
Hemorrhoids	—	—	—	—	—	—
Respiratory system diseases	—	—	—	—	30	570
Respiratory system diseases, unspecified	—	—	—	—	—	60
Acute respiratory infections (including common cold)	—	—	—	—	—	30
Other diseases of upper respiratory tract	—	—	—	—	—	20
Other diseases of upper respiratory tract, unspecified	—	—	—	—	—	—
Allergic rhinitis	—	—	—	—	—	—
Other diseases of upper respiratory tract, n.e.c.	—	—	—	—	—	—
Pneumonia, influenza	—	—	—	—	—	280
Pneumonia	—	—	—	—	—	210
Influenza	—	—	—	—	—	60
Chronic obstructive pulmonary disease and allied conditions	—	—	—	—	—	160
Chronic obstructive pulmonary disease and allied conditions, unspecified	—	—	—	—	—	—
Bronchitis	—	—	—	—	—	—
Extrinsic asthma	—	—	—	—	—	110
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	—	—	—	—	—	20
Chronic obstructive pulmonary disease and allied conditions, n.e.c.	—	—	—	—	—	20
Pneumonopathy	—	—	—	—	—	—
Other respiratory system diseases	—	—	—	—	—	—
Other respiratory system diseases, unspecified	—	—	—	—	—	—
Other respiratory system diseases, n.e.c.	—	—	—	—	—	—
Digestive system diseases and disorders	1,930	330	520	720	440	2,960

See footnotes at end of table.

TABLE R14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2005 — Continued

Nature	Nature code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Hernia	153	20,480	—	6,670	920	1,080	4,890
Hernia, unspecified	1530	9,280	—	2,920	380	480	1,990
Inguinal hernia	1531	7,820	—	2,640	400	350	2,060
Hiatal hernia	1532	340	—	130	—	50	40
Ventral hernia	1533	1,550	—	540	30	70	390
Hernia, n.e.c.	1539	1,490	—	430	110	140	410
Musculoskeletal system and connective tissue diseases and disorders	17	14,280	40	1,140	230	420	1,000
Musculoskeletal system and connective tissue diseases and disorders, unspecified	170	170	—	—	—	—	—
Arthropathies and related disorders (arthritis)	171	170	—	—	—	—	—
Dorsopathies	172	1,390	—	210	50	30	120
Dorsopathies, unspecified	1720	50	—	—	—	—	—
Sciatica	1721	420	—	60	40	—	30
Lumbago	1722	30	—	—	—	—	—
Disc disorders, except dislocation	1723	230	—	30	—	—	—
Dorsopathies, n.e.c.	1729	660	—	110	—	—	60
Rheumatism, except the back	173	12,400	40	930	170	370	870
Rheumatism, except the back, unspecified	1730	880	40	170	—	100	40
Bursitis	1731	880	—	30	20	50	80
Synovitis	1732	50	—	—	—	—	—
Tendonitis	1733	5,720	—	390	60	100	450
Tenosynovitis	1734	640	—	80	—	—	—
Ganglion/cystic tumor	1735	760	—	40	—	—	20
Rheumatism, except the back, n.e.c.	1739	3,490	—	220	50	100	260
Osteopathies, chondropathies, acquired deformities	174	70	—	—	—	—	—
Osteopathies, chondropathies, acquired deformities, unspecified	1740	30	—	—	—	—	—
Osteopathies, chondropathies, acquired deformities, n.e.c.	1749	40	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	179	80	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	18	5,000	1,850	80	40	90	270
Disorders of the skin and subcutaneous tissue, unspecified	180	250	50	—	—	—	—

See footnotes at end of table.

TABLE R14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2005 — Continued

Nature	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Hernia	1,930	330	520	720	440	2,960
Hernia, unspecified	1,190	180	180	230	110	1,610
Inguinal hernia	500	120	230	450	110	950
Hiatal hernia	—	—	20	—	—	70
Ventral hernia	100	—	60	20	140	190
Hernia, n.e.c.	120	30	30	20	80	130
Musculoskeletal system and connective tissue diseases and disorders	8,740	530	240	490	410	1,040
Musculoskeletal system and connective tissue diseases and disorders, unspecified	70	—	—	—	—	70
Arthropathies and related disorders (arthritis)	80	20	—	—	—	—
Dorsopathies	540	40	30	100	120	140
Dorsopathies, unspecified	—	—	—	—	—	—
Sciatica	100	—	—	—	90	70
Lumbago	—	—	—	—	—	—
Disc disorders, except dislocation	90	20	—	30	—	—
Dorsopathies, n.e.c.	320	20	—	50	—	50
Rheumatism, except the back	7,940	460	190	390	290	760
Rheumatism, except the back, unspecified	310	90	—	30	—	80
Bursitis	350	220	—	—	30	70
Synovitis	40	—	—	—	—	—
Tendonitis	3,920	30	120	160	140	350
Tenosynovitis	480	—	—	—	20	40
Ganglion/cystic tumor	600	—	—	40	—	20
Rheumatism, except the back, n.e.c.	2,250	110	50	150	100	200
Osteopathies, chondropathies, acquired deformities	40	—	—	—	—	—
Osteopathies, chondropathies, acquired deformities, unspecified	20	—	—	—	—	—
Osteopathies, chondropathies, acquired deformities, n.e.c.	20	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	70	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	100	170	50	60	80	2,200
Disorders of the skin and subcutaneous tissue, unspecified	—	—	—	—	—	200

See footnotes at end of table.

TABLE R14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2005 — Continued

Nature	Nature code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Infections of the skin and subcutaneous tissue	181	1,090	60	80	30	20	240
Infections of the skin and subcutaneous tissue, unspecified	1810	290	30	—	—	—	100
Cellulitis and abscess	1812	580	30	60	30	—	110
Pilonidal cyst	1815	80	—	20	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	1819	110	—	—	—	—	—
Dermatitis	182	3,100	1,660	—	—	—	30
Dermatitis, unspecified	1820	470	340	—	—	—	—
Atopic dermatitis and related conditions	1821	20	—	—	—	—	—
Contact dermatitis and other eczema	1822	810	250	—	—	—	—
Allergic dermatitis	1823	980	510	—	—	—	20
Irritant dermatitis	1824	710	550	—	—	—	—
Other contact dermatitis	1825	30	—	—	—	—	—
Dermatitis, n.e.c.	1829	70	—	—	—	—	—
Other inflammatory conditions of the skin	183	190	40	—	—	—	—
Other inflammatory conditions of the skin, unspecified	1830	150	20	—	—	—	—
Other inflammatory conditions, n.e.c.	1839	20	—	—	—	—	—
Diseases of sebaceous glands	184	90	—	—	—	—	—
Sebaceous cyst	1842	90	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	189	280	40	—	—	—	—
Chronic skin ulcers	1897	30	—	—	—	—	—
Urticaria, hives	1898	210	40	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	1899	40	—	—	—	—	—
Other systemic diseases and disorders	19	210	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorder	191	110	—	—	—	—	—
Diseases and disorders of other endocrine glands	1912	100	—	—	—	—	—
Systemic diseases and disorders, n.e.c.	199	100	—	—	—	—	—
Infectious and parasitic diseases	2	1,770	—	—	—	—	—
Infectious and parasitic diseases, unspecified	20	20	—	—	—	—	—

See footnotes at end of table.

TABLE R14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2005 — Continued

Nature	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Infections of the skin and subcutaneous tissue	70	70	40	60	30	380
Infections of the skin and subcutaneous tissue, unspecified	—	—	30	—	—	110
Cellulitis and abscess	60	70	—	60	—	150
Pilonidal cyst	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	—	—	—	—	20	80
Dermatitis	—	—	—	—	20	1,380
Dermatitis, unspecified	—	—	—	—	—	110
Atopic dermatitis and related conditions	—	—	—	—	—	20
Contact dermatitis and other eczema	—	—	—	—	—	550
Allergic dermatitis	—	—	—	—	—	460
Irritant dermatitis	—	—	—	—	—	160
Other contact dermatitis	—	—	—	—	—	20
Dermatitis, n.e.c.	—	—	—	—	—	70
Other inflammatory conditions of the skin	—	100	—	—	—	40
Other inflammatory conditions of the skin, unspecified	—	100	—	—	—	20
Other inflammatory conditions, n.e.c.	—	—	—	—	—	—
Diseases of sebaceous glands	—	—	—	—	—	—
Sebaceous cyst	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	—	—	—	—	—	200
Chronic skin ulcers	—	—	—	—	—	20
Urticaria, hives	—	—	—	—	—	170
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	—	—	—	—	—	—
Other systemic diseases and disorders	70	—	—	—	—	100
Endocrine, nutritional, metabolic, and immunity disorder	—	—	—	—	—	70
Diseases and disorders of other endocrine glands	—	—	—	—	—	60
Systemic diseases and disorders, n.e.c.	70	—	—	—	—	30
Infectious and parasitic diseases	—	—	—	—	270	1,500
Infectious and parasitic diseases, unspecified	—	—	—	—	—	20

See footnotes at end of table.

TABLE R14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2005 — Continued

Nature	Nature code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Bacterial diseases	21	550	—	—	—	—	—
Tuberculoses	211	20	—	—	—	—	—
Tuberculoses, unspecified	2110	20	—	—	—	—	—
Other bacterial diseases	219	520	—	—	—	—	—
Diphtheria, whooping cough	2192	60	—	—	—	—	—
Septicemia	2197	80	—	—	—	—	—
Other bacterial diseases, n.e.c. ..	2199	360	—	—	—	—	—
Viral diseases	22	390	—	—	—	—	—
Non-arthropod-borne viral diseases of the central nervous system	222	50	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever)	223	170	—	—	—	—	—
Chickenpox	2233	130	—	—	—	—	—
Herpes zoster	2234	30	—	—	—	—	—
Viral hepatitis	225	20	—	—	—	—	—
Type A viral hepatitis (infectious hepatitis)	2251	20	—	—	—	—	—
Viral diseases of the conjunctiva	226	130	—	—	—	—	—
Viral conjunctivitis (ophthalmia) ..	2262	110	—	—	—	—	—
Other diseases due to viruses and Chlamydiae	229	20	—	—	—	—	—
Other arthropod-borne diseases	23	50	—	—	—	—	—
Lyme disease	237	40	—	—	—	—	—
Mycoses	24	100	—	—	—	—	—
Dermatophytosis (including athlete's foot, tinea)	241	90	—	—	—	—	—
Infectious diseases peculiar to the intestines	26	200	—	—	—	—	—
Other salmonella infections	263	20	—	—	—	—	—
Shigellosis	264	20	—	—	—	—	—
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	265	90	—	—	—	—	—
Infectious diseases peculiar to the intestines, n.e.c.	269	60	—	—	—	—	—
Other infectious and parasitic diseases	29	480	—	—	—	—	—
Other infectious and parasitic diseases, unspecified	290	20	—	—	—	—	—
Pediculosis and phthirus infestation (lice)	293	30	—	—	—	—	—
Acariasis (including scabies, chiggers, mites)	294	430	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	4	12,920	3,050	370	210	140	300

See footnotes at end of table.

TABLE R14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2005 — Continued

Nature	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Bacterial diseases	-	-	-	-	270	280
Tuberculoses	-	-	-	-	-	20
Tuberculoses, unspecified	-	-	-	-	-	20
Other bacterial diseases	-	-	-	-	270	250
Diphtheria, whooping cough	-	-	-	-	-	60
Septicemia	-	-	-	-	-	80
Other bacterial diseases, n.e.c. ..	-	-	-	-	270	90
Viral diseases	-	-	-	-	-	380
Non-arthropod-borne viral diseases of the central nervous system	-	-	-	-	-	50
Viral diseases accompanied by exanthem (eruptive fever)	-	-	-	-	-	170
Chickenpox	-	-	-	-	-	130
Herpes zoster	-	-	-	-	-	30
Viral hepatitis	-	-	-	-	-	20
Type A viral hepatitis (infectious hepatitis)	-	-	-	-	-	20
Viral diseases of the conjunctiva	-	-	-	-	-	130
Viral conjunctivitis (ophthalmia) ..	-	-	-	-	-	110
Other diseases due to viruses and Chlamydiae	-	-	-	-	-	20
Other arthropod-borne diseases	-	-	-	-	-	50
Lyme disease	-	-	-	-	-	40
Mycoses	-	-	-	-	-	100
Dermatophytosis (including athlete's foot, tinea)	-	-	-	-	-	90
Infectious diseases peculiar to the intestines	-	-	-	-	-	200
Other salmonella infections	-	-	-	-	-	20
Shigellosis	-	-	-	-	-	20
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	-	-	-	-	-	90
Infectious diseases peculiar to the intestines, n.e.c.	-	-	-	-	-	60
Other infectious and parasitic diseases	-	-	-	-	-	480
Other infectious and parasitic diseases, unspecified	-	-	-	-	-	20
Pediculosis and phthirus infestation (lice)	-	-	-	-	-	30
Acariasis (including scabies, chiggers, mites)	-	-	-	-	-	430
Symptoms, signs, and ill-defined conditions	3,500	540	40	400	200	4,160

See footnotes at end of table.

TABLE R14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2005 — Continued

Nature	Nature code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Symptoms, signs, and ill-defined conditions, unspecified	40	100	30	—	—	—	—
Symptoms	41	12,670	2,960	370	210	140	300
Symptoms, unspecified	410	440	20	—	—	—	—
General symptoms	411	4,540	930	100	70	60	130
General symptoms, unspecified	4110	140	80	—	—	—	—
Loss of consciousness not heat related	4111	950	130	20	20	—	20
Convulsions, seizures	4112	250	—	—	—	—	—
Dizziness	4114	1,270	200	30	—	20	90
Non-specified allergic reaction ...	4115	560	300	—	—	—	—
Multiple general symptoms	4118	150	60	30	—	—	—
General symptoms, n.e.c.	4119	1,200	160	20	30	30	—
Symptoms involving nervous and musculoskeletal systems	412	2,850	—	70	50	30	—
Symptoms involving nervous and musculoskeletal systems, unspecified	4120	240	—	—	—	—	—
Spasms or tremors, n.e.c.	4121	40	—	—	—	—	—
Earache	4122	90	—	—	—	—	—
Eye strain	4123	40	—	—	—	—	—
Multiple symptoms involving nervous and musculoskeletal systems	4128	170	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems, n.e.c.	4129	2,270	—	60	40	20	—
Symptoms involving skin and other integumentary tissue	413	1,050	150	100	80	40	110
Symptoms involving skin and other integumentary tissue, unspecified	4130	150	90	—	—	—	—
Edema (including dropsy)	4131	750	—	100	80	30	90
Symptoms involving skin and other integumentary tissue, n.e.c.	4139	130	60	—	—	—	—
Symptoms involving head and neck	414	610	80	40	—	—	40
Symptoms involving head and neck, unspecified	4140	20	—	—	—	—	—
Headache, except migraine	4141	490	30	40	—	—	30
Multiple symptoms involving head and neck	4148	20	20	—	—	—	—
Symptoms involving head and neck, n.e.c.	4149	60	20	—	—	—	—

See footnotes at end of table.

TABLE R14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2005 — Continued

Nature	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Symptoms, signs, and ill-defined conditions, unspecified	30	—	—	—	—	40
Symptoms	3,470	530	40	400	200	4,050
Symptoms, unspecified	290	—	—	—	—	120
General symptoms	680	400	—	160	—	1,990
General symptoms, unspecified	—	—	—	—	—	50
Loss of consciousness not heat related	20	190	—	60	—	480
Convulsions, seizures	—	130	—	—	—	110
Dizziness	—	20	—	—	—	880
Non-specified allergic reaction ...	—	—	—	—	—	260
Multiple general symptoms	—	—	—	—	—	40
General symptoms, n.e.c.	650	50	—	70	—	160
Symptoms involving nervous and musculoskeletal systems	2,290	30	—	70	—	280
Symptoms involving nervous and musculoskeletal systems, unspecified	200	—	—	—	—	—
Spasms or tremors, n.e.c.	—	—	—	40	—	—
Earache	—	—	—	—	—	90
Eye strain	—	—	—	—	—	—
Multiple symptoms involving nervous and musculoskeletal systems	160	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems, n.e.c.	1,940	30	—	—	—	150
Symptoms involving skin and other integumentary tissue	150	60	20	20	90	220
Symptoms involving skin and other integumentary tissue, unspecified	20	—	—	—	—	20
Edema (including dropsy)	130	60	20	20	90	130
Symptoms involving skin and other integumentary tissue, n.e.c.	—	—	—	—	—	60
Symptoms involving head and neck	—	—	—	150	50	220
Symptoms involving head and neck, unspecified	—	—	—	—	—	—
Headache, except migraine	—	—	—	140	50	180
Multiple symptoms involving head and neck	—	—	—	—	—	—
Symptoms involving head and neck, n.e.c.	—	—	—	—	—	30

See footnotes at end of table.

TABLE R14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2005 — Continued

Nature	Nature code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Symptoms involving cardiovascular system	415	30	—	—	—	—	—
Symptoms involving cardiovascular system, unspecified	4150	20	—	—	—	—	—
Symptoms involving respiratory system and chest	416	2,080	1,300	50	—	—	—
Symptoms involving respiratory system and chest, unspecified	4160	1,100	730	—	—	—	—
Hyperventilation	4161	40	—	—	—	—	—
Chest pain	4164	250	—	—	—	—	—
Multiple symptoms involving respiratory system and chest ...	4168	50	50	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	4169	640	460	40	—	—	—
Symptoms involving digestive and urinary system	417	310	80	—	—	—	—
Nausea and vomiting	4171	110	80	—	—	—	—
Abdominal pain, unspecified	4175	110	—	—	—	—	—
Multiple symptoms involving digestive or urinary system	4178	70	—	—	—	—	—
Multiple symptoms	418	730	370	—	—	—	—
Other symptoms, n.e.c.	419	50	—	—	—	—	—
Abnormal findings	42	80	30	—	—	—	—
Abnormal findings from histological and immunological studies	426	60	30	—	—	—	—
Other abnormal findings	429	20	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	48	60	30	—	—	—	—
Multiple chemical sensitivity	481	20	20	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	489	30	—	—	—	—	—
Other diseases, conditions, and disorders	5	2,750	—	—	—	—	—
Mental disorders or syndromes	52	2,710	—	—	—	—	—
Mental disorder or syndrome, unspecified	520	120	—	—	—	—	—
Anxiety, stress, neurotic disorders	521	2,540	—	—	—	—	—
Anxiety, stress, neurotic disorders, unspecified	5210	1,160	—	—	—	—	—
Post-traumatic anxiety acute	5211	210	—	—	—	—	—
Post-traumatic anxiety chronic	5212	50	—	—	—	—	—
Panic disorder	5213	30	—	—	—	—	—

See footnotes at end of table.

TABLE R14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2005 — Continued

Nature	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Symptoms involving cardiovascular system	-	-	-	-	-	30
Symptoms involving cardiovascular system, unspecified	-	-	-	-	-	20
Symptoms involving respiratory system and chest	20	-	-	-	-	670
Symptoms involving respiratory system and chest, unspecified	-	-	-	-	-	370
Hyperventilation	-	-	-	-	-	-
Chest pain	-	-	-	-	-	150
Multiple symptoms involving respiratory system and chest ...	-	-	-	-	-	-
Symptoms involving respiratory system and chest, n.e.c.	-	-	-	-	-	110
Symptoms involving digestive and urinary system	-	-	-	-	-	220
Nausea and vomiting	-	-	-	-	-	30
Abdominal pain, unspecified	-	-	-	-	-	110
Multiple symptoms involving digestive or urinary system	-	-	-	-	-	70
Multiple symptoms	30	-	-	-	30	280
Other symptoms, n.e.c.	-	-	-	-	-	-
Abnormal findings	-	-	-	-	-	50
Abnormal findings from histological and immunological studies	-	-	-	-	-	30
Other abnormal findings	-	-	-	-	-	-
Multiple symptoms, signs, and ill-defined conditions	-	-	-	-	-	-
Multiple chemical sensitivity	-	-	-	-	-	-
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	-	-	-	-	-	-
Other diseases, conditions, and disorders	50	-	-	90	60	2,540
Mental disorders or syndromes	40	-	-	90	60	2,520
Mental disorder or syndrome, unspecified	-	-	-	20	-	90
Anxiety, stress, neurotic disorders	40	-	-	60	50	2,380
Anxiety, stress, neurotic disorders, unspecified	40	-	-	30	40	1,040
Post-traumatic anxiety acute	-	-	-	30	-	180
Post-traumatic anxiety chronic	-	-	-	-	-	50
Panic disorder	-	-	-	-	-	30

See footnotes at end of table.

TABLE R14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2005 — Continued

Nature	Nature code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Neurotic reaction to stress	5214	940	—	—	—	—	—
Multiple anxiety, stress, neurotic disorders	5218	140	—	—	—	—	—
Mental disorders or syndromes, n.e.c.	529	50	—	—	—	—	—
Other diseases, conditions, and disorders, n.e.c.	59	30	—	—	—	—	—
Multiple diseases, conditions, and disorders	8	300	—	—	—	30	—
Nonclassifiable	9999	6,290	90	90	50	80	80

See footnotes at end of table.

TABLE R14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, 2005 — Continued

Nature	Source of injury or illness ⁴					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁵
Neurotic reaction to stress	—	—	—	—	—	940
Multiple anxiety, stress, neurotic disorders	—	—	—	—	—	130
Mental disorders or syndromes, n.e.c.	—	—	—	—	—	50
Other diseases, conditions, and disorders, n.e.c.	—	—	—	—	—	20
Multiple diseases, conditions, and disorders	50	100	—	50	—	50
Nonclassifiable	170	740	—	240	40	4,680

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 00-09; Containers = 10-19; Furniture and fixtures = 20-29; Machinery = 30-39; Parts and materials = 40-49; Worker motion or position = 562; Floors, walkways or ground surfaces = 62; Handtools = 71-73; Vehicles = 80-89; Health care patient = 573; All other sources = all remaining codes, including 9999 (Nonclassifiable).

These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies