

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, 2005

Part of body	Part of body code ²	Private industry ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Total		1,234,680	567,790	101,170	163,440	13,190	4,760	5,830	1,160	930	376,550
Head	0	81,090	38,740	5,950	12,970	860	320	370	200	60	21,640
Head, unspecified	00	15,640	6,520	1,200	1,970	230	50	100	80	30	5,470
Cranial region, including skull	01	10,680	5,670	460	1,350	140	50	60	-	-	2,860
Cranial region, unspecified	010	310	140	-	20	-	-	-	-	-	130
Brain	011	6,980	4,240	300	520	60	40	50	-	-	1,680
Scalp	012	2,680	970	140	630	70	-	-	-	-	850
Skull	013	490	240	-	80	-	-	-	-	-	160
Multiple cranial region locations	018	70	50	-	-	-	-	-	-	-	-
Cranial region, n.e.c.	019	160	30	-	100	-	-	-	-	-	30
Ear(s)	02	1,340	560	30	130	-	-	-	-	-	610
Face	03	51,990	25,450	4,220	8,910	470	220	200	20	30	12,470
Face, unspecified	030	3,870	1,690	330	740	60	-	20	-	-	1,010
Forehead	031	3,540	1,270	350	800	80	20	-	-	-	1,000
Eye(s)	032	34,740	17,500	2,590	5,920	240	180	140	-	-	8,150
Nose, nasal cavity	033	2,490	1,450	170	250	20	-	20	-	-	590
Nose, except internal location of diseases or disorders	0330	2,430	1,400	160	250	20	-	20	-	-	590
Cheek(s)	034	1,010	560	130	100	30	-	-	-	-	180
Jaw/chin	035	1,260	560	110	200	-	-	-	-	-	360
Mouth	036	2,230	1,040	260	370	20	-	-	-	-	530
Mouth, unspecified	0360	320	160	30	30	-	-	-	-	-	110
Lip(s)	0361	500	170	50	180	20	-	-	-	-	70
Tongue	0362	120	-	-	-	-	-	-	-	-	-
Tooth(teeth)	0363	1,080	500	170	100	-	-	-	-	-	320
Multiple mouth locations	0368	160	80	20	50	-	-	-	-	-	-
Mouth, n.e.c.	0369	40	-	-	-	-	-	-	-	-	20
Multiple face locations	038	2,580	1,300	280	450	-	-	-	-	-	530
Face, n.e.c.	039	270	80	-	80	-	-	-	-	-	100
Multiple head locations	08	1,270	410	30	600	-	-	-	-	-	210
Head, n.e.c.	09	170	120	-	-	-	-	-	-	-	30
Neck, including throat	1	18,470	9,200	1,470	1,380	110	40	50	20	20	6,190
Neck, except internal location of diseases or disorders	10	18,410	9,160	1,470	1,380	110	40	50	20	20	6,160
Internal neck location, unspecified	11	40	30	-	-	-	-	-	-	-	-
Internal neck location, n.e.c.	19	20	-	-	-	-	-	-	-	-	-
Trunk	2	428,500	197,750	35,610	48,140	4,460	1,370	2,360	480	230	138,110
Trunk, unspecified	20	2,650	1,100	260	520	-	-	-	-	-	730
Shoulder, including clavicle, scapula	21	77,800	36,840	6,010	6,740	660	190	370	100	-	26,890
Chest, including ribs, internal organs	22	18,400	9,110	1,500	1,910	170	90	90	-	-	5,520

See footnotes at end of table.

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, 2005 — Continued

Part of body	Part of body code ²	Private industry ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Chest, except internal location of diseases or disorders	220	16,320	7,840	1,330	1,780	160	90	80	—	—	5,030
Internal chest location, unspecified	221	210	90	—	—	—	—	—	—	—	100
Heart	223	340	210	50	—	—	—	—	—	—	70
Bronchus	224	100	40	—	20	—	—	—	—	—	30
Lung(s), pleura	225	1,420	930	100	100	—	—	—	—	—	280
Back, including spine, spinal cord	23	270,890	123,120	23,320	31,400	3,140	940	1,510	340	160	86,960
Back, including spine, spinal cord, unspecified	230	116,160	57,060	10,860	13,270	1,150	280	700	70	70	32,700
Lumbar region	231	132,660	57,050	10,230	15,960	1,810	590	670	260	50	46,030
Thoracic region	232	10,670	4,370	1,100	1,010	50	30	110	—	—	4,010
Sacral region	233	1,330	610	150	50	—	—	—	—	—	520
Coccygeal region	234	2,270	1,110	170	250	40	—	—	—	—	670
Multiple back regions	238	7,500	2,790	780	840	90	20	20	—	30	2,940
Back, including spine, spinal cord, n.e.c.	239	290	130	40	20	—	—	—	—	—	100
Abdomen	24	28,350	14,260	1,850	3,490	170	20	220	—	—	8,300
Abdomen, except internal location of diseases or disorders	240	7,540	2,910	820	1,040	130	20	60	—	—	2,540
Internal abdominal location, unspecified	241	10,010	5,270	530	1,320	20	—	30	—	—	2,830
Stomach organ	242	550	300	20	90	—	—	—	—	—	140
Intestines, peritoneum	245	10,080	5,640	480	1,020	20	—	140	—	—	2,770
Intestines, peritoneum, unspecified	2450	8,600	4,870	360	870	20	—	50	—	—	2,420
Peritoneum	2451	710	290	70	110	—	—	—	—	—	220
Small intestine	2452	180	120	30	—	—	—	—	—	—	30
Large intestine/colon, rectum	2453	460	260	—	40	—	—	70	—	—	70
Intestines, n.e.c.	2459	130	100	—	—	—	—	—	—	—	30
Other digestive structures	246	20	—	—	—	—	—	—	—	—	—
Liver	2461	20	—	—	—	—	—	—	—	—	—
Multiple internal abdominal locations	248	40	40	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	110	80	—	20	—	—	—	—	—	20
Pelvic region	25	20,850	9,330	1,700	2,620	220	70	130	—	20	6,750
Pelvic region, unspecified	250	450	150	30	40	—	—	—	—	—	220
Hip(s)	251	8,520	3,740	870	1,060	110	50	100	—	—	2,570
Pelvis	252	1,050	510	100	160	—	—	—	—	—	270
Buttock(s)	253	1,200	530	100	180	90	—	—	—	—	300
Groin	254	8,900	4,030	560	1,020	—	—	20	—	—	3,250
External reproductive tract structures	255	390	150	—	150	—	—	—	—	—	60

See footnotes at end of table.

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, 2005 — Continued

Part of body	Part of body code ²	Private industry ³	Race or ethnic origin									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported	
External reproductive tract structures, unspecified	2550	40	—	—	—	—	—	—	—	—	—	30
Scrotum	2551	310	110	—	150	—	—	—	—	—	—	30
Penis	2552	30	30	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	258	240	150	20	—	—	—	—	—	—	—	60
Pelvic region, n.e.c.	259	90	70	—	—	—	—	—	—	—	—	—
Multiple trunk locations	28	9,400	3,920	940	1,450	100	50	—	30	—	—	2,900
Trunk, n.e.c.	29	150	70	30	—	—	—	—	—	—	—	50
Upper extremities	3	284,750	130,630	20,630	47,200	3,290	1,150	1,190	170	230	—	80,250
Upper extremities, unspecified	30	330	60	—	—	20	—	—	—	—	—	240
Arm(s)	31	55,440	25,910	3,540	7,970	440	170	280	20	30	—	17,100
Arm(s), unspecified	310	19,550	8,490	1,280	2,910	160	80	110	—	—	—	6,490
Upper arm(s)	311	5,210	2,600	250	760	—	—	—	—	—	—	1,590
Elbow(s)	312	17,870	8,950	1,130	2,000	160	20	140	—	—	—	5,460
Forearm(s)	313	9,380	4,430	700	1,600	110	30	30	—	—	—	2,460
Multiple arm(s) locations	318	2,980	1,240	150	690	—	30	—	—	—	—	860
Arm(s), n.e.c.	319	460	190	20	—	—	—	—	—	—	—	240
Wrist(s)	32	56,250	27,180	3,940	6,450	680	150	210	—	20	—	17,620
Hand(s), except finger(s)	33	47,020	22,060	3,490	8,370	680	160	170	50	—	—	12,030
Finger(s), fingernail(s)	34	111,090	48,620	8,390	22,250	1,330	570	460	90	180	—	29,190
Multiple upper extremities locations ...	38	14,440	6,760	1,150	2,150	160	110	50	—	—	—	4,050
Multiple upper extremities locations, unspecified	380	250	60	—	20	—	—	—	—	—	—	170
Hand(s) and finger(s)	381	4,600	2,240	360	690	50	—	20	—	—	—	1,250
Hand(s) and wrist(s)	382	3,100	1,230	260	640	—	70	20	—	—	—	870
Hand(s) and arm(s)	383	1,830	920	130	280	20	—	—	—	—	—	480
Multiple upper extremities locations, n.e.c.	389	4,650	2,320	400	530	70	20	20	—	—	—	1,290
Upper extremities, n.e.c.	39	180	40	—	—	—	—	—	—	—	—	20
Lower extremities	4	271,740	127,850	21,780	34,900	2,140	860	1,160	140	180	—	82,760
Lower extremities, unspecified	40	300	90	40	30	—	—	—	—	—	—	140
Leg(s)	41	141,060	69,120	10,450	17,790	860	460	530	60	100	—	41,720
Leg(s), unspecified	410	19,700	8,910	2,030	3,470	220	110	70	—	—	—	4,890
Thigh(s)	411	5,510	2,680	530	660	50	20	—	—	—	—	1,570
Knee(s)	412	100,560	50,230	6,900	11,190	510	240	380	50	80	—	31,010
Lower leg(s)	413	12,030	6,090	640	1,940	60	60	40	—	—	—	3,200
Multiple leg(s) locations	418	2,780	1,050	350	470	—	30	—	—	—	—	830
Leg(s), n.e.c.	419	470	170	—	40	—	—	—	—	—	—	240
Ankle(s)	42	65,000	29,300	4,980	8,260	800	190	380	20	50	—	21,020
Foot(feet), except toe(s)	43	43,840	19,890	3,840	5,890	300	160	180	70	20	—	13,520
Foot(feet), except toe(s), unspecified	430	38,340	16,890	3,510	5,260	250	110	180	60	20	—	12,050
Instep(s)	431	640	290	50	170	—	—	—	—	—	—	120

See footnotes at end of table.

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, 2005 — Continued

Part of body	Part of body code ²	Private industry ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Sole	432	3,880	2,190	180	430	30	40	—	—	—	1,020
Sole(s), unspecified	4320	640	290	60	160	—	20	—	—	—	110
Ball(s)	4321	80	80	—	—	—	—	—	—	—	—
Arch(es)	4322	30	—	—	—	—	—	—	—	—	—
Heel(s)	4323	3,120	1,820	110	250	30	20	—	—	—	890
Multiple foot(feet) locations	438	290	110	20	—	—	—	—	—	—	140
Foot(feet), n.e.c.	439	690	400	70	20	—	—	—	—	—	190
Toe(s), toenail(s)	44	12,880	5,720	1,300	1,830	100	30	50	—	—	3,850
Multiple lower extremities locations	48	8,530	3,640	1,170	1,100	80	20	20	—	—	2,480
Multiple lower extremities locations, unspecified	480	70	—	—	—	—	—	—	—	—	60
Foot(feet) and leg(s)	481	840	330	120	130	—	—	—	—	—	240
Foot(feet) and ankle(s)	482	2,780	1,300	260	460	20	—	—	—	—	720
Foot(feet) and toe(s)	483	1,030	400	180	120	—	—	—	—	—	320
Multiple lower extremities locations, n.e.c.	489	3,800	1,610	600	390	60	—	—	—	—	1,140
Lower extremities, n.e.c.	49	130	100	—	—	—	—	—	—	—	20
Body systems	5	17,950	7,870	1,350	1,870	730	100	130	—	—	5,900
Multiple body parts	8	120,960	51,910	13,600	15,520	1,220	370	520	140	200	37,570
Other body parts	9	20	—	—	—	—	—	—	—	—	—
Nonclassifiable	9999	11,200	3,840	770	1,470	370	560	60	—	—	4,130

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies