



UNITED STATES DEPARTMENT OF COMMERCE
National Oceanic and Atmospheric Administration

National Marine Fisheries Service

P.O. Box 21668

Juneau, Alaska 99802-1668

March 6, 2007

Colonel Kevin J. Wilson
District Engineer
U.S. Army Corps of Engineers
P.O. Box 6898
Anchorage, Alaska 99506-0898

Re: POA-2007-399-2
Port St. Nicholas

Attn: Nicole Hayes

Dear Colonel Wilson:

The National Marine Fisheries Service (NMFS) has reviewed the above referenced application from Mr. Brad Ipsen to construct a dock, ramp, and float in Port St. Nicholas near Craig, Alaska. The purpose of the project is to provide marine access to six lots and provide wastewater outfalls for secondary treated wastewater. The marine access portion of the project will include installing an 8-foot by 120-foot dock, supported by six 12-inch diameter galvanized steel piles, a 5-foot by 70-foot ramp, and a 24-foot by 60-foot float supported by three 16-inch diameter galvanized steel piles. In addition, three 4-inch diameter PVC wastewater outfalls would be trenched to the mean lower low water line. A total of 0.0008 acre of intertidal area would be filled for the outfalls.

Section 305(b) of the Magnuson-Stevens Fishery Conservation and Management Act (MSA) requires federal agencies to consult with NMFS on all actions that may adversely affect Essential Fish Habitat (EFH). NMFS is required to make EFH Conservation Recommendations, which may include measures to avoid, minimize, mitigate or otherwise offset adverse effects. The Alaska Department of Fish and Game's Anadromous Waters Catalog identifies several anadromous streams draining to Port St. Nicholas. These streams support runs of pink, coho, and chum salmon and steelhead trout. Juvenile salmon use nearshore habitat during spring and early summer for feeding and predator avoidance prior to migration out to sea. NMFS's Nearshore Fish Atlas indicates that other MSA species utilize nearshore habitat in the vicinity of Port St. Nicholas: walleye pollock, Pacific sand lance, Pacific cod, juvenile rockfish, and several species of sculpin. The dock itself as well as the activities associated with its construction could adversely impact these species and their habitat.

In accordance with Section 305(b)(4)(A) of the MSA, NMFS makes the following EFH Conservation Recommendations:

1. No in-water work should be permitted from April 1 through June 15 of any year to protect out-migrating salmon.
2. No docks, ramps, or other structures should be placed in or over eelgrass beds; no trenching should occur in eelgrass beds.



3. The use of any wood that has been treated with pentachlorophenol should be prohibited. If treated wood must be used, any wood that comes in contact with water should be treated with waterborne preservatives approved for use in aquatic and/or marine environments. These include, but are not limited to: Chromated Copper Arsenic (CCA) Type C, Ammoniacal Copper Zinc Arsenate (ACZA), Alkaline Copper Quat (ACQ), Copper Boron Azole (CBA) or Copper Azole (CA). Use wood treated with waterborne preservatives in accordance with Best Management Practices developed by the Western Wood Preservers Institute. Treated wood should be inspected before installation to ensure that no superficial deposits of preservative material remain on the wood.
4. Drive piles with a vibratory hammer. Pile driving can generate intense underwater sound pressure waves that can injure or kill fish. Vibratory hammers produce less intense sounds than impact hammers (NMFS 2005). Fish have been observed to avoid sounds similar to those produced by vibratory hammers and to remain within the field of harmful sound associated with an impact hammer (Dolat 1997). If an impact hammer is required because of substrate type or the need for seismic stability, piles should be driven as deep as possible with a vibratory hammer before the impact hammer is used.
5. Drive piles during low tide when they are located in intertidal areas. Potentially harmful sound pressure waves are attenuated more rapidly in shallow water than in deep water (Rogers and Cox 1988).

Under section 305(b)(4) of the Magnuson-Stevens Act, the Corps is required to respond to NMFS EFH Conservation Recommendations in writing within 30 days. If the Corps will not make a decision within 30 days of receiving NMFS EFH Conservation Recommendations, the Corps should provide NMFS with a letter within 30 days to that effect, and indicate when a full response will be provided.

If you have any questions regarding our recommendations for this project, please contact John Hudson at 907-586-7639 or john.hudson@noaa.gov.

Sincerely,



Robert D. Mecum
Acting Administrator, Alaska Region

cc: Nicole Hayes, ACOE*
EPA, Chris Meade*
ADNR, Mark Minnillo*

USFWS, Richard Enriquez*
ADEC, Brenda Krauss*
OHMP, Erin Allee*

* e-mail PDF

Literature cited

Dolat, S.W. 1997. Acoustic measurements during the Baldwin Bridge Demolition (final, dated March 14, 1997). Prepared for White Oak Construction by Sonalysts, Inc., Waterford, CT/34 pp + appendices.

National Marine Fisheries Service. 2005. Final Environmental Impact Statement, Essential Fish Habitat Identification and Conservation in Alaska, Vol. 2, Appendix G; National Marine Fisheries Service, Department of Commerce. April, 2005.

Rogers, P.H. and M. Cox. 1988. Underwater sound as a biological stimulus. pp. 131-149. *In* Sensory biology of aquatic animals. Atema, J, R.R. Fay, A.N. Popper, and W.N. Tavolga, eds. Springer-Verlag. New York.

G:\COE\2007 - MASTER FILE\Port St Nicholas Ipsen private dock POA-2007-399-2 Feb 07
jph.doc