

Base map information including bathymetry was compiled by the National Ocean Service (NOS) bathymetry compiled from 1952 hydrographic survey data (see notes) which comply with International Hydrographic Organization (IHO) Special Publication 44 accuracy standards as shown on the side of the survey. This information is not intended for navigational purposes. Universal Transverse Mercator Grid Zone 17, 18,000 Meter Ticks (1) are shown inside the mapline. Official published survey data, printed or not, compiled by the Atlantic Oceanographic and Hydrographic Survey, U.S. Navy, is shown in the mapline. The information on this map is not for navigation purposes. For more information refer to the NOS Official Hydrographic Diagram available from the Atlantic Oceanographic and Hydrographic Survey.

MAP SYMBOLS

Brown and light grey (off map)	★
Wicks (off map)	●
Obstructions (off map)	●
Spring	⊥

INTERPOLATED SURVEY INFORMATION

DATE	TIME	DEPTH	TEMPERATURE	WIND	WAVE	SEA	STATE	REMARKS
1952	10:00	100	20.0	10	2	3	1	
1952	10:05	100	20.0	10	2	3	1	
1952	10:10	100	20.0	10	2	3	1	
1952	10:15	100	20.0	10	2	3	1	
1952	10:20	100	20.0	10	2	3	1	
1952	10:25	100	20.0	10	2	3	1	
1952	10:30	100	20.0	10	2	3	1	
1952	10:35	100	20.0	10	2	3	1	
1952	10:40	100	20.0	10	2	3	1	
1952	10:45	100	20.0	10	2	3	1	
1952	10:50	100	20.0	10	2	3	1	
1952	10:55	100	20.0	10	2	3	1	
1952	11:00	100	20.0	10	2	3	1	
1952	11:05	100	20.0	10	2	3	1	
1952	11:10	100	20.0	10	2	3	1	
1952	11:15	100	20.0	10	2	3	1	
1952	11:20	100	20.0	10	2	3	1	
1952	11:25	100	20.0	10	2	3	1	
1952	11:30	100	20.0	10	2	3	1	
1952	11:35	100	20.0	10	2	3	1	
1952	11:40	100	20.0	10	2	3	1	
1952	11:45	100	20.0	10	2	3	1	
1952	11:50	100	20.0	10	2	3	1	
1952	11:55	100	20.0	10	2	3	1	
1952	12:00	100	20.0	10	2	3	1	

Prepared at Washington, D.C.
U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SERVICE
1989

BATHYMETRIC CONTOUR INTERVALS: 3 METERS TO MAXIMUM DEPTH;
SUPPLEMENTED BY 1 METER INTERVALS.

DATUM: WISN LOWER LOW WATERS

TRANSVERSE MERCATOR PROJECTION
SCALE: 1:50,000
Graphic Scale


NOT TO BE USED FOR NAVIGATION

The information appearing on this Bathymetric Fishing Map is not complete for navigation and is not updated by Notice to Mariners announcements. Mariners are cautioned to use the following National Ocean Service nautical charts for navigation in the area covered by this Bathymetric Fishing Map (1426, 1428, 1429 and 1430).

SEDIMENT TYPES

Mud	Light blue
Sand	Yellow
Shell	Dark blue
Coast	Orange

Sediment boundary



Further information supplied from NOS Hydrographic Survey data



SANIBEL
BATHYMETRIC FISHING MAP

COORDINATE GRID

17	18	19	20
21	22	23	24
25	26	27	28
29	30	31	32

LOGARITHMIC SPEED SCALE

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----

LOGARITHMIC SPEED SCALE
To use speed scale, draw one point of compass on 100 yard and the other on 1000 yard. Without changing angle, draw light pencil line from 1000 yard point to 100 yard point. Example: with 100 yard point on 1000 yard, the 1000 yard point is on 1000.