



Basic map information including bathymetry was compiled by the National Ocean Service (NOS). Bathymetry was compiled from NOS Hydrographic surveys supplemented by hydrographic information from other sources (see notes). NOS bathymetric surveys comply with International Hydrographic Organization (IHO) Subcommission 44 standards or those used at the date of the survey. This information is not intended for navigational purposes.

Universal Transverse Mercator Grid, Zone 17, 10,000 meter (1:10,000) lines shown inside the coastline.

Orthorectified survey data, printed in red, compiled by the Minerals Management Service. Heavy lines indicate lines of 44M Outer Continental Shelf Official Protection Diagram. The projections on this map are not for Federal leasing purposes; for such purposes refer to the OCS Official Protection Diagram available from the Minerals Management Service.

INTRODUCTORY SURVEY INFORMATION

DATE	NO. OF SOUNDS	NO. OF STATIONS	NO. OF OBSERVATIONS
1987-1988	1,000	10,000	100,000



Published at Washington, D.C.
U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SERVICE
1988

BATHYMETRIC CONTOUR INTERVALS: 10 METERS TO 200 METER DEPTH, SUPPLEMENTED BY 2 METER INTERVALS, THENCE 50 METERS TO MAXIMUM DEPTH, SUPPLEMENTED BY 10 METER INTERVALS.

DAIUM: MEAN LOWER LOW WATER

TRANSVERSE MERCATOR PROJECTION
Scale 1:250,000

