2007 Seattle **Portland** Medford **Spokane Pendleton** Boise **ODF Salem NWCC Predictive** Services



## Northwest Area Fire Weather Annual Operating Plan



## **Table of Contents**

Introduction	3
New for 2007	7
Seattle	8
Portland	21
Medford	35
Spokane	47
Pendleton	60
Boise	72
ODF Salem Weather Center	77
NWCC Predictive Services	81
Plan Approval	87
Appendix A: Links to Fire Weather Agreements and Documents	88
Appendix B: Forecast Service Performance Measures	89
Appendix C: Fire Weather Forecaster Proficiency and Currency	91

#### Introduction

a. The Pacific Northwest Fire Weather Annual Operating Plan (AOP) constitutes an agreement between the Pacific Northwest Wildfire Coordinating Group (PNWCG), comprised of State, local government and Federal land management agencies charged with the protection of life, property and resources within the Pacific Northwest from threat of wildfire; and the National Weather Service (NWS), National Oceanic and Atmospheric Administration, U.S. Department of Commerce, charged with providing weather forecasts to the Nation for the protection of life and property.

The AOP provides specific procedural and policy information for the delivery of meteorological services to the fire management community in Pacific Northwest. It is the objective of the NWS and PNWCG to ensure that quality of service is maintained through a mutual analysis of services provided. The NWS and PNWCG work closely in all phases of the fire weather forecast and warning program to resolve concerns and avoid potential inconsistencies in products and services prior to delivery to fire agency customers. The goal of all agencies is to maximize firefighter and public safety through a coordinated delivery of consistent services.

Fire weather services are a critical building block to fire management agencies in decision-making because human lives and valuable natural resources are at risk. It is the role of the NWS to provide fire weather services and products to fire managers. It is the role of the fire management agencies to analyze and interpret fire weather forecasts into fire danger and fire potential predictions when making decisions essential to the success of fire management actions.

It is to the mutual advantage of PNWCG and NWS and in the public interest and for firefighter safety to coordinate efforts for weather services for fire management activities in the Pacific Northwest to minimize duplication of efforts and improve efficiency and effectiveness.

b. The general relationship between the NWS and the interagency fire management community is set forth in the following reference documents:

Interagency Agreement for Meteorological Services Among the Bureau of Land Management, Bureau of Indian Affairs, U.S. Fish and Wildlife Service, and National Park Service of the U.S. Dept. of Interior, the Forest Service of the U.S. Dept. of Agriculture, and the National Weather Service of the U.S. Dept. of Commerce (National MOA or National Agreement);

National Weather Service NWSI 10-4: Fire Weather Services;

2007 National Mobilization Guide; and

2007 Pacific Northwest Mobilization Guide

c. The PNWCG is comprised of the following Federal and State fire agencies: State of Oregon, Department of Forestry; State of Washington, Department of Natural Resources; USDA Forest Service, Pacific Northwest Region; USDI, National Park Service, Pacific West Region; USDI, Fish and Wildlife Service, Pacific Region; USDI, Bureau of Indian Affairs, Portland Area Office; USDI, Bureau of Land Management, Oregon and Washington.

#### NWS SERVICES AND RESPONSIBILITIES

The NWS will make best efforts to meet the PNWCG required Forecast and Service Performance Measures Standards as shown in Appendix B, recognizing the data sets from which the standards were established and the goal to continually improve forecasts.

The NWS will provide the PNWCG with fire weather services by forecasters who meet the Fire Weather Forecaster Proficiency and Currency Standards, as listed in NWS directive 10-405 (Appendix A) and as cooperatively developed by PNWCG and NWS (Appendix C). The NWS will provide the PNWCG with verification information pertaining to their fire weather products, using a consistent methodology between offices.

Collaborate with the fire agencies when proposing alterations to the fire weather program and services provided in the Pacific Northwest. NWS-developed proposals shall be provided to PNWCG for review, assessment, and comment prior to adoption and implementation. NWS shall consider any concerns expressed by PNWCG, especially as related to performance integrity, in its assessment of change proposals in the fire weather program and other services provided.

Weather training requested of the NWS by the fire community will be provided to the fire community in support of fire danger and fire behavior training. All requests for training in the Pacific Northwest will be met when at least three weeks notice has been given to the NWS. Training requests received by the NWS with less than three weeks notice shall be met to the maximum extent possible. All training applicable to a specific administrative area will be provided by a fire weather forecaster whose office forecasts for that administrative area to the maximum extent possible.

#### WILDLAND FIRE AGENCY SERVICES AND RESPONSIBILITIES

Provide coordination and recommendations for interagency fire weather activities in Oregon and Washington through the PNWCG Fire Environment Working Team. By authority of the PNWCG, the Fire Environment Working Team is assigned the responsibility to administer and implement the provisions of this AOP. Continually review standards of performance for applicability and adequacy.

Provide weather observations seven days a week during fire season and coordinate and cooperate with the NWS in fire weather forecasting. The agencies will seek the advice

and counsel of the NWS regarding observational issues (e.g. moving remote automatic weather stations).

Recognize that other severe weather emergencies may require the services of the fire weather forecaster to assist in WFO operations.

#### JOINT RESPONSIBILITIES

Work cooperatively as partners to maintain and improve fire weather services to assure full compliance with mutually established performance, reliability, priority, and time standards.

Recognize that lands for which the States are responsible for wildland fire protection in Oregon and Washington, and the lands for which the respective Federal Agencies are responsible, are intermingled or adjacent in some areas, and wildland fires on these intermingled or adjacent lands may present a threat to the lands of the other. Recognize the primary role of the States in administering smoke management plans in their respective states.

Prepare an Annual Operating Plan (AOP) that includes each WFO with fire weather areas of responsibility in Oregon and Washington as required in the National Fire Weather Agreement and Fire and smoke management responsibilities (as appropriate) of DNR, ODF and NWCC Predictive Services. Fire weather zone and Predictive Service Area maps will be included in the AOP.

Development and maintenance of the AOP is a shared responsibility between the local land management program managers and the MIC of the servicing WFOs. At a minimum, the AOP will include the items listed in Appendix 1 of the most current national agreement for fire weather services contained within NWS directive 10-406 Interagency Agreement for Meteorological Services (See Exhibit C (2).). The AOP shall include a signatory page on which a representative from PNWCG and the NWS will sign.

Annually review the performance of the NWS in meeting the needs of the fire management community. This review will be used to help determine what program adjustments are needed and appropriate. The PNWCG Fire Environment Working Team and the NWS MICs from Boise, Medford, Pendleton, Portland, Seattle and Spokane shall conduct the review. The PNWCG and the NWS shall meet semi-annually in February and November. The February meeting will decide on changes in fire weather services for the upcoming fire weather season, which will be reflected in the AOP. The February meeting may be held as a conference call if all parties agree. The November meeting will evaluate the past season fire weather services from WFOs and recommend changes for the next fire season.

Respond to the other party's proposals within thirty (30) days, or advise the other party when the proposal will be addressed if the NWS or the Fire Environment Working Team

are unable to meet or discuss the proposal within their respective groups in that time frame. Except when necessary to meet emergency needs, significant proposals are expected to be discussed at the semi-annual meetings

Cooperate and coordinate plans for the weather-related training of fire personnel and fire weather forecasters to ensure that training needs are met.

### New for the 2007 Fire Season

#### New Experimental Digital Fire Weather Point Forecast Matrix Interface:

A new experimental digital fire weather point matrix interface is available on NWS web pages. With this interface users can get an automated point matrix forecast by entering a latitude and longitude, selecting a RAWS station or pointing and clicking on a map. The forecast is broken down into 3 hour blocks for the first 3 days then 6 hour time steps out to day 7. Please note that these matrices are generated automatically from the National Digital Forecast Database, which presents data on a 5-km grid and are not intended to represent detailed specific location forecasts. As such, forecast data provided should be used for planning purposes only. **This application is NOT meant to replace a spot forecast request.** Please send any comments or suggestions regarding this product to your local NWS office.

#### FARSITE Data Support:

For the 2007 fire season, all NWS Western Region Offices will offer automatic 7-day FARSITE weather data support with all wildfire spot forecast issuances. For prescribed burn spot forecasts, FARSITE data will be produced at the request of the agency. Please call the NWS office issuing the prescribed burn forecast directly to request this service, or place the request in the "Remarks Section" of the spot request form. All FARSITE data will be available from the internet via the appropriate NWS office Fire Weather Page. Check for a "FARSITE Forecasts" button near the Spot Forecast Request link. The data will be in simple ASCI format. Examples of the two FARSITE support outputs ("weather" and "wind") are below. If you have any questions, please contact your servicing NWS office.

Weather:

ENGLISH 03 06 12 0700 1600 30 54 59 30 5620 03 07 63 0700 1600 27 44 84 63 5620 03 08 14 0700 1600 23 43 81 47 5620 etc., through seven days Wind: ENGLISH 03 06 0000 11 200 79 03 06 0300 12 200 84 03 06 0600 14 200 95 03 06 0900 15 200 95 03 06 1200 15 200 95 etc., through seven days

## 2007

## **Seattle Fire Weather**

## **Operating Plan**

Changes for 2007:

20 Ft/10 Minute Wind Option added to Spot Forecasts Request Page.

Beginning date for Fire Weather desk staffing determined, and end date is better defined.

Method for verifying East Wind-related Red Flag Warnings more clearly defined. The actual criteria remain unchanged.

#### LOCATION

The National Weather Service Forecast Office in Seattle is located at the NOAA Western Regional Center in northeast Seattle. The address is:

National Weather Service 7600 Sandpoint Way N.E. Seattle, WA 98115-0070

#### HOURS OF OPERATION

The National Weather Service Office in Seattle is open 24 hours a day, 7 days a week, every day of the year. During fire season, the Fire Weather desk is normally staffed by a dedicated and experienced Fire Weather forecaster between the hours of 7:00 a.m. and 5:00 p.m. In 2007, weekday fire desk staffing and twice-a-day Fire Weather Planning Forecasts will begin around May 25 (the Friday before Memorial Day). Weekend, 7-day-a-week Fire Weather desk staffing will begin on Saturday, June 30. The need for

continuation of Fire Weather desk staffing will start being evaluated around the first or second week of October. The exact dates of Fire Weather desk staffing can be adjusted based on weather conditions and user requirements or requests.

After hours during fire season and during the off-season, Spot Forecast support or phone briefings will be handled by non-dedicated staff meteorologists, trained in fire weather forecasting, on a 24/7 basis. A Fire Weather forecaster can be available with prior arrangements.

#### **Certified Fire Weather Forecast Staff**

Brad Colman – Meteorologist in Charge Ted Buehner – Warning Coordination Meteorologist Brent Bower - Service Hydrologist Jim Prange – Fire Weather Program Leader/IMET Andy Haner– Asst. Fire Weather Program Leader/IMET Carl Cerniglia – Fire Weather Forecaster Danny Mercer – Fire Weather Forecaster

#### PHONE NUMBERS

FIRE WEATHER DESK LEAD FORECASTER RING THROUGH Brad Colman, Meteorologist in Charge Jim Prange, Program Leader Andy Haner, Asst. Program Leader (206) 526-6088 (Unlisted) (206) 526-6083 (Unlisted) (206) 526-6087 (206) 526-6095 ext 222 (206) 526-6095 ext 252 (206) 526-6095 ext 251

#### E-MAIL

brad.colman@noaa.gov jim.prange@noaa.gov andrew.haner@noaa.gov

#### INTERNET

Our Internet home page can be found at:

http://www.wrh.noaa.gov/sew/ or http://www.weather.gov/seattle

Click the fire weather link on the main menu to access fire weather products.

Statewide, Internet-based, fire weather briefings will be conducted routinely Monday through Friday at 9:15 a.m. during the fire season. Additional daily, weekend and holiday Internet briefings may be conducted during critical fire weather episodes as coordinated

with the land management agencies. Contact this office for the appropriate telephone number and conference ID to participate in the conference calls.

Requests for spot forecasts can be made via our Internet web site at http://www.wrh.noaa.gov/sew/. Click the "Fire Weather" link, then "Web-Based Fire SPOT Request" near the top of the page. Completed spot forecasts will be posted to the web server as soon as possible after the original request is received. This provides a one-stop-shopping method for requesting and obtaining spot forecasts. The Internet web site is the preferred format for requesting Spot Forecasts. Please notify the NWS Seattle if no spot forecast is received within a reasonable amount time. *If at all possible, spot forecasts should be accompanied by an onsite weather observation. It should be understood that the quality of a spot forecast is highly dependent upon getting initial, accurate onsite weather conditions.* 

#### FORECAST DISTRICT

The Seattle Fire Weather Office has forecast responsibility for most state and federal land in Western Washington. The Portland Fire Weather Office handles the Gifford Pinchot National Forest south of a line from Mt. St. Helens to Mt. Adams to the Oregon border. The Seattle fire weather district is divided into 5 distinct areas or districts for fire weather forecasting. The areas are further divided into 13 separate fire weather zones. Each fire weather zone is comprised of fire weather stations that exhibit similar weather and/or weather changes. However, not all of the fire weather stations report on a regular basis.

#### FORECAST PRODUCTS

#### 1. FIRE WEATHER PLANNING FORECASTS

During the "fire season", twice-daily Fire Weather Planning Forecasts are issued by 8:30 AM PT and 3:30 PM PT. NFDRS Zone Trend forecasts are issued daily with the afternoon Fire Weather Planning Forecast. A modified Fire Weather Planning Forecast will be issued Monday through Friday during the "off-season", normally from about mid-October to early- May. The forecast are available in WIMS and on the Internet by 9:00 AM PT.

#### 2. FIRE WEATHER WATCHES AND RED FLAG WARNINGS

Mission Connection: Fire Weather Watches and Red Flag Warnings will be issued when the combination of dry fuels and weather conditions support extreme fire danger and/or fire behavior. These conditions alert land management agencies to the potential for widespread new ignitions, overwhelming Initial Attack activities, control problems with existing fires, etc; any of which could pose a threat to life and property.

Fire Weather Watches and Red Flag Warnings will be issued during Fire Season in the Seattle Fire Weather District, *when the Energy Release Component*, as described

by the National Fire Danger Rating System, *is equal to or greater than the 90th percentile value in the frequency distribution of historical ERCs.* The conditions described below must either be occurring or forecast to occur within the next 72 hours. The table below shows the 90th percentile ERC values that will be used for each fire weather zone.

#### 90th Percentile ERC

Zone 649:	17
Zone 650, 651, 653, 656, 657	25
Zone 652, 654, 655, 658, 659	31
Zone 661	34
Zone 662	73

#### Strong East Winds and Low Humidity (Westside zones only)

• <u>Nighttime hours</u> (midnight to 7 am):

Duration: 5 hours

Wind Speed: 20 ft /10 min avg. wind greater than or equal to 10 mph (RAWS) - OR – 30 ft /2 minute avg. wind greater than or equal to 12 mph (ASOS)

- RH: less than or equal to 35%.
- <u>Daytime hours</u> (7 am to midnight):

Duration:	4 hours in an 8 hour block
Wind Speed:	20 ft/10 min average wind greater than 10 mph 30 ft /2 min average wind greater than 12 mph
RH:	less than or equal to 30%, except less than or equal to 25% on Gifford-Pinchot NF south of the Cowlitz River.

the

#### Verifying Stations for East Wind episodes

Many fire weather stations in Western Washington do not show good exposure to strong east winds. Therefore, Red Flag Warnings for East Wind episodes will verify in the following zones when criteria are met at the following defined stations. A station is considered any *NFDRS* site. Additional METAR, DOT, DOE, etc., weather sites will also be queried to add additional wind, temperature and relative humidity data to enhance the verification process and document the East Wind Event.

Zone 649:	Any two stations within the zone
Zone 650:	Any single station within the zone or Quillayute ASOS
Zone 651:	At the Minot RAWS site – or –
	at both the Shelton and Hoquiam ASOS sites.
Zone 652:	Any two stations within the zone – or –
	at either the Ellis Mtn or Hurricane Ridge RAWS sites.
Zone 653:	Any two stations within the zone
Zone 654:	Any two stations within the zone (including Olympia ASOS)
Zone 655:	Any station within the zone – or –
	at both of the Shelton ASOS and Minot Peak RAWS sites.
Zone 656:	Any single station under 1500 feet within Whatcom, Skagit, or
	Snohomish County
Zone 657:	Any single station under 1500 feet within King or Pierce County
Zone 658:	Any two of the following sites: Greenwater, Lester, Stampede
	Pass, and Kosmos Mountain
Zone 659:	Any two stations within the zone
Zone 661:	Any two stations within the zone – or –
	at both the Ellis Mtn. and Minot Peak RAWS sites.

#### Strong West Winds and Low Humidity (Eastside zone 662 only)

Duration:	at least 4 hours
Wind Speed:	20 ft /10 minute average wind greater than or equal to 15 mph
RH:	less than or equal to 25%.

Stehekin and Camp Four RAWS will be used to verify Red Flag Warnings in zone 662.

The conditions described above should be fairly widespread in both time and space across the fire weather zone - as opposed to an isolated incident or a diurnal occurrence that lasts for only a few hours.

#### Lightning

Dry lightning (LAL 6) occurs when the environment below the cloud base is so dry that passing thunderstorms produce little or no precipitation at the surface. A Fire Weather Watch or Red Flag Warning will be issued for the combination of sufficiently dry fuels and the occurrence of significant lightning, wet or dry, within a particular Fire Weather Zone, to cause a threat to life and property. The thunderstorm activity must be at least **scattered (25-54% aerial coverage) or greater** within a particular zone.

Each potential Red Flag event will be coordinated with local land management agencies to ensure environmental conditions are sufficiently critical to justify the issuance of a watch or warning.

#### 3. TRANSPORT AND STABILITY FORECASTS

Transport and stability forecasts will be appended to every Fire Weather Planning Forecast issued by Seattle. These forecasts include information on air mass stability, afternoon mixing heights of surface-based air, and free air winds from 3,000 feet to 7,000 feet for the next 48 hours.

#### 4. <u>SPOT FORECASTS</u>

<u>Mission Connection</u>: WFO Seattle will issue spot forecasts in support of wildfire suppression and natural resource management. These forecasts aid the land management and fire control agencies in protecting life and property during wildland fires, hazardous fuels reduction, and rehabilitation and restoration of natural resources. Spot forecasts may also be issued for hazardous materials incidents, search and rescue missions and other threats to public safety. All spot forecasts should be accompanied by an onsite weather observation.

<u>Issuance Criteria:</u> Spot forecasts are non-routine products issued at the request of the user. WFO Seattle will provide spot forecast service upon request of any federal, state, tribal, or local official who represents the spot forecast is required to support a wildfire.

For non-wildfire purposes, resources permitting, WFO Seattle will provide spot forecast service under the following circumstances and conditions:

a. Upon request of any federal official who represents that the spot forecast is required under the terms of the Interagency Agreement for Meteorological Services (NWS Instruction 10-406).

b. Upon request of any state, tribal, or local official who represents that the spot forecast is required to carry out their wildland fire management responsibilities in coordination with any federal land management agency participating in the Interagency Agreement for Meteorological Services (NWS Instruction 10-406).

c. Upon request of any public safety official who represents the spot forecast is essential to public safety, e.g. due to the proximity of population centers or critical infrastructure. A "public safety official" is an employee or contract agent of a government agency at any level (federal, state, local, tribal, etc.) charged with protecting the public from hazards including wildland fires of whatever origin and/or other hazards influenced by weather conditions such as hazardous material releases.

## WFO Seattle will not provide spot forecasts to private citizens or commercial entities not acting as an agent of a government agency.

Information required by the fire weather forecaster from the requesting agency is found on WS Form D-1. Spot forecasts for wildfire suppression will take precedence over normal office routines.

#### AGENCIES SERVED

The Seattle Fire Weather Office serves the following state and federal land management agencies:

**United States Forest Service** - Olympic National Forest, Mt. Baker-Snoqualmie National Forest, Gifford-Pinchot National Forest and Okanogan-Wenatchee National Forest

**National Park Service** - North Cascades National Park, Olympic National Park, Mt. Rainier National Park and San Juan Islands National Park


Bureau of Indian Affairs - Olympic Peninsula Agency and Puget Sound Agency

#### Washington Department of Natural Resources -

Resource Protection Division and the Northwest, Olympic, South Puget Sound, and Pacific Cascade regions.

United States Army – Ft. Lewis Wildland Fire Program.

### **Seattle Fire Weather Zones**



### **Appendix 1: Fire Weather Zone Descriptions**

### **Appendix 2: NFDRS Fire Weather Station List**

### Appendix 1

### FIRE WEATHER ZONE BOUNDARY DESCRIPTIONS

**Zone 649** – **North and Central Coastal Strip**: The western boundary of fire weather zone 649 is the Pacific coastline in Clallam, Jefferson, and Grays Harbor counties. The eastern boundary includes all Federal, State and private land within 5 miles of the Pacific coastline in Clallam, Jefferson, and Grays Harbor Counties. It extends south along the eastern border of the Makah Indian Reservation and the east Shore of Ozette Lake to the town of Quillayute in Clallam County. In Jefferson County, the eastern boundary crosses US Highway 101 approximately 5 miles east of the Hoh Indian Reservation, then parallels the coast south until crossing US Highway 101 again along the border between Jefferson and Grays Harbor County until it crosses highway 101 at New London and US Highway 12 approximately 5 miles east of Aberdeen. The boundary then turns south, following US Highway 101 to the southern border of Grays Harbor County.

**Zone 650 – North Coastal Lowlands**: Zone 650 includes all State, Federal and private land 5 miles inland from the coast to an elevation of 1500 ft on the western side of the Olympic Mountains in Clallam, Jefferson, and Grays Harbor Counties. The area includes the low elevation portion of the Calawah, Bogachiel, Hoh, Clearwater, Queets, Quinault, and the Humptulips River drainages below 1500 ft. The southern boundary begins where the Humptulips River crosses the southern boundary of Zone 652, stretching southwest along the Humtulips River until it intersects the eastern boundary of zone 649 in Grays Harbor County.

**Zone 651 – Central Coastal Lowlands**: The western boundary of zone 651 follows the Humptulips River and the eastern boundary of zone 649 in Grays Harbor County. The 1,500-foot contour interval on the south side of the Olympic Mountains forms the northern border of zone 651. The county line between Grays Harbor County and Pacific County forms the southern boundary. The eastern border follows the West Fork of the Satsop River south across US Highway 12 near the town of Satsop, continuing south along the west side of the Lower Chehalis State Forest. Zone 651 is mostly State and Private land, but also includes Forest Service land below 1500 ft in the Humptulips and Wynochee River drainages.

**Zone 652** – **West Portion of the Olympic Mountains**: Zone 652 includes US Forest Service, National Park Service, and Washington State lands at or above 1500 feet located in the western half of Clallam and Jefferson counties, and the far northeast corner of Grays Harbor County. The area includes the Pacific Ranger District office on the west and southwest side of the Olympic National Forest. Zone 652 is the wetter, west side of the Olympic Peninsula that reflects a greater influence of marine air in both weather and fire danger. The area includes all private, federal and state lands at or above 1,500 feet drained by the Calawah, Sitkum, Bogachiel, Hoh, Clearwater, Queets, Quinault, and Humptulips rivers in Clallam, Jefferson, and Grays Harbor counties. **Zone 661 – East Portion of the Olympic Mountains**: Zone 661 includes private, federal and state land at or above 1,500 feet on the east side of the Olympic Peninsula. The area typically exhibits higher fire danger than zone 652 due to less rainfall, less influence of marine air, and a higher occurrence of lightning activity. The area includes lands at or above 1,500 feet drained by the Wynoochee, Satsop, North and South Fork Skokomish, Hamma Hamma, Duckabush, Dosewallips, Quilcene, Dungeness, and the Elwha rivers.

**Zone 653 – Strait of Juan De Fuca and Northwest Interior Lowlands**: Zone 653 includes all lands below 1500 ft msl on the north side of the Olympic Peninsula from the town of Sekiu on the west to a point just south of Discovery Bay on the east. The boundary extends southeast across Admiralty Inlet, east across the northern tip of the Kitsap Peninsula and Puget Sound to Interstate 5 along the border between King and Snohomish Counties. The eastern boundary of zone 653 parallels I-5 north through Snohomish, Skagit and Whatcom counties to the Canadian border.

**Zone 654 – Central and South Puget Sound Lowlands**: Zone 654 includes lowland areas below 1,500 feet near the central and southern portion of Puget Sound and Hood Canal. The eastern boundary parallels I-5 south though King and Pierce counties, west through Olympia in Thurston County, then northwest along U.S. Highway 101 to city of Shelton. The boundary continues northwest from Shelton to the southeast corner of the Olympic National Forest in Mason County, then follows the 1500 ft contour northeast along the Hood Canal in Mason and Jefferson Counties.

**Zone 655 – Black Hills and Southwest Interior Lowlands**: The eastern border of zone 655 follows the West Fork of the Satsop River south across US Highway 12 near the town of Satsop, continuing south along the west side of the Lower Chehalis State Forest to the town of Brooklyn in northeast corner of Pacific County. From Brooklyn the boundary extends southeast to the town of Pe El in the eastern portion of Lewis County and then continues southeast to the town of Vader in Lewis County. The border then runs east along the southern border of Lewis County to the 1,500-foot contour along the west slopes of the Cascades. The boundary follows the contour on the north and south sides of the Cowlitz river valley. It then continues north along the 1,500-foot contour to the boundary between Thurston and Lewis Counties. The zone boundary then extends east to the intersection of Pierce, Thurston, and Lewis Counties. It then follows the Pierce/Thurston County boundary northwest to the intersection of I-5 and then west along I-5 to US Highway 101. Zone 655 then extends northwest paralleling 101 to the southeast corner of the Olympic National Forest in Mason County. The area includes the Capitol State Forest and the Lower Chehalis State Forest.

#### Zone 656 – West Slopes of the North Cascades below 1,500 feet:

Zone 656 includes all State and Private lands in Whatcom, Skagit, and Snohomish Counties east of I-5 below an elevation of 1500 feet. This includes the following river drainages...North, Middle and South Forks of the Nooksack River, Skagit River from town of Sedro Woolley to the town of Marblemount (including Lake Shannon and Baker Lakes in the Baker River drainage), Sauk River from the confluence of the Sauk and Skagit Rivers south along SR 530 to the town of Darrington, the Stillaguamish River from Darrington to the town of Arlington, and the Skykomish River along US Highway 2 from the town of Monroe to six miles east of the town of Skykomish.

#### Zone 657 – West Slopes of the Central Cascades below 1,500 feet:

Zone 657 includes land below 1500 ft east of I-5 in King and Pierce Counties. The southern border of the zone follows the border between Pierce and Thurston Counties. This area includes the following river valleys below 1500 ft that reach into the Cascade Mountains...North, Middle and South Fork of the Snoqualmie River, White River including Mud Mountain Lake, Puyallup River, and the Nisqually River to the town of Ashford.

#### Zone 658 – West Slopes of the North Cascades *above* 1,500 feet:

Zone 658 includes Federal, State and Private lands at or above 1500 feet in Whatcom, Skagit, Snohomish, and the northeast portion of King County in the Skykomish River drainage. The area includes the North Cascades National Park and the Ross Lake National Recreational Area, and the Mt. Baker, Darrington, and Skykomish Ranger Districts of the Mt.Baker-Snoqualmie National Forest. The eastern boundary is the Cascade crest.

#### Zone 659 – West Slopes of the Central Cascades above 1,500 feet:

Zone 659 includes Federal, State and Private lands at or above 1500 ft in King, Pierce, and Lewis Counties, and the extreme northern portion of Skamania County. This includes the North Bend and White River Ranger Districts of the Mt. Baker-Snoqualmie National Forest, Mt. Rainier National Park, and the Cowlitz Valley Ranger District of the Gifford Pinchot National Forest. The eastern boundary of this zone runs along the crest of the Cascades.

## Zone 662 – East Portion of North Cascades National Park/Lake Chelan National Recreational Area:

Zone 662 includes federal lands managed by the North Cascades National Park east of the Cascade crest in Chelan County. This area includes the Lake Chelan National Recreational Area and the North Cascades National Park South Unit

### Appendix 2

### 2007 NWS Seattle NFDRS Station Index

ZONE	NAME	TYPE	NUMBER	OWNER	LAT	LON	ELEV
649	Quillayute	Metar	450120	DNR	48.00	124.50	179
042	Hoquiam	Metar	450314	DNR	46.93	124.50	14
	Black Knob	RAWS	450321	BIA	40.93	123.90	650
	DIACK KIIOU	KA W S	430321	DIA	47.42	124.10	030
650	Ellis Mtn.	RAWS	450130	DNR	48.16	124.32	2305
	Forks	Manual	450105	DNR	47.96	124.38	303
651	Minot Peak	RAWS	450306	DNR	46.88	123.42	1768
652	Toms Creek	RAWS	450121	USFS	48.02	123.92	2400
052	Owl Mtn.	RAWS	450211	DNR	47.77	123.92	3398
	Humptulips	RAWS	450312	USFS	47.37	123.47	2400
661	Hurricane	RAWS	450124	NPS	47.97	123.50	5000
	Ridge Cougar	RAWS	450117	USFS	47.92	123.12	3000
	Jefferson	RAWS	450911	USFS	47.55	123.68	2200
	Buck Knoll	RAWS	450131	DNR	48.01	123.18	1630
(72)			451411	DND	40.00	100.50	1.57
653	Bellingham	Metar	451411	DNR	48.80	122.50	157
	Everett Whidbey NAS	Metar Metar	451614 450701	DNR DNR	47.90 48.30	122.30 122.70	604 46
654	Bremerton	Metar	450801	DNR	47.50	122.60	350
001	Quilcene	RAWS	450207	USFS	47.57	124.15	62
	Sea-Tac	Metar	451716	DNR	47.50	122.30	449
	Tacoma	Metar	451808	DNR	47.10	122.50	322
655	Olympia	Metar	451001	DNR	47.10	122.80	200
000	Chehalis	RAWS	451103	DNR	46.60	122.90	245
656	Abbotsford	Metar	451402	DNR	48.80	122.30	200
	Sedro Woolley	Manual	451507	DNR	48.50	122.20	160
	Marblemount	RAWS	451504	NPS	48.54	121.44	357
	Skykomish	Manual	451709	USFS	47.80	121.30	936
657	Enumclaw	RAWS	451702	DNR	47.20	122.00	742
	Elbe	Manual	451803	DNR	46.80	122.30	1200
658	Kidney Creek	RAWS	451409	USFS	49.00	121.90	3000
0.0	Hozameen	RAWS	451412	NPS	48.98	121.90	1615

	Sumas Mtn.	RAWS	451415	DNR	48.90	122.23	3201
	Finney Creek	RAWS	451509	USFS	48.40	121.80	1900
	Gold Hill	RAWS	451613	USFS	48.20	121.50	3400
	Johnson Ridge	RAWS	451611	USFS	47.80	121.27	2000
659	Fire Training Acad.	RAWS	451721	USFS	47.45	121.66	1570
	Stampede Pass	Metar	451711	DNR	47.30	121.30	3967
	Lester	RAWS	451705	USFS	47.20	121.50	1615
	Greenwater	RAWS	451718	DNR	47.10	121.60	2400
	Ohanapecosh	RAWS	451119	NPS	46.73	121.57	1900
	Kosmos	RAWS	451105	DNR	46.60	122.20	2100
	Hagar Creek	RAWS	451115	USFS	46.57	121.63	3600
	Orr Creek	RAWS	451919	USFS	46.35	121.60	2550
662	Stehekin	RAWS	452121	NPS	48.35	120.72	1230

## 2007

## **Portland Fire Weather**

## **Operating Plan**

#### **PORTLAND FIRE WEATHER**

#### LOCATION

National Weather Service Forecast Office 5241 NE 122nd Avenue Portland, OR 97230-1089

#### HOURS

The National Weather Service Office is open 24 hours a day, 7 days a week. The fire weather duty desk will be staffed with a **CERTIFIED** fire weather forecaster between the hours of 0600 and 1600 seven days a week during fire season, normally from Memorial Day through mid-October. The fire weather desk is staffed with a **CERTIFIED** fire weather forecaster from 0700 to 1500 Monday through Friday during Spring burning (mid to late March through Memorial Day), and also during the fall burning period (mid-October through early November).

#### STAFF

Steve Todd	Meteorologist in Charge
Tyree Wilde	Warning Coordination Meteorologist
Scott Weishaar	Fire Weather Program Leader and IMET
Julia Ruthford	Fire Weather Program Leader and IMET
Clinton Rockey	Fire Weather Forecaster
Dave Willson	Lead Forecaster and Fire Weather Forecaster
Chris Collins	Fire Weather Forecaster
Kirsten Willman	Fire Weather Forecaster
Ira Kosovitz	Fire Weather Forecaster

#### CONTACT

Telephone

Fire Weather Desk	503-326-2420
Lead Forecaster (24 hrs)	503-326-3720
FAX	503-326-2598

#### Internet

http://www.wrh.noaa.gov/Portland/fire.php

Email scott.weishaar@noaa.gov julia.ruthford@noaa.gov

#### FORECAST DISTRICT

Portland services fire weather zones 601-608, 612, and 660. This area covers:

Northwest Oregon and Southwest Washington, North Oregon Cascades including the Columbia River Gorge (to about Hood River). South Washington Cascades and adjacent lowlands of Clark County. The Portland Office is also responsible for spot forecasts in the east districts of the Mt. Hood National Forest (Barlow District).

See the attached map for a graphic description of individual areas/zones of the Portland district.

#### AGENCIES SERVED

U.S. Forest Service (USFS) U.S. Bureau of Land Management (BLM) Oregon Department of Forestry (ODF) Washington Department of Natural Resources (WDNR) Various urban and rural local fire districts

#### FORECAST SERVICES

#### GENERAL FORECASTS

*Fire Season*: Regularly scheduled general fire weather forecasts are issued twice per day by certified fire weather forecasters at 0900 and 1445.

*Prescribed Burning Season*: Regularly scheduled land management forecasts are issued by certified fire weather forecasters Monday through Friday at 0900 and 1430.

*Off-season*: A land management forecast is issued once per day (approximately 0500) November through early March by the general forecast staff.

The Portland office will include wind gusts when the 10-minute wind speed is 10 mph or greater.

"Dryness Levels" (as developed by the Northwest Coordination Center) for the NWS Portland forecast district will be included in the morning forecast. Refer to the NWCC Predictive Services web site for more information. <u>www.nwccweb.us</u>

#### FORECAST SERVICES (CONT)

#### SPOT FORECASTS

Detailed weather information beyond what is presented in the general forecast may be obtained with a spot forecast request. Spot forecasts may be requested by a telephone call to the fire weather forecaster or through the spot forecast request web page available on the Portland fire weather web page at:

#### http://spot.nws.noaa.gov/cgi-bin/spot/spotmon?site=pqr

Spot forecasts will be handled by certified spot weather forecasters. This may require that a qualified fire weather forecaster be called in on overtime. Overtime costs **ARE NOT** charged to the incident.

**Spot Forecasts for prescribed burning**: Spot forecast requests for prescribed fire are best initiated prior to 1100 on the planned day of the burn. Requests may also be entered into the spot forecast web page several days prior to planned ignition. In either case, *A WEATHER OBSERVATION FROM THE BURN SITE WITHIN SIX HOURS OF PLANNED IGNITION IS REQUIRED*. Spot forecasts will be valid 12 hours. The user must request updates beyond 12 hours. Spot forecasts will be updated for unforeseen events. The appropriate agency (dispatch office) will be notified of any updates.

**Spot Forecasts for wildfires**: Spot forecasts for wildfires may be requested at any time and will take priority over other station duties

#### **TELEPHONE BRIEFINGS**

**Daily internet conference call**: Portland fire weather conducts a daily weather briefing at 0940 PDT via a conference call from about early June through early October. Fire weather users are encouraged to participate. The forecaster hosting the briefing will verbally highlight current and forecast fire weather conditions with the help of an internet web page. Conference call participants can follow along with the discussion while viewing graphics displayed on the web page. Conference telephone numbers (and passcodes) can be obtained by contacting the Portland weather office. The URL for the briefing graphics is: <u>http://www.wrh.noaa.gov/pqr/fwb.php.</u> Graphics will be available by 0700 PDT.

**Unscheduled telephone briefings**: Verbal weather briefings can also be obtained at any time. A certified fire weather forecaster should be requested to conduct the briefing during fire weather hours. Otherwise, a briefing will be available from the general forecast staff.

#### RED FLAG WARNING/FIRE WEATHER WATCH

Fuels must be critically dry and fire danger moderate to high before a Red Flag Warning or Fire Weather Watch is issued from the Portland office. Evaluations of fuel conditions will be made in accordance with current NFDRS values and in consultation with fire managers. Assuming these conditions are met, Fire Weather Watches and Red Flag Warnings are usually issued for the following events:

#### 1. COMBINATION OF STRONG WIND AND LOW HUMIDITY

Daytime: RH 25% or less **AND** 10-minute wind speed 10 mph or more for 4 hours.

Night: RH 35% or less **AND** 10-minute wind speed of 15 mph or more for 3 hours.

#### 2. DRY AND UNSTABLE AIR MASS

High-level Haines 6, RH 25% or less, AND critical fuel conditions.

#### 3. LIGHTNING

Scattered thunderstorm coverage, critical fuels **AND** no appreciable change in fuel conditions after the event.

#### **RED FLAG VERIFICATION**

Red Flag warnings will be verified using the following criteria:

#### 1. COMBINATION OF STRONG WIND AND LOW HUMIDITY

#### NIGHTTIME CRITERIA:

**ZONES 601 AND 602**: Two stations (RAWS) must report 35% humidity or less **AND** 10-minute wind speed of 10 mph or more for three hours in an 8-hour time block. *Key RAWS*: Cedar Creek, Rockhouse1, and South Fork.

**ZONES 603 AND 612**: Rockhouse1 RAWS reporting 35% humidity or less **AND** 10-minute wind speed of 15 mph or more for four hours in an 8-hour block **AND** one other RAWS reporting 35% humidity or less **AND** 10-minute wind speed of 10 mph or more for two hours. *Key RAWS*: Rockhouse1, Goodwin Peak, High Point, and Cannibal Mountain.

**ZONE 604**: Two stations (airports) must report 30% humidity or less **AND** 2-minute wind speed of 15 mph or more for at least four hours in an 8-hour block.

Typically occurs in the north part of the valley. *Key STATIONS*: Troutdale, Portland, Vancouver, and Hillsboro.

**ZONES 605, 607, AND 660**: One station (RAWS) must report 35% humidity or less **AND** 10-minute wind speed of 10 mph or more for four hours in an 8-hour block, **AND** at least **TWO** other stations reporting 35% humidity or less **AND** 10-minute wind of 10 mph for at least **TWO** hours. **Key RAWS**: Horse Creek, Log Creek, Wanderer's Peak, Kosmos, Canyon Creek, Orr Creek, and Elk Rock. NOTE: Includes stations from zone 659.

**ZONES 606 AND 608**: One station (RAWS) must report 30% humidity or less **AND** 10-minute wind speed of 10 mph or more for at least four hours in an 8-hour block, **AND ONE** other station must report the same conditions for at least **ONE** hour. **Key RAWS**: Brush Creek, Trout Creek, Yellowstone, and Emigrant.

#### DAYTIME CRITERIA (ALL ZONES):

At least two stations within a zone must report 25% humidity or less **AND** windspeed of 10 mph or more (except 15 mph in zone 604) for at least four hours in an 8-hour block.

Typically for east wind (offshore flow), but can occur in the Coast Range and central/south Willamette Valley with north to northeast wind. Can also occur in the Central Cascades and foothills with shallow marine surges (west to northwest wind).

#### 2. CRITICALLY DRY AND UNSTABLE AIR MASS (HAINES INDEX 6)

At least **ONE** station within a zone must report 25% humidity or less and show a high-level Haines value of 6 **AND** fuel conditions (Dryness Levels) are in the "BROWN", or "YELLOW" under extreme or unusual conditions.

#### 3. LIGHTNING IN COMBINATION WITH DRY FUELS

#### "Dry thunderstorm" Red Flag criteria is defined as follows: <u>Abundant lightning in</u> <u>conjunction with sufficiently dry fuels</u>.

Abundant Lightning:

1) Number of lightning strikes that meet climatologically significant criteria, or

2) Areal coverage of lightning such as "Scattered" or  $\geq 25\%$ 

Sufficiently Dry Fuels:

1) GACC dryness levels remaining out of the 'green' category on the day of and the day following a thunderstorm event, or

- 2) ERC or BI values meeting climatologically significant percentiles, or
- 3) Land management declaration

This is a very rare event which, climatologically, has the highest likelihood of occurrence in the south half of the Willamette N.F..

Dryness Levels **SHOULD** be in the "BROWN", and expected lightning frequency is such that multiple starts (5-7) are expected. (Typically "scattered" thunderstorm coverage). Under unusual or extreme conditions, a Red Flag Warning can also be issued when the Dryness Level is "YELLOW". Basically, "scattered" thunderstorms that do not produce enough precipitation to appreciably change the Dryness Levels (from "BROWN" or high "YELLOW").

#### NFDRS TREND FORECASTS

A numerical trend forecast is prepared and disseminated to WIMS around 1545 each afternoon from about mid-May through early October. The trend forecasts are used to compute the expected NFDRS indices valid for the following day. The number of NFDRS indices forecast by the weather office depends only on the number of NFDRS observations input into WIMS by the fire agencies. If observations are not entered into WIMS by 1500, a forecast will not be produced for the zone(s).

Point forecasts will also be issued for the following RAWS stations:

Village Creek – Zone 603 Pebble – Zone 608 Fields – Zone 608 South Fork – Zone 602 Horse Creek – Zone 605 Yellowstone – Zone 606 Wanderer's Peak – Zone 607 Canyon Creek – Zone 660

#### INCIDENT METEOROLOGIST SERVICES

Portland has two certified Incident Meteorologists (IMETs) on staff available for wildfire, HAZMAT, or other emergency dispatches. To request an IMET, contact the appropriate fire agency dispatch office.

#### OTHER SERVICES

#### FIRE WEATHER TRAINING AND LECTURES

An experienced fire weather forecaster will be available to help instruct the weather sections of standard fire behavior training courses offered by federal, state and local government fire agencies. This includes S-190 through S-590 and other courses. In addition, a forecaster will also be available for special speaking engagements. For scheduling purposes, requests for an instructor or speaker should be made at least three weeks in advance.

#### NORTHWEST GACC SUMMER DETAIL

The Portland office will detail an experienced fire weather forecaster to the Northwest Geographic Coordination Center (GACC) for 40 hours each week March through October. Duties will include publication of the regional fire weather operating plan, keeping GACC staff continuously advised of fire weather conditions and conducting daily "blast-up" weather coordination calls. Duties also include participation in case studies, fire weather and research projects under the direction of the NWCC fire weather program manager.

#### FORECAST VERIFICATION

The purpose of verification is to improve the quality of forecasts and warnings issued from the Portland weather office. Weather conditions are recorded and archived on a routine basis during the fire season. These observations are studied and compared against the forecasts and warnings to identify any systematic bias or consistent errors. Verification will focus on Red Flag Warnings, but also include individual NFDRS station forecasts. Verification results are published in the Portland Fire Weather Annual Summary (available on the Portland fire weather internet page or via hard copy in late January or early February).

#### ANNUAL SUMMARY, ANNUAL OPERATING PLAN AND MISC

A summary of climatic statistics, forecast and warning verification, fire danger trends, spot forecast statistics, training rendered, dispatches, critical fire weather events and other noteworthy items is published each year.

An annual operating plan (this document) describing NWS office services, responsibilities, and procedures will be published each year prior to the fire season. The operating plan is available on the Portland fire weather internet page or via hard copy.

The fire weather program leaders also maintain the Portland Fire Weather Web page, provide internal NWS training and attend user agency annual conferences.

#### **GEOGRAPHIC ZONE DESCRIPTIONS**

#### Zone 601 – North Oregon and South Washington Coast including Willapa Hills

Represents the South Washington and North Oregon coastal strip including adjacent west slopes of the Oregon Coast Range and the Willapa Hills of Washington. This zone includes the north portion of the Siuslaw N.F., ODF, and WA DNR protected private land.

Extends east-west from the crest of the Oregon Coast Range to the Pacific Ocean. Extends north-south from the north boundary of Pacific County, WA to Oregon State Highway 22 along the eastern boundary of ODF regulated use area NW-2. The Washington section of this zone represents Pacific and Wahkiakum counties in their entirety.

#### Zone 612 – Central Oregon Coast

Represents the Central Oregon coastal strip including adjacent west slopes of the Oregon Coast Range. Includes southern portions of the Siuslaw N.F. and ODF protected private land.

Extends east-west from the crest of the Oregon Coast Range to the Pacific Ocean. Extends north-south from Oregon State Highway 22 to the Umpqua River along the west edge of the Siuslaw National Forest including ODF regulated use area SL-2.

#### Zone 602 – North Coast Range

Represents the east slopes of the North Oregon and South Washington Coast Range. Mostly private land under ODF and WA DNR protection.

Bounded on the west by Coast Range crest. Bounded on the east, in Oregon, by the west periphery of the Willamette Valley and Columbia River. Bounded on the east, in Washington, by the contour of the Willapa Hills/Coast Range. Extends north-south from the north boundary of Lewis County, WA to Oregon State Highway 22.

#### Zone 603 – Central Oregon Coast Range

Represents the east slopes of the Central Oregon coast range. Mostly ODF protected private land.

Bounded on the west by the Coast Range crest. Bounded on the east by the western periphery of the Willamette Valley. The north boundary is along Oregon State Highway 22. The south boundary lies along Oregon State Highway 38.

#### Zone 604 – Willamette Valley including Clark County Lowlands of Washington

Bounded on the west and east, in Oregon, by the foothills of the Coast Range and Cascades. Bounded on the west and east, in Washington, by the Columbia River and South Washington Cascade foothills. Extends north-south from Lewis County, WA to just south of Cottage Grove Reservoir.

#### Zone 605 – North Oregon Cascade Foothills

Represents foothill elevations of the North Oregon Cascades. Mostly ODF protected private land.

Bounded by the east periphery of the Willamette Valley on the west and the National Forest boundary of the Mt. Hood and Willamette National Forests on the east. Extends from the Columbia River on the north to Oregon State Highway 22 (Santiam Highway) on the south.

#### Zone 606 – Central Oregon Cascade Foothills

Represents the foothill elevations of the Central Oregon Cascades. Mostly ODF protected private land.

Bounded by the east periphery of the Willamette Valley on the west (Interstate 5 south of Eugene) and the Willamette Forest boundary, and extreme north Umpqua Forest boundary on the east. Extends from Oregon State Highway 22 on the north to the Lane/Douglas county line on the south.

#### Zone 607 – North Oregon Cascades

Represents all of the Mt. Hood NF west of the Cascade Crest along with interior Cascade wilderness areas.

Bounded by the Columbia River on the north, the Cascade Crest on the east, and the Mt. Hood forest boundary on the south and west.

#### Zone 608- Central Oregon Cascades

Represents the Willamette NF in its entirety along with interior high Cascade wilderness areas.


Bounded by the Cascade Crest on the east and the Willamette Forest boundary on the south, west, and north.

#### Zone 660 – South Washington Cascades and Foothills

Represents the Wind River, Mt. Adams and St. Helens Ranger districts of the Gifford Pinchot NF as well as adjacent WDNR protected Cascade and Green Mountain foothills to the south and west. It excludes the Columbia River lowlands of Clark County, WA, which is part of zone 604.

Bounded on the east by the Gifford Pinchot east forest boundary (approximately the Cascade Crest). The southeast boundary follows the Columbia River west to the Clark County, WA line. Then, the boundary heads north to northwest following the contour of the Cascade foothills to the Lewis River, then west along the Lewis River to the Columbia River. The boundary follows the Columbia River north to Kelso, WA. The north boundary extends from Kelso, WA northeast following the contour of the Green Mountain/Cascade foothills to the Lewis County line, then east to the Cascade Crest, bisecting the Gifford Pinchot NF along the north boundary of the St. Helens and the Mt. Adams Ranger districts.

## **Portland Fire Weather Zones**



## PORTLAND FORECAST AREA RAWS LIST

ZONE	NUMBER	NAME	ТҮРЕ	AGENCY	LAT	LON	ELEV	ASPECT	Т	R	S
601	450404	Willapa	М	DNR	46.60	-123.60	60	W-in valley	13N	8W	10
601	450407	Huckleberry	R	DNR	46.50	-123.40	2500	S-on mid- slope	12N	6W	22
601	350208	Tillamook	R	ODF	45.26	-123.50	22	Flat	1S	9W	29
601	350215	Cedar Creek	R	USFS	45.21	-123.77	2240	Ridgetop	4S	9W	22
602	451207	Castle Rock	R	DNR	46.27	-122.89	213	S-in valley	9N	2W	14
602	451209	Abernathy Mtn.	R	DNR	46.35	-123.10	2000	Ridgetop	10N	3W	19
602	350216	South Fork	R	ODF	45.58	-123.49	2120	S-on ridge	1N	7W	12
602	350308	Miller	R	ODF	46.02	-123.27	1090	S-in valley	6N	5W	11
602	350505	Rye Mountain	R	BLM	45.22	-123.53	1960	S-on ridge	4S	7W	9
603	351710	Rockhouse1	R	ODF	44.93	-123.47	2000	Midslope	7S	7W	
603	351811	Wilkinson Ridge	R	USFS	44.33	-123.72	1370	W-on ridge	14S	9W	24
603	352542	Clay Creek	R	ODF	44.02	-123.21	1600		19S	7W	29
603	352547	Village Creek	R	BLM	44.25	-123.47	1500	SE-on ridge	16S	7W	1
603	352550	High Point	R	BLM	43.91	-123.38	1935	N-on ridge	19S	6W	23
604	451306	Vancouver	М	DNR	45.70	-122.70	210	Flat	2N	1E	28
604	451301	Larch Mtn.	R	DNR	45.72	-122.35	1150	Ridge-top	3N	4E	29
604	352561	Willow Crk.	R	BLM	44.03	-123.17	456	Valley	18S	4W	4
604	351911	Stayton	R	ODF	44.75	-122.87	507	S-in valley	9S	2W	36
604	351813	Finley	R	USFWS	44.42	-123.33	330	Valley	13S	5W	20
605	350727	Horse Creek	R	BLM	44.94	-122.40	2000	Ridge	7S	3E	23
605	350728	Eagle Creek	R	ODF	45.37	-122.33	744	SW- midslope	2S	4E	28
606	352024	Yellowstone	R	BLM	44.60	-122.42	3080	NE-in valley	11 <b>S</b>	3E	22
606	352549	Hawley Butte	R	BLM	43.71	-122.84	3058	N-on ridge	21S	1W	29
606	352552	Trout Creek	R	BLM	44.11	-122.58	2400	SW-on ridge	17S	2E	9
606	352553	Brush Creek	R	BLM	44.28	-122.85	2300	N-on ridge	15S	1W	7
607	350718	Red Box	R	USFS	45.03	-121.92	3250	SW-on midslope	6S	7E	23
607	350605	Locks	R	ODF	45.67	121.88	128	Valley	2N	7E	12
607	350725	Si Si Lookout	М	USFS	44.92	-121.83	5617	SW-on ridge	7S	8E	33
607	350726	Wanderer's	R	USFS	45.11	-122.20	4350	S-on ridge	5S	5E	28

		Peak									
607	350811	Blue Ridge	R	USFS	45.52	-121.72	3780	S-on ridge	1 <b>S</b>	9E	6
607	350604	Log Creek	R	USFS	45.51	-121.90	2500	W-on midslope	1 <b>S</b>	7E	12
607	350902	Clear Lake	М	USFS	45.15	-121.58	4458	W-on ridge	5S	10E	8
608	352554	Pebble	R	USFS	44.23	-121.98	3560	SW-on midslope	15S	7E	29
608	352557	Fields	R	USFS	43.73	-122.28	3360	Flat-on ridge	22S	4E	11
608	352558	Emigrant	R	USFS	43.47	-122.22	3840	S-on ridge	24S	5E	21
608	351909	Boulder	R	USFS	44.98	-122.00	3570	Flat-in valley	10S	7E	7
612	351604	Cannibal	R	USFS	44.35	-123.89	1946	Ridgetop	14S	10W	16
612	352545	Goodwin Peak	R	USFS	43.93	-123.89	1826	Ridgetop	19S	10W	9
612	352559	Dunes	R	USFS	43.96	-124.12	20	Midslope	18S	12W	34
660	451208	Elk Rock	R	USFS	46.35	-122.60	2500	Ridgetop	10N	3E	35
660	451917	Trout Lake	R	USFS	46.12	-121.68	3600	NE-on midslope	7N	9E	8
660	451921	Canyon Creek	R	USFS	45.92	-122.17	2500	W-on ridge	5N	5E	8
660	451922	Cedar Flats	R	USFS	46.13	-122.12	2320	S-on ridge	7N	6E	2
660	451928	Hamilton Mtn.	R	DNR	45.70	-122.07	3000	Ridgetop	2N	6E	9

## 2007

# **Medford Fire Weather**

## **Operating Plan**

Medford Fire Weather 2006 Annual Operating Plan

#### LOCATION

4003 Cirrus Drive Medford, Oregon 97501

Medford Fire Weather is located at the Medford National Weather Service Office near the Rogue Valley Airport in Medford Oregon. The office maintains 2 advanced meteorological response units (AMRS) with 2 laptop computers with modems for on-site support of wildfires. Fire weather forecasts and other products are disseminated to state and federal agencies through AWIPS (NWS communications systems), WIMS and through our homepage.

The homepage address is: http://www.wrh.noaa.gov/mfr

#### HOURS

24 hours a day, year round

Meteorologists are on duty 24 hours a day, 7 days a week. Additional forecasters will be brought in to staff for additional projects, severe weather, etc. However, under the provisions of the National Fire Weather Agreement, special service provided by the Medford office will be done on a reimbursable basis.

#### PHONE NUMBERS

Primary Fire Weather	541-776-4332
Secondary Fire Weather	
Fax	541-776-4333

#### STAFF

The Medford office is staffed with 13 full-time meteorologists. All forecasters participate in producing fire weather forecasts after each has completed the training, which includes correspondence course, computer-based Fire Weather Training Module, mesoscale analysis, climatological and terrain familiarization, and spot forecast training.

Management staff

- · John Lovegrove, Meteorologist in Charge
- Dennis Gettman, Science and Operations Officer (IMET)
- Ryan Sandler, Warning and Coordination Meteorologist

Forecast staff

- Frederic Bunnag, Senior Meteorologist / Fire Weather Program Leader (IMET)
- · Michael Johnson, Senior Meteorologist
- · Michael Stavish, Senior Meteorologist
- · Michael O'Brien, Senior Meteorologist
- · Jay Stockton, Senior Meteorologist
- Katie Burtis, Meteorologist
- · Connie Clarstrom, Meteorologist
- · Rick Holtz, Meteorologist
- Brett Lutz, Meteorologist (IMET)
- Sven Nelaimischkies, Meteorologist (Webmaster)
- · Dan Weygand, Meteorologist

#### FORECAST SERVICES

#### FIRE WEATHER AND LAND MANAGEMENT FORECASTS

The Land Management Forecast is issued during the off-season, usually from mid-October to around May. The forecast is available on the homepage once daily by 1500 local time. The frequency of the Land Management Forecast and the forecast elements may be increased as the fire season approaches. The Fire Weather Program manager will survey the user agencies throughout the off season to determine when extra forecasts are needed.

During the fire season, the Fire Weather Forecasts will be issued twice daily at 0700 and 1500 PDT. The forecast follows the national standard format introduced during the 2001 fire season. NFDRS zone trend forecasts for specific meteorological parameters are issued with the afternoon Fire Weather Forecast. When necessary, trend forecasts may be updated on the morning Fire Weather forecast on the following day.

The Medford Forecast Office will activate the Internet fire weather briefing around the middle of May and continue through the end of the fire season. The forecaster on duty will narrate the briefing and the briefing time will be determined according to agency needs. Every fire and land agency is encouraged to dial into the conference call and ask questions. The graphics for the briefing can be accessed via the Fire Weather Section of the homepage under the Fire Weather Briefing subsection. The dial-in phone number will be provided approximately one week before the briefing starts. Commencement time of this call will be coordinated with the fire agencies.

#### FIRE WEATHER WATCHES AND RED FLAG WARNINGS

Fire Weather Watches and Red Flag Warnings will be issued when the following weather criteria are expected, in conjunction with certain fuel situations.

Fuel Situations that must be met are:

• High to extreme fire danger and dry fuels (dryness level brown or yellow as defined by the Geographic Coordination Center 7 day Fire Potential Outlook and user input)

Weather Criteria that must be met are:

- A. Thunderstorms with little or no precipitation.
  - Lightning occurrence must be scattered or more in coverage.
- B. Strong Winds with low humidity generally associated with the marine push or a dry cold front.

Zones 615, 618.

- Min RH < 30% AND 10 minute sustained wind 15 mph or peak winds to 30 mph.
  - Long Prairie RAWS and/or Flynn Prairie RAWS reporting above conditions for any 2 hours within the warning time frame.
  - Other onsite observations from Lookouts

#### Zones 616, 617, 619, 620, 621, 622, 623.

• Min RH < 15% AND 10 minute sustained wind 10 mph or peak winds to 20 mph.

#### Zones 616 and 617.

- Emigrant RAWS and/or North Banks RAWS or Roseburg METAR (KRBG) reporting above conditions for any 2 hours within the warning time frame.
- Other onsite observations from Lookouts.
- These two zones are to be verified as a block.

#### <u>Zone 619</u>.

- Two key stations reporting above conditions for any 2 hours within the warning time frame.
- Key stations: Bald Knob, Calvert Peak and Quail Prairie RAWS.

#### <u>Zone 620</u>.

- Two key stations reporting above conditions for any 2 hours within the warning time frame.
- Key stations: Illinois Valley, Provolt, Onion and Merlin RAWS
- Sexton Summit METAR (KSXT) may also be used but winds must be adjusted to 10 minute average.

#### Zone 622.

- Two key stations reporting above conditions for any 2 hours within the warning time frame.
- Key stations: Evans Valley, Star and Buckhorn RAWS
- Medford METAR (KMFR) may also be used but winds must be adjusted to 10 minute average.

#### Zones 621 and 623.

- Two key stations reporting above conditions for any 2 hours within the warning time frame.
- Key stations: Zim and Parker Mountains RAWS in Oregon, and Slater Butte and Crazy Peak RAWS in northern California.
- These two zones are to be verified as a block.

#### <u>Zone 624</u>.

- Min RH < 15% AND 10 minute sustained wind 15 mph or peak winds to 25 mph.
- Two key stations reporting above conditions for any 2 hours within the warning time frame.
- Key stations: Calimus, Chiloquin, Coffee Pot, Gerber, Strawberry and Summit.
- Kingsley Field Metar (KLMT) may also be used but winds must be adjusted to 10 minute average.

#### <u>Zone 625</u>.

- Min RH < 10% AND 10 minute sustained wind 20 mph.
- Min RH < 15% AND 10 minute sustained wind 25 mph.
- Min RH < 20% AND 10 minute sustained wind 30 mph.
- Two key stations reporting above conditions for any 2 hours within the warning time frame.
- Key stations: Fish Fin Rim, Rock Creek, Catnip and Wagontire RAWS (Zone 636).

- Lakeview AWOS Metar (KLKV) may also be used but winds must be adjusted to 10 minute average.
- C. Offshore East Wind Event resulting in strong winds and low relative humidity at night (2200 to 0800)

#### Zones 616, 617.

- RH Recovery only to 30% AND 10 minute sustained wind 10 mph.
- North Bank RAWS, Sugarloaf and Emigrant RAWS (Zone 608 in Portland WFO) reporting the above conditions for any 2 hours within the warning time frame.
- Onsite observations from Lookouts.

#### Zones 618.

- RH Recovery only to 25% AND 10 minute sustained wind 15 mph or peak winds to 25 mph for any 2 hours within the warning time frame.
- Red Mound RAWS and / or Flynn Prairie RAWS reporting any 2 hours within the warning time frame.

#### Zones 619 and 620.

• RH Recovery only to 30% AND 10 minute sustained wind 15 mph. or peak winds to 25 mph.

#### <u>Zone 620</u>.

- Onion RAWS or Sexton Summit METAR (KSXT) reporting above conditions for any 2 hours within the warning time frame.
- METAR wind at KSXT must be adjusted to a 10-minute average value.

#### <u>Zone 619</u>.

- Quail Prairie or Bald Knob RAWS reporting above conditions for any 2 hours within the warning time frame.
- In a situation when neither of the above RAWS reports the humidity and wind that met the criteria, the Red Flag Event is assumed to be occurring in zone 619 if zones on both sides of its border (618/620) are reporting Red Flag conditions.

#### Zones 621, 622, 623.

- RH Recovery only to 25% AND 10 minute sustained wind 10 mph.
- Two key stations reporting above conditions for any 2 hours within the warning time frame.

Key stations: Evans Valley, Zim, Parker Mountain and Buckhorn.

• These three zones are to be verified as a block.

- D. Very Dry and Unstable Airmass
  - Haines Index forecast of 6 in conjunction with ongoing fire.
  - When fuels are extremely dry and Haines Index 6 is forecast, forecasters will coordinate with the fire agencies, whether fuel conditions warrant the issuance of the Red Flag Warning.

All Red Flag Warnings will be coordinated with the affected agencies and neighboring fire weather offices, in order to assess fuel conditions and general fire danger, before the issuance of a Red Flag Warning. Each issuance, update or cancellation of a Fire Weather Watch or Red Flag Warning will also be relayed by telephone to the dispatch office(s) affected by the watch/warning.

#### SPOT FORECASTS

Spot forecasts are available year-round to federal land management agencies upon requests for wildfires, prescribed fires, spray projects and other land management activities. Spot forecasts are available to state forestry agencies and local fire departments for wildfire suppression only. Information required by the forecasters is found on WS Form D-1, items 1-12. Spot forecasts may be requested by filling out pertinent information in the Fire Weather Spot section of the Medford Weather Forecast Office homepage. They may also be requested using the WS Form D-1 with the information faxed to the Medford office or relayed by phone.

We strongly encourage the fire agencies to call this office after submitting a spot request to ensure it was received properly. We will attempt to notify field personnel and/or the dispatch office whenever there is a significant change in the expected weather. However, spot forecasts will be updated only when new observations become available, and/or the update is requested by the users. The forecast will be valid for 12 hours after the proposed ignition time. Spot forecasts for wildfire suppression take precedence over normal office routines, except a tornado warning.

#### FIRE WEATHER ZONES

#### AREA 1...COAST (Zones 615 and 618)

This area extends from the Pacific Ocean to the foothills of the Coast Range, which rises to a crest of 2500 feet, about 10 to 20 miles inland.

- <u>Zone 615: South-Central Oregon coast.</u> This zone extends from southern border of the Siuslaw National Forest in southern Lane county through Coos County to Humbug Mtn State Park in northern Curry County...and inland from the coast to about 10 to 20 miles inland. Elevations range from near sea level to 2500 feet.
- <u>Zone 618: Southern Oregon coast.</u> This zone extends from Humbug Mtn State Park along the coast to the California state line, and around 10 miles inland. Elevations range from near sea level to 2800 feet.

#### AREA 2...UMPQUA BASIN AND UMPQUA NF (Zones 616 and 617)

This is the area between the Coast Range of south-central Oregon in Coos and Douglas counties and the crest of the Cascade Mountain. The western portion of the area, mainly Zone 616 Umpqua Basin, extends from the Coast Range to the foothills of the Cascade Mountain just east of Interstate 5, and varies in elevation between 150 and just 4200 feet. The eastern portion, zone 617 which encompasses all of the Umpqua NF, rises from 500 feet to 6000 feet with embedded valleys as low as 150 feet MSL and peaks reaching as high as 7400 feet in the Cascade Range.

## AREA 3...SOUTHWEST INTERIOR INCLUDING THE CASCADE AND THE SISKIYOU MOUNTAINS (Zones 619-623)

This area has complex terrain. The western boundary begins with the Coast Range, where elevations range from 3000 to 5000 feet, including the Kalmiopsis Wilderness Area. The northern boundary is the Umpqua Divide which separates the Rogue Valley from the Umpqua Valley. The area's eastern boundary includes the Cascade Mountains, where elevations can reach 6500 feet with a few peaks over 8000 feet high. Crater Lake is in the very northeast corner of this area. The southern part of the area is bounded by the Siskiyou Mountain, where elevations can reach 7000 feet. Mount Ashland is in the south corner of this area.

Zone 619: Siskiyou National Forest in eastern Curry County. Elevations range from 200 feet to 4600 feet.

Zone 620: Western Rogue Basin including the Illinois Valley and the Siskiyou National Forest in Josephine County. Elevations range from 650 feet in western Rogue Valley to 5700 feet in the Siskiyou Mountain in southern Josephine County.

Zone 621: Siskiyou Mountains, including the Siskiyou Fire Zone of the Rogue River-Siskiyou NF. Elevation ranges from 1800 feet to 700 feet.


Zone 622: Eastern Rogue Basin. Elevations range from 1200 feet in the valley to 5200 feet in the Cascade and Siskiyou Mountains.


Zone 623: Southern Oregon Cascades including Crater Lake NP, the High Cascade Fire Zone of the Rogue River-Siskiyou NF and the Klamath District of the Fremont-Winema NF. Elevation ranges from 2400 feet to 8500 feet.

#### AREA 4...EAST OF THE CASCADE MOUNTAIN (Zones 624 and 625)

This area extends from the eastern foothills of the Cascade Mountains, eastward through the Klamath Basin and the Fremont-Winema NF, to the south central Oregon desert. The eastern part of the area closely follows the border between Lake County and Harney County, is representative of high plateaus with desert-like climate and includes the Warner Valley which is the northwestern rim of the Great Basin. Zone 624: Klamath Basin and the Fremont-Winema National Forest. Elevation ranges from around 4000 feet in the Klamath Basin to the higher peaks of 8200 feet.

Zone 625: South Central Oregon Desert including the Klamath-Lake District of the BLM and the Lakeview Unit of the State Forestry. Elevation ranges from 4200 feet to 7600 feet.





ZONE	NAME	Type	NUMBER	OWNER	LAT	LON	ELEV
		Type					
615	Long Prairie	R	352819	CFPA	42.95	-124.22	1180
615	Seven Mile Creek	R	352820	ODF	43.21	-124.32	506
0.0			002020	•=-			
616	Mt. Yoncalla	R	353043	BLM	43.64	-123.33	1799
616	Signal Tree	R	352816	BLM	43.01	-123.78	3294
616	Charlotte Ridge	R	353046	ODF	43.67	-123.94	1220
616	Silver Butte	R	353041	BLM	42.86	-123.38	3973
616	Burnt Mountain	R	353044	BLM	43.22	-123.84	2240
616	Devil's Playground	R	353047	BLM	43.72	-123.63	1550
616	North Bank	R	353048	BLM	43.36	-123.19	1913
617	Sugarloaf	R	352546	USFS	43.23	-122.40	3500
617	Cinnamon	R	353031	USFS	43.26	-122.15	4636
617	Grandad	R	353036	USFS	43.41	-122.57	2900
617	Toketee	R	353038	USFS	43.23	-122.39	3360
617	Buckeye	R	353040	USFS	43.04	-122.64	2400
618	Flynn Prairie	R	352922	ODF	42.40	-124.39	1625
618	Red Mound	R	352920	BLM	42.12	-124.30	1753
619	Bald Knob	R	352813	USFS	42.40	-124.04	3630
619	Quail Prairie	R	352915	USFS	42.24	-124.04	3033
619	Agness	R	352916	USFS	42.33	-124.02	150
620	Calvert Peak	R	352919	BLM	42.78	-123.73	3822
620	Merlin	R	353122	BLM	42.49	-123.40	1040
620	Onion Mountain	R	353114	USFS	42.28	-123.38	4438
620	Provolt	R	353120	BLM	42.28	-123.23	1176
620	Illinois Valley Airport	R	353115	BLM	42.11	-123.67	1389
621	Squaw Peak	R	353213	USFS	42.07	-123.01	4964
622	Buckhorn	R	353230	BLM	42.12	-122.56	2900
622	Evans Creek	R	353228	BLM	42.63	-123.06	3200
623	Parker	R	353344	BLM	42.11	-122.28	5250
623	Mt. Stella	R	353209	USFS	42.93	-122.43	4715
623	Zim	R	353227	USFS	42.70	-122.39	4106
623	Seldom Creek	R	353339	USFS	42.41	-122.19	4875
624	Klamath NWR	R		BLM	42.95	-121.58	4531
624	Timothy	R	353337	USFS	43.20	-121.37	6020
624	Summit	R	353421	USFS	42.20	-120.25	6147

### 2007 NWS Medford NFDRS Station Index

Chiloquin	R	353310	USFS	42.58	-121.89	4517
Gerber Reservoir	R	353328	BLM	42.20	-121.14	4940
Hoyt	R	353343	USFS	42.97	-121.42	5445
Silver Lake	R	353412	USFS	43.12	-121.06	4381
Coffee Pot	R	353422	BLM	42.53	-120.64	5250
Strawberry	R	353423	USFS	42.20	-120.85	5590
Calimus	R	353307	USFS	42.63	-121.56	6622
Catnip	R	260109	USFS	41.93	-119.50	5740
Rock Creek	R	353424	FWS	42.55	-119.66	5640
Fish Fin Rim	R	353516	BLM	42.47	-119.18	4900
Poor Jug	R	353426	USFS	42.93	-120.11	4600
Fort Rock	R	353406	BLM	43.43	-120.84	4430
	Gerber Reservoir Hoyt Silver Lake Coffee Pot Strawberry Calimus Catnip Rock Creek Fish Fin Rim Poor Jug	Gerber ReservoirRHoytRSilver LakeRSilver LakeRCoffee PotRStrawberryRCalimusRCatnipRRock CreekRFish Fin RimRPoor JugR	Berber Reservoir         R         353328           Hoyt         R         353343           Silver Lake         R         353412           Coffee Pot         R         353422           Strawberry         R         353423           Calimus         R         353307           Catnip         R         260109           Rock Creek         R         353424           Fish Fin Rim         R         353516           Poor Jug         R         353426	Berber Reservoir         R         353328         BLM           Hoyt         R         353343         USFS           Silver Lake         R         353412         USFS           Soffee Pot         R         353422         BLM           Strawberry         R         353423         USFS           Calimus         R         353423         USFS           Calimus         R         353307         USFS           Catnip         R         260109         USFS           Rock Creek         R         353424         FWS           Fish Fin Rim         R         353516         BLM           Poor Jug         R         353426         USFS	R         353328         BLM         42.20           Hoyt         R         353343         USFS         42.97           Silver Lake         R         353412         USFS         43.12           Coffee Pot         R         353422         BLM         42.53           Strawberry         R         353423         USFS         42.20           Calimus         R         353423         USFS         42.63           Catnip         R         353307         USFS         42.63           Catnip         R         260109         USFS         41.93           Rock Creek         R         353516         BLM         42.47           Poor Jug         R         353426         USFS         42.93	Berber Reservoir         R         353328         BLM         42.20         -121.14           Hoyt         R         353343         USFS         42.97         -121.42           Silver Lake         R         353412         USFS         43.12         -121.06           Solver Lake         R         353422         BLM         42.53         -120.64           Coffee Pot         R         353423         USFS         42.20         -120.85           Strawberry         R         353423         USFS         42.63         -121.56           Calimus         R         353307         USFS         42.63         -121.56           Catnip         R         260109         USFS         41.93         -119.50           Rock Creek         R         353424         FWS         42.55         -119.66           Fish Fin Rim         R         353516         BLM         42.47         -119.18           Poor Jug         R         353426         USFS         42.93         -120.11

## 2007

# Spokane Fire Weather Operating Plan

#### Spokane Fire Weather 2007

### **New for 2007:** PFM – Digital Fire Weather Point Forecast Matrices will available for all RAWs sites. These forecast come directly from the 2.5 KM Gridded data.

#### LOCATION:

National Weather Service Office 2601 North Rambo Road Spokane, WA 99224-9164.

#### HOURS:

Office hours at WFO Spokane for Fire Weather will be as follows: Daily 24 Hour forecast and briefing coverage.

The Fire Desk is staffed daily 0700-1500 Mid March - Early November

#### PHONE NUMBERS and E-Mail:

Fire Weather	(509) 244-5031
Public	(509) 244-6395
FAX	(509) 244-0554

john.livingston@noaa.gov ronald.miller@noaa.gov kerry.jones@noaa.gov robert.tobin@noaa.gov

#### STAFF:

<u>Name</u> John Livingston Ron Miller Kerry Jones	<u>Position</u> Meteorologist in Charge Science and Operations Officer Warning Coordination Meteorologist
Bob Tobin	Fire Weather Program Leader/IMET
Todd Carter	ITO/IMET
John Fox	Senior Forecaster
Paul Bos	Senior Forecaster
Matt Fugazzi	Senior Forecaster
Greg Koch	Senior Forecaster
Jeffery Cote	Forecaster
Robin Fox	Forecaster
Mike Fries	Forecaster

Laurie Nisbet	Forecaster
Rocco Pelatti	Forecaster
Ellie Kelch	Forecaster
Jeremy Wolf	Forecaster/IMET

#### **COMMUNICATIONS:**

All forecasts and spot forecasts are input into AWIPS (Advanced Weather Integrated Processing System), WIMS, and on Spokane's Internet home page. Users who do not have access to WIMS, or Internet can still have forecasts faxed to them.

Internet Address:

http://www.wrh.noaa.gov/otx/fire.php http://www.wrh.noaa.gov/otx http://www.weather.gov/spokane

#### WEATHER BRIEFINGS:

Internet based weather briefings are available from the Spokane office as needed. During peak fire season, normally mid June-October briefings will be daily at 0900 PDT. During Land Management season briefings are available by customer request and are usually held twice per week for planning purposes. Phone briefings are available 24 hours per day. The phone number is 877-928-6420. The passcode is available by calling our office.

#### FORECAST DISTRICT:

The Spokane Fire Weather Office has weather forecast responsibility for a large portion of protected lands in eastern Washington. Exceptions are the Blue Mountains area, the Yakama Indian Nation lands, the DOE Hanford Site, and portions of the Southeast Department of Natural Resources (DNR) land. These protected lands are the forecast responsibility of the National Weather Service Office Pendleton Fire Weather program.

Spokane Fire Weather's area of responsibility for Eastern Washington is divided into six districts for fire weather forecasting. In addition, these forecast districts are further subdivided into ten fire weather zones. See the map for general locations of districts and zones for eastern Washington. The weather zones are comprised of fire danger stations with similar weather and similar trends in weather changes.

WFO Spokane has forecast responsibility for Central and Northern Idaho Panhandle. This district has one (1) zone (101) covering the Idaho Panhandle National Forests, Idaho State Lands, and Coeur d'Alene Indian Agency lands.

#### AGENCIES SERVED:

Land management agencies served by the Spokane Fire Weather Office include:

USFS	Colville NF Wenatchee NF Okanagan NF Idaho Panhandle NF
BLM	Spokane District Coeur D Alene District
BIA	Colville Indian Agency Spokane Indian Agency Coeur d' Alene Indian Agency
NWR	Turnbull National Wildlife Refuge Columbia National Wildlife Refuge Priest River National Wildlife Refuge Lake Pend Oreille Wildlife Refuge
Washington DNR	Northeast Area Resource Protection Division
Idaho	Department of State Lands
Other Public Agencies	Coulee Dam National Recreation Area Lake Chelan National Recreation Area

#### FORECAST SERVICES:

#### **Planning Forecasts**

The issuance of planning forecasts are seasonal. Routine issuance of the morning and afternoon planning forecasts seven days a week normally begins in early spring. For 2007 it will be around Monday April 2nd continuing through late October or early November. Specific start and stop dates are coordinated with customer agencies. Morning forecasts will be available at 08:30 a.m., while afternoon forecasts will be available by 3:30 p.m.

Off-season Land management forecasts will be issued between 0900-1000 Monday through Friday through the winter months. These forecasts will begin the Monday following the end of fire season, typically late October or early November.

#### Fire Weather Watches and Red Flag Warnings

General Fire Weather Watch and Red Flag Warning criteria continues to be under review. Until formal changes have been agreed upon by the Land Management agencies and the National Weather Service we will continue with the present criteria. Red Flag criteria for eastern Washington and Northern Idaho are as follows:

#### • "dry thunderstorm" Red Flag criteria is defined as follows:

#### Abundant lightning in conjunction with sufficiently dry fuels.

"Abundant" and "Sufficient" are locally defined and verified by NWS offices and their fire agency customers using the following GACC AOP-wide guidelines:

Abundant Lightning:

1) Number of lightning strikes that meet climatologically significant criteria, or

2) Areal coverage of lightning such as "Scattered" or  $\geq 25\%$ 

#### Sufficiently Dry Fuels:

1) GACC dryness levels remaining out of the 'green' category on the day of and the day following a thunderstorm event, or

- 2) ERC or BI values meeting climatologically significant percentiles or
- 3) Land management declaration
- <u>Sustained surface winds</u> exceeding a 10 minute average of 15 mph combined with relative humidity less than:
  - o 15% in the Columbia Basin (zone 673)
  - 25% in the mountainous areas
  - o 20% in the lower valley zones

This is typically (but not always) associated with a dry cold front passage.

These conditions must be verified by at least 2 observation sites (RAWS,

METAR, DOT, Agrimet etc) for 2 consecutive hours. For Idaho Zone 101 the criteria will be at least 2 observations sites for any 3 hours in an 8 hour period. When using observation sites other than RAWS sites wind speeds will be converted to 10 minute averages.

Special consideration will be given whenever very hot temperatures are combined with very low relative humidity.

• <u>Haines Index</u> of 6 when combined with low relative humidity, typically 15% or below.

• <u>An unusually unstable atmosphere</u> This would be associated with a strong thermal trough which typically forms along the east slopes of the Washington Cascades.

The issuance of Red Flag Warnings will take into account fuel conditions, and will be coordinated with land management agencies and other applicable fire weather offices. Typically when 1000 hour fuels are at or below 11% and 100 hour fuels are at or below 10% and Live Fuels at or below 120%. In 2007 the NWSFO Spokane will be utilizing the NWCC dryness levels as input into the decision making process for issuing fire weather watches and red flag warnings.

Red Flag Warning Verification Points

#### Zone 673

• Douglas Raws, Escure Raws, Saddle Mountain Raws

#### Zone 676-677

• Camp Four Raws, Dry Creek Raws, Entiat Raws

Zone 686 Spokane County portion

• Wellpinit Raws, Midnight Mine Raws, TurnBull Wildlife Refuge Raws

#### Zones 680, 682, 685

• NCSB, Raws, Leecher Raws, Signal Peak Raws, Peoh Point Raws

#### Zone 684

• Nespelem Raws, Kramer Raws, Douglas Ingram Raws, Oroville Raws...\*\*\*If Kramer Raws and Oroville Raws are used to meet red flag conditions at least one other RAWS in the fire zone will need to meet the criteria for at least one hour\*\*\*

#### Zones 686-687

• Kettle Falls Raws , Midnite Mine Raws , Gold Mountain Raws, Deer Mt. Raws

#### Zone 101

• Bonners Ferry Raws, Hoodoo Raws, Fish Hook Raws Magee Peak Raws, Line Creek Raws, Nuckols Raws Priest Lake Raws, Saddle Pass Raws

\*\*\*For Idaho Zone 101 the criteria will be at least 2 observations sites for any 3 hours in an 8 hour period.\*\*\*

#### **Spot Forecasts**

Official spot forecasts will be prepared and disseminated 24 hours a day. All prescribed fire spot forecast requests **MUST BE** accompanied by a recent weather observation that is representative of the burn site. More observations from the burn area will generally result in better spot forecasts. Feedback is imperative to increase the accuracy of spot forecasts. **In addition valid times for spot forecasts will be twelve hours from issuance**. If a fire has a longer duration, a new spot forecast should be requested.

"Spot forecasts are available year-round to all Federal, State and Local government entities for wildfire suppression, prescribed burns (for hazardous fuel reduction), search and rescue missions, HAZMAT incidents, or for any other land management activity that directly supports federal resources or the safety of civilians and forests. Spot forecasts cannot be provided to Local and State governments for non-fire/range management activities such as spray projects, road building, tree planting, recreational events, and prescribed burns (other than for hazardous fuel reduction) that do not have the potential to escape and threaten life and property."

#### **Farsite Data:**

For the 2007 fire season, NWS Spokane will offer automatic 7-day FARSITE weather data support with all wildfire spot forecast issuances. For prescribed burn spot forecasts, FARSITE data will be produced at the request of the agency. Please call the NWS office issuing the prescribed burn forecast directly to request this service, or place the request in the "Remarks Section" of the spot request form. All FARSITE data will be available from the internet via the appropriate NWS office Fire Weather Page. Check for a "FARSITE Forecasts" button near the Spot Forecast Request link. The data will be in simple ASCI format. Examples of the two FARSITE support outputs ("weather" and "wind") are below. If you have any questions, please contact your servicing NWS office.

Weather:

ENGLISH 03 06 12 0700 1600 30 54 59 30 5620 03 07 63 0700 1600 27 44 84 63 5620 03 08 14 0700 1600 23 43 81 47 5620 etc., through seven days

Wind:

ENGLISH 03 06 0000 11 200 79 03 06 0300 12 200 84 03 06 0600 14 200 95 etc., through seven days

#### **NFDRS Trend Forecasts**

A numerical zone trend forecast is prepared and disseminated to WIMS by 1540 local time each afternoon from early to mid May through early October. The trend forecasts are used to compute the expected NFDRS indices valid for the following day. The number of NFDRS indices forecast by the weather office depends only on the number of NFDRS observations input into WIMS by the fire agencies. If observations are not entered into WIMS by 1500, a forecast will not be produced for the zone(s).

#### **IMETS (Incident Meteorologists)**

Spokane Fire Weather Office will have a minimum of two certified IMET'S on staff with at least one available at all times during the high summer fire season.

#### NON-FORECAST SERVICES:

There are several duties that fall into the non-forecast services including, but not limited to teaching assignments, customer meetings, customer consultations, preparation of annual reports, preparation of annual operating plans, program management, research and in-house training of personnel.

There is a need for advanced notice for teaching assignments, customer meetings and consultations. The NWS-NWSEO Collective Bargaining Agreement provides rules for scheduling of bargaining unit employees. NWS management has limitations regarding modification of the work schedule after it has become "fixed" without paying overtime.

All requests for teaching assignments, customers meetings and consultations will be honored provided they are scheduled more than three weeks ahead of time, and they do not conflict with other Fire Weather commitments. NWS Spokane will make every effort to fulfill requests for teaching assignments, customer meetings and consultations that are scheduled with less than three weeks lead time, or conflict with other Fire Weather commitments. Shifts will be scheduled to complete the Annual Operating Plan and other Fire Weather commitments. Program management, research and training time will be provided to ALL employees based on the needs of the office.

Fire Weather Program Leader - The NWS Spokane Fire Weather Program Leader is Bob Tobin. High primary focus will be customer outreach, training, program development, IMET dispatches, and fire weather operational shifts.

Meeting Proficiency and Currency Standards - All forecasters will complete required proficiency prior to working alone on any real time Fire Weather products and services.

#### FORECAST VERIFICATION

Routine verification will be made on Red Flag Warnings and Spot Forecast turnaround times. In addition selected NFDRS trend forecasts for temperature, relative humidity, and

wind will be verified. Results of the verification will be published in the Fire Weather Annual Summary. The National Weather Service will work with local fire agencies and the Pacific Northwest Coordination Group to develop a baseline for product verification.

#### **GEOGRAPHICAL AREA DESCRIPTIONS**

The National Weather Service Office in Spokane has fire weather forecast responsibility for protected lands in the northern and central part of eastern Washington and the northern and central Idaho Panhandle. Exceptions are the Blue Mountains area, the Yakama Indian Reservation, and portion of the Southeast Department of Natural Resources (DNR) protected lands. Forecasts for these areas are handled out of the National Weather Service office in Pendleton (see zone descriptions below).

WFO Spokane's eastern Washington fire weather area is divided into six districts. In addition, these forecast districts are further sub-divided into ten fire weather zones. See the map for general locations of districts and zones for eastern Washington. The fire weather zones are comprised of fire danger stations with similar weather and similar trends in weather changes.

#### South Central District:

This district consists of two zones. Zone 676 lower elevations and Zone 680 higher elevations. The south central district covers those areas of the southern Washington Cascades north of the Yakama Indian Reservation to Mission Ridge. The district boundary also runs west to east from the Cascade crest to Interstate 82. This includes the Naches and Cle Elum Ranger Districts of the Wenatchee National Forest. This district has pronounced climate differences, from the marine air influence near the Cascade crest, to the dry arid climate of the valleys. This district has a relatively low frequency of lightning, and averages about 7-10 storm-days per season from June through September.

#### **Central District**:

This district has two zones. Zone 677 lower elevations and Zone 682 are the two zones in this district. This district extends from Mission Ridge north to the Sawtooth Ridge, and from the Cascade crest east to the Columbia River. It includes the northern part of the Wenatchee NF. Lightning frequency averages around 10-15 storm-days per season. The summer climate is similar to the South Central District, but winds tend to be stronger and more persistent, and day to day weather changes are more pronounced. This district contains some of the highest fire hazard areas in the Pacific Northwest.

#### Northern District:

This district has three zones. Zone 687 is the Okanogan Highland zone. Zone 684 lower elevations, mainly the Okanogan River Valley, and zone 685 higher elevations of the North Cascades. This district extends across the north part of eastern Washington from the Cascade crest to the Kettle River Ranger District on the east. It includes the

Okanogan NF, the Republic Ranger district of the Colville NF, land under the protection of Northeast Department of Natural Resources, and the western and central parts of the Colville Indian Agency. The marine influence is minimal in this district compared to the south central and central districts due to its more continental location. Winds are generally lighter than central and south central districts. Lightning activity though is greater, averaging about 15 storm-days per season.

#### Northeast District:

Zone 686. The northeast district extends from the Kettle River to the Idaho border, and south to the vicinity of Spokane. It covers the remainder of the Colville NF and Colville Indian Agency, as well as lands under the jurisdiction of Northeast DNR and the Spokane Indian Agency. This district is normally a bit wetter than the other districts since it extends into the western foothills of the Rocky Mountains. The southern portion around Spokane is the drier, windier section of this district. Lightning frequency is the greatest of any of the districts averaging 15-20 storm-days per season.


#### Northern Columbia Basin District:

Has one zone. Zone 673. Pendleton weather office has responsibility for a large portion of Washington State DNR Southeast Region lands, Yakama IA, and DOE Hanford. The southern boundary is I-90 for that part of the Yakima Firing Center in Kittitas County then follows county lines west to east across Grant, Adams, and Whitman Counties. The western part of the district boundary is the Columbia River at the Grant County line. The northern boundary is the same as previous years following the Columbia River to the eastern Ferry County then south across the northeast part of Lincoln County to Highway-2 near Davenport then east to the Spokane County line. Fuels in this district consist of mainly grass and sage. Zone 673 includes the Waterville Plateau which contains low ridges and coulees'. Most of the district is at fairly low elevations between 900 and 3,000 ft...the exception being Badger Mountain near Waterville at 4,221 feet. Due to the relatively low elevations and locations, this is the warmest and driest district. Winds in some areas can be very strong. Lightning activity is the least of the districts, averaging about 6 storm-days per season.

#### Northern and Central Idaho Panhandle District:

This District is part of Region 1 and has one zone. Northern and Central Idaho Panhandle Zone 101 - Northern and Central Idaho Panhandle. This zone includes...Idaho Panhandle National Forests, Coeur d'Alene Indian Agency lands, and Idaho State protected lands in the following counties: Boundary, Bonner, Kootenai, Benewah, Shoshone, and the northern part of Latah county where a part of the St. Joe District resides. Zone 101 is broken into three (3) separate zones the Northern zone, Central zone and Southern zone. This area averages 12-15 thunderstorm days per season.

### **Spokane Fire Weather Forecast Zones**



### 2007 NWS Spokane NFDRS Station Index

ZONE	NAME	Type	NUMBER	OWNER	LAT	LON	ELEV
673	Escure	R	453601	BLM	47.07	-117.98	1725
673	Columbia NWR	R	453102	FWS	46.87	-119.33	890
673	Spring Canyon	R	453002	NPS	47.93	-118.93	1340
673	Saddle Mtn	R	452701	FWS	46.69	-119.69	650
673	Douglas	R	452601	BLM	47.62	-119.90	2530
676	Yakima	М	452313	NWS	46.57	-120.54	1066
676	Saddle Mountain	R	452701	FWS	46.69	-119.69	650
676	Ellensburg	М	452203	DNR	47.03	-120.54	1560
677	Dry Creek	R	452134	USFS	47.72	-120.53	3480
677	Camp4	R	452132	USFS	48.02	-120.23	3773
677	Entiat	R	452136	USFS	47.67	-120.21	796
680	Peoh Point	R	452206	DNR	47.15	-120.95	4020
680	Sawmill Flats	R	452221	USFS	46.98	-121.08	3500
680	Sedge Ridge	R	452306	DNR	46.58	-120.90	4300
682	Viewpoint	R	452128	USFS	47.85	-120.87	3760
682	Swauk	R	452219	USFS	47.25	-120.67	3773
682	Alpine Lookout	М	452127	USFS	47.80	-120.85	6237
684	NCSB	R	452030	USFS	48.43	-120.14	1650
684	Oroville	R	452039	BLM	48.96	-119.49	1360
684	Nespelem	R	452009	BIA	48.21	-119.02	1782
684	Douglas Ingram Rdg	R	452035	USFS	48.12	-120.10	3460
684	Kramer	R	452040	BIA	48.27	-119.52	2720
685	83Monument	R	452036	USFS	49.00	-120.65	6500
685	Leecher	R	452020	USFS	48.25	-120.00	5019
685	First Butte	R	452006	USFS	48.62	-120.11	5500
685	Aeneas	R	452001	DNR	47.70	-119.60	5167
686	Turnbull Wildlife	R	453506	FWS	47.41	-117.53	2250
686	Midnite Mine	R	452913	BLM	47.94	-118.09	2693
686	Pal Moore Orchard	R	452915	USFS	48.39	-117.43	3120
686	Kettle Falls	R	452916	NPS	48.61	-118.12	1310
686	Tacoma Creek	R	453413	USFS	48.49	-117.43	3300
686	Little Pend Oreille	R	453416	FWS	48.27	-117.43	2020
686	Deer Mountain	R	453412	USFS	48.80	-117.45	3300
686	Wellpinit	R	452918	BIA	47.88	-118.10	2240
686	Colville	М	452903	DNR	48.50	-117.90	1730
686	Spokane Airport	М	453505	NWS	47.60	-117.50	2365

687	Peony	R	452038	USFS	48.59	-119.21	3600
687	Brown Mountain Ochd	R	452514	USFS	48.54	-118.69	3210
687	Owl Mountain	R	452513	USFS	48.94	-118.30	4400
687	Lane Creek	R	452511	USFS	48.61	-118.28	4500
687	Gold Mountain	R	452510	BIA	48.18	-118.49	4636
687	Iron Mountain	R	452512	USFS	48.56	-118.62	4325
687	Lost Lake	R	452029	USFS	48.87	-119.06	3760
101	Bonners Ferry	R	100101	USFS	48.72	-116.35	2310
101	Magee peak	R	100425	USFS	47.89	-116.31	4856
101	Fish Hook	R	100421	USFS	47.86	-115.91	4700
101	Hoodoo	R	100208	USFS	48.05	-116.84	2270
101	Lines Creek	R	100424	USFS	48.15	-116.29	5120
101	Nuckols	R	100423	USFS	47.54	-115.97	4000
101	Priest Lake	R	100204	USFS	48.60	-116.96	2600
101	Saddle pass	R	100107	USFS	48.98	-116.79	5120
101	COE Airport	М		FAA			

## 2007

## **Pendleton Fire Weather**

## **Operating Plan**

### PENDLETON FIRE WEATHER OPERATIONS PLAN 2007

#### LOCATION:

National Weather Service Office 2001 NW 56th Dr. Pendleton, OR 97801.

#### **NEW FOR 2007**

New zone boundaries along the Oregon-Washington border for zones 609, 631 and 633.

#### HOURS:

The Pendleton Fire Weather Program is committed to a program with staff trained to respond to fire weather needs 24 hours per day. Fire Weather shifts will be scheduled during the following times:

Land Management Season Shifts: 7:00 AM - 4:00 PM Monday - Friday. Late March - May and late September - October.

<u>Fire Season Shifts:</u> 7:00 AM - 4:00 PM 7 days a week June to late September.

The National Weather Service office in Pendleton is open 24 hours a day, 7 day a week and is fully staffed. If there is a need to support a project, additional forecasters can be made available. **However, under the provisions of the National Agencies/NWS Agreement, special services provided by the Pendleton Fire Weather office will be done on a reimbursable basis**.

#### PHONE NUMBERS:

Fire Weather Desk	(541) 276-8134
General	(541) 276-4493
Fax	(541) 276-8253

#### **INTERNET ADDRESS and E-MAIL:**

http://weather.gov/pendleton

michael.vescio@noaa.gov	Meteorologist-in-Charge
<u>dennis.hull@noaa.gov</u>	Warning Coordinator Meteorologist
joe.solomon@noaa.gov	Fire Weather Program Manager

STAFF	
Name	Position
Mike Vescio	Meteorologist-in-Charge
Dennis Hull	Warning Coordination Meteorologist
Jon Mittelstadt	Science and Operation Officer

All Senior and Journeyman Forecasters will train and be certified to issue all forecast from the Fire Weather desk. However a **<u>core group</u>** of forecasters will provide the majority of forecasts during fire season.

Name	Position
<u>Joe Solomon</u>	Fire Weather Program Leader / Senior Forecaster / IMET
<u>Mary Smith</u>	Senior Forecaster
Roger Cloutier	Senior Forecaster
Vincent Papol	Senior Forecaster
<u>Gordon Hepburn</u>	Senior Forecaster
<u>Jon Bonk</u>	Journeyman Forecaster / IMET
<u>Robert Cramp</u>	Journeyman Forecaster
Diann Coonfield	Journeyman Forecaster
Alan Polan	Journeyman Forecaster
George Perry	Journeyman Forecaster
Diana Koester	Journeyman Forecaster

#### COMMUNICATIONS

All forecasts including spot forecasts are input into the National Weather Service communication system, WIMS and on Pendleton's Internet home page. Forecasts can also be faxed to customers who do not have access to these systems. Internet address is: <u>http://weather.gov/pendleton</u>

#### WEATHER BRIEFINGS

Internet based weather briefings usually begin in May. During Land Management season briefings will be held Monday and Thursday. During peak fire season, normally mid June-September briefings will be daily at 0930 PDT. Phone briefings are available 24 hours per day.

#### **AGENCIES SERVED**

USFS: United States Forest Service BLM: Bureau of Land Management NPS: National Park Service BIA: Bureau of Indian Affairs USF&W: United States Fish and Wildlife ODF: Oregon Department of Forestry DNR: Southeast Washington Area County and Local Fire Jurisdictions in southeast Washington, central and northeast Oregon.

#### FORECAST SERVICES

#### Land Management and Fire Weather Planning Forecasts:

Routine land management planning forecasts are issued seasonally in the early and late part of the burning season. They are available twice a day Monday through Friday at 0900 and 1530 PDT. Specific start and stop dates are coordinated with customer agencies. Routine fire weather planning forecasts are available twice daily during the heart of the fire season, usually from early June through late September. They will be issued at 0900 and 1530 PDT.

#### Spot forecasts/FARSITE/Special request Forecasts:

Spot forecast and **FARSITE weather data** are available year round for wildfires, prescribed fires, or any other critical land management activities conducted by ALL land management agencies. The NWS will support non-federal, non-wildfire activities such as HAZMAT and search and rescue. We are urging land managers to customize spot forecast requests for the parameters that are needed and provide critical weather thresholds that may adversely impact the burn, such as wind, relative humidity, or burn period. This will allow the forecaster to concentrate on the specific data and time line needed rather than a host of parameters that may be of little interest. Spot forecasts take precedence over normal office duties. As implemented in 2003, the Region 6 National Weather Service offices will: require at least one observation from the fire site for prescribed spot requests. In addition valid times for spot forecasts will be 12 hours from issuance.

Information required by the fire weather forecaster from the requesting agency is found on our internet web site: <u>http://spot.nws.noaa.gov/cgi-bin/spot/spotmon?site=pdt</u> NWS form D-1, items 1-12, can be used for fax requests. A spot forecast for a planned ignition the next day may allow us to provide you with more lead time before the planned prescribed burn. Feedback of how well the forecast verified is extremely valuable in order to provide more accurate subsequent forecasts. As such, the forecasters in Pendleton request all observations taken from the burn site be sent to our office. This may be accomplished through FAX or electronically. Phone consultations are available 24 hours a day.

#### **NFDRS Trend Forecasts**

A numerical zone trend forecast is prepared and disseminated to WIMS by 1540 each afternoon from June through September. In addition, two "point" forecasts are also prepared for Haystack and Fall Mountain RAWS. The trend forecasts are used to compute the expected NFDRS indices valid for the following day. The number of NFDRS indices forecast by the weather office depends only on the number of NFDRS observations input into WIMS by the fire agencies. If observations are not entered into WIMS by 1500, a forecast will not be produced for the zone(s).

#### **Incident Meteorologist Services**

Pendleton has certified Incident Meteorologists (IMETS) on staff available for wildfire, HAZMAT, or other emergency dispatches. To request an IMET, contact the appropriate fire agency dispatch office.

#### NON-FORECAST SERVICES

There are several duties that fall into the non-forecast services, including but not limited to teaching assignments, customer meetings, customer consultations, preparation of annual reports, preparation of annual operating plans, program management, research and in-house training of personnel.

There is a need for advanced notice (3 weeks) for teaching assignments, customer meetings and consultations. The NWS-NWSEO Negotiated Agreement provides rules for scheduling of bargaining unit employees. NWS management has limitations regarding modification of the work schedule after it has become fixed without paying overtime.

All requests for teaching assignments, customers meetings and customer consultations will be honored provided they are scheduled more than three weeks ahead of time, and they do not conflict with other Fire Weather commitments. NWS Pendleton will make every effort to fulfill requests for teaching assignments, customer meetings and consultations that are scheduled with less than three weeks lead time, or conflict with other Fire Weather commitments. For training requests, please contact Joe Solomon at NWFO Pendleton (541) 276-8134 or by e-mail joe.solomon@noaa.gov

#### FIRE WEATHER WATCHES AND RED FLAG WARNINGS:

Specific Red Flag criteria differ for each situation and district. The following are criteria which would warrant a Fire Weather Watch/Red Flag Warning in the Pendleton Fire Weather District:

#### Criteria:

Any or a combination of the following combined with <u>very dry fuels</u> are criteria for the issuance of a Fire Weather Watch or a Red Flag Warning depending on the lead time:

- Abundant lightning (scattered thunderstorms) in conjunction with sufficiently dry fuels (fuels remain dry or critical during and after a lightning event).
- Haines Index of 6 in combination with RH of 15% or less.
- Strong winds combined with low relative humidity which meet the criteria listed below:

<u>Zones (630, 631, 632, 633, 634, 635, 638, 675 & 681</u>) for two hours at two locations (determined by the RH/WIND in Table A)

Zone 609: criteria is at least TWO stations (including Greyback) reporting RH 20% or less AND wind speed 10 mph or greater for 2 hours.

Zone 610: criteria is TWO stations for multiple hours in either scenario A or B below:

- A) HeHe Butte RAWS and Haystack RAWS reporting RH of 15 percent or less AND wind speed of 10 mph or greater for 4 hours in a 9-hour block (afternoon and evening) OR
- B) HeHe Butte RAWS OR Haystack RAWS reporting RH of 15 percent or less AND wind speed of 10 mph or more for 4 hours in a 9-hour block (afternoon and evening) AND one other RAWS or Station reporting the same for two hours.

Zone 611: criteria is any TWO stations (including Timothy RAWS) reporting RH of 15 percent or less AND wind speed of 10 mph or greater for at least TWO hours

**Table A**. National Weather Service Pendleton Wind vs RH Red Flag/Fire Weather

 Watch Criteria Table

Note: This is only one element in determining the necessity for a Red Flag Warning or Fire Weather Watch and shall not be the solitary justification.

#### Columbia Basin ZONES 631 & 675

#### SUSTAINED 20 FT WIND OVER WIDESPREAD AREA

#### (10 MINUTE AVERAGE in MPH)

		5	10	15	20	25	30
	30						W
	25					W	W
RH(%)	20				W	W	W
	15			W	W	W	W
	10			W	W	W	W

#### The Central and Northeast Mountains ZONES 630...632-635...638 AND ZONE 681

#### SUSTAINED 20 FT WIND OVER WIDESPREAD AREA

#### (10 MINUTE AVERAGE in MPH)

		10	15	20	25	30	35
	30						
	25					W	W
RH(%)	20			W	W	W	W
	15			W	W	W	W
	10		W	W	W	W	W

A Red Flag Warning or Fire Weather Watch may be issued if the wind and humidity fall within the warn section of Table A. Fuel dryness, both live and dead, will be determined based on the 3 steps below.

- 1. The forecaster is required to check with fire/land management agencies to ensure that fuels are dry enough to support large fire potential.
- 2. 1000 Hr fuel moisture should be less than 12% and 100 Hr fuel moisture less than 10%
- 3. Also refer to GACC "Dryness Level" for additional fuel moisture evaluation.

#### **Red Flag Warning Dissemination**:

Red Flag Warnings and Fire Weather Watches shall be issued using the Red Flag Statement (RFW) and will be headlined in the routine Fire Weather Forecast. All Red Flag Warnings and Fire Weather Watches will be cancelled using the Red Flag Statement (RFW) and the Fire Weather Forecast will include a headline stating such.

All Red Flag Warnings will be disseminated utilizing the National Warning System (NAWAS) network

All issuances of Red Flag events will be coordinated beforehand with the agencies included in the watch/warning area and with adjacent fire weather offices if the watch/warning is for a zone on a common district boundary. In order to rapidly disseminate Fire Weather Watches/Red Flag Warnings or other information of rapidly changing or hazardous weather conditions that do not meet Red Flag criteria, but will affect fire control or pose a safety threat a priority calling list has been established. **NWFO Pendleton will contact the dispatch offices affected by warnings who will then contact other affected land management agencies in those zones**.

#### USER AGENCY RESPONSIBILITIES

There are several responsibilities of the user agencies including:

- 1300 PST NFDRS observations.
- Site observations for Spot forecast requests. <u>A representative observation from</u> the burn site is required for all prescribed fire spot forecast requests.
- Quality Control of RAWS observations
- Timely maintenance of RAWS sites.

#### FORECAST VERIFICATION

Routine verification will be made on Red Flag Warnings and Spot Forecast turnaround times. In addition selected NFDRS trend forecasts for temperature, relative humidity, and fuel moisture will be verified. Results of the verification will be published in the Fire Weather Annual Summary. The National Weather Service will work with local fire agencies and the Pacific Northwest Coordination Group to develop a baseline for product verification.

#### FIRE WEATHER FORECASTER PROFICIENCY & CURRENCY STANDARDS

Pendleton forecasters working the Land Management and Fire Weather shifts will meet the proficiency standards established by the National Weather Service. The National Weather Service and the Pacific Northwest Wildfire Coordination Group will review the progress in meeting the standards. Prior to each fire season, the Annual Operating Plan will provide a list of currently qualified forecasters and those expected to be qualified at each weather Forecast office who will be providing fire weather services during the upcoming year.

#### FORECAST DISTRICT

The Pendleton Fire Weather District currently covers the east slopes of the Cascades mountain range from the Deschutes National Forest to the alpine reaches of the Yakama Indian Reservation, central Oregon, the northeast quadrant of Oregon (including Baker county and Harney county north of highway 20), and Southeast Washington (Benton, Franklin, Klickitat, Yakima Walla Walla, Columbia, Garfield and Asotin counties). Please see the district map for specific outlines of the Fire Weather Zones.


#### **GEOGRAPHICAL FORECAST AREA (See Zone Map)**

The Pendleton Fire Weather forecast will be sectioned by Fire Weather Zone. This will result in 12 separate zone forecasts. These zones are based on terrain, elevation, weather characteristics, and political boundaries. The zone names are as follows:

- 609 East slopes of the northern Oregon and southern Washington Cascades
- 610 East slopes of the central Oregon Cascades
- 611 Deschutes national Forest
- 630 Central mountains of Oregon
- 631 Lower Columbia Basin of Oregon and Washington
- 632 Southern Blue and Strawberry mountains

- 633 Northern Blue mountains of Oregon and Washington
- 634 Eagle Caps
- 635 Wallowa County
- 638 Baker Valley
- 675 Eastern Washington southern Columbia Basin
- 681 Yakama Alpine

### **Pendleton Fire Weather Forecast Zones**



#### **Pendleton Fire Weather Station Index**

	ZONE 609								
	STATION NAME	NFDRS#	AGENCY	TYPE	LAT	LONG	Sec-Twn-Rng	ASPECT	ELEV
	POLLY WOG	350912	USFS	RAWS	45.46	121.45	S29-01S-11E	MIDSLOPE	3320
	WAMIC MILL	350913	USFS	RAWS	45.24	121.45	S08-04S-11E	MIDSLOPE	3320
	WASCO BUTTE	350919	ODF	RAWS	45.36.36	121.19.38	S05-01N-12E	SLOPE	2345
	MIDDLE MTN	350812	ODF	RAWS	45.34.58	121.34.58	S08-01N-10E	RIDGETOP	2600
	THE DALLES	452406	FAA	MANUAL	45.36.00	121.06.00	S34-02N-13E	VALLEY	210
	ZONE 610								
	STATION NAME	NFDRS#	AGENCY	TYPE	LAT	LONG	Sec-Twn-Rng	ASPECT	ELEV
	SIDWALTER BUTTE	350909	BIA	MANUAL	44.93	121.54	S27-07S-10E	RIDGETOP	3000
	MT WILSON	350916	BIA	RAWS	45.03	121.63	S23-06S-09E	S SLOPE	3780
	MUTTON MTN	350917	BIA	RAWS	44.93	121.19	S32-07S-13E	RIDGETOP	4100
	HE HE 1	350920	BIA	RAWS	44.97	121.49	S13-07S-10E	VALLEY	2640
	SHITIKE BUTTE	350102	BIA	MANUAL	44.74	121.61	S36-09S-09E	RIDGETOP	5000
	EAGLE BUTTE	352106	BIA	MANUAL	44.84	121.23	S30-08S-13E	RIDGETOP	3100
	WARM SPRINGS	352108	BIA	MANUAL	44.48	121.25	S24-09S-12E	VALLEY	1632
	METOLIUS ARM	352110	BIA	RAWS	44.61	121.63	S12-11S-09E	VALLEY	3440
	COLGATE	352620	USFS	RAWS	44.32	121.61	S36-15S-09E	FLAT	3280
	ZONE 611								
	STATION NAME	NFDRS#	AGENCY	TYPE	LAT	LONG	Sec-Twn-Rng	ASPECT	ELEV
	ROUND MTN	352605	USFS	RAWS	43.76	121.72	S13-21S-08E	RIDGETOP	5900
	LAVA BUTTE	352618	USFS	RAWS	43.93	121.33	S18-19S-12E	RIDGETOP	4655
	TEPEE DRAW	352622	USFS	RAWS	43.84	121.05	S17-20S-14E	SLOPE	4770
	BLACK ROCK	353342	USFS	RAWS	43.52	121.81	S06-24S-08E	MIDSLOPE	4880
	CABIN LAKE	353402	USFS	RAWS	43.5	121.06	S17-24S-14E	FLAT	4545
	TUMALO RIDGE	355621	ODF	RAWS	44.05	121.40	S03-18S-11E	RIDGETOP	4000
	ZONE 630								
				TYPE	LAT	LONG	Sec-Twn-Rng	ASPECT	ELEV
	STATION NAME	NFDRS#	AGENCY						
0		<b>NFDRS#</b> 352107	AGENCY USFS	RAWS	44:27:01	121.07.48	S12-13S-13E	S VALLEY	3240
	STATION NAME				44:27:01 43.33.40	121.07.48 120.14.55	S12-13S-13E S20-23S-21E	S VALLEY S RIDGE	3240 4560
9	STATION NAME HAYSTACK	352107	USFS	RAWS					
9 3	STATION NAME HAYSTACK BROWN'S WELL	352107 353428	USFS BLM	RAWS RAWS	43.33.40 44.21.00	120.14.55	S20-23S-21E	S RIDGE	4560
9 3 7	STATION NAME HAYSTACK BROWN'S WELL COLD SPRINGS	352107 353428 352701	USFS BLM USFS	RAWS RAWS RAWS	43.33.40 44.21.00 44.02.40	120.14.55 120.07.48	S20-23S-21E S18-14S-22E	S RIDGE S VALLEY	4560 4695
19 13 17 16	STATION NAME HAYSTACK BROWN'S WELL COLD SPRINGS SALT CREEK	352107 353428 352701 352712	USFS BLM USFS BLM	RAWS RAWS RAWS RAWS	43.33.40 44.21.00 44.02.40 44.01.48	120.14.55 120.07.48 120.39.58	S20-23S-21E S18-14S-22E S26-14S-17E	S RIDGE S VALLEY SW RIDGE	4560 4695 5670
19 13 17 16 20	STATION NAMEHAYSTACKBROWN'S WELLCOLD SPRINGSSALT CREEKBADGER CREEK	352107 353428 352701 352712 352711	USFS BLM USFS BLM USFS	RAWS RAWS RAWS RAWS RAWS	43.33.40 44.21.00 44.02.40 44.01.48 44.27.45	120.14.55 120.07.48 120.39.58 120.24.00	S20-23S-21E S18-14S-22E S26-14S-17E S02-18S-19E	S RIDGE S VALLEY SW RIDGE SE SLOPE	4560 4695 5670 5680
10 19 13 17 16 20 12	STATION NAME HAYSTACK BROWN'S WELL COLD SPRINGS SALT CREEK BADGER CREEK SLIDE MT.	352107 353428 352701 352712 352711 352207	USFS BLM USFS BLM USFS USFS	RAWS RAWS RAWS RAWS RAWS RAWS	43.33.40 44.21.00 44.02.40 44.01.48 44.27.45 44.19.23	120.14.55 120.07.48 120.39.58 120.24.00 120.17.14	S20-23S-21E S18-14S-22E S26-14S-17E S02-18S-19E S24-15S-25E	S RIDGE S VALLEY SW RIDGE SE SLOPE NE SLOPE	4560 4695 5670 5680 5700
19 13 17 16 20	STATION NAME HAYSTACK BROWN'S WELL COLD SPRINGS SALT CREEK BADGER CREEK SLIDE MT. BRIAR RABBIT BOARD HOLLOW	352107 353428 352701 352712 352711 352207 352208	USFS BLM USFS BLM USFS USFS USFS	RAWS RAWS RAWS RAWS RAWS RAWS	43.33.40 44.21.00 44.02.40 44.01.48 44.27.45 44.19.23	120.14.55 120.07.48 120.39.58 120.24.00 120.17.14 119.46.01	S20-23S-21E S18-14S-22E S26-14S-17E S02-18S-19E S24-15S-25E S30-14S-25E	S RIDGE S VALLEY SW RIDGE SE SLOPE NE SLOPE S VALLEY	4560 4695 5670 5680 5700 5900
19 13 17 16 20	STATION NAME HAYSTACK BROWN'S WELL COLD SPRINGS SALT CREEK BADGER CREEK SLIDE MT. BRIAR RABBIT BOARD HOLLOW	352107 353428 352701 352712 352711 352207 352208 352109	USFS BLM USFS BLM USFS USFS ODF	RAWS RAWS RAWS RAWS RAWS RAWS FTS	43.33.40 44.21.00 44.02.40 44.01.48 44.27.45 44.19.23 44.21.39	120.14.55 120.07.48 120.39.58 120.24.00 120.17.14 119.46.01 120.24.35	S20-23S-21E S18-14S-22E S26-14S-17E S02-18S-19E S24-15S-25E S30-14S-25E S14-14S-19E	S RIDGE S VALLEY SW RIDGE SE SLOPE NE SLOPE S VALLEY RIDGE	4560 4695 5670 5680 5700 5900 4200
19 13 17 16 20 12	STATION NAME HAYSTACK BROWN'S WELL COLD SPRINGS SALT CREEK BADGER CREEK SLIDE MT. BRIAR RABBIT BOARD HOLLOW ZONE 631 STATION NAME	352107 353428 352701 352712 352711 352207 352208 352109 NFDRS#	USFS BLM USFS BLM USFS USFS USFS ODF AGENCY	RAWS RAWS RAWS RAWS RAWS RAWS FTS	43.33.40 44.21.00 44.02.40 44.01.48 44.27.45 44.19.23 44.21.39	120.14.55 120.07.48 120.39.58 120.24.00 120.17.14 119.46.01 120.24.35	S20-23S-21E S18-14S-22E S26-14S-17E S02-18S-19E S24-15S-25E S30-14S-25E S14-14S-19E Sec-Twn-Rng	S RIDGE S VALLEY SW RIDGE SE SLOPE NE SLOPE S VALLEY RIDGE	4560 4695 5670 5680 5700 5900 4200 ELEV
19 13 17 16 20 12	STATION NAME HAYSTACK BROWN'S WELL COLD SPRINGS SALT CREEK BADGER CREEK SLIDE MT. BRIAR RABBIT BOARD HOLLOW ZONE 631 STATION NAME UMATILLA NWR	352107 353428 352701 352712 352207 352208 352109 <b>NFDRS#</b> 351316	USFS BLM USFS BLM USFS USFS USFS ODF AGENCY USFWL	RAWS RAWS RAWS RAWS RAWS RAWS FTS TYPE RAWS	43.33.40 44.21.00 44.02.40 44.01.48 44.27.45 44.19.23 44.21.39 LAT 45.55.00	120.14.55 120.07.48 120.39.58 120.24.00 120.17.14 119.46.01 120.24.35 <b>LONG</b> 119.33.57	S20-23S-21E S18-14S-22E S26-14S-17E S02-18S-19E S24-15S-25E S30-14S-25E S14-14S-19E S14-14S-19E SEc-Twn-Rng S18-05N-28E	S RIDGE S VALLEY SW RIDGE SE SLOPE S VALLEY RIDGE ASPECT FLAT	4560 4695 5670 5680 5700 5900 4200 <b>ELEV</b> 270
19 13 17 16 20 12 26 27	STATION NAME HAYSTACK BROWN'S WELL COLD SPRINGS SALT CREEK BADGER CREEK SLIDE MT. BRIAR RABBIT BOARD HOLLOW ZONE 631 STATION NAME UMATILLA NWR JUNIPER DUNES	352107 353428 352701 352712 352207 352208 352109 <b>NFDRS#</b> 351316 453201	USFS BLM USFS BLM USFS USFS USFS ODF AGENCY USFWL BLM	RAWS RAWS RAWS RAWS RAWS RAWS FTS TYPE RAWS RAWS	43.33.40 44.21.00 44.02.40 44.01.48 44.27.45 44.19.23 44.21.39 <b>LAT</b> 45.55.00 46.21.54	120.14.55 120.07.48 120.39.58 120.24.00 120.17.14 119.46.01 120.24.35 <b>LONG</b> 119.33.57 118.52.46	S20-23S-21E S18-14S-22E S26-14S-17E S02-18S-19E S24-15S-25E S30-14S-25E S14-14S-19E S14-14S-19E S18-05N-28E S18-05N-28E S14-10N-31E	S RIDGE S VALLEY SW RIDGE SE SLOPE NE SLOPE S VALLEY RIDGE FLAT VALLEY	4560 4695 5670 5680 5700 5900 4200 <b>ELEV</b> 270 950
19 13 17 16 20 12 26 27 25	STATION NAME HAYSTACK BROWN'S WELL COLD SPRINGS SALT CREEK BADGER CREEK SLIDE MT. BRIAR RABBIT BOARD HOLLOW ZONE 631 STATION NAME UMATILLA NWR JUNIPER DUNES WALLA WALLA	352107 353428 352701 352712 352207 352208 352109 <b>NFDRS#</b> 351316 453201 453302	USFS BLM USFS BLM USFS USFS USFS ODF AGENCY USFWL BLM NWS PDT	RAWS RAWS RAWS RAWS RAWS FTS TYPE RAWS RAWS RAWS MANUAL	43.33.40 44.21.00 44.02.40 44.01.48 44.27.45 44.19.23 44.21.39 <b>LAT</b> 45.55.00 46.21.54 46.06.00	120.14.55 120.07.48 120.39.58 120.24.00 120.17.14 119.46.01 120.24.35 <b>LONG</b> 119.33.57 118.52.46 118.17.00	S20-23S-21E S18-14S-22E S26-14S-17E S02-18S-19E S24-15S-25E S30-14S-25E S14-14S-19E S14-14S-19E S18-05N-28E S18-05N-28E S14-10N-31E S15-07N-36E	S RIDGE S VALLEY SW RIDGE SE SLOPE NE SLOPE S VALLEY RIDGE FLAT VALLEY SW VALLEY	4560 4695 5670 5680 5700 5900 4200 <b>ELEV</b> 270 950 1166
19 13 17 16 20 12 26 27 25 24	STATION NAME HAYSTACK BROWN'S WELL COLD SPRINGS SALT CREEK BADGER CREEK SLIDE MT. BRIAR RABBIT BOARD HOLLOW ZONE 631 STATION NAME UMATILLA NWR JUNIPER DUNES WALLA WALLA PENDLETON	352107 353428 352701 352712 352207 352208 352109 <b>NFDRS#</b> 351316 453201 453302 351307	USFS BLM USFS BLM USFS USFS ODF AGENCY USFWL BLM NWS PDT NWS PDT	RAWS RAWS RAWS RAWS RAWS RAWS FTS TYPE RAWS RAWS RAWS MANUAL MANUAL	43.33.40 44.21.00 44.02.40 44.01.48 44.27.45 44.19.23 44.21.39 <b>LAT</b> 45.55.00 46.21.54 46.06.00 45.41.00	120.14.55 120.07.48 120.39.58 120.24.00 120.17.14 119.46.01 120.24.35 <b>LONG</b> 119.33.57 118.52.46 118.17.00 118.51.00	S20-23S-21E S18-14S-22E S26-14S-17E S02-18S-19E S24-15S-25E S30-14S-25E S14-14S-19E S18-05N-28E S14-10N-31E S15-07N-36E S06-02N-32E	S RIDGE S VALLEY SW RIDGE SE SLOPE S VALLEY RIDGE FLAT VALLEY SW VALLEY S RIDGE	4560 4695 5670 5680 5700 5900 4200 <b>ELEV</b> 270 950 1166 1482
19 13 17 16 20 12 26 27 25	STATION NAME HAYSTACK BROWN'S WELL COLD SPRINGS SALT CREEK BADGER CREEK SLIDE MT. BRIAR RABBIT BOARD HOLLOW ZONE 631 STATION NAME UMATILLA NWR JUNIPER DUNES WALLA WALLA PENDLETON PATJENS	352107 353428 352701 352712 352207 352208 352109 <b>NFDRS#</b> 351316 453201 453302	USFS BLM USFS BLM USFS USFS USFS ODF AGENCY USFWL BLM NWS PDT	RAWS RAWS RAWS RAWS RAWS FTS TYPE RAWS RAWS RAWS MANUAL	43.33.40 44.21.00 44.02.40 44.01.48 44.27.45 44.19.23 44.21.39 <b>LAT</b> 45.55.00 46.21.54 46.06.00 45.41.00 45.19.20	120.14.55 120.07.48 120.39.58 120.24.00 120.17.14 119.46.01 120.24.35 <b>LONG</b> 119.33.57 118.52.46 118.17.00	S20-23S-21E S18-14S-22E S26-14S-17E S02-18S-19E S24-15S-25E S30-14S-25E S14-14S-19E S14-14S-19E S18-05N-28E S18-05N-28E S14-10N-31E S15-07N-36E	S RIDGE S VALLEY SW RIDGE SE SLOPE NE SLOPE S VALLEY RIDGE FLAT VALLEY SW VALLEY	4560 4695 5670 5680 5700 5900 4200 <b>ELEV</b> 270 950 1166

	ZONE 632								
	STATION NAME	NFDRS#	AGENCY	TYPE	LAT	LONG	Sec-Twn-Rng	ASPECT	ELEV
22							-		
33	CASE	352329	USFS	RAWS	44.58.16	118.55.47	S12-07S-31E	S SLOPE	3800
28		351202	USFS	RAWS	45.04.15	119.29.24	S04-06S-27E	S SLOPE	4000
37	BOARD CREEK	352330	BLM	RAWS	44.35.36	119.16.40	S30-11S-29E	FLAT RIDGE	5000
32	KEENEY 2	352332	USFS	RAWS	44.39.58	118.55.15	S19-10S-32E	S VALLEY	5120
36	CROW FLAT	353515	USFS	RAWS	43.50.00	118.57.00	S19-20S-32E	W VALLEY	5130
34		353501	USFS	RAWS	43.55.29	119.35.40	S15-19S-26E	S VALLEY	5320
30	CRANE PRAIRIE	352305	USFS	RAWS	44.10.00	118.28.00	S25-16S-34E	S VALLEY	5500
31 25	FALL MOUNTAIN	352327	USFS	RAWS	44.17.38	119.02.31 118.24.59	S06-15S-31E	S RIDGE	5949
35	ANTELOPE MITCHELL	353524 352209	BLM ODF	RAWS FTS	44.02.23 44.34.55	122.10.34	S04-18S-35E S26-11S-21E	SW RIDGE NW ALOPE	6460 2620
	ZONE 633 STATION NAME	NFDRS#	AGENCY	TYPE	LAT	LONG	Sec-Twn-Rng	ASPECT	ELEV
20	MEACHAM		NWS PDT				S34-01N-35E		
88 10	EDEN	351308 351518	USFS	AUTO RAWS	45.52 45.55.36	118.42 117.35.18	S34-01N-35E S30-05N-42E	E VALLEY S SLOPE	4058 4200
	ALDER RIDGE								
1	-	453803	USFS	RAWS	46.27 45.06.50	117.49	S13-09N-42E	S SLOPE	4500
89		351414	USFS	RAWS		118.24.14	S23-05S-35E	SE SLOPE	5180
4	BLACK MOUNTAIN	351317	USFS	RAWS	45.35.42		S06-01N-37E	RIDGE	5425
		351417	ODF	FTS	45.33.10	118.00.43	S24-1N-38E	RIDGE	3100
9	ELK CREEK	352126	USFS	RAWS	44.45.28	117.58.16	S19-9S-39E	SW SLOPE	6576
	ZONE 634								
	STATION NAME	NFDRS#	AGENCY	TYPE	LAT	LONG	Sec-Twn-Rng	ASPECT	ELEV
6	POINT PROM II	351419	USFS	RAWS	45.21.17	117.42.16	S21-02S-41E	W RIDGE	6607
2	MINAM	351416	USFS	RAWS	45.35	117.63	S20-04S-35E	VALLEY	4200
	ZONE 635								
	STATION NAME	NFDRS#	AGENCY	TYPE	LAT	LONG	Sec-Twn-Rng	ASPECT	ELEV
8	ROBERTS BUTTE	351520	USFS	RAWS	45.40.54	117.12.23	S20-02N-45E	SW RIDGE	4263
7	HARLE BUTTE	351502	USFS	RAWS	45.19.09	116.52.03	S07-03S-48E	W RIDGE	6071
	70NE 629								
	ZONE 638						0 <b>T</b> . T		
	STATION NAME	NFDRS#	AGENCY	TYPE	LAT	LONG	Sec-Twn-Rng	ASPECT	ELEV
64	BAKER AIRPORT	352419	NWS PDT	MANUAL	44.83	117.81	S33-08S-40S	FLAT VALLEY	3368
2	BLUE CANYON	352416	BLM	RAWS	44.40.12	117.56.01	S27-10S-39E	SW SLOPE	4200
63	SPARTA BUTTE	352418	USFS	RAWS	44.53.06	117.20.18	S31-07S-44E	S SLOPE	4278
5	FLAGSTAFF HILL	352123	BLM	RAWS	44.48.51	117.43.44	S06-09S-41E	W SLOPE	3945
7	MORGA N MTN.	352420	BLM	RAWS	44.31.00	117.17.00	S26-12S-44E	NE SLOPE	3600
88	YELLOWPINE	352124	USFS	RAWS	44.31.35	118.19.23	S17-10S-36E	NE RIDGE	4200
	ZONE 675						_		
	STATION NAME	NFDRS#	AGENCY	TYPE	LAT	LONG	Sec-Twn-Rng	ASPECT	ELEV
						440.0	S10 10N 00F		732
	HANFORD	452802	FAA	MANUAL	46.57	119.6	S10-12N-26E	FLAT	152
	HANFORD SADDLE MOUNTAIN	452802 452701	FAA USFWL	MANUAL RAWS	46.57 46.41.40	119.6 119.41.37	S10-12N-26E S21-14N-25E	FLAT	650

ZONE 681								
STATION NAME	NFDRS#	AGENCY	TYPE	LAT	LONG	Sec-Twn-Rng	ASPECT	ELEV
SIGNAL PEAK	452307	BIA	RAWS	46.13.37	121.08.15	S35-09N-12E	S RIDGE	5100
MILL CREEK	452304	BIA	RAWS	46.15.45	121.51.44	S17-09N-16E	VALLEY	2900
TEPEE CREEK	452317	BIA	RAWS	46.09.47	121.01.56	S26-08N-14E	SOUTH	2980
GREYBACK	452404	DNR	RAWS	45.59.30	121.05.00	S7-06N-10E	SW SLOPE	3766

## 2007

## **Boise Fire Weather Operating Plan**

Fire Weather Zones OR636 and OR637

## NEW FOR THE 2007 SEASON

- 1) The daily internet briefing will not be recorded on a regular basis.
- 2) Haines 6 will no longer be used as RFW Criteria in the BLM Zones.

## LOCATION

NIFC/National Weather Service Forecast Office 3833 S. Development Ave, Bldg 3807 Boise, ID 83705

## HOURS OF OPERATION

Depending on variables such as fuel parameters and customer need, seasonal fire weather hours of operation will be: 0830-1630 MDT.

4/16 through 5/11: 0830-1630 MDT, Forecast issued once a day Monday through Friday by 1530 MDT.

5/13 through 10/27: 0830-1630 MDT. Forecasts issued twice a day, 7 days a week by 0730 and 1530 MDT daily.

Staff meteorologists will be on duty and available at any time, 24 hours a day, 7 days a week.

## STAFF AND CONTACT INFORMATION

Chuck Redman Fire Weather Program Leader/ IMET Chuck.Redman@noaa.gov

Coleen Decker Assistant Fire Weather Program Leader/IMET Coleen.Decker@noaa.gov

John Jannuzzi Meteorologist-in-Charge John.Jannuzzi@noaa.gov

Fire Weather Telephone Number(208) 334-9060Fax Number(208) 334-1662Internet Access: <a href="http://www.wrh.noaa.gov/boi/fwx.php">http://www.wrh.noaa.gov/boi/fwx.php</a>

## A. Description of the entire Boise Fire Weather District:

Southeast Oregon...

- Zone 636 Portion of the Burns BLM that lies south of Highway 20.
- Zone 637 Vale BLM (including Malheur County and SE Baker County).

West Central Idaho Mountains...

- Zone 400 Northern Boise BLM
- Zone 401 West portion of the Payette NF and Southern Idaho Timber Protection Agency (SITPA)
- Zone 402 East portion of the Payette NF
- Zone 403 North portion of the Boise NF
- Zone 404 South portion of the Boise NF

Southwest Idaho...

- Zone 408 Treasure Valley
- Zone 418 Western Twin Falls district of the Shoshone BLM
- Zone 419 Owyhee Mountains

## **B. Basic Meteorological Services**

**INTERNET BRIEFING**: During fire season, a daily internet briefing will be offered each day at 0930 MDT for all agencies. During low fire activity periods or if there is not sufficient interest in a daily briefing, it will be held on Mondays and Thursdays at 0930 MDT. This briefing will include a general discussion of weather conditions and forecasts for the current day, as well a brief discussion of the extended period. Model data, satellite loops, and other items of interest will be addressed for the forecast period. During the briefing, the appropriate maps will be available via the internet and the Boise Fire Weather website. The briefing will usually be less than 15 minutes, but may be longer during active fire periods.

## <u>SPOT FORECASTS:</u> <u>http://www.wrh.noaa.gov/boi/fwx.php</u>

Please reference LAT/LON when requesting spot forecasts. Follow-up phone calls are always encouraged and feedback is extremely useful.

**PLANNING FORECASTS**: Smoke dispersal parameters in the form of mixing heights and transport winds will continue to be included in the daily fire weather planning forecasts for Idaho, but not SE Oregon. The mixing height is defined as the height above the ground (AGL) through which relatively vigorous mixing will take place due to convection. The transport wind is defined as the average wind speed and direction within the mixing layer.

## C. Schedule of Products

Product:	Issuance time: (MDT)
Morning planning forecast	0730
Internet briefing	0930
Afternoon planning forecast	1530
NFDRS point forecast -	1545
NFDRS point forecast - Burns BLM	I 1630
Fire Weather Watch / Red Flag War	rnings Event-Driven
Spot forecasts	Upon request

## D. Red Flag Events

High to extreme fire danger and dry fuels (dryness level brown as defined by the Geographic Coordination Center 7 day Fire Potential Outlook and user input) in combination with the following weather conditions:

- Abundant lightning in conjunction with sufficiently dry fuels. Aerial coverage must be at least scattered ( $\geq 25\%$ ) in nature.
- Strong winds and low humidities: See matrix below for sustained criteria. In addition to sustained strong winds from the matrix, wind gusts of at least 35 mph combined with relative humidity 10% or less is considered Red Flag Criteria. Red Flag Criteria are considered to be met if conditions are observed at any 3 RAWS stations within a combined area of Fire Weather Zone 636 and 637 for at least 3 hours (not necessarily consecutive). Alternatively, if a RFW is issued separately for Fire Weather Zones 636 and 637, it is considered to verify if conditions are met at 3 RAWS stations in Zone 636 or 2 RAWS stations in Zone 637.

### Wind vs. Relative humidity for Burns BLM (636) and Vale BLM (637)


### SUSTAINED 20 FT WIND (10-MINUTE AVERAGE in MPH)

	10 mph	15 mph	20 mph	25 mph	30 mph
25%	_	-	_	_	_
20%					W
15%				W	W
10%			W	W	W

<u>Interagency Coordination</u>: Before the issuance of a Fire Weather Watch or Red Flag Warning, there will be coordination with the affected agencies and neighboring NWS fire weather offices in order to assess fuel conditions and general fire danger.

<u>Dissemination of Fire Weather Watches and Red Flag Warnings</u>: Each issuance, update or cancellation of a Fire Weather Watch or Red Flag Warning will be relayed by telephone to the dispatch office(s) affected by the watch/warning.

# **BOI FORECAST AREA NFDRS STATION LIST - OREGON**



636	BURNS BLM									
	STN #	NAME	COUNTY	LAT	LON	ELEV	ASPECT	Т	R	S
	353522	Bald Mtn	Harney	43.33	-118.24	5480	S-Mtn Top	23S	35E	22
	353520	Basque Hills	Harney	42.15	-118.59	5080	SW- Ridgeline	38S	32E	21
	353527	Little McCoy Creek	Harney	42.75	-118.56	5080	S- Midslope	33S	34E	4
	353526	Moon Hill	Harney	42.51	-118.40	6100	SW- Midslope	31S	32E	26
	353521	P Hill	Harney	42.82	-118.93	4860	S-Flat Hilltop	32S	32E	3
	353511	Riddle Mtn	Harney	43.10	-118.50	6352	S-Mtn Top	28S	34E	35
	353512	Wagontire	Harney	43.34	-119.88	6420	SW- Midslope	26S	24E	6
	353525	Foster Flat	Harney	42.97	-119.25	5000	Flat Lake Bed	30S	29E	14
	353517	Sage Hen	Harney	43.52	-119.29	4400	Flat Basin	24S	29E	6
637	VALE B	LM								
	353612	Grassy Mtn	Malheur	42.63	-117.42	4000	NW- Midslope	34S	43E	12
	353613	Kelsay Butte	Malheur	43.90	-117.99	5187	SE- Saddle	19S	39E	19
	353614	Owyhee Ridge	Malheur	43.58	-117.23	4400	E- Knoll	23S	45E	9
	353616	Red Butte	Malheur	43.54	-117.84	4460	SE- Knoll	23S	40E	27

# 2007

# Oregon Department of Forestry

# **Salem Weather Center**

# Fire and Smoke Management Operating Plan

# OREGON DEPARTMENT OF FORESTRY'S SALEM WEATHER CENTER FIRE AND SMOKE MANAGEMENT SERVICES

## LOCATION

Oregon Department of Forestry 2600 State Street Salem, OR 97310

# HOURS

The Oregon Department of Forestry's Salem Weather Center office hours vary depending upon fire and prescribed fire activity. The office is open from 0630 - 1700, five days a week between about November 15-March 15 and July 1-September 30. During the spring and fall burning periods, the office is staffed from 0630 - 1700, seven days a week. Exact dates of five and seven day a week service vary and are responsive to user needs for smoke management and other fire danger rating services.

# STAFF

Jim Trost	Meteorology Manager
Jim Little	Meteorologist
Nick Yonker	Meteorologist
Teresa Vonn	Fire Analyst

# CONTACT

Telephone:

Jim Trost	503-945-7448
Jim Little	503-945-7452
Nick Yonker	503-945-7451
Fire Analyst	541-664-3328
Forecast Desk	503-945-7401
FAX	503-945-7454

## Internet:

http://egov.oregon.gov/ODF/FIRE/fire.shtml

### Email:

jtrost@odf.state.or.us jlittle@odf.state.or.us nyonker@odf.state.or.us

# FORECAST AREA

The ODF Salem Weather Center provides services statewide, supporting prescribed burning/smoke management activities on nearly all private, state, county and federal forestland in Oregon. The fire weather zones that are serviced are described below in this operating plan. The Center also provides fire danger, fire severity and specialized weather (e.g. heavy rain or snow, debris flow) support to all ODF districts.

#### Note that prescribed burning on all forestland in Oregon comes under the

jurisdiction of ODF Smoke Management Plan. Prescribed burning must follow the requirements of the Smoke Management Plan, regardless of the party or agency that is responsible for the ownership or management of the land. Forecasts and service provided by the National Weather Service should only be used for fire management purposes and not for smoke management approval.

## AGENCIES SERVED

Oregon Department of Forestry (ODF) Private forest land owners U.S. Bureau of Land Management (BLM) U.S. Forest Service (USFS) U.S. National Park Service (NPS) U.S. Fish and Wildlife Service (USFWS) Bureau of Indian Affairs (BIA)

## FORECAST SERVICES

## **GENERAL FORECASTS:**

*Fire Season*: ODF meteorologists provide smoke forecasts during major wildfire events statewide on a case-by-case basis. Forecasts are issued at 1430 or as needed. Special fire severity statements are issued on an as needed basis.

*Prescribed Burning Season (which may overlap fire season)*: Smoke management forecasts and prescribed burning instructions and advisories are issued daily by 1500. Updated forecasts are scheduled for release by 0800 on an as needed basis. Forecasts, burning instructions and advisories provide detailed information on a zone by zone basis. Forecasts describe the expected weather in detail for the next day and provide three to five day outlooks in more general terms. Three separate forecasts are issued daily for different areas of the state:

- 1. Western Oregon and the Deschutes National Forest (Zones 601-623)
- 2. Northeast Oregon (Zones 630-635, the Malheur NF portion of 636, and 638)
- 3. South-Central Oregon (Zones 624,625, 636 and 637)

*Open Burning Season:* Open burning forecasts in support of the Oregon Department of Environmental Quality's open burning program for the Willamette Valley are issued at 1600 between October 1 and June 15.

*Off-season*: Forecasters issue forecasts or special weather statements as needed in support of special prescribed burning requests and in support of the State of Oregon's Debris Flow Warning System during heavy rainfall events that may trigger debris flows.

## SMOKE MANAGEMENT SPOT FORECASTS:

Detailed weather information beyond what is presented in the general smoke management forecast may be obtained with a spot forecast request. Spot forecasts are handled through oral briefings by contacting the duty forecaster at the forecast desk phone number shown above.

## TELEPHONE BRIEFINGS

Telephone briefings may be provided by the ODF duty forecaster. These verbal weather briefings may be obtained at any time by calling the forecaster desk phone number shown above.

# OTHER SERVICES

## SMOKE MANAGEMENT TRAINING AND LECTURES

ODF forecasters are available to provide weather and smoke management training and program information at field locations. These sessions would generally have to occur during the seasons when prescribed burning is not occurring.

## ANNUAL SUMMARY AND ANNUAL OPERATING PLAN

The Smoke Management Annual Report is published by the staff of the Center. It provides a summary of prescribed burning activities for all landowners/land managers throughout the state.

An annual operating plan (this document) describing Salem Weather Center services, responsibilities, and procedures will be published each year. The operating plan is available on the ODF internet page shown in the "Contact" section of this plan.

# **GEOGRAPHIC ZONES**

Forecast zones may be found at the following web site: <u>http://egov.oregon.gov/ODF/FIRE/images/FWZ.pdf</u>

# 2007

# **NWCC Predictive Services**

# **Operating Plan**



# **NWCC Predictive Services**

**Coordination Center** 

# **Predictive Services Mission**

The Predictive Services Program supports the wildland fire community with information and decision support products.

# Predictive Services Goals and Responsibilities

The role of the Predictive Services Program is to provide a focal point for gathering, analyzing, producing and disseminating situation, meteorological, fuels, fire danger, fire potential, and resource status products. Predictive Service is a decision support organization, providing products and services to wildland fire decision makers in order for those decision makers to place resources where they are most needed.

The timeliness and effectiveness of fire management decisions are increased through the use of Predictive Services products. Predictive Services actively partners with cooperating agencies, internal programs, academia, research and the private sector. Organizational structure, staffing, technology, and resources are in place to ensure the success of the Predictive Services program.

# LOCATION

Northwest Interagency Coordination Center 5420 NE Marine Drive Portland, OR 97218

# **OPERATING HOURS**

FIRE SEASON 0700-1700 PDT 7 days a week

NON FIRE SEASON 5 days a week 0700-1500 PDT

# **STAFF**

## METEOROLOGY

John Saltenberger	Fire Weather Program Manager	(503) 808-2737
Terry Marsha	Fire Weather Meteorologist	(503) 808-2756
Julia Ruthford	NWS Fire Weather Meteorologist	(503) 808-2760
INTELLIGENCE		
Dan O'Brien	Fire Management Analyst	(503) 808-2730
Detailer	Intelligence Detailer	(503) 808-2730
Detailer	Intelligence Detailer	(503) 808-2730
GIS		

Kim Kelly

GIS specialist

(503) 808-2741

## WORLD WIDE WEB

http://www.nwccweb.us/


## EMAIL

John Saltenberger@blm.gov Terry\_Marsha@blm.gov Julia.Ruthford@noaa.gov

d1obrien@blm.gov

Kim\_Kelly@blm.gov

# PREDICTIVE SERVICE RATING AREAS



# PRODUCTS and SERVICES

Predictive Services provides national and geographic area specific products designed to meet local, regional and national interagency needs such as GACC coordinators, Multi-Agency Coordination Groups, and local users.

## A. 7-Day Significant Fire Potential

The 7-Day Significant Fire Potential product combines projected fire weather, fire danger, fire potential and resource status information . High risk days are highlighted in red due to the combination of fuels and trigger events.

http://www.nwccweb.us/content/products/fwx/guidance/dl.pdf

http://199.141.1.21/predictive/index.html

## **B. Monthly Wildland Fire Outlook**

The Monthly significant Fire Potential outlook anticipates general geographic regions likely to expect above average, average, or below average significant fire load.

http://www.nwccweb.us/content/products/intelligence/potentialassessment.pdf

http://www.nifc.gov/nicc/predictive/outlooks/Outlooknarrative.pdf

## c. Seasonal Wildland Fire Outlook

Geographic Area Seasonal Outlooks will be issued according to Chapter 20 of the National Interagency Mobilization Guide, with the first report issued prior to the onset of their fire season in April. The NICC Predictive Services staff assists individual GACC's with seasonal assessments, as needed. Seasonal Outlooks will be posted to GACC website as soon as they are completed.

http://www.nwccweb.us/content/products/intelligence/executive\_summary.pdf

http://www.nifc.gov/nicc/predictive/outlooks/season\_outlook.pdf

## D. Regional Fire Behavior Advisories

Predictive Services and Coordination staff are involved with the issuance of any fuels/fire behavior advisories covering a large percentage of their Geographic Area(s) so they can carefully consider both the content and intended audience of the messages.

## E. Fuels and Fire Danger Information

Links to fuels and fire danger related information used to evaluate fire potential are located here.

http://www.nwccweb.us/predict/fire\_fuel.asp

## F. Intelligence

Links to resource reports and summaries generated at NWCC as well as at NICC are located here:

http://www.nwccweb.us/predict/intelligence.asp

## G. Fire Danger Rating Operating Plan

A detailed explanation of NWCC Predictive Services' fire potential rating system is located here:

http://www.nwccweb.us/content/products/fwx/fdrop/fdrop.pdf

## H. Weather

Links to related fire weather information are located here:

http://www.nwccweb.us/predict/weather.asp

## AGENCY SIGNATURES / EFFECTIVE DATES OF THE AOP

This AOP shall be effective on the date the last signature is placed on this page and will remain in effect until the date the last signature is placed on this page the following year. Updates or amendments may be added in the interim upon agreement of all signatories. Usually the effective dates are May 1 through May 1 the following year.

Submitted by:

<u>/s/</u>	Date:	
Julia Ruthford NWS/NWCC Fire Weather Meteorologist		
Approved by:		
_/s/	Date:	
Sue Husari Chair, Pacific Northwest Wildfire Coordination	ng Group	
_/s/	Date:	
Roger Lamoni Fire Weather Program Manager National Weather Service, Western Region Meteorological Services Division		

87

## **APPENDIX** A

### Links to Agreements and Fire Weather Directives

**\*** Link to Interagency Agreement for Meteorological Services.

http://www.weather.gov/directives/sym/pd01004006curr.pdf

☆ Link to National Fire Weather Services Product Specifications (NWS Instruction 10-401).

http://www.weather.gov/directives/sym/pd01004001curr.pdf

✤ Link to Western Region Forecast Office Fire Weather Services (Western Region Supplement to 10-401)

http://www.weather.gov/directives/sym/pd01004001w042005curr.pdf

\* Link to information regarding on-site meteorological support (NWS Instruction 10-402).

http://www.weather.gov/directives/sym/pd01004002curr.pdf

\* Link to information regarding NWS forecaster training and development standards (NWS Instruction 10-405).

http://www.weather.gov/directives/sym/pd01004005curr.pdf

✤ An electronic copy of the NWS D-1 spot forecast request form can be found at:

http://www.wrh.noaa.gov/pdt/forecast/fireWeatherReports/spotRequestForm.pdf

## **APPENDIX B**

#### **Forecast and Service Performance Measures**

#### A. NFDRS Forecast Accuracy Performance Measures

The following performance measures are suggested as baseline standards for improvement over persistence forecasts on an annual basis for zone averages or key stations within a fire weather zone.

The verification methodology will be consistent between all NWS offices (e.g. MAE, bias scores).

	Suggested Annual Baseline Goals
Parameter <b>Parameter</b>	Improvement over persistence forecast
Temperature:	35%
Relative Humic	lity: 25%
Wind speed:	10%

Wetting Rain: A "yes" or "no" field, correct 80% of the time as verified by the PD1 and PD2 forecast forecasts in NFDRS.

Lightning: A "yes" or "no" field, correct 70% of the time as verified by the LAL forecast. For verification purposes, an LAL forecast of 2 or more will be considered a "yes." This verification effort will be a collaborative effort between NWCC and NWS.

#### B. Spot Forecasts for Wildfires, Prescribed Fires and other activities

Forecasters will make an effort to ensure that potentially critical weather elements such as the time of inversion breakup, strong winds or other site specific phenomena are described in the forecasts.

Spot forecasts for wildfires will be issued as soon as possible, but at least within forty-five (45) minutes of request time. Wildfire verification will be based on <u>relevant</u> agency provided observations at the fire site (e.g. a forecast for a 7 p.m. temperature must be validated by a 7p.m. observation.) Suggested verification criteria are as follows:

Temperature:	MAE <=5 degrees Fahrenheit			
Relative Humidity:	MAE of following values:	RH	30%:	<= 4%
		RH 30	0-50%:	<= 7%
		RH 🗆	> 50%:	<= 10%
Wind Speed:	MAE <= 3mph for user defined	l measu	rement h	eight

Spot forecasts for prescribed fires and forecasts for other projects will be issued within sixty (60) minutes of the time of request unless the requesting individual agrees to the issuance of the forecast at a later time. Verification criteria are the same as those for wildfire spot forecasts.

#### C. Red Flag Warning and Fire Weather Watch

• Forecasters will be familiar with red flag criteria for their forecast area.

- The average lead-time on red flag warnings will be at least those contained in the Western Region supplement 4-2005 filed with NWS directive 10-401. Lead-time requirements may change as a result of agreements reached at the February and November semi-annual meetings.
- Fire weather watches will be issued 12 to 72 hours in advance of an expected event. Fire weather watches may be issued in the 0-12 hour time frame for critical lightning events.
- At least 60% of all red flag warnings should be preceded by a fire weather watch.
- Verification standards will be based on Probability of Detection (POD), False Alarm Ratio (FAR) and Critical Success Index (CSI) values. POD, FAR and CSI for red flag warnings and fire weather watches will be determined with the statistical significance of the numbers being considered. Specific verification criteria will continue to be jointly developed as needed and agreed upon by the NWS and PNWCG. Different criteria may exist for each WFO forecast area as agreed upon with PNWCG and local areas.

#### **D.** Briefings and Consultation

Briefings and consultation shall be short, concise presentations that highlight the fire weather problems of the day and the extended period.

#### F. IMET Dispatches and All Hazards Meteorological Response System (AMRS) support

All IMET and AMRS dispatch requests are met. The IMET should be en route within twelve (12) hours of request time. If IMET travel arrangements have not been finalized within 12 hours by the requesting agency, the IMET should be enroute as soon as travel arrangements have been finalized. Safety requirements will be considered in meeting these deadlines.

## **APPENDIX C**

#### **Fire Weather Forecaster Proficiency and Currency**

#### A. Proficiency

1. Completion of fire weather forecaster training requirements NWS directive 10-405.

2. Work no less than five (5) shifts with a qualified fire weather forecaster, handling all duties of that shift including (but not limited to) the preparation and issuance of:

-routine fire weather forecasts (pre-suppression).
-spot forecasts
-briefings
-non-routine forecasts

As many training shifts as possible should be worked during the critical fire weather season

3. WFO Fire Weather Program Leader and appropriate WFO Meteorologist-in-Charge concur and sign off on proficiency.

#### B. Currency

Annual refresher training will be conducted by the Science and Operations Officer and/or Fire Weather Program Manager at each WFO as required by Western Region supplement 4-2005 filed with NWS directive 10-401.