

**NATIONAL WEATHER SERVICE INSTRUCTION 10-1703**  
**AUGUST 18, 2005**

**Operations and Services**  
**Dissemination Services NWSPD 10-17**  
**VALID TIME EVENT CODE (VTEC)**

---

**NOTICE:** This publication is available at: <http://www.nws.noaa.gov/directives/>.

---

**OPR:** OS51 (H. White)

**Certified by:** OS51 (R. McLeod)

**Type of Issuance:** Routine.

---

**SUMMARY OF REVISIONS:** This directive supercedes NWSI 10-1703, “Valid Time Event Code,” effective June 11, 2004. Major changes include:

- 1) The VTEC Implementation language has been updated (see Section 1.3).
- 2) Language has been added to clarify the definition of Event Beginning Time (see Section 1.4).
- 3) “Orphaned” VTEC events are discussed (see Section 1.7).
- 4) The Sections defining the Generic Structure of P-VTEC Elements and H-VTEC Elements (2.1 and 4.1, respectively) have been moved into Tables (1 and 4, respectively). This resulted in renumbering of other portions of Sections 2 and 4.
- 5) Events defined for specific elevation ranges within an area (e.g., zone or county) are discussed (see Section 2.1.2).
- 6) Upgrade, downgrade, and replacement actions may now be performed to already existing events (by use of the EXA, EXB, or EXT action code), rather than just to NEW events (see Sections 2.1.2 and 3.1 and the new Table 3 in Section 3.1).
- 7) The Extension in Time (EXT) action code definition has been updated. It is now allowed for just a portion of the area of an ongoing VTEC event, and will be allowed for Flash Flood Warnings. (see Section 2.1.2).
- 8) The Cancelled (CAN) action code definition no longer allows it to be used after an event has been cancelled for a final follow-up or terminating statement (see Section 2.1.2).
- 9) The Expired (EXP) action code definition now specifies the time period that it may be used both before and after an event ends (see Section 2.1.2).
- 10) The Routine (ROU) action code definition has been updated (see Section 2.1.2). ROU usage has changed in Routine Marine products (see Section 3.5.1). ROU is now used in Flood Warnings for Forecast Points for non-flood segments (see Section 5.3).
- 11) The procedure for correcting an upgrade, downgrade, or replacement action has been specified (see Sections 2.1.2 and 3.1).
- 12) A table has been added listing the allowed P-VTEC action codes with different product classes (see Table 2 in Section 2.1.2).
- 13) Multiple segments of the same VTEC event in a single product will now generally share the same ETN (see Section 2.1.6).
- 14) The special ETN rules for Nationally-originated events are specified (see the new Section 2.1.6.1).

- 15) The examples showing coding of the date/time groups using the various VTEC action codes have been redone (see Section 2.1.7).
- 16) The order of multiple P-VTEC strings in a single product segment has been specified (see the new Section 3.3).
- 17) The special P-VTEC rules for Severe Thunderstorm and Tornado products has been consolidated (now in Section 3.4).
- 18) ETNs used in OCONUS WCNs are discussed (see Sections 3.4 and 3.4.1).
- 19) The implementation schedule for VTEC in Routine Marine products has been updated (see Section 3.5.1).
- 20) VTEC coding in Routine Marine products is no longer required for (or limited to) the first three forecast periods (see Section 3.5.1).
- 21) The sections discussing VTEC coding for Tropical Watches and Warnings (and the TCW product) have been updated (see Sections 3.5.1.c and 3.6).
- 22) A new five-character NWS Location Identifier field has been added to the H-VTEC string (see Sections 4.1 and 4.1.1, and Appendix B).
- 23) Two Special H-VTEC rules have been added; for non-flood segments included in Flood Warnings for Forecast Points, and for Multiple Hydrologic P-VTEC strings in a single product segment (see the new Sections 5.3 and 5.5, respectively).
- 24) A Table of Contents has been added and the Phenomenon Table reorganized in Appendix A.
- 25) Several New P-VTEC Phenomenon codes have been added, primarily for Routine Marine events (see Appendix A).
- 26) The Phenomenon codes for Avalanche (AV), Heavy Sleet (HP), Radiological Hazard (RH), and Volcano (VO) have been removed (see Appendix A).
- 27) The Phenomenon code AF has been changed from “Volcanic Ashfall” to “Ashfall”, and the code BS has been changed from “Blowing/Drifting Snow” to “Blowing Snow”.
- 28) Seven new H-VTEC Immediate Cause codes have been added, primarily for dealing with tidal and storm surge effects (see Appendix B).
- 29) Listings of Valid VTEC events and Upgrades/Downgrades/Replacements have been added (see the new Appendix C).
- 30) The VTEC Examples and Interpretations are now in Appendix D.
- 31) A new “Key to VTEC Examples” has been added to Appendix D.
- 32) Many examples have been revised and some added because of the above changes.

<u>signed</u>	<u>8/04/05</u>
Dennis H. McCarthy	Date
Director, Office of Climate, Water, and Weather Services	

**Valid Time Event Code (VTEC)**

<u>Table of Contents:</u>	<u>Page</u>
1. Introduction .....	4
1.1 References .....	5
1.2 Mission Connection .....	5
1.3 Implementation .....	5
1.4 Definitions .....	6
1.5 Event versus Segment versus Product .....	7
1.6 Product Issuance Time versus Event Beginning Time .....	8
1.7 Product Expiration Time versus Event Ending Time .....	8
2. Primary P-VTEC Format .....	8
2.1 P-VTEC Element Definitions/Explanations .....	10
2.1.1 k (Fixed Identifier) .....	10
2.1.2 aaa (Action) .....	10
2.1.3 cccc (Office ID) .....	17
2.1.4 pp (Phenomena) .....	17
2.1.5 s (Significance) .....	17
2.1.6 ##### (Event Tracking Number - ETN) .....	17
2.1.6.1 ETNs in Nationally-originated Events .....	19
2.1.7 yymmddThhnnZ <sub>B</sub> and yymmddThhnnZ <sub>E</sub> (Event Beginning and Ending Date/Time Groups) .....	20
2.2 Example of a Full P-VTEC string .....	22
3. Special P-VTEC Rules, Applications and Interpretations .....	23
3.1 Event Significance Level Change or Replacement in Products .....	23
3.2 Extend Event in Area, Time, or Both (EXA, EXT, EXB) .....	26
3.3 Multiple P-VTEC Events Contained in a Single Product or Product Segment .....	29
3.4 Severe Thunderstorm and Tornado Products .....	30
3.4.1 Watch Outline Update (WOU) Product .....	31
3.4.2 Watch County Notification (WCN) Product .....	31
3.4.3 Severe Weather Statement (SVS) Product .....	32
3.4.4 Combined Severe Thunderstorm and Flash Flood Warning (FFW) Product ..	33
3.5 Marine and Coastal Weather Products .....	34
3.5.1 Routine Marine Forecast Products .....	34
3.5.2 Event-Driven Marine and Coastal Products .....	37
3.6 Tropical Cyclone Product for VTEC (TCV) .....	37
4. Hydrologic H-VTEC Format .....	37
4.1 H-VTEC Element Definitions/Explanations .....	38
4.1.1 nwsli (Site Identifier) .....	38
4.1.2 s (Flood Severity) .....	38
4.1.3 ic (Immediate Cause) .....	38

4.1.4 yymmddThhmmZ<sub>B</sub>.yymmddThhmmZ<sub>C</sub>.yymmddThhmmZ<sub>E</sub> (Flood Timing) .. 38

4.1.5 fr (Flood Record Status) ..... 39

4.1.6 H-VTEC Flood Beginning Time versus P-VTEC Event Beginning Time .... 39

4.1.7 H-VTEC Flood Ending Time versus P-VTEC Flood Ending Time ..... 39

4.2 Example of a Full H-VTEC string (with associated UGC and P-VTEC strings) ..... 39

5. Special H-VTEC Rules, Applications and Interpretations ..... 40

5.1 Flood Statement (FLS) and Flash Flood Statement (FFS) Products issued as Follow-ups to Warnings ..... 40

5.2 Flood Statement (FLS) Product issued as a Flood Advisory ..... 41

5.3 Non-Flood Segments Included in Flood Warning for Forecast Points Product ..... 41

5.4 Combined Severe Thunderstorm and Flash Flood Warning (FFW) Product ..... 43

5.5 Multiple Hydrologic P-VTEC Strings in a Single Product Segment ..... 43

Appendices

A. Listing of P-VTEC Elements ..... A-1

B. Listing of H-VTEC Elements ..... B-1

C. VTEC Products and Events Listings ..... C-1

D. Examples and Interpretations ..... D-1

1. Introduction. The Valid Time Event Code (VTEC) is always used in conjunction with, and provides supplementary information to, the Universal Geographic Code (UGC), to further aid in the automated delivery of the National Oceanic and Atmospheric Administration’s National Weather Service (NWS) text products to users. The VTEC is included in many event-driven or non-routine products and in some routine Marine forecasts (see Section 3.5.1). The VTEC provides information on the event, while the UGC (see Section 1.1) describes the affected geographic area. See important definitions in Sections 1.4, 1.5, 1.6 and 1.7.

There are two forms of VTEC: (1) the “primary” or **P**-VTEC, and (2) in certain hydrologic products, a supplementary hydrologic or **H**-VTEC that is always used in conjunction with, and occurs on the line immediately after, the P-VTEC string(s). The P-VTEC rules and format are described in Sections 1, 2, and 3; the H-VTEC rules and format, providing flood information for certain products, are described in Sections 4 and 5.

NWS text product generation software applications automatically include the P-VTEC and H-VTEC string(s) in the appropriate products.

Appendices A and B provide the listing of P-VTEC elements and H-VTEC elements, respectively. Appendix C provides a link to a website listing valid VTEC events (see Section 1.4 below for the definition of a VTEC event).

Examples of the VTEC with detailed interpretation are found throughout this document. More comprehensive examples illustrating how VTEC is utilized in products are found in Appendix D.

1.1 References. Following are the NWS Instructions (NWSI) that are referenced in this document. They are on the Internet at <http://www.nws.noaa.gov/directives>.

NWSI 10-1701, Text Products Formats and Codes. This instruction provides the overall formatting structure for all text products.

NWSI 10-1702, Universal Geographic Code (UGC). This instruction provides the rules and formatting for the UGC.

Following are the NWSI series that describes rules and formats for most NWS products in individual Products Specifications and Regional Supplements to those NWSIs. References to the relevant Products Specifications are found throughout this document.

NWSI 10-3 series. Marine and Coastal Weather Services

NWSI 10-4 series. Fire Weather Services

NWSI 10-5 series. Public Weather Services

NWSI 10-6 series. Tropical Cyclone Weather Services

NWSI 10-9 series. Hydrologic Services

1.2 Mission Connection. The NWS mission to protect life and property and enhance the national economy is carried out by timely delivery of warnings, watches, forecasts, and other relevant weather, flood, climate, and critical non-weather-related information through a variety of dissemination systems under the “all hazards” concept (see definition in NWS Policy Directive 10-17, Dissemination, which provides the overall dissemination policy). Correct use of product formats and codes is essential to ensure this delivery and allow users to select, process, and redistribute the information regardless of the dissemination method of receipt.

1.3 Implementation. On February 8, 2005, the NWS operationally implemented the P-VTEC in five short-duration warning products produced at Weather Forecast Offices (WFOs) and in some national Convective Watch products produced by the Storm Prediction Center. The implementation of VTEC in other products will depend in part on the availability of NWS text product generation software applications and will be announced in a Service Change Notice at least 120 days in advance of the implementation date(s). Before any new operational implementations of VTEC in NWS products, VTEC tests will be announced and conducted. During any testing, select WFOs will issue products with an experimental or test VTEC string. The current VTEC-enabled NWS product suite, along with other information regarding implementation of VTEC, is available on the Internet at <http://www.nws.noaa.gov/os/vtec/>.

Most event-driven products that include the UGC will include the P-VTEC and, in some hydrologic products, also the H-VTEC. Additional codes will be added, as needed, to the VTEC element tables in Appendices A and B, and events added to the list in Appendix C, to meet future requirements.

1.4 Definitions.

- a. The **P-VTEC** identifies characteristics of the event(s), including (1) its status, type, and tracking number; and (2) the event(s) beginning and ending times.
- b. The **H-VTEC** string is “triggered by” and is always present when the Phenomena Code in the P-VTEC is FL for Flood, FA for Areal Flood, FF for Flash Flood, or HY for Hydrologic. The H-VTEC provides a summary of the flood event including the immediate cause; and when defined, the NWS location identifier, flood severity, timing of flood beginning, crest, and end; and whether the flood will be at or near a record. The H-VTEC string occurs on a line immediately after the associated triggering P-VTEC string(s).
- c. **Event:** A specific combination of phenomenon (e.g., type of weather, flood) and level of significance (e.g., Watch, Warning, Advisory - W/W/A). See Appendix A for the lists of valid phenomena and significance level codes, and Appendix C for the list of valid events. Common examples of events include Tornado Warning, Winter Storm Watch, Wind Advisory, Flood Warning, and Special Marine Warning.
- d. **Event Beginning Time:** This is the first time group of the P-VTEC string. An event typically begins in a particular area either when issuance criteria are forecast to be initially met or exceeded, or when public safety, transportation and/or commerce are adversely affected as a direct result of the expected or occurring hydrometeorological conditions. Specific implementations of the Event Beginning Time in NWS products may be found in the relevant Product Specifications documents. This time also may be found in plain language in the narrative part of the product. For any actions taken after the event has begun in a particular area, the P-VTEC Event Beginning Time will be encoded as zeros.
- e. **Flood Beginning Time:** This is the first time group of the H-VTEC string and is the time when the forecast point is expected to (or actually did) exceed flood stage. This time also may be found in plain language in the narrative part of the product. For certain hydrologic events (see Section 4.1.4), the H-VTEC Flood Beginning Time will be encoded as zeros.
- f. **Flood Crest Time:** This is the second time group of the H-VTEC string and is the time when the forecast point is expected to (or actually did) reach its flood crest. This time also may be found in plain language in the narrative part of the product. For certain hydrologic events (see Section 4.1.4), the H-VTEC Flood Crest Time will be encoded as zeros.
- g. **Event Ending Time:** This is the last time group of the P-VTEC string (second of the two) and is the time when the event is no longer valid for a given area (i.e., when the W/W/A conditions are no longer expected to occur). Additionally, the

event ending time is normally found in plain language in the narrative part of the product/segment and in the product/segment headline. For events valid “Until Further Notice”, either where the ending time cannot yet be specified (as with very long duration flooding) or is defined as open-ended (as with tropical cyclones), the P-VTEC Event Ending Time will be encoded as zeros.

- h. **Flood Ending Time:** This is the last time group of the H-VTEC string (third of the three) and is the time when the forecast point is expected to (or actually did) fall below flood stage. This time also may be found in plain language in the narrative part of the product. For certain hydrologic events, including those valid “Until Further Notice,” the H-VTEC Flood Ending Time will be encoded as zeros.
- i. **Segment:** Each segment (of a segmented product) consists of routine or event-driven weather, hydrologic, marine, or other information that uniquely applies to a geographic area (as encoded in the UGC string[s]).\* The area includes one or more counties or NWS land or marine zones. The segment format includes the UGC grouping; the VTEC; and as may be appropriate, any UGC-associated plain language geographic names, and a repeat of the Date/Time line (see NWSI 10-1701 and respective product specifications documents for complete format rules).
 

\* Exception: Certain hydrologic products that cover large areas or have multiple forecast points within the same county or zone may have segments describing differing events for the same geographic area. See NWSI 10-922, Weather Forecast Office Hydrologic Products Specification for more information.
- j. **Product:** The entire segmented or non-segmented message issued to the public under a single Mass News Disseminator (MND) header (see NWSI 10-1701, Section 1.1) that may include information on one or more events.
- k. **Product Issuance Time:** The time when a message is entered into the Advanced Weather Interactive Processing System (AWIPS) for dissemination outside the issuing office (i.e., when the message is “sent”). It is found in the abbreviated World Meteorological Organization (WMO) header and included in the MND.
- l. **Product Expiration Time:** Found at the end of the last UGC group for an event, it is the time the product or product segment should no longer be used. In long-duration W/W/A products, when the event(s) is ongoing, the product expiration time is the time by which users can expect to receive an updated product.

1.5 Event versus Segment versus Product. To use the P-VTEC and H-VTEC properly, it is important to understand the distinction between an “event,” a “segment”, and a “product” (as defined in Section 1.4).

The product for a short-duration event (typically non-segmented) has the same title as the name of the event itself, e.g., Tornado Warning. Many long-duration W/W/A products, however,

include several different events (not necessarily all contained within any one product issuance) and therefore have a different title than the event names.

For example: If “heat” is the phenomena and “advisory” is the significance level, then a “Heat Advisory” is the event and the public receives the information in a Non-Precipitation Weather (NPW) product.

Another example: Winter Weather Warning, Watch and Advisory (WSW) products can include a variety of events, such as a Heavy Snow Warning, a Freezing Rain Advisory, and a Winter Storm Watch, all in a single product issuance. If each event were for a different geographic area, then the WSW product would be issued in multiple segments, each describing a specific event for a specific area.

There may, however, be multiple segments within a single product which cover the same event, each for a different area. The reason for the multiple segments might be different timing or accumulations in the different areas. The multiple segments may all share the same Event Tracking Number (see Section 2.1.6).

1.6 Product Issuance Time versus Event Beginning Time. While the Event Beginning Time may be the same as or later than the Product Issuance Time, it should never be earlier. A special rule governs the coding of the Event Beginning Time after an event has begun. See Section 2.1.7 for more details.

1.7 Product Expiration Time versus Event Ending Time. For many short-duration events (e.g., Severe Thunderstorm Warning), the Product Expiration Time in the UGC string will be the same as the Event Ending Time in the P-VTEC string. For most longer duration events (i.e., those which last more than 12 hours), the Product Expiration Time will normally be earlier than the Event Ending Time. In some very long-duration events (e.g., a Winter Storm Watch expected to start 36 hours in the future), the product may expire before the Event Beginning Time. The only time a Product Expiration Time will be later than the Event Ending Time is for final or follow-up products issued after an event has expired or been cancelled.

One of the primary purposes of VTEC is to provide NWS partners and other users with a means to track W/W/A events from their initial issuance to their final cancellation or expiration. NWS forecasters will ensure that follow-up products for ongoing (primarily longer duration) events are issued before the current product expires (i.e., before the UGC product expiration time is reached). This will prevent VTEC events from becoming “orphaned”, where a VTEC event is still valid but the associated product has expired without being updated. In the unlikely event that this happens, forecasters will issue the appropriate follow-up product as soon as possible.

2. Primary P-VTEC Format. The P-VTEC string(s) (and any H-VTEC string[s] - see Section 4) occurs immediately after the UGC string(s) and, depending on whether the product is segmented or not, will occur in different places in the product.



In segmented products, the UGC and any VTEC strings occur at the beginning of each segment, immediately followed by any UGC-associated plain language listing of zones or counties affected (or other words identifying the affected area). All segments of a product occur after the MND.

In non-segmented products, the UGC and VTEC strings (but without any plain language geographic listing) occur immediately after the NWS Communications Identifier and before the MND.

See Table 1 for the generic structure of the P-VTEC elements. The “aaa.cccc.pp.s#####” group depicts the characteristics of the event, and the “yymmddThhnnZ<sub>B</sub>-yymmddThhnnZ<sub>E</sub>” group depicts the event beginning and ending date/time in Universal Coordinated Time (UTC).

Table 1. <u>Generic Structure of P-VTEC Elements</u> . Refer to the section number ( <i>in parenthesis</i> ) for more information on each element or group.	
<b>/k.aaa.cccc.pp.s#####.yymmddThhnnZ<sub>B</sub>-yymmddThhnnZ<sub>E</sub>/</b>	
<b><u>Product/VTEC String Type Identifier</u></b>	
<b>k -</b> Fixed identifier of product/VTEC string type (O, T, E, or X) (2.1.1)	
<b><u>Event Group</u></b>	<b><u>Date/Time Groups</u></b> (2.1.7)
<b>aaa -</b> Action (2.1.2)	<b>yy -</b> Year
<b>cccc -</b> Office ID (2.1.3)	<b>mm -</b> Month
<b>pp -</b> Phenomena (2.1.4)	<b>dd -</b> Date
<b>s -</b> Significance (2.1.5)	<b>T -</b> Fixed Time Indicator
<b>##### -</b> Event Tracking Number (2.1.6)	<b>hh -</b> Hour in UTC
	<b>nn -</b> Minute in UTC
	<b>Z<sub>B</sub> -</b> Fixed UTC Beginning Date/Time Indicator
	<b>Z<sub>E</sub> -</b> Fixed UTC Ending Date/Time Indicator
<b><u>Notes:</u></b>	
(1) The “T” in the Date/Time Groups is a fixed Time Indicator, with the following “hh” and “nn” being the hours and minutes in UTC, respectively.	
(2) The Z <sub>B</sub> and Z <sub>E</sub> are the fixed UTC indicators for the beginning and ending date/time groups, respectively. The subscripts B and E are only shown in the generic format; they are not included in any actual VTEC strings in products and examples.	
(3) The forward slash (‘/’), period (‘.’), and dash (‘-’) in the format are delimiters that separate fields for ease in decoding. The date/time format follows the FIPS/ANSI/ISO standard (FIPS 4-2:1998/ANSI x3.30-1997/ISO 8601:2000).	

See NWSI 10-1701 and 10-1702 for important overall product format information.

Examples of VTEC coding in segmented and non-segmented products are found in Appendix D.

2.1 P-VTEC Element Definitions/Explanations.

2.1.1 **k (Fixed Identifier):** Identifies the following product and VTEC code string types.

k Code Definitions:

**O** (Operational Product) - Product defined in NWS policy and produced on a reliable and continuous basis, whose content has been validated and reflects real-time environmental conditions or events.

**T** (Test Product) - Product generated for the purpose of evaluation, the conduct of a communications test, or the conduct of a weather drill or test. Test products may be modeled after operational products or experimental products, but content does not reflect real-time environmental conditions or events. The word TEST will also be included in the product type line of the MND and the product text as described in NWSI 10-1701.

**E** (Experimental Product) - Product available for evaluation for a specified, limited time for the explicit purpose of obtaining user feedback. Content has not been validated but generally reflects real-time environmental conditions or events.

**X** (Experimental VTEC in an Operational Product) - A non-operational VTEC string(s) is inserted into an otherwise operational product which is available for evaluation for a specified, limited time for the explicit purpose of obtaining user feedback. The experimental VTEC content has not been validated but reflects real time environmental events.

Note: In multi-segmented products, “T” or “E” product type VTEC segments should never be mixed with “O” or “X” product type VTEC segments.

2.1.2 **aaa (Action):** Identifies the action in the product issuance. Table 2 (on page 13) summaries the use of the ten P-VTEC action codes in different classes of products.

Action Code Definitions: Note that the following P-VTEC action codes generally apply to the entire area defined in the UGC string for that segment, except:

- for certain EXA, EXB, and UPG actions when the entire valid area is encoded in a single segment (see definitions below), and;
- for events which are defined for certain elevation ranges of the area specified in the UGC string for that segment. At the present time, there is no method to encode elevations in the VTEC. The segment headline and/or text will have to be used in conjunction with the P-VTEC string(s) to determine where in the area the event is valid.

**NEW (NEW)** - Used for the initial issuance of an event. This includes the initial issuance of an event that has upgraded, downgraded, or replaced another event. Upgrades to, downgrades to, and replacements by an event already defined will use the EXA, EXB, or EXT action code (see the definitions of UPG and CAN below).

If the new event is being started in multiple product segments at the same time, the NEW action code will appear in all the segments. Whenever the NEW action code is used, the ETN (see Section 2.1.6) increments from the last one used for that particular event.

**CON (CONTINUED)** - Used when providing updates to an existing event, where no changes were made to the area or the valid time period (even if the event beginning time has been reached since the last statement and is now encoded as zeros [see Sections 1.4.d and 2.1.7]).

Note that the CON action code applies only to the area (UGC) being continued from an earlier product issuance. This CON area may now only be part of the overall area of the updated event due to other segment(s) with an action code such as EXA or EXB which act to expand the original area.

**EXA (EXTENDED IN AREA)** - Used when the valid area of an existing event has been expanded from its previous issuance, with no changes to the valid time. This includes upgrades to, downgrades to, or replacements by events that already exist.

Two segments will normally be used: one segment will use the EXA action code (for the newly added area), while the other segment will use the CON action code (for the area being continued); both with the same ETN. This will make it easily apparent which area(s) is new to the event. If the expansion in area is due to an upgrade, downgrade, or replacement, the P-VTEC string with the EXA will be preceded by a P-VTEC string with a UPG (for upgrades) or CAN (for downgrades or replacements) action code. If later follow-up products are issued with no additional changes to the event, both areas could then be included in one segment with the CON action code.

Alternatively, for non-upgrade/downgrade/replace actions, one product segment may be used with the EXA action code and include both the continued area and newly expanded area.

If the valid area of an event has been contracted, EXA is not used. Instead, two segments are required, one to cancel the event in the area no longer included in the event (using the CAN action code, see below) and the other to continue the event in the remaining area (using the CON or other appropriate action code).

EXA is not used in short duration warnings (Severe Thunderstorm Warning [SVR], Tornado Warning [TOR], Special Marine Warning [SMW], Flash Flood Warning [FFW]) and associated follow-up messages (Severe Weather Statement [SVS], Marine Weather Statement [MWS], Flash Flood Statement [FFS]). Instead, a new warning is issued.

**EXT (EXTENDED IN TIME)** - Used when the valid time period of an existing event (for the entire area or a portion thereof) has been made longer or shorter by changing either or both the Event Beginning or Event Ending Date/Time Group, with no changes to the area. Since an EXT code extends in time an already existing event, a separate segment with the CON code is not required when the EXT applies to the entire area of an event. If the extension in time is for only a portion of the area, at least two product segments are required (each with the original ETN); one with the appropriate action code for the area not being extended in time (e.g., CON, CAN, EXP) and one (or more) with the EXT action code(s) for the portion(s) being extended in time.

EXT is not used to change the Event Beginning or Ending Time once that time has been reached.

EXT is not used in Severe Thunderstorm Warnings (SVR), Tornado Warnings (TOR), Special Marine Warnings (SMW), and their associated follow-up statements. Instead, a new warning is issued. EXT may be used in Flash Flood Warnings (FFW).

**EXB (EXTENDED IN BOTH AREA AND TIME)** - Used when the valid time period of an existing event has been changed (made longer or shorter) and the valid area has been expanded. This includes upgrades to, downgrades to, or replacements by events that already exist.

Two segments will normally be used: one segment will use the EXB action code (for the newly added area), and the other segment will use either the EXT action code (if the area being continued has an updated valid time) or the CON action code (if the area being continued is keeping its original valid time). Both segments will use the same ETN. If the expansion in area is due to an upgrade, downgrade, or replacement, the P-VTEC string with the EXB will be preceded by a P-VTEC string with a UPG (for upgrades) or CAN (for downgrades or replacements) action code. If later follow-up products are issued with no additional changes to the event, both areas could then be included in one segment with the CON action code.

Alternatively, one product segment may be used with the EXB action code and include both the continued area and newly expanded area, if they are now valid for the same time period.

If the valid area of an event has been contracted, EXB is not used. Instead, two segments are required, one to cancel the event in the area no longer included in the event (using the CAN action code, see below) and the other to continue the event in the remaining area (using the CON or other appropriate action code).

EXB is not used to change the Event Beginning or Ending Time once that time has been reached.

EXB is not used in short duration warning products. Instead, a new warning is issued.

<b>Table 2. Use of VTEC Action Codes in different product classes.</b> <sup>1</sup>										
	NEW	CON	EXA	EXT	EXB	UPG	CAN	EXP	COR	ROU
<b>Convective Non-Hydrologic Watches</b>										
National Products (WOU)	•	•	•	•	•		•	•	•	
WFO Products (WCN)	•	•	•	•	•		•	•	•	
<b>Convective Non-Hydrologic Warnings</b>										
Initial issuances (SVR, TOR, SMW)	•								•	
Follow-up messages (SVS, MWS)		•					•	•	•	
<b>Other Marine Weather Statements (MWS)</b>	•	•	•	•	•		•	•	•	
<b>Flood Watches (FFA)</b>										
Areal	•	•	•	•	•		•	•	•	
For Forecast Points	•	•		•			•	•	•	
<b>Flood Warnings (FLW)</b>										
Areal	•			•					•	
For Forecast Points	•	• <sup>2</sup>		• <sup>2</sup>					•	•
<b>Follow-ups to Flood Warnings (FLS)</b>										
Areal		•					•	•	•	
For Forecast Points		•		•			•	•	•	•
<b>Flash Flood Warnings (FFW)</b>	•			•					•	
<b>Flash Flood Statements (FFS)</b>		•					•	•	•	
<b>Flood Advisories (FLS)</b>	•	•		•			•	•	•	
<b>Winter Weather Products (WSW)</b>	•	•	•	•	•	•	•	•	•	
<b>Non-Precipitation Products (NPW)</b>	•	•	•	•	•	•	•	•	•	
<b>Fire Weather Products (FWW, RFW)</b>	•	•	•	•	•	•	•	•	•	
<b>Coastal/Lakeshore Hazard Products (CFW)</b>	•	•	•	•	•	•	•	•	•	
<b>National Tropical Products (TCV)</b>	•	•					•			
<b>Routine Marine Forecasts (CWF, NSH)</b>	•	•	•	•	•	•	•	•	•	•

Note (1) - Every VTEC event associated with each product class may not use all of the action codes listed in this table. See the appropriate Product Specifications for more details.

Note (2) - CON and EXT are used only in Flood Warning for Forecast Points (FLW) products for flood category increases (see NWSI 10-922, section 7.2.2).

UPG (UPGRADED) - Used in one of two ways.

- When an existing event is upgraded for the same area to a higher significance level (with either the same phenomena or an environmentally related phenomena), e.g., from a watch to an advisory or warning, or from an advisory to a warning. Specifically, a Freezing Rain Advisory changed to an Ice Storm Warning, a Winter Storm Watch changed to a Blizzard Warning, and a Small Craft Advisory changed to a Gale Warning are all considered upgrades because the changes in phenomena are considered meteorologically related.
- For routine marine warnings where the phenomena have discrete criteria without overlap (e.g., a Gale Warning to a Storm Warning, or a Storm Warning to a Hurricane Force Wind Warning).

In both cases, two P-VTEC strings are used: UPG is used in the first P-VTEC string to show the event being upgraded from (e.g., an advisory) and either NEW, EXA, EXB, or EXT is used in the second P-VTEC string to show the event upgraded to (e.g., a warning). If the event being upgraded to does not exist, the NEW action code is used. If the event being upgraded to already exists in a different product segment, the EXA action code is used if the event in the new area has the same valid time as the already existing event, while the EXB action code is used if the event in the new area has a different valid time than the existing event. The EXT action code may appear (primarily in Routine Marine Forecasts), when the upgrading event already exists in that product segment. (See Table 3 on page 23.) The NEW, EXA, or EXB event may have a different valid time than the event being upgraded, but another P-VTEC string using the EXT is not required.

There are a few exceptions to the normal UPG usage:

- There may be more than two P-VTEC strings associated with the same upgrade action, if two or more related events are being upgraded to a single event at the same time. For instance, a Tropical Storm Warning and Hurricane Watch can both be in effect for the same area at the same time, and they can be upgraded to a Hurricane Warning for that area. In such a case, the P-VTEC strings for both the Tropical Storm Warning and Hurricane Watch would use the UPG action code, while the single P-VTEC string for the Hurricane Warning would use the NEW, EXA, or EXB action code.
- On rare occasions in Routine Marine forecasts, the order of the UPG and the NEW, EXA, or EXB P-VTEC strings may be reversed in some Routine Marine products, when the event being upgraded has an event beginning time that is later than the upgrading event.
- UPG is not used in convective or hydrologic events. In those cases, a watch can remain in effect even after local warnings are issued. For instance, a Flash Flood Watch (FFA) may cover a large area of several counties or states, while individual

Flash Flood Warnings (FFW) may be issued for single counties or streams (or portions thereof). The first issuance of these warnings will have a single P-VTEC string with a NEW action code.

CAN (Cancelled) - Used in one of two ways:

- The primary usage is to cancel a still-active event before its scheduled event ending time immediately upon product issuance, using a single P-VTEC string with the CAN action code.
- For non-convective and non-hydrologic events, CAN is also used to identify when an event has been downgraded to a lower significance level (e.g., from a warning to an advisory), or (for non-routine marine products) replaced by another event at the same significance level (e.g., from an Ice Storm Warning to a Winter Storm Warning). In this case, two P-VTEC strings are used: CAN is used in the first P-VTEC string to show the event being replaced or downgraded from (e.g., a warning) and either NEW, EXA, EXB, or EXT is used in the second P-VTEC string to show the event downgraded to (e.g., an advisory) or replaced by (e.g., a related warning). If the event being downgraded to or replaced by does not already exist, the NEW action code is used. If the event being downgraded to or replaced by already exists in a different product segment, the EXA action code is used if the event in the new area has the same valid time as the already existing event, while the EXB action code is used if the event in the new area has a different valid time than the existing event. The EXT action code may appear (primarily in Routine Marine Forecasts), when the downgrading or replacing event already exists in that product segment. (See Table 3 on page 23.) The NEW, EXA, or EXB event may have a different valid time than the event being downgraded or replaced, but another P-VTEC string using the EXT is not required.

In both cases, once the CAN action code is used for an event, that event is cancelled for the area included in the product segment. The event ending date/time in the P-VTEC string with the CAN action code remains the same as in the previous product issuance of that event. If an entire event is cancelled in error, it must be restarted using the NEW action code and a new ETN. If just a portion of an event is cancelled in error and the ETN for that event remains in effect in another area, it may be restarted in the cancelled area by using the EXA or EXB action code with the still-valid ETN.

Note that on rare occasions in Routine Marine forecasts, the order of the CAN and the NEW, EXA, or EXB P-VTEC strings may be reversed in some Routine Marine products, when the event being downgraded or replaced has an event beginning time that is later than the downgrading or replacing event.

**EXP (EXPIRED)** - Used in one of two ways:

- While an event is still active (i.e., hasn't reached its scheduled event ending time), the EXP is used in a concluding message to notify users that an event will be allowed to expire at the scheduled time.
- After an event has expired (i.e., after the scheduled event ending time), a final or follow-up message may be issued referring back to the expired event.

A concluding product with the EXP action code may be issued either just before or just after a VTEC event expires. Refer to the appropriate NWS Product Specification Document for more details. In both cases, a single P-VTEC string is used with the EXP action code, and the event ending date/time remains the same as in the previous product issuance of that event.

For short-duration warning products (see list in EXA definition above), the EXP action code may be used in a product issued from 10 minutes before the event ending time to 10 minutes after the event ending time. Corrections (using the COR action code) to a product or product segment with the EXP action code may be issued up to 20 minutes after the event ending time.

For all other non-routine products, the EXP action code may be used in a product issued from 30 minutes before the event ending time to 30 minutes after the event ending time. Corrections (using the COR action code) to a product or product segment with the EXP action code may be issued up to 60 minutes after the event ending time.

**ROU (ROUTINE)** - Used as a VTEC placeholder for segments of VTEC-enabled products in which no other ongoing or future VTEC event is included. This is done to aid parsing of product segments by NWS Partners and other users. At present, there are two types of products where ROU is used:

- In Routine Marine Forecasts (presently Coastal Waters Forecast [CWF] and Great Lakes Nearshore Forecast [NSH]). Since these products are used to convey both W/W/A events and routine information, the ROU is used only when there are no other ongoing or future marine W/W/As included. See Section 3.5.1 for more details.
- In Flood Warnings for Forecast Points products (including follow-up statements) when the forecast point in the segment is not currently expected to reach flood stage but is included to provide a complete set of forecast and warning information for a series of points along a river reach. See Section 5.2 for more details.

**COR (CORRECTION)** - Used when correcting any non-VTEC or non-UGC error or omission in the previous product, i.e., for a typographical or grammatical error or



omission which is not related to the VTEC or UGC coded elements. P-VTEC string(s) with a COR action code will be used in each corrected product segment. The MND header and product text indicate the corrections. With the exception of short-duration warning products (see below), corrections related to errors or omissions in VTEC or UGC coding will be made through the use of the appropriate P-VTEC action codes.

For corrections to upgrade actions (via UPG), or downgrade or replacement actions (via CAN) where two P-VTEC strings are used in a product segment (see UPG and CAN definitions above), the COR action code will appear only in the second P-VTEC string which had contained the NEW, EXA, EXB, or EXT action code. The first P-VTEC string will continue to be an UPG (for upgrade) or CAN (for downgrade or replacement). If the need is to correct the upgrade, downgrade, or replacement action itself, the only “correction” method is to cancel (by using the CAN action code) the event started as a result of the erroneous upgrade, downgrade, or replacement action, followed by an action to restart using the NEW, EXA, EXB, or EXT action code and the appropriate ETN.

In short duration warning products, the COR action code may be used in corrections involving format or dissemination code errors, or for counties (or marine zones) inadvertently omitted from a warning. This is done in order to clear communications systems of incorrect warning text. Follow-up statements (SVS for SVRs and TORs, FFS for FFWs, and MWS for SMWs) should be issued to formally cancel a warning for any erroneous counties included in a warning, using the CAN action code. Refer to the appropriate NWS Products Specification Directives for more details.

2.1.3 **cccc (Office ID)**. The standard four-letter identifier indicating the NWS office with the primary responsibility for the affected area. The office ID is the same as that in the plain language MND header. Any NWS office providing backup service will use the primary office’s cccc.

2.1.4 **pp (Phenomenon)**. Identifies the type of weather, flood, marine, fire weather, etc., occurrence (e.g., freezing rain, river flood, gale, red flag), or non-weather occurrence (e.g., ashfall). See Appendix A for the complete list of Phenomena codes and Appendix C for the link to the complete list of VTEC events.

2.1.5 **s (Significance)**. Identifies the level of importance (e.g., watch, warning, advisory, etc.) of the weather or non-weather occurrence. When a follow-up statement is issued to update, cancel, or announce expiration of a previously issued event, the event significance code used in the updated, cancelled, or expired P-VTEC string will be the same as the corresponding significance code used in the original product, even if the product was issued under a different communications identifier. See Appendix A for the complete list of Significance codes and Appendix C for the link to the complete list of VTEC events.

2.1.6 **#### (Event Tracking Number - ETN)**. The ETN is a four-digit number assigned to keep track of how an event (as defined in Section 1.4) is addressed by various VTEC actions and/or products issued over the lifetime of the event. The ETN is assigned automatically by NWS

applications software for each type of event issued by each office, sequentially starting with 0001 for the first new event of its type for the calendar year starting at 0000 UTC on January 1. Events that are first issued in one year and carry over into the next year will maintain the same ETN (from the old year) for the duration of the event, even if the Event Beginning Time is in the new year. There is one ETN list for each specific event (combination of phenomenon and significance level), and it is used for all products or product segments containing that event, whether they be operational, test, or experimental. Because ETNs are incremented for issuances of test W/W/As (as with a Severe Weather Awareness Week), they may not represent the number of products issued for a particular event type during a calendar year.

A new ETN is assigned when the event is first issued, and the same ETN is carried when the event is continued, cancelled, or extended (in area, time, or both). Note that when an event is, however, upgraded or downgraded to (or replaced by) another event, the original event is ended in that area. The event that upgrades, downgrades, or replaces the original event will use the ETN for that particular event. If the upgrading, downgrading, or replacing event already exist in another portion in the issuing WFO's forecast area at the same time period, the current ETN will normally be used. If the upgrading, downgrading, or replacing event does not already exist, or is in effect for a completely different time period, the ETN is normally incremented from the last time that event was issued.

Here is an example sequence of ETNs for a generic WFO's severe thunderstorm warnings at the beginning of a year:

<u>ETN</u>	<u>Date</u>	<u>Product Issued</u>
0001	2/12	Operational Severe Thunderstorm Warning for Alpha County
0002	3/17	Test Severe Thunderstorm Warning (for Severe Weather Awareness Week)
0003	3/23	Operational Severe Thunderstorm Warning for Charlie and Baker Counties
0004	3/23	Operational Severe Thunderstorm Warning for Alpha and Delta Counties
0005	4/14	Test Severe Thunderstorm Warning for Baker County (for new proposed warning format)
0006	4/14	Test Severe Thunderstorm Warning for Charlie County (for new proposed warning format)
0007	4/24	Operational Severe Thunderstorm Warning for Delta County

If backup service is required from another office(s), the primary office's ETN(s) are used throughout the event.

For products (e.g., WSW, NPW) that may include more than one event, each specific event within the product (e.g. Blizzard Warning, Heavy Snow Warning) will have its own ETN. For example, an office issues a NEW WSW product early in the calendar year with the following segments (each describing a specific event for a specific geographic area) and corresponding ETNs:

<u>Segment</u>	<u>ETN</u>
(1) Blizzard Warning	0003 (3 <sup>rd</sup> Blizzard Warning of the year)
(2) Winter Storm Warning	0006 (6 <sup>th</sup> Winter Storm Warning of the year)
(3) Snow Advisory	0008 (8 <sup>th</sup> Snow Advisory of the year)
(4) Snow Advisory	0008 (8 <sup>th</sup> Snow Advisory of the year)

Two weeks later, another weather system causes the same office to issue another NEW WSW with the same order of segments, with the following corresponding ETNs:

<u>Segment</u>	<u>ETN</u>
(1) Blizzard Warning	0004 (4 <sup>th</sup> Blizzard Warning of the year)
(2) Winter Storm Warning	0007 (7 <sup>th</sup> Winter Storm Warning of the year)
(3) Winter Storm Warning	0007 (7 <sup>th</sup> Winter Storm Warning of the year)
(4) Snow Advisory	0009 (9 <sup>th</sup> Snow Advisory of the year)

As shown here, the same event (phenomenon and significance) may appear in multiple segments of the same product with the same ETN, as long as the valid times of the event in the segments overlap. Appendix D, Section 2.d, depicts the Full Event Sequence of ten products issued by a WFO during a Winter Storm, from initial Watch to cancellation of Warnings and Advisories.

A broad weather system may cause several offices to issue the same event for their area of responsibility, such as a Winter Storm Watch within a WSW product. The ETN used by each office may not be the same, depending on how many prior Winter Storm Watches each office issued so far that year.

2.1.6.1 ETNs in Nationally-originated Events. There are special ETN rules for events which originate with a National forecast center rather than a WFO.

- a. Tornado and Severe Thunderstorm Watches. The Storm Prediction Center's (SPC) Tornado and Severe Thunderstorm Watches will share the same list of sequential ETNs. For example, in a given year, there will only be one Watch 0047 from SPC. Depending on the circumstances, it could either be a Severe Thunderstorm Watch (SV.A.0047) or a Tornado Watch (TO.A.0047). Locally derived watch products issued by WFOs will use the same sequential ETNs as the original SPC watches. Since the SPC watches are national in scope, watch products from an individual WFO will not use every ETN in sequence, but the ETNs used by each WFO will be the same as in the corresponding SPC products for their local forecast and warning area. The SPC will use the ETNs 9000-9999 for test watches.
- b. Tropical Storm and Hurricane Watches and Warnings. The Tropical Prediction Center/National Hurricane Center (TPC/NHC) issues all tropical cyclone watches and warnings for the Contiguous United States, Puerto Rico and U.S. Virgin Islands. The first digit of any Tropical Storm or Hurricane ETN will represent the storm basin, with the Atlantic being 1 and the Eastern Pacific being 2. The

Central and Western Pacific basins may be added in the future. The second through fourth digits will represent the storm identifier, and count the number of tropical or sub-tropical systems (depressions, storms, and hurricanes) in that basin that year. The ETN will not change if the system is upgraded or downgraded. For example, the first Tropical Depression of the year in the Atlantic will be assigned an ETN of 1001. If it becomes Tropical Storm Alpha or Hurricane Alpha, the ETN remains 1001. Since not all numbered/named systems will generate Watches and Warnings for the United States, some ETNs may not be used in Watch and Warning products.

2.1.7 yymmddThhnnZ<sub>B</sub> and yymmddThhnnZ<sub>E</sub> (Event Beginning and Ending Date/Time Groups). These groups identify the valid time span of the event (from Event Beginning Time to Event Ending Time) in UTC. See definitions in Section 1.4 and comparisons of Product and Event times in Sections 1.6 and 1.7.

The Event Beginning Date/Time group for a particular event may only be changed prior to the scheduled start of the event (i.e., before the Event Beginning Time) and only through the use of the EXT or EXB action code. After an event has begun, the Event Beginning Date/Time group is coded with ten zeros (000000T0000Z). This prevents an accidental invalidation of an ongoing event and indicates that the event is ongoing.

The Event Ending Date/Time group for a particular event may only be changed prior to the scheduled expiration or ending of the event (i.e., before the Event Ending Time), and only through the use of the EXT or EXB action code. If an entire event is inadvertently allowed to reach its Event Ending Time before being extended, the event will be reissued with the NEW action code and a new ETN. If just a portion of an event is inadvertently allowed to reach its Event Ending Time before being extended, that portion will be reissued with an EXA or EXB action code and the same ETN.

For very long duration or open-ended events which are in effect “UNTIL FURTHER NOTICE,” rather than giving a specific ending time for the event, the Event Ending Date/Time group is coded with ten zeros (000000T0000Z). When and if the end of the event is able to be specified, the zeros will be replaced with an actual date and time in the P-VTEC string using the EXT action code (and reflected in the flood timing of any associated H-VTEC string). The encoding of ten zeros for the Event Ending Date/Time group will only be used when the appropriate NWS Products Specification Directives specifically permits.

Here are examples of P-VTEC strings for the different P-VTEC action codes, all (with the exception of ROU) associated with a Winter Weather Advisory event from WFO Marquette MI, to illustrate date/time group coding when the product or product segment is issued before or after the event beginning time. Unless noted, assume that all the subsequent action codes follow after the NEW.

New (NEW)

Before Event Beginning Time	/O.NEW.KMQT.WW.Y.0003.050108T1430Z-050108T2300Z/
After Event Beginning Time	Not applicable

Note: NEW events will always contain an explicit Event Beginning Time, even if the event begins with product issuance.

**Continued (CON)**

Before Event Beginning Time /O.CON.KMQT.WW.Y.0003.050108T1430Z-050108T2300Z/  
 After Event Beginning Time /O.CON.KMQT.WW.Y.0003.000000T0000Z-050108T2300Z/

Note: CON implies that the Event times (and the event itself) haven't changed from the previous product issuance. However, if the Event Beginning Time has passed since the previous issuance, it will be encoded as zeros (as shown in the *After Event Beginning Time* line).

**Changed in Time (EXT)**

Before Event Beginning Time /O.EXT.KMQT.WW.Y.0003.050108T1400Z-050108T2100Z/  
 After Event Beginning Time /O.EXT.KMQT.WW.Y.0003.000000T0000Z-050108T2100Z/

Note: EXT implies that the Event Beginning Time and/or Event Ending Time are changed from the previous product issuance. Once the Event Beginning Time has been reached, it cannot be changed with EXT.

**Expanded in Area (EXA)**

Before Event Beginning Time /O.EXA.KMQT.WW.Y.0003.050108T1430Z-050108T2300Z/  
 After Event Beginning Time /O.EXA.KMQT.WW.Y.0003.000000T0000Z-050108T2300Z/

Note: EXA implies that the area of the event included with this segment has been expanded, while the Event Beginning and Ending Times are unchanged from the previous product issuance. If the time(s) change, the EXB action code will be used instead. The expanded area is contained in the UGC string.

**Changed in Time and Expanded in Area (EXB)**

Before Event Beginning Time /O.EXB.KMQT.WW.Y.0004.050108T1400Z-050108T2100Z/  
 After Event Beginning Time /O.EXB.KMQT.WW.Y.0004.000000T0000Z-050108T2100Z/

Note: EXB implies both a change in time and an expansion in area from the previous product issuance. Either or both the Event Beginning Time and Event Ending Time are changed. The expanded area is contained in the UGC string.

**Upgraded (UPG - appears always in conjunction with a NEW, EXA, EXB, or EXT action code)**

Before Event Beginning Time /O.UPG.KMQT.WW.Y.0003.050108T1430Z-050108T2300Z/  
 /O.NEW.KMQT.WS.W.0005.050108T1430Z-050108T2300Z/  
 After Event Beginning Time /O.UPG.KMQT.WW.Y.0003.000000T0000Z-050108T2300Z/  
 /O.NEW.KMQT.WS.W.0005.050108T1600Z-050108T2300Z/

Note: UPG implies that the Winter Weather Advisory event is being cancelled in the area covered by the segment. The times of the related NEW, EXA, EXB, or EXT event (in this case a Winter Storm Warning) may be different than the old event.

**Cancelled (CAN)**

Before Event Beginning Time /O.CAN.KMQT.WW.Y.0003.050108T1430Z-050108T2300Z/  
 After Event Beginning Time /O.CAN.KMQT.WW.Y.0003.000000T0000Z-050108T2300Z/

Note: CAN means that the Winter Weather Advisory event is cancelled immediately for this area upon product issuance. The Event Ending Time remains unchanged from the previous product issuance.

Replaced [same as for Downgraded] (CAN - always used in conjunction with a NEW, EXA, EXB, or EXT action code)

Before Event Beginning Time /O.CAN.KMQT.WW.Y.0003.050108T1430Z-050108T2300Z/  
 /O.EXA.KMQT.SN.Y.0002.050108T1430Z-050108T2300Z/  
 After Event Beginning Time /O.CAN.KMQT.WW.Y.0003.000000T0000Z-050108T2300Z/  
 /O.EXA.KMQT.SN.Y.0002.050108T1600Z-050108T2300Z/

Note: As with UPG, the times of the NEW, EXA, EXB, or EXT event (in this case a Snow Advisory) may be different than the old event.

Expired (EXP)

Before Event Beginning Time Not applicable  
 After Event Beginning Time /O.EXP.KMQT.WW.Y.0003.000000T0000Z-050108T2300Z/

Note: EXP is defined only for events that have ended, or are about to end at their scheduled Event Ending Time. To prematurely end an event, the CAN action code will be used.

Correction to a NEW (COR)

Before Event Beginning Time /O.COR.KMQT.WW.Y.0003.050108T1430Z-050108T2300Z/  
 After Event Beginning Time Not applicable

Correction to a UPG (COR)

Before Event Beginning Time /O.UPG.KMQT.WW.Y.0003.050108T1430Z-050108T2300Z/  
 /O.COR.KMQT.WS.W.0005.050108T1430Z-050108T2300Z/  
 After Event Beginning Time /O.UPG.KMQT.WW.Y.0003.000000T0000Z-050108T2300Z/  
 /O.COR.KMQT.WS.W.0005.050108T1600Z-050108T2300Z/

Note: COR implies that a correction has been issued for a non-VTEC and non-UGC error or omission (see COR definition in section 2.1.2 for an exception with short-duration warnings). All the elements in the corrected segment will be the same as in the original issuance, except for the use of the COR. When correcting an upgrade, downgrade, or replacement action, COR will appear only in what had been the NEW, EXA, EXB, or EXT P-VTEC string.

Routine (ROU) - appears only in Routine Marine forecasts and Flood Warnings for Forecast Points

Default Routine Marine usage /O.ROU.KMQT.MA.F.0000.000000T0000Z-000000T0000Z/  
 Default Flood Warning usage /O.ROU.KMQT.HY.S.0000.000000T0000Z-000000T0000Z/

Note: ROU will only appear either in Routine Marine forecasts when no other ongoing or future P-VTEC string appears or in Flood Warnings for Forecast Points in segments where flood conditions are not currently expected. In Routine Marine products, all ROU strings will use the same default values for phenomena code (MA), significance level (F), ETN (0000), and Event Beginning and Ending Times (both 000000T0000Z). In Flood Warning products, all ROU strings will use the same default values for phenomena code (HY), significance level (S), ETN (0000), and Event Beginning and Ending Times (both 000000T0000Z). The associated H-VTEC strings in these Flood segments (see Section 4 for more information on H-VTEC) will contain default values for all elements except the site identifier and the immediate cause.

2.2 Example of a Full P-VTEC string (with associated UGC string). For more information on the format of examples used in this directive, see Appendix D, Section 1.

*Scenario: Initial issuance of a WSW product*  
 Issuing Office: WFO Kansas City/Pleasant Hill MO (KEAX)

Current time: 1000 UTC on December 14, 2004  
 Event (Product being issued): Freezing Rain Advisory (WSW)  
 Advisory valid for: Missouri Zones 15 thru 17  
 Product expiration time: 1430 UTC on December 14, 2004  
 Event Tracking Number: 4<sup>th</sup> Freezing Rain Advisory of the year issued by KEAX  
 Expected Event Beginning and Ending times: 1200 UTC and 1430 UTC on December 14, 2004

MOZ015>017-141430- (UGC)  
 /O.NEW.KEAX.ZR.Y.0004.041214T1200Z-041214T1430Z/ (P-VTEC)

*Explanation:* WFO Kansas City/Pleasant Hill, MO (KEAX - in P-VTEC), issued a new (NEW - in P-VTEC) operational (O - in P-VTEC) WSW product for Missouri Zones 15, 16 and 17 (MOZ015>017 - in UGC), for its 4<sup>th</sup> (0004 - in P-VTEC) Freezing Rain Advisory (ZR.Y - in P-VTEC) of the calendar year. The freezing rain is expected to begin at 1200 UTC on December 14, 2004 (041214T1200Z - in P-VTEC) and end at 1430 UTC on December 14, 2004 (041214T1430Z - in P-VTEC).

3. Special P-VTEC Rules, Applications and Interpretations. This section explains unique applications of P-VTEC in specific products and/or situations.

3.1 Event Significance Level Change or Replacement in Products. Two P-VTEC strings are required in the following products: WSW and NPW, Fire Weather, and certain marine products when an event for the same area is (1) upgraded/downgraded to a different significance level, e.g., a watch is being upgraded to a warning or advisory, an advisory is being upgraded to a warning, a warning is being downgraded to an advisory, or (2) replaced by a different but environmentally similar event, e.g., a Winter Storm Warning is being replaced by an Ice Storm Warning.

Table 3. P-VTEC Action Code Pairs Used for Different Upgrade, Downgrade, and Replacement Situations. The first action code generally refers to the event being upgraded, downgraded, or replaced. The second action code generally refers to the event which is upgrading, downgrading, or replacing that event. See Section 2.1.2 (UPG and COR) for an exception to this order which may occur with Routine Marine forecasts.

Significance Level Change to or Replacement by:	Upgrade	Downgrade or Replacement
a new event	UPG / NEW	CAN / NEW
an already existing event in a different product segment, with the same event times	UPG / EXA	CAN / EXA
an already existing event in a different product segment, but with different event times	UPG / EXB	CAN / EXB
an already existing event in the same product segment	UPG / EXT	CAN / EXT
any event when a correction is required	UPG / COR	CAN / COR

In the first P-VTEC string, the action code UPG or CAN is used to show the old W/W/A event being upgraded or cancelled/replaced. In the second P-VTEC string, the action code NEW is

used to start a brand new W/W/A event, or the action code EXA, EXB, or EXT is used to start an already existing W/W/A event. If a correction is required for an upgrade, downgrade, or replacement, the COR action code will replace just the NEW, EXA, EXB, or EXT, not the CAN or UPG action code. See Table 3.

See Appendix C for the link to the complete VTEC Upgrade/Downgrade/Replace list.

Here are some upgrade, downgrade, and replacement examples:

**Example (1) - Staggered Upgrade of Watch to Warning**

**Product 1**

*Scenario: Upgrade part of an existing Winter Storm Watch to an Ice Storm Warning*

Issuing Office: WFO Norman OK (KOUN)

Current time: 1700 UTC on January 15, 2004

Events (Product): Winter Storm Watch, Ice Storm Warning (WSW)

Product valid for: Oklahoma Zones 4 thru 48, 50 thru 52; and Texas Zones 83 thru 90

Product expiration time: 2300 UTC on January 15, 2004

Event Tracking Numbers: 3<sup>rd</sup> Winter Storm Watch and 2<sup>nd</sup> Ice Storm Warning of the year issued by KOUN  
Segment 1

Valid for: Oklahoma Zones 4 thru 24, and 33 thru 36; and Texas Zone 83

Expected Event Beginning and Ending times of the

Winter Storm Watch: 0500 UTC on January 16 and 0000 UTC on January 17, 2004  
(1700 UTC on January 15, 2004)

Ice Storm Warning: 0500 UTC on January 16 and 0000 UTC on January 17, 2004

Segment 2

Valid for: Oklahoma Zones 25 thru 32, 37 thru 48, and 50 thru 52; and Texas Zones 84 thru 90

Expected Event Beginning and Ending times of the Winter Storm Watch: 0500 UTC on January 16 and 0000 UTC on January 17, 2004

(segment 1 of 2 within WSW product - watch upgraded to warning)

OKZ004>024-033>036-TXZ083-152300- (UGC)  
/O.UPG.KOUN.WS.A.0003.040116T0500Z-040117T0000Z/ (P-VTEC 1)  
/O.NEW.KOUN.IS.W.0002.040116T0500Z-040117T0000Z/ (P-VTEC 2)

(segment 2 of 2 within WSW product - watch continued)

OKZ025>032-037>048-050>052-TXZ084>090-152300- (UGC)  
/O.CON.KOUN.WS.A.0003.040116T0500Z-040117T0000Z/ (P-VTEC)

*Explanation:* A Winter Storm Watch had been issued earlier for the WFO Norman forecast area. At 1700 UTC, the forecaster decides to change the watch to an Ice Storm Warning for the northwest half of the forecast area. As she is still uncertain of accumulations elsewhere, she opts to keep the watch in the southeast half of the forecast area. This requires two segments in the WSW product. The first segment contains the upgrade of the Winter Storm Watch to Ice Storm Warning, using the UPG and NEW action codes. The second segment contains the continued Winter Storm Watch.

**Product 2**

*Scenario: Upgrade the rest of the Winter Storm Watch to an Ice Storm Warning*

Issuing Office: WFO Norman OK (KOUN)

Current time: 2200 UTC on January 15, 2004

Events (Product): Winter Storm Watch, Ice Storm Warning (WSW)



Product valid for: Oklahoma Zones 4 thru 48, 50 thru 52; and Texas Zones 83 thru 90  
 Product expiration time: 1100 UTC on January 16, 2004  
 Event Tracking Numbers: 3<sup>rd</sup> Winter Storm Watch and 2<sup>nd</sup> Ice Storm Warning of the year issued by KOUN  
 Segment 1

Valid for: Oklahoma Zones 25 thru 32, 37 thru 48, and 50 thru 52; and Texas Zones 84 thru 90  
 Expected Event Beginning and Ending times of the  
 Winter Storm Watch: 0500 UTC on January 16 and 0000 UTC on January 17, 2004  
 (2200 UTC on January 15, 2004)  
 Ice Storm Warning: 0500 UTC on January 16 and 0000 UTC on January 17, 2004

Segment 2

Valid for: Oklahoma Zones 4 thru 24, and 33 thru 36; and Texas Zone 83  
 Expected Event Beginning and Ending times of the  
 Ice Storm Warning: 0500 UTC on January 16 and 0000 UTC on January 17, 2004

(segment 1 of 2 within WSW product - rest of watch upgraded to warning)

OKZ025>032-037>048-050>052-TXZ084>090-161100- (UGC)  
 /O.UPG.KOUN.WS.A.0003.040116T0500Z-040117T0000Z/ (P-VTEC 1)  
 /O.EXA.KOUN.IS.W.0002.040116T0500Z-040117T0000Z/ (P-VTEC 2)

(segment 2 of 2 within WSW product - warning continued)

OKZ004>024-033>036-TXZ083-161100- (UGC)  
 /O.CON.KOUN.IS.W.0002.040116T0500Z-040117T0000Z/ (P-VTEC)

*Explanation:* Six hours later, the forecaster upgrades the rest of the Winter Storm Watch to an Ice Storm Warning. Since the Ice Storm Warning (ETN 0002) already existed, the segment with the upgrade (segment 1) uses the EXA action code for the Ice Storm Warning in P-VTEC string 2. The rest of the warning (in segment 2) is continued without any changes from the previous issuance, other than to the product expiration time in the UGC string.

### **Example (2) - Downgrade from Warning to Advisory**

*Scenario: Downgrade an Ice Storm Warning to a Freezing Rain Advisory*

Issuing Office: WFO Norman OK (KOUN)

Current time: 1100 UTC on January 28, 2004

Event being downgraded (Product): Ice Storm Warning to Freezing Rain Advisory (WSW)

Warning and Advisory valid for: Oklahoma Zones 6 thru 8, 11 thru 24, and 33 thru 36; and Texas Zone 83

Product expiration time: 1700 UTC on January 28, 2004

Event Tracking Numbers: 3<sup>rd</sup> Ice Storm Warning and 5<sup>th</sup> Freezing Rain Advisory of the year issued by KOUN

Expected (or actual) Event Beginning and Ending times of the

Ice Storm Warning: 0500 UTC on January 28 and 0000 UTC on January 29, 2004 (1100 UTC on January 28)

Freezing Rain Advisory: 1100 UTC on January 28 and 0000 UTC on January 29, 2004

OKZ006>008-011>024-033>036-TXZ083-281700- (UGC)  
 /O.CAN.KOUN.IS.W.0003.000000T0000Z-040129T0000Z/ (P-VTEC 1)  
 /O.NEW.KOUN.ZR.Y.0005.040128T1100Z-040129T0000Z/ (P-VTEC 2)

*Explanation:* Two P-VTEC strings are required to downgrade this Ice Storm Warning to a Freezing Rain Advisory. The first (CAN) P-VTEC string indicates the product that is being downgraded or cancelled (the Warning), and the second (NEW) string indicates the new product being issued (the Advisory). Since the Warning valid time had already begun when the action to downgrade it to an Advisory occurred, the beginning valid time of the Warning is encoded as all zeros in the first P-VTEC string. The UGC string shows the various OK and TX zones and the product expiration time, which is the time by which users should expect the next product update.

**Example (3) - Replace Ice Storm Warning with Winter Storm Warning**

*Scenario: Replace an Ice Storm Warning with a Winter Storm Warning*

Issuing Office: WFO Norman OK (KOUN)

Current time: 0530 UTC on January 28, 2004

Event being replaced (Product): Ice Storm Warning with Winter Storm Warning (WSW)

Warning valid for: Oklahoma Zones 6 thru 8, 11 thru 24, and 33 thru 36; and Texas Zone 83

Product expiration time: 1200 UTC on January 28, 2004

Event Tracking Numbers: 3<sup>rd</sup> Ice Storm Warning and 6<sup>th</sup> Winter Storm Warning of the year issued by KOUN

Expected (*or actual*) Event Beginning and Ending times of the

Ice Storm Warning: 0500 UTC on January 28 and 0000 UTC on January 29, 2004 (0530 UTC on January 28)

Winter Storm Warning: 0530 UTC on January 28 and 0000 UTC on January 29, 2004

```
OKZ006>008-011>024-033>036-TXZ083-281200-          (UGC)
/O.CAN.KOUN.IS.W.0003.000000T0000Z-040129T0000Z/    (P-VTEC 1)
/O.NEW.KOUN.WS.W.0006.040128T0530Z-040129T0000Z/    (P-VTEC 2)
```

*Explanation:* Two P-VTEC strings are required to replace this Ice Storm Warning with a Winter Storm Warning. The first (CAN) P-VTEC string indicates the product that is being replaced (the Ice Storm Warning), and the second (NEW) string indicates the new product being issued (Winter Storm Warning). Since the Ice Storm valid time had already begun when the action to change it to a Winter Storm occurred, the beginning valid time of the Ice Storm is encoded as all zeros in the first P-VTEC string. The UGC string shows the various OK and TX zones and the product expiration time.

**Example (4) - Corrected Upgrade of Gale Warning to Storm Warning**

*Scenario: Correction to an upgrade of a Gale Warning to a Storm Warning*

Issuing Office: WFO Seattle WA (KSEW)

Current time: 2000 UTC on February 16, 2004

Event being upgraded (Product): Gale Warning to Storm Warning (CWF)

Forecast valid for: Eastern North Pacific Marine Zone 133

Product expiration time: 2300 UTC on February 16, 2004

Event Tracking Numbers: 7<sup>th</sup> Gale Warning and 4<sup>th</sup> Storm Warning of the year issued by KSEW

Expected (*or actual*) Event Beginning and Ending times of the

Gale Warning: 1100 UTC on February 16 and 0000 UTC on February 18, 2004 (2000 UTC on February 16)

Storm Warning : 2000 UTC on February 16 and 0000 UTC on February 18, 2004

```
PZZ133-162300-          (UGC)
/O.UPG.KSEW.GL.W.0007.000000T0000Z-040218T0000Z/    (P-VTEC 1)
/O.COR.KSEW.SR.W.0004.040216T2000Z-040218T0000Z/    (P-VTEC 2)
```

*Explanation:* This is an example of a correction (for a non-VTEC and non-UGC error or omission in the product segment) issued after a Gale Warning was upgraded to a Storm Warning. The COR action code appears only with the second P-VTEC string, replacing the NEW that was there in the original upgrade.

3.2 Extend Event in Area, Time, or Both (EXA, EXT, EXB). Here are examples showing the use of the extend area and time codes.

**Example (1) - Extend Event in Area (EXA)**

*Scenario: Add counties to an existing Winter Storm Watch*

Issuing Office: WFO Bismarck ND (KBIS)

Current time: 2200 UTC on November 23, 2004

Event (Product): Winter Storm Watch (WSW)

Product valid for: North Dakota Zones 18, and 31 thru 33

Product expiration time: 0400 UTC on November 24, 2004

Event Tracking Number: 12<sup>th</sup> Winter Storm Watch of the year issued by KBIS

Segment 1

Valid for: North Dakota Zones 32 and 33

Expected Event Beginning and Ending times: 0500 UTC on November 24 and 0000 UTC on November 25, 2004

Segment 2

Valid for: North Dakota Zones 18 and 31

Expected Event Beginning and Ending times: 0500 UTC on November 24 and 0000 UTC on November 25, 2004

(segment 1 of 2 within WSW product - new area in watch)

NDZ032>033-240400- (UGC)  
/O.EXA.KBIS.WS.A.0012.041124T0500Z-041125T0000Z/ (P-VTEC)

(segment 2 of 2 within WSW product - continued area in watch)

NDZ018-031-240400- (UGC)  
/O.CON.KBIS.WS.A.0012.041124T0500Z-041125T0000Z/ (P-VTEC)

*Explanation:* Two segments are used, one with the *EXA* action code for the newly added area, and one with the *CON* action code for the area being continued. Since the Watch conditions are expected to begin after the product issuance, the Event beginning times are explicitly coded in both P-VTEC strings. Both segments maintain the same ETN (of 0012) as the original product segment. If another follow-up product is issued later, and the entire Watch area is being continued with the same beginning and ending times in both segments, the entire area could appear in one segment with the *CON* action code.

**Example (2) - Extend Event in Time (EXT)**

*Scenario: Extend the event ending time of a Blowing Dust Advisory*

Issuing Office: WFO Tucson AZ (KTWC)

Current time: 1600 UTC on May 12, 2004

Event (Product): Blowing Dust Advisory (NPW)

Advisory extended for: Arizona Zones 33 thru 35

Product expiration time: 2200 UTC on May 12, 2004

Event Tracking Number: 3<sup>rd</sup> Blowing Dust Advisory of the year issued by KTWC

Expected (*or actual*) Event Beginning and Ending times of the

Original Advisory: 1200 UTC and 1800 UTC on May 12, 2004

Extended Advisory: 1200 UTC and 2200 UTC on May 12, 2004

AZZ033>035-122200- (UGC)  
/O.EXT.KTWC.DU.Y.0003.000000T0000Z-040512T2200Z/ (P-VTEC)

*Explanation:* Only one P-VTEC string is needed to change (extend or contract) the valid time of an event. The only way to determine how the valid time has changed is to compare the P-VTEC string from the original (or previous) Advisory containing the same ETN (of 0003) with the P-VTEC string from this product. Since the Advisory event has already begun, the event beginning time is encoded as all zeros in the P-VTEC string.

**Example (3) - Extend Portion of Event in Time (EXT)**

*Scenario: Extend the event ending time of a portion of an Excessive Heat Warning*

Issuing Office: WFO Mount Holly NJ (KPHI)

Current time: 2000 UTC on August 11, 2005

Event (Product): Excessive Heat Warning (NPW)

Product extended for: Pennsylvania Zones 54, 55, 60 thru 62, 67 thru 71, New Jersey Zones 1, 7 thru 10, 12, 13, 15 thru 23, and 27, Delaware Zones 1 thru 3, and Maryland Zones 8, 12, 15, 19, and 20

Product expiration time: 0200 UTC on August 12, 2005

Event Tracking Number: 7<sup>th</sup> Excessive Heat Warning of the year issued by KPHI

Segment 1

Valid for: Pennsylvania Zones 67 thru 71; New Jersey Zones 9, 10, 12, 13, 15 thru 23, and 27; Delaware Zones 1 thru 3; and Maryland Zones 8, 12, 15, 19, and 20

Expected (*or actual*) Event Beginning and Ending times of the Warning: 1600 UTC on August 11, 2005 and 0100 UTC on August 13, 2005

Segment 2

Valid for: Pennsylvania Zones 54, 55, and 60 thru 62; New Jersey Zones 1, 7, and 8

Expected (*or actual*) Event Beginning and Ending times of the Warning: 1600 UTC on August 11, 2005 and 0200 UTC on August 12, 2005

(segment 1 of 2 within NPW product - extended portion of warning)

PAZ067>071-NJZ009-010-012-013-015>023-027-DEZ001-002-003-MDZ008-012-015-019-020-120200- (UGC)  
/O.EXT.KPHI.EH.W.0007.000000T0000Z-050813T0100Z/ (P-VTEC)

(segment 2 of 2 within NPW product - continued [not extended] portion of warning)

PAZ054-055-060>062-NJZ001-007-008-120200- (UGC)  
/O.CON.KPHI.EH.W.0007.000000T0000Z-050812T0200Z/ (P-VTEC)

*Explanation:* An Excessive Heat Warning had been issued earlier for most of the WFO Mount Holly forecast area. At a time before the original Event Ending Time (0200 UTC on August 12), the forecaster decides to extend only a portion of the event through the following day. He expects a cooler airmass to spread into the northwestern zones overnight but then stall out. Since the original event is several hours from ending, it is too early to use the *EXP* action code on the non-extended portion (see Section 2.1.2). Thus, a partial extension in time is used. This requires two segments, with an *EXT* action code in the portion being extended and a *CON* action code in the portion not being extended. Both segments continue to share the same ETN (of 0007), since the event times overlap and they still share the same phenomenon and significance codes.

**Example (4) - Extend Event in Both Area and Time (EXB)**

*Scenario: Add zones to and extend event ending time of a Heavy Snow Warning*

Issuing Office: WFO Boise ID (KBOI)

Current time: 1145 UTC on March 16, 2004

Event (Product): Heavy Snow Warning (WSW)

Product extended for: Idaho Zones 1 thru 8

Product expiration time: 1800 UTC on March 16, 2004

Event Tracking Number: 4<sup>th</sup> Heavy Snow Warning of the year issued by KBOI

Segment 1

Valid for: Idaho Zones 6 thru 8

Expected (*or actual*) Event Beginning and Ending times of the Warning: 0600 UTC and 1800 UTC on March 16, 2004

Segment 2

Valid for: Idaho Zones 1 thru 5

Expected (*or actual*) Event Beginning and Ending times of the Warning: 0600 UTC and 1800 UTC on March 16, 2004

(segment 1 of 2 within WSW product - new area in warning)  
 IDZ006>008-161800- (UGC)  
 /O.EXB.KBOI.HS.W.0004.000000T0000Z-040316T1800Z/ (P-VTEC)

(segment 2 of 2 within WSW product - area included in previous issuance)  
 IDZ001>005-161800- (UGC)  
 /O.EXT.KBOI.HS.W.0004.000000T0000Z-040316T1800Z/ (P-VTEC)

*Explanation:* Two segments are used, one with the *EXB* action code for the newly issued area, and another with the *EXT* action code for the continued area (with the updated beginning and/or ending time). Since the Warning conditions have already begun, the Event Beginning Date/Time Group is coded with zeros in both segments. Both segments maintain the same ETN (of 0004) as the original product segment. If another follow-up product is issued, and the entire Warning area is being continued with no other time changes, the entire area could appear in one segment with the *CON* action code.

3.3 Multiple P-VTEC Events Contained in a Single Product or Product Segment. Most event-driven products or product segments will contain either one or two P-VTEC strings (one P-VTEC string if there is a single event described in the particular product or segment, or two P-VTEC strings for upgrade, downgrade or replacement actions of an event). However, for Routine Marine Forecasts (as outlined in Section 3.5.1) and for some mainly long-duration event-driven W/W/A products, there will be times when more than one P-VTEC event is contained in a single product or product segment.

In Routine Marine forecasts (see Section 3.5.1), the P-VTEC strings will be sorted by the following criteria:

- a. First, in chronological order by Event Beginning Time. An exception is made for upgrade and downgrade/replacement situations (see Section 3.1) where the P-VTEC strings containing the UPG and either NEW, EXA, EXB, or EXT (for upgrade) or CAN and either NEW, EXA, EXB, or EXT (for downgrade or replacement) action codes will appear together, based on the Event Beginning Time of the NEW, EXA, EXB, or EXT string of the upgrade/downgrade/replacement.
- b. If two or more P-VTEC strings begin at the same time or are valid upon issuance of the product (with the exception of upgrade and downgrade/replacement situations mentioned above), then by P-VTEC action code in the following order: CAN, EXP, UPG, NEW, EXB, EXA, EXT, ROU, CON.
- c. If two or more P-VTEC strings contain the same action code, then by significance level (in the order W, Y, A, S). (The 'F' significance level appears only with the ROU action code, of which there would only be one included in any particular forecast segment.)
- d. If two or more P-VTEC strings contain the same action code, significance level, and Event Beginning Time, then by phenomenon code (in alphabetical order).

In all other products containing VTEC, the P-VTEC strings will be sorted by the following criteria:

- a. First, by P-VTEC action code in the following order: CAN, EXP, UPG, NEW, EXB, EXA, EXT, CON. (Other than Routine Marine Forecasts [see above], the ROU action code appears only in Flood Warnings for Forecast Points, and when it does, it will be by itself.) An exception is made for upgrade and downgrade/replacement situations (see Section 3.1) where the P-VTEC strings containing the UPG and either NEW, EXA, EXB, or EXT (for upgrade) or CAN and either NEW, EXA, EXB, or EXT (for downgrade or replacement) action codes will appear together, regardless of any other P-VTEC strings which appear in that segment.
- b. If two or more P-VTEC strings contain the same action code, then by significance level (in the order W, Y, A, S).
- c. If two or more P-VTEC strings contain the same action code and significance level, then in chronological order by Event Beginning Time.
- d. If two or more P-VTEC strings contain the same action code, significance level, and Event Beginning Time, then by phenomenon code (in alphabetical order).

Any required H-VTEC string(s) will appear immediately after the corresponding P-VTEC string(s).

3.4 Severe Thunderstorm and Tornado Products. P-VTEC coding will appear in all Severe Thunderstorm and Tornado Warning products including follow-up statements, and in two Severe Thunderstorm/Tornado Watch Products: the national Watch Outline Update Message (WOU) issued by the SPC; and the local Watch County Notification (WCN) issued by WFOs with forecast/warning area of responsibility included in the WOU product. The P-VTEC string used in a WOU and all WCNs in one convective watch will share the same ETN, Phenomenon and Significance Level, and Beginning and Ending Event Times (except that once the watch begins, any follow-up WOUs and WCNs would encode their Beginning Event Time as all zeros). The WOU will use the Storm Prediction Center's ID (KWNS), while each WCN will use the station ID of the issuing WFO.

Outside the contiguous United States, WFOs will issue WCNs without a WOU from SPC. These WCNs will use sequential ETNs for that WFO.

See NWSI 10-512, National Severe Weather Products Specification, and NWSI 10-511, WFO Severe Weather Products Specification, for comprehensive details on the WOU and WCN, respectively.

3.4.1 Watch Outline Update (WOU) Product. Following is an example of a WOU issued by SPC. Note the ETN is 0005. This ETN will be used by all affected WFOs in their corresponding WCN products.

*Scenario: Initial Tornado Watch issuance by SPC*

Issuing Office: Storm Prediction Center (KWNS)

Current time: 1125 UTC on February 5, 2004

Event (Product): Tornado Watch (WOU)

Watch valid for: Louisiana Parishes 1, 3, 5, 7, 9, 11, 19, 23, 25, 29, 33, 37, 39, 41, 43, 45, 47, 53, 55, 59, 63, 65, 77, 79, 91, 93, 95, 97, 99, 101, 105, 107, 113, 117, 121 and 125; Mississippi Counties 1, 5, 21, 29, 31, 37, 49, 63, 65, 77, 85, 89, 91, 101, 113, 121, 123, 127, 129, 147, 149 and 157; Texas Counties 245 and 361; and Gulf of Mexico Marine Zones 450, 475, and 530

Product expiration time: 1800 UTC on February 5, 2004

Event Tracking Number: 5<sup>th</sup> Watch of the year issued by the SPC (this one for Tornado)

Expected Event Beginning and Ending times of the watch: 1140 UTC and 1800 UTC on February 5, 2004

(segment 1 of 4 within WOU product - Louisiana parishes in watch)

LAC001-003-005-007-009-011-019-023-025-029-033-037-039-041-043-045-047-053-055-059-063-065-077-079-091-093-095-097-099-101-105-107-113-117-121-125-051800- (UGC)  
/O.NEW.KWNS.TO.A.0005.040205T1140Z-040205T1800Z/ (P-VTEC)

(segment 2 of 4 within WOU product - Mississippi counties in watch)

MSC001-005-021-029-031-037-049-063-065-077-085-089-091-101-113-121-123-127-129-147-149-157-051800- (UGC)  
/O.NEW.KWNS.TO.A.0005.040205T1140Z-040205T1800Z/ (P-VTEC)

(segment 3 of 4 within WOU product - Texas counties in watch)

TXC245-361-051800- (UGC)  
/O.NEW.KWNS.TO.A.0005.040205T1140Z-040205T1800Z/ (P-VTEC)

(segment 4 of 4 within WOU product - Marine zones in watch)

GMZ450-475-530-051800- (UGC)  
/O.NEW.KWNS.TO.A.0005.040205T1140Z-040205T1800Z/ (P-VTEC)

*Explanation:* Each segment in this WOU product uses the same ETN (of 0005), and each is coded as *NEW* (from the P-VTEC strings). Subsequent WCN products issued by any of the WFOs impacted by the watch (see Section 3.4.2) will use the same ETN (of 0005), as well as the same phenomenon (*TO*) and significance level (*A*).

3.4.2 Watch County Notification (WCN) Product. The WCN product issued by affected WFOs will handle all aspects for their respective forecast/warning area of responsibility (issuance, clearing counties, continuing counties, cancelling, expiration) of Severe Thunderstorm Watch or Tornado Watch issuances by the SPC.

In WCN products from offices in the contiguous United States, the SPC WOU watch number will be used as the ETN. This allows WCN products from adjacent WFOs to have the same ETN for the same watch. WCN products from offices outside of the contiguous United States will use sequential ETNs for that WFO.

Following is an example of a WCN product, an initial issuance of a Tornado Watch product by WFO Lake Charles Louisiana. An additional WCN example which illustrates the clearing of a portion of a Severe Thunderstorm Watch is in Appendix D. For information on other variations

of the WCN product, such as “Clearing remaining counties from a watch,” “Second watch issued while first watch remains in effect,” “Extending a watch’s expiration time for selected counties,” see NWSI 10-511.

If the WCN issuance time is after the corresponding WOU event beginning time, the WCN event beginning time will match the WCN issuance time and not the WOU issuance beginning time (which would be in the past).

**Example - WCN Product for Initial Issuance of a Tornado Watch**

*Scenario: Initial WCN issuance (see Section 3.4.1 for the associated WOU from the SPC)*

Issuing Office: WFO Lake Charles LA (KLCH)

Current time: 1142 UTC on February 5, 2004

Event (Product): Tornado Watch (WCN)

Watch valid for: Louisiana Parishes 1, 3, 9, 11, 19, 23, 39, 45, 53, 55, 79, 97, 99, 101, and 113; Texas Counties 245 and 361; and Gulf of Mexico Marine Zones 450 and 475

Product expiration time: 1800 UTC on February 5, 2004

Event Tracking Number: 5<sup>th</sup> Watch of the year issued by the SPC (this one for Tornado)

Segment 1

Valid for: Louisiana Parishes 1, 3, 9, 11, 19, 23, 39, 45, 53, 55, 79, 97, 99, 101, and 113; Texas Counties 245 and 361

Expected (or actual) Event Beginning and Ending times of the Warning: 1142 UTC and 1800 UTC on February 5, 2004

Segment 2

Valid for: Gulf of Mexico Marine Zones 450 and 475

Expected (or actual) Event Beginning and Ending times of the Warning: 1142 UTC and 1800 UTC on February 5, 2004

(segment 1 of 2 within WCN product - includes land counties)

LAC001-003-009-011-019-023-039-045-053-055-079-097-099-101-113-TXC245-361-051800- (UGC)  
/O.NEW.KLCH.TO.A.0005.040205T1142Z-040205T1800Z/ (P-VTEC)

(segment 2 of 2 within WCN product - includes marine zones)

GMZ450-475-051800- (UGC)  
/O.NEW.KLCH.TO.A.0005.040205T1142Z-040205T1800Z/ (P-VTEC)

*Explanation:* The P-VTEC string of this initial WCN product uses the same ETN, phenomenon, significance level, and ending time as the associated SPC WOU product (from the P-VTEC string), although it contains only the parishes/counties and marine zones in the WFO Lake Charles forecast area that are included in the watch (in the UGC string). The WCN was not issued before the scheduled start of the watch (1140 UTC), so the event beginning time included in this product is the issuance time (1142 UTC).

**3.4.3 Severe Weather Statement (SVS) Product.** The SVS product is used to provide follow-up information on a Tornado Warning or Severe Thunderstorm Warning. The SVS uses the phenomenon, significance, ETN, and event ending time from the original warning.



**Example - Initial Tornado Warning and Follow-up SVS**

**Product 1**

*Scenario: Initial Warning issuance*

Issuing Office: WFO Denver CO (KBOU)

Current time: 1400 UTC on May 25, 2004

Event (Product): Tornado Warning (TOR)

Warning valid for: Colorado Counties 75, 87, and 121

Product expiration time: 1445 UTC on May 25, 2004

Event Tracking Number: 6<sup>th</sup> Tornado Warning of the year issued by KBOU

Expected (*or actual*) Event Beginning and Ending times of the Warning: 1400 UTC and 1445 UTC on May 25, 2004

COC075-087-121-251445- (UGC)  
/O.NEW.KBOU.TO.W.0006.0405251400Z-040525T1445Z/ (P-VTEC)

*Explanation:* The phenomenon, significance, ETN and event ending time from this warning will be used in any follow-up Severe Weather Statement issued concerning this warning.

**Product 2**

*Scenario: Follow-up Statement - cancel Warning for one county and continue Warning for the other two.*

Issuing Office: WFO Denver CO (KBOU)

Current time: 1426 UTC on May 25, 2004

Event (Product): Tornado Warning (SVS)

Product valid for: Colorado Counties 75, 87, and 121

Product expiration time of the

Cancelled segment (segment 1): 1436 UTC on May 25, 2004

Continued segment (segment 2): 1445 UTC on May 25, 2004

Event Tracking Number: 6<sup>th</sup> Tornado Warning of the year issued by KBOU

Segment 1

Valid for: Colorado County 87

Expected (*or actual*) Event Beginning and Ending times of the Warning: 1400 UTC and 1445 UTC (1426 UTC) on May 25, 2004

Segment 2

Valid for: Colorado Counties 75 and 121

Expected (*or actual*) Event Beginning and Ending times of the Warning: 1400 UTC and 1445 UTC on May 25, 2004

(segment 1 of 2 within SVS product - cancelled part of warning)  
COC087-251436- (UGC)  
/O.CAN.KBOU.TO.W.0006.000000T0000Z-040525T1445Z/ (P-VTEC)

(segment 2 of 2 within SVS product - continued rest of warning)  
COC075-121-251445- (UGC)  
/O.CON.KBOU.TO.W.0006.000000T0000Z-040525T1445Z/ (P-VTEC)

*Explanation:* This segmented follow-up Severe Weather Statement uses the same phenomenon (*TO*), significance (*W*), ETN (*0006*), and event ending time (1445 UTC) as the original Tornado Warning.

3.4.4 **Combined Severe Thunderstorm and Flash Flood Warning (FFW) Product.** Since this product contains hydrologic information and H-VTEC coding, it is discussed in Section 5.4.

3.5 Marine and Coastal Weather Products. The following subsections provide illustration and interpretation for various marine products. Note that three sequences of complete marine and coastal products are found in Appendix D, Section 3.d. These sequences show the flow of events within a particular weather/marine system, e.g., from watch to warning to statement (to provide follow-up information, and/or cancel the event or let it expire).

3.5.1 Routine Marine Forecast Products. There are four routine marine forecast products that contain W/W/A information and eventually P-VTEC codes. VTEC is scheduled to be tested and implemented in the Coastal Water Forecast (CWF) and Great Lakes Nearshore Forecast (NSH) during 2005, and in the Offshore Waters Forecast (OFF) and Great Lakes Open Lake Forecast (GLF) at a later time. For each of these products, at least one P-VTEC string will appear in each product segment. If there are no P-VTEC strings for any ongoing or future warnings, watches, or advisories for a segment, then that segment will contain a single P-VTEC string with the ROU action code (see Part a below). See NWSI 10-310, Coastal Marine Forecast Services; 10-311, Offshore, NAVTEX, and High Seas Marine Forecast Services; and 10-312, Great Lakes Marine Services, for information on these routine marine products.

- a. ROU action code. For forecast segments without a W/W/A in effect, a single P-VTEC string will appear in the segment. It will have an action code of ROU, a phenomena code of MA, a significance code of F, an ETN of 0000, and will have event beginning and ending times of all zeros. A P-VTEC string with the ROU action code may also appear if the only other P-VTEC string(s) included in a segment are for cancellations (using the CAN action code). Here are two examples illustrating use of the ROU in routine marine forecasts.

**Example (1) - Nearshore Forecast (NSH) Product Initially Without a W/W/A, then Small Craft Advisory Issued**

**Product 1**

*Scenario: Routine Marine Forecast issuance with no W/W/As through the forecast period*

Issuing Office: WFO North Central Lower Michigan (KAPX)

Current time: 1530 UTC on December 22, 2004

Event (Product): None (NSH)

Forecast valid for: Lake Huron Marine Zones 347 and 348

Product expiration time: 2130 UTC on December 22, 2004

Event Tracking Number: Zero, as no W/W/As are in effect through the entire forecast

Expected (*or actual*) Event Beginning and Ending times of the Forecast: 1530 UTC on December 22 and 1100 UTC on December 24, 2004

LHZ347-348-222130-

(UGC)

/O.ROU.KAPX.MA.F.0000.000000T0000Z-000000T0000Z/

(P-VTEC)

*Explanation:* There are no W/W/As in effect through the entire two-day forecast period (through 1100 UTC on December 24<sup>th</sup>), so the ROU action code is used in the single P-VTEC string. The ETN for a ROU action code, along with the event beginning and ending times, are always set to zeros.

**Product 2**

*Scenario: Small Craft Advisory raised with next Forecast issuance*

Issuing Office: WFO North Central Lower Michigan (KAPX)

Current time: 2130 UTC on December 22, 2004

Event (Product): Small Craft Advisory (NSH)

Forecast valid for: Lake Huron Marine Zones 347 and 348

Product expiration time: 0330 UTC on December 23, 2004

Event Tracking Number: 17<sup>th</sup> Small Craft Advisory of the year issued by KAPX

Expected Event Beginning and Ending times of the Advisory: 0900 UTC on December 23 and 2300 UTC on December 23, 2004

LHZ347-348-230330- (UGC)  
/O.NEW.KAPX.SC.Y.0017.041223T0900Z-041223T2300Z/ (P-VTEC)

*Explanation:* With the next forecast issuance, a Small Craft Advisory is raised, valid from 0900 UTC to 2300 UTC on December 23<sup>rd</sup>. Since there is now a P-VTEC string pertaining to an ongoing or future event, the P-VTEC string with the *ROU* action code is no longer included.

**Example (2) - CWF Product With Only a Cancelled W/W/A**

*Scenario: Routine Marine Forecast issuance with a cancelled Small Craft Advisory, but no other W/W/A during the forecast period*

Issuing Office: WFO San Diego CA (KSGX)

Current time: 1500 UTC on December 15, 2004

Event (Product): Small Craft Advisory (CWF)

Forecast valid for: Eastern North Pacific Marine Zone 750

Product expiration time: 2230 UTC on December 15, 2004

Event Tracking Number: 25<sup>th</sup> Small Craft Advisory of the year issued by KSGX

Expected (*or actual*) Event Beginning and Ending times of the Advisory: 0700 UTC on December 15 and 2300 UTC (1500 UTC) on December 15, 2004

PZZ750-152230- (UGC)  
/O.CAN.KSGX.SC.A.0025.000000T0000Z-041215T2300Z/ (P-VTEC 1)  
/O.ROU.KSGX.MA.F.0000.000000T0000Z-000000T0000Z/ (P-VTEC 2)

*Explanation:* A Small Craft Advisory which had been in effect has been cancelled with this product issuance. Since there are no other Marine W/W/As in effect through the end of the forecast period (and the Small Craft Advisory is, by definition, over immediately upon cancellation), a P-VTEC string using the *ROU* action code is included.

- b. **Storm Prediction Center (SPC) Watches in Routine Marine Forecasts.** When the SPC issues Severe Thunderstorm or Tornado Watches that include marine forecast areas, the watches are headlined in the routine marine forecasts (except for the OFF product which does not include headlines for severe weather watches) and a P-VTEC string is added to the affected forecast segment(s). The information for the P-VTEC string will match that found in the WFOs WCN product, including the ETN and the event beginning and ending times.

**Example - CWF Product with a Tornado Watch issued by the SPC**

*Scenario: Routine Marine Forecast updated because of new Watch*

Issuing Office: WFO Miami FL (KMFL)

Current time: 1700 UTC on May 27, 2004  
 Event (Product): Tornado Watch (CWF)  
 Forecast valid for: Western North Atlantic Marine Zones 650 and 651  
 Product expiration time: 2030 UTC on May 27, 2004  
 Event Tracking Number: 392<sup>nd</sup> Watch of the year issued by the SPC (this one for Tornado)  
 Expected (*or actual*) Event Beginning and Ending times of the Watch: 1700 UTC and 2300 UTC  
 on May 27, 2004

AMZ650-651-272030- (UGC)  
 /O.NEW.KMFL.TO.A.0392.040527T1700Z-040527T2300Z/ (P-VTEC)

*Explanation:* As with the examples in Section 3.4.2, a severe weather watch issued by the SPC will maintain the ETN from the original SPC watch product (WOU) (in P-VTEC string 1). After the watch expires at 2300 UTC, no other W/W/As are in effect during the rest of the forecast period, so no other P-VTEC strings appear.

- c. Tropical Storm and Hurricane Watches and Warnings in Routine Marine Forecasts. For 2005, when the Tropical Prediction Center (TPC) issues Tropical Storm or Hurricane Watches and Warnings for the Atlantic Basin which include the coastal waters of the mainland United States, Puerto Rico and the U.S. Virgin Islands, experimental P-VTEC string(s) (using the 'X' Fixed Identifier) will be included in the appropriate Coastal Waters Forecast(s). The information for the P-VTEC string will come from the experimental Tropical Cyclone Product for VTEC (TCV), including the ETN. See Section 3.6 for more information on the TCV. The Office ID included in any tropical P-VTEC string will be that of the WFO issuing the CWF.

**Example - CWF Product with a Tropical Storm Watch issued by the TPC**

*Scenario: Routine Marine Forecast changed because of new Watch*

Issuing Office: WFO Wilmington NC (KILM)  
 Current time: 2100 UTC on September 23, 2005  
 Events (Product): Small Craft Advisory for Hazardous Seas and Tropical Storm Watch (CWF)  
 Forecast valid for: Western North Atlantic Marine Zones 250, 252, 254, 256  
 Product expiration time: 0900 UTC on September 24, 2005  
 Event Tracking Numbers: 14<sup>th</sup> Small Craft Advisory for Seas issued by KILM, 4<sup>th</sup> Tropical System of the year for the Atlantic Basin (this one currently for a Tropical Storm Watch issued by the TPC)  
 Expected (*or actual*) Event Beginning and Ending times of the  
 Small Craft Advisory for Hazardous Seas: 2100 UTC on September 22 and 0300 UTC on September 25, 2005 (2100 UTC on September 23, 2005)  
 Tropical Storm Watch: 2100 UTC on September 23, 2005 and Until Further Notice

AMZ250-252-254-256-240900- (UGC)  
 /O.CAN.KILM.SW.Y.0014.000000T0000Z-050925T0300Z/ (P-VTEC 1)  
 /X.NEW.KILM.TR.A.1004.050923T2100Z-000000T0000Z/ (P-VTEC 2)

*Explanation:* TPC has issued a Tropical Storm Watch (an operational product with experimental VTEC) for WFO Wilmington's Coastal Waters for the fourth system of the year in the Atlantic Basin, "Dennis". Although the KILM office ID is used in the P-VTEC string, it maintains the same ETN that was used in the original TCV product (see Section 3.6) from TPC (1004 - 1 for the Atlantic Basin and 004 for the fourth tropical system of the year in that basin). The Watch is in

effect beginning at 2100 UTC on September 23<sup>rd</sup>. Since all TPCs Watches and Warnings are open-ended, the event ending time is coded as zeros (P-VTEC string 2). The Small Craft Advisory for Hazardous Seas which had been in effect has been cancelled.

3.5.2 Event-Driven Marine and Coastal Products. The event-driven marine and coastal products which contain W/W/A information and P-VTEC coding (Coastal Hazard Message [CFW], High Surf Advisory [CFW], Lakeshore Hazard Message [CFW], Special Marine Warning [SMW], and any Marine Weather Statement [MWS] issued as a follow-up to an SMW) follow the same rules as other event-driven products which contain VTEC coding. Some examples are given in Appendix D, Section 3. See NWSI 10-313; 10-314, Marine Weather Statements; and 10-320, Coastal/Lakeshore Flood Services, for additional information on event-driven marine products.

3.6 Tropical Cyclone Product for VTEC (TCV). The TCV provides VTEC strings for tropical storm and hurricane watch/warnings only for the Atlantic basin, including the Caribbean and Gulf of Mexico. The TCV will also include the UGC for the appropriate coastal public counties and coastal waters marine zones, and the respective latitudes and longitudes for the break points that bracket the watches/warnings.

The TCV will be issued as an experimental product for the 2005 tropical cyclone season, with the 'E' Fixed Identifier. If testing is successful and positive feedback received, the TCV will become operational in 2006. A Product Description Document for the TCV is on the Internet at <http://products.weather.gov>. A Service Change Notice will announce the operational implementation date at least 120 days in advance. Updates to NWSI 10-601, Tropical Cyclone Products, and to the VTEC Web page on the Internet (<http://www.nws.noaa.gov/os/vtec/>) will contain additional information regarding format of the TCV product and examples of VTEC strings.

4. Hydrologic H-VTEC Format. The specialized H-VTEC string in hydrologic products occurs only in conjunction with, and immediately after, the P-VTEC string. The H-VTEC only follows a P-VTEC that has a Phenomena Code of FL for Flood, FA for Areal Flood, FF for Flash Flood, or HY for Hydrologic. For Flood Warnings (FLW) and follow-up Flood Statements (FLS) at specific river forecast points, the H-VTEC specifies the flood severity; immediate cause; timing of flood beginning, crest, and end; and how the flood compares to the flood of record. For Flood Watches (FFA), Areal Flood Warnings (FLW), Flash Flood Warnings (FFW) and follow-up Flash Flood Statements (FFS), and Areal Flood Advisories issued under the Flood Statement identifier (FLS), H-VTEC string will have an entry for immediate cause (IC) but default entries of zeros or capital letter Os for the remaining elements. For more information on the various Flood W/W/A products and their uses, refer to NWSI 10-922.

In all hydrologic products, the coding of the P-VTEC string(s) will follow the rules in Sections 2 and 3.

The generic structure of the H-VTEC elements is given in Table 4. The "nwsli", "s," "ic," and "fr" describe properties of the flood event and the "yymmddThhnnZ<sub>B</sub>.yymmddThhmmZ<sub>C</sub>.yymmddThhmmZ<sub>E</sub>" provides the timing in UTC.

Table 4. <u>Generic Structure of H-VTEC Elements</u> . Refer to the section number ( <i>in parenthesis</i> ) for more information on each element or group.	
<b>/nwsli.s.ic.yymmddThhnnZ<sub>B</sub>.yymmddThhnnZ<sub>C</sub>.yymmddThhnnZ<sub>E</sub>.fr/</b>	
<p><b>Event Group</b></p> <p><b>nwsli</b> - Site Identifier (4.1.1)  <b>s</b> - Flood Severity (4.1.2)  <b>ic</b> - Immediate Cause (4.1.3)  <b>fr</b> - Flood Record (4.1.5)</p>	<p><b>Date/Time Groups</b> (4.1.4)</p> <p><b>yy</b> - Year  <b>mm</b> - Month  <b>dd</b> - Day  <b>T</b> - Fixed Time Indicator  <b>hh</b> - Hour in UTC  <b>nn</b> - Minute in UTC  <b>Z<sub>B</sub></b> - Fixed UTC Flood <u>Beginning</u> Date/Time Indicator  <b>Z<sub>C</sub></b> - Fixed UTC Flood <u>Crest</u> Date/Time Indicator  <b>Z<sub>E</sub></b> - Fixed UTC Flood <u>Ending</u> Date/Time Indicator</p>
<p><u>Notes:</u></p> <p>(1) The “T” in the Date/Time Groups is a fixed Time Indicator, with the following “hh” and “nn” being the hours and minutes in UTC, respectively.</p> <p>(2) The Z<sub>B</sub>, Z<sub>C</sub>, and Z<sub>E</sub> are the generic fixed UTC indicators for the flood beginning, crest, and ending times. Note that the subscripts are not used in any actual VTEC strings in examples.</p> <p>(3) The forward slash (‘/’) and period (‘.’) in the format are delimiters that separate fields for ease in decoding.</p>	

4.1 H-VTEC Element Definitions/Explanations.

4.1.1 nwsli (Site Identifier). Identifies the specific location for which the H-VTEC string applies. For areal flood and flash flood products, this element is coded as five zeros (00000). NWSI 30-1204, Site Identifiers, has more information about the NWS Site Identifier program.

4.1.2 s (Flood Severity). Identifies the severity of the flooding on rivers and streams where point-specific flood warning products are issued. For Flood Watches, Areal Flood Warnings, Flash Flood Warnings, and Areal Flood Advisories, this element is coded as zero (0). There is one exception: if a Flash Flood Warning provides information on flash flooding which is not the direct result of heavy precipitation (e.g, a dam failure) and the flood severity is unknown, the flood severity code is set to "U." See Appendix B for Flood Severity codes.

4.1.3 ic (Immediate Cause). Identifies the immediate cause of the flood. See Appendix B for Immediate Cause codes.

4.1.4 yymmddThhnnZ<sub>B</sub>.yymmddThhnnZ<sub>C</sub>.yymmddThhnnZ<sub>E</sub> (Flood Timing). These groups, respectively, identify the actual (or forecast) beginning, crest, and ending times of the flooding at the forecast point by year, month, day, hour, and minute in UTC. For Flood Watches, Areal Flood Advisories, Areal Flood Warnings, Flash Flood Warnings, these groups are coded with zeros (000000T0000Z).

4.1.5 **fr (Flood Record Status).** Identifies how the flood compares to the flood of record. For Flood Watches, Areal Flood Warnings, Flash Flood Warnings, and Areal Flood Advisories, this element is coded as two letter Os (*OO*). See Appendix B for the Flood Record Status codes.

4.1.6 **H-VTEC Flood Beginning Time versus P-VTEC Event Beginning Time.** In Flood Warnings for Forecast Points, the H-VTEC Flood Beginning Time reflects the time that the forecast point is expected to reach (or actually did reach) flood stage while the P-VTEC Event Beginning Time reflects the time when the Flood Warning event begins. These two times, when not encoded with zeros, are generally the same, except when flooding begins before an initial Flood Warning is issued. In that case, the H-VTEC Flood Beginning Time will be encoded with the time flooding began (in the past) and the P-VTEC Event Beginning Time will be encoded with the time the warning is issued (the present time).

4.1.7 **H-VTEC Flood Ending Time versus P-VTEC Event Ending Time.** In Flood Warnings for Forecast Points, the H-VTEC Flood Ending Time reflects the time that the forecast point is expected to fall below (or actually fell below) flood stage, while the P-VTEC Event Ending Time reflects the time when the Flood Warning event is expected to end. These times are generally the same, except when flood warnings are cancelled before the most recently forecast ending time. In that case, the H-VTEC Flood Ending Time will be encoded with the time the flooding actually ended (i.e., the time that the forecast point fell below flood stage), while the P-VTEC Event Ending Time will retain the time it had in the most recent product or segment issuance.

4.2 **Example of a Full H-VTEC string (with associated UGC and P-VTEC strings).**

*Scenario: Initial issuance of a Point Flood Warning*

Issuing Office: WFO Des Moines IA (KDMX)

Current time: 1530 UTC on May 9, 2003

Event (Product): Flood Warning (FLW)

Immediate Cause: Excessive Rainfall

Warning valid for: Iowa County 153, Raccoon River at Des Moines Fleur Drive (DEMI4)

Product expiration time: 0300 UTC on May 10, 2003

Event Tracking Number: 13<sup>th</sup> Flood Warning for Forecast Points of the year issued by KDMX

Expected Flood Severity: Minor

Record Flood Expected: No

Expected Event Beginning, Crest, and Ending times: 2100 UTC on May 9, 0300 UTC on May 10, and 0900 UTC on May 10, 2003

IAC153-100300- (UGC)  
 /O.NEW.KDMX.FL.W.0013.030509T2100Z-030510T0900Z/ (P-VTEC)  
 /DEMI4.1.ER.030509T2100Z.030510T0300Z.030510T0900Z.NO/ (H-VTEC)

*Explanation:* WFO Des Moines, IA (KDMX - in P-VTEC) issued a new (NEW - in P-VTEC) operational (O - in P-VTEC) FLW product for the Raccoon River at Des Moines Fleur Drive (DEMI4 - in H-VTEC) in Iowa County 153 (IAC153 - in UGC), for its 13<sup>th</sup> (0013 - in P-VTEC) Flood Warning for Forecast Points (FLW - in P-VTEC) of the calendar year. The flooding is expected to begin at 2100 UTC on May 9, 2003 (030509T2100Z - in P-VTEC and H-VTEC) and end at 0900 UTC on May 10, 2003 (030510T0900Z - in P-VTEC and H-VTEC), with a crest at 0300 UTC on May 10, 2003 (030510T0300Z - in H-VTEC). The flooding is a result of excessive rainfall (ER - in H-VTEC), is expected to be minor (1 - in H-VTEC), and should not approach a record flood (NO - in H-VTEC). This Flood Warning product will expire at 0300 UTC on May 10<sup>th</sup> (100300 - in UGC). Note that the event beginning and ending times in the P-VTEC

string are the same as the flood beginning and ending times in the H-VTEC string. However, had the event already begun in an earlier product issuance, the event beginning time would have been encoded as zeros in the P-VTEC string.

5. Special H-VTEC Rules, Applications and Interpretations. This section explains unique applications of H-VTEC in specific products and/or situations.

5.1 Flood Statement (FLS) and Flash Flood Statement (FFS) Products issued as Follow-ups to Warnings. One of the uses of the FLS is to provide follow-up information on Flood Warnings. The FFS is used to provide follow-up information on Flash Flood Warnings. When used in this manner, the FLS and FFS will share the phenomenon, significance, and ETN of the original warning.

**Example - Initial Flood Warning with a Follow-up FLS**

**Product 1**

*Scenario: Initial issuance of an Areal Flood Warning*

Issuing Office: WFO Anchorage (PAFC)

Current time: 0815 UTC on March 20, 2005

Event (Product): Areal Flood Warning (FLW)

Immediate Cause: Rain and Snowmelt

Warning valid for: Alaska Zone 161

Product expiration time: 2000 UTC on March 20, 2005

Event Tracking Number: 11<sup>th</sup> Areal Flood Warning of the year issued by PAFC

Expected Flood Severity: Not coded

Record Flood Expected: Not coded

Expected Event Beginning, Crest, and Ending times: 1000 UTC on March 20, 2005, crest time not included, and 0800 UTC on March 21, 2005

AKZ161-202000- (UGC)  
 /O.NEW.PAFC.FA.W.0011.050320T1000Z-050321T0800Z/ (P-VTEC)  
 /00000.0.RS.000000T0000Z.000000T0000Z.000000T0000Z.00/ (H-VTEC)

*Explanation:* The Event Phenomenon and Significance (FA.W - in P-VTEC) and the ETN (0011 - in P-VTEC) will be carried in follow-up statements (issued as FLS products) to this warning (which was issued as an FLW product). Since this is an Areal Flood Warning, most of the H-VTEC string is coded with zeros (or letter Os), except for the Immediate Cause (RS - for Rain and Snowmelt). Zone codes are used in Flood Warning products issued in Alaska (see NWSI 10-922 for more information).

**Product 2**

*Scenario: Follow-up Flood Statement*

Issuing Office: WFO Anchorage (PAFC)

Current time: 1900 UTC on March 20, 2005

Event (Product): Areal Flood Warning (FLS)

Immediate Cause: Rain and Snowmelt

Warning valid for: Alaska Zone 161

Product expiration time: 0800 UTC on March 21, 2005

Event Tracking Number: 11<sup>th</sup> Areal Flood Warning of the year issued by PAFC

Expected Flood Severity: Not coded

Record Flood Expected: Not coded



Expected (*or actual*) Event Beginning, Crest, and Ending times: 1000 UTC on March 20, 2005, crest time not included, and 0800 UTC on March 21, 2005

AKZ161-210800- (UGC)  
 /O.CON.PAFC.FA.W.0011.000000T0000Z-050321T0800Z/ (P-VTEC)  
 /00000.O.RS.000000T0000Z.000000T0000Z.000000T0000Z.OO/ (H-VTEC)

*Explanation:* This follow-up Flood Statement maintains the same ETN and Event Phenomenon and Significance as the original Warning. The only changes to the VTEC strings are to change the action code from *NEW* to *CON* and encode the Event Beginning Date/Time (in the P-VTEC) as zeros, since that time has passed (and the flooding has presumably begun).

5.2 Flood Advisories Issued Under the Flood Statement Identifier. "Flood Statements issued under the Flood Statement (FLS) identifier provide information on elevated river/stream flows or ponding of water in urban or other areas, when such events warrant notification of the public in a product less urgent than a warning. Areal Flood Advisories use the P-VTEC phenomena code FA and Flood Advisories for Forecast Points use phenomena code FL, with both using a significance level of Y. While actual Event Beginning and Ending Times are encoded in the P-VTEC string of an Areal Flood Advisory, all the times in the H-VTEC string are coded as zeros (since Flood Warning criteria are not expected). More information on Flood Statements issued for Advisories can be found in NWSI 10-922.

**Example - Flood Statement Product issued for Urban and Small Stream Flooding**

*Scenario: Initial issuance of a Flood Advisory*  
 Issuing Office: WFO Jacksonville FL (KJAX)  
 Current time: 1527 UTC on July 5, 2004  
 Event (Product): Flood Advisory for Urban and Small Stream Flooding (FLS)  
 Immediate Cause: Excessive Rainfall  
 Advisory valid for: Florida Counties 1 and 83  
 Product expiration time: 1700 UTC on July 5, 2004  
 Event Tracking Number: 8<sup>th</sup> Flood Advisory of the year issued by KJAX  
 Expected Flood Severity: None  
 Record Flood Expected: Not coded  
 Expected (*or actual*) Event Beginning, Crest, and Ending times: 1527 UTC on July 5, crest time not included, and 1700 UTC on July 5, 2004

FLC001-083-051700- (UGC)  
 /O.NEW.KJAX.FA.Y.0008.040705T1527Z-040705T1700Z/ (P-VTEC)  
 /00000.N.ER.000000T0000Z.000000T0000Z.000000T0000Z.OO/ (H-VTEC)

*Explanation:* The beginning and ending event times are encoded into the P-VTEC string to denote the times that the Advisory event (in this case ponding of water in urban areas and minor flooding in poor drainage areas) begin and end. Since Flood Warning criteria are not expected to be met, all the times in the H-VTEC string of an Advisory are coded as zeros. Likewise, the H-VTEC Flood Severity is coded as *N* (for none) since flooding is not expected, and the Flood Record Status is coded as *OO* (two letter Os) since this is an areal product.

5.3 Non-Flood Segments Included in Flood Warning for Forecast Points Product. A Flood Warning for Forecast Points (FLW) or its associated follow-up statement (FLS) may also include segments for forecast points which are below flood warning criteria. Inclusion of such segments provides a complete set of forecast and warning information for a series of points along a river

reach, regardless of whether or not they are in flood. Segments for forecast points which are below product issuance criteria will use the ROU action code with the HY phenomenon code and S significance level. All the other P-VTEC and H-VTEC elements will use default values (zeros or letter Os) except for the Site Identifier (which identifies the forecast point) and the immediate cause in the H-VTEC.

**Example - Flood Warning for Forecast Points (FLW) Containing a Non-Flood Segment**

*Scenario: Initial Warning issuance including a forecast point not expected to reach flood stage*

Issuing Office: WFO Birmingham AL (KBMX)

Current time: 1603 UTC on December 22, 2004

Event (Product): Flood Warning for Forecast Points (FLW)

Immediate Cause: Excessive Rainfall

Product expiration time: 0000 UTC on December 23, 2004

Segment 1

Warning valid for: Tombigbee River at the Lower Beville Lock and Dam (AVLA1 - Alabama County 107)

Event Tracking Number: 97<sup>th</sup> Flood Warning of the year for Forecast Points issued by KBMX

Expected Flood Severity: Minor

Expected Event Beginning, Crest, and Ending times of the Warning: 0300 UTC on December 24, 0900 UTC on December 25, and 0000 UTC on December 27, 2004

Segment 2

Valid for: Tombigbee River at the Lower Gainesville Lock and Dam (GNSA1 - Alabama Counties 63 and 119)

Event Tracking Number: None, as the forecast point is not expected to reach flood stage

Segment 3

Warning valid for: Tombigbee River at the Lower Demopolis Lock and Dam (DLDA1 - Alabama Counties 65, 91 and 119)

Event Tracking Number: 98<sup>th</sup> Flood Warning of the year for Forecast Points issued by KBMX

Expected Flood Severity: Minor

Expected Event Beginning, Crest, and Ending times of the Warning: 1800 UTC on December 26, 1800 UTC on December 26, and 0000 UTC on December 27, 2004

(segment 1 of 3 within FLW product - new warning for the Tombigbee River at the Lower Beville)

ALC107-230000- (UGC)  
 /O.NEW.KBMX.FL.W.0097.041224T0300Z-041227T0300Z/ (P-VTEC)  
 /AVLA1.1.ER.041224T0300Z.041225T0900Z.041227T0000Z.NO/ (H-VTEC)

(segment 2 of 3 within FLW product - non-warning for the Tombigbee River at the Lower Gainesville)

ALC063-119-230000- (UGC)  
 /O.ROU.KBMX.HY.S.0000.000000T0000Z-000000T0000Z/ (P-VTEC)  
 /GNSA1.N.ER.000000T0000Z.000000T0000Z.000000T0000Z.OO/ (H-VTEC)

(segment 3 of 3 within FLW product - new warning for the Tombigbee River at the Lower Demopolis)

ALC065-091-119-230000- (UGC)  
 /O.NEW.KBMX.FL.W.0098.041226T1800Z-041227T0000Z/ (P-VTEC)  
 /AVLA1.1.ER.041226T1800Z.041226T1800Z.041227T0000Z.NO/ (H-VTEC)

*Explanation:* This new Flood Warning product from WFO Birmingham contains three forecast points along the Tombigbee River, two of which are expected to reach flood stage (segments 1 and 3) and one which is not expected to reach flood stage (segment 2). The non-flood forecast point is included for completeness, since the Lower Gainesville Lock and Dam is located between the Lower Beville and the Lower Demopolis Locks and Dams. In that segment, the ROU action code is used with the HY phenomenon

code and *S* significance level and an ETN of 0000. The P-VTEC event beginning and ending times are coded as zeros. In the H-VTEC string, only the Site Identifier (*GNSAI*) and immediate cause (*ER*) are coded with non-default values. *N* is used for Flood Severity since conditions are not expected to reach flood stage. Should later guidance suggest that the river will flood at the Lower Gainesville, an FLW would be issued for the forecast point with the *FL* action code and *W* significance level.

5.4 Combined Severe Thunderstorm and Flash Flood Warning (FFW) Product. Where specified by Regional policy, the Combined Severe Thunderstorm and Flash Flood Warning may be issued in situations when thunderstorms produce large hail and/or damaging wind as well as flood-producing rains. This product requires the use of two P-VTEC strings, one for the Flash Flooding (with an associated H-VTEC string), and one for the Severe Thunderstorm. For more information on this product, refer to NWSI 10-922 and associated Regional Supplements. Examples of this product are given in Appendix D, Sections 4.b and 4.c.

5.5 Multiple Hydrologic P-VTEC Strings in a Single Product Segment. Normally, there will only be one Hydrologic P-VTEC string included in a single product segment, since VTEC upgrade and downgrade operations are not performed on hydrologic products. However, when areal Flash Flood Watches are replaced by areal Flood Watches (or vice-versa), there will be paired CAN/NEW, CAN/EXA, or CAN/EXB P-VTEC strings, the first (CAN) for the watch being replaced, and the second (NEW, EXA, or EXB) for the new watch being issued. In such a case, a single H-VTEC string will appear after the two P-VTEC strings. Being an areal watch product, the only element in the H-VTEC which will be populated by a non-default value will be the Immediate Cause. The Immediate Cause value encoded will apply to the NEW P-VTEC string.

**APPENDIX A - Listing of P-VTEC Elements**

<u>Table of Contents:</u>	<u>Page</u>
1. Generic P-VTEC Structure .....	A-1
2. Fixed identifier (k) .....	A-1
3. Actions (aaa) .....	A-1
4. Office ID (cccc) .....	A-1
5. Phenomena (pp) .....	A-1
5.1 Phenomena (pp) codes grouped by hazard type .....	A-2
5.2 Phenomena (pp) codes in alphabetical order .....	A-3
6. Significance (s) .....	A-3
7. Event Tracking Number - ETN (####) .....	A-3
8. Event Beginning and Ending Date/Time Groups (yymmddThhnnZ <sub>B</sub> -yymmddThhnnZ <sub>E</sub> ) .	A-3

1. **Generic P-VTEC Structure**

/k.aaa.cccc.pp.s.####.yymmddThhnnZ<sub>B</sub>-yymmddThhnnZ<sub>E</sub>/

2. **Fixed identifier (k)**

O	Operational Product	E	Experimental Product
T	Test Product	X	Experimental VTEC in an Operational Product

3. **Actions (aaa)**

NEW	New Event	CAN	Event Cancelled
CON	Event Continued	UPG	Event Upgraded
EXT	Event Extended (Time)	EXP	Event Expired
EXA	Event Extended (Area)	COR	Corrected
EXB	Event Extended (Both Time and Area)	ROU	Routine

4. **Office ID (cccc)**

Standard four-letter identifier indicating the NWS office with the primary responsibility for the affected area.

5. **Phenomena (pp)**

5.1 **Phenomena (pp) codes grouped by hazard type**

**Winter**

BZ Blizzard  
 WS Winter Storm  
 WW Winter Weather  
 SN Snow  
 HS Heavy Snow  
 LE Lake Effect Snow  
 BS Blowing Snow  
 SB Snow and Blowing Snow  
 LB Lake Effect Snow and Blowing Snow  
 IP Sleet  
 ZR Freezing Rain  
 IS Ice Storm  
 WC Wind Chill

**Non-Precipitation**

DU Blowing Dust  
 DS Dust Storm  
 WI Wind  
 HW High Wind  
 LW Lake Wind  
 SM Dense Smoke  
 FG Dense Fog  
 ZF Freezing Fog  
 HZ Hard Freeze  
 FZ Freeze  
 FR Frost  
 HT Heat  
 EH Excessive Heat  
 EC Extreme Cold

**Hydrologic**

FL Flood  
 FA Areal Flood  
 FF Flash Flood  
 HY Hydrologic

**Marine and Coastal**

MA Marine  
 UP Ice Accretion  
 SC Small Craft  
 SI Small Craft for Winds  
 SW Small Craft for Hazardous Seas  
 RB Small Craft for Rough Bar  
 BW Brisk Wind  
 GL Gale  
 SE Hazardous Seas  
 SR Storm  
 HF Hurricane Force Wind  
 LS Lakeshore Flood  
 CF Coastal Flood  
 SU High Surf  
 TS Tsunami  
 LO Low Water

**Severe Storms**

SV Severe Thunderstorm  
 TO Tornado

**Tropical**

TR Tropical Storm  
 HU Hurricane  
 TY Typhoon  
 TI Inland Tropical Storm  
 HI Inland Hurricane

**Other**

AS Air Stagnation  
 FW Fire Weather  
 AF Ashfall

5.2 **Phenomena (pp) codes in alphabetical order**

AF	Ashfall	LE	Lake Effect Snow
AS	Air Stagnation	LO	Low Water
BS	Blowing Snow	LS	Lakeshore Flood
BW	Brisk Wind	LW	Lake Wind
BZ	Blizzard	MA	Marine
CF	Coastal Flood	RB	Small Craft for Rough Bar
DS	Dust Storm	SB	Snow and Blowing Snow
DU	Blowing Dust	SC	Small Craft
EC	Extreme Cold	SE	Hazardous Seas
EH	Excessive Heat	SI	Small Craft for Winds
FA	Areal Flood	SM	Dense Smoke
FF	Flash Flood	SN	Snow
FG	Dense Fog	SR	Storm
FL	Flood	SU	High Surf
FR	Frost	SV	Severe Thunderstorm
FW	Fire Weather	SW	Small Craft for Hazardous Seas
FZ	Freeze	TI	Inland Tropical Storm
GL	Gale	TO	Tornado
HF	Hurricane Force Wind	TR	Tropical Storm
HI	Inland Hurricane	TS	Tsunami
HS	Heavy Snow	TY	Typhoon
HT	Heat	UP	Ice Accretion
HU	Hurricane	WC	Wind Chill
HW	High Wind	WI	Wind
HY	Hydrologic	WS	Winter Storm
HZ	Hard Freeze	WW	Winter Weather
IP	Sleet	ZF	Freezing Fog
IS	Ice Storm	ZR	Freezing Rain
LB	Lake Effect Snow and Blowing Snow		

6. **Significance (s)**

W	Warning	S	Statement	O	Outlook
A	Watch	F	Forecast	N	Synopsis
Y	Advisory				

7. **Event Tracking Number - ETN (####)**

A four-digit number assigned to keep track of an event during its lifetime. ETNs are assigned sequentially each year by each WFO for each combination of unique event phenomenon and significance. Certain convective watch redefining products issued by WFOs use the same ETN as the originating national watch product, but a single WFO will not use every ETN in sequence. (See Sections 2.1.6.1 and 3.4) Tropical watches and warnings will share the same ETNs for a given tropical cyclone, and may not use every ETN in sequence in a given season. (See Sections 2.1.6.1, 3.5.1 and 3.6.)

8. **Event Beginning and Ending Date/Time Groups (yyymmddThhnnZ<sub>B</sub>-yyymmddThhnnZ<sub>E</sub>)**

yy	Year	T	Place holder	Z <sub>B</sub>	Place holder - beginning time
mm	Month	hh	hour	Z <sub>E</sub>	Place holder - ending time
dd	Date	nn	Minute		

**APPENDIX B - Listing of H-VTEC Elements**

**Generic H-VTEC Structure**

/nwsli.s.ic.yymmddThhnnZ<sub>B</sub>.yymmddThhnnZ<sub>C</sub>.yymmddThhnnZ<sub>E</sub>.fr/

**Site Identifier (nwsli)**

Five character NWS Site Identifier. For areal flood, flash flood, and flood advisory products, encoded as five zeros (00000).

**Flood Severity (s)**

N None

0 for Flood Watches, Areal Flood Warnings, and for Flash Flood Warnings where no hydrologic observations and/or forecasts for specific locations in the warning area

The following codes are used for Flood Warnings, Flood Statements, Flash Flood Warnings, and Flash Flood Statements in which hydrologic observations and forecasts are provided for specific forecast points

1 Minor

2 Moderate

3 Major

U Unknown

**Immediate Cause (ic)**

ER Excessive Rainfall

SM Snowmelt

RS Rain and Snowmelt

DM Dam or Levee Failure

GO Glacier-Dammed Lake Outburst

IJ Ice Jam

IC Rain and/or Snowmelt and/or Ice Jam

FS Upstream Flooding plus Storm Surge

FT Upstream Flooding plus Tidal Effects

ET Elevated Upstream Flow plus Tidal Effects

WT Wind and/or Tidal Effects

DR Upstream Dam or Reservoir Release

MC Other Multiple Causes

OT Other Effects

UU Unknown

**Flood Timing (yymmddThhnnZ<sub>B</sub>.yymmddThhnnZ<sub>C</sub>.yymmddThhnnZ<sub>E</sub>)**

yy Year

mm Month

dd Date

T Place holder

hh hour

nn Minute

Z<sub>B</sub> Place holder - beginning time

Z<sub>C</sub> Place holder - crest time

Z<sub>E</sub> Place holder - ending time

**Flood Record Status (fr)**

OO The flood record status is not applicable, such as in the following products: Flood Watches, Flash Flood Warnings, Areal Flood Warnings, Areal Flood Advisories, and non-flood (ROU) segments in Flood Warnings for Forecast Points

NO A record flood is not expected

NR Near record or record flood expected

UU Flood without a period of record to compare

Note: Additional codes will be added as needed for future text products.

**APPENDIX C - VTEC Products and Events Listings**

1. Valid VTEC Events. Not all of the P-VTEC Phenomenon Codes and Significance Levels (as listed in Appendix A) are currently used in NWS products, and only some of the possible combinations of Phenomenon and Significance produce valid VTEC events. Tables listing these valid combinations are found at the following website:

<http://www.nws.noaa.gov/os/vtec/VTECEvents.xls>

These tables will be updated as new codes are added and as VTEC-enabled products become operational.

2. VTEC Upgrade/Downgrade/Replace Product List. Only certain environmentally related events trigger a VTEC Upgrade (which uses the UPG and NEW action codes), Downgrade or Replacement (both using the CAN and NEW action codes). A document listing these products is found at the following website:

<http://www.nws.noaa.gov/os/vtec/VTECupdown.xls>

These tables will be updated as new codes are added.



**APPENDIX D - Examples and Interpretations**

<u>Table of Contents:</u>	<u>Page</u>
1. Key to VTEC Examples .....	D-1
2. P-VTEC Examples and Interpretations .....	D-3
a. Single Event .....	D-3
b. Multiple Events .....	D-4
c. Change to an Event .....	D-4
d. Full Event Sequence .....	D-10
3. Marine and Coastal P-VTEC Examples and Interpretations .....	D-18
a. Single Event .....	D-18
b. Multiple Events .....	D-19
c. Change to an Event .....	D-20
d. Full Event Sequences .....	D-21
4. P-VTEC and H-VTEC Examples and Interpretations .....	D-39
a. Single Event .....	D-39
b. Multiple Events .....	D-42
c. Change to an Event .....	D-42
d. Full Event Sequences .....	D-43

1. Key to VTEC examples. Throughout this Appendix and in the main text of this Directive, examples of P-VTEC and H-VTEC coding are included to illustrate and clarify points. Only the UGC and VTEC string(s) of the product(s) are included in the examples (in Courier New font). Some examples are completely made up, while others are either taken directly from or based on real events. The examples are indented from the rest of the text in a 10 point font and include all the information necessary to create the UGC and VTEC strings.

Here is a multi-segment Flood Warning example which appears later in this Appendix. Explanations of the example keywords (which are bolded here) are given below in the order in which they will normally appear in the examples. Depending on the type of product, not all of these keywords will appear in every example.

*Scenario: Flood Warnings have expired*  
**Issuing Office:** WFO Quad Cities IA IL (KDVN)  
**Current time:** 1535 UTC on May 3, 2004  
**Event (Product):** Flood Warning for Forecast Points (FLS)  
**Immediate Cause:** Excessive Rainfall  
**Product expiration time:** 1635 UTC on May 3, 2004  
**Segment 1**  
    **Warning valid for:** Mississippi River near Gladstone (GLDI2 - Iowa County 89 and Illinois County 25)  
    **Event Tracking Number:** 9<sup>th</sup> Flood Warning of the year for Forecast Points issued by KDVN  
    **Expected Flood Severity:** Minor

**Expected (or actual) Event Beginning, Crest, and Ending times of the Warning:** 2000 UTC on April 26, 1100 UTC on April 30, and 1500 UTC on May 3, 2004

**Segment 2**

**Warning valid for:** Mississippi River at Burlington (BRLI4 - Iowa County 99 and Illinois County 34)

**Event Tracking Number:** 10<sup>th</sup> Flood Warning of the year for Forecast Points issued by KDVN

**Expected Flood Severity:** Minor

**Expected (or actual) Event Beginning, Crest, and Ending times of the Warning:** 2000 UTC on April 26, 2300 UTC on April 29, and 1535 UTC on May 3, 2004

(segment 1 of 2 within FLS product - warning cancelled for the Mississippi near Gladstone)

IAZ089-ILZ025-031635- (UGC)  
 /O.EXP.KDVN.FL.W.0009.000000T0000Z-040503T1500Z/ (P-VTEC)  
 /GLDI2.1.ER.040426T2000Z.040430T1100Z.040503T1500Z.NO/ (H-VTEC)

(segment 2 of 2 within FLS product - warning cancelled for the Mississippi at Burlington)

IAZ099-ILZ034-031635- (UGC)  
 /O.EXP.KDVN.FL.W.0010.000000T0000Z-040503T1535Z/ (P-VTEC)  
 /BRLI4.1.ER.040426T2000Z.040429T2300Z.040503T1535Z.NO/ (H-VTEC)

*Explanation:* This Flood Statement product from WFO Quad Cities has been issued for two forecast points on the Mississippi River. Each forecast point is in a separate segment, and each forecast point has a different ETN (of 0009 and 0010). Since the flood warnings were in effect until their event ending times, the P-VTEC Expired (EXP) action code is used. This is a final message, informing that the flood warnings are no longer in effect. The event beginning times in each P-VTEC string has been set to zeros, since the flooding began at both points back on April 26th (in the H-VTEC codes). etc...

**Example keywords:**

- Scenario** - a brief description of why the product is being issued.
- Issuing Office** - the name and four-character identifier of the issuing office.
- Current time** - the time (in UTC) that the product is being issued. This is the time that would be included in the product MND and the WMO header.
- Event (product)** - the event(s) give the VTEC event(s) included in this issuance, the product (in parenthesis) is the three-character product class that the product is issued under.
- Product expiration time** - the time (in UTC) that the product expires. This is the time that is included in the UGC string.
- Segment x** - included in many segmented examples when the information is segment specific.
- Warning/Watch/Advisory valid for** - the area (county, parish, land or marine zone) or specific gauge (in the case of point floods) for which that particular event is valid.
- Event Tracking Number** - the ETN(s) assigned to that event.
- Expected (or actual) Event Beginning, Crest, and Ending times...** - the date and time in UGC when the event is expected to begin and end, and when H-VTEC is included, expected to crest. These are the times that are included in the P-VTEC and H-VTEC strings. If the event beginning time and/or flood crest time have already occurred, the time will be in *italics*. If an event is being cancelled, the cancellation time will also be in *italics* (and in parentheses), with the previously forecast event ending time also given since that is what will appear in the P-VTEC string. Non-hydrologic events will not include the crest time.
- segment x of y within...** - the UGC and VTEC string(s) which would appear in the product segment.
- (UGC)** - The UGC string for the product segment.
- (P-VTEC)** - The P-VTEC string for the product segment. If there are multiple P-VTEC strings in a segment, they will be numbered 1, 2, etc.
- (H-VTEC)** - For flood products, the H-VTEC string for the product segment.
- Explanation** - a more detailed description of the VTEC coding used in the product.

2. P-VTEC Examples and Interpretations. Following are examples of P-VTEC strings and interpretations (including the preceding UGC string that defines the affected geographic area and product expiration time) for (a) single events within one segment, (b) multiple events within one segment, (c) changes to event, and (d) a full event sequence.

a. Single Event.

**Example (1) - New Dense Fog Advisory**

*Scenario: Initial issuance*

Issuing Office: WFO Wakefield VA (KAKQ)

Current time: 0700 UTC on December 26, 2004

Event (Product): Dense Fog Advisory (NPW)

Advisory valid for: Virginia Zones 88 thru 98

Product expiration time: 1300 UTC on December 26, 2004

Event Tracking Number: 9<sup>th</sup> Dense Fog Advisory of the year issued by KAKQ

Expected (*or actual*) Event Beginning and Ending times of the Advisory: 0700 UTC and 1400 UTC on December 26, 2004

VAZ088>098-261300-

(UGC)

/O.NEW.KAKQ.FG.Y.0009.041226T0700Z-041226T1400Z/

(P-VTEC)

*Explanation:* WFO Wakefield, VA, issued an NPW product on December 26, 2004, for its 9<sup>th</sup> Dense Fog Advisory event, valid from 0700 UTC to 1400 UTC on the 26<sup>th</sup> (P-VTEC string), for VA zones 88 through 98 (from the UGC string).

**Example (2) - Cancel a Blizzard Watch**

*Scenario: Watch cancellation*

Issuing Office: WFO Bismarck ND (KBIS)

Current time: 1800 UTC on January 22, 2004

Event (Product): Blizzard Watch (WSW)

Watch valid for: North Dakota Zones 2 thru 5, 10 thru 13, and 18 thru 23

Product expiration time: 1900 UTC on January 22, 2004

Event Tracking Number: 2<sup>nd</sup> Blizzard Watch of the year issued by KBIS

Expected (*or actual*) Event Beginning and Ending times of the Watch: 0700 UTC and 2000 UTC (1800 UTC) on January 22, 2004

NDZ002>005-010>013-018>023-221900-

(UGC)

/O.CAN.KBIS.BZ.A.0002.000000T0000Z-040122T2000Z/

(P-VTEC)

*Explanation:* At 1800 UTC on January 22, 2004, WFO Bismarck cancelled a Blizzard Watch that was to have remained in effect until 2000 UTC that day. Note that the Event Ending time remains unchanged (at 2000 UTC) even though the cancellation is immediate (at 1800 UTC).

**Example (3) - Test Excessive Heat Warning**

*Scenario: Initial issuance of a Test Heat Warning*

Issuing Office: WFO Jackson MS (KJAN)

Current time: 1400 UTC on April 8, 2004

Event (Product): Test Excessive Heat Warning (NPW)

Test Warning valid for: Mississippi Zone 49

Product expiration time: 1500 UTC on April 8, 2004  
Event Tracking Number: 2<sup>nd</sup> Excessive Heat Warning of the year issued by KJAN  
Expected Event Beginning and Ending times of the Test Warning: 1415 UTC and 1500 UTC on April 8, 2004

MSZ049-081500- (UGC)  
/T.NEW.KJAN.EH.W.0002.040408T1415Z-040408T1500Z/ (P-VTEC)

*Explanation:* This is the second time an Excessive Heat Warning (test, experimental, or operational) has been issued by WFO Jackson this year. Both the event and product end/expire at 1500 UTC.

b. Multiple Events.

**Example - New Dust Storm Warning/Continued High Wind Warning**

*Scenario:* Adding a Dust Storm Warning to a High Wind Warning

Issuing Office: WFO Phoenix AZ (KPSR)

Current time: 1730 UTC on November 12, 2004

Events (Product): Dust Storm and High Wind Warnings (NPW)

Warning valid for: Arizona Zones 22, 23, 27 and 28

Product expiration time: 2330 UTC on November 12, 2004

Event Tracking Numbers: 5<sup>th</sup> Dust Storm Warning and 9<sup>th</sup> High Wind Warning of the year issued by KPSR

Expected (or actual) Event Beginning and Ending times of the

Dust Storm Warning: 1730 UTC on November 12 and 0300 UTC on November 13, 2004

High Wind Warning: 1400 UTC on November 12 and 2100 UTC on November 13, 2004

AZZ022-023-027-028-122330- (UGC)  
/O.NEW.KPSR.DS.W.0005.041112T1730Z-041113T0300Z/ (P-VTEC 1)  
/O.CON.KPSR.HW.W.0009.000000T0000Z-041113T2100Z/ (P-VTEC 2)

*Explanation:* The *NEW* Dust Storm Warning joins the *CON*tinued High Wind Warning in this NPW product from WFO Phoenix. Since the High Wind Warning was already in effect, its event beginning time is set to all zeros (in P-VTEC string 2), while the *NEW* Dust Storm Warning has an event beginning time set to the current (issuance) time (in P-VTEC string 1), since the Dust Storm Warning event will begin when this product is issued. Even though the Dust Storm Warning event is scheduled to begin later than the High Wind Warning, it is listed first since the event code is *NEW* (see Section 3.3).

c. Change to an Event.

**Example (1) - Upgrade part of a Winter Storm Watch to a Heavy Snow Warning**

*Scenario:* Upgrading part of a Winter Storm Watch to a Heavy Snow Warning, continue the rest of the Watch

Issuing Office: WFO Amarillo TX (KAMA)

Current time: 2200 UTC on December 17, 2004

Events (Product): Winter Storm Watch and Heavy Snow Warning (WSW)

Product valid for: Texas Zones 1 thru 20

Product expiration time: 0400 UTC on December 18, 2004

## NWSI 10-1703 AUGUST 18, 2005

Event Tracking Numbers: 11<sup>th</sup> Winter Storm Watch and 7<sup>th</sup> Heavy Snow Warning of the year issued by KAMA

### Segment 1

Watch upgraded to Warning for: Texas Zones 1 thru 10

Expected (*or actual*) Event Beginning and Ending times of the

Watch: 1400 UTC on December 17 and 0800 UTC on December 18, 2004 (2200 UTC on December 17)

Warning: 2200 UTC on December 17 and 0800 UTC on December 18, 2004

### Segment 2

Watch continued for: Texas Zones 11 thru 20

Expected (*or actual*) Event Beginning and Ending times of the

Watch: 1400 UTC on December 17 and 0800 UTC on December 18, 2004

(segment 1 of 2 within WSW product - upgraded part of watch to warning)

TXZ001>010-180400-

(UGC)

/O.UPG.KAMA.WS.A.0011.000000T0000Z-041218T0800Z/

(P-VTEC 1)

/O.NEW.KAMA.HS.W.0007.041217T2200Z-041218T0800Z/

(P-VTEC 2)

(segment 2 of 2 within WSW product - continued watch)

TXZ011>020-180400-

(UGC)

/O.CON.KAMA.WS.A.0011.000000T0000Z-041218T0800Z/

(P-VTEC)

*Explanation:* Even if all the Winter Storm Watch counties had been in just one segment of the previous WSW product, at least two segments are now required; one for the *NEW* Warning and *UPGraded* Watch, and one for the *CON*tinued Watch. Two P-VTEC strings are required in the first segment, the first to show that the Winter Storm Watch is being upgraded, and the second to show that it has been upgraded to a *NEW* Heavy Snow Warning.

### **Example (2) - Cancel part of a Winter Storm Warning, downgrade part of a Warning to Snow Advisory, extend a Warning into a new area**

*Scenario: Multiple segments in follow-up Winter Weather Product*

Issuing Office: WFO Glasgow MT (KGGW)

Current time: 1600 UTC on March 23, 2004

Events (Product): Winter Storm Warning and Snow Advisory (WSW)

Product valid for: Montana Zones 16 thru 27 and 59 thru 62

Product expiration time of the

Cancelled segment (segment 1): 1630 UTC on March 23, 2004

Rest of the segments: 2200 UTC on March 23, 2004

Event Tracking Numbers: 4<sup>th</sup> Winter Storm Warning and 8<sup>th</sup> Snow Advisory of the year issued by KGGW

### Segment 1

Valid for: Montana Zones 59 and 61

Expected (*or actual*) Event Beginning and Ending times of the Warning: 1000 UTC and 2200 UTC (1600 UTC) on March 23, 2004

### Segment 2

Valid for: Montana Zones 16 thru 24, 60 and 62

Expected (*or actual*) Event Beginning and Ending times of the

Warning: 1000 UTC and 2200 UTC (1600 UTC) on March 23, 2004

Advisory: 1600 UTC and 2200 UTC on March 23, 2004

### Segment 3

Valid for: Montana Zones 26 and 27

Expected (*or actual*) Event Beginning and Ending times of the Warning: 1600 UTC and 2200 UTC on March 23, 2004

Segment 4

Valid for: Montana Zone 25

Expected (*or actual*) Event Beginning and Ending times of the Warning: 1000 UTC and 2200 UTC on March 23, 2004

(segment 1 of 4 within WSW product - cancel part of warning)

MTZ059-061-231630- (UGC)  
/O.CAN.KGGW.WS.W.0004.000000T0000Z-040323T2200Z/ (P-VTEC)

(segment 2 of 4 within WSW product - downgrade part of warning to advisory)

MTZ016>024-060-062-232200- (UGC)  
/O.CAN.KGGW.WS.W.0004.000000T0000Z-040323T2200Z/ (P-VTEC 1)  
/O.NEW.KGGW.SN.Y.0008.040323T1600Z-040323T2200Z/ (P-VTEC 2)

(segment 3 of 4 within WSW product - extend warning into new area)

MTZ026>027-232200- (UGC)  
/O.EXA.KGGW.WS.W.0004.000000T0000Z-040323T2200Z/ (P-VTEC)

(segment 4 of 4 within WSW product - continued warning)

MTZ025-232200- (UGC)  
/O.CON.KGGW.WS.W.0004.000000T0000Z-040323T2200Z/ (P-VTEC)

*Explanation:* The four separate actions on the Winter Storm Warning (Cancel, Downgrade to Advisory, Extend, and Continue) require at least four separate segments. All the segments reference the same Winter Storm Warning ETN, and since the Warning was already occurring, the event beginning time in all the Warning P-VTEC strings is set to zeros.

**Example (3) - Extend Part of Event in Area and Upgrade Rest of Area**

*Scenario:* Upgrade part of High Wind Watch to Warning, and expand area of remaining Watch

Issuing Office: WFO Cleveland OH (KCLE)

Current time: 1200 UTC on April 14, 2004

Events (Product): High Wind Watch and High Wind Warning (NPW)

Product valid for: Ohio Zones 1 thru 10

Product expiration time: 1800 UTC on April 14, 2004

Event Tracking Numbers: 5<sup>th</sup> High Wind Watch and 4<sup>th</sup> High Wind Warning of the year issued by KCLE

Segment 1

Valid for: Ohio Zones 1 thru 5

Expected (*or actual*) Event Beginning and Ending times of the

Watch: 1000 UTC on April 14 and 0600 UTC on April 15, 2004 (*1200 UTC on April 14*)

Warning: 1200 UTC on April 14 and 0600 UTC on April 15, 2004

Segment 2

Valid for: Ohio Zones 6 thru 10

Expected (*or actual*) Event Beginning and Ending times of the Watch: 1200 UTC on April 14 and 0600 UTC on April 15, 2004

(segment 1 of 2 within NPW product - upgrade watch to warning)

OHZ001>005-141800- (UGC)  
/O.UPG.KCLE.HW.A.0005.000000T0000Z-040415T0600Z/ (P-VTEC 1)  
/O.NEW.KCLE.HW.W.0004.040414T1200Z-040415T0600Z/ (P-VTEC 2)

(segment 2 of 2 within NPW product - extend watch into new area)

OHZ006>010-141800- (UGC)  
/O.EXA.KCLE.HW.A.0005.000000T0000Z-040415T0600Z/ (P-VTEC)

*Explanation:* Two segments are used in the NPW product, one for the upgrade of the High Wind Watch to a High Wind Warning (segment 1), and the other for extending the area of the watch to five new counties (segment 2). Even though the entire original watch area is being upgraded to warning and the expanded watch area is all new, the same watch ETN (of 0005) is used for the expanded area since it is the same meteorological event. Since the Watch event had already begun, the beginning event time for the watch is encoded as all zeros in both segments. The beginning event time for the warning in segment 1 is encoded with the current time, since it is a NEW event beginning now.

**Example (4) - Clearing a portion of a Severe Thunderstorm Watch Area**

*Scenario: Follow-up Statement to clear counties from Severe Thunderstorm Watch*

Issuing Office: WFO Shreveport LA (KSHV)

Current time: 2030 UTC on May 26, 2004

Event (Product): Severe Thunderstorm Watch (WCN)

Product valid for: Arkansas Counties 27, 57, 61, 73, 81, 91, 99, 133 and 139; Louisiana Parishes 13, 15, 17, 27, 31, 81 and 119; Texas Counties 37, 63, 67, 183, 203, 315, 343, 365 and 459

Product expiration time of the

Cancelled segment (segment 1): 2100 UTC on May 26, 2004

Continued segment: 0100 UTC on May 27, 2004

Event Tracking Number: 1002<sup>nd</sup> Watch of the year issued by the SPC (this one being for Severe Thunderstorm)

Segment 1

Valid for: Arkansas Counties 61, 81 and 133

Expected (*or actual*) Event Beginning and Ending times of the Watch: 1800 UTC on May 26 and 0100 UTC on May 27, 2004 (2030 UTC on May 26)

Segment 2

Valid for: Arkansas Counties 27, 57, 73, 91, 99 and 139; Louisiana Parishes 13, 15, 17, 27, 31, 81 and 119; Texas Counties 37, 63, 67, 183, 203, 315, 343, 365 and 459

Expected (*or actual*) Event Beginning and Ending times of the Watch: 1800 UTC on May 26 and 0100 UTC on May 27, 2004

(segment 1 of 2 within WCN product - cancelled part of watch)

ARC061-081-133-262100-

(UGC)

/O.CAN.KSHV.SV.A.1002.000000T0000Z-040527T0100Z/

(P-VTEC)

(segment 2 of 2 within WCN product - continued remainder of watch)

ARC027-057-073-091-099-139-LAC013-015-017-027-

031-081-119-TXC037-063-067-183-203-315-343-365-

459-270100-

(UGC)

/O.CON.KSHV.SV.A.1002.000000T0000Z-040527T0100Z/

(P-VTEC)

*Explanation:* There are two segments, the first to cancel (clear) the watch from three counties, and the second to continue the watch for the rest of the counties/parishes.

**Example (5) - Correct the County List in a Winter Weather W/W/A**

**Product 1**

*Scenario: Freezing Rain Advisory issued for a group of zones*

Issuing Office: WFO Peachtree City GA (KFFC)

Current time: 0900 UTC on January 26, 2004

Events (Product): Freezing Rain Advisory (WSW)

## NWSI 10-1703 AUGUST 18, 2005

Advisory valid for: Georgia Zones 8, 9, 14 thru 16, 21 thru 25, 27, 32 thru 39, 44 thru 51, and 54 thru 60

Product expiration time: 1400 UTC on January 26, 2004

Event Tracking Number: 3<sup>rd</sup> Freezing Rain Advisory of the year issued by KFFC

Expected (*or actual*) Event Beginning and Ending times of the Advisory: 0900 UTC and 1400 UTC on January 26, 2004

GAZ008-009-014>016-021>025-027-032>039-044>051-054>060-261400- (UGC)  
/O.NEW.KFFC.ZR.A.0003.040126T0900Z-040126T1400Z/ (P-VTEC)

*Explanation:* WFO Peachtree City has issued a Freezing Rain Advisory for a group of counties in Georgia.

### Product 2

*Scenario: Correcting the Advisory to remove four zones inadvertently included*

Issuing Office: WFO Peachtree City GA (KFFC)

Current time: 0910 UTC on January 26, 2004

Events (Product): Freezing Rain Advisory (WSW)

Product valid for: Georgia Zones 8, 9, 14 thru 16, 21 thru 25, 27, 32 thru 39, 44 thru 51, and 54 thru 60

Product expiration time of the

Cancelled segment: 0945 UTC on January 26, 2004

Continued segment: 1400 UTC on January 26, 2004

Event Tracking Numbers: 3<sup>rd</sup> Freezing Rain Advisory of the year issued by KFFC

Segment 1

Valid for: Georgia Zones 56, and 58 thru 60

Expected (*or actual*) Event Beginning and Ending times of the Advisory: 0900 UTC and 1400 UTC (0910 UTC) on January 26, 2004

Segment 2

Valid for Georgia Zones 8, 9, 14 thru 16, 21 thru 25, 27, 32 thru 39, 44 thru 51, 54, 55 and 57

Expected (*or actual*) Event Beginning and Ending times of the Advisory: 0900 UTC and 1400 UTC on January 26, 2004

(segment 1 of 2 within WSW product - cancelled part of advisory)

GAZ056-058>060-260945- (UGC)  
/O.CAN.KFFC.ZR.A.0003.000000T0000Z-040126T1400Z/ (P-VTEC)

(segment 2 of 2 within WSW product - continued rest of advisory)

GAZ008-009-014>016-021>025-027-032>039-044>051-054>055-057-261400- (UGC)  
/O.CON.KFFC.ZR.A.0003.000000T0000Z-040126T1400Z/ (P-VTEC)

*Explanation:* Shortly after the Advisory was issued, it was discovered that four zones had been inadvertently included. For such errors in these Winter Weather W/W/A products, the WSW is reissued with two segments, one that cancels the advisory in the inadvertently added zones, and one that continues the rest of the advisory. Other than the different P-VTEC action codes used (CAN in the cancelled segment and CON in the continued segment) and the zeros in the Event Beginning Date/Time Group, the rest of the P-VTEC strings remain the same as in the original Advisory. The product expiration time in the first (CAN) segment has been shortened to ensure that while the cancellation is properly disseminated on NOAA Weather Radio and other systems, it does not need to be valid for the entire five hour expected duration of the Advisory.



**Example (6) - Correct the County List in a Short Duration Warning**

**Product 1**

*Scenario: Severe Thunderstorm Warning issued for two counties*

Issuing Office: WFO Birmingham AL (KBMX)

Current time: 0135 UTC on April 8, 2004

Events (Product): Severe Thunderstorm Warning (SVR)

Warning valid for: Alabama Counties 21 and 37

Product expiration time: 0230 UTC on April 8, 2004

Event Tracking Number: 23<sup>rd</sup> Severe Thunderstorm Warning of the year issued by KBMX

Expected (*or actual*) Event Beginning and Ending times of the Warning: 0135 UTC and 0230 UTC on April 8, 2004

ALC021-037-080230- (UGC)  
/O.NEW.KBMX.SV.W.0023.040408T0135Z-040408T0230Z/ (P-VTEC)

*Explanation:* WFO Birmingham has issued a Severe Thunderstorm Warning for two counties in Alabama.

**Product 2**

*Scenario: Issue a follow-up Statement to remove a county inadvertently included*

Issuing Office: WFO Birmingham AL (KBMX)

Current time: 0142 UTC on April 8, 2004

Events (Product): Severe Thunderstorm Warning (SVS)

Product valid for: Alabama Counties 21 and 37

Product expiration time of the

Cancelled segment: 0200 UTC on April 8, 2004

Continued segment: 0230 UTC on April 8, 2004

Event Tracking Number: 23<sup>rd</sup> Severe Thunderstorm Warning of the year issued by KBMX

Segment 1

Valid for: Alabama County 37

Expected (*or actual*) Event Beginning and Ending times of the Warning: 0135 UTC and 0230 UTC (*0142 UTC*) on April 8, 2004

Segment 2

Valid for: Alabama County 21

Expected (*or actual*) Event Beginning and Ending times of the Warning: 0135 UTC and 0230 UTC on April 8, 2004

(segment 1 of 2 within SVS product - cancelled part of warning)

ALC037-080200- (UGC)  
/O.CAN.KBMX.SV.W.0023.000000T0000Z-040408T0230Z/ (P-VTEC)

(segment 2 of 2 within SVS product - continued part of warning)

ALC021-080230- (UGC)  
/O.CON.KBMX.SV.W.0023.000000T0000Z-040408T0230Z/ (P-VTEC)

*Explanation:* Alabama County 37 was inadvertently included in the Severe Thunderstorm Warning. For such errors in short duration warnings, a segmented Severe Weather Statement is issued to cancel the warning in County 37 and continue it in County 21.

d. Full Event Sequence.

**Example - Winter Storm situation, from watch to warning and advisory to eventual cancellation, including the follow-up statements.**

**Product 1**

*Scenario: Initial Watch issuance*

Issuing Office: WFO Mount Holly NJ (KPHI)

Current time: 1005 UTC on March 15, 2004

Event (Product): Winter Storm Watch (WSW)

Watch being issued for: New Jersey Zone 1 and Pennsylvania Zones 54 and 55

Product expiration time: 1700 UTC on March 15, 2004

Event Tracking Number: 18<sup>th</sup> Winter Storm Watch of the year issued by KPHI

Expected Event Beginning and Ending times of the Watch: 1200 UTC on March 16 and 0200 UTC on March 17, 2004

NJZ001-PAZ054-055-151700-

(UGC)

/O.NEW.KPHI.WS.A.0018.040316T1200Z-040317T0200Z/

(P-VTEC)

*Explanation:* WFO Mount Holly NJ issued a new Winter Storm Watch, their 18<sup>th</sup> of the year.

**Product 2**

*Scenario: Follow-up Statement for Watch*

Issuing Office: WFO Mount Holly NJ (KPHI)

Current time: 1600 UTC on March 15, 2004

Event (Product): Winter Storm Watch (WSW)

Watch continued for: New Jersey Zone 1 and Pennsylvania Zones 54 and 55

Product expiration time: 2300 UTC on March 15, 2004

Event Tracking Number: 18<sup>th</sup> Winter Storm Watch of the year issued by KPHI

Expected Event Beginning and Ending times of the Watch: 1200 UTC on March 16 and 0200 UTC on March 17, 2004

NJZ001-PAZ054-055-152300-

(UGC)

/O.CON.KPHI.WS.A.0018.040316T1200Z-040317T0200Z/

(P-VTEC)

*Explanation:* Six hours later, a continuation statement is issued. There were no changes in event area or time.

**Product 3**

*Scenario: Upgrade Watch to Warning, add a New Warning area, issue New Advisory*

Issuing Office: WFO Mount Holly NJ (KPHI)

Current time: 2030 UTC on March 15, 2004

Events (Product): Winter Storm Watch, Heavy Snow Warning and Snow Advisory (WSW)

Product valid for: New Jersey Zones 1, 7 thru 10, 12, and 15; Pennsylvania Zones 54, 55, 60 thru 62, and 67 thru 69

Product expiration time: 0300 UTC on March 16, 2004

Event Tracking Numbers: 18<sup>th</sup> Winter Storm Watch, 10<sup>th</sup> Heavy Snow Warning and 14<sup>th</sup> Snow Advisory of the year issued by KPHI

Segment 1

Valid for: New Jersey Zone 1; Pennsylvania Zones 54 and 55

Expected (*or actual*) Event Beginning and Ending times of the:

## NWSI 10-1703 AUGUST 18, 2005

Winter Storm Watch: 1200 UTC on March 16 and 0200 UTC on March 17, 2004 (2030 UTC on March 15)

Heavy Snow Warning: 1200 UTC on March 16 and 0200 UTC on March 17, 2004

### Segment 2

Valid for: New Jersey Zones 7 and 8; Pennsylvania Zones 60 thru 62

Expected Event Beginning and Ending times of the Heavy Snow Warning: 1200 UTC on March 16 and 0200 UTC on March 17, 2004

### Segment 3

Valid for: New Jersey Zones 9, 10, 12, and 15; Pennsylvania Zones 67 thru 69

Expected Event Beginning and Ending times of the Snow Advisory: 1200 UTC and 2300 UTC on March 16, 2004

(segment 1 of 3 within WSW product - upgrade initial watch to warning)

NJZ001-PAZ054-055-160300- (UGC)  
/O.UPG.KPHI.WS.A.0018.040316T1200Z-040317T0200Z/ (P-VTEC 1)  
/O.NEW.KPHI.HS.W.0010.040316T1200Z-040317T0200Z/ (P-VTEC 2)

(segment 2 of 3 within WSW product - new warning segment with the same ETN)

NJZ007-008-PAZ060>062-160300- (UGC)  
/O.NEW.KPHI.HS.W.0010.040316T1200Z-040317T0200Z/ (P-VTEC)

(segment 3 of 3 within WSW product - new advisory)

NJZ009-010-012-015-PAZ067>069-160300- (UGC)  
/O.NEW.KPHI.SN.Y.0014.040316T1200Z-040316T2300Z/ (P-VTEC)

*Explanation:* The Winter Storm Watch has been Upgraded to a Warning, and a Warning and an Advisory have also been issued for adjacent areas that were not under the Watch. There are two Warning segments (because of differences in expected accumulation), with the same Heavy Snow Warning ETN, since the valid times overlap.

## Product 4

*Scenario: Follow-Up Statement for Warning and Advisory*

Issuing Office: WFO Mount Holly NJ (KPHI)

Current time: 0215 UTC on March 16, 2004

Events (Product): Heavy Snow Warning and Snow Advisory (WSW)

Product valid for: New Jersey Zones 1, 7 thru 10, 12, and 15; Pennsylvania Zones 54, 55, 60 thru 62, and 67 thru 69

Product expiration time: 1100 UTC on March 16, 2004

Event Tracking Numbers: 10<sup>th</sup> Heavy Snow Warning and 14<sup>th</sup> Snow Advisory of the year issued by KPHI

### Segment 1

Valid for: New Jersey Zone 1; Pennsylvania Zones 54 and 55

Expected Event Beginning and Ending times of the Heavy Snow Warning: 1200 UTC on March 16 and 0200 UTC on March 17, 2004

### Segment 2

Valid for: New Jersey Zones 7 and 8; Pennsylvania Zones 60 thru 62

Expected Event Beginning and Ending times of the Heavy Snow Warning: 1200 UTC on March 16 and 0200 UTC on March 17, 2004

### Segment 3

Valid for: New Jersey Zones 9, 10, 12, and 15; Pennsylvania Zones 67 thru 69

Expected Event Beginning and Ending times of the Snow Advisory: 1200 UTC and 2300 UTC on March 16, 2004

## NWSI 10-1703 AUGUST 18, 2005

(segment 1 of 3 within WSW product - continued warning)  
NJZ001-PAZ054-055-161100- (UGC)  
/O.CON.KPHI.HS.W.0010.040316T1200Z-040317T0200Z/ (P-VTEC)

(segment 2 of 3 within WSW product - continued warning)  
NJZ007-008-PAZ060>062-161100- (UGC)  
/O.CON.KPHI.HS.W.0010.040316T1200Z-040317T0200Z/ (P-VTEC)

(segment 3 of 3 within WSW product - continued advisory)  
NJZ009-010-012-015-PAZ067>069-161100- (UGC)  
/O.CON.KPHI.SN.Y.0014.040316T1200Z-040316T2300Z/ (P-VTEC)

*Explanation:* About six hours later, a continuation statement is issued. There were no changes in event areas or times.

### Product 5

*Scenario:* Follow-Up Statement for Warning and Advisory, changing some of the phenomena

Issuing Office: WFO Mount Holly NJ (KPHI)

Current time: 0950 UTC on March 16, 2004

Events (Product): Heavy Snow Warning, Winter Storm Warning, Snow Advisory, and Winter Weather Advisory (WSW)

Product valid for: New Jersey Zones 1, 7 thru 10, 12, and 15; Pennsylvania Zones 54, 55, 60 thru 62, and 67 thru 69

Product expiration time: 1700 UTC on March 16, 2004

Event Tracking Numbers: 10<sup>th</sup> Heavy Snow Warning, 7<sup>th</sup> Winter Storm Warning, 14<sup>th</sup> Snow Advisory, and 6<sup>th</sup> Winter Weather Advisory of the year issued by KPHI

#### Segment 1

Valid for: New Jersey Zones 7 and 8; Pennsylvania Zones 60 thru 62

Expected (*or actual*) Event Beginning and Ending times of the

Heavy Snow Warning: 1200 UTC on March 16 and 0200 UTC on March 17, 2004 (*0950 UTC on March 16*)

Winter Storm Warning: 1200 UTC on March 16 and 0200 UTC on March 17, 2004

#### Segment 2

Valid for: New Jersey Zone 1; Pennsylvania Zones 54 and 55

Expected Event Beginning and Ending times of the Heavy Snow Warning: 1200 UTC on March 16 and 0200 UTC on March 17, 2004

#### Segment 3

Valid for: New Jersey Zones 9, 10, 12, and 15; Pennsylvania Zones 67 thru 69

Expected (*or actual*) Event Beginning and Ending times of the

Snow Advisory: 1200 UTC and 2300 UTC (*0950 UTC*) on March 16, 2004

Winter Weather Advisory: 1200 UTC on March 16 and 0200 UTC on March 17, 2004

(segment 1 of 3 within WSW product - changed Heavy Snow Warning to Winter Storm Warning)

NJZ007-008-PAZ060>062-161700- (UGC)  
/O.CAN.KPHI.HS.W.0010.040316T1200Z-040317T0200Z/ (P-VTEC 1)  
/O.NEW.KPHI.WS.W.0007.040316T1200Z-040317T0200Z/ (P-VTEC 2)

(segment 2 of 3 within WSW product - continued Heavy Snow Warning)

NJZ001-PAZ054-055-161700- (UGC)  
/O.CON.KPHI.HS.W.0010.040316T1200Z-040317T0200Z/ (P-VTEC)

(segment 3 of 3 within WSW product - changed to Winter Weather Advisory and extended valid time)

NJZ009-010-012-015-PAZ067>069-161700- (UGC)  
 /O.CAN.KPHI.SN.Y.0014.040316T1200Z-040316T2300Z/ (P-VTEC 1)  
 /O.NEW.KPHI.WW.Y.0006.040316T1200Z-040317T0200Z/ (P-VTEC 2)

*Explanation:* Another continuation statement is issued in the early morning of the 16<sup>th</sup>, with a few changes. Since a significant amount of sleet is expected to mix in across part of the area, the formerly second (now first) warning segment has been changed to a Winter Storm Warning and the advisory segment to a Winter Weather Advisory. Even though the ending time of the advisory has changed, the P-VTEC action code for the newly issued Winter Weather Advisory is coded as *NEW* (rather than *EXT*).

**Product 6**

*Scenario: Corrected Follow-Up Statement for Warnings and Advisory, extending event times*

Issuing Office: WFO Mount Holly NJ (KPHI)

Current time: 1000 UTC on March 16, 2004

Events (Product): Heavy Snow Warning, Winter Storm Warning and Winter Weather Advisory (WSW)

Product valid for: New Jersey Zones 1, 7 thru 10, 12, and 15; Pennsylvania Zones 54, 55, 60 thru 62, and 67 thru 69

Product expiration time: 1700 UTC on March 16, 2004

Event Tracking Numbers: 10<sup>th</sup> Heavy Snow Warning, 7<sup>th</sup> Winter Storm Warning, and 6<sup>th</sup> Winter Weather Advisory of the year issued by KPHI

Segment 1

Valid for: New Jersey Zone 1; Pennsylvania Zones 54 and 55

Expected Event Beginning and Ending times of the Heavy Snow Warning: 1200 UTC on March 16 and 0500 UTC on March 17, 2004

Segment 2

Valid for: New Jersey Zones 7 and 8; Pennsylvania Zones 60 thru 62

Expected Event Beginning and Ending times of the Winter Storm Warning: 1200 UTC on March 16 and 0500 UTC on March 17, 2004

Segment 3

Valid for: New Jersey Zones 9, 10, 12, and 15; Pennsylvania Zones 67 thru 69

Expected Event Beginning and Ending times of the Winter Weather Advisory: 1200 UTC on March 16 and 0500 UTC on March 17, 2004

(segment 1 of 3 within WSW product - corrected warning to extend event ending time)

NJZ001-PAZ054-055-161700- (UGC)  
 /O.EXT.KPHI.HS.W.0010.040316T1200Z-040317T0500Z/ (P-VTEC)

(segment 2 of 3 within WSW product - corrected warning to extend event ending time)

NJZ007-008-PAZ060>062-161700- (UGC)  
 /O.EXT.KPHI.WS.W.0007.040316T1200Z-040317T0500Z/ (P-VTEC)

(segment 3 of 3 within WSW product - corrected advisory to extend event ending time)

NJZ009-010-012-015-PAZ067>069-161700- (UGC)  
 /O.EXT.KPHI.WW.Y.0006.040316T1200Z-040317T0500Z/ (P-VTEC)

*Explanation:* Ten minutes later, a corrected WSW is issued to extend the Event Ending Times from 0200 UTC to 0500 UTC on the 17<sup>th</sup>. The P-VTEC strings which were cancelled in the previous issuance are not included, since cancellation (by definition) is immediate. The correction was related to P-VTEC coding, so the remaining P-VTEC strings are each encoded with an *EXT* action code (for Extend Time) rather than a *COR* action code (for Correction). Had the correction

been for a typographical or grammatical error in the text, the P-VTEC strings of the corrected segment(s) would have used the *COR* action code.

**Product 7**

*Scenario: Follow-Up Statement for Warning and Advisory, issue A new Advisory segment*

Issuing Office: WFO Mount Holly NJ (KPHI)

Current time: 1435 UTC on March 16, 2004

Events (Product): Heavy Snow Warning, Winter Storm Warning and Snow Advisory (WSW)

Product valid for: Delaware Zone 1; Maryland Zone 8; New Jersey Zones 1, 7 thru 10, 12 thru 20, 26 and 27; Pennsylvania Zones 54, 55, 60 thru 62, and 67 thru 71

Product expiration time of the

New Advisory (segment 3): 1700 UTC on March 16, 2004

Rest of the Segments: 2200 UTC on March 16, 2004

Event Tracking Numbers: 10<sup>th</sup> Heavy Snow Warning, 7<sup>th</sup> Winter Storm Warning, and 6<sup>th</sup> Winter Weather Advisory of the year issued by KPHI

Segment 1

Valid for: New Jersey Zone 1; Pennsylvania Zones 54 and 55

Expected (*or actual*) Event Beginning and Ending times of the Heavy Snow Warning:  
1200 UTC on March 16 and 0500 UTC on March 17, 2004

Segment 2

Valid for: New Jersey Zones 7 and 8; Pennsylvania Zones 60 thru 62

Expected (*or actual*) Event Beginning and Ending times of the Winter Storm Warning:  
1200 UTC on March 16 and 0500 UTC on March 17, 2004

Segment 3

Valid for: Delaware Zone 1; Maryland Zone 8; New Jersey Zones 13, 14, 16 thru 20, 26 and 27; Pennsylvania Zones 70 and 71

Expected (*or actual*) Event Beginning and Ending times of the Winter Weather Advisory:  
1435 UTC and 1700 UTC on March 16, 2004

Segment 4

Valid for: New Jersey Zones 9, 10, 12, and 15; Pennsylvania Zones 67 thru 69

Expected (*or actual*) Event Beginning and Ending times of the Winter Weather Advisory:  
1200 UTC on March 16 and 0500 UTC on March 17, 2004

(segment 1 of 4 within WSW product - continued warning)

NJZ001-PAZ054-055-162200- (UGC)  
/O.CON.KPHI.HS.W.0010.000000T0000Z-040317T0500Z/ (P-VTEC)

(segment 2 of 4 within WSW product - continued warning)

NJZ007-008-PAZ060>062-162200- (UGC)  
/O.CON.KPHI.WS.W.0007.000000T0000Z-040317T0500Z/ (P-VTEC)

(segment 3 of 4 within WSW product - new advisory segment)

DEZ001-MDZ008-NJZ013-014-016>020-026-027- (UGC)  
PAZ070-071-161700- (P-VTEC)  
/O.EXB.KPHI.WW.Y.0006.000000T0000Z-040316T1700Z/

(segment 4 of 4 within WSW product - continued advisory)

NJZ009-010-012-015-PAZ067>069-162200- (UGC)  
/O.CON.KPHI.WW.Y.0006.000000T0000Z-040317T0500Z/ (P-VTEC)

*Explanation:* The three segments from the previous product are continued in this product, although now that the Event Beginning Time for them (1200 UTC) has passed, the Event Beginning Date/Time Group is encoded as zeros in those P-VTEC strings. A fourth segment (segment 3 of 4) has been added, expanding the advisory area. Although this new segment has a different ending time than the existing advisory segment (hence it has an action code of *EXB* rather than *EXA*) it

receives the same ETN (0006) as segment 4. The Advisory areas are for the same VTEC event (WW.Y) and the valid times overlap. Likewise, since the event associated with that ETN has already begun, the event beginning time of segment 3 is encoded as zeros.

**Product 8**

*Scenario: Follow-up Statement for Warning and Advisory, part of expired Advisory re-started*

Issuing Office: WFO Mount Holly NJ (KPHI)

Current time: 1725 UTC on March 16, 2004

Events (Product): Heavy Snow Warning, Winter Storm Warning, and Winter Weather Advisory (WSW)

Product valid for: Delaware Zone 1; Maryland Zone 8; New Jersey Zones 1, 7 thru 10, and 12 thru 15; Pennsylvania Zones 54, 55, 60 thru 62, and 67 thru 71

Product expiration time: 2300 UTC on March 16, 2004

Event Tracking Numbers: 10<sup>th</sup> Heavy Snow Warning, 7<sup>th</sup> Winter Storm Warning, and 6<sup>th</sup> Winter Weather Advisory of the year issued by KPHI

Segment 1

Valid for: New Jersey Zone 1; Pennsylvania Zones 54 and 55

Expected (or actual) Event Beginning and Ending times of the Heavy Snow Warning:  
1200 UTC on March 16 and 0500 UTC on March 17, 2004

Segment 2

Valid for: New Jersey Zones 7 and 8; Pennsylvania Zones 60 thru 62

Expected (or actual) Event Beginning and Ending times of the Winter Storm Warning:  
1200 UTC on March 16 and 0500 UTC on March 17, 2004

Segment 3

Valid for: New Jersey Zones 13 and 14

Expected (or actual) Event Beginning and Ending times of the Winter Weather Advisory:  
1725 UTC and 2300 UTC on March 16, 2004

Segment 4

Valid for: New Jersey Zones 9, 10, 12, and 15; Pennsylvania Zones 67 thru 69

Expected (or actual) Event Beginning and Ending times of the Winter Weather Advisory:  
1200 UTC on March 16 and 0500 UTC on March 17, 2004

(segment 1 of 4 within WSW product - continued warning)

NJZ001-PAZ054-055-162300-

(UGC)

/O.CON.KPHI.HS.W.0010.000000T0000Z-040317T0500Z/

(P-VTEC)

(segment 2 of 4 within WSW product - continued warning)

NJZ007-008-PAZ060>062-162300-

(UGC)

/O.CON.KPHI.WS.W.0007.000000T0000Z-040317T0500Z/

(P-VTEC)

(segment 3 of 4 within WSW product - restarted advisory)

NJZ013-014-162300-

(UGC)

/O.EXB.KPHI.WW.Y.0006.000000T0000Z-040316T2300Z/

(P-VTEC)

(segment 4 of 4 within WSW product - continued advisory)

NJZ009-010-012-015-PAZ067>069-162300-

(UGC)

/O.CON.KPHI.WW.Y.0006.000000T0000Z-040317T0500Z/

(P-VTEC)

*Explanation:* A portion of the advisory that expired at 1700 UTC is being reissued until 2300 UTC (for two zones). Although that segment had expired before the issuance of this product, the ETN of 0006 was still valid elsewhere (in segment 4), so the EXB action code is used for those two zones with the event beginning time coded as zeros.

**Product 9**

*Scenario: Follow-up Statement for Warning and Advisory, cancel part of Advisory, expand area of Advisory*

Issuing Office: WFO Mount Holly NJ (KPHI)

Current time: 2000 UTC on March 16, 2004

Events (Product): Heavy Snow Warning, Winter Storm Warning, and Winter Weather Advisory (WSW)

Advisory cancelled for: New Jersey Zone 14

Product valid for: Delaware Zone 1; Maryland Zone 8; New Jersey Zones 1, 7 thru 10, and 12 thru 19; Pennsylvania Zones 54, 55, 60 thru 62, and 67 thru 71

Product expiration time of the

Cancelled segment (segment 1): 2100 UTC on March 16, 2004

Rest of the segments: 0500 UTC on March 17, 2004

Event Tracking Numbers: 10<sup>th</sup> Heavy Snow Warning, 7<sup>th</sup> Winter Storm Warning, and 6<sup>th</sup> Winter Weather Advisory of the year issued by KPHI

Segment 1

Valid for: New Jersey Zone 14

Expected (*or actual*) Event Beginning and Ending times of the Winter Weather Advisory: 1725 UTC and 2300 UTC (2000 UTC) on March 16, 2004

Segment 2

Valid for: New Jersey Zone 1; Pennsylvania Zones 54 and 55

Expected (*or actual*) Event Beginning and Ending times of the Heavy Snow Warning: 1200 UTC on March 16 and 0500 UTC on March 17, 2004

Segment 3

Valid for: New Jersey Zones 7 and 8; Pennsylvania Zones 60 thru 62

Expected (*or actual*) Event Beginning and Ending times of the Winter Storm Warning: 1200 UTC on March 16 and 0500 UTC on March 17, 2004

Segment 4

Valid for: Delaware Zone 1; Maryland Zone 8; New Jersey Zones 16 thru 19; Pennsylvania Zones 70 and 71

Expected (*or actual*) Event Beginning and Ending times of the Winter Weather Advisory: 2000 UTC on March 16 and 0500 UTC on March 17, 2004

Segment 5

Valid for: New Jersey Zone 13

Expected (*or actual*) Event Beginning and Ending times of the Winter Weather Advisory: 1725 UTC on March 16 and 0500 UTC on March 17, 2004

Segment 6

Valid for: New Jersey Zones 9, 10, 12, and 15; Pennsylvania Zones 67 thru 69

Expected (*or actual*) Event Beginning and Ending times of the Winter Weather Advisory: 1200 UTC on March 16 and 0500 UTC on March 17, 2004

(segment 1 of 6 within WSW product - cancelled part of advisory)

NJZ014-162100- (UGC)  
/O.CAN.KPHI.WW.Y.0006.000000T0000Z-040316T2300Z/ (P-VTEC)

(segment 2 of 6 within WSW product - continued warning)

NJZ001-PAZ054-055-170500- (UGC)  
/O.CON.KPHI.HS.W.0010.000000T0000Z-040317T0500Z/ (P-VTEC)

(segment 3 of 6 within WSW product - continued warning)

NJZ007-008-PAZ060>062-170500- (UGC)  
/O.CON.KPHI.WS.W.0007.000000T0000Z-040317T0500Z/ (P-VTEC)



## NWSI 10-1703 AUGUST 18, 2005

(segment 4 of 6 within WSW product - expand advisory into new area)  
DEZ001-MDZ008-NJZ016>019-PAZ070-071-170500- (UGC)  
/O.EXA.KPHI.WW.Y.0006.000000T0000Z-040317T0500Z/ (P-VTEC)

(segment 5 of 6 within WSW product - extended advisory)  
NJZ013-170500- (UGC)  
/O.EXT.KPHI.WW.Y.0006.000000T0000Z-040317T0500Z/ (P-VTEC)

(segment 6 of 6 within WSW product - continued advisory)  
NJZ009-010-012-015-PAZ067>069-170500- (UGC)  
/O.CON.KPHI.WW.Y.0006.000000T0000Z-040317T0500Z/ (P-VTEC)

*Explanation:* The Advisory area is being changed again. The original Advisory area (first issued in Product 3) is being continued (segment 6), a new Advisory area is being added (segment 4), while the Advisory segment that was added in Product 7 is being partially cancelled (segment 1) and partially extended in time (segment 5). The Warning segments (2 and 3) remain unchanged in event area and time.

### Product 10

*Scenario: Cancel Warnings and Advisory*

Issuing Office: WFO Mount Holly NJ (KPHI)

Current time: 0215 UTC on March 17, 2004

Events (Product): Heavy Snow Warning, Winter Storm Warning and Winter Weather Advisory (WSW)

Product valid for: Delaware Zone 1; Maryland Zone 8; New Jersey Zones 1, 7 thru 10, 12, 13, and 15 thru 19; Pennsylvania Zones 54, 55, 60 thru 62, and 67 thru 71

Product expiration time: 0330 UTC on March 17, 2004

Event Tracking Numbers: 10<sup>th</sup> Heavy Snow Warning, 7<sup>th</sup> Winter Storm Warning, and 6<sup>th</sup> Winter Weather Advisory of the year issued by KPHI

#### Segment 1

Valid for: New Jersey Zone 1; Pennsylvania Zones 54 and 55

Expected (*or actual*) Event Beginning and Ending times of the Heavy Snow Warning:  
1200 UTC on March 16 and 0500 UTC (0215 UTC) on March 17, 2004

#### Segment 2

Valid for: New Jersey Zones 7 and 8; Pennsylvania Zones 60 thru 62

Expected (*or actual*) Event Beginning and Ending times of the Winter Storm Warning:  
1200 UTC on March 16 and 0500 UTC (0215 UTC) on March 17, 2004

#### Segment 3

Valid for: Delaware Zone 1; Maryland Zone 8; New Jersey Zones 9, 10, 12, 13, and 15 thru 19; Pennsylvania Zones 67 thru 71

Expected (*or actual*) Event Beginning and Ending times of the Winter Weather Advisory:  
1200/1725/2000 UTC on March 16 and 0500 UTC (0215 UTC) on March 17, 2004

(segment 1 of 3 within WSW product - cancelled warning)  
NJZ001-PAZ054-055-170330- (UGC)  
/O.CAN.KPHI.HS.W.0010.000000T0000Z-040317T0500Z/ (P-VTEC)

(segment 2 of 3 within WSW product - cancelled warning)  
NJZ007-008-PAZ060>062-170330- (UGC)  
/O.CAN.KPHI.WS.W.0007.000000T0000Z-040317T0500Z/ (P-VTEC)

(segment 3 of 3 within WSW product - cancelled advisory)  
 DEZ001-MDZ008-NJZ009-010-012-013-015>019-  
 PAZ067>071-170330- (UGC)  
 /O.CAN.KPHI.WW.Y.0006.000000T0000Z-040317T0500Z/ (P-VTEC)

*Explanation:* The precipitation has ended, and all Warnings and Advisories are being cancelled. The Event Ending Time from the previous product is maintained in the P-VTEC strings, even though the event is being cancelled immediately upon issuance of this WSW. Note that the valid advisory segments in the previous Product (segments 4, 5, and 6) are put back together into one (segment 3) in this product, since they were all valid until 0500 UTC and the action being taken on all of them is the same. While the two warning segments have the same event ending time and are both being cancelled, they cannot be recombined because they have different VTEC phenomena codes (Heavy Snow vs Winter Storm).

3. Marine and Coastal P-VTEC Examples and Interpretations. Following are examples of marine and coastal products (including the preceding UGC string that defines the affected geographic area and product expiration time) that are used either solely for non-routine events (W/W/A) or as a combination of routine and non-routine events, for (a) single events within one segment, (b) multiple events within one segment, (c) changes to event, and (d) full event sequences.

a. Single Event.

**Example (1) - Coastal Waters Forecast (CWF) Product**

*Scenario: Routine Marine Forecast issuance with a continued Gale Warning*  
 Issuing Office: WFO San Diego CA (KSGX)  
 Current time: 1030 UTC on December 15, 2004  
 Event (Product): Gale Warning (CWF)  
 Forecast valid for: Western North Pacific Marine zone 750  
 Product expiration time: 2230 UTC on December 15, 2004  
 Event Tracking Number: 5<sup>th</sup> Gale Warning of the year issued by KSGX  
 Expected (*or actual*) Event Beginning and Ending times of the Gales: 0700 UTC on December 15,  
 and 0400 UTC on December 16, 2004

PZZ750-152230- (UGC)  
 /O.CON.KSGX.GL.W.0005.000000T0000Z-041216T0400Z/ (P-VTEC)

*Explanation:* The Gale Warning (5<sup>th</sup> of the year) is the only Headline included in this Coastal Waters Forecast segment, so it is the only P-VTEC string encoded.

**Example (2) - Coastal Hazard Message (CFW) Product**

*Scenario: Continued High Surf Advisory*  
 Issuing Office: WFO Guam GU (PGUM)  
 Current time: 0200 UTC on March 31, 2004  
 Event (Product): High Surf Advisory (CFW)  
 Advisory valid for: Western Pacific Ocean Marine Zones 151 thru 154  
 Product expiration time: 0200 UTC on April 1, 2004  
 Event Tracking Number: 6<sup>th</sup> High Surf Advisory of the year issued by PGUM  
 Expected (*or actual*) Event Beginning and Ending times of the Advisory: 0200 UTC on March 30,  
 and 0200 UTC on April 2, 2004

PMZ151-152-153-154-010200- (UGC)  
 /O.CON.PGUM.SU.Y.0006.000000T0000Z-040402T0200Z/ (P-VTEC)

*Explanation:* This event-driven product has a P-VTEC string covering the expected length of the event. This is a follow-up statement, so the CON (continue) Action Code is used. Since the event has already begun (at 0200 UTC on March 30<sup>th</sup>), the Event Beginning Date/Time Group is encoded as zeros.

**Example (3) - Coastal Waters Forecast (CWF) Product**

*Scenario: Routine Marine Forecast issuance with a cancelled Gale Warning*

Issuing Office: WFO Juneau AK (PAJK)  
 Current time: 1130 UTC on March 8, 2004  
 Event (Product): Gale Warning (CWF)  
 Forecast valid for: North Pacific Zone 011  
 Product expiration time: 0200 UTC on March 9, 2004  
 Event Tracking Number: 6<sup>th</sup> Gale Warning of the year issued by PAJK  
 Expected (*or actual*) Event Beginning and Ending times of the Warning: 0200 UTC on March 8 and 0200 UTC on March 9, 2004 (1130 UTC on March 8)

PKZ011-090200- (UGC)  
 /O.CAN.PAJK.GL.W.0006.000000T0000Z-040309T0200Z/ (P-VTEC 1)  
 /O.ROU.PAJK.MA.F.0000.000000T0000Z-000000T0000Z/ (P-VTEC 2)

*Explanation:* The Gale Warning which had been in effect has been cancelled (P-VTEC string 1). Since there are no other ongoing or future Warnings or Advisories in effect for this Marine Zone, a P-VTEC string with the ROU action code is included.

b. **Multiple Events.**

**Example - Small Craft Advisory and Severe Thunderstorm Watch**

*Scenario: Updated Coastal Waters Forecast (with Small Craft Advisory) for new Severe Thunderstorm Watch*

Issuing Office: WFO Caribou ME (KCAR)  
 Current time: 1900 UTC on July 13, 2005  
 Events (Product): Severe Thunderstorm Watch and Small Craft Advisory (CWF)  
 Forecast valid for: Northwestern North Atlantic Marine Zone 050  
 Product expiration time: 2100 UTC on July 13, 2005  
 Event Tracking Numbers: 643<sup>rd</sup> Watch of the year issued by the SPC (this one for Severe Thunderstorm) and the 49<sup>th</sup> Small Craft Advisory of the year issued by KCAR  
 Expected (*or actual*) Event Beginning and Ending times of the  
 Severe Thunderstorm Watch: 1900 UTC and 2300 UTC on July 13, 2005  
 Small Craft Advisory: 1700 UTC on July 13 and 0200 UTC on July 14, 2005

ANZ050-132100- (UGC)  
 /O.NEW.KCAR.SV.A.0643.050713T1900Z-050713T2300Z/ (P-VTEC 1)  
 /O.CON.KCAR.SC.Y.0049.000000T0000Z-050714T0200Z/ (P-VTEC 2)

*Explanation:* A Small Craft Advisory had already been in effect (P-VTEC string 2), and a new Severe Thunderstorm Watch has been issued by the SPC (P-VTEC string 1). Since the Small Craft Advisory had been valid before this issuance, its beginning event time is set to zeros. After the Small Craft Advisory ends at 0200 UTC, no other W/W/As are expected through the remainder of the five-day forecast period.

c. Change to an Event.

**Example (1) - Coastal Hazard Message (CFW) Product**

*Scenario: Adding a county to an existing Coastal Flood Warning*

Issuing Office: WFO Tallahassee FL (KTAE)

Current time: 0600 UTC on July 24, 2004

Event (Product): Coastal Flood Warning (CFW)

Product valid for: Florida Zones 28 and 34

Product expiration time: 1400 UTC on July 24, 2004

Event Tracking Number: 11<sup>th</sup> Coastal Flood Warning of the year issued by KTAE

Segment 1

Valid for: Florida Zone 28

Expected Event Beginning and Ending times of the Warning: 0700 UTC and 1400 UTC on July 24, 2004

Segment 2

Valid for: Florida Zone 34

Expected Event Beginning and Ending times of the Warning: 0700 UTC and 1400 UTC on July 24, 2004

(segment 1 of 2 within CFW product - extend area of warning)

FLZ028-241400-

(UGC)

/O.EXA.KTAE.CF.W.0011.040724T0700Z-040724T1400Z/

(P-VTEC)

(segment 2 of 2 within CFW product - continued warning)

FLZ034-241400-

(UGC)

/O.CON.KTAE.CF.W.0011.040724T0700Z-040724T1400Z/

(P-VTEC)

*Explanation:* This event-driven product has a P-VTEC string covering the expected length of the event. Two segments are used, one with the *EXA* action code for the newly added area, and one with the *CON* action code for the area being continued. Since the Warning conditions are expected to begin after the product issuance, the Event beginning times are explicitly coded in both P-VTEC strings. Both segments maintain the same ETN (of 0011) as the original product segment. If another follow-up product is issued, and the entire warning area is being continued with the same valid times, the entire area could appear in one segment with the *CON* action code.

**Example (2) - Tropical Storm Watch changed to Hurricane Watch by the TPC**

*Scenario: Tropical Storm Watch changed to Hurricane Watch in Coastal Waters Forecast*

Issuing Office: WFO Wilmington NC (KILM)

Current time: 0900 UTC on September 24, 2005

Events (Product): Tropical Storm Watch and Hurricane Watch (CWF)

Forecast valid for: Western North Atlantic Marine Zones 250, 252, 254, 256

Product expiration time: 2100 UTC on September 24, 2005

Event Tracking Numbers: 4<sup>th</sup> Tropical System of the year for the Atlantic Basin issued by the TPC  
(this one was for a Tropical Storm Watch and is now for a Hurricane Watch)

Expected (*or actual*) Event Beginning and Ending times of the

Tropical Storm Watch: 2100 UTC on September 23, 2005 and Until Further Notice (0900 UTC on September 24, 2005)

Hurricane Watch: 0900 UTC on September 24, 2005 and Until Further Notice

AMZ250-252-254-256-242100- (UGC)  
 /X.CAN.KILM.TR.A.1004.000000T0000Z-000000T0000Z/ (P-VTEC 1)  
 /X.NEW.KILM.HU.A.1004.050924T0900Z-000000T0000Z/ (P-VTEC 2)

*Explanation:* As “Dennis” nears the Coast, the TPC has changed the Tropical Storm Watch for WFO Wilmington’s Coastal Waters to a Hurricane Watch. Both are operational watches with experimental VTEC (X) and use the same ETN of 1004 (1 for the Atlantic Basin, and 004 for the fourth tropical system of the year in that basin). The Tropical Storm Watch is cancelled (as no upgrades are used in TPC products), and a New Hurricane Watch is issued. Since all of TPCs Watches and Warnings are open-ended, the event ending time for both watches is coded as zeros.

d. Full Event Sequences.

**Example (1) - Special Marine Warning and follow-up Marine Weather Statements, including two possible conclusions (Cancel or Expire)**

**Product 1**

*Scenario: Initial Warning issuance*

Issuing Office: WFO Chicago IL (KLOT)  
 Current time: 2204 UTC on July 23, 2004  
 Event (Product): Special Marine Warning (SMW)  
 Warning issued for: Lake Michigan Zones 740 and 766  
 Product expiration time: 2300 UTC on July 23, 2004  
 Event Tracking Number: 34<sup>th</sup> Special Marine Warning of the year issued by KLOT  
 Expected (*or actual*) Event Beginning and Ending times of the Warning: 2204 UTC and 2300 UTC on July 23, 2004

LMZ740-766-232300- (UGC)  
 /O.NEW.KLOT.MA.W.0034.040723T2204Z-040723T2300Z/ (P-VTEC)

*Explanation:* A new Special Marine Warning is issued by WFO Chicago. Since it is a short duration product, the product expiration time (in the UGC) and event ending time (in the P-VTEC) are the same.

**Product 2**

*Scenario: Follow-up Statement*

Issuing Office: WFO Chicago IL (KLOT)  
 Current time: 2230 UTC on July 23, 2004  
 Event (Product): Special Marine Warning (MWS)  
 Warning continued for: Lake Michigan Zones 740 and 766  
 Product expiration time: 2300 UTC on July 23, 2004  
 Event Tracking Number: 34<sup>th</sup> Special Marine Warning of the year issued by KLOT  
 Expected (*or actual*) Event Beginning and Ending times of the Warning: 2204 UTC and 2300 UTC on July 23, 2004

LMZ740-766-232300- (UGC)  
 /O.CON.KLOT.MA.W.0034.000000T0000Z-040723T2300Z/ (P-VTEC)

*Explanation:* In this follow-up statement to the original Special Marine Warning, the same UGC and P-VTEC parameters are used as in the original SMW except for the beginning event time (now zeros) and the action code (now *CON*tinued), even though this product is issued as a Marine Weather Statement (MWS).

**Product 3a**

*Scenario: Warning is cancelled*

Issuing Office: WFO Chicago IL (KLOT)

Current time: 2235 UTC on July 23, 2004

Event (Product): Special Marine Warning (MWS)

Warning cancelled for: Lake Michigan Zones 740 and 766

Product expiration time: 2300 UTC on July 23, 2004

Event Tracking Number: 34<sup>th</sup> Special Marine Warning of the year issued by KLOT

Expected (*or actual*) Event Beginning and Ending times of the Warning: 2204 UTC and 2300 UTC (2235 UTC) on July 23, 2004

LMZ740-766-232300-

(UGC)

/O.CAN.KLOT.MA.W.0034.000000T0000Z-040723T2300Z/

(P-VTEC)

*Explanation:* If the Warning is cancelled before it would have ended (i.e., before the event ending time is reached), the *CAN* action code is used in the P-VTEC string. Even though the warning has been cancelled, the original ending event time (2300 UTC on July 23, 2004) is encoded in the P-VTEC string. The remainder of the UGC and P-VTEC coding remains unchanged from the previous message.

**Product 3b**

*Scenario: Warning expires*

Issuing Office: WFO Chicago IL (KLOT)

Current time: 2300 UTC on July 23, 2004

Event (Product): Special Marine Warning (MWS)

Warning expired for: Lake Michigan Zones 740 and 766

Product expiration time: 2315 UTC on July 23, 2004

Event Tracking Number: 34<sup>th</sup> Special Marine Warning of the year issued by KLOT

Expected (*or actual*) Event Beginning and Ending times of the Warning: 2204 UTC and 2300 UTC on July 23, 2004

LMZ740-766-232315-

(UGC)

/O.EXP.KLOT.MA.W.0034.000000T0000Z-040723T2300Z/

(P-VTEC)

*Explanation:* If the Warning was allowed to expire, and an Expiration message is issued, the same P-VTEC coding is used as in the previous cases, except with an action code of *EXP*. The product expiration time (in the UGC string) is changed to a later time, to allow dissemination of the product via NOAA Weather Radio and other outlets.

**Example (2) - Lakeshore Flood situation, from watch to warning to follow-up statements, including two possible conclusions (Cancel or Expire)**

**Product 1**

*Scenario: Initial Watch issuance*

Issuing Office: WFO Buffalo NY (KBUF)

Current time: 2040 UTC on March 9, 2004

Event (Product): Lakeshore Flood Watch (CFW)

Watch issued for: New York Zone 10

Product expiration time: 1000 UTC on March 10, 2004

Event Tracking Number: 7<sup>th</sup> Lakeshore Flood Watch of the year issued by KBUF

Expected Event Beginning and Ending times of the Watch: 0200 UTC and 1000 UTC on March 10, 2004

NYZ010-101000- (UGC)  
/O.NEW.KBUF.LS.A.0007.040310T0200Z-040310T1000Z/ (P-VTEC)

*Explanation:* A new Lakeshore Flood Watch has been issued by WFO Buffalo.

### Product 2

*Scenario: Watch is upgraded to Warning*

Issuing Office: WFO Buffalo NY (KBUF)

Current time: 0240 UTC on March 10, 2004

Event (Product): Lakeshore Flood Warning (CFW)

Watch upgraded to a warning for: New York Zone 10

Product expiration time: 1000 UTC on March 10, 2004

Event Tracking Numbers: 7<sup>th</sup> Lakeshore Flood Watch and 9<sup>th</sup> Lakeshore Flood Warning of the year issued by KBUF

Expected (*or actual*) Event Beginning and Ending times of the

Watch: 0200 UTC and 1000 UTC (*0240 UTC*) on March 10, 2004

Warning: *0240 UTC* and 1000 UTC on March 10, 2004

NYZ010-101000- (UGC)  
/O.UPG.KBUF.LS.A.0007.000000T0000Z-040310T1000Z/ (P-VTEC 1)  
/O.NEW.KBUF.LS.W.0009.040310T0240Z-040310T1000Z/ (P-VTEC 2)

*Explanation:* The Lakeshore Flood Watch was upgraded to a Warning. This requires two P-VTEC strings: the first to effectively end the Watch, and the second to begin the Lakeshore Flood Warning. Since the beginning event time of the Watch has already occurred (0200 UTC on March 10, 2004), it is encoded as zeros in P-VTEC string 1.

### Product 3

*Scenario: Follow-up Statement*

Issuing Office: WFO Buffalo NY (KBUF)

Current time: 0540 UTC on March 10, 2004

Event (Product): Lakeshore Flood Warning (CFW)

Warning continued for: New York Zone 10

Product expiration time: 1000 UTC on March 10, 2004

Event Tracking Numbers: 9<sup>th</sup> Lakeshore Flood Warning of the year issued by KBUF

Expected (*or actual*) Event Beginning and Ending times of the Warning: *0240 UTC* and 1000 UTC on March 10, 2004

NYZ010-101000- (UGC)  
/O.CON.KBUF.LS.W.0009.000000T0000Z-040310T1000Z/ (P-VTEC)

*Explanation:* In this follow-up statement to the Lakeshore Flood Warning, the same UGC and P-VTEC parameters are used for the Warning event, except for the beginning event time (now coded as zeros) and the action code (which is now *CON*tinued).

### Product 4a

*Scenario: Warning is cancelled*

Issuing Office: WFO Buffalo NY (KBUF)

Current time: 0740 UTC on March 10, 2004

Event (Product): Lakeshore Flood Warning (CFW)

Warning cancelled for: New York Zone 10  
Product expiration time: 0810 UTC on March 10, 2004  
Event Tracking Number: 9<sup>th</sup> Lakeshore Flood Warning of the year issued by KBUF  
Expected (*or actual*) Event Beginning and Ending times of the Warning: 0240 UTC and 1000 UTC (0740 UTC) on March 10, 2004

NYZ010-100810- (UGC)  
/O.CAN.KBUF.LS.W.0009.000000T0000Z-040310T1000Z/ (P-VTEC)

*Explanation:* If the Warning is cancelled before it would have ended (i.e., before the event ending time is reached), the CAN action code is used in the P-VTEC string. Even though the warning has been cancelled, the original ending event time (1000 UTC on July 23, 2004) is encoded in the P-VTEC string. However, the product expiration time in the UGC coding has been changed. In this long-duration event, the cancelled product needs to be broadcast via NOAA Weather Radio and other outlets, but not for as long as the previous expiration time of 1000 UTC.

#### **Product 4b**

*Scenario: Warning expires*  
Issuing Office: WFO Buffalo NY (KBUF)  
Current time: 1000 UTC on March 10, 2004  
Event (Product): Lakeshore Flood Warning (CFW)  
Warning expired for: New York Zone 10  
Product expiration time: 1030 UTC on March 10, 2004  
Event Tracking Number: 9<sup>th</sup> Lakeshore Flood Warning of the year issued by KBUF  
Expected (*or actual*) Event Beginning and Ending times of the Warning: 0240 UTC and 1000 UTC on March 10, 2004

NYZ010-101030- (UGC)  
/O.EXP.KBUF.LS.W.0009.000000T0000Z-040310T1000Z/ (P-VTEC)

*Explanation:* If the Warning was allowed to expire, and an Expiration message is issued, the same P-VTEC coding is used as in the previous cases, except with an action code of EXP. The product expiration time (in the UGC string) is changed to a later time, to allow dissemination of the product via NOAA Weather Radio and other outlets.

### **Example (3) - Routine Marine Forecasts, showing Small Craft Advisory, Gale Warning, and Storm Warning events**

#### **Product 1**

*Scenario: Continued Small Craft Advisory for part of area, new future Gale Warning for entire area*  
Issuing Office: WFO Upton NY (KOKX)  
Current time: 1520 UTC on January 21, 2005  
Events (Product): Small Craft Advisory and Gale Warning (CWF)  
Forecast valid for: Northwestern North Atlantic Marine Zones 330, 335, 338, 350, 353, and 355  
Product expiration time: 2130 UTC on January 21, 2005  
Event Tracking Numbers: 4<sup>th</sup> Small Craft Advisory and 2<sup>nd</sup> Gale Warning of the year issued by KOKX  
Segment 1  
Valid for: Northwestern North Atlantic Marine Zones 350, 353, and 355  
Expected (*or actual*) Event Beginning and Ending times of the:



## NWSI 10-1703 AUGUST 18, 2005

Small Craft Advisory: 2300 UTC on January 19 and 0500 UTC on January 22, 2005

Gale Warning: 2300 UTC on January 22 and 2300 UTC on January 23, 2005

### Segment 2

Valid for: Northwestern North Atlantic Marine Zones 330 and 335

Expected Event Beginning and Ending times of the Gale Warning: 2300 UTC on January 22 and 1700 UTC on January 23, 2005

### Segment 3

Valid for: Northwestern North Atlantic Marine Zone 338

Expected Event Beginning and Ending times of the Gale Warning: 0500 UTC and 1700 UTC on January 23, 2005

(segment 1 of 3 within CWF product)

ANZ350-353-355-212130- (UGC)  
/O.CON.KOKX.SC.Y.0004.000000T0000Z-050122T0500Z/ (P-VTEC 1)  
/O.NEW.KOKX.GL.W.0002.050122T2300Z-050123T2300Z/ (P-VTEC 2)

(segment 2 of 3 within CWF product)

ANZ330-335-212130- (UGC)  
/O.NEW.KOKX.GL.W.0002.050122T2300Z-050123T1700Z/ (P-VTEC)

(segment 3 of 3 within CWF product)

ANZ338-212130- (UGC)  
/O.NEW.KOKX.GL.W.0002.050123T0500Z-050123T1700Z/ (P-VTEC)

*Explanation:* A Small Craft Advisory (ETN 0004) has been in effect for a portion of the marine area (Segment 1). Since the Small Craft event began over 24 hours ago, the event beginning time is zeroed out. A new Gale Warning (ETN 0002) has just been added for all the zones beginning in the fourth forecast period (at 2300 UTC on the 22<sup>nd</sup> for the first two segments and at 0500 UTC on the 23<sup>rd</sup> for the third segment).

## Product 2

*Scenario:* Continued Small Craft Advisory for part of area, future Gale Warning across entire area upgraded to Storm Warning for part of area and extended in time for rest of area

Issuing Office: WFO Upton NY (KOKX)

Current time: 2115 UTC on January 21, 2005

Events (Product): Small Craft Advisory, Gale Warning, Storm Warning (CWF)

Forecast valid for: Northwestern North Atlantic Marine Zones 330, 335, 338, 350, 353, and 355

Product expiration time: 0400 UTC on January 22, 2005

Event Tracking Numbers: 4<sup>th</sup> Small Craft Advisory, 2<sup>nd</sup> Gale Warning, and 1<sup>st</sup> Storm Warning of the year issued by KOKX

### Segment 1

Valid for: Northwestern North Atlantic Marine Zones 350, 353, and 355

Expected (*or actual*) Event Beginning and Ending times of the:

Small Craft Advisory: 2300 UTC on January 19 and 0500 UTC on January 22, 2005

Gale Warning: 2300 UTC on January 22 and 2300 UTC on January 23, 2005  
(*upgraded before it began*)

Storm Warning: 0500 UTC and 1700 UTC on January 23, 2005

### Segment 2

Valid for: Northwestern North Atlantic Marine Zones 330 and 335

Expected Event Beginning and Ending times of the

Gale Warning: 2300 UTC on January 22 and 1700 UTC on January 23, 2005  
(*upgraded before it began*)

Storm Warning: 0500 UTC and 1100 UTC on January 23, 2005

Segment 3

Valid for: Northwestern North Atlantic Marine Zone 338

Expected Event Beginning and Ending times of the Gale Warning: 2300 UTC on January 22 and 1700 UTC on January 23, 2005

(segment 1 of 3 within CWF product)

ANZ350-353-355-220400- (UGC)  
/O.CON.KOKX.SC.Y.0004.000000T0000Z-050122T0500Z/ (P-VTEC 1)  
/O.UPG.KOKX.GL.W.0002.050122T2300Z-050123T2300Z/ (P-VTEC 2)  
/O.NEW.KOKX.SR.W.0001.050123T0500Z-050123T1700Z/ (P-VTEC 3)

(segment 2 of 3 within CWF product)

ANZ330-335-220400- (UGC)  
/O.UPG.KOKX.GL.W.0002.050122T2300Z-050123T1700Z/ (P-VTEC 1)  
/O.NEW.KOKX.SR.W.0001.050123T0500Z-050123T1100Z/ (P-VTEC 2)

(segment 3 of 3 within CWF product)

ANZ338-220400- (UGC)  
/O.EXT.KOKX.GL.W.0002.050122T2300Z-050123T1700Z/ (P-VTEC)

*Explanation:* With this issuance, the future Gale Warning is being upgraded to a Storm Warning (ETN 0001) in two of the segments. In the third segment, the future Gale Warning is now scheduled to begin six hours earlier than before, and thus uses an *EXT* action code. The current Small Craft Advisory is continued in the first segment.

**Product 3**

*Scenario:* No changes from previous issuance

Issuing Office: WFO Upton NY (KOKX)

Current time: 0335 UTC on January 22, 2005

Events (Product): Small Craft Advisory, Gale Warning, Storm Warning (CWF)

Forecast valid for: Northwestern North Atlantic Marine Zones 330, 335, 338, 350, 353, and 355

Product expiration time: 1000 UTC on January 22, 2005

Event Tracking Numbers: 4<sup>th</sup> Small Craft Advisory, 2<sup>nd</sup> Gale Warning, and 1<sup>st</sup> Storm Warning of the year issued by KOKX

Segment 1

Valid for: Northwestern North Atlantic Marine Zones 350, 353, and 355

Expected (*or actual*) Event Beginning and Ending times of the:

Small Craft Advisory: 2300 UTC on January 19 and 0500 UTC on January 22, 2005

Storm Warning: 0500 UTC and 1700 UTC on January 23, 2005

Segment 2

Valid for: Northwestern North Atlantic Marine Zones 330 and 335

Expected Event Beginning and Ending times of the Storm Warning: 0500 UTC and 1100 UTC on January 23, 2005

Segment 3

Valid for: Northwestern North Atlantic Marine Zone 338

Expected Event Beginning and Ending times of the Gale Warning: 2300 UTC on January 22 and 1700 UTC on January 23, 2005

(segment 1 of 3 within CWF product)

ANZ350-353-355-221000- (UGC)  
/O.CON.KOKX.SC.Y.0004.000000T0000Z-050122T0500Z/ (P-VTEC 1)  
/O.CON.KOKX.SR.W.0001.050123T0500Z-050123T1700Z/ (P-VTEC 2)

(segment 2 of 3 within CWF product)  
 ANZ330-335-221000- (UGC)  
 /O.CON.KOKX.SR.W.0001.050123T0500Z-050123T1100Z/ (P-VTEC)

(segment 3 of 3 within CWF product)  
 ANZ338-221000- (UGC)  
 /O.CON.KOKX.GL.W.0002.050122T2300Z-050123T1700Z/ (P-VTEC)

*Explanation:* There are no changes to the events or their timing in this issuance. However, the segments which had been *NEW* now use the *CON* action code.

**Product 4**

*Scenario: One segment is split, Small Craft has expired*

Issuing Office: WFO Upton NY (KOKX)

Current time: 0920 UTC on January 22, 2005

Events (Product): Gale Warning and Storm Warning (CWF)

Forecast valid for: Northwestern North Atlantic Marine Zones 330, 335, 338, 350, 353, and 355

Product expiration time: 1600 UTC on January 22, 2005

Event Tracking Numbers: 2<sup>nd</sup> Gale Warning and 1<sup>st</sup> Storm Warning of the year issued by KOKX

Segment 1

Valid for: Northwestern North Atlantic Marine Zones 350, 353, and 355

Expected Event Beginning and Ending times of the Storm Warning: 0800 UTC and 2300 UTC on January 23, 2005

Segment 2

Valid for: Northwestern North Atlantic Marine Zone 335

Expected Event Beginning and Ending times of the Storm Warning: 0500 UTC and 2300 UTC on January 23, 2005

Segment 3

Valid for: Northwestern North Atlantic Marine Zone 330

Expected Event Beginning and Ending times of the Storm Warning: 0500 UTC and 2300 UTC on January 23, 2005

Segment 4

Valid for: Northwestern North Atlantic Marine Zone 338

Expected Event Beginning and Ending times of the Gale Warning: 0800 UTC and 2300 UTC on January 23, 2005

(segment 1 of 4 within CWF product)  
 ANZ350-353-355-221600- (UGC)  
 /O.EXT.KOKX.SR.W.0001.050123T0800Z-050123T2300Z/ (P-VTEC)

(segment 2 of 4 within CWF product)  
 ANZ335-221600- (UGC)  
 /O.EXT.KOKX.SR.W.0001.050123T0500Z-050123T2300Z/ (P-VTEC)

(segment 3 of 4 within CWF product)  
 ANZ330-221600- (UGC)  
 /O.EXT.KOKX.SR.W.0001.050123T0500Z-050123T2300Z/ (P-VTEC)

(segment 4 of 4 within CWF product)  
 ANZ338-221600- (UGC)  
 /O.EXT.KOKX.GL.W.0002.050123T0800Z-050123T2300Z/ (P-VTEC)

*Explanation:* At the next forecast issuance, the two zones which had been included in Segment 2 are split into separate segments because of differences in the forecast which do not affect the VTEC coding. The Small Craft Advisory which had been in Segment 1 ended at 0500 UTC and is no

longer mentioned in the forecast. Since the beginning and/or ending times of the future Gale and Storm Warnings have been changed, all four segments use the *EXT* action code.

**Product 5**

*Scenario: No changes from previous issuance*

Issuing Office: WFO Upton NY (KOKX)

Current time: 1535 UTC on January 22, 2005

Events (Product): Gale Warning and Storm Warning (CWF)

Forecast valid for: Northwestern North Atlantic Marine Zones 330, 335, 338, 350, 353, and 355

Product expiration time: 1600 UTC on January 22, 2005

Event Tracking Numbers: 2<sup>nd</sup> Gale Warning and 1<sup>st</sup> Storm Warning of the year issued by KOKX

Segment 1

Valid for: Northwestern North Atlantic Marine Zones 350, 353, and 355

Expected Event Beginning and Ending times of the Storm Warning: 0800 UTC and 2300 UTC on January 23, 2005

Segment 2

Valid for: Northwestern North Atlantic Marine Zone 335

Expected Event Beginning and Ending times of the Storm Warning: 0500 UTC and 2300 UTC on January 23, 2005

Segment 3

Valid for: Northwestern North Atlantic Marine Zone 330

Expected Event Beginning and Ending times of the Storm Warning: 0500 UTC and 2300 UTC on January 23, 2005

Segment 4

Valid for: Northwestern North Atlantic Marine Zone 338

Expected Event Beginning and Ending times of the Gale Warning: 0800 UTC and 2300 UTC on January 23, 2005

(segment 1 of 4 within CWF product)

ANZ350-353-355-221600-

(UGC)

/O.CON.KOKX.SR.W.0001.050123T0800Z-050123T2300Z/

(P-VTEC)

(segment 2 of 4 within CWF product)

ANZ335-221600-

(UGC)

/O.CON.KOKX.SR.W.0001.050123T0500Z-050123T2300Z/

(P-VTEC)

(segment 3 of 4 within CWF product)

ANZ330-221600-

(UGC)

/O.CON.KOKX.SR.W.0001.050123T0500Z-050123T2300Z/

(P-VTEC)

(segment 4 of 4 within CWF product)

ANZ338-221600-

(UGC)

/O.CON.KOKX.GL.W.0002.050123T0800Z-050123T2300Z/

(P-VTEC)

*Explanation:* There are no changes in the valid times of the Gale and Storm Warnings in this issuance, so all the segments use the *CON* action code. Note that the product expiration time for each segment (in the UGC strings) was inadvertently left the same as in the previous issuance.

**Product 6**

*Scenario: Product expiration time in each segment is corrected*

Issuing Office: WFO Upton NY (KOKX)

Current time: 1755 UTC on January 22, 2005

Events (Product): Gale Warning and Storm Warning (CWF)

Forecast valid for: Northwestern North Atlantic Marine Zones 330, 335, 338, 350, 353, and 355

## NWSI 10-1703 AUGUST 18, 2005

Product expiration time: 2330 UTC on January 22, 2005

Event Tracking Numbers: 2<sup>nd</sup> Gale Warning and 1<sup>st</sup> Storm Warning of the year issued by KOKX

### Segment 1

Valid for: Northwestern North Atlantic Marine Zones 350, 353, and 355

Expected Event Beginning and Ending times of the Storm Warning: 0800 UTC and 2300 UTC on January 23, 2005

### Segment 2

Valid for: Northwestern North Atlantic Marine Zones 330 and 335

Expected Event Beginning and Ending times of the Storm Warning: 0500 UTC and 2300 UTC on January 23, 2005

### Segment 3

Valid for: Northwestern North Atlantic Marine Zone 330

Expected Event Beginning and Ending times of the Storm Warning: 0500 UTC and 2300 UTC on January 23, 2005

### Segment 4

Valid for: Northwestern North Atlantic Marine Zone 338

Expected Event Beginning and Ending times of the Gale Warning: 0800 UTC and 2300 UTC on January 23, 2005

(segment 1 of 4 within CWF product)

ANZ350-353-355-222330-

/O.CON.KOKX.SR.W.0001.050123T0800Z-050123T2300Z/

(UGC)

(P-VTEC)

(segment 2 of 4 within CWF product)

ANZ335-222330-

/O.CON.KOKX.SR.W.0001.050123T0500Z-050123T2300Z/

(UGC)

(P-VTEC)

(segment 3 of 4 within CWF product)

ANZ330-222330-

/O.CON.KOKX.SR.W.0001.050123T0500Z-050123T2300Z/

(UGC)

(P-VTEC)

(segment 4 of 4 within CWF product)

ANZ338-222330-

/O.CON.KOKX.GL.W.0002.050123T0800Z-050123T2300Z/

(UGC)

(P-VTEC)

*Explanation:* The forecast is corrected to extend the product expiration time, which was left unchanged in the previous issuance. Since the VTEC events were still valid and the error was in the UGC coding, the CON action code is used for all segments with the same ETNs as before.

## Product 7

*Scenario: Event valid times changed and another segment split*

Issuing Office: WFO Upton NY (KOKX)

Current time: 2300 UTC on January 22, 2005

Events (Product): Gale Warning and Storm Warning (CWF)

Forecast valid for: Northwestern North Atlantic Marine Zones 330, 335, 338, 350, 353, and 355

Product expiration time: 0400 UTC on January 23, 2005

Event Tracking Numbers: 2<sup>nd</sup> Gale Warning and 1<sup>st</sup> Storm Warning of the year issued by KOKX

### Segment 1

Valid for: Northwestern North Atlantic Marine Zone 350

Expected Event Beginning and Ending times of the Storm Warning: 0500 UTC on January 23 and 0500 UTC on January 24, 2005

### Segment 2

Valid for: Northwestern North Atlantic Marine Zones 353 and 355

Expected Event Beginning and Ending times of the Storm Warning: 0500 UTC on January 23 and 0500 UTC on January 24, 2005

Segment 3

Valid for: Northwestern North Atlantic Marine Zone 330  
 Expected Event Beginning and Ending times of the Storm Warning: 0500 UTC and 1700 UTC on January 23, 2005

Segment 4

Valid for: Northwestern North Atlantic Marine Zone 335  
 Expected Event Beginning and Ending times of the Storm Warning: 0500 UTC and 1700 UTC on January 23, 2005

Segment 5

Valid for: Northwestern North Atlantic Marine Zone 338  
 Expected (*or actual*) Event Beginning and Ending times of the Gale Warning: 2300 UTC on January 22 and 1700 UTC on January 23, 2005

(segment 1 of 5 within CWF product)

ANZ350-230400- (UGC)  
 /O.EXT.KOKX.SR.W.0001.050123T0500Z-050124T0500Z/ (P-VTEC)

(segment 2 of 5 within CWF product)

ANZ353-355-230400- (UGC)  
 /O.EXT.KOKX.SR.W.0001.050123T0500Z-050124T0500Z/ (P-VTEC)

(segment 3 of 5 within CWF product)

ANZ330-230400- (UGC)  
 /O.EXT.KOKX.SR.W.0001.050123T0500Z-050123T1700Z/ (P-VTEC)

(segment 4 of 5 within CWF product)

ANZ335-230400- (UGC)  
 /O.EXT.KOKX.SR.W.0001.050123T0500Z-050123T1700Z/ (P-VTEC)

(segment 5 of 5 within CWF product)

ANZ338-230400- (UGC)  
 /O.EXT.KOKX.GL.W.0002.050122T2300Z-050123T1700Z/ (P-VTEC)

*Explanation:* The Gale Warning conditions have begun in Segment 5 (previously Segment 4), so the Event Beginning Time is moved ahead to the present (issuance) time. The first segment in the previous issuance is split into two for differences which do not affect the VTEC coding. Since the valid beginning and/or ending times of the Gale and Storm Warnings have changed in each segment, all the P-VTEC strings use the *EXT* code.

**Product 8**

*Scenario: No changes from previous issuance*

Issuing Office: WFO Upton NY (KOKX)

Current time: 0235 UTC on January 23, 2005

Events (Product): Gale Warning and Storm Warning (CWF)

Forecast valid for: Northwestern North Atlantic Marine Zones 330, 335, 338, 350, 353, and 355

Product expiration time: 1100 UTC on January 23, 2005

Event Tracking Numbers: 2<sup>nd</sup> Gale Warning and 1<sup>st</sup> Storm Warning of the year issued by KOKX

Segment 1

Valid for: Northwestern North Atlantic Marine Zone 350  
 Expected Event Beginning and Ending times of the Storm Warning: 0500 UTC on January 23 and 0500 UTC on January 24, 2005

Segment 2

Valid for: Northwestern North Atlantic Marine Zones 353 and 355  
 Expected Event Beginning and Ending times of the Storm Warning: 0500 UTC on January 23 and 0500 UTC on January 24, 2005

Segment 3

Valid for: Northwestern North Atlantic Marine Zone 330  
 Expected Event Beginning and Ending times of the Storm Warning: 0500 UTC and 1700 UTC on January 23, 2005

Segment 4

Valid for: Northwestern North Atlantic Marine Zone 335  
 Expected Event Beginning and Ending times of the Storm Warning: 0500 UTC and 1700 UTC on January 23, 2005

Segment 5

Valid for: Northwestern North Atlantic Marine Zone 338  
 Expected (*or actual*) Event Beginning and Ending times of the Gale Warning: 2300 UTC on January 22 and 1700 UTC on January 23, 2005

(segment 1 of 5 within CWF product)

ANZ350-231000- (UGC)  
 /O.CON.KOKX.SR.W.0001.050123T0500Z-050124T0500Z/ (P-VTEC)

(segment 2 of 5 within CWF product)

ANZ353-355-231000- (UGC)  
 /O.CON.KOKX.SR.W.0001.050123T0500Z-050124T0500Z/ (P-VTEC)

(segment 3 of 5 within CWF product)

ANZ330-231000- (UGC)  
 /O.CON.KOKX.SR.W.0001.050123T0500Z-050123T1700Z/ (P-VTEC)

(segment 4 of 5 within CWF product)

ANZ335-231000- (UGC)  
 /O.CON.KOKX.SR.W.0001.050123T0500Z-050123T1700Z/ (P-VTEC)

(segment 5 of 5 within CWF product)

ANZ338-231000- (UGC)  
 /O.CON.KOKX.GL.W.0002.000000T0000Z-050123T1700Z/ (P-VTEC)

*Explanation:* There are no changes made with the late evening forecast. The only differences in the VTEC coding are to use the *CON* action code in all segments, and to zero out the beginning time of the Gale Warning in Segment 5 as the Event Beginning Time of 2300 UTC on the 22<sup>nd</sup> used in the previous issuance has passed.

**Product 9**

*Scenario: Changes to event ending times, Gale Warning upgraded to Storm Warning, Heavy Freezing Spray Warning issued for part of area*

Issuing Office: WFO Upton NY (KOKX)

Current time: 1030 UTC on January 23, 2005

Events (Product): Gale Warning, Storm Warning and Heavy Freezing Spray Warning (CWF)

Forecast valid for: Northwestern North Atlantic Marine Zones 330, 335, 338, 350, 353, and 355

Product expiration time: 1600 UTC on January 23, 2005

Event Tracking Numbers: 2<sup>nd</sup> Gale Warning, 1<sup>st</sup> Storm Warning, and 1<sup>st</sup> Heavy Freezing Spray Warning of the year issued by KOKX

Segment 1

Valid for: Northwestern North Atlantic Marine Zone 350  
 Expected (*or actual*) Event Beginning and Ending times of the Storm Warning: 0500 UTC on January 23 and 1100 UTC on January 24, 2005

Segment 2

Valid for: Northwestern North Atlantic Marine Zones 353 and 355

**NWSI 10-1703 AUGUST 18, 2005**

Expected (*or actual*) Event Beginning and Ending times of the Storm Warning: 0500 UTC on January 23 and 2300 UTC on January 23, 2005

Segment 3

Valid for: Northwestern North Atlantic Marine Zone 330

Expected (*or actual*) Event Beginning and Ending times of the:

Storm Warning: 0500 UTC on January 23 and 2300 UTC on January 23, 2005

Heavy Freezing Spray Warning: 1030 UTC on January 23 and 1100 UTC on January 24, 2005

Segment 4

Valid for: Northwestern North Atlantic Marine Zone 335

Expected (*or actual*) Event Beginning and Ending times of the:

Storm Warning: 0500 UTC on January 23 and 2300 UTC on January 23, 2005

Heavy Freezing Spray Warning: 1030 UTC on January 23 and 1100 UTC on January 24, 2005

Segment 5

Valid for: Northwestern North Atlantic Marine Zone 338

Expected (*or actual*) Event Beginning and Ending times of the:

Gale Warning: 2300 UTC on January 22 and 1700 UTC (1030 UTC) on January 23, 2005

Storm Warning: 1030 UTC on January 23 and 2300 UTC on January 23, 2005

(segment 1 of 5 within CWF product)

ANZ350-231700-

(UGC)

/O.EXT.KOKX.SR.W.0001.000000T0000Z-050124T1100Z/

(P-VTEC)

(segment 2 of 5 within CWF product)

ANZ353-355-231700-

(UGC)

/O.EXT.KOKX.SR.W.0001.000000T0000Z-050123T2300Z/

(P-VTEC)

(segment 3 of 5 within CWF product)

ANZ330-231700-

(UGC)

/O.EXT.KOKX.SR.W.0001.000000T0000Z-050123T2300Z/

(P-VTEC 1)

/O.NEW.KOKX.UP.W.0001.050123T1030Z-050124T1100Z/

(P-VTEC 2)

(segment 4 of 5 within CWF product)

ANZ335-231700-

(UGC)

/O.EXT.KOKX.SR.W.0001.000000T0000Z-050123T2300Z/

(P-VTEC 1)

/O.NEW.KOKX.UP.W.0001.050123T1030Z-050124T1100Z/

(P-VTEC 2)

(segment 5 of 5 within CWF product)

ANZ338-231700-

(UGC)

/O.UPG.KOKX.GL.W.0002.000000T0000Z-050123T1700Z/

(P-VTEC 1)

/O.NEW.KOKX.SR.W.0001.050123T1030Z-050123T2300Z/

(P-VTEC 2)

*Explanation:* A Heavy Freezing Spray Warning (*UP.W*) is introduced in Segments 3 and 4. The Gale Warning in Segment 5 is upgraded to a Storm Warning. Since there is a Storm Warning in effect in the other segments, the same ETN (*0001*) is used. The ending time of the Storm Warning was changed in Segments 1 through 4, necessitating the use of the *EXT* action code. Note that the previous product (8) had expired before this one was issued. Although these VTEC events were "orphaned" they hadn't reached their event ending times, so they did not have to be restarted.

**Product 10**

*Scenario:* No changes to previous issuance

Issuing Office: WFO Upton NY (KOKX)

Current time: 1625 UTC on January 23, 2005



## NWSI 10-1703 AUGUST 18, 2005

Events (Product): Storm Warning and Heavy Freezing Spray Warning (CWF)  
Forecast valid for: Northwestern North Atlantic Marine Zones 330, 335, 338, 350, 353, and 355  
Product expiration time: 2200 UTC on January 23, 2005  
Event Tracking Numbers: 1<sup>st</sup> Storm Warning, and 1<sup>st</sup> Heavy Freezing Spray Warning of the year issued by KOKX

### Segment 1

Valid for: Northwestern North Atlantic Marine Zone 350  
Expected (*or actual*) Event Beginning and Ending times of the Storm Warning: 0500 UTC on January 23 and 1100 UTC on January 24, 2005

### Segment 2

Valid for: Northwestern North Atlantic Marine Zones 353 and 355  
Expected (*or actual*) Event Beginning and Ending times of the Storm Warning: 0500 UTC on January 23 and 2300 UTC on January 23, 2005

### Segment 3

Valid for: Northwestern North Atlantic Marine Zone 330  
Expected (*or actual*) Event Beginning and Ending times of the:  
Storm Warning: 0500 UTC on January 23 and 2300 UTC on January 23, 2005  
Heavy Freezing Spray Warning: 1030 UTC on January 23 and 1100 UTC on January 24, 2005

### Segment 4

Valid for: Northwestern North Atlantic Marine Zone 335  
Expected (*or actual*) Event Beginning and Ending times of the:  
Storm Warning: 0500 UTC on January 23 and 2300 UTC on January 23, 2005  
Heavy Freezing Spray Warning: 1030 UTC on January 23 and 1100 UTC on January 24, 2005

### Segment 5

Valid for: Northwestern North Atlantic Marine Zone 338  
Expected (*or actual*) Event Beginning and Ending times of the Storm Warning: 1030 UTC on January 23 and 2300 UTC on January 23, 2005

(segment 1 of 5 within CWF product)

ANZ350-232200- (UGC)  
/O.CON.KOKX.SR.W.0001.000000T0000Z-050124T1100Z/ (P-VTEC)

(segment 2 of 5 within CWF product)

ANZ353-355-232200- (UGC)  
/O.CON.KOKX.SR.W.0001.000000T0000Z-050123T2300Z/ (P-VTEC)

(segment 3 of 5 within CWF product)

ANZ330-232200- (UGC)  
/O.CON.KOKX.SR.W.0001.000000T0000Z-050123T2300Z/ (P-VTEC 1)  
/O.CON.KOKX.UP.W.0001.000000T0000Z-050124T1100Z/ (P-VTEC 2)

(segment 4 of 5 within CWF product)

ANZ335-232200- (UGC)  
/O.CON.KOKX.SR.W.0001.000000T0000Z-050123T2300Z/ (P-VTEC 1)  
/O.CON.KOKX.UP.W.0001.000000T0000Z-050124T1100Z/ (P-VTEC 2)

(segment 5 of 5 within CWF product)

ANZ338-232200- (UGC)  
/O.CON.KOKX.SR.W.0001.000000T0000Z-050123T2300Z/ (P-VTEC)

*Explanation:* No timing changes are made in this issuance, although there are changes to some of the P-VTEC strings. Specifically, all of the segments now use the *CON* action code and have their event beginning time zeroed out.

**Product 11**

*Scenario: Storm Warning downgraded to Gale Warning, Heavy Freezing Spray Warning cancelled, future Gale Warning issued*

Issuing Office: WFO Upton NY (KOKX)

Current time: 2140 UTC on January 23, 2005

Events (Product): Storm Warning, Heavy Freezing Spray Warning, Gale Warnings (CWF)

Forecast valid for: Northwestern North Atlantic Marine Zones 330, 335, 338, 350, 353, and 355

Product expiration time: 0400 UTC on January 24, 2005

Event Tracking Numbers: 1<sup>st</sup> Storm Warning, 1<sup>st</sup> Heavy Freezing Spray Warning and 3<sup>rd</sup> and 4<sup>th</sup> Gale Warnings of the year issued by KOKX

Segment 1

Valid for: Northwestern North Atlantic Marine Zone 350

Expected (*or actual*) Event Beginning and Ending times of the

Storm Warning: 0500 UTC on January 23 and 1100 UTC on January 24, 2005  
(2140 UTC on January 23, 2005)

Gale Warning [0003]: 2140 UTC on January 23 and 0800 UTC on January 24, 2005

Gale Warning [0004]: 2300 UTC on January 24 and 1100 UTC on January 25, 2005

Segment 2

Valid for: Northwestern North Atlantic Marine Zones 353 and 355

Expected (*or actual*) Event Beginning and Ending times of the

Storm Warning: 0500 UTC on January 23 and 2300 UTC (2140 UTC) on January 23, 2005

Gale Warning [0003]: 2140 UTC on January 23 and 1100 UTC on January 24, 2005

Gale Warning [0004]: 2300 UTC on January 24 and 1100 UTC on January 25, 2005

Segment 3

Valid for: Northwestern North Atlantic Marine Zone 330

Expected (*or actual*) Event Beginning and Ending times of the:

Storm Warning: 0500 UTC and 2300 UTC (2140 UTC) on January 23, 2005

Gale Warning [0003]: 2140 UTC on January 23 and 0800 UTC on January 24, 2005

Heavy Freezing Spray Warning: 1030 UTC on January 23 and 1100 UTC on January 24, 2005 (2140 UTC on January 23, 2005)

Segment 4

Valid for: Northwestern North Atlantic Marine Zone 335

Expected (*or actual*) Event Beginning and Ending times of the:

Storm Warning: 0500 UTC and 2300 UTC (2140 UTC) on January 23, 2005

Gale Warning [0003]: 2140 UTC on January 23 and 0800 UTC on January 24, 2005

Heavy Freezing Spray Warning: 1030 UTC on January 23 and 1100 UTC on January 24, 2005 (2140 UTC on January 23, 2005)

Segment 5

Valid for: Northwestern North Atlantic Marine Zone 338

Expected (*or actual*) Event Beginning and Ending times of the:

Storm Warning: 1030 UTC and 2300 UTC (2140 UTC) on January 23, 2005

Gale Warning [0003]: 2140 UTC on January 23 and 0800 UTC on January 24, 2005

(segment 1 of 5 within CWF product)  
 ANZ350-240400- (UGC)  
 /O.CAN.KOKX.SR.W.0001.000000T0000Z-050124T1100Z/ (P-VTEC 1)  
 /O.NEW.KOKX.GL.W.0003.050123T2140Z-050124T0800Z/ (P-VTEC 2)  
 /O.NEW.KOKX.GL.W.0004.050124T2300Z-050125T1100Z/ (P-VTEC 3)

(segment 2 of 5 within CWF product)  
 ANZ353-355-240400- (UGC)  
 /O.CAN.KOKX.SR.W.0001.000000T0000Z-050123T2300Z/ (P-VTEC 1)  
 /O.NEW.KOKX.GL.W.0003.050123T2140Z-050124T1100Z/ (P-VTEC 2)  
 /O.NEW.KOKX.GL.W.0004.050124T2300Z-050125T1100Z/ (P-VTEC 3)

(segment 3 of 5 within CWF product)  
 ANZ330-240400- (UGC)  
 /O.CAN.KOKX.SR.W.0001.000000T0000Z-050123T2300Z/ (P-VTEC 1)  
 /O.NEW.KOKX.GL.W.0003.050123T2140Z-050124T0800Z/ (P-VTEC 2)  
 /O.CAN.KOKX.UP.W.0001.000000T0000Z-050124T1100Z/ (P-VTEC 3)

(segment 4 of 5 within CWF product)  
 ANZ335-240400- (UGC)  
 /O.CAN.KOKX.SR.W.0001.000000T0000Z-050123T2300Z/ (P-VTEC 1)  
 /O.NEW.KOKX.GL.W.0003.050123T2140Z-050124T0800Z/ (P-VTEC 2)  
 /O.CAN.KOKX.UP.W.0001.000000T0000Z-050124T1100Z/ (P-VTEC 3)

(segment 5 of 5 within CWF product)  
 ANZ338-240400- (UGC)  
 /O.CAN.KOKX.SR.W.0001.000000T0000Z-050123T2300Z/ (P-VTEC 1)  
 /O.NEW.KOKX.GL.W.0003.050123T2140Z-050124T0800Z/ (P-VTEC 2)

*Explanation:* At this issuance, the Storm Warnings are all downgraded to Gale Warnings (ETN 0003), and an additional Gale Warning (ETN 0004) is issued for two of the segments for the following day. Since there is no time overlap between the two Gales, they are assigned different ETNs. The Heavy Freezing Spray Warning is also cancelled.

**Product 12**

*Scenario: Minor timing change to Gale Warning in one segment*

Issuing Office: WFO Upton NY (KOKX)

Current time: 0240 UTC on January 24, 2005

Events (Product): Gale Warnings (CWF)

Forecast valid for: Northwestern North Atlantic Marine Zones 330, 335, 338, 350, 353, and 355

Product expiration time: 1100 UTC on January 24, 2005

Event Tracking Numbers: 3<sup>rd</sup> and 4<sup>th</sup> Gale Warnings of the year issued by KOKX

Segment 1

Valid for: Northwestern North Atlantic Marine Zone 350

Expected (*or actual*) Event Beginning and Ending times of the

Gale Warning [0003]: 2140 UTC on January 23 and 1100 UTC on January 24, 2005

Gale Warning [0004]: 2300 UTC on January 24 and 1100 UTC on January 25, 2005

Segment 2

Valid for: Northwestern North Atlantic Marine Zones 353 and 355

Expected (*or actual*) Event Beginning and Ending times of the

Gale Warning [0003]: 2140 UTC on January 23 and 1100 UTC on January 24, 2005

Gale Warning [0004]: 2300 UTC on January 24 and 1100 UTC on January 25, 2005

Segment 3

Valid for: Northwestern North Atlantic Marine Zone 330  
 Expected (*or actual*) Event Beginning and Ending times of the:  
 Gale Warning [0003]: 2140 UTC on January 23 and 0800 UTC on January 24,  
 2005

Segment 4

Valid for: Northwestern North Atlantic Marine Zone 335  
 Expected (*or actual*) Event Beginning and Ending times of the:  
 Gale Warning [0003]: 2140 UTC on January 23 and 0800 UTC on January 24,  
 2005

Segment 5

Valid for: Northwestern North Atlantic Marine Zone 338  
 Expected (*or actual*) Event Beginning and Ending times of the:  
 Gale Warning [0003]: 2140 UTC on January 23 and 0800 UTC on January 24,  
 2005

(segment 1 of 5 within CWF product)

ANZ350-241100- (UGC)  
 /O.EXT.KOKX.GL.W.0003.000000T0000Z-050124T1100Z/ (P-VTEC 1)  
 /O.CON.KOKX.GL.W.0004.050124T2300Z-050125T1100Z/ (P-VTEC 2)

(segment 2 of 5 within CWF product)

ANZ353-355-241100- (UGC)  
 /O.CON.KOKX.GL.W.0003.000000T0000Z-050124T1100Z/ (P-VTEC 1)  
 /O.CON.KOKX.GL.W.0004.050124T2300Z-050125T1100Z/ (P-VTEC 2)

(segment 3 of 5 within CWF product)

ANZ330-241100- (UGC)  
 /O.CON.KOKX.GL.W.0003.000000T0000Z-050124T0800Z/ (P-VTEC)

(segment 4 of 5 within CWF product)

ANZ335-241100- (UGC)  
 /O.CON.KOKX.GL.W.0003.000000T0000Z-050124T0800Z/ (P-VTEC)

(segment 5 of 5 within CWF product)

ANZ338-241100- (UGC)  
 /O.CON.KOKX.GL.W.0003.000000T0000Z-050124T0800Z/ (P-VTEC)

*Explanation:* The only change in this issuance is to adjust the ending time of Gale Warning 0003 in the first segment. That P-VTEC string uses the *EXT* action code while all the rest use *CON*. The ETN 0003 Gale Warnings all began at 2140 UTC on the 23<sup>rd</sup> so their Event Beginning Times are now all set to zeros.

**Product 13**

*Scenario: Most Gale Warnings cancelled or have expired, Small Craft Advisories issued*

Issuing Office: WFO Upton NY (KOKX)

Current time: 1000 UTC on January 24, 2005

Events (Product): Gale Warnings, Small Craft Advisory (CWF)

Forecast valid for: Northwestern North Atlantic Marine Zones 330, 335, 338, 350, 353, and 355

Product expiration time: 1600 UTC on January 24, 2005

Event Tracking Numbers: 3<sup>rd</sup> and 4<sup>th</sup> Gale Warnings, and 5<sup>th</sup> and 6<sup>th</sup> Small Craft Advisories of the year issued by KOKX

Segment 1

Valid for: Northwestern North Atlantic Marine Zones 350 and 353

**NWSI 10-1703 AUGUST 18, 2005**

Expected (*or actual*) Event Beginning and Ending times of the  
Gale Warning [0003]: 2140 UTC on January 23 and 1400 UTC on January 24,  
2005  
Gale Warning [0004]: 2300 UTC on January 24 and 1100 UTC on January 25,  
2005 (*downgraded before it began*)  
Small Craft Advisory [0005]: 1400 UTC on January 24 and 2300 UTC on  
January 25, 2005

Segment 2

Valid for: Northwestern North Atlantic Marine Zone 355  
Expected (*or actual*) Event Beginning and Ending times of the  
Gale Warning [0003]: 2140 UTC on January 23 and 1100 UTC (1000 UTC) on  
January 24, 2005  
Small Craft Advisory [0005]: 1000 UTC on January 24 and 2300 UTC on  
January 25, 2005  
Gale Warning [0004]: 2300 UTC on January 24 and 1100 UTC on January 25,  
2005 (*cancelled before it began*)

Segment 3

Valid for: Northwestern North Atlantic Marine Zone 330  
Expected (*or actual*) Event Beginning and Ending times of the  
Small Craft Advisory [0005]: 1000 UTC and 1700 UTC on January 24, 2005  
Small Craft Advisory [0006]: 1700 UTC and 2300 UTC on January 25, 2005

Segment 4

Valid for: Northwestern North Atlantic Marine Zone 335  
Expected (*or actual*) Event Beginning and Ending times of the  
Small Craft Advisory [0005]: 1000 UTC and 1700 UTC on January 24, 2005  
Small Craft Advisory [0006]: 1100 UTC and 2300 UTC on January 25, 2005

Segment 5

Valid for: Northwestern North Atlantic Marine Zone 338  
Expected (*or actual*) Event Beginning and Ending times of the  
Small Craft Advisory [0005]: 1000 UTC and 1700 UTC on January 24, 2005  
Small Craft Advisory [0006]: 1100 UTC and 2300 UTC on January 25, 2005

(segment 1 of 5 within CWF product)

ANZ350-353-241600- (UGC)  
/O.EXT.KOKX.GL.W.0003.000000T0000Z-050124T1400Z/ (P-VTEC 1)  
/O.CAN.KOKX.GL.W.0004.050124T2300Z-050125T1100Z/ (P-VTEC 2)  
/O.NEW.KOKX.SC.Y.0005.050124T1400Z-050125T2300Z/ (P-VTEC 3)

(segment 2 of 5 within CWF product)

ANZ355-241600- (UGC)  
/O.CAN.KOKX.GL.W.0003.000000T0000Z-050124T1100Z/ (P-VTEC 1)  
/O.NEW.KOKX.SC.Y.0005.050124T1000Z-050125T2300Z/ (P-VTEC 2)  
/O.CAN.KOKX.GL.W.0004.050124T2300Z-050125T1100Z/ (P-VTEC 3)

(segment 3 of 5 within CWF product)

ANZ330-241600- (UGC)  
/O.NEW.KOKX.SC.Y.0005.050124T1000Z-050124T1700Z/ (P-VTEC 1)  
/O.NEW.KOKX.SC.Y.0006.050125T1700Z-050125T2300Z/ (P-VTEC 2)

(segment 4 of 5 within CWF product)

ANZ335-241600- (UGC)  
/O.NEW.KOKX.SC.Y.0005.050124T1000Z-050124T1700Z/ (P-VTEC 1)  
/O.NEW.KOKX.SC.Y.0006.050125T1100Z-050125T2300Z/ (P-VTEC 2)

(segment 5 of 5 within CWF product)

ANZ338-241600- (UGC)  
 /O.NEW.KOKX.SC.Y.0005.050124T1000Z-050124T1700Z/ (P-VTEC 1)  
 /O.NEW.KOKX.SC.Y.0006.050125T1100Z-050125T2300Z/ (P-VTEC 2)

*Explanation:* The current Gale Warning (ETN 0003) had expired in Segments 3, 4 and 5, was cancelled in Segment 2, and was extended a few hours in Segment 1. The future Gale Warning (ETN 0004) has been downgraded to a Small Craft Advisory. The Small Craft conditions are valid for over 24 hours in Segments 1 and 2, but only during a portion of the daylight hours (Today and Tomorrow periods) in the other segments. Even though the Small Craft conditions in the first two segments encompass the time of the two sets of Small Craft conditions in the other three segments, an individual ETN may only be represented once in a given area. Thus, the first of the two Small Craft Advisories in Segments 3, 4 and 5 is assigned an ETN of 0005 (the same as used in the first two segments), while the second Small Craft Advisory in Segments 3, 4 and 5 is assigned the next ETN of 0006.

**Product 14**

*Scenario: Just Small Craft Advisory remains*

Issuing Office: WFO Upton NY (KOKX)

Current time: 1520 UTC on January 24, 2005

Event (Product): Small Craft Advisory (CWF)

Forecast valid for: Northwestern North Atlantic Marine Zones 330, 335, 338, 350, 353, and 355

Product expiration time: 2100 UTC on January 24, 2005

Event Tracking Numbers: 5<sup>th</sup> and 6<sup>th</sup> Small Craft Advisories of the year issued by KOKX

Segment 1

Valid for: Northwestern North Atlantic Marine Zones 350, 353 and 355

Expected (*or actual*) Event Beginning and Ending times of the Small Craft Advisory [0005]: 1000/1400 UTC on January 24 and 2300 UTC on January 25, 2005

Segment 2

Valid for: Northwestern North Atlantic Marine Zone 330

Expected (*or actual*) Event Beginning and Ending times of the Small Craft Advisory [0005]: 1000 UTC on January 24 and 2300 UTC on January 25, 2005

Small Craft Advisory [0006]: 1700 UTC and 2300 UTC on January 25, 2005  
*(cancelled before it began)*

Segment 3

Valid for: Northwestern North Atlantic Marine Zone 335

Expected (*or actual*) Event Beginning and Ending times of the Small Craft Advisory [0005]: 1000 UTC on January 24 and 2300 UTC on January 25, 2005

Small Craft Advisory [0006]: 1100 UTC and 2300 UTC on January 25, 2005  
*(cancelled before it began)*

Segment 4

Valid for: Northwestern North Atlantic Marine Zone 338

Expected (*or actual*) Event Beginning and Ending times of the Small Craft Advisory [0005]: 1000 UTC on January 24 and 2300 UTC on January 25, 2005

Small Craft Advisory [0006]: 1100 UTC and 2300 UTC on January 25, 2005  
*(cancelled before it began)*

(segment 1 of 4 within CWF product)

ANZ350-353-355-242100- (UGC)  
 /O.CON.KOKX.SC.Y.0005.000000T0000Z-050125T2300Z/ (P-VTEC)

(segment 2 of 4 within CWF product)  
 ANZ330-242100- (UGC)  
 /O.EXT.KOKX.SC.Y.0005.000000T0000Z-050125T2300Z/ (P-VTEC 1)  
 /O.CAN.KOKX.SC.Y.0006.050125T1700Z-050125T2300Z/ (P-VTEC 2)

(segment 3 of 4 within CWF product)  
 ANZ335-242100- (UGC)  
 /O.EXT.KOKX.SC.Y.0005.000000T0000Z-050125T2300Z/ (P-VTEC 1)  
 /O.CAN.KOKX.SC.Y.0006.050125T1100Z-050125T2300Z/ (P-VTEC 2)

(segment 4 of 4 within CWF product)  
 ANZ338-242100- (UGC)  
 /O.EXT.KOKX.SC.Y.0005.000000T0000Z-050125T2300Z/ (P-VTEC 1)  
 /O.CAN.KOKX.SC.Y.0006.050125T1100Z-050125T2300Z/ (P-VTEC 2)

*Explanation:* The last of the Gale Warning (ETN 0003) expired at 1400 UTC, and only Small Craft Advisory conditions remain. The first two segments of the previous forecast have been combined into one. Even though the Small Craft Advisory began at different times in the two segments (1000 and 1400 UTC), the forecasts are now the same and both segments had (and still have) the same event ending time (2300 UTC on the 25<sup>th</sup>). In the other segments, the forecaster now expects the Small Craft Advisory to continue through the night (Tonight period), so the ETN 0005 Small Craft Advisory has been extended in time through tomorrow. The ETN 0006 Small Craft Advisory, which had been in effect for tomorrow, has been cancelled. Note that the next time a NEW Small Craft Advisory is issued by KOKX, the ETN will be 0007. Even though the ETN 0006 event was cancelled before its event beginning time, the number was assigned and cannot be used again this year.

4. P-VTEC and H-VTEC Examples and Interpretations. Following are examples with interpretations of certain hydrologic products using P-VTEC and H-VTEC strings (including the preceding UGC string that defines the affected geographic area and product expiration time), for (a) single events within one segment, (b) multiple events within one segment, (c) changes to an event, and (d) full event sequences.

a. Single Event.

**Example (1) - Areal Flood Warning (FLW)**

*Scenario: Initial Warning issuance*  
 Issuing Office: WFO Spokane WA (KOTX)  
 Current time: 1803 UTC on June 6, 2004  
 Event (Product): Areal Flood Warning (FLW)  
 Warning valid for: Washington County 51  
 Immediate Cause: Excessive Rainfall  
 Product expiration time: 0100 UTC on June 7, 2004  
 Event Tracking Number: 1<sup>st</sup> Areal Flood Warning of the year issued by KOTX  
 Expected (*or actual*) Event Beginning, Crest, and Ending times of the Warning: 1803 UTC June 6, 2004, crest time not included, and 0100 UTC on June 7, 2004

WAC051-070100- (UGC)  
 /O.NEW.KOTX.FA.W.0001.040606T1803Z-040607T0100Z/ (P-VTEC)  
 /000000.0.ER.000000T0000Z.000000T0000Z.000000T0000Z.OO/ (H-VTEC)

*Explanation:* WFO Spokane, WA issued its 1<sup>st</sup> Areal Flood Warning of the year on June 6, 2004, valid from 1803 UTC on June 6<sup>th</sup> to 0100 UTC on the 7<sup>th</sup> (from the P-VTEC string), for the Pend

Oreille River in Pend Oreille County (from the UGC string). The flood elements (as is typical) were not known for this widespread areal flood, except that the cause of flooding, excessive rainfall (ER - from the H-VTEC string), was known to have occurred upstream.

**Example (2) - Flood Warnings for Forecast Points (FLW)**

*Scenario: Initial Warning issuance*

Issuing Office: WFO Sioux Falls SD (KFSD)

Current time: 1205 UTC on December 14, 2004

Event (Product): Flood Warning for Forecast Points (FLW)

Immediate Cause: Excessive Rainfall

Product expiration time: 0005 UTC on December 15, 2004

Segment 1

Warning valid for: Big Sioux River near Brookings (BRKS2 - South Dakota Counties 11 and 101)

Event Tracking Number: 7<sup>th</sup> Flood Warning of the year for Forecast Points issued by KFSD

Expected Flood Severity: Moderate

Expected Event Beginning, Crest, and Ending times of the Warning: 1600 UTC on December 16, 1600 UTC on December 18, and 1200 UTC on December 19, 2004

Segment 2

Warning valid for: Big Sioux River near Dell Rapids (DERS2 - South Dakota County 99)

Event Tracking Number: 8<sup>th</sup> Flood Warning of the year for Forecast Points issued by KFSD

Expected Flood Severity: Major

Expected Event Beginning, Crest, and Ending times of the Warning: 0400 UTC on December 17, 1700 UTC on December 18, and 0200 UTC on December 20, 2004

Segment 3

Warning valid for: Big Sioux River at Akron (AKRI4 - Iowa County 149 and South Dakota County 127)

Event Tracking Number: 9<sup>th</sup> Flood Warning of the year for Forecast Points issued by KFSD

Expected Flood Severity: Moderate

Expected Event Beginning, Crest, and Ending times of the Warning: 0400 UTC on December 17, 1900 UTC on December 18, and 1200 UTC on December 20, 2004

(segment 1 of 3 within FLW product - new warning for the Big Sioux near Brookings)

SDC011-101-150005- (UGC)  
/O.NEW.KFSD.FL.W.0007.041216T1600Z-041219T1200Z/ (P-VTEC)  
/BRKS2.2.ER.041216T1600Z.041218T1600Z.041219T1200Z.NO/ (H-VTEC)

(segment 2 of 3 within FLW product - new warning for the Big Sioux near Dell Rapids)

SDC099-150005- (UGC)  
/O.NEW.KFSD.FL.W.0008.041217T0400Z-041220T0200Z/ (P-VTEC)  
/DERS2.3.ER.041217T0400Z.041218T1700Z.041220T0200Z.NO/ (H-VTEC)

(segment 3 of 3 within FLW product - new warning for the Big Sioux at Akron)

IAC149-SDC127-150005- (UGC)  
/O.NEW.KFSD.FL.W.0009.041217T0400Z-041220T1200Z/ (P-VTEC)  
/AKRI4.2.ER.041217T0400Z.041218T1900Z.041220T1200Z.NO/ (H-VTEC)



*Explanation:* This new Flood Warning product from WFO Sioux Falls has been issued for three forecast points on the Big Sioux River. Each forecast point is in a separate segment, and each forecast point is given a different ETN (of 0007, 0008 and 0009). The event beginning and ending times for each forecast point are the times when the river at that point is expected to reach flood stage and then fall below flood stage, respectively. In this case, the beginning and ending event times in each P-VTEC string will be the same as the beginning and ending event times in the corresponding H-VTEC string. The product expiration time (from the UGC strings) is the same in all three segments, and denotes the time by which an updated product will be issued. Note that for this long duration event, the product expiration time occurs nearly 40 hours before the flooding is expected to begin in the first (furthest upstream) segment (from the P-VTEC and H-VTEC strings). The Flood Severity (first element in the H-VTEC strings), is Moderate (2) for the first and third segments, and Major (3) for the second segment. The flooding was caused by Excessive Rainfall (ER - in the H-VTEC string).

**Example (3) - Flood Statement - Follow-up to Flood Warnings for Forecast Points (FLS)**

*Scenario: Flood Warnings have expired*

Issuing Office: WFO Quad Cities IA IL (KDVN)

Current time: 1535 UTC on May 3, 2004

Event (Product): Flood Warning for Forecast Points (FLS)

Immediate Cause: Excessive Rainfall

Product expiration time: 1635 UTC on May 3, 2004

Segment 1

Warning valid for: Mississippi River near Gladstone (GLDI2 - Iowa County 89 and Illinois County 25)

Event Tracking Number: 9<sup>th</sup> Flood Warning of the year for Forecast Points issued by KDVN

Expected Flood Severity: Minor

Expected (or actual) Event Beginning, Crest, and Ending times of the Warning: 2000 UTC on April 26, 1100 UTC on April 30, and 1500 UTC on May 3, 2004

Segment 2

Warning valid for: Mississippi River at Burlington (BRLI4 - Iowa County 99 and Illinois County 34)

Event Tracking Number: 10<sup>th</sup> Flood Warning of the year for Forecast Points issued by KDVN

Expected Flood Severity: Minor

Expected (or actual) Event Beginning, Crest, and Ending times of the Warning: 2000 UTC on April 26, 2300 UTC on April 29, and 1535 UTC on May 3, 2004

(segment 1 of 2 within FLS product - warning cancelled for the Mississippi near Gladstone)

IAZ089-ILZ025-031635- (UGC)  
 /O.EXP.KDVN.FL.W.0009.000000T0000Z-040503T1500Z/ (P-VTEC)  
 /GLDI2.1.ER.040426T2000Z.040430T1100Z.040503T1500Z.NO/ (H-VTEC)

(segment 2 of 2 within FLS product - warning cancelled for the Mississippi at Burlington)

IAZ099-ILZ034-031635- (UGC)  
 /O.EXP.KDVN.FL.W.0010.000000T0000Z-040503T1535Z/ (P-VTEC)  
 /BRLI4.1.ER.040426T2000Z.040429T2300Z.040503T1535Z.NO/ (H-VTEC)

*Explanation:* This Flood Statement product from WFO Quad Cities has been issued for two forecast points on the Mississippi River. Each forecast point is in a separate segment, and each forecast point has a different ETN (of 0009 and 0010). Since the flood warnings were in effect until their event ending times, the P-VTEC Expired (EXP) action code is used. This is a final message, informing that the flood warnings are no longer in effect. The event beginning time in

each P-VTEC string has been set to zeros, since the flooding began at both points back on April 26<sup>th</sup> (in the H-VTEC codes). The event ending times used in the previous product are used in the P-VTEC and H-VTEC strings in both segments. The product expiration time (from the UGC strings) is the same in both segments, and allows for dissemination via NOAA Weather Radio and other outlets. The Flood Severity (first element in the H-VTEC strings), is Minor (*I*) for both segments. The flooding was caused by Excessive Rainfall (*ER* - in the H-VTEC string). The time that the river crested at each forecast point is the second (middle) time coded in the H-VTEC string.

b. Multiple Events.

**Example - Combined Severe Thunderstorm and Flash Flood Warning**

*Scenario: Initial Combined Warning issuance*

Issuing Office: WFO Tucson AZ (KTWC)

Current time: 1835 UTC on August 13, 2005

Events (Product): Combined Severe Thunderstorm and Flash Flood Warning (FFW)

Warning valid for: Arizona County 19

Product expiration time: 2000 UTC on August 13, 2005

Event Tracking Numbers: 35<sup>th</sup> Flash Flood Warning and 42<sup>nd</sup> Severe Thunderstorm Warning of the year issued by KTWC

Expected (*or actual*) Event Beginning, Crest, and Ending times of the Flash Flood Warning: 1835 UTC on August 13, 2005, crest time not included, and 2000 UTC on August 13, 2005

Expected (*or actual*) Event Beginning and Ending times of the Severe Thunderstorm Warning: 1835 UTC and 2000 UTC on August 13, 2005

```
AZC019-132000- (UGC)
/O.NEW.KTWC.FF.W.0035.050813T1835Z-050813T2000Z/ (P-VTEC 1)
/00000.0.ER.000000T0000Z.000000T0000Z.000000T0000Z.OO/ (H-VTEC)
/O.NEW.KTWC.SV.W.0042.050813T1835Z-050813T2000Z/ (P-VTEC 2)
```

*Explanation:* This Combined Severe Thunderstorm/Flash Flood Warning has three VTEC strings, a P-VTEC and H-VTEC string associated with the Flash Flood, and a single P-VTEC string associated with the Severe Thunderstorm. The Flash Flood strings appear first, based on the fourth criteria listed in Section 3.3 in the main body of the text. Although the beginning and ending times of the Flash Flood are encoded in the first P-VTEC string, all the times in the corresponding H-VTEC string (event beginning, crest, and event ending) are encoded as zeros, as this is an areal Flash Flood event.

c. Change to an Event.

**Example - Cancelled Severe Thunderstorm portion of combined Severe Thunderstorm and Flash Flood Warning** (follow-up statement from Section b).

*Scenario: Follow-up Statement - Severe Thunderstorm cancelled, Flash Flood continued*

Issuing Office: WFO Tucson AZ (KTWC)

Current time: 1900 UTC on August 13, 2005

Events (Product): Combined Severe Thunderstorm and Flash Flood Warning (FFS)

Warning valid for: Arizona County 19

Product expiration time: 2000 UTC on August 13, 2005

Event Tracking Numbers: 35<sup>th</sup> Flash Flood Warning and 42<sup>nd</sup> Severe Thunderstorm Warning of the year issued by KTWC

Expected (*or actual*) Event Beginning, Crest, and Ending times of the Flash Flood Warning: 1835 UTC on August 13, 2005, crest time not included, and 2000 UTC on August 13, 2005  
 Expected (*or actual*) Event Beginning and Ending times of the Severe Thunderstorm Warning: 1835 UTC and 2000 UTC (1900 UTC) on August 13, 2005

AZC019-132000- (UGC)  
 /O.CAN.KTWC.SV.W.0042.000000T0000Z-050813T2000Z/ (P-VTEC 1)  
 /O.CON.KTWC.FF.W.0035.000000T0000Z-050813T2000Z/ (P-VTEC 2)  
 /00000.0.ER.000000T0000Z.000000T0000Z.000000T0000Z.OO/ (H-VTEC)

*Explanation:* The follow-up statement for the Combined warning is issued as a Flash Flood Statement (FFS). The Severe Thunderstorm portion of the Warning has been cancelled (CAN). The Flash Flood Warning is being continued (CON). Because both events have begun, the event beginning time in both P-VTEC strings is set to zeros. Note that in this follow-up statement, the Severe Thunderstorm P-VTEC appears first, since the CAN action code appears before the CON action code when they both appear in the same product segment.

d. Full Event Sequences.

**Example (1) - Flash Flood Warning for two counties, with a partial cancellation and an extension in time.**

**Product 1**

*Scenario: New Flood Warning is issued*  
 Issuing Office: WFO Paducah KY(KPAH)  
 Current time: 1058 UTC on March 27, 2005  
 Event (Product): Flash Flood Warning (FFW)  
 Immediate Cause: Excessive Rainfall  
 Warning valid for: Illinois Counties 77 and 145  
 Product expiration time: 1400 UTC on March 27, 2005  
 Event Tracking Number: 13<sup>th</sup> Flash Flood Warning issued by KPAH  
 Expected Event Beginning, Crest, and Ending times of the Warning: 1058 UTC on March 27, 2005, crest time not included, and 1400 UTC on March 27, 2005

ILC077-145-271400- (UGC)  
 /O.NEW.KPAH.FF.W.0013.050327T1058Z-050327T1400Z/ (P-VTEC)  
 /00000.0.ER.000000T0000Z.000000T0000Z.000000T0000Z.OO/ (H-VTEC)

*Explanation:* The presence of nearly stationary thunderstorms with very heavy rain across Jackson and Perry Counties in southern Illinois has prompted WFO Paducah to issue a Flash Flood Warning for the two counties, valid until 1400 UTC. In this FFW product, the only H-VTEC element not to be coded with default values is the immediate cause, which is ER for Excessive Rainfall.

**Product 2**

*Scenario: Warning for one county cancelled, one county continued*  
 Issuing Office: WFO Paducah KY(KPAH)  
 Current time: 1330 UTC on March 27, 2005  
 Event (Product): Flash Flood Warning (FFS)  
 Immediate Cause: Excessive Rainfall  
 Warning valid for: Illinois Counties 77 and 145  
 Product expiration time: 1400 UTC on March 27, 2005

## NWSI 10-1703 AUGUST 18, 2005

Event Tracking Number: 13<sup>th</sup> Flash Flood Warning issued by KPAH

### Segment 1

Warning cancelled for: Illinois County 145

Expected (*or actual*) Event Beginning, Crest, and Ending times of the Warning: 1058 UTC on March 27, 2005, crest time not included, and 1400 UTC (1330 UTC) on March 27, 2005

### Segment 2

Warning continued for: Illinois County 77

Expected (*or actual*) Event Beginning, Crest, and Ending times of the Warning: 1058 UTC on March 27, 2005, crest time not included, and 1400 UTC on March 27, 2005

(segment 1 of 2 within FFS product - warning cancelled for Perry County)

ILC145-271400- (UGC)  
/O.CAN.KPAH.FF.W.0013.000000T0000Z-050327T1400Z/ (P-VTEC)  
/00000.0.ER.000000T0000Z.000000T0000Z.000000T0000Z.OO/ (H-VTEC)

(segment 2 of 2 within FFS product - warning continued for Jackson County)

ILC077-271400- (UGC)  
/O.CON.KPAH.FF.W.0013.000000T0000Z-050327T1400Z/ (P-VTEC)  
/00000.0.ER.000000T0000Z.000000T0000Z.000000T0000Z.OO/ (H-VTEC)

*Explanation:* At 1330 UTC, the thunderstorms over Perry County (Illinois County 145) have diminished and the threat of flash flooding has ended there. But heavy rain continues across Jackson County (Illinois County 77) with continued reports of flooding. A segmented FFS product is issued to cancel the warning for Perry County and continue it for Jackson County.

### Product 3

*Scenario: Warning extended for Jackson County*

Issuing Office: WFO Paducah KY(KPAH)

Current time: 1350 UTC on March 27, 2005

Event (Product): Flash Flood Warning (FFW)

Immediate Cause: Excessive Rainfall

Warning extended for: Illinois County 77

Product expiration time: 1600 UTC on March 27, 2005

Event Tracking Number: 13<sup>th</sup> Flash Flood Warning issued by KPAH

Expected (*or actual*) Event Beginning, Crest, and Ending times of the Warning: 1058 UTC on March 27, 2005, crest time not included, and 1600 UTC on March 27, 2005

ILC077-271600- (UGC)  
/O.EXT.KPAH.FF.W.0013.000000T0000Z-050327T1600Z/ (P-VTEC)  
/00000.0.ER.000000T0000Z.000000T0000Z.000000T0000Z.OO/ (H-VTEC)

*Explanation:* At 1345 UTC, thunderstorm rainfall totaled more than originally expected, and knowing how the flash flood-prone locations in Jackson County respond to such rainfall amounts, the Flash Flood Warning is extended until 1600 UTC using an FFW product. See NWSI 10-922, Sections 5 and 6 for more on the use of the *EXT* action code in Flash Flood Warning products.

### Product 4

*Scenario: Warning cancelled for Jackson County*

Issuing Office: WFO Paducah KY(KPAH)

Current time: 1530 UTC on March 27, 2005

Event (Product): Flash Flood Warning (FFS)

Immediate Cause: Excessive Rainfall

Warning valid for: Illinois County 77  
Product expiration time: 1600 UTC on March 27, 2005  
Event Tracking Number: 13<sup>th</sup> Flash Flood Warning issued by KPAH  
Expected (or actual) Event Beginning, Crest, and Ending times of the Warning: 1058 UTC on March 27, 2005, crest time not included, and 1600 UTC (1530 UTC) on March 27, 2005

ILC077-271600- (UGC)  
/O.CAN.KPAH.FF.W.0013.000000T0000Z-050327T1600Z/ (P-VTEC)  
/00000.0.ER.000000T0000Z.000000T0000Z.000000T0000Z.OO/ (H-VTEC)

*Explanation:* By 1445 UTC, the storms across Jackson County had weakened. Residual flooding continued for a time, but a check with the County Emergency Management office at 1530 UTC indicated the flooding had ended. Thus, an FFS product is issued to cancel the warning.

**Example (2) - Flooding situation, from watch to advisory and warnings to eventual cancellation and expiration, including the follow-up statements.**

**Product 1**

*Scenario: New Flood Watch is issued*  
Issuing Office: WFO Baltimore MD/Washington DC (KLWX)  
Current time: 0830 UTC on April 13, 2005  
Event (Product): Areal Flood Watch (FFA)  
Immediate Cause: Excessive Rainfall  
Watch valid for: Maryland Zones 2 thru 7, 9 thru 11, 13, and 14; Virginia Zones 27, 28, 30, 31, 41, 42, and 53 thru 55; West Virginia Zones 48 thru 53, and 55; and District of Columbia Zone 1  
Product expiration time: 2100 UTC on April 13, 2005  
Event Tracking Number: 10<sup>th</sup> Flood Watch of the year issued by KLWX  
Expected Flood Severity: None coded  
Expected Event Beginning, Crest, and Ending times of the Watch: 2200 UTC on April 13, 2005, crest time not included, 1000 UTC on April 14, 2005

MDZ002>007-009>011-013-014-VAZ027-028-030-031-  
041-042-053>055-WVZ048>053-055-DCZ001-132100- (UGC)  
/O.NEW.KLWX.FA.A.0010.050413T2200Z-050414T1000Z/ (P-VTEC)  
/00000.0.ER.000000T0000Z.000000T0000Z.000000T0000Z.OO/ (H-VTEC)

*Explanation:* This new Flood Watch from WFO Baltimore/Washington has been issued for Tonight (2200 UTC to 1000 UTC) for a number of zones in their forecast area. The beginning and ending event times in the P-VTEC string correspond to the beginning and ending times of the Watch. Because this is an areal Flood Watch, the only H-VTEC element not coded with letter Os or zeros is the Immediate Cause, which is ER for Excessive Rainfall.

**Product 2**

*Scenario: Follow-up Watch Statement*  
Issuing Office: WFO Baltimore MD/Washington DC (KLWX)  
Current time: 2000 UTC on April 13, 2005  
Event (Product): Areal Flood Watch (FFA)  
Immediate Cause: Excessive Rainfall  
Watch extended for: Maryland Zones 2 thru 7, 9 thru 11, 13, and 14; Virginia Zones 27, 28, 30, 31, 41, 42, and 53 thru 55; West Virginia Zones 48 thru 53, and 55; and District of Columbia Zone 1  
Product expiration time: 0900 UTC on April 14, 2005

**NWSI 10-1703 AUGUST 18, 2005**

Event Tracking Number: 10<sup>th</sup> Flood Watch of the year issued by KLWX  
Expected Flood Severity: None given  
Expected Event Beginning, Crest, and Ending times of the Watch: 2200 UTC on April 13, 2005,  
crest time not included, 2200 UTC on April 14, 2005

MDZ002>007-009>011-013-014-VAZ027-028-030-031-  
041-042-053>055-WVZ048>053-055-DCZ001-140900- (UGC)  
/O.EXT.KLWX.FA.A.0010.050413T2200Z-050414T2200Z/ (P-VTEC)  
/00000.0.ER.000000T0000Z.000000T0000Z.000000T0000Z.OO/ (H-VTEC)

*Explanation:* The Flood Watch has been extended through the Tomorrow period (until 2200 UTC on April 14<sup>th</sup>). With the exception of the *EXT* action code and new Event Ending time, the VTEC strings remain the same in as the original watch.

**Product 3**

*Scenario:* New Flood Advisory for Forecast Points (issued under the Flood Statement identifier)

Issuing Office: WFO Baltimore MD/Washington DC (KLWX)

Current time: 0300 UTC on April 14, 2005

Event (Product): Flood Advisory for Forecast Points (FLS)

Segment 1

Immediate Cause: Excessive Rainfall

Advisory valid for: Potomac River at Little Falls (BRKM2 - Maryland County 31,  
Virginia County 59)

Segment expiration time: 0800 UTC on April 14, 2005

Event Tracking Number: 16<sup>th</sup> Flood Advisory of the year for Forecast Points issued by  
KLWX

Expected Flood Severity: None

Expected Event Beginning, Crest, and Ending times of the Advisory: 0400 UTC on April  
14, 2005, crest time not included, 0800 UTC on April 14, 2005

Segment 2

Immediate Cause: Elevated Upstream Flow plus Tidal Effects

Advisory valid for: Tidal Potomac River at Wisconsin Avenue (GTND2 - Maryland  
County 31, Virginia County 13 and 510 [an Independent City], and the District  
of Columbia [County 1])

Segment expiration time: 0900 UTC on April 14, 2005

Event Tracking Number: 17<sup>th</sup> Flood Advisory of the year for Forecast Points issued by  
KLWX

Expected Flood Severity: None

Expected (*or actual*) Event Beginning, Crest, and Ending times of the Advisory: 0300  
UTC on April 13, 2005, crest time not included, 0900 UTC on April 14, 2005

(segment 1 of 2 within FLS product - new advisory for the Potomac River at Little Falls)

MDC031-VAC059-140800- (UGC)  
/O.NEW.KLWX.FL.Y.0016.050414T0400Z-050414T0800Z/ (P-VTEC)  
/BRKM2.N.ER.000000T0000Z.000000T0000Z.000000T0000Z.OO/ (H-VTEC)

(segment 2 of 2 within FLS product - new advisory for the Tidal Potomac River at Wisconsin Ave)

MDC031-VAC013-510-DCC001-140900- (UGC)  
/O.NEW.KLWX.FL.Y.0017.050414T0300Z-050414T0900Z/ (P-VTEC)  
/GTND2.N.ET.000000T0000Z.000000T0000Z.000000T0000Z.OO/ (H-VTEC)

*Explanation:* A new Flood Advisory (issued as a Flood Statement product) has been issued for rapid but below flood stage stream level rises at two points within the Flood Watch area. (See NWSI 10-922 and associated Regional Supplements for guidelines on issuing Flood Advisories). Each forecast point is given a different ETN (from the *FLY* ETN list), and each forecast point has

its own Event Beginning and Ending Times. The only H-VTEC elements coded in this Advisory are the Site Identifier, the Flood Severity (*N* for none - since flooding is not expected) and Immediate Cause (which is either *ER* for Excessive Rainfall or *ET* for Elevated Upstream Flow and Tidal Effects).

**Product 4**

*Scenario: Follow-up Flood Watch Product - cancel part and continue the rest*

Issuing Office: WFO Baltimore MD/Washington DC (KLWX)

Current time: 0830 UTC on April 14, 2005

Event (Product): Areal Flood Watch (FFA)

Product valid for: Maryland Zones 2 thru 7; 9 thru 11, 13 and 14; Virginia Zones 27, 28, 30, 31, 41, 42, and 53 thru 55; West Virginia Zones 48 thru 53, and 55; and District of Columbia Zone 1

Immediate Cause: Excessive Rainfall

Event Tracking Number: 10<sup>th</sup> Flood Watch of the year issued by KLWX

Expected Flood Severity: None given

Segment 1

Valid for: Maryland Zones 2 and 3; Virginia Zones 27, 28, 30, 31; and West Virginia Zones 48 thru 53, and 55

Segment expiration time: 1000 UTC on April 14, 2005

Expected (*or actual*) Event Beginning, Crest, and Ending times of the Watch: 2200 UTC on April 13, 2005, crest time not included, 2200 UTC (0830 UTC) on April 14, 2005

Segment 2

Valid for: Maryland Zones 4 thru 7, 9 thru 11, 13, and 14; Virginia Zones 41, 42, and 53 thru 55; and District of Columbia Zone 1

Segment expiration time: 2200 UTC on April 14, 2005

Expected (*or actual*) Event Beginning, Crest, and Ending times of the Watch: 2200 UTC on April 13, 2005, crest time not included, 2200 UTC on April 14, 2005

(segment 1 of 2 within FFA product - cancelled portion of watch)

MDZ002-003-VAZ027-028-030-031-WVZ048>053-055-141000- (UGC)  
 /O.CAN.KLWX.FA.A.0010.000000T0000Z-050414T2200Z/ (P-VTEC)  
 /00000.0.ER.000000T0000Z.000000T0000Z.000000T0000Z.OO/ (H-VTEC)

(segment 2 of 2 within FFA product - continued rest of watch)

MDZ004>007-009>011-013-014-VAZ041-042-053>055- (UGC)  
 DCZ001-142200- (UGC)  
 /O.CON.KLWX.FA.A.0010.000000T0000Z-050414T2200Z/ (P-VTEC)  
 /00000.0.ER.000000T0000Z.000000T0000Z.000000T0000Z.OO/ (H-VTEC)

*Explanation:* A portion of the Flood Watch has been cancelled, while the rest of the watch is continued with the same expected Event Ending Time of 2200 UTC on the 14<sup>th</sup>. Since the watch was valid beginning at 2200 UTC on the 13<sup>th</sup>, the Event Beginning Time in both segments has been coded as zeros.

**Product 5**

*Scenario: New Flood Warning is issued*

Issuing Office: WFO Baltimore MD/Washington DC (KLWX)

Current time: 1100 UTC on April 14, 2005

Event (Product): Flood Warning for Forecast Point (FLW)

Immediate Cause: Excessive Rainfall

Watch valid for: The Monocacy River at Frederick MD (FDKM2 - Maryland County 21)

## NWSI 10-1703 AUGUST 18, 2005

Product expiration time: 1700 UTC on April 14, 2005  
Event Tracking Number: 20<sup>th</sup> Flood Warning of the year for Forecast Points issued by KLWX  
Expected Flood Severity: Minor  
Expected Event Beginning, Crest, and Ending times of the Warning: 1200 UTC, 1600 UTC, and 2000 UTC on April 14, 2005

MDC021-141700- (UGC)  
/O.NEW.KLWX.FL.W.0020.050414T1200Z-050414T2000Z/ (P-VTEC)  
/FDKM2.1.ER.050414T1200Z.050414T1600Z.050414T2000Z.NO/ (H-VTEC)

*Explanation:* A new Point Flood Warning has been issued. The ETN for this Flood Warning for Forecast Points event is independent of the one used for the Flood Watch, which remains in effect. The beginning and ending event times in the P-VTEC string correspond to when the river stage is expected to rise above and fall below flood stage. These times, along with the expected crest time, are also encoded in the H-VTEC string. Because there are both historic and forecast stages for this site, all the H-VTEC elements have been filled in with actual data.

### Product 6

*Scenario: A second Flood Warning is issued*  
Issuing Office: WFO Baltimore MD/Washington DC (KLWX)  
Current time: 1300 UTC on April 14, 2005  
Event (Product): Flood Warning for Forecast Point (FLW)  
Immediate Cause: Excessive Rainfall  
Watch valid for: The Potomac River at Shepherdstown (SHEW2 - Maryland County 43; and West Virginia County 37)  
Product expiration time: 2000 UTC on April 14, 2005  
Event Tracking Number: 21<sup>st</sup> Flood Warning of the year for Forecast Points issued by KLWX  
Expected Flood Severity: Minor  
Expected Event Beginning, Crest, and Ending times of the Warning: 1500 UTC, 1900 UTC, and 2200 UTC on April 14, 2005

MDC043-WVC037-142000- (UGC)  
/O.NEW.KLWX.FL.W.0021.050414T1500Z-050414T2200Z/ (P-VTEC)  
/SHEW2.1.ER.050414T1500Z.050414T1900Z.050414T2200Z.NO/ (H-VTEC)

*Explanation:* A second new Point Flood Warning has been issued, with the next Flood Warning ETN used. The remainder of the P-VTEC and H-VTEC coding is similar to the first Warning, but uses the historic and forecast data for this site.

### Product 7

*Scenario: Cancel remainder of Watch*  
Issuing Office: WFO Baltimore MD/Washington DC (KLWX)  
Current time: 1600 UTC on April 14, 2005  
Event (Product): Areal Flood Watch (FFA)  
Immediate Cause: Excessive Rainfall  
Watch cancelled for: Maryland Zones 4 thru 7, 9 thru 11, 13, and 14; Virginia Zones 41, 42, and 53 thru 55; and District of Columbia Zone 1  
Product expiration time: 1630 UTC on April 14, 2005  
Event Tracking Number: 10<sup>th</sup> Flood Watch of the year issued by KLWX  
Expected Flood Severity: None given  
Expected (*or actual*) Event Beginning, Crest, and Ending times of the Watch: 2200 UTC on April 13, 2005, crest time not included, 2200 UTC (1600 UTC) on April 14, 2005



MDZ004>007-009>011-013-014-VAZ041-042-053>055-  
 DCZ001-141630- (UGC)  
 /O.CAN.KLWX.FA.A.0010.000000T0000Z-050414T2200Z/ (P-VTEC)  
 /00000.0.ER.000000T0000Z.000000T0000Z.000000T0000Z.OO/ (H-VTEC)

*Explanation:* The remainder of the Flood Watch is cancelled, even though the Flood Warnings remain in effect, as no additional flooding is expected. The previous Event Ending Time of 2200 UTC is still used, although the CAN action code implies that the watch is cancelled immediately when the product is issued. The Product Expiration Time (in the UGC) is set to one half-hour in the future to allow the cancellation message to be disseminated over NOAA Weather Radio and other outlets.

**Product 8**

*Scenario: Cancel first Flood Warning*  
 Issuing Office: WFO Baltimore MD/Washington DC (KLWX)  
 Current time: 1800 UTC on April 14, 2005  
 Event (Product): Flood Statement - Follow-up to Flood Warning for Forecast Point (FLS)  
 Immediate Cause: Excessive Rainfall  
 Watch cancelled for: The Monocacy River at Frederick MD (FDKM2 - Maryland County 21)  
 Product expiration time: 1830 UTC on April 14, 2005  
 Event Tracking Number: 20<sup>th</sup> Flood Warning of the year for Forecast Points issued by KLWX  
 Expected Flood Severity: Minor  
 Expected (*or actual*) Event Beginning, Crest, and Ending times of the Warning: 1200 UTC, 1530 UTC, and 2000 UTC (1745/1800 UTC) on April 14, 2005

MDC021-141830- (UGC)  
 /O.CAN.KLWX.FL.W.0020.000000T0000Z-050414T2000Z/ (P-VTEC)  
 /FDKM2.1.ER.050414T1200Z.050414T1530Z.050414T1745Z.NO/ (H-VTEC)

*Explanation:* The first Flood Warning (for the Monocacy River at Frederick) is cancelled two hours before the most recent Event Ending Time, as the gauge fell below flood stage at 1745 UTC. While that same Event Ending Time (of 2000 UTC) remains in the P-VTEC string, the actual Flood Ending Time (of 1745 UTC) is encoded in the H-VTEC string. The other H-VTEC times remain coded with non-zero values, although the Flood Crest time has been changed from the previous forecast of 1600 UTC to 1530 UTC, when the crest actually occurred.

**Product 9**

*Scenario: Second Flood Warning is extended in time*  
 Issuing Office: WFO Baltimore MD/Washington DC (KLWX)  
 Current time: 1900 UTC on April 14, 2005  
 Event (Product): Flood Statement - Follow-up to Flood Warning for Forecast Point (FLS)  
 Immediate Cause: Excessive Rainfall  
 Watch extended for: The Potomac River at Shepherdstown (SHEW2 - Maryland County 43; and West Virginia County 37)  
 Product expiration time: 2300 UTC on April 14, 2005  
 Event Tracking Number: 21<sup>st</sup> Flood Warning of the year for Forecast Points issued by KLWX  
 Expected Flood Severity: Minor  
 Expected (*or actual*) Event Beginning, Crest, and Ending times of the Warning: 1500 UTC, 1930 UTC, and 2300 UTC on April 14, 2005

MDC043-WVC037-142300- (UGC)  
 /O.EXT.KLWX.FL.W.0021.000000T0000Z-050414T2300Z/ (P-VTEC)  
 /SHEW2.1.ER.050414T1500Z.050414T1930Z.050414T2300Z.NO/ (H-VTEC)

*Explanation:* The second Flood Warning (for the Potomac River at Shepherdstown) has been extended an hour to 2300 UTC. The rest of the P-VTEC and H-VTEC coding in this follow-up product is similar to that of the previous product, although the Flood Crest time in the H-VTEC string has been replaced with an updated forecast of 1930 UTC.

**Product 10**

*Scenario: Second Flood Warning has expired*

Issuing Office: WFO Baltimore MD/Washington DC (KLWX)

Current time: 2315 UTC on April 14, 2005

Event (Product): Flood Statement - Follow-up to Flood Warning for Forecast Point (FLS)

Immediate Cause: Excessive Rainfall

Watch expired for: The Potomac River at Shepherdstown (SHEW2 - Maryland County 43; and West Virginia County 37)

Product expiration time: 2345 UTC on April 14, 2005

Event Tracking Number: 21<sup>st</sup> Flood Warning of the year for Forecast Points issued by KLWX

Expected Flood Severity: Minor

Expected (*or actual*) Event Beginning, Crest, and Ending times of the Warning: 1500 UTC, 1930 UTC, and 2300 UTC on April 14, 2005

MDC043-WVC037-142345- (UGC)  
/O.EXP.KLWX.FL.W.0021.000000T0000Z-050414T2300Z/ (P-VTEC)  
/SHEW2.1.ER.050414T1500Z.050414T1930Z.050414T2300Z.NO/ (H-VTEC)

*Explanation:* The Flood Warning for the Potomac River at Shepherdstown expired at 2300 UTC, and this after-the-fact final follow-up statement indicates that the flooding has ended. As with all expiration messages, the Product Expiration Time extends into the future to allow for dissemination of the product over NOAA Weather Radio and other outlets.