UNITED STATES DEPARTMENT OF AGRICULTURE

NATIONAL AGRICULTURAL STATISTICS SERVICE

AGRICULTURAL STATISTICS 1999



UNITED STATES GOVERNMENT PRINTING OFFICE WASHINGTON: 1999

Agricultural Statistics, 1999

Agricultural Statistics, 1999 was prepared under the direction of BILL PRATT, Agricultural Statistics Board, National Agricultural Statistics Service. ROSE PETRONE was responsible for coordination and technical editorial work.

The USDA and NASS invite you to explore their information on the Internet. The USDA Home Page address is http://www.usda.gov/ and the NASS Home Page address is: http://www.usda.gov/nass/.

For information on NASS products you may call the Agricultural Statistics Hotline, 1–800–727–9540 or send e-mail to nass@nass.usda.gov.

The cooperation of the many contributors to this publication is gratefully acknowledged. Source notes below each table credit the various Government agencies which collaborated in furnishing information.

Introduction

Agricultural Statistics is published each year to meet the diverse need for a reliable reference book on agricultural production, supplies, consumption, facilities, costs, and returns. Its tables of annual data cover a wide variety of facts in forms suited to most common use.

Inquiries concerning more current or more detailed data, past and prospective revisions, or the statistical methodology used should be addressed directly to the agency credited with preparing the table. Most of the data were prepared or compiled in the U.S. Department of Agriculture.

The historical series in this volume have been generally limited to data beginning with 1989 or later.

Foreign agricultural trade statistics include Government as well as non-Government shipments of merchandise from the United States and Territories to foreign countries. They do not include U.S. shipments to the U.S. Armed Forces abroad for their own use or shipments between the States and U.S. Territories. The world summaries of production and trade of major farm products are prepared by the U.S. Department of Agriculture from reports of the U.S. Department of Commerce, official statistics of foreign governments, other foreign source materials, reports of U.S. Agricultural Attaches and Foreign Service Officers, and the result of office research.

Statistics presented in many of the tables represent actual counts of the items covered. Most of the statistics relating to foreign trade and to Government programs, such as numbers and amounts of loans made to farmers, and amounts of loans made by the Commodity Credit Corporation, etc., are data of this type. A large number of other tables, however, contain data that are estimates made by the Department of Agriculture.

The estimates for crops, livestock, and poultry made by the U.S. Department of Agriculture are prepared mainly to give timely current State and national totals and averages. They are based on data obtained by sample surveys of farmers and of people who do business with farmers. The survey data are supplemented by information from the Censuses of Agriculture taken every five years and check data from various sources. Being estimates, they are subject to revision as more data become available from commerical or Government sources. Unless otherwise indicated, the totals for the United States shown in the various tables on area, production, numbers, price, value, supplies, and disposition are based on official Department estimates. They exclude States for which no official estimates are compiled.

DEFINITIONS

"Value of production" as applied to crops in the various tables, is derived by multiplying production by the estimated season average price received by farmers for that portion of the commodity actually sold. In the case of fruits and vegetables, quantities not harvested because of low prices or other economic factors are not included in value of production. The word "Value" is used in the inventory tables on livestock and poultry to mean value of the number of head on the inventory date. It is derived by multiplying the number of head by an estimated value per head as of the date.

The word "Year" (alone) in a column heading means calendar year unless otherwise indicated. "Ton" when used in this book without qualifications means a short ton of 2,000 pounds.

WEIGHTS, MEASURES, AND CONVERSION FACTORS

The following table on weights, measures, and conversion factors covers the most important agricultural products, or the products for which such information is most frequently asked of the U.S. Department of Agriculture. It does not cover all farm products nor all containers for any one product.

The information has been assembled from State schedules of legal weights, various sources within the U.S. Department of Agriculture, and other Government agencies. For most products, particularly fruits and vegetables, there is a considerable variation in weight per unit of volume due to differences in variety or size of commodity, condition and tightness of pack, degree to which the container is heaped, etc. Effort has been made to select the most representative and fairest average for each product. For those commodities which develop considerable shrinkage, the point of origin weight or weight at harvest has been used.

The approximate or average weights as given in this table do not necessarily have official standing as a basis for packing or as grounds for settling disputes. Not all of them are recognized as legal weight. The table was prepared chiefly for use of workers in the U.S. Department of Agriculture who have need of conversion factors in statistical computations.

WEIGHTS, MEASURES, AND CONVERSION FACTORS (See explanatory text just preceding this table)

WEIGHTS AND MEASURES

Commodity	Unit ¹	Approximate net weight		Commodity	Unit ¹	Approximate net weight	
		U.S.	Metric			U.S.	Metric
Alfalfa seed	Bushel	Pounds 60	Kilograms 27.2	Celery	Crate 8	Pounds 60	Kilograms 27.2
Apples Do Do	Loose pack Tray pack	48 38–42 40–45	21.8 17.2–19.1 18.1–20.4	Cherries	Lug (Camp- bell) ⁹ Lug	16	7.3
Do Apricots	Cell pack Lug (brent- wood) 2	37–41 24	16.8–18.6	Do Clover seed Coffee	Bushel Bag	20 60 132.3	9.1 27.2 60
Western Artichokes:	4-basket crate ³	26	11.8	Corn: Ear, husked	Bushel	¹⁰ 70	31.8
Globe	Ctn, by count and loose pack	20–25	9.1–11.3	Shelled Meal Oil	do Gallon	56 50 77.7	25.4 22.7 3.5
Jerusalem Asparagus	Bushel Crate (NJ)	50 30	22.7 13.6	Syrup Sweet	do Wirebound crate	11.72 50	5.3 22.7
Avocados Bananas	Lug ⁴ Fiber folding box ⁵	12–15 40	5.4–6.8 18.1	Do	Ctn, packed 5 oz. ears WDB crate,	50	22.7
Barley Beans: Lima, dry	Busheldo	48 56	21.8 25.4		4½-5 oz. (from FL & NJ)	42	19.1
Other, dry	do Sack	60 100	27.2 45.4	Cotton Do Cottonseed	Bale, gross Bale, net Bushel	11 500 11 480 12 32	227 218 14.5
unshelled Snap Beets:	Busheldo	28–32 28–32	12.7–14.5 12.7–14.5	Cottonseed oil Cowpeas Cranberries	Gallon Bushel Barrel	77.7 60 100	3.5 27.2 45.4
Topped Bunched	Sack ½ crate 2 dz-	25 36–40	11.3 16.3–18.1	Do Cream, 40-per-	1/4-bbl. box 13	25	11.3
Berries frozen pack:	bchs			cent butterfat Cucumbers Dewberries	Gallon Bushel 24–qt. crate	8.38 48 36	3.80 21.8 16.3
Without sugar 3 + 1 pack 2 + 1 pack	50-gal. barrel dodo	380 425 450	172 193 204	Eggplant Eggs, average size	Bushel Case, 30 dozen	33 47.0	15.0 21.3
Bluegrass seed	12, ½-pint bas- ket Bushel	6 14–30	2.7 6.4–13.6	Escarole Figs, fresh	Bushel Box single	25	11.3
Broccoli Broomcorn (6	Wirebound crate	20–25	9.1–11.3	Flaxseed Flour, various	layer 14 Bushel Bag	6 56 100	2.7 25.4 45.4
bales per ton) Broomcorn seed Brussels sprouts Buckwheat	Bale Bushel Ctn, loose pack Bushel	333 44–50 25 48	151 20.0–22.7 11.3 21.8	Do Garlic	Ctn or Crate, Bulk Ctn of 12 tubes or 12 film bag	30	13.6
Cabbage Do	Open mesh bag Flat crate (13/4	64 50	29.0 22.7	Grapefruit:	pkgs 12 cloves each	10	4.5
Do Cantaloups	bu) Ctn, place pack Crate	50–60 53 40	22.7–27.2 24.0 18.1	Florida and Texas	½-box mesh	40	
Carrots	Film plastic Bags, mesh sacks & car-			Florida Texas	bag 13/5 bu. box 12/5 bu. box	40 85 80	18.1 38.6 36.3
	tons holding 48 1 lb. film	EF	24.9	California and Arizona Grapes:	Box 15	¹⁶ 67	30.4
Without tops Castor beans Castor oil	bags Burlap sack Bushel Gallon	55 74–80 41 78	33.6–36.3 18.6 3.6	Eastern Western Do	12-qt. basket Lug 4-basket	20 28	9.1 12.7
Cauliflower	W.G.A. crate Fiberboard box	50–60	22.7–27.2	Hempseed	crate 17 Bushel	20 44	9.1 20.0
	wrapper leaves re- moved film-			Hickory nuts Honey Honeydew mel-	Gallon	50 11.84	22.7 5.4
	wrapped, 2 layers	23-35	10.4–15.9	ons	²⁄₃ Ctn Bale, gross	28–32 200	12.7–14.5 90.7

See footnotes on page ix.

WEIGHTS AND MEASURES—Continued

Commodity	Unit ¹	Approxin wei		Commodity	Unit ¹	Approxin wei	
Commounty	0	U.S.	Metric	Commodity	0	U.S.	Metric
		Pounds	Kilograms	-		Pounds	Kilograms
Horseradish roots	Bushel	35	15.9	Do	Ctn, Tight-fill	00.07	400 40 7
Do	Sack	50	22.7	Peas:	pack	36–37	16.3–16.7
Hungarian millet seed	Bushel	48 and	21.8–22.7	Green,	Duchel	20. 20	40.7.40.0
Kolo	Ctn or oroto	50 25	11 7	unshelled Dry	Busheldo	28–30 60	12.7–13.6 27.2
Kale Kapok seed	Ctn or crate	35–40	11.7 15.9–18.1	Peppers, green	do	25–30 28	11.3–13.6 12.7
Lard Lemons:	Tierce	375	170	Do Perilla seed	Bushel	37-40	16.8-18.1
California and				Pineapples Plums and	Carton	40	18.1
Arizona Do	Box 18 Carton	76 38	34.5 17.2	prunes:	Ctn & lugs	28	12.7
Lentils	Bushel	60	27.2	Do Popcorn:	1/2-bu. basket	30	13.6
Lettuce, iceberg	Iceberg, carton packed 24	43-52	19.5–23.6	Ón ear	Bushel	1070	31.8
Lettuce, hot-				Shelled Poppy seed	dodo	56 46	25.4 20.9
house Limes (Florida)	24-qt. basket Box	10 88	4.5 39.9	Potatoes	Bushel	60	27.2
Linseed oil	Gallon Bushel	⁷ 7.7 34	3.5 15.4	Do Do	Barrel	165 50	74.8 22.7
Malt Maple syrup	Gallon	11.02	5.00	Do	do	100	45.4
Meadow fescue seed	Bushel	24	10.9	Quinces Rapeseed	Busheldo	48 50 and	21.8
Milk	Gallon	8.6	3.90	· '		60	
Millet Molasses:	Bushel	48–60	21.8–22.7	Raspberries Redtop seed	½-pint baskets Bushel	6 50 and	2.7 22.7–27.2
edible	Gallon	11.74	5.3	l '		60	
inedible Mustard seed	do Bushel	11.74 58–60	5.3 26.3–27.2	Refiners' syrup Rice:	Gallon	11.45	5.2
Oats	do	32 25–30	14.5 11.3–13.6	Rough	Bushel	45	20.4
Olives	Lug Gallon	⁷ 7.6	3.5	Do Do	Bag Barrel	100 162	45.4 73.5
Onions, dry Onions, green	Sack	50	22.7	Milled	Pocket or bag	100	45.4
bunched	Ctn, 24-dz bchs	10-16	4.5-7.3	Rosin Rutabagas	Drum, net Bushel	520 56	236 25.4
Oranges: Florida	Box	90	40.8	Rye	do	56	25.4
Texas	Box	85	38.5	Sesame seed Shallots	do Crate (4–7 doz.	46	20.9
California and Arizona	Box 15	75	34.0		bunches)	20-35	9.1–15.9
Do	Carton	38	17.2	Sorgo: Seed	Bushel	50	22.7
Orchardgrass seed	Bushel	14	6.4	Syrup Sorghum	Gallon	11.55	5.2
Palm oil Parsnips	Gallon Bushel	⁷ 7.7 50	3.5 22.7	grain 19	Bushel	56	25.4
Peaches	do	48	21.8	Soybeans Soybean oil	Gallon	60 77.7	27.2 3.5
Do	2 layer ctn or lug	22	10.0	Spelt	Bushel	40	18.1
Do	3/4-Bu, Ctn/crate	38	17.2	Spinach Strawberries	do	18–20 36	8.2–9.1 16.3
Peanut oil Peanuts,	Gallon	77.7	3.5	Do	12-pt. crate	9–11	4.1–5.0
unshelled: Virginia type	Bushel	17	7.7	Sudangrass seed	Bushel	40	18.1
Runners,	busilei	17	1.1	Sugarcane:	Busher	-10	10.1
South-east- ern	do	21	9.5	Syrup (sulfured or			
Spanish:		۱ ـ	3.3	un-sulfured)	Gallon	11.45	5.2
Southeast- ern	do	25	11.3	Sunflower seed	Bushel	24 and 32	10.9–14.5
Southwest-				Sweetpotatoes	do	²⁰ 55	24.9
ern Pears:	do	25	11.3	Do Tangerines:	Crate	50	22.7
California	Bushel	48 50	21.8 22.7	Florida	Box	95 75	43.1 34.0
Other	do		20.4–21.8	Arizona California		75 75	34.0

See footnotes on page ix.

*ERR11*WEIGHTS AND MEASURES—Continued

Commodity	Unit ¹	Approximate net weight		Commodity	Unit ¹	Approximate net weight	
,		U.S.	Metric			U.S.	Metric
Timothy seed	Bushel	Pounds 45	Kilograms 20.4	Turnips:		Pounds	Kilograms
Tobacco:	Hogshead	775	352	Without tops	Mesh sack	50	22.7
Maryland Flue-cured	do	950	431	Bunched	Crate 6	70-80	31.8–36.3
Burley	do	975	442	Turpentine	Gallon	7.23	3.3
Dark air-cured	do	1,150	522	Velvetbeans			
Virginia fire-		,		(hulled)	Bushel	60	27.2
cured	do	1,350	612	Vetch	do	60	27.2
Kentucky and				Walnuts	Sacks	50	22.7
Tennessee				Water 60° F	Gallon	8.33	3.8
fire-cured	do	1,500	680	Watermelons	Melons of aver-		
Cigar-leaf	Case	250-365	113–166		age or me-		
_ Do	Bale	150–175	68.0-79.4		dium size	25	11.3
Tomatoes	Crate	60	27.2	Wheat	Bushel	60	27.2
Do	Lug box	32	14.5	Various com-			
Do	2-layer flat	21	9.5	modities	Short ton	2,000	907
Tomatoes, hot-	40	00		Do	Long ton	2,240	1,016
house	12-qt. basket	20 77.8	9.1 3.5	Do	Metric ton	2,204.6	1,000
rung on	Gallon	' / .0	3.5				

See footnotes on page ix.

To Convert From Avoirdupois Pounds

То	Multiply by
Kilograms	0.45359237
Metric tons	

Conversion Factors

- 1 Metric ton=2,204.622 pounds 1 Kilogram=2.2046 pounds 1 Acre=0.4047 hectares 1 Hectare=2.47 acres 1 Square mile=640 acres=259 hectares 1 Gallon=3.7853 liters

CONVERSION FACTORS

Commodity	Unit	Approximate equivalent
Apples	1 pound dried	7 pounds fresh; beginning 1943, 8 pounds fresh
Do	1 pound chops	5 pounds fresh
Do	1 pound chops 1 case canned 21	1.4 bushels fresh
Applesauce	do ²¹	1.2 bushels fresh
Apricots	1 pound dried	6 pounds fresh
Barley flour	100 pounds	4.59 bushels barley
Beans, lima	1 pound shelled	2 pounds unshelled
Beans, snap or wax	1 case canned 22 100 pounds	0.008 ton fresh
Buckwheat flour	100 pounds	3.47 bushels buckwheat
Calves	1 pound live weight	0.586 pound dressed weight (1995 average)
Cattle	do	0.601 pound dressed weight (1995 average)
Cane syrup	1 gallon	5 pounds sugar
Cherries, tart	1 case canned 21	0.023 ton fresh
Chickens	1 pound live weight	0.72 pound ready-to-cook weight
Corn, shelled	1 bushel (56 lbs.) 1 case canned 22	2 bushels (70 pounds) of husked ear corn
Corn, sweet	1 case canned 22	0.030 ton fresh
Cornmeal:		
Degermed	100 pounds	3.16 bushels corn, beginning 1946
Nondegermed	do	2 bushels corn, beginning 1946
Cotton	1 pound ginned	3.26 pounds seed cotton, including trash 23
Cottonseed meal	1 pound	2.10 pounds cottonseed
Cottonseed oil	do	5.88 pounds cottonseed
Dairy products:	_	1
Butter	do	21.1 pounds milk
Cheese	do	10 pounds milk
Condensed milk, whole	do	2.3 pounds milk
Dry cream	do	19 pounds milk
Dry milk, whole	do	7.6 pounds milk
Evaporated milk, whole	do	2.14 pounds milk
Malted milk	do	2.6 pounds milk
Nonfat dry milk	do	11 pounds liquid skim milk
Ice cream 24	1 gallon	15 pounds milk
Ice cream 24 (eliminating fat from butter	do	12 pounds milk
and concentrated milk).		,
Eaas	1 case	47 pounds
Eggs, shell	do	39.5 pounds frozen or liquid whole eggs
Do	do	10.3 pounds dried whole eggs
Figs	1 pound dried	3 pounds fresh in California; 4 pounds fresh
		elsewhere
Flaxseed	1 bushel	About 21/2 gallons oil
Grapefruit, Florida	1 case canned juice 22	0.64 box fresh fruit
Hogs	1 pound live weight	0.727 pound dressed weight, excluding land
9-	r poeme morgini immini	(1995 average)
Linseed meal	1 pound	1.51 pounds flaxseed
Linseed oil	do	2.77 pounds flaxseed
Malt	1 bushel (34 lbs.)	1 bushel barley (48 lbs.)
Maple syrup	1 gallon	8 pounds maple sugar
Nuts:	9	o pramar mapre ragan
Almonds, imported	1 pound shelled	3½ pounds unshelled
Almonds, California	do	2.22 pounds unshelled through 1949; 2 pound
		thereafter
Brazil	do	2 pounds unshelled
Cashews	do	4.55 pounds unshelled
Chestnuts	do	1.19 pounds unshelled
Filberts	do	2.22 pounds unshelled through 1949; 2.
1 1100110	do	pounds thereafter
Pecans:		pounds increated
Seedling	do	2.78 pounds unshalled
Improved	do	2.78 pounds unshelled 2.50 pounds unshelled
Dispelies		
Pignolias	do	1.3 pounds unshelled
Pistachios	do	2 pounds unshelled
Walnuts:	do	E 99 nounds unshalled
Black	do	5.88 pounds unshelled
Persian (English)	do	2.67 pounds unshelled
rannedi	100 pounds	7.6 bushels oats, beginning 1943
	1 case canned juice 22	0.53 box fresh
Oranges, Florida		51/3 pounds fresh through 1918; 6 pounds fresh
Oranges, Florida	1 pound dried	073 podrido iredii tillougii 1010, o podrido iredi
Oranges, Florida	1 pound dried	for 1919-28; and 61/2 pounds fresh from 192
Oranges, Florida Peaches, California, freestone	1 pound dried	for 1919–28; and 6½ pounds fresh from 192 to date
Oranges, Florida Peaches, California, freestone Peaches, California, clingstone	do	for 1919–28; and 6½ pounds fresh from 192 to date 7½ pounds fresh
Oranges, Florida Peaches, California, freestone Peaches, California, clingstone Peaches, clingstone	do	for 1919–28; and 6½ pounds fresh from 1929 to date
Oranges, Florida Peaches, California, freestone Peaches, California, clingstone	do	for 1919–28; and 6½ pounds fresh from 192 to date 7½ pounds fresh
Oranges, Florida Peaches, California, freestone Peaches, California, clingstone Peaches, clingstone Do	do	for 1919–28; and 6½ pounds fresh from 192 to date 7½ pounds fresh 1 bushel fresh 0.0230 ton fresh
Oranges, Florida Peaches, California, freestone Peaches, California, clingstone Peaches, clingstone Do Peanuts	do	for 1919–28; and 6½ pounds fresh from 192 to date 7½ pounds fresh 1 bushel fresh 0.0230 ton fresh 1½ pounds unshelled
Oranges, Florida Peaches, California, freestone Peaches, California, clingstone Peaches, clingstone	do	for 1919–28; and 6½ pounds fresh from 1929 to date 7½ pounds fresh 1 bushel fresh 0.0230 ton fresh

See footnotes on page ix.

CONVERSION FACTORS—Continued

Commodity	Unit	Approximate equivalent		
Peas, green	1 pound shelled	21/2 pounds unshelled		
Do	1 case canned 22	0.009 ton fresh (shelled)		
Prunes	1 pound dried	2.7 pounds fresh in California; 3 to 4 pounds fresh elsewhere		
Raisins	1 pound	4.3 pounds fresh grapes		
Rice, milled (excluding brewers)	100 pounds	152 pounds rough or unhulled rice		
Rye flour	do	2.23 bushels rye, beginning 1947		
Sheep and lambs	1 pound live weight	0.504 pound dressed weight (1995 average)		
Soybean meal	1 pound	1.27 pounds soybeans		
Soybean oil	do	5.49 pounds soybeans		
Sugar	1 ton raw	0.9346 ton refined		
Tobacco	1 pound farm-sales weight	Various weights of stemmed and unstemmed,		
100000	r pouria iumi ouloo moigin ii	according to aging and the type of tobacco.		
		(See circular 435, U.S. Dept. of Agr.)		
Tomatoes	1 case canned 22	0.018 ton fresh		
Turkeys	1 pound live weight	0.80 pound ready-to-cook weight		
Wheat flour	100 pounds	2.30 bushels wheat 25		
Wool, domestic apparel shorn	1 pound greasy	0.48 pounds scoured		
Wool, domestic apparel pulled	do	0.73 pound scoured		

¹ Standard bushel used in the United States contains 2,150.42 cubic inches; the gallon, 231 cubic inches; the cranberry barrel, 5,826 cubic inches; and the standard fruit and vegetable barrel, 7,056 cubic inches. Such large-sized products as apples and potatoes sometimes are sold on the basis of a heaped bushel, which would exceed somewhat the 2,150.42 cubic inches of a bushel basket level full. This also applies to such products as sweetpotatoes, peaches, green beans, green peas, spinach, etc.

- ² Approximate inside dimensions, 45/8 by 12½ by 161/8 inches

- Approximate inside dimensions, 4% by 12 /2 by 10 /s incres.
 Approximate inside dimensions, 4½ by 16 by 16½ inches.
 Approximate dimensions, 4½ by 13½ by 16½ inches.
 Approximate inside dimensions, 13 by 18 by 21 sinches.
 Approximate inside dimensions, 13 by 18 by 21% inches.
 This is the weight commonly used in trade practices, the actual weight varying according to temperature conditions.
 Approximate inside dimensions 3½ by 18 by 20 inches.

- ⁸ Approximate inside dimensions, 9½ by 16 by 20 inches.
 ⁹ Approximate inside dimensions, 4½ by 11½ by 14 inches.
 ⁹ Approximate inside dimensions, 4½ by 11½ by 14 inches.
 ¹⁰ The standard weight of 70 pounds is usually recognized as being about 2 measured bushels of corn, husked, on the ear, because it required 70 pounds to yield 1 bushel, or 56 pounds, of shelled corn.
- 11 For statistical purposes the bale of cotton is 500 pounds or 480 pounds net weight. Prior to Aug. 1, 1946, the net weight was estimated at 478 pounds. Actual bale weights vary considerably, and the customary average weights of bales of foreign cotton differ from that of the American square bale.
- of foreign cotton differ from that of the American square bale.

 12 This is the average weight of cottonseed, although the legal weight in some States varies from this figure of 32 pounds.

 13 Approximate inside dimensions, 91/4 by 101/2 by 15 inches.

 14 Approximate inside dimensions, 11/4 by 11 by 161/6 inches.

 15 Approximate inside dimensions, 111/2 by 111/2 by 24 inches.

 16 Beginning withe 1993-94 season, net weights for California Desert Valley and Arizona grapefruit were increased from 64 to 67 pounds, equal to the California other area net weight, making a 67 pound net weight apply to all of California.
- 17 Approximate inside dimensions, 4% by 16 by 16% inches.
 18 Approximate inside dimensions, 9% by 13 by 25 inches.6 by 16 by 16% inches.
 19 Includes both sorghum grain (kafir, milo, hegari, etc.) and sweet sorghum varieties.
 20 This average of 55 pounds indicates the usual weight of sweetpotatoes when harvested. Much weight is lost in curing or drying and the net weight when sold in terminal markets may be below 55 pounds.
- ²¹ Case of 24 No. 2½ cans. ²² Case of 24 No. 303 cans.

- ²⁵ Varies widely by method of harvesting.
 ²⁴ The milk equivalent of ice cream per gallon is 15 pounds. Reports from plants indicate about 81 percent of the butterfat in ice cream is from milk and cream, the remainder being from butter and concentrated milk. Thus the milk equivalent of the milk and cream in a gallon of ice cream is about 12 pounds.

 25 This is equivalent to 4.51 bushels of wheat per barrel (196 pounds) of flour and has been used in conversions, begin-
- In its equivalent to 4.5 busines of wheat per bariet (136 pounds) of flour and nata beeff used in conversions, beginning July 1, 1957. Because of changes in milling processes, the following factors per barrel of flour have been used for earlier periods: 1790–1879, 5 bushels; 1880–1908, 4.75 bushels, 1909–17, 4.7 bushels; 1918 and 1919, 4.5 bushels; 1920, 4.6 bushels; 1921–44, 4.7 bushels; July 1944–Feb. 1946, 4.57 bushels; March 1946–Oct. 1946, average was about 4.31 bushels; and Nov. 1946–June 1957, 4.57 bushels.