Table 1 Oregon Administrative Rule 734-071-0010

Vehicles or	Maximum Length in Feet for Highways in:				
Combination of Vehicles	Group 1	Group 2	Group 3		
A. Truck-tractor (or dromedary truck-tractor*) and semitrailer drawing one trailer or semitrailer mounted on a dolly equipped with a fifthwheel; truck-tractor with semitrailer and semitrailer; truck-tractor and semitrailer towing a passenger or light vehicle. *dromedary truck-tractor is not authorized to tow a stinger steered trailer	75' overall 40' trailer The length of the dromedary box, plate or deck shall not exceed 12'06" in length including any load overhang on the dromedary box, plate or deck.	65' overall 40' trailer The length of the dromedary box, plate or deck shall not exceed 12'06" in length including any load overhang on the dromedary box, plate or deck.	60' overall 40' trailer		
B. Truck-tractor (or dromedary truck-tractor*) and semitrailer which may include an auxiliary axle. *dromedary truck-tractor is not authorized to tow a stinger steered trailer	60' overall 53' semitrailer The length of the dromedary box, plate or deck shall not exceed 12'06" in length including any load overhang on the dromedary box, plate or deck.	60' overall 40' trailer	60' overall 40' trailer		
C. Truck-tractor (or dromedary truck-tractor) and stinger-steered trailer.	75' overall 53' trailer The length of the dromedary box, plate or deck shall not exceed 12'06" in length including any load overhang on the dromedary box, plate or deck.	65' overall 45' trailer The length of the dromedary box, plate or deck shall not exceed 12'06" in length including any load overhang on the dromedary box, plate or deck.	60' overall 40' trailer		
D. Truck-tractor and semitrailer towing a dolly.	75' overall 40' trailer	60' overall 40' trailer	60' overall 40' trailer		
E. Log truck and stinger steered pole trailer that may include an auxiliary axle. Load length controlled by allowable overall length. Load not to extend forward of rear of cab.	75' overall	65' overall	65' overall		

Table 1 (continued) Oregon Administrative Rule 734-071-0010

Vehicles or	Maximum Length in Feet for Highways in:				
Combination of Vehicles	Group 1	Group 2	Group 3		
F. A truck transporting logs that also pulls a self-supporting trailer which may consist of two stinger-steered pole trailers assembled such that the stinger-steered pole trailers transport one load of logs and functions as a self-supporting trailer. This combination of vehicles may not travel unladen and must only be used to transport logs and poles.	75' overall 40' trailer	65' overall 40' trailer	65' overall 40' trailer		
G. Truck-tractor drawing up to three motor vehicles by saddle-mount method.	75' overall	60' overall	60' overall		
H. Truck-tractor drawing two motor vehicles by single saddle-mount and drawbar method.	75' overall	60' overall	60' overall		
I. Motor truck and trailer (may be stinger steered). Load length on trailer may exceed 40 feet providing the load does not extend beyond the rear of the trailer by more than five feet and does not extend forward of the rear of the motor truck.	75' overall 53' trailer Exception: Truck and trailer combinations having a trailer of not more than 40' in length with a front axle that is steerable by a turntable or converter dolly may be 80' overall	65' overall 40' trailer	60' overall 40' trailer		
J. Pickup truck drawing two trailers (OAR 734-071-0060)	75' overall 40' trailer	60' overall 40' trailer	60' overall 40' trailer		

Table 2

Maximum Length in Feet for Route Map 7 Routes:

Vehicles or Combination of Vehicles	Green or Brown Route	Purple Route	Black Route	Blue Route
A. Truck-tractor (or dromedary truck-tractor*) and up to 48' semitrailer which may include an auxiliary axle. *dromedary truck-tractor is not authorized to tow a stinger steered trailer	No limit	No overall limit The length of the dromedary box, plate or deck shall not exceed 12'06" in length including any load overhang on the dromedary box, plate or deck.	65' overall The length of the dromedary box, plate or deck shall not exceed 12'06" in length including any load overhang on the dromedary box, plate or deck.	60' overall
B. Truck-tractor (or dromedary truck-tractor*) and up to 53' semi-trailer which may include an auxiliary axle. *dromedary truck-tractor is not authorized to tow a stinger steered trailer	No limit	65' overall The length of the dromedary box, plate or deck shall not exceed 12'06" in length including any load overhang on the dromedary box, plate or deck.	65' overall The length of the dromedary box, plate or deck shall not exceed 12'06" in length including any load overhang on the dromedary box, plate or deck.	60' overall
C. Truck-tractor (or dromedary truck-tractor*) and semitrailer drawing one trailer or semitrailer mounted on a dolly equipped with a fifthwheel; truck-tractor with semitrailer and semitrailer; truck-tractor and semitrailer towing a passenger or light vehicle.	No limit	No overall limit 40' trailer The length of the dromedary box, plate or deck shall not exceed 12'06" in length including any load overhang on the dromedary box, plate or deck.	No overall limit 40' trailer The length of the dromedary box, plate or deck shall not exceed 12'06" in length including any load overhang on the dromedary box, plate or deck.	No overall limit 40' trailer The length of the dromedary box, plate or deck shall not exceed 12'06" in length including any load overhang on the dromedary box, plate or deck.
*dromedary truck-tractor is not authorized to tow a stinger steered trailer				
D. Pickup truck and trailer	70' overall 53' trailer	65' overall 53' trailer	60' overall	60' overall
				Dogo 2 of 2