

---

**Office for Oregon Health  
Policy and Research**



# **Oregon Physician Workforce Survey**

Prepared for

Oregon Department of Human Services  
Division of Medical Assistance Programs

and

The Oregon Medical Association

May 2007

---



---

# Oregon Physician Workforce Survey

May 2007

Prepared by:

The Office for Oregon Health Policy and Research

Jeanene Smith MD MPH  
Administrator

Tina Edlund MS  
Deputy Administrator

Sean Kolmer MPH  
Research and Data Manager

Hanten Day  
Research Analyst

James Oliver  
Research Analyst

Tami Breitenstein  
Research Assistant

---



## Table of Contents

	Page No.
Key Findings.....	iii
Background.....	1
Methodology.....	1
Respondent Demographics .....	4
Physician Satisfaction .....	11
Access to Physicians .....	13
Practice Characteristics .....	17
Payer Acceptance.....	21
Access to Services for Medicaid Patients.....	29
Anticipated Practice Changes in the Next Two Years.....	33
About The Profession .....	34

### Tables

Table 1 – Response Rate .....	2
Table 2 – Response Rate for Selected Specialties.....	2
Table 3 – Respondents Compared to Oregon Physician Population .....	3
Table 4 – Regional Distribution of Responding Oregon Physicians, 2006 .....	5

### Figures

Figure 1 – Oregon Physician Age Distribution, 2006.....	4
Figure 2 – Oregon Physician Race, 2006 .....	4
Figure 3 – Languages Spoken by Oregon Physicians, 2006 .....	5
Figure 4 – Physician Age by Region, 2006.....	6
Figure 5 – Oregon Physicians’ Primary Practice Setting, 2006.....	6
Figure 6 – Oregon Physician Specialties, 2006.....	7
Figure 7 – Years Licensed in Any State, 2006.....	7
Figure 8 – Employment Status – Statewide.....	8
Figure 9 – Employment Status – Portland Metro .....	8
Figure 10 – Employment Status – Mid-Willamette Valley.....	8
Figure 11 – Employment Status – Northwestern .....	8

---

Figure 12 - Employment Status - Southern.....	8
Figure 13 - Employment Status - Eastern.....	8
Figure 14 - Employment Status - Southwestern.....	9
Figure 15 - Employment Status - Central.....	9
Figure 16 - Current Professional Activities, 2006.....	9
Figure 17 - Plans to Retire Within 5 years by Age, 2006.....	10
Figure 18 - Plans to Retire Within 5 years by Region, 2006.....	10
Figure 19 - Plans to Retire Within 5 years by Specialty, 2006.....	11
Figure 20 - Physician Satisfaction in the Last 12 Months, 2006.....	12
Figure 21 - Physician Satisfaction with Career Overall, 2006.....	12
Figure 22 - Greatest Source of Professional Satisfaction, 2006.....	13
Figure 23 - Percent Reporting Less Than 7 Day Appointment Wait, 2006.....	13
Figure 24 - Percent Reporting Less than 7 Day Appointment Wait by Specialty, 2006.....	14
Figure 25 - Hours Spent in Direct Patient Care in a Typical Week, 2006.....	14
Figure 26 - Hours Spent in on Administrative Tasks Related to Patient Care in a Typical Week, 2006.....	15
Figure 27 - Average Weekly No. of Patients as a Result of Taking Call, 2006.....	15
Figure 28 - Reasons for Changing Privileges, 2006.....	16
Figure 29 - Monthly Hours Spent Providing Charity Care, 2006.....	16
Figure 30 - Practice Size, 2006.....	17
Figure 31 - Practice Organization, 2006.....	17
Figure 32 - Average Weekly Patient Volume, All Specialties, 2006.....	18
Figure 33 - Average Weekly Patient Volume, Family Practice, 2006.....	18
Figure 34 - Average Weekly New Patients, Overall, 2006.....	19
Figure 35 - Payer Mix - Statewide.....	19
Figure 36 - Payer Mix - Portland Metro.....	19
Figure 37 - Payer Mix - Mid-Willamette Valley.....	20
Figure 38 - Payer Mix - Northwestern.....	20
Figure 39 - Payer Mix - Southern.....	20
Figure 40 - Payer Mix - Eastern.....	20

Figure 41 – Payer Mix – Southwestern .....	20
Figure 42 – Payer Mix – Central.....	20
Figure 43 – Acceptance of Medicare by Specialty, 2006 .....	21
Figure 44 – Acceptance of Medicare by Region, 2006.....	22
Figure 45 – Acceptance of New Medicare Patients, 2004 and 2006 .....	22
Figure 46 – Primary Care Acceptance of New Medicare Patients, 2004 & 2006 .....	23
Figure 47 – Factors in the Decision to Limit Medicare, 2006 .....	23
Figure 48 – Acceptance of Workers’ Compensation as a Payer by Specialty, 2006 .....	24
Figure 49 – Acceptance of Workers’ Compensation as a Payer by Region, 2006	24
Figure 50 – Factors in the Decision to Limit Workers’ Compensation, 2006.....	25
Figure 51 – Acceptance of Medicaid by Specialty, 2006 .....	26
Figure 52 – Acceptance of Medicaid by Region, 2006.....	27
Figure 53- Acceptance of New Medicaid Patients, 2004 & 2006 .....	27
Figure 54 – Acceptance of Medicaid by Primary Care Physicians, 2004 & 2006 .....	28
Figure 55 – Factors Contributing to the Decision to Limit Medicaid, 2006 .....	28
Figure 56 – How often are you able to refer to specialists for your Medicaid patients?.....	29
Figure 57 – How often are you able to obtain ancillary services for your Medicaid patients when you think it is medically necessary? .....	29
Figure 58 – How often are you able to obtain a non-emergency hospital admission for your Medicaid patients when you think medically necessary? .....	30
Figure 59 – How often are you able to obtain diagnostic imaging services for your Medicaid patients when you think it is medically necessary? .....	30
Figure 60 – How often are you able to obtain inpatient mental health services for your Medicaid patients when you think it is medically necessary? .....	31
Figure 61 – How often are you able to obtain inpatient substance abuse services for your Medicaid patients when you think it is medically necessary? .....	31

Figure 62 - How often are you able to obtain outpatient mental health services for your Medicaid patients when you think it is medically necessary? .....	32
Figure 63 - How often are you able to obtain outpatient substance abuse services for your Medicaid patients when you think it is medically necessary? .....	32
Figure 64 - Anticipated Practice Changes in the Next Two Years, 2006 .....	33
Figure 65 - Importance of Health Policy Issues and Issues Related to the Practice of Medicine, 2004 & 2006 .....	34
Figure 66 - Physician Response to Potential 2007 Medicare Reimbursement Decline .....	35

### **Appendices**

Appendix A - Mailing List Methods and Results .....	A-1
Appendix B - Detailed Data Tables .....	B-1
Appendix C - Survey Instrument.....	C-1



## Key Findings

### Diversity

- + Oregon's physician workforce is less racially and ethnically diverse than the state's population.
  - o 2.3% of the physicians report Hispanic, Spanish or Latino heritage compared to 9.9% of the population.
  - o 0.6% of the physician workforce report their race as African-American compared to 1.6% of the population.
  - o 1.3% of physicians report themselves as multi-racial, compared to 3.5% of the population.
- + 19.4% of physicians report they speak Spanish in addition to English.

### Age

- + The Northwest region (Clatsop, Tillamook, Columbia, and Lincoln counties) has a disproportionately older physician workforce, with 25% over 60 and 38.5% under 50 years of age.
  - o Central Oregon has the youngest physician workforce, with 55% of responding physicians reporting they are less than 50 years old.
- + Almost half (46.1%) of the physician have been practicing over 20 years.

### Employment Status

- + Over one-third (38.6%) of the respondents are employee-physicians.
  - o The Portland Metro region (43.3%) and the Northwest region (44.9%) have the highest percentage of employee-physicians.
  - o The Southwestern region (Coos and Curry counties) reports the highest percentage of physician owners (72%), followed by 64% in the Southern region and 61% in the Eastern region.

### Retirement

- + The percentage of physicians planning to retire within five years (22%) has remained steady since the 2004 physician workforce survey.
  - o Reflecting the older physician demographic, 33% of physicians responding from the Northwest region of the state report they plan to retire within five years.
  - o Statewide, 41% of the responding neurosurgeons plan to retire within the next five years, as do 33% of the surgical sub-specialists and 28% of the general surgeons.

## Career Satisfaction

- + Over 78% of Oregon's physicians report they are "very satisfied" or "somewhat satisfied" with their careers in the last 12 months.
  - o Pediatricians were most satisfied, 87% being very or somewhat satisfied.
  - o General surgeons were the least satisfied, with only 61% expressing satisfaction over the last 12 months.
- + Overall career satisfaction tends to be higher, with 90% describing themselves as very or somewhat satisfied with their careers overall.

## Access

- + Statewide, 51% of physicians report a less than 7-day non-urgent appointment wait for established patients.
  - o The longest reported non-urgent appointment wait time was reported by neurosurgeons and ob/gyns, with 30% and 28% reporting wait times of more than 21 days, respectively.
- + 72% report providing charity care, with 40% reporting 1 to 10 hours of charity care a month and 15% reporting more than 10 hours a month.

## Practice Characteristics

- + Small group practices (3 to 10 physicians) are the most commonly reported practice size (35.6%).
- + 68% are single-specialty practices.

## Payer Mix

- + There is wide variation in payer mix across regions, with the Portland Metro region reporting the highest proportion of commercial insurance (47%) and the Northwest region the lowest (28%).
- + Medicare accounted for 25% of the reported payer mix for practices statewide, but is as low as 21% in the Portland Metro region and as high as 40% in the Southwest region of the state.
- + The percentage of physicians reporting their practice as completely closed to new Medicare patients increased from 11.8% in 2004 to 23.7% in 2006.
  - o Reimbursement is cited as the most important reason for limiting or closing to Medicare, with 82% of the responding physicians rating it as "very important."
  - o The need to balance payer mix was rated as "very important" in the decision to limit Medicare by 57.7% of the responding physicians.
- + 50% of responding physicians report being completely open to new Workers' Compensation patients.

- Physicians are least likely to accept Workers' Compensation in the Southern region (34% closed) and Southwestern region (33% closed).
- Administrative requirements were most commonly cited as a "very important" reason (74%) for limiting or closing to Workers' Compensation.
- ✚ Medicaid accounted for 15% of the reported payer mix statewide, with the Portland Metro region reporting the lowest proportion, 15%, and the Northwest region reporting the highest, 20%.
- ✚ The percentage of physicians reporting their practice as completely closed to new Medicaid patients increased from 12.7% in 2004 to 21.1% in 2006.
  - 27.6% of family practice and 34.3% of general internal medicine practitioners reported being completely closed to new Medicaid patients.
  - Pediatricians are the least likely to be completely closed to Medicaid, with 7.3% reporting complete closure.
- ✚ Paradoxically, there are also more physicians reporting no restrictions for acceptance of Medicaid in 2006 (58%) when compared to 2004 (48%).

### **Physician Access to Services for Medicaid Patients**

- ✚ Substance abuse services are reported to be the most difficult to access: 32% of physicians reported that they are "never" able to obtain inpatient substance abuse services when they think it is medically necessary for their Medicaid patients; another 37% report they are only "sometimes" able to find substance abuse services.
  - 21% of responding physicians reported they are "never" able to obtain outpatient substance abuse services for their Medicaid clients; another 45% reported they can only "sometimes" obtain outpatient substance abuse services.
- ✚ Inpatient mental health services are also difficult to access: 21% reported that they are "never" able to obtain inpatient mental health services when they think it is medically necessary and another 41% reported they are only "sometimes" able to obtain inpatient mental health services for their Medicaid patients.
  - 15% reported they are "never" able to obtain outpatient mental health services and 48% reported obtaining them "sometimes" for their Medicaid patients.
- ✚ Physicians reported easier access to non-emergency hospital admissions and diagnostic imaging services for their Medicaid patients.
  - 62% reported they are "usually" or "always" able to obtain a non-emergency hospital admission for their Medicaid patients.

- 68% of physicians reported “usually” or “always” being able to obtain diagnostic imaging services for their Medicaid patients.

### **Anticipated Practice Changes in the Next Two Years**

- + 37% of physicians reported they either might or definitely will increase patient volume in the next two years.
- + 31% either might or definitely will increase their referral of complex patients.
- + 28% either might or definitely will reduce their hours.
- + 25% either might or definitely will expand their scope of practice; 23% either might or definitely will reduce their scope of practice.
- + 26% either might or definitely will increase their number of diagnostic procedures.

### **Importance of Health Policy Issues and Issues Related to the Practice of Medicine**

- + Medicare reimbursement was rated as “very important” by 66% of responding physicians, followed closely by the cost of doing business, which was rated as “very important” by 63%.
- + Health insurance for the uninsured was rated as “very important” by 59% of physicians.
- + 56% of physicians rated Medicaid reimbursement and commercial insurance reimbursement as “very important.”

### **Physician Response to Potential Medicare Reimbursement Decline**

- + 15% of physicians responded that they will no longer accept new Medicare patients if a Medicare reimbursement declines in 2007.
- + Another 24% reported they will likely limit acceptance of Medicare as a reaction to a Medicare rate reduction.

## Background

Access to care is the first requirement of a high-quality health care delivery system, with physician capacity and participation as essential facets of access. Health care is unlike any other service industry and capacity is affected by more than simple supply and demand; adequate physician supply is determined by much more than merely the numbers of licensed physicians in an area. In addition to dealing with ever-increasing diagnostic and treatment options available to physicians, the nature of the physician's job has shifted from predominantly treating acute conditions to an increasing role in managing chronic conditions. This changing role can place additional demands on physician time and limits on their capacity. Constrained physician capacity can result in decreased time with patients, longer wait times for appointments, increased use of emergency departments, and diminished physician willingness to accept certain payers. Understanding these dynamics and assessing current and future physician capacity is fundamental to building a robust health care delivery system in Oregon.

The 2006 Oregon Physician Workforce Survey has multiple goals: to better understand the dynamics of physician capacity; to collect key information about physician demographics; to describe practice characteristics and acceptance of Medicare, Medicaid and Workers' Compensation; to describe future practice plans; and to determine physician attitudes toward specific health policy issues. The 2006 Oregon Physician Workforce Survey builds on work completed in 2003 and 2004 and is the result of a combined effort of the Department of Human Services' Division of Medical Assistance Programs (DMAP), the Oregon Medical Association (OMA) and the Office for Oregon Health Policy and Research (OHPR).

## Methodology

**Survey Design.** The physician workforce research design is a cross-sectional survey using a unique survey instrument (*See Appendix C*) to assess current physician practice characteristics, capacity and attitudes. Cross-sectional surveys are used to collect information at a single point in time. This study includes some longitudinal elements and trending capabilities as well: many of the questions were asked in both 2003 and 2004, using the same sampling approach.

Using the Oregon Board of Medical Examiners (BME) dataset, the survey was administered to all Oregon physicians meeting the following criteria (*See Appendix A*):

- In-state practice address listed with (BME)
- MD and DO license types
- "Active" license type
- Good standing
- No license limitations or restrictions
- Involved in direct patient care

Ineligibles included medical students, retired, inactive, deceased or physicians self-identified as having no direct patient care. Using these exclusion criteria, the original BME list of 15,101 records, was reduced to 8,482 eligible names (*See Appendix A*).

The survey was administered by mail and internet between November 29<sup>th</sup>, 2006 and February 23<sup>rd</sup>, 2007. A tailored-design<sup>1</sup> mixed-mode methodology was used that included a three-wave mail protocol, with the survey available on the internet as well. The first wave included mailing a complete survey packet (cover letter and survey) on November 29<sup>th</sup> to every eligible physician; the second wave, one week after the initial mailing, consisted of a postcard reminder mailed to the same list. The final wave included another complete survey packet, which was mailed to non-respondents four weeks after the reminder postcards. In each wave, the internet address to access the survey online was included in the cover letter. The Oregon Medical Association also announced the survey in its newsletter and sent out reminder faxes and emails. Those physicians choosing to complete the survey on the internet were asked to provide the tracking number from the survey to avoid duplication of responses.

**Response Rate.** Of the 8,482 surveys mailed, 3,946 were returned completed for a final calculated response rate of 48.4%. Tables 1 and 2 exhibit the final survey disposition as well as the response rate for selected specialties.

**Table 1 - Response Rate**

Final Disposition	Number
Surveys mailed out	8,482
Returned completed (539 completed web-based survey)	3,946
No direct patient care/retired/no Oregon care	331
Eligible sample (no. sent - (no. returned + no. not eligible))	8,151
<b>Return rate</b>	<b>48.4%</b>

**Table 2 - Response Rate for Selected Specialties**

Specialty	Surveys Mailed	No Direct Pat. Care	Eligible Sample	Returned	Return Rate
Anesthesiology	500	15	485	198	41%
Emergency Medicine	512	14	498	247	50%
Family and General Practice	1382	46	1336	729	55%
Ob/Gyn	419	12	407	237	58%
Internal medicine	1391	41	1350	600	44%
Neurosurgery	77	2	75	30	40%
Ophthalmology	246	9	237	140	59%
Orthopedics	318	21	297	153	52%
Pediatrics	514	20	494	265	54%
Urology	122	5	117	59	50%

With a 48.4% response rate, there is significant potential for non-response bias in the survey results. However, comparing the respondents to the overall eligible physician sample on key variables - gender, age, geography and specialty - show the respondent and sample population to be comparable. Table 3 shows that the survey data under-represents physicians under the age of 40 as well as those practicing in the Portland

<sup>1</sup> Dillman DA, Mail and Internet Surveys: The Tailored Design Method, 2<sup>nd</sup> Ed., John Wiley & Sons, 2000.

metropolitan area. Further, the respondent group under-represents general internal medicine and over-represents the internal medicine subspecialties.


**Table 3 – Respondents Compared to Oregon Physician Population**

		Sample (n=8,346)	Respondents (n=3,941)
Gender	Male	70.3%	70.9%
	Female	29.7%	29.1%
Age	Under 40	22.7%	19.2%
	40-49 years	31.0%	30.3%
	50 to 59 years	30.0%	33.3%
	60 to 69 years	13.0%	14.8%
	70 years or more	3.1%	2.5%
Region	Portland Metro Area	58.2%	52.8%
	Mid-Willamette Valley	18.9%	20.6%
	Northwestern	1.9%	2.3%
	Southern	9.2%	10.3%
	Eastern	2.5%	3.1%
	Southwestern	1.7%	2.4%
	Central	7.6%	8.5%
Specialty	Family or General Practice	16.1%	18.5%
	Obstetrics and/or Gynecology	5.2%	6.0%
	General Internal Medicine	15.7%	12.0%
	General Pediatrics	5.8%	5.7%
	General Surgery	3.4%	3.5%
	Internal Medicine Subspecialty	8.3%	10.7%
	Pediatric Subspecialty	1.5%	2.8%
	Surgical Subspecialty	6.5%	2.1%
	Anesthesiology	5.7%	5.0%
	Dermatology	1.3%	1.4%
	Emergency Medicine	5.8%	6.3%
	Neurological Surgery	0.9%	0.8%
	Neurology	1.9%	2.0%
	Nuclear Medicine	0.1%	0.1%
	Occupational Medicine	0.5%	0.7%
	Ophthalmology	2.8%	3.5%
	Othopedic Surgery	3.6%	3.7%
	Otolaryngology	1.5%	1.9%
	Pathology	0.2%	0.3%
	Physical & Rehabilitation Medicine	0.9%	1.1%
	Plastic Surgery	0.8%	0.6%
	Psychiatry	5.1%	5.4%
	Radiology	4.6%	3.9%
Urology	1.4%	1.5%	

## Respondent Demographics


**Gender and Age.** The responding physician group was 29% female and 71% male. The age distribution is shown in Figure 1:

**Figure 1 - Oregon Physician Age Distribution, 2006**



**Race and Ethnicity.** Over two percent (2.3%) of Oregon’s physician workforce report being of Hispanic, Spanish or Latino heritage. This percentage is not reflective of Oregon’s population as a whole, which is 9.9% Hispanic according to 2005 census figures.<sup>2</sup> Ninety percent of the physicians reported their race as white, generally mirroring the Oregon population (Figure 2):

**Figure 2 - Oregon Physician Race, 2006**




<sup>2</sup> U.S. Census Bureau, 2005 American Community Survey.



**Languages Spoken.** Physicians were asked in which languages in addition to English they felt comfortable communicating for most clinical purposes. While 80% reported speaking English only, 19% reported that they felt comfortable communicating in Spanish:

**Figure 3 – Languages Spoken by Oregon Physicians, 2006**



**Geographical Distribution.** For the purposes of this survey, the state was divided into regions based on the same regional divisions as previous physician workforce surveys. As expected, the highest percentage (52.8%) practice in the Portland metropolitan area:


**Table 4 – Regional Distribution of Responding Oregon Physicians, 2006**

Region	Counties	No. of Respondents	Distribution of Respondents
Portland Metro	Washington, Multnomah, Clackamas, Yamhill	2,083	52.8%
Mid-Willamette Valley	Linn, Benton Marion, Polk, Lane	811	20.6%
Northwestern	Clatsop, Tillamook, Columbia, Lincoln	91	2.3%
Southern	Jackson, Douglas, Josephine	406	10.3%
Eastern	Baker, Umatilla, Morrow, Grant, Wallowa, Union, Malheur, Harney	121	3.1%
Southwestern	Coos, Curry	95	2.4%
Central	Jefferson, Crook, Deschutes, Lake, Klamath, Hood River, Wasco, Sherman, Gilliam, Wheeler	335	8.5%

The Portland Metro region has the highest proportion of female physicians (33.4%). The Central region has the highest proportion of physicians under the age of 50 (55.2%), followed closely by the Portland Metro region (51.3%). The Northwest region of the state has the highest proportion of physicians over the age of 60 (25.3%) and lowest proportion of physicians under the age of 50 (38.5%). *For detailed data tables, see Appendix B.*


Figure 4 on the following page illustrates the uneven physician age distribution across regions of the state.

**Figure 4 - Physician Age by Region, 2006**



**Practice Setting.** Most physicians (60.5%) reported that their primary practice setting is a private office or clinic setting. Figure 5 shows the respondent distribution across settings. The results for the category “University/College Health Services” should be interpreted with caution; many physicians practicing at the Oregon Health and Science University (OHSU) placed themselves in this category when it was intended to capture student health centers.<sup>3</sup>


**Figure 5 - Oregon Physicians’ Primary Practice Setting, 2006**



<sup>3</sup> Because an unexpectedly high number of physicians categorized themselves as practicing within a “university/college health service” setting, we examined individual cases and found that the majority were within the 97239 zip code, which is the OHSU zip code.


**Specialty Categories.** Physician specialties were collapsed into twelve broad categories with the exception of neurosurgery and psychiatry, which were left in separate categories. The following exhibits the distribution of self-reported specialties:

**Figure 6 - Oregon Physician Specialties, 2006**





**Years Licensed.** Almost half (46.1%) of the responding physicians have been licensed for more than 20 years (Figure 7):

**Figure 7 - Years Licensed in Any State, 2006**




**Employment Status.** Over one-third of the responding physicians practice as employees (38.6%). The Portland Metro area (43.3%) and Northwestern region (44.9%) have the highest percentage of employee-physicians. The more rural areas of the state have higher proportions of owner-physicians. Figures 8 to 15 show physicians' employment status in their primary practice within each region of the state.





**Current Professional Activities.** Almost one-third (32.4%) of the responding physicians were teaching in some capacity. Because direct patient care was one of the inclusion criteria 100% of the respondents were involved in clinical practice. Professional activities in addition to direct patient care include administration, research, resident or fellow and teaching:


**Figure 16 - Current Professional Activities, 2006**



### Physician Retirement Plans


The percent of physicians reporting that they plan to retire within the next five years has remained at 22% since the 2004 survey (Figure 17).

**Figure 17 - Plans to Retire Within 5 Years by Age, 2006**




Thirty-three percent of physicians in the Northwestern region report plans to retire within five years, reflecting an aging demographic in that region. Retirement plans by region are shown in Figure 18.

**Figure 18 - Plans to Retire Within 5 Years by Region, 2006**



In addition to regional variation in age and retirement plans, there is also variation by specialty (Figure 19):

**Figure 19 – Plans to Retire Within 5 Years by Specialty, 2006**




### Physician Satisfaction


**Career Satisfaction.** The Oregon Physician Workforce Survey includes three questions regarding physician satisfaction. One asks about the last 12 months; the second asks about their medical career overall and the third asks about the greatest source of professional satisfaction. Overall career satisfaction was much higher (53% very satisfied) than satisfaction over the last 12 months (38% very satisfied). Pediatricians (63.2% very satisfied) and psychiatrists (59.8% very satisfied) expressed the greatest levels of satisfaction with their careers overall. General surgeons and neurosurgeons were the least satisfied in the last 12 months, with 34.3 % and 32.3% respectively responding they were either somewhat or very dissatisfied.

Figures 20 and 21 show professional satisfaction by specialty. See Appendix B for detailed tables.

**Figure 20 - Physician Satisfaction in the Last 12 Months, 2006**




**Figure 21 - Physician Satisfaction with Career Overall, 2006**





**Greatest Source of Professional Satisfaction.** When asked the greatest source of professional satisfaction, the over 40% cited patient relationships (Figure 22):


**Figure 22 - Greatest Source of Professional Satisfaction, 2006**



**Access to Physicians**


Over half (50.9%) of physicians report seeing established payments for non-urgent appointments in less than seven days. This varies somewhat by region and specialty, as can be seen in Figure 23:

**Figure 23 - Percent Reporting Less Than 7 Day Appointment Wait by Region, 2006**  
(Established patients, non urgent appointment)



Appointment waits are shortest for pediatricians and family medicine physicians (Figure 24).


**Figure 24 - Percent Reporting Less than 7 Day Appointment Wait by Specialty, 2006**  
(Established patients, non urgent appointment)




**Physician Time.** Physicians were asked to estimate the total amount of time spent in direct patient care and in doing administrative tasks associated with patient care in a typical week. More than 50% of general surgeons and neurosurgeons reported spending more than 48 hours a week in direct patient care (Figure 25).

Family practice and general internal medicine physicians reported spending the greatest amount of time on administrative tasks related to patient care, with 18.7% and 19% respectively reporting spending 15 or more hours a week on administrative tasks.

**Figure 25 - Hours Spent in Direct Patient Care in a Typical Week, 2006**




**Figure 26 - Hours Spent in on Administrative Tasks Related to Patient Care in a Typical Week, 2006**




**Taking Call.** Excluding hospital-based physicians, 35% of the responding physicians reported that they did not take call. Almost one-quarter of physicians see one or two patients a week in the hospital or emergency department setting as a result of taking call. General surgeons are most affected by taking call, with 39% reporting that they see between six and ten patients a week in the hospital setting as a result of call (Figure 27).

**Figure 27 - Average Weekly Patients as a Result of Taking Call, 2006**




**Changes in Hospital Privileges.** Of the responding physicians, 9.4% changed hospital privileges in the previous 12 months. The reasons for changing are described in Figure 28:

**Figure 28 - Reasons for Changing Privileges, 2006**



**Charity Care.** Physicians were asked to estimate the number of hours in a typical month spent providing charity care. Almost half of all physicians (47.9%) provide from one to ten hours of charity care in an average month. Ob/Gyns are most likely to provide charity care, with 69% reporting providing from one to twenty hours a month, closely followed by the 66.2% of general surgeons who provide from one to twenty hours a month providing charity care.


**Figure 29 - Monthly Hours Spent Providing Charity Care, 2006**



**Practice Characteristics**


**Practice Size.** Statewide, the most commonly reported practice size were group practices of 3 to 10 physicians (35.6%). Solo practices were most common in the Eastern region (41.7%) and least common in the Portland Metro (17.4%) and Mid-Willamette Valley regions (17.4%).

**Figure 30 – Practice Size, 2006**




**Practice Organization.** Most physicians practice in single specialty practices (68.1%). General internal medicine (52.1%), pediatric sub-specialists (56.1%), and family medicine physicians (67.9%), are the least likely to work in single-specialty practices.

**Figure 31 – Practice Organization, 2006**




**Patient Volume.** Family practice physicians and pediatricians see the highest volume of patients weekly, 38.4% of family practice physicians and 38.4% of pediatricians reported that they see between 75 and 100 patients weekly. Pediatric sub-specialists (43.8%) and psychiatrists (50.5%) report the smallest volumes, seeing between 1 and 25 patients a week. Reported weekly volumes overall and for family practice are reported in Figures 32 and 33:

**Figure 32 - Average Weekly Patient Volume, All Specialties, 2006**




**Figure 33 - Average Weekly Patient Volume, Family Practice, 2006**




The medical sub-specialists see the highest number of **new** patients in an average week, with 12.6% report between 26 and 50 new patients weekly. Most physicians report seeing between 1 and 25 new patients a week. Six percent of family physicians and ten percent of the general internal medicine physicians reported seeing no new patients in a typical week. Detailed data tables are available in Appendix B.


**Figure 34 - Average Weekly New Patients, Overall, 2006**  
(Includes hospital-based specialties)



**Payer Mix.** Commercial payers account for the largest proportion of payers (42%), except for the Southwestern, Northwestern and Eastern regions of the state, where the largest proportion of patients are covered by Medicare, 40%, 30%, and 34% respectively.



***Payer Mix by Region, continued.***






**Second Practice Location.** Approximately one-quarter (24.4%) of the responding physicians reported having a second practice location. The medical (34.1%) and pediatric (31.4%) sub-specialists are most likely to have a second practice location. Patient volume is typically small in these secondary locations; 71% of physicians report seeing less than 25 patients in a typical week there.

**Payer Acceptance**


A key series of questions in the Oregon Physician Workforce survey are about acceptance of specific payer types. This year, physicians were asked if they were closed, limited or completely unrestricted in their acceptance of Medicare, Medicaid and Worker’s Compensation as payer types. Further, physicians who indicated that they limited or were closed to specific payer types were asked a series of questions about the factors affecting those decisions.

**Medicare.** Statewide, 66.2% of all physicians reported that their practice had no limitations for new Medicare. However, this differed by specialty. Only 46% of family practice physicians and 56% of internal medicine physicians indicated they were completely open to new Medicare patients. The availability of psychiatrists was constrained: only 34% reported being open with no restrictions to Medicare. Additionally, 21% of family physicians and 25% of general internal medicine practitioners reported being completely closed to new Medicare patients (Figure 43). Figure 44 shows acceptance of Medicare by region.

**Figure 43 – Acceptance of Medicare by Specialty, 2006**




**Figure 44 - Acceptance of Medicare by Region, 2006**




These results represent an increase in the number of practices completely closed to new Medicare patients. In 2004, 11% were closed to new Medicare; in 2006, that number increased to 17%.

**Figure 45 - Acceptance of New Medicare Patients, 2004 and 2006**




Primary care physicians (family and internal medicine combined) are most likely to restrict Medicare. The percentage of primary care providers closed to new Medicare patients has doubled, increasing from 13% in 2004 to 22% in 2006. At the same time, the percent who report no restrictions has decreased from 57.2% in 2004 to 54.1% in 2006.

**Figure 46 - Primary Care Acceptance of New Medicare Patients, 2004 and 2006**




Those who reported their practice was completely closed or limiting acceptance of Medicare were asked about the role of a series of factors on the decision to limit. By far, the most important factor identified was reimbursement level, followed by the need to balance payer mix, and administrative requirements (Figure 47):

**Figure 47 - Factors in the Decision to Limit Medicare, 2006**




**Workers' Compensation.** Only 50% of the responding physicians reported they were completely open to Workers' Compensation as a payer, and 30% reported being completely closed. General surgery and the surgical specialties are most likely to be open with no restrictions. Family practice and general internal medicine are most likely to restrict this payer Figure 48. Figure 49 also describes acceptance of Workers' Compensation by region.

**Figure 48 - Acceptance of Workers' Compensation as a Payer by Specialty, 2006\***



\*Excludes hospital-based


**Figure 49 - Acceptance of Workers' Compensation as a Payer by Region, 2006**



\*Excludes hospital-based


The primary reason cited for limiting acceptance of Workers' Compensation was administrative requirements associated with this payer (Figure 50).

**Figure 50 - Factors in the Decision to Limit Workers' Compensation, 2006**




**Medicaid.** Statewide, 51.8% of the responding physicians reported they were open to Medicaid patients with no limitations. However, 21.1% reported they were completely closed, in contrast to 2004, where 12.7% of physicians were closed to new Medicaid patients. There is also variation by specialty, with only 37.2% of family physicians and 33.4% of general internal medicine physicians accepting Medicaid as a payer with no limitations. Further, only 26.7% of the responding psychiatrists reported being completely open to new Medicaid patients (Figure 51). Figure 52 describes acceptance of Medicaid by region.

**Figure 51 – Acceptance of Medicaid by Specialty, 2006**




**Figure 52 - Acceptance of Medicaid by Region, 2006**



\*Excludes hospital-based


Paradoxically, there are more physicians in 2006 reporting that they have no restrictions on new Medicaid patients and more practices completely closed to new Medicaid than there were in 2004 (Figure 53).

**Figure 53 - Acceptance of New Medicaid Patients, 2004 & 2006**




As with Medicare, primary care physicians restrict Medicaid more than any other specialty:

**Figure 54- Acceptance of Medicaid by Primary Care Physicians, 2004 & 2006**



The primary reason cited for the decision to limit Medicaid was reimbursement, which was 23 percentage points higher than the next most often indicated reason for limiting Medicaid: the need to balance payer sources (Figure 55).

**Figure 55- Factors Contributing to the Decision to Limit Medicaid, 2006**







### Access to Services for Medicaid Patients

Eighty-five percent of responding physicians currently have Medicaid patients, with 54% indicating they had some concerns about providing care for those patients. The survey included questions about physician access to services for their Medicaid patients which are described in Figures 56 through 63.


**Figure 56- How often are you able to refer to specialists for your Medicaid patients?**




**Figure 57- How often are you able to obtain ancillary services for your Medicaid patients when you think it is medically necessary?**




**Figure 58- How often are you able to obtain a non-emergency hospital admission for your Medicaid patients when you think it is medically necessary?**




**Figure 59- How often are you able to obtain diagnostic imaging services for your Medicaid patients when you think it is medically necessary?**




**Figure 60- How often are you able to obtain inpatient mental health services for your Medicaid patients when you think it is medically necessary?**




**Figure 61 - How often are you able to obtain inpatient substance abuse services for your Medicaid patients when you think it is medically necessary?**



**Figure 62- How often are you able to obtain outpatient mental health services for your Medicaid patients when you think it is medically necessary?**




**Figure 63- How often are you able to obtain outpatient substance abuse services for your Medicaid patients when you think it is medically necessary?**



### Anticipated Practice Changes in the Next Two Years

Physicians were asked to indicate if they anticipated specific changes, including closing or relocating their practice, within the next two years. One of eight physicians indicated they would definitely increase patient volume in the next two years. Very few physicians (3.3%) indicated they would definitely close or sell their practice, or stop all direct patient care (2.8%). Reflecting the age of physicians in the Northwest region, 7.2% indicated they will definitely retire in the next two years. In addition, over 10% of neurosurgeons reported they will retire in the next two years. Results are displayed in Figure 64:


**Figure 64- Anticipated Practice Changes in the Next Two Years, 2006**



### About The Profession

Physicians were asked to rate the importance of several issues related to the practice of medicine and health policy. Figure 65 exhibits the percentage of physicians rating each of the issues as “very important” in 2004 and 2006. As Figure 65 shows, issues around medical liability are much less important to physicians (42.5% vs. 65.8% very important ratings) when compared to 2004. Only four issues are rated higher than in 2004: physician retention, physician recruitment, electronic health records and health insurance coverage for the uninsured.

**Figure 65- Importance of Health Policy Issues and Issues Related to the Practice of Medicine, 2004 & 2006**




**Oregon Medical Malpractice Reinsurance Program.** More than a quarter (27%) of physicians reported they did not know if they participated in the program or not. Eleven percent reported participation. See Appendix B for detailed data tables.

**Rural Provider State Income Tax Credit Program.** Responses to this question generally reflected the Malpractice Reinsurance program, with 15.5% reporting they receive this tax credit.

**Reaction to Potential Medicare Reimbursement Reduction.** The largest erosion in acceptance of Medicare since 2004 was among family physicians and general internal medicine physicians. If a Medicare reimbursement reduction is implemented, these are also the specialties most likely to close to new Medicare patients. Over 28% of family physicians and 23.1% of internal medicine practitioners report they will close to new Medicare if reimbursement declines in 2007.

**Figure 66- Physician Response to Potential 2007 Medicare Reimbursement Decline**



*[This page intentionally left blank.]*




# 2006 Oregon Physician Workforce Survey

## APPENDICES

	Page
Appendix A: Mailing List Methods and Results .....	A-1
Appendix B: Detailed Data Tables.....	B-1
Appendix C: Survey Instrument.....	C-1

*[This page intentionally left blank.]*

**APPENDIX A**  
**2006 Physician Workforce Survey**  
**Mailing List Methods and Results**



\*OHPH had just completed a statewide clinic electronic health record survey, which we were able to use for mail list management in this survey effort.

*[This page intentionally left blank.]*

**Appendix B: 2006 Oregon Physician Workforce  
Data Tables**

*[This page intentionally left blank.]*

**Sample and Respondent Comparison**

		<b>Sample n=8,346</b>	<b>Respondents n=3,941</b>
Gender	Male	70.3%	70.9%
	Female	29.7%	29.1%
Age	Under 40	22.7%	19.1%
	40-49 years	31.0%	30.4%
	50 to 59 years	30.0%	33.3%
	60 to 69 years	13.0%	14.8%
	70 years or more	3.1%	2.5%
Region	Portland Metro Area	58.2%	52.8%
	Mid-Willamette Valley	18.9%	20.6%
	Northwestern	1.9%	2.3%
	Southern	9.2%	10.3%
	Eastern	2.5%	3.1%
	Southwestern	1.7%	2.4%
	Central	7.6%	8.5%
Specialty	Family or General Practice	16.1%	18.5%
	Obstetrics and/or Gynecology	5.2%	6.0%
	General Internal Medicine	15.7%	12.0%
	General Pediatrics	5.8%	5.7%
	General Surgery	3.4%	3.5%
	Internal Medicine Subspecialty	8.3%	10.7%
	Pediatric Subspecialty	1.5%	2.8%
	Surgical Subspecialty	6.5%	2.1%
	Anesthesiology	5.7%	5.0%
	Dermatology	1.3%	1.4%
	Emergency Medicine	5.8%	6.3%
	Neurological Surgery	0.9%	0.8%
	Neurology	1.9%	2.0%
	Nuclear Medicine	0.1%	0.1%
	Occupational Medicine	0.5%	0.7%
	Ophthalmology	2.8%	3.5%
	Othopedic Surgery	3.6%	3.7%
	Otolaryngology	1.5%	1.9%
	Pathology	0.2%	0.3%
	Physical & Rehabilitation Medicine	0.9%	1.1%
	Plastic Surgery	0.8%	0.6%
	Psychiatry	5.1%	5.4%
	Radiology	4.6%	3.9%
Urology	1.4%	1.5%	

2006 Oregon Physician Workforce Survey

Physician Demographics		Count	Percent
Gender	Female	1147	29.1%
	Male	2792	70.9%
Age	Under 40 years	752	19.1%
	40-49 years	1196	30.4%
	50-59 years	1311	33.3%
	60-69 years	582	14.8%
	70 years or more	98	2.5%
Hispanic, Spanish or Latino	Yes	87	2.3%
	No	3750	97.7%
Race	White	3464	89.7%
	African-American	22	.6%
	Asian	241	6.2%
	Native Hawaiian or Pacific Islander	6	.2%
	American Indian or Alaska Native	3	.1%
	Other	74	1.9%
	Two or more races	50	1.3%
Region	Portland Metro	2081	52.8%
	Mid-Willamette Valley	811	20.6%
	Northwestern	91	2.3%
	Southern	406	10.3%
	Eastern	120	3.0%
	Southwestern	95	2.4%
	Central	335	8.5%
Specialty Categories	Family or general medicine	729	18.5%
	Ob/gyn	237	6.0%
	Gen internal medicine	471	12.0%
	Gen pediatrics	225	5.7%
	Gen surgery	138	3.5%
	Medical subspecialty	898	22.8%
	Pediatric subspecialty	108	2.7%
	Surgical subspecialty	256	6.5%
	Neurosurgery	32	.8%
	Psychiatry	212	5.4%
	Hospital-based specialty	614	15.6%
Other	19	.5%	
Which of the following best describes your primary practice setting:	Private clinic or office	2365	60.5%
	Community clinic/public health clinic	145	3.7%
	University/college health service clinic	161	4.1%
	Hospital-based ambulatory care clinic	286	7.3%
	Hospital inpatient setting	401	10.3%
	Emergency department	242	6.2%
	Urgent care clinic	53	1.4%
	Nursing facility	10	.3%
	Other	244	6.2%



<b>Physician Demographics</b>		<b>Count</b>	<b>Percent of Total</b>
<b>What is your primary specialty?</b>	Family/General Medicine	729	18.5%
	Obstetrics_Gynecology	237	6.0%
	General Internal Medicine	472	12.0%
	General Pediatrics	225	5.7%
	General Surgery	138	3.5%
	Internal Medicine Subspecialty	422	10.7%
	Pediatric Subspecialty	109	2.8%
	Surgical Subspecialty	84	2.1%
	Anesthesiology	198	5.0%
	Dermatology	55	1.4%
	Emergency Medicine	247	6.3%
	Neurological Surgery	32	.8%
	Neurology	79	2.0%
	Nuclear Medicine	5	.1%
	Occupational_Environmental Medicine	28	.7%
	Ophthalmology	137	3.5%
	Orthopedics	147	3.7%
	Otolaryngology	73	1.9%
	Pathology	11	.3%
	Physical Medicine & Rehabilitation	44	1.1%
	Plastic Surgery	25	.6%
	Psychiatry	212	5.4%
	Radiology	127	3.2%
	Urology	61	1.5%
	Therapeutic Radiology	26	.7%
Other (Specify) ___	19	.5%	
<b>Total</b>	<b>3942</b>		

**Maternity Care**

***Specialty Categories Family or general medicine***

		If your primary specialty is family medicine, general medicine, or ob/gyn, do you currently provide maternity care?		
		Yes	No	Total
Region	Portland Metro	19.2%	80.8%	245
	Mid-Willamette Valley	13.2%	86.8%	190
	Northwestern	16.1%	83.9%	31
	Southern	15.7%	84.3%	83
	Eastern	26.5%	73.5%	34
	Southwestern	33.3%	66.7%	24
	Central	34.1%	65.9%	91
Region Total	Total	19.8%	80.2%	698

***Specialty Categories Ob/gyn***

		If your primary specialty is family medicine, general medicine, or ob/gyn, do you currently provide maternity care?		
		Yes	No	Total
Region	Portland Metro	76.2%	23.8%	126
	Mid-Willamette Valley	64.7%	35.3%	51
	Northwestern	85.7%	14.3%	7
	Southern	47.4%	52.6%	19
	Eastern	88.9%	11.1%	9
	Southwestern	66.7%	33.3%	3
	Central	75.0%	25.0%	16
Region Total	Total	71.9%	28.1%	231

**Physician Demographics by Region**

		Region						
		Portland Metro	Mid-Willamette Valley	Northwestern	Southern	Eastern	Southwestern	Central
Gender	Female	33.4%	25.8%	23.1%	22.4%	22.5%	22.1%	24.5%
	Male	66.6%	74.2%	76.9%	77.6%	77.5%	77.9%	75.5%
Age	Under 40 years	20.3%	17.5%	20.9%	16.7%	15.8%	16.8%	19.7%
	40-49 years	31.0%	31.1%	17.6%	26.4%	25.0%	28.4%	35.5%
	50-59 years	31.8%	36.6%	36.3%	36.5%	37.5%	32.6%	28.7%
	60-69 years	14.2%	12.9%	23.1%	18.5%	17.5%	18.9%	13.7%
	70 years or more	2.7%	1.8%	2.2%	2.0%	4.2%	3.2%	2.4%
When do you plan to retire?	Within the next 2 years	5.5%	6.2%	6.7%	5.8%	5.8%	6.5%	6.1%
	In the next 2 to 5 years	15.2%	16.3%	26.7%	19.7%	20.0%	21.5%	16.1%
	More than 5 years from now	79.4%	77.4%	66.7%	74.4%	74.2%	72.0%	77.8%
Which of the following best describes your primary practice setting:	Private clinic or office	54.4%	69.4%	49.4%	67.8%	66.4%	77.4%	64.7%
	Community clinic/public health clinic	2.9%	3.8%	10.1%	4.5%	5.0%	.0%	6.6%
	University/college health service clinic	7.0%	1.7%	.0%	.0%	.0%	.0%	.6%
	Hospital-based ambulatory care clinic	9.3%	4.0%	14.6%	4.0%	9.2%	1.1%	6.6%
	Hospital inpatient setting	12.9%	7.8%	3.4%	10.4%	3.4%	7.5%	4.8%
	Emergency department	5.1%	5.7%	18.0%	6.4%	5.9%	12.9%	9.0%
	Urgent care clinic	1.2%	2.0%	2.2%	1.7%	.0%	.0%	1.2%
	Nursing facility	.2%	.4%	.0%	.5%	.0%	.0%	.3%
Other (Specify )	7.1%	5.2%	2.2%	4.7%	10.1%	1.1%	6.3%	
What is your employment status at your primary practice?	Full owner (or sole proprietor)	19.4%	20.6%	23.6%	26.6%	37.8%	29.0%	24.9%
	Part-owner (or shareholder)	30.4%	36.7%	15.7%	37.6%	23.5%	43.0%	34.8%
	Employee	43.3%	38.2%	44.9%	29.4%	29.4%	19.4%	27.9%
	Independent contractor	4.6%	3.8%	13.5%	5.5%	7.6%	6.5%	11.1%
	Volunteer	.2%	.1%	.0%	.7%	.0%	.0%	.0%
	Other	2.2%	.6%	2.2%	.2%	1.7%	2.2%	1.2%
Specialty Categories	Family or general medicine	12.4%	24.3%	35.2%	21.9%	28.3%	26.3%	27.8%
	Ob/gyn	6.2%	6.5%	7.7%	4.7%	8.3%	3.2%	4.8%
	Gen internal medicine	13.4%	9.4%	16.5%	12.1%	15.8%	11.6%	6.6%
	Gen pediatrics	6.0%	5.9%	3.3%	4.4%	7.5%	5.3%	5.1%
	Gen surgery	3.2%	3.2%	3.3%	3.4%	6.7%	2.1%	5.7%
	Medical subspecialty	25.4%	20.6%	8.8%	23.2%	11.7%	21.1%	20.0%
	Pediatric subspecialty	4.4%	1.2%	.0%	1.0%	.0%	.0%	.9%
	Surgical subspecialty	6.5%	6.7%	4.4%	7.6%	3.3%	5.3%	6.9%
	Neurosurgery	1.0%	.5%	.0%	1.0%	.0%	.0%	1.2%
	Psychiatry	6.2%	6.3%	2.2%	3.2%	3.3%	4.2%	3.0%
	Hospital-based specialty	14.9%	15.3%	18.7%	16.5%	15.0%	20.0%	17.3%
Other	.5%	.1%	.0%	1.0%	.0%	1.1%	.9%	

2006 Oregon Physician Workforce Survey

Languages Spoken		Languages spoken				
		English only	Russian also	Spanish also	Vietnamese also	Total
Gender	Female	77.1%	.6%	22.1%	.3%	1018
	Male	81.0%	.6%	18.2%	.4%	2511
Age	Under 40 years	72.6%	.4%	26.1%	1.0%	667
	40-49 years	79.6%	.7%	19.5%	.2%	1071
	50-59 years	81.6%	.4%	17.9%	.2%	1193
	60-69 years	83.8%	.6%	15.6%	.4%	507
	70 years or more	90.1%	1.1%	8.8%	.0%	91
Hispanic, Spanish or Latino	Yes	23.8%	.0%	76.2%	.0%	84
Race	White	80.7%	.6%	18.8%	.0%	3172
	African-American	55.0%	.0%	45.0%	.0%	20
	Asian	78.9%	.0%	13.9%	7.2%	166
	Native Hawaiian or Pacific Islander	83.3%	.0%	16.7%	.0%	6
	American Indian or Alaska Native	100.0%	.0%	.0%	.0%	3
	Other	57.4%	.0%	42.6%	.0%	54
	Two or more races	74.4%	.0%	25.6%	.0%	43
Specialty Categories	Family or general medicine	76.9%	.7%	22.3%	.1%	676
	Ob/gyn	68.6%	.0%	31.4%	.0%	220
	Gen internal medicine	81.3%	.5%	17.2%	1.0%	407
	Gen pediatrics	74.5%	.5%	25.0%	.0%	200
	Gen surgery	87.3%	.8%	11.9%	.0%	126
	Medical subspecialty	83.6%	.8%	15.3%	.4%	780
	Pediatric subspecialty	82.4%	.0%	17.6%	.0%	102
	Surgical subspecialty	83.1%	.4%	16.0%	1.3%	225
	Neurosurgery	78.6%	.0%	21.4%	.0%	28
	Psychiatry	91.8%	.5%	7.7%	.0%	196
	Hospital-based specialty	75.6%	.5%	23.8%	.4%	554
	Other	86.7%	.0%	13.3%	.0%	15
	Total	79.9%	.6%	19.4%	.4%	3529
Region	Portland Metro	81.3%	.5%	17.8%	.5%	1850
	Mid-Willamette Valley	78.6%	.8%	20.5%	.3%	732
	Northwestern	81.7%	.0%	18.3%	.0%	82
	Southern	77.4%	1.1%	21.3%	.5%	371
	Eastern	83.5%	.0%	16.5%	.0%	103
	Southwestern	74.7%	.0%	25.3%	.0%	83
	Central	76.9%	.0%	23.1%	.0%	308
	Total	79.9%	.6%	19.4%	.4%	3529

Languages Spoken by Practice Setting		Languages spoken				
		English only	Russian also	Spanish also	Vietnamese also	Total
Which of the following best describes your primary practice setting:	Private clinic or office	81.2%	.5%	17.9%	.5%	2115
	Community clinic/public health clinic	54.8%	2.2%	43.0%	.0%	135
	University/college health service clinic	83.2%	.7%	15.3%	.7%	137
	Hospital-based ambulatory care clinic	82.9%	.4%	16.3%	.4%	252
	Hospital inpatient setting	83.0%	.3%	16.4%	.3%	359
	Emergency department	66.1%	.9%	33.9%	.0%	227
	Urgent care clinic	84.0%	.0%	16.0%	.0%	50
	Nursing facility	90.0%	.0%	10.0%	.0%	10
	Other (Specify )	84.5%	.5%	15.1%	.0%	219
	<b>Total</b>	<b>79.9%</b>	<b>.6%</b>	<b>19.3%</b>	<b>.4%</b>	<b>3504</b>

2006 Oregon Physician Workforce Survey

Years Licensed		How long have you had a medical license in any state, including Oregon?					
		Less than 2 years	2-5 years	6-10 years	11-20 years	More than 20 years	Total
Gender	Female	2.5%	15.2%	20.8%	33.7%	27.7%	1139
	Male	1.0%	6.1%	12.6%	26.6%	53.7%	2781
Age	Under 40 years	5.9%	35.9%	48.9%	9.3%	.0%	750
	40-49 years	.8%	5.4%	16.4%	66.3%	11.0%	1188
	50-59 years	.2%	.5%	1.6%	19.4%	78.3%	1306
	60-69 years	.0%	.3%	.7%	2.1%	96.9%	578
	70 years or more	.0%	1.0%	1.0%	.0%	98.0%	98
Hispanic, Spanish or Latino	Yes	1.2%	11.6%	22.1%	37.2%	27.9%	86
	No	1.5%	8.8%	15.0%	28.6%	46.2%	3735
Race	White	1.2%	7.9%	14.1%	28.4%	48.4%	3451
	African-American	4.8%	9.5%	28.6%	33.3%	23.8%	21
	Asian	3.3%	18.8%	25.0%	30.0%	22.9%	240
	Native Hawaiian or Pacific Islander	.0%	50.0%	16.7%	16.7%	16.7%	6
	American Indian or Alaska Native	.0%	.0%	.0%	66.7%	33.3%	3
	Other	4.1%	9.5%	20.3%	33.8%	32.4%	74
	Two or more races	2.0%	14.0%	22.0%	34.0%	28.0%	50
	Specialty Categories	Family or general medicine	2.1%	10.3%	17.2%	27.3%	43.0%
	Ob/gyn	2.5%	6.4%	16.9%	25.8%	48.3%	236
	Gen internal medicine	1.7%	11.9%	16.2%	28.1%	42.1%	470
	Gen pediatrics	1.8%	9.0%	18.0%	29.7%	41.4%	222
	Gen surgery	.7%	6.5%	13.8%	33.3%	45.7%	138
	Medical subspecialty	1.1%	8.8%	13.7%	27.7%	48.7%	893
	Pediatric subspecialty	.9%	8.3%	11.1%	31.5%	48.1%	108
	Surgical subspecialty	.4%	3.9%	11.0%	28.0%	56.7%	254
	Neurosurgery	.0%	9.4%	18.8%	25.0%	46.9%	32
	Psychiatry	.5%	4.7%	13.7%	28.0%	53.1%	211
	Hospital-based specialty	1.1%	9.0%	14.4%	32.1%	43.4%	613
	Other	11.1%	11.1%	16.7%	27.8%	33.3%	18
Region	Portland Metro	1.4%	9.3%	15.6%	28.8%	44.9%	2069
	Mid-Willamette Valley	1.1%	8.0%	14.3%	27.0%	49.5%	810
	Northwestern	2.2%	8.9%	14.4%	24.4%	50.0%	90
	Southern	1.5%	7.2%	11.9%	29.7%	49.8%	404
	Eastern	2.5%	9.2%	13.4%	30.3%	44.5%	119
	Southwestern	1.1%	6.4%	19.1%	29.8%	43.6%	94
	Central	1.5%	9.3%	16.2%	31.1%	41.9%	334
Number of Years Licensed	Total	1.4%	8.8%	15.0%	28.7%	46.1%	3920

2006 Oregon Physician Workforce Survey

Current Professional Activities		Current Professional Activities					
		Administration (not related to patient care)	Clinical Practice	Research	Resident or Fellow	Teaching	Total
Gender	Female	28.7%	100.0%	10.4%	3.1%	32.8%	1147
	Male	35.5%	100.0%	14.2%	1.7%	32.2%	2795
Age	Under 40 years	30.3%	100.0%	14.4%	5.7%	37.2%	755
	40-49 years	39.2%	100.0%	14.5%	1.3%	33.8%	1196
	50-59 years	34.5%	100.0%	11.0%	1.4%	30.0%	1311
	60-69 years	27.0%	100.0%	13.4%	1.0%	29.0%	582
	70 years or more	15.3%	100.0%	12.2%	1.0%	30.6%	98
Hispanic, Spanish or Latino	Yes	33.3%	100.0%	14.9%	1.1%	34.5%	87
Race	White	34.2%	100.0%	12.6%	2.0%	32.7%	3466
	African-American	31.8%	100.0%	4.5%	.0%	18.2%	22
	Asian	25.6%	100.0%	19.4%	2.5%	30.6%	242
	Native Hawaiian or Pacific Islander	50.0%	100.0%	.0%	.0%	33.3%	6
	American Indian or Alaska Native	33.3%	100.0%	66.7%	.0%	66.7%	3
	Other	27.0%	100.0%	14.9%	1.4%	31.1%	74
	Two or more races	30.0%	100.0%	18.0%	8.0%	38.0%	50
Specialty Categories	Family or general medicine	31.0%	100.0%	6.9%	1.0%	30.5%	729
	Ob/gyn	32.5%	100.0%	16.0%	1.7%	28.7%	237
	Gen internal medicine	35.2%	100.0%	7.2%	1.3%	28.4%	472
	Gen pediatrics	30.2%	100.0%	4.0%	.0%	31.1%	225
	Gen surgery	39.9%	100.0%	15.2%	4.3%	41.3%	138
	Medical subspecialty	34.3%	100.0%	20.9%	3.3%	34.4%	899
	Pediatric subspecialty	53.2%	100.0%	42.2%	8.3%	70.6%	109
	Surgical subspecialty	29.7%	100.0%	19.1%	1.2%	32.0%	256
	Neurosurgery	37.5%	100.0%	18.8%	3.1%	25.0%	32
	Psychiatry	25.5%	100.0%	9.4%	1.4%	32.1%	212
	Hospital-based specialty	35.3%	100.0%	8.8%	2.1%	28.5%	614
	Other	26.3%	100.0%	10.5%	5.3%	36.8%	19
	Total	33.5%	100.0%	13.1%	2.1%	32.4%	3942

Columns will sum to more than 100% because physicians may engage in several professional activities. Clinical practice is 100% because survey was restricted to providers involved in direct patient care.

2006 Oregon Physician Workforce Survey

Retirement Plans		When do you plan to retire?			
		Within the next 2 years	In the next 2 to 5 years	More than 5 years from now	Total
Gender	Female	3.0%	9.9%	87.1%	1136
	Male	6.9%	19.3%	73.8%	2741
Age	Under 40 years	.1%	.4%	99.5%	754
	40-49 years	.8%	2.5%	96.7%	1189
	50-59 years	5.2%	21.9%	72.9%	1290
	60-69 years	21.0%	50.9%	28.1%	558
	70 years or more	34.9%	47.7%	17.4%	86
Hispanic, Spanish or Latino	Yes	2.3%	7.0%	90.7%	86
Race	White	6.1%	17.4%	76.5%	3436
	African-American	4.5%	9.1%	86.4%	22
	Asian	2.9%	8.7%	88.4%	241
	Native Hawaiian or Pacific Islander	.0%	.0%	100.0%	6
	Amerian Indian or Alaska Native	.0%	.0%	100.0%	2
	Other	5.6%	9.9%	84.5%	71
	Two or more races	4.1%	12.2%	83.7%	49
Specialty Categories	Family or general medicine	3.6%	14.1%	82.2%	721
	Ob/gyn	8.1%	17.1%	74.8%	234
	Gen internal medicine	4.7%	15.0%	80.3%	466
	Gen pediatrics	3.6%	12.1%	84.4%	224
	Gen surgery	8.0%	20.4%	71.5%	137
	Medical subspecialty	7.1%	17.5%	75.4%	882
	Pediatric subspecialty	1.9%	18.7%	79.4%	107
	Surgical subspecialty	11.2%	21.7%	67.1%	249
	Neurosurgery	15.6%	25.0%	59.4%	32
	Psychiatry	4.4%	13.7%	81.9%	204
	Hospital-based specialty	5.0%	18.1%	76.9%	603
	Other	5.6%	5.6%	88.9%	18
	Total	5.8%	16.5%	77.7%	3877
Region	Portland Metro	5.5%	15.2%	79.3%	2047
	Mid-Willamette Valley	6.2%	16.3%	77.4%	802
	Northwestern	6.7%	26.7%	66.7%	90
	Southern	5.8%	19.7%	74.4%	395
	Eastern	5.8%	19.8%	74.4%	121
	Southwestern	6.5%	21.5%	72.0%	93
	Central	6.1%	16.1%	77.8%	329
Retirement Plans Total	Total	5.8%	16.5%	77.7%	3877



**Satisfaction with Medical Career in the Last 12 Months**

		How satisfied have you been with your medical career in the last 12 months?					
		Very satisfied	Somewhat satisfied	Neither satisfied nor dissatisfied	Somewhat dissatisfied	Very dissatisfied	Total
Gender	Female	36.3%	44.4%	3.7%	12.3%	3.3%	1142
	Male	38.3%	39.1%	6.1%	12.0%	4.5%	2768
Age	Under 40 years	40.1%	45.9%	4.8%	7.7%	1.6%	754
	40-49 years	32.8%	42.7%	6.3%	13.5%	4.6%	1185
	50-59 years	34.3%	41.0%	5.5%	14.3%	4.9%	1298
	60-69 years	47.5%	32.2%	4.2%	11.7%	4.5%	575
	70 years or more	66.3%	19.4%	5.1%	3.1%	6.1%	98
Race	White	37.7%	40.2%	5.2%	12.6%	4.3%	3443
	African-American	19.0%	38.1%	14.3%	28.6%	.0%	21
	Asian	42.1%	46.3%	6.3%	3.8%	1.7%	240
	Native Hawaiian or Pacific Islander	33.3%	50.0%	.0%	16.7%	.0%	6
	Amerian Indian or Alaska Native	.0%	66.7%	33.3%	.0%	.0%	3
	Other	31.9%	34.7%	8.3%	16.7%	8.3%	72
	Two or more races	30.0%	48.0%	8.0%	10.0%	4.0%	50
Specialty Categories	Family or general medicine	32.4%	45.4%	5.1%	13.6%	3.5%	720
	Ob/gyn	29.5%	42.7%	5.6%	18.8%	3.4%	234
	Gen internal medicine	33.8%	38.9%	6.2%	12.6%	8.5%	470
	Gen pediatrics	43.0%	43.9%	3.6%	6.3%	3.2%	221
	Gen surgery	26.3%	34.3%	5.1%	29.2%	5.1%	137
	Medical subspecialty	42.0%	38.8%	6.3%	10.5%	2.4%	892
	Pediatric subspecialty	45.9%	43.1%	1.8%	7.3%	1.8%	109
	Surgical subspecialty	38.6%	40.6%	4.7%	11.4%	4.7%	254
	Neurosurgery	29.0%	32.3%	6.5%	25.8%	6.5%	31
	Psychiatry	52.6%	31.3%	2.4%	9.5%	4.3%	211
	Hospital-based specialty	37.8%	41.6%	6.4%	9.6%	4.6%	613
	Other	38.9%	38.9%	11.1%	5.6%	5.6%	18
What is your employment status at your primary practice?	Full owner (or sole proprietor)	40.2%	36.2%	4.9%	14.1%	4.6%	839
	Part-owner (or shareholder)	34.8%	44.0%	5.1%	12.1%	4.1%	1269
	Employee	37.2%	41.4%	5.7%	11.8%	3.9%	1502
	Independent contractor	49.5%	33.3%	5.7%	7.1%	4.3%	210
	Volunteer	50.0%	37.5%	12.5%	.0%	.0%	8
	Other	37.7%	39.3%	8.2%	9.8%	4.9%	61
Region	Portland Metro	38.9%	39.9%	5.5%	12.0%	3.7%	2064
	Mid-Willamette Valley	39.5%	39.5%	6.3%	11.4%	3.3%	808
	Northwestern	30.0%	35.6%	8.9%	18.9%	6.7%	90
	Southern	37.7%	41.1%	2.7%	13.7%	4.7%	401
	Eastern	29.2%	51.7%	4.2%	10.8%	4.2%	120
	Southwestern	28.7%	40.4%	7.4%	13.8%	9.6%	94
	Central	33.9%	44.4%	5.1%	10.8%	5.7%	333
Region Total	Total	37.7%	40.6%	5.4%	12.1%	4.1%	3910

**Satisfaction with Medical Career Overall**

		How satisfied have you been with your medical career overall?					
		Very satisfied	Somewhat satisfied	Neither satisfied nor dissatisfied	Somewhat dissatisfied	Very dissatisfied	Total
Gender	Female	46.4%	43.1%	2.9%	6.8%	.9%	1140
	Male	55.7%	34.7%	3.6%	5.1%	.8%	2768
Age	Under 40 years	43.5%	46.2%	4.1%	5.8%	.4%	754
	40-49 years	45.6%	41.3%	4.6%	7.3%	1.4%	1185
	50-59 years	53.6%	37.4%	3.0%	5.5%	.5%	1300
	60-69 years	74.3%	20.7%	1.8%	2.6%	.7%	571
	70 years or more	84.7%	10.2%	.0%	3.1%	2.0%	98
Race	White	53.4%	36.6%	3.5%	5.6%	.8%	3441
	African-American	28.6%	47.6%	9.5%	14.3%	.0%	21
	Asian	54.6%	38.8%	2.5%	4.2%	.0%	240
	Native Hawaiian or Pacific Islander	50.0%	33.3%	.0%	16.7%	.0%	6
	American Indian or Alaska Native	66.7%	33.3%	.0%	.0%	.0%	3
	Other	43.1%	40.3%	5.6%	8.3%	2.8%	72
	Two or more races	46.0%	48.0%	.0%	6.0%	.0%	50
Specialty Categories	Family or general medicine	47.8%	42.4%	3.3%	5.7%	.7%	719
	Ob/gyn	52.3%	38.3%	3.8%	5.5%	.0%	235
	Gen internal medicine	45.4%	38.8%	3.4%	11.5%	.9%	469
	Gen pediatrics	63.2%	30.0%	3.6%	3.1%	.0%	223
	Gen surgery	50.4%	33.6%	2.9%	12.4%	.7%	137
	Medical subspecialty	54.4%	37.4%	3.1%	4.6%	.6%	894
	Pediatric subspecialty	63.3%	31.2%	2.8%	2.8%	.0%	109
	Surgical subspecialty	56.9%	33.2%	4.3%	3.6%	2.0%	253
	Neurosurgery	54.8%	29.0%	6.5%	6.5%	3.2%	31
	Psychiatry	59.8%	34.9%	1.0%	3.3%	1.0%	209
	Hospital-based specialty	54.0%	36.2%	4.4%	3.9%	1.5%	613
	Other	62.5%	31.3%	.0%	6.3%	.0%	16
What is your employment status at your primary practice?	Full owner (or sole proprietor)	58.1%	31.8%	3.1%	5.9%	1.1%	836
	Part-owner (or shareholder)	54.4%	37.2%	3.3%	4.4%	.7%	1271
	Employee	48.8%	40.1%	4.0%	6.4%	.7%	1503
	Independent contractor	53.3%	36.7%	2.4%	6.2%	1.4%	210
	Volunteer	62.5%	25.0%	.0%	12.5%	.0%	8
	Other	56.7%	36.7%	1.7%	5.0%	.0%	60
Region	Portland Metro	54.6%	35.8%	2.9%	6.1%	.7%	2060
	Mid-Willamette Valley	53.3%	38.4%	4.0%	3.5%	.9%	807
	Northwestern	42.2%	41.1%	7.8%	7.8%	1.1%	90
	Southern	53.2%	36.3%	4.0%	6.0%	.5%	402
	Eastern	44.6%	47.1%	2.5%	5.0%	.8%	121
	Southwestern	44.7%	40.4%	4.3%	8.5%	2.1%	94
	Central	50.9%	37.4%	3.9%	6.3%	1.5%	334
Region Total	Total	53.0%	37.1%	3.4%	5.6%	.8%	3908

## Greatest Source of Professional Satisfaction

		What is the greatest source of your professional satisfaction?						
		Intellectual challenge	Clinical practice	Income	Patient relationship	Practice environment	Other (Specify )	Total
Gender	Female	19.6%	21.4%	2.4%	47.6%	6.6%	2.4%	1133
	Male	21.9%	28.8%	2.4%	37.8%	6.2%	2.9%	2730
Age	Under 40 years	22.0%	25.9%	3.0%	39.7%	7.3%	2.2%	744
	40-49 years	21.0%	24.9%	2.7%	41.8%	6.9%	2.7%	1177
	50-59 years	20.0%	28.2%	2.7%	40.0%	6.2%	2.8%	1282
	60-69 years	23.1%	28.6%	.9%	40.2%	4.2%	3.0%	567
	70 years or more	23.7%	21.5%	.0%	45.2%	4.3%	5.4%	93
Race	White	20.7%	26.2%	2.3%	42.0%	6.0%	2.7%	3403
	African-American	.0%	28.6%	.0%	57.1%	14.3%	.0%	21
	Asian	26.3%	33.8%	3.8%	27.1%	7.9%	1.3%	240
	Native Hawaiian or Pacific Islander	33.3%	16.7%	.0%	16.7%	33.3%	.0%	6
	Amerian Indian or Alaska Native	33.3%	.0%	.0%	66.7%	.0%	.0%	3
	Other	18.8%	30.4%	.0%	29.0%	11.6%	10.1%	69
	Two or more races	30.0%	18.0%	6.0%	42.0%	4.0%	.0%	50
Specialty Categories	Family or general medicine	13.1%	20.3%	1.8%	56.4%	5.5%	2.8%	704
	Ob/gyn	18.0%	23.6%	1.7%	50.6%	3.4%	2.6%	233
	Gen internal medicine	23.0%	19.1%	2.4%	44.7%	8.4%	2.4%	465
	Gen pediatrics	12.2%	20.7%	.0%	60.4%	5.0%	1.8%	222
	Gen surgery	14.5%	29.7%	.0%	47.1%	5.8%	2.9%	138
	Medical subspecialty	24.6%	28.4%	2.2%	37.3%	4.3%	3.2%	881
	Pediatric subspecialty	36.1%	18.5%	1.9%	35.2%	5.6%	2.8%	108
	Surgical subspecialty	20.1%	34.1%	.8%	37.8%	5.2%	2.0%	249
	Neurosurgery	38.7%	25.8%	9.7%	22.6%	.0%	3.2%	31
	Psychiatry	13.9%	32.2%	2.9%	43.8%	4.3%	2.9%	208
	Hospital-based specialty	30.2%	36.5%	5.4%	13.0%	11.9%	3.0%	606
	Other	16.7%	27.8%	.0%	55.6%	.0%	.0%	18
What is your employment status at your primary practice?	Full owner (or sole proprietor)	16.1%	26.4%	1.1%	48.5%	5.2%	2.8%	831
	Part-owner (or shareholder)	17.8%	28.8%	2.9%	42.9%	6.0%	1.6%	1253
	Employee	26.0%	24.8%	2.6%	36.4%	6.6%	3.5%	1482
	Independent contractor	23.8%	31.0%	3.8%	28.1%	9.5%	3.8%	210
	Volunteer	50.0%	37.5%	.0%	12.5%	.0%	.0%	8
	Other	36.7%	16.7%	.0%	33.3%	10.0%	3.3%	60
Region	Portland Metro	25.5%	25.1%	2.3%	37.6%	6.4%	3.1%	2034
	Mid-Willamette Valley	14.9%	28.6%	3.3%	45.7%	5.5%	1.9%	796
	Northwestern	18.9%	27.8%	.0%	45.6%	4.4%	3.3%	90
	Southern	15.5%	32.1%	2.5%	38.6%	7.5%	3.8%	399
	Eastern	16.5%	29.8%	.0%	47.9%	5.0%	.8%	121
	Southwestern	24.5%	17.0%	5.3%	47.9%	4.3%	1.1%	94
	Central	18.5%	26.1%	1.8%	43.8%	7.3%	2.4%	329
Region Total	Total	21.3%	26.7%	2.4%	40.6%	6.3%	2.7%	3863

2006 Oregon Physician Workforce Survey

Practice Setting		Which of the following best describes your primary practice setting:									Total
		Private clinic or office	Community clinic/public health clinic	University/college health service clinic	Hospital-based ambulatory care clinic	Hospital inpatient setting	Emergency department	Urgent care clinic	Nursing facility	Other (Specify )	
Gender	Female	58.3%	6.3%	4.3%	8.2%	9.3%	4.8%	1.8%	.4%	6.6%	1141
	Male	61.5%	2.6%	4.0%	7.0%	10.7%	6.8%	1.2%	.2%	6.1%	2769
Age	Under 40 years	52.7%	5.5%	4.3%	9.5%	13.7%	9.6%	1.1%	.3%	3.5%	751
	40-49 years	60.4%	4.1%	4.9%	7.2%	11.0%	6.2%	.8%	.2%	5.2%	1185
	50-59 years	62.5%	2.5%	3.6%	6.4%	9.3%	6.4%	2.1%	.2%	7.0%	1303
	60-69 years	66.3%	3.0%	3.5%	7.5%	7.9%	1.9%	1.2%	.5%	8.2%	573
	70 years or more	62.2%	6.1%	4.1%	5.1%	2.0%	1.0%	1.0%	.0%	18.4%	98
Region	Portland Metro	54.4%	2.9%	7.0%	9.3%	12.9%	5.1%	1.2%	.2%	7.1%	2064
	Mid-Willamette Valley	69.4%	3.8%	1.7%	4.0%	7.8%	5.7%	2.0%	.4%	5.2%	806
	Northwestern	49.4%	10.1%	.0%	14.6%	3.4%	18.0%	2.2%	.0%	2.2%	89
	Southern	67.8%	4.5%	.0%	4.0%	10.4%	6.4%	1.7%	.5%	4.7%	404
	Eastern	65.8%	5.0%	.0%	10.0%	3.3%	5.8%	.0%	.0%	10.0%	120
	Southwestern	77.4%	.0%	.0%	1.1%	7.5%	12.9%	.0%	.0%	1.1%	93
	Central	64.7%	6.6%	.6%	6.6%	4.8%	9.0%	1.2%	.3%	6.3%	334
Hispanic, Spanish or Latino	Yes	58.1%	10.5%	2.3%	8.1%	7.0%	9.3%	.0%	.0%	4.7%	86
Race	White	61.1%	3.8%	4.0%	7.0%	9.8%	6.1%	1.4%	.2%	6.6%	3440
	African-American	66.7%	14.3%	.0%	.0%	14.3%	4.8%	.0%	.0%	.0%	21
	Asian	56.1%	1.7%	5.4%	10.9%	14.6%	4.6%	1.3%	.8%	4.6%	239
	Native Hawaiian or Pacific Islander	50.0%	16.7%	.0%	.0%	16.7%	.0%	.0%	.0%	16.7%	6
	Amerian Indian or Alaska Native	33.3%	.0%	.0%	33.3%	.0%	.0%	33.3%	.0%	.0%	3
	Other	54.8%	6.8%	1.4%	11.0%	12.3%	9.6%	.0%	.0%	4.1%	73
	Two or more races	56.0%	2.0%	10.0%	6.0%	10.0%	10.0%	2.0%	.0%	4.0%	50
Specialty Categories	Family or general medicine	72.3%	10.0%	3.1%	4.2%	.7%	.8%	5.3%	.3%	3.5%	721
	Ob/gyn	78.4%	2.5%	2.5%	8.9%	3.4%	.0%	.0%	.0%	4.2%	236
	Gen internal medicine	55.7%	4.7%	2.8%	14.1%	14.1%	.6%	1.3%	.9%	6.0%	469
	Gen pediatrics	87.8%	.9%	.9%	3.2%	4.1%	.0%	.9%	.0%	2.3%	222
	Gen surgery	69.6%	.7%	3.6%	2.9%	19.6%	.0%	.0%	.0%	3.6%	138
	Medical subspecialty	75.1%	.3%	5.5%	7.9%	6.3%	.1%	.1%	.4%	4.3%	890
	Pediatric subspecialty	22.0%	1.8%	15.6%	22.9%	28.4%	1.8%	.0%	.0%	7.3%	109
	Surgical subspecialty	78.0%	.0%	4.3%	1.6%	10.6%	.0%	.0%	.0%	5.5%	254
	Neurosurgery	80.6%	3.2%	6.5%	3.2%	3.2%	.0%	.0%	.0%	3.2%	31
	Psychiatry	56.9%	16.6%	5.7%	4.3%	8.5%	.0%	.0%	.0%	8.1%	211
	Hospital-based specialty	10.0%	.2%	3.4%	7.9%	24.9%	37.7%	1.0%	.0%	14.9%	610
Other	68.4%	.0%	5.3%	10.5%	5.3%	.0%	.0%	.0%	10.5%	19	
Region	Portland Metro	54.4%	2.9%	7.0%	9.3%	12.9%	5.1%	1.2%	.2%	7.1%	2064
	Mid-Willamette Valley	69.4%	3.8%	1.7%	4.0%	7.8%	5.7%	2.0%	.4%	5.2%	806
	Northwestern	49.4%	10.1%	.0%	14.6%	3.4%	18.0%	2.2%	.0%	2.2%	89
	Southern	67.8%	4.5%	.0%	4.0%	10.4%	6.4%	1.7%	.5%	4.7%	404
	Eastern	65.8%	5.0%	.0%	10.0%	3.3%	5.8%	.0%	.0%	10.0%	120
	Southwestern	77.4%	.0%	.0%	1.1%	7.5%	12.9%	.0%	.0%	1.1%	93
	Central	64.7%	6.6%	.6%	6.6%	4.8%	9.0%	1.2%	.3%	6.3%	334
<b>Practice Setting Total</b>	<b>Total</b>	<b>60.5%</b>	<b>3.7%</b>	<b>4.1%</b>	<b>7.3%</b>	<b>10.3%</b>	<b>6.2%</b>	<b>1.4%</b>	<b>.3%</b>	<b>6.2%</b>	<b>3910</b>

2006 Oregon Physician Workforce Survey

Practice Size		What is the size of your primary practice?					Total
		Solo practice	Partnership (2 physicians)	Group practice (3 to 10 physicians)	Group practice (11 to 50 physicians)	Group practice (More than 50 physicians)	
Gender	Female	18.7%	7.0%	35.1%	19.3%	20.0%	1126
	Male	20.2%	6.8%	35.9%	19.4%	17.7%	2751
Age	Under 40 years	9.0%	5.5%	41.9%	26.5%	17.1%	747
	40-49 years	17.6%	7.0%	36.3%	20.6%	18.5%	1178
	50-59 years	22.7%	6.5%	34.1%	16.3%	20.4%	1293
	60-69 years	27.7%	9.4%	31.9%	15.2%	15.8%	564
	70 years or more	46.3%	7.4%	21.1%	12.6%	12.6%	95
Region	Portland Metro	17.4%	5.4%	30.2%	21.6%	25.4%	2044
	Mid-Willamette Valley	17.4%	7.6%	37.5%	18.6%	18.9%	805
	Northwestern	30.6%	16.5%	50.6%	1.2%	1.2%	85
	Southern	22.8%	7.8%	49.5%	19.3%	.8%	400
	Eastern	41.7%	11.7%	45.0%	1.7%	.0%	120
	Southwestern	26.6%	6.4%	35.1%	27.7%	4.3%	94
	Central	24.3%	9.1%	40.7%	16.1%	9.7%	329
Hispanic, Spanish or Latino	Yes	20.0%	3.5%	41.2%	18.8%	16.5%	85
Race	White	19.8%	6.8%	35.5%	19.2%	18.6%	3413
	African-American	30.0%	20.0%	35.0%	15.0%	.0%	20
	Asian	16.8%	6.7%	32.8%	21.8%	21.8%	238
	Native Hawaiian or Pacific Islander	.0%	16.7%	16.7%	16.7%	50.0%	6
	Amerian Indian or Alaska Native	.0%	33.3%	33.3%	33.3%	.0%	3
	Other	19.4%	6.9%	47.2%	18.1%	8.3%	72
	Two or more races	16.0%	8.0%	38.0%	24.0%	14.0%	50
Specialty Categories	Family or general medicine	21.4%	7.6%	43.3%	14.4%	13.2%	720
	Ob/gyn	19.0%	11.6%	37.1%	15.1%	17.2%	232
	Gen internal medicine	15.0%	5.1%	31.5%	24.2%	24.2%	467
	Gen pediatrics	12.4%	5.5%	39.2%	24.9%	18.0%	217
	Gen surgery	25.2%	8.9%	43.7%	8.1%	14.1%	135
	Medical subspecialty	19.2%	8.5%	33.0%	16.6%	22.8%	887
	Pediatric subspecialty	13.9%	4.6%	49.1%	12.0%	20.4%	108
	Surgical subspecialty	31.3%	8.7%	34.9%	12.7%	12.3%	252
	Neurosurgery	45.2%	3.2%	35.5%	6.5%	9.7%	31
	Psychiatry	49.3%	5.9%	25.4%	5.9%	13.7%	205
	Hospital-based specialty	8.6%	3.3%	31.7%	37.2%	19.2%	605
	Other	38.9%	11.1%	22.2%	11.1%	16.7%	18
Region	Portland Metro	17.4%	5.4%	30.2%	21.6%	25.4%	2044
	Mid-Willamette Valley	17.4%	7.6%	37.5%	18.6%	18.9%	805
	Northwestern	30.6%	16.5%	50.6%	1.2%	1.2%	85
	Southern	22.8%	7.8%	49.5%	19.3%	.8%	400
	Eastern	41.7%	11.7%	45.0%	1.7%	.0%	120
	Southwestern	26.6%	6.4%	35.1%	27.7%	4.3%	94
	Central	24.3%	9.1%	40.7%	16.1%	9.7%	329
Practice Size Total	Total	19.8%	6.9%	35.6%	19.3%	18.3%	3877

2006 Oregon Physician Workforce Survey

Practice Organization		How your primary practice is organized:			
		Single-specialty practice	Multi-specialty practice	Other	Total
Gender	Female	64.3%	29.7%	5.9%	1133
	Male	69.7%	26.1%	4.2%	2758
Age	Under 40 years	65.3%	29.6%	5.1%	750
	40-49 years	69.7%	26.2%	4.1%	1183
	50-59 years	66.1%	29.1%	4.8%	1297
	60-69 years	73.1%	22.4%	4.4%	566
	70 years or more	69.5%	20.0%	10.5%	95
Region	Portland Metro	64.1%	30.2%	5.7%	2052
	Mid-Willamette Valley	68.0%	29.2%	2.7%	804
	Northwestern	69.3%	21.6%	9.1%	88
	Southern	79.1%	15.9%	5.0%	402
	Eastern	83.3%	11.7%	5.0%	120
	Southwestern	58.1%	36.6%	5.4%	93
Hispanic, Spanish or Latino	Yes	75.6%	23.3%	1.2%	86
	No				
Race	White	68.1%	27.2%	4.7%	3423
	African-American	85.7%	9.5%	4.8%	21
	Asian	61.8%	33.2%	5.0%	238
	Native Hawaiian or Pacific Islander	16.7%	83.3%	.0%	6
	American Indian or Alaska Native	100.0%	.0%	.0%	3
	Other	75.7%	20.3%	4.1%	74
	Two or more races	74.0%	18.0%	8.0%	50
Specialty Categories	Family or general medicine	67.9%	27.8%	4.3%	719
	Ob/gyn	72.5%	24.2%	3.4%	236
	Gen internal medicine	52.1%	41.0%	6.9%	466
	Gen pediatrics	62.7%	34.5%	2.7%	220
	Gen surgery	66.7%	28.1%	5.2%	135
	Medical subspecialty	66.7%	29.4%	3.9%	891
	Pediatric subspecialty	56.1%	37.4%	6.5%	107
	Surgical subspecialty	78.2%	19.0%	2.8%	252
	Neurosurgery	61.3%	38.7%	.0%	31
	Psychiatry	73.2%	16.3%	10.5%	209
Region	Hospital-based specialty	79.9%	15.5%	4.6%	606
	Other	73.7%	21.1%	5.3%	19
	Portland Metro	64.1%	30.2%	5.7%	2052
	Mid-Willamette Valley	68.0%	29.2%	2.7%	804
	Northwestern	69.3%	21.6%	9.1%	88
	Southern	79.1%	15.9%	5.0%	402
	Eastern	83.3%	11.7%	5.0%	120
Southwestern	58.1%	36.6%	5.4%	93	
Central	76.8%	21.1%	2.1%	332	
Practice Organization Total	Total	68.1%	27.1%	4.7%	3891

2006 Oregon Physician Workforce Survey

Physician Employment Status		What is your employment status at your primary practice?						
		Full owner (or sole proprietor)	Part-owner (or shareholder)	Employee	Independent contractor	Volunteer	Other	Total
Gender	Female	18.2%	25.6%	48.8%	5.4%	.1%	1.9%	1137
	Male	23.2%	35.4%	34.3%	5.4%	.3%	1.4%	2772
Age	Under 40 years	9.0%	28.2%	58.0%	3.2%	.1%	1.5%	752
	40-49 years	19.9%	36.5%	37.6%	5.0%	.1%	1.0%	1187
	50-59 years	26.2%	34.8%	32.4%	5.1%	.1%	1.4%	1301
	60-69 years	29.1%	28.8%	31.4%	7.2%	.5%	3.0%	573
	70 years or more	38.5%	10.4%	24.0%	21.9%	2.1%	3.1%	96
Region	Portland Metro	19.4%	30.4%	43.3%	4.6%	.2%	2.2%	2065
	Mid-Willamette Valley	20.6%	36.7%	38.2%	3.8%	.1%	.6%	807
	Northwestern	23.6%	15.7%	44.9%	13.5%	.0%	2.2%	89
	Southern	26.6%	37.6%	29.4%	5.5%	.7%	.2%	402
	Eastern	37.5%	23.3%	30.0%	7.5%	.0%	1.7%	120
	Southwestern	29.0%	43.0%	19.4%	6.5%	.0%	2.2%	93
	Central	24.9%	34.8%	27.9%	11.1%	.0%	1.2%	333
Hispanic, Spanish or Latino	Yes	20.9%	20.9%	51.2%	3.5%	.0%	3.5%	86
Race	White	22.1%	33.3%	37.5%	5.5%	.2%	1.5%	3441
	African-American	19.0%	23.8%	52.4%	4.8%	.0%	.0%	21
	Asian	17.1%	27.9%	47.1%	5.0%	.4%	2.5%	240
	Native Hawaiian or Pacific Islander	.0%	66.7%	33.3%	.0%	.0%	.0%	6
	American Indian or Alaska Native	.0%	33.3%	66.7%	.0%	.0%	.0%	3
	Other	23.6%	22.2%	47.2%	5.6%	.0%	1.4%	72
	Two or more races	16.3%	20.4%	59.2%	4.1%	.0%	.0%	49
Specialty Categories	Family or general medicine	22.9%	27.1%	44.0%	4.8%	.1%	1.0%	722
	Ob/gyn	22.1%	36.6%	39.1%	.9%	.0%	1.3%	235
	Gen internal medicine	15.7%	26.6%	53.0%	2.1%	.4%	2.1%	470
	Gen pediatrics	18.9%	41.9%	32.9%	4.5%	.0%	1.8%	222
	Gen surgery	33.1%	34.6%	28.7%	2.9%	.0%	.7%	136
	Medical subspecialty	23.0%	38.6%	34.3%	2.1%	.4%	1.6%	892
	Pediatric subspecialty	13.0%	13.9%	65.7%	4.6%	.0%	2.8%	108
	Surgical subspecialty	35.4%	30.3%	28.0%	4.7%	.0%	1.6%	254
	Neurosurgery	45.2%	22.6%	29.0%	.0%	3.2%	.0%	31
	Psychiatry	43.8%	9.0%	35.7%	8.6%	.0%	2.9%	210
	Hospital-based specialty	7.9%	42.5%	32.6%	15.6%	.0%	1.5%	610
Other	42.1%	26.3%	26.3%	5.3%	.0%	.0%	19	
Region	Portland Metro	19.4%	30.4%	43.3%	4.6%	.2%	2.2%	2065
	Mid-Willamette Valley	20.6%	36.7%	38.2%	3.8%	.1%	.6%	807
	Northwestern	23.6%	15.7%	44.9%	13.5%	.0%	2.2%	89
	Southern	26.6%	37.6%	29.4%	5.5%	.7%	.2%	402
	Eastern	37.5%	23.3%	30.0%	7.5%	.0%	1.7%	120
	Southwestern	29.0%	43.0%	19.4%	6.5%	.0%	2.2%	93
	Central	24.9%	34.8%	27.9%	11.1%	.0%	1.2%	333
Employment Status Total	Total	21.7%	32.6%	38.6%	5.4%	.2%	1.6%	3909

**Patient Volume by Specialty and Region**

Statewide		In a typical week, how many patients do you see in your primary practice setting?						Total
		1 to 25 patients	26 to 50 patients	51 to 75 patients	76 to 100 patients	101 to 200 patients	More than 200 patients	
Specialty Categories	Family or general medicine	7.9%	13.4%	24.2%	38.4%	15.9%	.3%	719
	Ob/gyn	9.4%	28.8%	31.3%	24.5%	6.0%	.0%	233
	Gen internal medicine	15.8%	18.7%	32.1%	27.5%	5.6%	.2%	461
	Gen pediatrics	7.3%	12.8%	29.7%	38.4%	11.9%	.0%	219
	Gen surgery	19.4%	50.0%	25.4%	5.2%	.0%	.0%	134
	Medical subspecialty	14.8%	28.1%	22.7%	21.9%	11.8%	.7%	878
	Pediatric subspecialty	43.8%	39.0%	11.4%	5.7%	.0%	.0%	105
	Surgical subspecialty	18.0%	24.8%	28.4%	22.4%	6.4%	.0%	250
	Neurosurgery	16.7%	63.3%	6.7%	13.3%	.0%	.0%	30
	Psychiatry	50.5%	38.6%	8.6%	1.0%	1.4%	.0%	210
	Hospital-based specialty	26.3%	25.9%	20.5%	12.1%	10.5%	4.7%	513
	Other	33.3%	44.4%	16.7%	5.6%	.0%	.0%	18
<b>Total</b>	<b>17.7%</b>	<b>24.8%</b>	<b>24.0%</b>	<b>23.2%</b>	<b>9.5%</b>	<b>.9%</b>	<b>3770</b>	

**Region Portland Metro**

		In a typical week, how many patients do you see in your primary practice setting?						Total
		1 to 25 patients	26 to 50 patients	51 to 75 patients	76 to 100 patients	101 to 200 patients	More than 200 patients	
Specialty Categories	Family or general medicine	11.7%	16.4%	23.4%	35.5%	12.9%	.0%	256
	Ob/gyn	12.5%	32.0%	32.8%	18.8%	3.9%	.0%	128
	Gen internal medicine	20.4%	21.6%	34.2%	22.3%	1.5%	.0%	269
	Gen pediatrics	8.2%	15.6%	31.1%	38.5%	6.6%	.0%	122
	Gen surgery	27.7%	52.3%	16.9%	3.1%	.0%	.0%	65
	Medical subspecialty	20.7%	31.6%	21.9%	18.2%	7.4%	.2%	516
	Pediatric subspecialty	45.5%	43.2%	8.0%	3.4%	.0%	.0%	88
	Surgical subspecialty	20.9%	27.1%	26.4%	20.9%	4.7%	.0%	129
	Neurosurgery	11.1%	77.8%	.0%	11.1%	.0%	.0%	18
	Psychiatry	56.3%	38.9%	4.0%	.0%	.8%	.0%	126
	Hospital-based specialty	32.3%	26.5%	19.6%	8.5%	10.0%	3.1%	260
	Other	60.0%	20.0%	20.0%	.0%	.0%	.0%	10
<b>Total</b>	<b>23.5%</b>	<b>28.4%</b>	<b>22.9%</b>	<b>18.7%</b>	<b>6.1%</b>	<b>.5%</b>	<b>1987</b>	



## Patient Volume by Specialty and Region

### Region Mid-Willamette Valley

		In a typical week, how many patients do you see in your primary practice setting?						Total
		1 to 25 patients	26 to 50 patients	51 to 75 patients	76 to 100 patients	101 to 200 patients	More than 200 patients	
Specialty Categories	Family or general medicine	5.2%	9.3%	25.9%	39.9%	19.7%	.0%	193
	Ob/gyn	1.9%	21.2%	30.8%	38.5%	7.7%	.0%	52
	Gen internal medicine	7.9%	14.5%	23.7%	42.1%	11.8%	.0%	76
	Gen pediatrics	13.0%	8.7%	26.1%	30.4%	21.7%	.0%	46
	Gen surgery	20.8%	50.0%	29.2%	.0%	.0%	.0%	24
	Medical subspecialty	4.8%	24.1%	21.1%	31.3%	18.1%	.6%	166
	Pediatric subspecialty	30.0%	10.0%	30.0%	30.0%	.0%	.0%	10
	Surgical subspecialty	14.8%	29.6%	22.2%	22.2%	11.1%	.0%	54
	Neurosurgery	25.0%	50.0%	.0%	25.0%	.0%	.0%	4
	Psychiatry	39.2%	43.1%	11.8%	2.0%	3.9%	.0%	51
	Hospital-based specialty	23.3%	18.4%	20.4%	17.5%	12.6%	7.8%	103
	Other	.0%	100.0%	.0%	.0%	.0%	.0%	1
<b>Total</b>	<b>11.8%</b>	<b>20.1%</b>	<b>23.1%</b>	<b>29.5%</b>	<b>14.4%</b>	<b>1.2%</b>	<b>780</b>	

### Region Northwestern

		In a typical week, how many patients do you see in your primary practice setting?						Total
		1 to 25 patients	26 to 50 patients	51 to 75 patients	76 to 100 patients	101 to 200 patients	More than 200 patients	
Specialty Categories	Family or general medicine	3.1%	6.3%	18.8%	59.4%	12.5%	.0%	32
	Ob/gyn	.0%	.0%	100.0%	.0%	.0%	.0%	5
	Gen internal medicine	6.7%	13.3%	26.7%	46.7%	.0%	6.7%	15
	Gen pediatrics	.0%	33.3%	33.3%	33.3%	.0%	.0%	3
	Gen surgery	.0%	33.3%	66.7%	.0%	.0%	.0%	3
	Medical subspecialty	.0%	62.5%	25.0%	12.5%	.0%	.0%	8
	Pediatric subspecialty	.0%	.0%	.0%	.0%	.0%	.0%	0
	Surgical subspecialty	50.0%	.0%	50.0%	.0%	.0%	.0%	4
	Neurosurgery	.0%	.0%	.0%	.0%	.0%	.0%	0
	Psychiatry	100.0%	.0%	.0%	.0%	.0%	.0%	2
	Hospital-based specialty	.0%	31.3%	43.8%	6.3%	18.8%	.0%	16
	Other	.0%	.0%	.0%	.0%	.0%	.0%	0
<b>Total</b>	<b>6.8%</b>	<b>18.2%</b>	<b>33.0%</b>	<b>33.0%</b>	<b>8.0%</b>	<b>1.1%</b>	<b>88</b>	

## Patient Volume by Specialty and Region

### Region Southwestern

		In a typical week, how many patients do you see in your primary practice setting?						Total
		1 to 25 patients	26 to 50 patients	51 to 75 patients	76 to 100 patients	101 to 200 patients	More than 200 patients	
Specialty Categories	Family or general medicine	8.3%	12.5%	25.0%	41.7%	12.5%	.0%	24
	Ob/gyn	33.3%	33.3%	.0%	33.3%	.0%	.0%	3
	Gen internal medicine	9.1%	.0%	18.2%	36.4%	36.4%	.0%	11
	Gen pediatrics	.0%	.0%	.0%	60.0%	40.0%	.0%	5
	Gen surgery	.0%	50.0%	.0%	50.0%	.0%	.0%	2
	Medical subspecialty	5.3%	5.3%	15.8%	42.1%	31.6%	.0%	19
	Pediatric subspecialty	.0%	.0%	.0%	.0%	.0%	.0%	0
	Surgical subspecialty	.0%	.0%	20.0%	60.0%	20.0%	.0%	5
	Neurosurgery	.0%	.0%	.0%	.0%	.0%	.0%	0
	Psychiatry	25.0%	25.0%	50.0%	.0%	.0%	.0%	4
	Hospital-based specialty	7.1%	21.4%	21.4%	21.4%	14.3%	14.3%	14
Other	.0%	100.0%	.0%	.0%	.0%	.0%	1	
<b>Total</b>	<b>8.0%</b>	<b>12.5%</b>	<b>19.3%</b>	<b>37.5%</b>	<b>20.5%</b>	<b>2.3%</b>	<b>88</b>	

### Region Southern

		In a typical week, how many patients do you see in your primary practice setting?						Total
		1 to 25 patients	26 to 50 patients	51 to 75 patients	76 to 100 patients	101 to 200 patients	More than 200 patients	
Specialty Categories	Family or general medicine	2.3%	18.2%	23.9%	35.2%	19.3%	1.1%	88
	Ob/gyn	.0%	42.1%	36.8%	15.8%	5.3%	.0%	19
	Gen internal medicine	8.3%	20.8%	33.3%	25.0%	12.5%	.0%	48
	Gen pediatrics	.0%	11.1%	33.3%	38.9%	16.7%	.0%	18
	Gen surgery	7.7%	61.5%	23.1%	7.7%	.0%	.0%	13
	Medical subspecialty	7.9%	25.8%	22.5%	19.1%	20.2%	4.5%	89
	Pediatric subspecialty	25.0%	25.0%	50.0%	.0%	.0%	.0%	4
	Surgical subspecialty	16.1%	25.8%	38.7%	16.1%	3.2%	.0%	31
	Neurosurgery	25.0%	50.0%	25.0%	.0%	.0%	.0%	4
	Psychiatry	38.5%	38.5%	15.4%	7.7%	.0%	.0%	13
	Hospital-based specialty	21.1%	33.3%	15.8%	12.3%	8.8%	8.8%	57
	Other	.0%	75.0%	25.0%	.0%	.0%	.0%	4
<b>Total</b>	<b>9.8%</b>	<b>27.1%</b>	<b>25.8%</b>	<b>21.6%</b>	<b>13.1%</b>	<b>2.6%</b>	<b>388</b>	

**Patient Volume by Specialty and Region**

*Region Central*

		In a typical week, how many patients do you see in your primary practice setting?						Total
		1 to 25 patients	26 to 50 patients	51 to 75 patients	76 to 100 patients	101 to 200 patients	More than 200 patients	
Specialty Categories	Family or general medicine	10.9%	10.9%	22.8%	40.2%	15.2%	.0%	92
	Ob/gyn	18.8%	37.5%	6.3%	25.0%	12.5%	.0%	16
	Gen internal medicine	18.2%	9.1%	40.9%	27.3%	4.5%	.0%	22
	Gen pediatrics	.0%	12.5%	25.0%	50.0%	12.5%	.0%	16
	Gen surgery	5.3%	52.6%	31.6%	10.5%	.0%	.0%	19
	Medical subspecialty	7.6%	19.7%	33.3%	25.8%	13.6%	.0%	66
	Pediatric subspecialty	66.7%	33.3%	.0%	.0%	.0%	.0%	3
	Surgical subspecialty	13.0%	13.0%	30.4%	39.1%	4.3%	.0%	23
	Neurosurgery	25.0%	25.0%	25.0%	25.0%	.0%	.0%	4
	Psychiatry	50.0%	30.0%	20.0%	.0%	.0%	.0%	10
	Hospital-based specialty	17.6%	33.3%	23.5%	15.7%	7.8%	2.0%	51
Other	.0%	50.0%	.0%	50.0%	.0%	.0%	2	
<b>Total</b>	<b>13.3%</b>	<b>21.3%</b>	<b>26.2%</b>	<b>28.7%</b>	<b>10.2%</b>	<b>.3%</b>	<b>324</b>	

*Region Eastern*

		In a typical week, how many patients do you see in your primary practice setting?						Total
		1 to 25 patients	26 to 50 patients	51 to 75 patients	76 to 100 patients	101 to 200 patients	More than 200 patients	
Specialty Categories	Family or general medicine	5.9%	14.7%	29.4%	32.4%	14.7%	2.9%	34
	Ob/gyn	10.0%	.0%	20.0%	50.0%	20.0%	.0%	10
	Gen internal medicine	10.0%	15.0%	35.0%	30.0%	10.0%	.0%	20
	Gen pediatrics	.0%	.0%	44.4%	44.4%	11.1%	.0%	9
	Gen surgery	12.5%	12.5%	62.5%	12.5%	.0%	.0%	8
	Medical subspecialty	14.3%	14.3%	28.6%	21.4%	21.4%	.0%	14
	Pediatric subspecialty	.0%	.0%	.0%	.0%	.0%	.0%	0
	Surgical subspecialty	.0%	.0%	75.0%	.0%	25.0%	.0%	4
	Neurosurgery	.0%	.0%	.0%	.0%	.0%	.0%	0
	Psychiatry	50.0%	25.0%	25.0%	.0%	.0%	.0%	4
	Hospital-based specialty	41.7%	8.3%	16.7%	25.0%	8.3%	.0%	12
	Other	.0%	.0%	.0%	.0%	.0%	.0%	0
<b>Total</b>	<b>13.0%</b>	<b>11.3%</b>	<b>33.0%</b>	<b>28.7%</b>	<b>13.0%</b>	<b>.9%</b>	<b>115</b>	

**Weekly new patients by specialty and region**

Statewide		In a typical week, how many NEW patients do you see in your primary practice setting?							Total
		None	1 to 25 new patients	26 to 50 new patients	51 to 75 new patients	76 to 100 new patients	101 to 200 new patients	More than 200 new patients	
Specialty Categories	Family or general medicine	6.1%	85.9%	6.2%	1.0%	.7%	.1%	.0%	710
	Ob/gyn	1.3%	93.1%	5.2%	.0%	.4%	.0%	.0%	231
	Gen internal medicine	9.8%	83.4%	4.8%	1.3%	.7%	.0%	.0%	457
	Gen pediatrics	1.4%	95.9%	1.8%	.5%	.5%	.0%	.0%	220
	Gen surgery	.0%	91.0%	8.2%	.0%	.7%	.0%	.0%	134
	Medical subspecialty	1.8%	84.4%	12.6%	.9%	.2%	.0%	.0%	879
	Pediatric subspecialty	1.9%	93.3%	4.8%	.0%	.0%	.0%	.0%	104
	Surgical subspecialty	.8%	87.7%	10.7%	.4%	.4%	.0%	.0%	252
	Neurosurgery	.0%	93.1%	6.9%	.0%	.0%	.0%	.0%	29
	Psychiatry	12.5%	86.5%	1.0%	.0%	.0%	.0%	.0%	208
	Hospital-based specialty	.5%	42.2%	24.3%	20.0%	8.0%	2.6%	2.4%	424
	Other	5.6%	94.4%	.0%	.0%	.0%	.0%	.0%	18
	<b>Total</b>	<b>3.9%</b>	<b>81.9%</b>	<b>9.4%</b>	<b>2.9%</b>	<b>1.3%</b>	<b>.3%</b>	<b>.3%</b>	<b>3666</b>

**Region Portland Metro**

		In a typical week, how many NEW patients do you see in your primary practice setting?							Total
		None	1 to 25 new patients	26 to 50 new patients	51 to 75 new patients	76 to 100 new patients	101 to 200 new patients	More than 200 new patients	
Specialty Categories	Family or general medicine	3.9%	86.2%	7.9%	1.2%	.8%	.0%	.0%	254
	Ob/gyn	.8%	95.2%	3.2%	.0%	.8%	.0%	.0%	126
	Gen internal medicine	10.3%	83.8%	4.4%	.7%	.7%	.0%	.0%	271
	Gen pediatrics	.0%	96.7%	1.6%	.8%	.8%	.0%	.0%	123
	Gen surgery	.0%	92.2%	7.8%	.0%	.0%	.0%	.0%	64
	Medical subspecialty	1.7%	85.7%	12.0%	.6%	.0%	.0%	.0%	517
	Pediatric subspecialty	2.3%	92.0%	5.7%	.0%	.0%	.0%	.0%	87
	Surgical subspecialty	1.5%	87.8%	9.9%	.8%	.0%	.0%	.0%	131
	Neurosurgery	.0%	88.2%	11.8%	.0%	.0%	.0%	.0%	17
	Psychiatry	14.4%	84.8%	.8%	.0%	.0%	.0%	.0%	125
	Hospital-based specialty	.9%	45.8%	24.1%	19.0%	6.5%	2.8%	.9%	216
	Other	10.0%	90.0%	.0%	.0%	.0%	.0%	.0%	10
	<b>Total</b>	<b>3.8%</b>	<b>83.0%</b>	<b>9.2%</b>	<b>2.6%</b>	<b>1.0%</b>	<b>.3%</b>	<b>.1%</b>	<b>1941</b>

## Weekly new patients by specialty and region

### Region Mid-Willamette Valley

		In a typical week, how many NEW patients do you see in your primary practice setting?							Total
		None	1 to 25 new patients	26 to 50 new patients	51 to 75 new patients	76 to 100 new patients	101 to 200 new patients	More than 200 new patients	
Specialty Categories	Family or general medicine	7.9%	83.2%	7.3%	.0%	1.6%	.0%	.0%	191
	Ob/gyn	1.9%	94.2%	3.8%	.0%	.0%	.0%	.0%	52
	Gen internal medicine	6.7%	81.3%	8.0%	2.7%	1.3%	.0%	.0%	75
	Gen pediatrics	6.7%	91.1%	2.2%	.0%	.0%	.0%	.0%	45
	Gen surgery	.0%	87.5%	8.3%	.0%	4.2%	.0%	.0%	24
	Medical subspecialty	1.8%	81.7%	14.6%	1.8%	.0%	.0%	.0%	164
	Pediatric subspecialty	.0%	100.0%	.0%	.0%	.0%	.0%	.0%	10
	Surgical subspecialty	.0%	87.0%	11.1%	.0%	1.9%	.0%	.0%	54
	Neurosurgery	.0%	100.0%	.0%	.0%	.0%	.0%	.0%	4
	Psychiatry	8.0%	92.0%	.0%	.0%	.0%	.0%	.0%	50
	Hospital-based specialty	.0%	48.1%	12.3%	18.5%	11.1%	3.7%	6.2%	81
	Other	.0%	100.0%	.0%	.0%	.0%	.0%	.0%	1
<b>Total</b>	<b>4.1%</b>	<b>81.5%</b>	<b>8.7%</b>	<b>2.7%</b>	<b>2.0%</b>	<b>.4%</b>	<b>.7%</b>	<b>751</b>	

### Region Northwestern

		In a typical week, how many NEW patients do you see in your primary practice setting?							Total
		None	1 to 25 new patients	26 to 50 new patients	51 to 75 new patients	76 to 100 new patients	101 to 200 new patients	More than 200 new patients	
Specialty Categories	Family or general medicine	12.9%	87.1%	.0%	.0%	.0%	.0%	.0%	31
	Ob/gyn	.0%	100.0%	.0%	.0%	.0%	.0%	.0%	5
	Gen internal medicine	7.1%	85.7%	7.1%	.0%	.0%	.0%	.0%	14
	Gen pediatrics	.0%	100.0%	.0%	.0%	.0%	.0%	.0%	3
	Gen surgery	.0%	100.0%	.0%	.0%	.0%	.0%	.0%	3
	Medical subspecialty	.0%	87.5%	12.5%	.0%	.0%	.0%	.0%	8
	Pediatric subspecialty	.0%	.0%	.0%	.0%	.0%	.0%	.0%	0
	Surgical subspecialty	.0%	100.0%	.0%	.0%	.0%	.0%	.0%	4
	Neurosurgery	.0%	.0%	.0%	.0%	.0%	.0%	.0%	0
	Psychiatry	.0%	100.0%	.0%	.0%	.0%	.0%	.0%	2
	Hospital-based specialty	.0%	9.1%	63.6%	27.3%	.0%	.0%	.0%	11
	Other	.0%	.0%	.0%	.0%	.0%	.0%	.0%	0
<b>Total</b>	<b>6.2%</b>	<b>79.0%</b>	<b>11.1%</b>	<b>3.7%</b>	<b>.0%</b>	<b>.0%</b>	<b>.0%</b>	<b>81</b>	

## Weekly new patients by specialty and region

### Region Southwestern

		In a typical week, how many NEW patients do you see in your primary practice setting?							
		None	1 to 25 new patients	26 to 50 new patients	51 to 75 new patients	76 to 100 new patients	101 to 200 new patients	More than 200 new patients	Total
Specialty Categories	Family or general medicine	4.2%	87.5%	4.2%	.0%	.0%	4.2%	.0%	24
	Ob/gyn	.0%	100.0%	.0%	.0%	.0%	.0%	.0%	3
	Gen internal medicine	.0%	90.9%	9.1%	.0%	.0%	.0%	.0%	11
	Gen pediatrics	.0%	100.0%	.0%	.0%	.0%	.0%	.0%	5
	Gen surgery	.0%	100.0%	.0%	.0%	.0%	.0%	.0%	2
	Medical subspecialty	5.3%	73.7%	15.8%	5.3%	.0%	.0%	.0%	19
	Pediatric subspecialty	.0%	.0%	.0%	.0%	.0%	.0%	.0%	0
	Surgical subspecialty	.0%	80.0%	20.0%	.0%	.0%	.0%	.0%	5
	Neurosurgery	.0%	.0%	.0%	.0%	.0%	.0%	.0%	0
	Psychiatry	.0%	100.0%	.0%	.0%	.0%	.0%	.0%	4
	Hospital-based specialty	.0%	30.8%	23.1%	15.4%	15.4%	7.7%	7.7%	13
	Other	.0%	100.0%	.0%	.0%	.0%	.0%	.0%	1
<b>Total</b>	<b>2.3%</b>	<b>78.2%</b>	<b>10.3%</b>	<b>3.4%</b>	<b>2.3%</b>	<b>2.3%</b>	<b>1.1%</b>	<b>87</b>	

### Region Southern

		In a typical week, how many NEW patients do you see in your primary practice setting?							
		None	1 to 25 new patients	26 to 50 new patients	51 to 75 new patients	76 to 100 new patients	101 to 200 new patients	More than 200 new patients	Total
Specialty Categories	Family or general medicine	8.2%	84.7%	5.9%	1.2%	.0%	.0%	.0%	85
	Ob/gyn	.0%	89.5%	10.5%	.0%	.0%	.0%	.0%	19
	Gen internal medicine	11.1%	84.4%	2.2%	2.2%	.0%	.0%	.0%	45
	Gen pediatrics	.0%	100.0%	.0%	.0%	.0%	.0%	.0%	18
	Gen surgery	.0%	100.0%	.0%	.0%	.0%	.0%	.0%	14
	Medical subspecialty	3.3%	82.4%	12.1%	1.1%	1.1%	.0%	.0%	91
	Pediatric subspecialty	.0%	100.0%	.0%	.0%	.0%	.0%	.0%	4
	Surgical subspecialty	.0%	90.3%	9.7%	.0%	.0%	.0%	.0%	31
	Neurosurgery	.0%	100.0%	.0%	.0%	.0%	.0%	.0%	4
	Psychiatry	15.4%	84.6%	.0%	.0%	.0%	.0%	.0%	13
	Hospital-based specialty	.0%	38.3%	27.7%	19.1%	8.5%	2.1%	4.3%	47
	Other	.0%	100.0%	.0%	.0%	.0%	.0%	.0%	4
<b>Total</b>	<b>4.5%</b>	<b>80.8%</b>	<b>9.3%</b>	<b>3.2%</b>	<b>1.3%</b>	<b>.3%</b>	<b>.5%</b>	<b>375</b>	

## Weekly new patients by specialty and region

### Region Central

		In a typical week, how many NEW patients do you see in your primary practice setting?							Total
		None	1 to 25 new patients	26 to 50 new patients	51 to 75 new patients	76 to 100 new patients	101 to 200 new patients	More than 200 new patients	
Specialty Categories	Family or general medicine	3.3%	91.3%	2.2%	3.3%	.0%	.0%	.0%	92
	Ob/gyn	6.3%	81.3%	12.5%	.0%	.0%	.0%	.0%	16
	Gen internal medicine	13.6%	86.4%	.0%	.0%	.0%	.0%	.0%	22
	Gen pediatrics	.0%	94.1%	5.9%	.0%	.0%	.0%	.0%	17
	Gen surgery	.0%	78.9%	21.1%	.0%	.0%	.0%	.0%	19
	Medical subspecialty	.0%	83.3%	15.2%	.0%	1.5%	.0%	.0%	66
	Pediatric subspecialty	.0%	100.0%	.0%	.0%	.0%	.0%	.0%	3
	Surgical subspecialty	.0%	87.0%	13.0%	.0%	.0%	.0%	.0%	23
	Neurosurgery	.0%	100.0%	.0%	.0%	.0%	.0%	.0%	4
	Psychiatry	10.0%	80.0%	10.0%	.0%	.0%	.0%	.0%	10
	Hospital-based specialty	.0%	25.6%	41.9%	23.3%	9.3%	.0%	.0%	43
	Other	.0%	100.0%	.0%	.0%	.0%	.0%	.0%	2
<b>Total</b>	<b>2.5%</b>	<b>78.9%</b>	<b>12.9%</b>	<b>4.1%</b>	<b>1.6%</b>	<b>.0%</b>	<b>.0%</b>	<b>317</b>	

### Region Eastern

		In a typical week, how many NEW patients do you see in your primary practice setting?							Total
		None	1 to 25 new patients	26 to 50 new patients	51 to 75 new patients	76 to 100 new patients	101 to 200 new patients	More than 200 new patients	
Specialty Categories	Family or general medicine	9.1%	84.8%	6.1%	.0%	.0%	.0%	.0%	33
	Ob/gyn	.0%	80.0%	20.0%	.0%	.0%	.0%	.0%	10
	Gen internal medicine	15.8%	73.7%	5.3%	5.3%	.0%	.0%	.0%	19
	Gen pediatrics	.0%	100.0%	.0%	.0%	.0%	.0%	.0%	9
	Gen surgery	.0%	100.0%	.0%	.0%	.0%	.0%	.0%	8
	Medical subspecialty	.0%	100.0%	.0%	.0%	.0%	.0%	.0%	14
	Pediatric subspecialty	.0%	.0%	.0%	.0%	.0%	.0%	.0%	0
	Surgical subspecialty	.0%	75.0%	25.0%	.0%	.0%	.0%	.0%	4
	Neurosurgery	.0%	.0%	.0%	.0%	.0%	.0%	.0%	0
	Psychiatry	25.0%	75.0%	.0%	.0%	.0%	.0%	.0%	4
	Hospital-based specialty	.0%	53.8%	.0%	38.5%	7.7%	.0%	.0%	13
	Other	.0%	.0%	.0%	.0%	.0%	.0%	.0%	0
<b>Total</b>	<b>6.1%</b>	<b>82.5%</b>	<b>5.3%</b>	<b>5.3%</b>	<b>.9%</b>	<b>.0%</b>	<b>.0%</b>	<b>114</b>	

Usual non-urgent appointment wait

Statewide		How many calendar days are normally required to schedule a non-urgent appointment for established patients at your primary practice?										
		Same day	1 day	2 days	3 days	4 to 6 days	7 to 14 days	15 to 21 days	22 to 30 days	31 to 45 days	46 to 60 days	More than 60 days
Specialty Categories	Family or general medicine	22.6%	14.8%	9.3%	6.3%	14.2%	18.4%	8.6%	2.6%	1.6%	1.0%	.6%
	Ob/gyn	2.7%	1.3%	4.9%	3.6%	12.9%	32.0%	14.2%	10.7%	8.9%	4.0%	4.9%
	Gen internal medicine	19.6%	11.4%	9.9%	8.2%	13.1%	21.3%	5.3%	4.8%	4.4%	.5%	1.5%
	Gen pediatrics	34.7%	12.2%	9.9%	6.1%	15.5%	11.7%	6.6%	1.4%	.9%	.5%	.5%
	Gen surgery	5.3%	4.5%	3.0%	8.3%	18.9%	37.9%	15.9%	3.0%	1.5%	1.5%	.0%
	Medical subspecialty	4.9%	6.0%	5.6%	4.0%	11.3%	25.8%	17.0%	8.9%	8.8%	5.4%	2.5%
	Pediatric subspecialty	18.6%	2.3%	4.7%	3.5%	9.3%	26.7%	11.6%	5.8%	10.5%	4.7%	2.3%
	Surgical subspecialty	2.8%	2.4%	5.2%	5.2%	14.3%	31.1%	15.5%	10.4%	9.6%	1.6%	2.0%
	Neurosurgery	.0%	3.3%	.0%	3.3%	3.3%	43.3%	16.7%	13.3%	3.3%	3.3%	10.0%
	Psychiatry	4.0%	3.0%	3.0%	9.1%	16.2%	32.8%	11.6%	10.1%	8.6%	.5%	1.0%
	Hospital-based specialty	48.1%	12.1%	8.2%	4.1%	10.4%	8.8%	3.8%	.8%	.8%	.3%	2.5%
	Other	5.6%	16.7%	16.7%	22.2%	11.1%	16.7%	.0%	5.6%	5.6%	.0%	.0%
<b>Total</b>	<b>16.5%</b>	<b>8.6%</b>	<b>7.1%</b>	<b>5.7%</b>	<b>13.0%</b>	<b>22.9%</b>	<b>11.1%</b>	<b>5.9%</b>	<b>5.3%</b>	<b>2.2%</b>	<b>1.8%</b>	

Region Portland Metro

		How many calendar days are normally required to schedule a non-urgent appointment for established patients at your primary practice?										
		Same day	1 day	2 days	3 days	4 to 6 days	7 to 14 days	15 to 21 days	22 to 30 days	31 to 45 days	46 to 60 days	More than 60 days
Specialty Categories	Family or general medicine	21.0%	19.0%	8.5%	5.2%	16.1%	14.5%	9.3%	3.2%	2.0%	1.2%	.0%
	Ob/gyn	1.6%	.8%	6.6%	4.1%	9.0%	34.4%	13.1%	9.8%	9.8%	4.1%	6.6%
	Gen internal medicine	20.8%	12.3%	12.7%	7.6%	11.4%	18.6%	5.9%	4.7%	4.7%	.4%	.8%
	Gen pediatrics	33.3%	14.5%	9.4%	6.8%	12.8%	13.7%	7.7%	.0%	.9%	.9%	.0%
	Gen surgery	8.1%	6.5%	1.6%	9.7%	19.4%	40.3%	11.3%	1.6%	1.6%	.0%	.0%
	Medical subspecialty	5.2%	5.8%	5.4%	4.4%	11.7%	26.0%	18.3%	7.7%	8.9%	4.6%	1.8%
	Pediatric subspecialty	18.9%	1.4%	2.7%	2.7%	9.5%	27.0%	12.2%	6.8%	10.8%	5.4%	2.7%
	Surgical subspecialty	1.5%	3.1%	6.1%	6.9%	13.7%	39.7%	8.4%	9.9%	6.9%	1.5%	2.3%
	Neurosurgery	.0%	5.6%	.0%	.0%	.0%	50.0%	16.7%	11.1%	5.6%	5.6%	5.6%
	Psychiatry	4.2%	5.0%	4.2%	9.2%	20.8%	32.5%	10.0%	7.5%	5.8%	.8%	.0%
	Hospital-based specialty	49.7%	11.6%	9.0%	3.2%	8.5%	9.5%	4.2%	1.6%	.5%	.5%	1.6%
	Other	.0%	22.2%	.0%	33.3%	11.1%	22.2%	.0%	.0%	11.1%	.0%	.0%
<b>Total</b>	<b>15.8%</b>	<b>8.9%</b>	<b>7.1%</b>	<b>5.7%</b>	<b>12.6%</b>	<b>23.7%</b>	<b>11.1%</b>	<b>5.6%</b>	<b>5.5%</b>	<b>2.3%</b>	<b>1.5%</b>	



## Usual non-urgent appointment wait

*Region Mid-Willamette Valley*

		How many calendar days are normally required to schedule a non-urgent appointment for established patients at your primary practice?										
		Same day	1 day	2 days	3 days	4 to 6 days	7 to 14 days	15 to 21 days	22 to 30 days	31 to 45 days	46 to 60 days	More than 60 days
Specialty Categories	Family or general medicine	26.2%	14.4%	10.2%	6.4%	17.1%	13.9%	7.5%	2.7%	.5%	.0%	1.1%
	Ob/gyn	4.0%	2.0%	2.0%	2.0%	18.0%	38.0%	10.0%	16.0%	4.0%	4.0%	.0%
	Gen internal medicine	17.9%	13.4%	9.0%	10.4%	13.4%	28.4%	1.5%	3.0%	1.5%	.0%	1.5%
	Gen pediatrics	40.9%	6.8%	11.4%	2.3%	20.5%	6.8%	4.5%	4.5%	.0%	.0%	2.3%
	Gen surgery	.0%	4.2%	.0%	4.2%	16.7%	50.0%	12.5%	8.3%	.0%	4.2%	.0%
	Medical subspecialty	3.6%	10.3%	6.1%	3.6%	9.7%	21.2%	18.2%	10.3%	10.3%	4.8%	1.8%
	Pediatric subspecialty	14.3%	14.3%	14.3%	14.3%	.0%	28.6%	.0%	.0%	14.3%	.0%	.0%
	Surgical subspecialty	1.9%	1.9%	1.9%	.0%	11.3%	18.9%	30.2%	13.2%	17.0%	1.9%	1.9%
	Neurosurgery	.0%	.0%	.0%	.0%	.0%	50.0%	25.0%	25.0%	.0%	.0%	.0%
	Psychiatry	4.3%	.0%	2.1%	8.5%	12.8%	34.0%	14.9%	12.8%	10.6%	.0%	.0%
	Hospital-based specialty	43.1%	13.8%	7.7%	7.7%	13.8%	7.7%	1.5%	.0%	1.5%	.0%	3.1%
	Other	.0%	100.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%
<b>Total</b>	<b>16.7%</b>	<b>9.8%</b>	<b>6.9%</b>	<b>5.3%</b>	<b>14.0%</b>	<b>20.9%</b>	<b>11.2%</b>	<b>7.0%</b>	<b>5.2%</b>	<b>1.7%</b>	<b>1.4%</b>	

*Region Northwestern*

		How many calendar days are normally required to schedule a non-urgent appointment for established patients at your primary practice?										
		Same day	1 day	2 days	3 days	4 to 6 days	7 to 14 days	15 to 21 days	22 to 30 days	31 to 45 days	46 to 60 days	More than 60 days
Specialty Categories	Family or general medicine	19.4%	6.5%	6.5%	6.5%	16.1%	35.5%	3.2%	.0%	6.5%	.0%	.0%
	Ob/gyn	.0%	.0%	.0%	20.0%	.0%	20.0%	40.0%	.0%	.0%	.0%	20.0%
	Gen internal medicine	13.3%	13.3%	.0%	.0%	26.7%	33.3%	13.3%	.0%	.0%	.0%	.0%
	Gen pediatrics	33.3%	.0%	33.3%	.0%	33.3%	.0%	.0%	.0%	.0%	.0%	.0%
	Gen surgery	33.3%	.0%	.0%	.0%	.0%	33.3%	33.3%	.0%	.0%	.0%	.0%
	Medical subspecialty	25.0%	12.5%	.0%	.0%	25.0%	12.5%	12.5%	.0%	12.5%	.0%	.0%
	Pediatric subspecialty	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%
	Surgical subspecialty	25.0%	.0%	.0%	.0%	25.0%	.0%	.0%	.0%	25.0%	.0%	25.0%
	Neurosurgery	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%
	Psychiatry	.0%	.0%	.0%	.0%	.0%	50.0%	50.0%	.0%	.0%	.0%	.0%
	Hospital-based specialty	81.8%	9.1%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	9.1%
	Other	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%
<b>Total</b>	<b>26.8%</b>	<b>7.3%</b>	<b>3.7%</b>	<b>3.7%</b>	<b>15.9%</b>	<b>24.4%</b>	<b>9.8%</b>	<b>.0%</b>	<b>4.9%</b>	<b>.0%</b>	<b>3.7%</b>	

## Usual non-urgent appointment wait

*Region Southwestern*

		How many calendar days are normally required to schedule a non-urgent appointment for established patients at your primary practice?										
		Same day	1 day	2 days	3 days	4 to 6 days	7 to 14 days	15 to 21 days	22 to 30 days	31 to 45 days	46 to 60 days	More than 60 days
Specialty Categories	Family or general medicine	21.7%	8.7%	8.7%	13.0%	.0%	43.5%	.0%	4.3%	.0%	.0%	.0%
	Ob/gyn	.0%	.0%	66.7%	.0%	.0%	.0%	.0%	33.3%	.0%	.0%	.0%
	Gen internal medicine	9.1%	18.2%	.0%	9.1%	9.1%	9.1%	9.1%	9.1%	18.2%	.0%	9.1%
	Gen pediatrics	.0%	.0%	.0%	.0%	40.0%	20.0%	20.0%	20.0%	.0%	.0%	.0%
	Gen surgery	.0%	.0%	50.0%	.0%	.0%	.0%	.0%	50.0%	.0%	.0%	.0%
	Medical subspecialty	.0%	.0%	5.3%	.0%	10.5%	36.8%	15.8%	10.5%	.0%	10.5%	10.5%
	Pediatric subspecialty	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%
	Surgical subspecialty	.0%	.0%	.0%	.0%	.0%	40.0%	20.0%	20.0%	20.0%	.0%	.0%
	Neurosurgery	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%
	Psychiatry	.0%	.0%	.0%	.0%	25.0%	25.0%	.0%	25.0%	.0%	.0%	25.0%
	Hospital-based specialty	54.5%	18.2%	18.2%	.0%	9.1%	.0%	.0%	.0%	.0%	.0%	.0%
	Other	.0%	.0%	.0%	.0%	.0%	100.0%	.0%	.0%	.0%	.0%	.0%
<b>Total</b>	<b>14.3%</b>	<b>7.1%</b>	<b>9.5%</b>	<b>4.8%</b>	<b>8.3%</b>	<b>27.4%</b>	<b>7.1%</b>	<b>10.7%</b>	<b>3.6%</b>	<b>2.4%</b>	<b>4.8%</b>	

*Region Southern*

		How many calendar days are normally required to schedule a non-urgent appointment for established patients at your primary practice?										
		Same day	1 day	2 days	3 days	4 to 6 days	7 to 14 days	15 to 21 days	22 to 30 days	31 to 45 days	46 to 60 days	More than 60 days
Specialty Categories	Family or general medicine	18.8%	15.3%	5.9%	8.2%	14.1%	21.2%	10.6%	2.4%	2.4%	.0%	1.2%
	Ob/gyn	5.3%	.0%	.0%	.0%	21.1%	26.3%	15.8%	5.3%	21.1%	5.3%	.0%
	Gen internal medicine	26.2%	7.1%	7.1%	11.9%	14.3%	19.0%	4.8%	4.8%	4.8%	.0%	.0%
	Gen pediatrics	22.2%	22.2%	16.7%	5.6%	16.7%	11.1%	5.6%	.0%	.0%	.0%	.0%
	Gen surgery	.0%	.0%	.0%	.0%	14.3%	42.9%	35.7%	.0%	.0%	7.1%	.0%
	Medical subspecialty	4.4%	3.3%	5.6%	3.3%	10.0%	22.2%	16.7%	11.1%	8.9%	7.8%	6.7%
	Pediatric subspecialty	50.0%	.0%	.0%	.0%	.0%	.0%	50.0%	.0%	.0%	.0%	.0%
	Surgical subspecialty	3.2%	3.2%	3.2%	6.5%	16.1%	25.8%	19.4%	12.9%	9.7%	.0%	.0%
	Neurosurgery	.0%	.0%	.0%	.0%	.0%	25.0%	25.0%	.0%	.0%	.0%	50.0%
	Psychiatry	9.1%	.0%	.0%	9.1%	.0%	36.4%	18.2%	.0%	18.2%	.0%	9.1%
	Hospital-based specialty	40.0%	13.3%	6.7%	6.7%	17.8%	6.7%	6.7%	.0%	.0%	.0%	2.2%
	Other	.0%	.0%	75.0%	.0%	25.0%	.0%	.0%	.0%	.0%	.0%	.0%
<b>Total</b>	<b>15.6%</b>	<b>8.2%</b>	<b>6.3%</b>	<b>6.0%</b>	<b>13.7%</b>	<b>20.5%</b>	<b>13.2%</b>	<b>5.2%</b>	<b>5.8%</b>	<b>2.5%</b>	<b>3.0%</b>	

## Usual non-urgent appointment wait

*Region Central*

		How many calendar days are normally required to schedule a non-urgent appointment for established patients at your primary practice?										
		Same day	1 day	2 days	3 days	4 to 6 days	7 to 14 days	15 to 21 days	22 to 30 days	31 to 45 days	46 to 60 days	More than 60 days
Specialty Categories	Family or general medicine	27.3%	9.1%	10.2%	5.7%	10.2%	21.6%	11.4%	1.1%	1.1%	2.3%	.0%
	Ob/gyn	6.3%	.0%	.0%	6.3%	25.0%	25.0%	12.5%	12.5%	.0%	6.3%	6.3%
	Gen internal medicine	9.1%	4.5%	9.1%	9.1%	13.6%	13.6%	9.1%	13.6%	9.1%	4.5%	4.5%
	Gen pediatrics	41.2%	11.8%	5.9%	11.8%	5.9%	11.8%	5.9%	.0%	5.9%	.0%	.0%
	Gen surgery	.0%	5.3%	5.3%	21.1%	21.1%	26.3%	21.1%	.0%	.0%	.0%	.0%
	Medical subspecialty	1.5%	1.5%	7.7%	3.1%	12.3%	40.0%	9.2%	9.2%	6.2%	7.7%	1.5%
	Pediatric subspecialty	.0%	.0%	33.3%	.0%	33.3%	33.3%	.0%	.0%	.0%	.0%	.0%
	Surgical subspecialty	8.7%	.0%	8.7%	4.3%	21.7%	21.7%	21.7%	4.3%	4.3%	4.3%	.0%
	Neurosurgery	.0%	.0%	.0%	25.0%	25.0%	25.0%	.0%	25.0%	.0%	.0%	.0%
	Psychiatry	.0%	.0%	.0%	10.0%	.0%	30.0%	10.0%	30.0%	20.0%	.0%	.0%
	Hospital-based specialty	51.5%	6.1%	3.0%	3.0%	9.1%	15.2%	6.1%	.0%	.0%	.0%	6.1%
	Other	33.3%	.0%	.0%	33.3%	.0%	.0%	.0%	33.3%	.0%	.0%	.0%
<b>Total</b>	<b>18.2%</b>	<b>5.0%</b>	<b>7.3%</b>	<b>6.9%</b>	<b>12.9%</b>	<b>24.4%</b>	<b>10.9%</b>	<b>5.9%</b>	<b>3.6%</b>	<b>3.3%</b>	<b>1.7%</b>	

*Region Eastern*

		How many calendar days are normally required to schedule a non-urgent appointment for established patients at your primary practice?										
		Same day	1 day	2 days	3 days	4 to 6 days	7 to 14 days	15 to 21 days	22 to 30 days	31 to 45 days	46 to 60 days	More than 60 days
Specialty Categories	Family or general medicine	14.7%	11.8%	20.6%	5.9%	2.9%	23.5%	8.8%	2.9%	.0%	5.9%	2.9%
	Ob/gyn	.0%	10.0%	.0%	.0%	10.0%	10.0%	40.0%	.0%	20.0%	.0%	10.0%
	Gen internal medicine	20.0%	5.0%	.0%	5.0%	20.0%	40.0%	.0%	5.0%	.0%	.0%	5.0%
	Gen pediatrics	55.6%	.0%	.0%	11.1%	22.2%	11.1%	.0%	.0%	.0%	.0%	.0%
	Gen surgery	12.5%	.0%	12.5%	.0%	37.5%	12.5%	12.5%	.0%	12.5%	.0%	.0%
	Medical subspecialty	21.4%	.0%	.0%	7.1%	14.3%	21.4%	.0%	21.4%	7.1%	7.1%	.0%
	Pediatric subspecialty	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%
	Surgical subspecialty	.0%	.0%	25.0%	25.0%	25.0%	25.0%	.0%	.0%	.0%	.0%	.0%
	Neurosurgery	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%
	Psychiatry	.0%	.0%	.0%	25.0%	.0%	25.0%	.0%	25.0%	25.0%	.0%	.0%
	Hospital-based specialty	30.0%	20.0%	20.0%	.0%	10.0%	10.0%	.0%	.0%	10.0%	.0%	.0%
	Other	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%	.0%
<b>Total</b>	<b>18.6%</b>	<b>7.1%</b>	<b>9.7%</b>	<b>6.2%</b>	<b>13.3%</b>	<b>22.1%</b>	<b>7.1%</b>	<b>5.3%</b>	<b>5.3%</b>	<b>2.7%</b>	<b>2.7%</b>	

2006 Oregon Physician Workforce Survey

Payer Mix		Proportion Commercial Insurance	Proportion Medicare	Proportion Medicaid or OHP	Proportion Workers' Comp	Proportion Uninsured or Self-pay
What is your employment status at your primary practice?	Full owner (or sole proprietor)	.49	.24	.11	.05	.12
	Part-owner (or shareholder)	.45	.27	.13	.04	.08
	Employee	.37	.24	.19	.04	.13
	Independent contractor	.35	.23	.23	.06	.16
	Volunteer	.10	.45	.35	.00	.29
	Other	.37	.20	.22	.01	.15
Gender	Female	.46	.19	.18	.03	.12
	Male	.41	.27	.14	.05	.11
Age	Under 40 years	.40	.22	.18	.03	.10
	40-49 years	.43	.25	.15	.04	.11
	50-59 years	.44	.25	.14	.05	.11
	60-69 years	.41	.28	.14	.05	.13
	70 years or more	.41	.32	.14	.06	.16
Hispanic, Spanish or Latino	Yes	.42	.18	.19	.04	.11
Race	White	.43	.25	.15	.04	.11
	African-American	.37	.12	.16	.03	.10
	Asian	.40	.27	.14	.04	.09
	Native Hawaiian or Pacific Islander	.66	.05	.31	.03	.02
	American Indian or Alaska Native	.51	.17	.38	.	.07
	Other	.39	.24	.16	.04	.10
	Two or more races	.43	.27	.15	.06	.09
Specialty Categories	Family or general medicine	.43	.21	.16	.04	.13
	Ob/gyn	.55	.11	.20	.00	.09
	Gen internal medicine	.39	.34	.11	.02	.11
	Gen pediatrics	.59	.01	.30	.00	.08
	Gen surgery	.38	.30	.13	.03	.10
	Medical subspecialty	.40	.34	.10	.06	.07
	Pediatric subspecialty	.48	.03	.36	.00	.10
	Surgical subspecialty	.38	.27	.09	.11	.14
	Neurosurgery	.37	.25	.12	.12	.06
	Psychiatry	.57	.13	.19	.02	.19
	Hospital-based specialty	.32	.25	.15	.05	.14
Other	.45	.22	.05	.04	.13	
Region	Portland Metro	.47	.21	.14	.04	.11
	Mid-Willamette Valley	.44	.25	.17	.05	.11
	Northwestern	.28	.30	.20	.03	.09
	Southern	.32	.31	.17	.04	.12
	Eastern	.31	.34	.19	.04	.09
	Southwestern	.30	.40	.18	.03	.09
	Central	.36	.28	.14	.05	.12
	Total	.42	.25	.15	.04	.11

## Second Practice Location

		Do you see patients at more than one practice/clinic location?		
		Yes	No	Total
Gender	Female	20.8%	79.2%	1109
	Male	25.9%	74.1%	2692
Age	Under 40 years	24.2%	75.8%	735
	40-49 years	25.5%	74.5%	1163
	50-59 years	22.9%	77.1%	1255
	60-69 years	25.1%	74.9%	558
	70 years or more	28.9%	71.1%	90
Specialty Categories	Family or general medicine	15.4%	84.6%	713
	Ob/gyn	16.7%	83.3%	228
	Gen internal medicine	8.7%	91.3%	461
	Gen pediatrics	25.0%	75.0%	220
	Gen surgery	21.6%	78.4%	134
	Medical subspecialty	34.1%	65.9%	867
	Pediatric subspecialty	31.4%	68.6%	105
	Surgical subspecialty	27.1%	72.9%	251
	Neurosurgery	25.8%	74.2%	31
	Psychiatry	34.8%	65.2%	201
	Hospital-based specialty	30.6%	69.4%	572
Other	33.3%	66.7%	18	
Region	Portland Metro	24.5%	75.5%	1996
	Mid-Willamette Valley	22.2%	77.8%	783
	Northwestern	14.9%	85.1%	87
	Southern	21.3%	78.7%	394
	Eastern	26.3%	73.7%	118
	Southwestern	26.4%	73.6%	91
	Central	34.0%	66.0%	332
Region Total	Total	24.4%	75.6%	3801

**Second Practice Location: Patient Volume**

		In a typical week, how many patients do you see in your second practice setting?								Total
		0 patients	1 to 25 patients	26 to 50 patients	51 to 75 patients	76 to 100 patients	101 to 200 patients	More than 200 patients	Does not apply	
Gender	Female	4.3%	76.5%	10.9%	2.6%	.0%	.0%	.0%	5.7%	230
	Male	4.5%	68.9%	12.1%	5.8%	.4%	1.0%	1.2%	6.1%	687
Age	Under 40 years	2.3%	73.9%	13.1%	3.4%	.6%	.0%	.0%	6.8%	176
	40-49 years	4.8%	72.0%	12.3%	4.4%	.3%	.7%	.7%	4.8%	293
	50-59 years	4.2%	68.6%	11.1%	7.7%	.3%	.3%	1.7%	5.9%	287
	60-69 years	8.1%	66.7%	11.1%	3.0%	.0%	3.0%	.7%	7.4%	135
	70 years or more	.0%	80.8%	7.7%	3.8%	.0%	.0%	.0%	7.7%	26
Specialty Categories	Family or general medicine	1.8%	80.7%	9.2%	4.6%	.9%	.9%	.0%	1.8%	109
	Ob/gyn	2.6%	71.8%	20.5%	2.6%	.0%	.0%	.0%	2.6%	39
	Gen internal medicine	5.6%	77.8%	11.1%	2.8%	.0%	2.8%	.0%	.0%	36
	Gen pediatrics	10.9%	72.7%	9.1%	.0%	.0%	.0%	.0%	7.3%	55
	Gen surgery	3.3%	80.0%	13.3%	.0%	.0%	.0%	.0%	3.3%	30
	Medical subspecialty	5.2%	69.0%	15.7%	7.7%	.3%	.3%	.0%	1.7%	287
	Pediatric subspecialty	6.1%	84.8%	3.0%	3.0%	.0%	.0%	.0%	3.0%	33
	Surgical subspecialty	.0%	83.6%	10.4%	3.0%	.0%	.0%	.0%	3.0%	67
	Neurosurgery	.0%	87.5%	.0%	.0%	.0%	.0%	.0%	12.5%	8
	Psychiatry	4.3%	89.9%	4.3%	.0%	.0%	.0%	.0%	1.4%	69
Hospital-based specialty	4.5%	47.8%	11.8%	7.9%	.6%	2.2%	4.5%	20.8%	178	
Other	16.7%	83.3%	.0%	.0%	.0%	.0%	.0%	.0%	6	
Region	Portland Metro	5.6%	72.8%	11.3%	4.2%	.4%	.6%	.2%	4.8%	478
	Mid-Willamette Valley	4.5%	65.4%	12.3%	6.7%	.6%	1.1%	1.7%	7.8%	179
	Northwestern	8.3%	75.0%	8.3%	8.3%	.0%	.0%	.0%	.0%	12
	Southern	4.9%	57.3%	13.4%	6.1%	.0%	1.2%	3.7%	13.4%	82
	Eastern	.0%	76.7%	20.0%	.0%	.0%	3.3%	.0%	.0%	30
	Southwestern	.0%	72.0%	8.0%	12.0%	.0%	.0%	.0%	8.0%	25
Central	.9%	78.4%	10.8%	4.5%	.0%	.0%	.9%	4.5%	111	
Region Total	Total	4.5%	70.8%	11.8%	5.0%	.3%	.8%	.9%	6.0%	917

2006 Oregon Physician Workforce Survey

Currently Accepting Medicare-Statewide		To what extent is your primary practice accepting new Medicare patients?					Total
		No limitations, practice is open to all new Medicare patient	Accept new Medicare FFS, but not Medicare Advantage	Accept new Medicare Advantage, but not Medicare FFS	Limit both Medicare Advantage and Medicare FFS	Completely closed to all new Medicare patients	
Gender	Female	65.1%	1.2%	1.9%	10.2%	21.6%	727
	Male	66.7%	1.7%	3.3%	13.0%	15.4%	1875
Age	Under 40 years	72.6%	1.1%	1.7%	10.2%	14.5%	463
	40-49 years	64.8%	1.7%	3.3%	12.8%	17.3%	779
	50-59 years	63.2%	1.8%	3.4%	12.6%	19.0%	880
	60-69 years	67.3%	1.2%	2.7%	13.9%	14.9%	404
	70 years or more	71.1%	2.6%	.0%	5.3%	21.1%	76
Specialty Categories	Family or general medicine	46.3%	2.0%	5.7%	20.6%	25.4%	685
	Ob/gyn	77.0%	1.0%	1.0%	14.4%	6.7%	209
	Gen internal medicine	55.6%	2.5%	5.2%	11.4%	25.3%	367
	Gen surgery	88.8%	.9%	.9%	4.7%	4.7%	107
	Medical subspecialty	85.4%	1.0%	1.3%	5.9%	6.5%	799
	Surgical subspecialty	81.8%	1.4%	.5%	11.2%	5.1%	214
	Neurosurgery	75.0%	3.6%	.0%	21.4%	.0%	28
	Psychiatry	34.1%	.6%	1.7%	12.5%	51.1%	176
Other	47.1%	11.8%	.0%	5.9%	35.3%	17	
Region	Portland Metro	67.7%	1.9%	3.0%	10.2%	17.1%	1280
	Mid-Willamette Valley	60.9%	1.1%	2.6%	15.1%	20.2%	568
	Northwestern	76.1%	3.0%	.0%	6.0%	14.9%	67
	Southern	68.4%	.7%	4.5%	11.8%	14.6%	288
	Eastern	64.4%	2.2%	.0%	21.1%	12.2%	90
	Southwestern	66.7%	4.8%	3.2%	12.7%	12.7%	63
	Central	65.9%	.8%	2.4%	14.6%	16.3%	246
Medicare Total	Total	66.2%	1.6%	2.9%	12.2%	17.1%	2602

2006 Oregon Physician Workforce Survey

Region Portland Metro

		To what extent is your primary practice accepting new Medicare patients?					
		No limitations, practice is open to all new Medicare patient	Accept new Medicare FFS, but not Medicare Advantage	Accept new Medicare Advantage, but not Medicare FFS	Limit both Medicare Advantage and Medicare FFS	Completely closed to all new Medicare patients	Total
Gender	Female	67.0%	1.7%	1.9%	8.3%	21.1%	421
	Male	68.1%	2.0%	3.6%	11.2%	15.1%	859
Age	Under 40 years	73.5%	1.6%	.8%	10.2%	13.9%	245
	40-49 years	66.8%	2.1%	4.0%	10.2%	16.9%	373
	50-59 years	65.6%	1.9%	4.0%	10.0%	18.5%	422
	60-69 years	66.8%	1.0%	2.5%	12.6%	17.1%	199
	70 years or more	68.3%	4.9%	.0%	2.4%	24.4%	41
Specialty Categories	Family or general medicine	46.9%	2.1%	6.7%	18.0%	26.4%	239
	Ob/gyn	83.3%	.9%	.9%	12.0%	2.8%	108
	Gen internal medicine	54.5%	3.8%	5.7%	9.6%	26.3%	209
	Gen surgery	91.1%	.0%	2.2%	4.4%	2.2%	45
	Medical subspecialty	85.5%	.9%	1.3%	5.3%	6.9%	449
	Surgical subspecialty	80.2%	3.0%	.0%	10.9%	5.9%	101
	Neurosurgery	68.8%	6.3%	.0%	25.0%	.0%	16
	Psychiatry	28.8%	1.0%	2.9%	13.5%	53.8%	104
Other	44.4%	11.1%	.0%	.0%	44.4%	9	
Medicare Total	Total	67.7%	1.9%	3.0%	10.2%	17.1%	1280



2006 Oregon Physician Workforce Survey

**Region Mid-Willamette Valley**

		To what extent is your primary practice accepting new Medicare patients?					Total
		No limitations, practice is open to all new Medicare patient	Accept new Medicare FFS, but not Medicare Advantage	Accept new Medicare Advantage, but not Medicare FFS	Limit both Medicare Advantage and Medicare FFS	Completely closed to all new Medicare patients	
Gender	Female	55.9%	.7%	2.8%	15.4%	25.2%	143
	Male	62.6%	1.2%	2.6%	15.1%	18.6%	425
Age	Under 40 years	67.0%	1.1%	3.4%	11.4%	17.0%	88
	40-49 years	57.5%	1.1%	2.2%	17.7%	21.5%	186
	50-59 years	59.5%	.9%	3.3%	13.5%	22.8%	215
	60-69 years	66.2%	1.5%	1.5%	17.6%	13.2%	68
	70 years or more	63.6%	.0%	.0%	18.2%	18.2%	11
Specialty Categories	Family or general medicine	39.1%	1.6%	4.9%	26.1%	28.3%	184
	Ob/gyn	68.8%	2.1%	2.1%	20.8%	6.3%	48
	Gen internal medicine	50.8%	.0%	5.1%	10.2%	33.9%	59
	Gen surgery	95.2%	.0%	.0%	.0%	4.8%	21
	Medical subspecialty	83.5%	1.3%	1.3%	6.3%	7.6%	158
	Surgical subspecialty	79.6%	.0%	.0%	12.2%	8.2%	49
	Neurosurgery	50.0%	.0%	.0%	50.0%	.0%	4
Psychiatry	38.6%	.0%	.0%	9.1%	52.3%	44	
Medicare Total	Total	60.9%	1.1%	2.6%	15.1%	20.2%	568

2006 Oregon Physician Workforce Survey

**Region Northwestern**

		To what extent is your primary practice accepting new Medicare patients?					Total
		No limitations, practice is open to all new Medicare patient	Accept new Medicare FFS, but not Medicare Advantage	Accept new Medicare Advantage, but not Medicare FFS	Limit both Medicare Advantage and Medicare FFS	Completely closed to all new Medicare patients	
Gender	Female	87.5%	.0%	.0%	.0%	12.5%	16
	Male	72.5%	3.9%	.0%	7.8%	15.7%	51
Age	Under 40 years	64.3%	.0%	.0%	7.1%	28.6%	14
	40-49 years	54.5%	9.1%	.0%	9.1%	27.3%	11
	50-59 years	77.3%	4.5%	.0%	9.1%	9.1%	22
	60-69 years	94.4%	.0%	.0%	.0%	5.6%	18
	70 years or more	100.0%	.0%	.0%	.0%	.0%	2
Specialty Categories	Family or general medicine	64.5%	6.5%	.0%	3.2%	25.8%	31
	Ob/gyn	100.0%	.0%	.0%	.0%	.0%	5
	Gen internal medicine	71.4%	.0%	.0%	14.3%	14.3%	14
	Gen surgery	100.0%	.0%	.0%	.0%	.0%	3
	Medical subspecialty	87.5%	.0%	.0%	12.5%	.0%	8
	Surgical subspecialty	100.0%	.0%	.0%	.0%	.0%	4
	Neurosurgery	.0%	.0%	.0%	.0%	.0%	0
Psychiatry	100.0%	.0%	.0%	.0%	.0%	2	
Medicare Total	Total	76.1%	3.0%	.0%	6.0%	14.9%	67

2006 Oregon Physician Workforce Survey

**Region Southwestern**

		To what extent is your primary practice accepting new Medicare patients?					Total
		No limitations, practice is open to all new Medicare patient	Accept new Medicare FFS, but not Medicare Advantage	Accept new Medicare Advantage, but not Medicare FFS	Limit both Medicare Advantage and Medicare FFS	Completely closed to all new Medicare patients	
Gender	Female	66.7%	8.3%	8.3%	.0%	16.7%	12
	Male	66.7%	3.9%	2.0%	15.7%	11.8%	51
Age	Under 40 years	45.5%	.0%	9.1%	9.1%	36.4%	11
	40-49 years	77.8%	.0%	5.6%	11.1%	5.6%	18
	50-59 years	61.9%	9.5%	.0%	19.0%	9.5%	21
	60-69 years	70.0%	10.0%	.0%	10.0%	10.0%	10
	70 years or more	100.0%	.0%	.0%	.0%	.0%	3
Specialty Categories	Family or general medicine	33.3%	4.8%	9.5%	28.6%	23.8%	21
	Ob/gyn	100.0%	.0%	.0%	.0%	.0%	3
	Gen internal medicine	60.0%	10.0%	.0%	10.0%	20.0%	10
	Gen surgery	100.0%	.0%	.0%	.0%	.0%	2
	Medical subspecialty	88.9%	5.6%	.0%	5.6%	.0%	18
	Surgical subspecialty	100.0%	.0%	.0%	.0%	.0%	5
	Neurosurgery	.0%	.0%	.0%	.0%	.0%	0
Psychiatry	66.7%	.0%	.0%	.0%	33.3%	3	
Medicare Total	Total	66.7%	4.8%	3.2%	12.7%	12.7%	63

2006 Oregon Physician Workforce Survey

**Region Southern**

		To what extent is your primary practice accepting new Medicare patients?					Total
		No limitations, practice is open to all new Medicare patient	Accept new Medicare FFS, but not Medicare Advantage	Accept new Medicare Advantage, but not Medicare FFS	Limit both Medicare Advantage and Medicare FFS	Completely closed to all new Medicare patients	
Gender	Female	66.7%	.0%	.0%	10.0%	23.3%	60
	Male	68.9%	.9%	5.7%	12.3%	12.3%	228
Age	Under 40 years	75.6%	.0%	.0%	12.2%	12.2%	41
	40-49 years	68.7%	.0%	6.0%	12.0%	13.3%	83
	50-59 years	65.7%	2.0%	4.0%	12.1%	16.2%	99
	60-69 years	66.1%	.0%	6.8%	11.9%	15.3%	59
	70 years or more	83.3%	.0%	.0%	.0%	16.7%	6
Specialty Categories	Family or general medicine	48.3%	2.3%	9.2%	18.4%	21.8%	87
	Ob/gyn	73.7%	.0%	.0%	10.5%	15.8%	19
	Gen internal medicine	57.1%	.0%	5.7%	22.9%	14.3%	35
	Gen surgery	84.6%	.0%	.0%	.0%	15.4%	13
	Medical subspecialty	88.5%	.0%	2.3%	4.6%	4.6%	87
	Surgical subspecialty	86.2%	.0%	3.4%	6.9%	3.4%	29
	Neurosurgery	100.0%	.0%	.0%	.0%	.0%	4
Psychiatry	20.0%	.0%	.0%	20.0%	60.0%	10	
Medicare Total	Total	68.4%	.7%	4.5%	11.8%	14.6%	288

**Region Central**

		To what extent is your primary practice accepting new Medicare patients?					Total
		No limitations, practice is open to all new Medicare patient	Accept new Medicare FFS, but not Medicare Advantage	Accept new Medicare Advantage, but not Medicare FFS	Limit both Medicare Advantage and Medicare FFS	Completely closed to all new Medicare patients	
Gender	Female	63.2%	.0%	1.8%	14.0%	21.1%	57
	Male	66.7%	1.1%	2.6%	14.8%	14.8%	189
Age	Under 40 years	79.2%	.0%	4.2%	8.3%	8.3%	48
	40-49 years	69.4%	1.2%	1.2%	11.8%	16.5%	85
	50-59 years	53.6%	1.4%	2.9%	20.3%	21.7%	69
	60-69 years	63.9%	.0%	2.8%	19.4%	13.9%	36
	70 years or more	62.5%	.0%	.0%	12.5%	25.0%	8
Specialty Categories	Family or general medicine	52.2%	.0%	4.4%	20.0%	23.3%	90
	Ob/gyn	62.5%	.0%	.0%	6.3%	31.3%	16
	Gen internal medicine	47.6%	.0%	9.5%	9.5%	33.3%	21
	Gen surgery	76.5%	5.9%	.0%	11.8%	5.9%	17
	Medical subspecialty	86.2%	.0%	.0%	9.2%	4.6%	65
	Surgical subspecialty	77.3%	.0%	.0%	22.7%	.0%	22
	Neurosurgery	100.0%	.0%	.0%	.0%	.0%	4
Psychiatry	55.6%	.0%	.0%	11.1%	33.3%	9	
Medicare Total	Total	65.9%	.8%	2.4%	14.6%	16.3%	246

**Region Eastern**

		To what extent is your primary practice accepting new Medicare patients?					Total
		No limitations, practice is open to all new Medicare patient	Accept new Medicare FFS, but not Medicare Advantage	Accept new Medicare Advantage, but not Medicare FFS	Limit both Medicare Advantage and Medicare FFS	Completely closed to all new Medicare patients	
Gender	Female	72.2%	.0%	.0%	16.7%	11.1%	18
	Male	62.5%	2.8%	.0%	22.2%	12.5%	72
Age	Under 40 years	87.5%	.0%	.0%	6.3%	6.3%	16
	40-49 years	56.5%	4.3%	.0%	26.1%	13.0%	23
	50-59 years	59.4%	.0%	.0%	25.0%	15.6%	32
	60-69 years	57.1%	7.1%	.0%	28.6%	7.1%	14
	70 years or more	80.0%	.0%	.0%	.0%	20.0%	5
Specialty Categories	Family or general medicine	51.5%	3.0%	.0%	27.3%	18.2%	33
	Ob/gyn	60.0%	.0%	.0%	40.0%	.0%	10
	Gen internal medicine	73.7%	.0%	.0%	15.8%	10.5%	19
	Gen surgery	83.3%	.0%	.0%	16.7%	.0%	6
	Medical subspecialty	71.4%	7.1%	.0%	7.1%	14.3%	14
	Surgical subspecialty	100.0%	.0%	.0%	.0%	.0%	4
	Neurosurgery	.0%	.0%	.0%	.0%	.0%	0
Psychiatry	50.0%	.0%	.0%	25.0%	25.0%	4	
Medicare Total	Total	64.4%	2.2%	.0%	21.1%	12.2%	90

## Medicare Acceptance by Practice Characteristics

		To what extent is your primary practice accepting new Medicare patients?					
		No limitations, practice is open to all new Medicare patient	Accept new Medicare FFS, but not Medicare Advantage	Accept new Medicare Advantage, but not Medicare FFS	Limit both Medicare Advantage and Medicare FFS	Completely closed to all new Medicare patients	Total
Which of the following best describes your primary practice setting:	Private clinic or office	62.1%	1.7%	3.4%	14.3%	18.4%	2002
	Community clinic/public health clinic	82.7%	.0%	.0%	6.8%	10.5%	133
	Hospital-based ambulatory care clinic	83.6%	1.1%	1.1%	5.8%	8.5%	189
	Urgent care clinic	80.5%	2.4%	.0%	4.9%	12.2%	41
	Other (Specify )	72.9%	1.9%	2.8%	4.7%	17.8%	107
What is the size of your primary practice?	Solo practice	55.3%	2.8%	1.7%	14.2%	26.0%	647
	Partnership (2 physicians)	63.3%	.5%	2.3%	14.2%	19.7%	218
	Group practice (3 to 10 physicians)	71.5%	1.2%	2.7%	10.7%	13.9%	922
	Group practice (11 to 50 physicians)	69.9%	1.9%	3.2%	13.3%	11.7%	375
	Group practice (More than 50 physicians)	70.0%	.5%	5.2%	11.0%	13.3%	420
How your primary practice is organized:	Single-specialty practice	66.0%	1.7%	2.3%	12.4%	17.6%	1770
	Multi-specialty practice	66.0%	1.1%	4.6%	12.5%	15.8%	721
	Other	71.6%	2.1%	1.1%	7.4%	17.9%	95
What is your employment status at your primary practice?	Full owner (or sole proprietor)	54.0%	2.6%	2.1%	16.0%	25.3%	720
	Part-owner (or shareholder)	62.9%	1.6%	5.1%	15.3%	15.1%	823
	Employee	77.3%	.8%	1.8%	7.4%	12.7%	931
	Independent contractor	76.3%	1.3%	1.3%	7.5%	13.8%	80
	Volunteer	62.5%	.0%	.0%	.0%	37.5%	8
	Other	78.8%	3.0%	.0%	.0%	18.2%	33
Employment Status Total	Total	66.2%	1.6%	2.9%	12.2%	17.1%	2595

### Medicare: Importance of Administrative Requirements in Decision to Limit

		How important were Medicare admin requirement in your decision to limit or close your primary practice to new Medicare patients?			
		Not important	Somewhat important	Very important	Total
Age	Under 40 years	22.2%	39.3%	38.5%	117
	40-49 years	19.6%	38.0%	42.4%	245
	50-59 years	19.6%	34.7%	45.6%	285
	60-69 years	24.8%	37.6%	37.6%	125
	70 years or more	7.1%	35.7%	57.1%	14
Specialty Categories	Family or general medicine	21.7%	39.5%	38.9%	337
	Ob/gyn	16.7%	31.0%	52.4%	42
	Gen internal medicine	24.0%	41.8%	34.2%	146
	Gen surgery	10.0%	60.0%	30.0%	10
	Medical subspecialty	24.5%	33.0%	42.6%	94
	Surgical subspecialty	20.5%	35.9%	43.6%	39
	Neurosurgery	.0%	83.3%	16.7%	6
	Psychiatry	13.6%	22.3%	64.1%	103
	Other	11.1%	44.4%	44.4%	9
Region	Portland Metro	18.0%	35.7%	46.3%	361
	Mid-Willamette Valley	22.6%	38.2%	39.2%	199
	Northwestern	37.5%	37.5%	25.0%	16
	Southern	20.7%	39.1%	40.2%	87
	Eastern	25.0%	32.1%	42.9%	28
	Southwestern	19.0%	23.8%	57.1%	21
	Central	23.0%	41.9%	35.1%	74
Which of the following best describes your primary practice setting:	Private clinic or office	18.6%	38.1%	43.3%	709
	Community clinic/public health clinic	40.0%	20.0%	40.0%	15
	Hospital-based ambulatory care clinic	65.2%	21.7%	13.0%	23
	Urgent care clinic	.0%	37.5%	62.5%	8
	Other (Specify )	38.5%	7.7%	53.8%	13
What is the size of your primary practice?	Solo practice	13.2%	32.4%	54.4%	272
	Partnership (2 physicians)	23.0%	32.4%	44.6%	74
	Group practice (3 to 10 physicians)	22.7%	39.5%	37.8%	233
	Group practice (11 to 50 physicians)	23.8%	48.6%	27.6%	105
	Group practice (More than 50 physicians)	30.5%	34.7%	34.7%	95
How your primary practice is organized:	Single-specialty practice	18.3%	34.6%	47.0%	557
	Multi-specialty practice	28.2%	42.7%	29.1%	206
	Other	10.5%	42.1%	47.4%	19
What is your employment status at your primary practice?	Full owner (or sole proprietor)	15.0%	31.9%	53.1%	320
	Part-owner (or shareholder)	21.2%	43.4%	35.4%	288
	Employee	30.5%	35.1%	34.4%	154
	Independent contractor	8.3%	50.0%	41.7%	12
Employment Status Total	Total	20.6%	36.7%	42.7%	782



**Medicare: Importance of Need to Balance Payer Sources in Decision to Limit**

		How important was need to balance payer sources in your decision to limit or close your primary practice to new Medicare patients?			
		Not important	Somewhat important	Very important	Total
Age	Under 40 years	18.5%	20.2%	61.3%	119
	40-49 years	19.6%	21.2%	59.2%	245
	50-59 years	17.9%	21.9%	60.2%	279
	60-69 years	25.0%	27.4%	47.6%	124
	70 years or more	33.3%	33.3%	33.3%	12
Specialty Categories	Family or general medicine	18.1%	27.6%	54.3%	337
	Ob/gyn	20.9%	14.0%	65.1%	43
	Gen internal medicine	18.9%	17.5%	63.6%	143
	Gen surgery	10.0%	10.0%	80.0%	10
	Medical subspecialty	20.7%	25.0%	54.3%	92
	Surgical subspecialty	5.4%	16.2%	78.4%	37
	Neurosurgery	16.7%	.0%	83.3%	6
	Psychiatry	33.3%	17.6%	49.0%	102
	Other	11.1%	33.3%	55.6%	9
Region	Portland Metro	18.8%	23.5%	57.7%	357
	Mid-Willamette Valley	24.7%	23.2%	52.0%	198
	Northwestern	43.8%	18.8%	37.5%	16
	Southern	16.1%	20.7%	63.2%	87
	Eastern	17.9%	17.9%	64.3%	28
	Southwestern	23.8%	23.8%	52.4%	21
	Central	11.1%	19.4%	69.4%	72
Which of the following best describes your primary practice setting:	Private clinic or office	16.9%	22.9%	60.2%	704
	Community clinic/public health clinic	46.7%	26.7%	26.7%	15
	Hospital-based ambulatory care clinic	65.2%	13.0%	21.7%	23
	Urgent care clinic	.0%	42.9%	57.1%	7
	Other (Specify )	72.7%	18.2%	9.1%	11
What is the size of your primary practice?	Solo practice	20.4%	19.3%	60.2%	269
	Partnership (2 physicians)	18.3%	23.9%	57.7%	71
	Group practice (3 to 10 physicians)	18.5%	25.3%	56.2%	233
	Group practice (11 to 50 physicians)	16.0%	25.5%	58.5%	106
	Group practice (More than 50 physicians)	25.8%	19.4%	54.8%	93
How your primary practice is organized:	Single-specialty practice	18.8%	21.4%	59.8%	552
	Multi-specialty practice	22.5%	24.0%	53.4%	204
	Other	21.1%	36.8%	42.1%	19
What is your employment status at your primary practice?	Full owner (or sole proprietor)	18.6%	20.2%	61.2%	317
	Part-owner (or shareholder)	13.0%	23.6%	63.4%	284
	Employee	34.4%	24.7%	40.9%	154
	Independent contractor	8.3%	33.3%	58.3%	12
Employment Status Total	Total	19.9%	22.5%	57.7%	775

**Medicare: Importance of Complex Patient Needs in Decision to Limit**

		How important were complex needs of patients in your decision to limit or close your primary practice to new Medicare patients?			
		Not important	Somewhat important	Very important	Total
Age	Under 40 years	39.3%	32.5%	28.2%	117
	40-49 years	44.2%	30.6%	25.2%	242
	50-59 years	44.9%	36.1%	19.0%	274
	60-69 years	45.2%	29.8%	25.0%	124
	70 years or more	36.4%	45.5%	18.2%	11
Specialty Categories	Family or general medicine	37.0%	38.0%	25.0%	332
	Ob/gyn	37.2%	30.2%	32.6%	43
	Gen internal medicine	48.9%	30.5%	20.6%	141
	Gen surgery	50.0%	10.0%	40.0%	10
	Medical subspecialty	54.5%	26.1%	19.3%	88
	Surgical subspecialty	37.8%	29.7%	32.4%	37
	Neurosurgery	33.3%	33.3%	33.3%	6
	Psychiatry	55.9%	28.4%	15.7%	102
Other	22.2%	55.6%	22.2%	9	
Region	Portland Metro	45.4%	31.0%	23.6%	348
	Mid-Willamette Valley	48.7%	32.8%	18.5%	195
	Northwestern	50.0%	50.0%	.0%	16
	Southern	29.9%	40.2%	29.9%	87
	Eastern	35.7%	32.1%	32.1%	28
	Southwestern	42.9%	28.6%	28.6%	21
	Central	41.1%	31.5%	27.4%	73
Which of the following best describes your primary practice setting:	Private clinic or office	40.8%	35.2%	24.1%	694
	Community clinic/public health clinic	60.0%	13.3%	26.7%	15
	Hospital-based ambulatory care clinic	78.3%	13.0%	8.7%	23
	Urgent care clinic	42.9%	14.3%	42.9%	7
	Other (Specify )	81.8%	9.1%	9.1%	11
What is the size of your primary practice?	Solo practice	36.7%	32.6%	30.7%	267
	Partnership (2 physicians)	38.9%	31.9%	29.2%	72
	Group practice (3 to 10 physicians)	37.4%	41.0%	21.6%	227
	Group practice (11 to 50 physicians)	54.4%	30.1%	15.5%	103
	Group practice (More than 50 physicians)	71.7%	17.4%	10.9%	92
How your primary practice is organized:	Single-specialty practice	37.9%	35.3%	26.8%	544
	Multi-specialty practice	57.9%	27.7%	14.4%	202
	Other	52.6%	26.3%	21.1%	19
What is your employment status at your primary practice?	Full owner (or sole proprietor)	37.8%	34.3%	27.9%	315
	Part-owner (or shareholder)	43.5%	36.7%	19.8%	278
	Employee	56.6%	24.3%	19.1%	152
	Independent contractor	33.3%	41.7%	25.0%	12
Employment Status Total	Total	43.8%	33.0%	23.2%	764

**Medicare: Importance of Cost or Availability of Medical Liability Insurance in Decision to Limit**

		How important was cost or availability of professional liability insurance in your decision to limit or close your primary practice to new Workers Comp patients?			
		Not important	Somewhat important	Very important	Total
Age	Under 40 years	65.8%	19.1%	15.1%	152
	40-49 years	72.7%	14.3%	13.0%	300
	50-59 years	72.3%	19.4%	8.3%	350
	60-69 years	71.2%	19.0%	9.8%	163
	70 years or more	69.6%	21.7%	8.7%	23
Specialty Categories	Family or general medicine	79.8%	15.1%	5.1%	312
	Ob/gyn	55.2%	20.7%	24.1%	58
	Gen internal medicine	71.6%	17.4%	11.1%	190
	Gen surgery	61.5%	30.8%	7.7%	13
	Medical subspecialty	65.3%	20.0%	14.7%	225
	Surgical subspecialty	50.8%	30.2%	19.0%	63
	Neurosurgery	28.6%	42.9%	28.6%	7
	Psychiatry	82.1%	9.8%	8.0%	112
	Other	62.5%	25.0%	12.5%	8
Region	Portland Metro	69.1%	18.6%	12.3%	456
	Mid-Willamette Valley	74.1%	16.5%	9.4%	255
	Northwestern	80.0%	10.0%	10.0%	20
	Southern	68.2%	19.7%	12.1%	132
	Eastern	65.5%	24.1%	10.3%	29
	Southwestern	80.6%	9.7%	9.7%	31
	Central	75.4%	16.9%	7.7%	65
Which of the following best describes your primary practice setting:	Private clinic or office	68.6%	19.9%	11.5%	824
	Community clinic/public health clinic	83.3%	4.2%	12.5%	48
	Hospital-based ambulatory care clinic	86.9%	8.2%	4.9%	61
	Urgent care clinic	66.7%	33.3%	.0%	3
	Other (Specify )	87.0%	8.7%	4.3%	23
What is the size of your primary practice?	Solo practice	70.9%	20.1%	9.0%	323
	Partnership (2 physicians)	71.4%	17.9%	10.7%	84
	Group practice (3 to 10 physicians)	69.1%	17.7%	13.2%	333
	Group practice (11 to 50 physicians)	74.6%	13.8%	11.5%	130
	Group practice (More than 50 physicians)	73.2%	17.0%	9.8%	112
How your primary practice is organized:	Single-specialty practice	70.2%	18.3%	11.5%	721
	Multi-specialty practice	72.6%	17.3%	10.1%	237
	Other	84.0%	8.0%	8.0%	25
What is your employment status at your primary practice?	Full owner (or sole proprietor)	68.3%	21.5%	10.2%	363
	Part-owner (or shareholder)	66.7%	19.9%	13.4%	291
	Employee	78.0%	11.5%	10.5%	286
	Independent contractor	75.0%	14.3%	10.7%	28
Employment Status Total	Total	71.1%	17.8%	11.1%	984

**Medicare: Importance of Non-Compliance of Patients in Decision to Limit**

		How important was non-compliance of patients in your decision to limit or close your primary practice to new Medicare patients?			
		Not important	Somewhat important	Very important	Total
Age	Under 40 years	79.8%	14.9%	5.3%	114
	40-49 years	80.3%	13.9%	5.7%	244
	50-59 years	84.3%	14.2%	1.5%	274
	60-69 years	82.5%	12.5%	5.0%	120
	70 years or more	75.0%	25.0%	.0%	12
Specialty Categories	Family or general medicine	83.6%	14.2%	2.1%	330
	Ob/gyn	71.4%	21.4%	7.1%	42
	Gen internal medicine	85.7%	10.7%	3.6%	140
	Gen surgery	70.0%	20.0%	10.0%	10
	Medical subspecialty	81.1%	13.3%	5.6%	90
	Surgical subspecialty	70.3%	21.6%	8.1%	37
	Neurosurgery	83.3%	16.7%	.0%	6
	Psychiatry	81.0%	13.0%	6.0%	100
	Other	88.9%	11.1%	.0%	9
Region	Portland Metro	78.0%	16.5%	5.5%	345
	Mid-Willamette Valley	86.2%	10.8%	3.1%	195
	Northwestern	100.0%	.0%	.0%	16
	Southern	79.1%	18.6%	2.3%	86
	Eastern	89.3%	10.7%	.0%	28
	Southwestern	81.0%	14.3%	4.8%	21
	Central	86.3%	11.0%	2.7%	73
Which of the following best describes your primary practice setting:	Private clinic or office	80.8%	15.0%	4.2%	692
	Community clinic/public health clinic	86.7%	6.7%	6.7%	15
	Hospital-based ambulatory care clinic	95.2%	4.8%	.0%	21
	Urgent care clinic	71.4%	28.6%	.0%	7
	Other (Specify )	100.0%	.0%	.0%	11
What is the size of your primary practice?	Solo practice	77.8%	18.0%	4.1%	266
	Partnership (2 physicians)	78.3%	17.4%	4.3%	69
	Group practice (3 to 10 physicians)	82.0%	13.2%	4.8%	228
	Group practice (11 to 50 physicians)	81.4%	14.7%	3.9%	102
	Group practice (More than 50 physicians)	96.7%	2.2%	1.1%	92
How your primary practice is organized:	Single-specialty practice	80.0%	15.3%	4.6%	541
	Multi-specialty practice	86.1%	11.9%	2.0%	201
	Other	89.5%	5.3%	5.3%	19
What is your employment status at your primary practice?	Full owner (or sole proprietor)	78.9%	16.9%	4.2%	313
	Part-owner (or shareholder)	82.1%	13.3%	4.7%	279
	Employee	88.6%	9.4%	2.0%	149
	Independent contractor	75.0%	16.7%	8.3%	12
Employment Status Total	Total	82.0%	14.1%	3.9%	760

**Medicare: Importance of Patient Load in Decision to Limit**

		How important was patient load in your decision to limit or close your primary practice to new Medicare patients?			
		Not important	Somewhat important	Very important	Total
Age	Under 40 years	37.1%	36.2%	26.7%	116
	40-49 years	41.2%	28.6%	30.2%	245
	50-59 years	35.8%	35.4%	28.8%	274
	60-69 years	34.7%	40.5%	24.8%	121
	70 years or more	64.3%	7.1%	28.6%	14
Specialty Categories	Family or general medicine	34.9%	38.0%	27.1%	332
	Ob/gyn	35.7%	38.1%	26.2%	42
	Gen internal medicine	34.5%	35.2%	30.3%	142
	Gen surgery	30.0%	40.0%	30.0%	10
	Medical subspecialty	46.7%	23.9%	29.3%	92
	Surgical subspecialty	32.4%	37.8%	29.7%	37
	Neurosurgery	50.0%	16.7%	33.3%	6
	Psychiatry	46.0%	26.0%	28.0%	100
	Other	66.7%	.0%	33.3%	9
Region	Portland Metro	41.6%	32.2%	26.2%	351
	Mid-Willamette Valley	41.5%	31.3%	27.2%	195
	Northwestern	37.5%	18.8%	43.8%	16
	Southern	30.2%	37.2%	32.6%	86
	Eastern	25.0%	53.6%	21.4%	28
	Southwestern	14.3%	33.3%	52.4%	21
	Central	32.9%	38.4%	28.8%	73
Which of the following best describes your primary practice setting:	Private clinic or office	37.3%	35.0%	27.8%	695
	Community clinic/public health clinic	46.7%	20.0%	33.3%	15
	Hospital-based ambulatory care clinic	34.8%	13.0%	52.2%	23
	Urgent care clinic	14.3%	71.4%	14.3%	7
	Other (Specify )	83.3%	8.3%	8.3%	12
What is the size of your primary practice?	Solo practice	39.7%	35.2%	25.1%	267
	Partnership (2 physicians)	33.8%	36.5%	29.7%	74
	Group practice (3 to 10 physicians)	32.9%	36.4%	30.7%	228
	Group practice (11 to 50 physicians)	29.4%	33.3%	37.3%	102
	Group practice (More than 50 physicians)	54.3%	22.8%	22.8%	92
How your primary practice is organized:	Single-specialty practice	37.0%	34.7%	28.3%	548
	Multi-specialty practice	40.0%	30.5%	29.5%	200
	Other	42.1%	42.1%	15.8%	19
What is your employment status at your primary practice?	Full owner (or sole proprietor)	38.9%	33.9%	27.2%	316
	Part-owner (or shareholder)	36.1%	35.4%	28.6%	280
	Employee	36.4%	30.5%	33.1%	151
	Independent contractor	58.3%	33.3%	8.3%	12
Employment Status Total	Total	38.0%	33.6%	28.5%	766

### Medicare: Importance of Reimbursement Rates in Decision to Limit

		How important were reimbursement rates in your decision to limit or close your primary practice to new Medicare patients?			
		Not important	Somewhat important	Very important	Total
Age	Under 40 years	10.2%	11.9%	78.0%	118
	40-49 years	8.5%	9.3%	82.3%	248
	50-59 years	6.4%	9.2%	84.5%	283
	60-69 years	8.6%	8.6%	82.8%	128
	70 years or more	14.3%	35.7%	50.0%	14
Specialty Categories	Family or general medicine	7.6%	11.4%	80.9%	341
	Ob/gyn	2.4%	9.5%	88.1%	42
	Gen internal medicine	11.0%	5.5%	83.4%	145
	Gen surgery	10.0%	.0%	90.0%	10
	Medical subspecialty	9.4%	14.6%	76.0%	96
	Surgical subspecialty	.0%	5.4%	94.6%	37
	Neurosurgery	.0%	.0%	100.0%	6
	Psychiatry	10.5%	10.5%	79.0%	105
	Other	.0%	11.1%	88.9%	9
Region	Portland Metro	6.8%	9.8%	83.3%	366
	Mid-Willamette Valley	11.1%	11.1%	77.9%	199
	Northwestern	20.0%	6.7%	73.3%	15
	Southern	7.0%	7.0%	86.0%	86
	Eastern	10.3%	6.9%	82.8%	29
	Southwestern	9.5%	28.6%	61.9%	21
	Central	4.0%	8.0%	88.0%	75
Which of the following best describes your primary practice setting:	Private clinic or office	4.7%	9.6%	85.6%	716
	Community clinic/public health clinic	50.0%	21.4%	28.6%	14
	Hospital-based ambulatory care clinic	59.1%	13.6%	27.3%	22
	Urgent care clinic	.0%	12.5%	87.5%	8
	Other (Specify )	46.2%	7.7%	46.2%	13
What is the size of your primary practice?	Solo practice	5.1%	7.7%	87.2%	274
	Partnership (2 physicians)	5.3%	14.7%	80.0%	75
	Group practice (3 to 10 physicians)	7.0%	12.7%	80.3%	229
	Group practice (11 to 50 physicians)	11.3%	9.4%	79.2%	106
	Group practice (More than 50 physicians)	16.0%	8.0%	76.0%	100
How your primary practice is organized:	Single-specialty practice	6.1%	9.9%	84.0%	557
	Multi-specialty practice	12.4%	11.4%	76.2%	210
	Other	20.0%	.0%	80.0%	20
What is your employment status at your primary practice?	Full owner (or sole proprietor)	4.0%	9.0%	87.0%	324
	Part-owner (or shareholder)	2.8%	7.6%	89.6%	289
	Employee	24.7%	17.5%	57.8%	154
	Independent contractor	8.3%	8.3%	83.3%	12
Employment Status Total	Total	8.1%	10.0%	81.8%	787

Currently Accepting Workers' Compensation-State		To what extent is your primary practice accepting new Workers Comp patients?			
		No limitations, practice is open to all new Workers' Comp	Limit practice	Completely closed to all new Workers Comp	Total
Gender	Female	45.3%	19.2%	35.5%	704
	Male	52.0%	21.1%	26.9%	1842
Age	Under 40 years	57.6%	18.8%	23.5%	446
	40-49 years	50.8%	19.9%	29.2%	767
	50-59 years	46.8%	22.4%	30.8%	857
	60-69 years	46.9%	21.2%	31.9%	401
	70 years or more	54.7%	12.0%	33.3%	75
Specialty Categories	Family or general medicine	46.1%	28.3%	25.6%	692
	Ob/gyn	40.8%	5.4%	53.8%	184
	Gen internal medicine	32.1%	26.6%	41.3%	361
	Gen surgery	85.8%	8.5%	5.7%	106
	Medical subspecialty	62.5%	15.3%	22.3%	773
	Surgical subspecialty	65.6%	25.1%	9.3%	215
	Neurosurgery	74.1%	25.9%	.0%	27
Psychiatry	14.0%	17.4%	68.6%	172	
Region	Portland Metro	51.4%	18.3%	30.3%	1243
	Mid-Willamette Valley	43.9%	24.3%	31.8%	569
	Northwestern	57.8%	20.3%	21.9%	64
	Southern	41.9%	24.0%	34.1%	279
	Eastern	61.1%	24.4%	14.4%	90
	Southwestern	42.2%	25.0%	32.8%	64
	Central	64.1%	16.9%	19.0%	237
Workers' Comp Total	Total	50.2%	20.5%	29.3%	2546

**Region Portland Metro**

Currently Accepting New Workers' Compensation Patients		To what extent is your primary practice accepting new Workers Comp patients?			
		No limitations, practice is open to all new Workers' Compens	Limit practice	Completely closed to all new Workers Compensation patients	Total
Gender	Female	47.8%	17.7%	34.5%	406
	Male	53.2%	18.5%	28.3%	837
Age	Under 40 years	61.5%	16.2%	22.2%	234
	40-49 years	49.0%	17.8%	33.2%	365
	50-59 years	49.9%	20.9%	29.2%	407
	60-69 years	45.1%	19.5%	35.4%	195
	70 years or more	59.5%	2.4%	38.1%	42
Specialty Categories	Family or general medicine	49.6%	22.1%	28.3%	244
	Ob/gyn	44.8%	5.2%	50.0%	96
	Gen internal medicine	33.8%	28.4%	37.8%	201
	Gen surgery	88.6%	6.8%	4.5%	44
	Medical subspecialty	63.3%	14.2%	22.6%	430
	Surgical subspecialty	62.4%	23.8%	13.9%	101
	Neurosurgery	68.8%	31.3%	.0%	16
Psychiatry	16.5%	17.5%	66.0%	103	
Workers' Comp Total	Total	51.4%	18.3%	30.3%	1243



**Region Mid-Willamette Valley**

Currently Accepting New Workers' Compensation Patients		To what extent is your primary practice accepting new Workers Comp patients?			
		No limitations, practice is open to all new Workers' Compens	Limit practice	Completely closed to all new Workers Compensation patients	Total
Gender	Female	41.1%	19.2%	39.7%	146
	Male	44.9%	26.0%	29.1%	423
Age	Under 40 years	44.8%	21.8%	33.3%	87
	40-49 years	46.2%	23.4%	30.4%	184
	50-59 years	42.6%	25.5%	31.9%	216
	60-69 years	40.0%	25.7%	34.3%	70
	70 years or more	50.0%	25.0%	25.0%	12
Specialty Categories	Family or general medicine	38.3%	34.6%	27.1%	188
	Ob/gyn	45.5%	4.5%	50.0%	44
	Gen internal medicine	22.2%	25.4%	52.4%	63
	Gen surgery	85.7%	4.8%	9.5%	21
	Medical subspecialty	57.4%	18.1%	24.5%	155
	Surgical subspecialty	60.8%	27.5%	11.8%	51
	Neurosurgery	50.0%	50.0%	.0%	4
	Psychiatry	7.1%	23.8%	69.0%	42
Workers' Comp Total	Total	43.9%	24.3%	31.8%	569

**Region Northwestern**

Currently Accepting New Workers' Compensation Patients		To what extent is your primary practice accepting new Workers Comp patients?			
		No limitations, practice is open to all new Workers' Compens	Limit practice	Completely closed to all new Workers Compensation patients	Total
Gender	Female	66.7%	13.3%	20.0%	15
	Male	55.1%	22.4%	22.4%	49
Age	Under 40 years	42.9%	35.7%	21.4%	14
	40-49 years	63.6%	27.3%	9.1%	11
	50-59 years	57.1%	9.5%	33.3%	21
	60-69 years	62.5%	18.8%	18.8%	16
	70 years or more	100.0%	.0%	.0%	2
Specialty Categories	Family or general medicine	64.5%	22.6%	12.9%	31
	Ob/gyn	.0%	25.0%	75.0%	4
	Gen internal medicine	38.5%	30.8%	30.8%	13
	Gen surgery	100.0%	.0%	.0%	3
	Medical subspecialty	62.5%	12.5%	25.0%	8
	Surgical subspecialty	100.0%	.0%	.0%	3
	Neurosurgery	.0%	.0%	.0%	0
	Psychiatry	50.0%	.0%	50.0%	2
Workers' Comp Total	Total	57.8%	20.3%	21.9%	64

**Region Southwestern**

Currently Accepting New Workers' Compensation Patients		To what extent is your primary practice accepting new Workers Comp patients?			
		No limitations, practice is open to all new Workers' Compens	Limit practice	Completely closed to all new Workers Compensation patients	Total
Gender	Female	33.3%	33.3%	33.3%	12
	Male	44.2%	23.1%	32.7%	52
Age	Under 40 years	18.2%	45.5%	36.4%	11
	40-49 years	66.7%	11.1%	22.2%	18
	50-59 years	38.1%	23.8%	38.1%	21
	60-69 years	36.4%	27.3%	36.4%	11
	70 years or more	33.3%	33.3%	33.3%	3
Specialty Categories	Family or general medicine	23.8%	42.9%	33.3%	21
	Ob/gyn	.0%	.0%	100.0%	3
	Gen internal medicine	20.0%	20.0%	60.0%	10
	Gen surgery	100.0%	.0%	.0%	2
	Medical subspecialty	78.9%	10.5%	10.5%	19
	Surgical subspecialty	60.0%	40.0%	.0%	5
	Neurosurgery	.0%	.0%	.0%	0
Psychiatry	.0%	.0%	100.0%	3	
Workers' Comp Total	Total	42.2%	25.0%	32.8%	64

**Region Southern**

Currently Accepting New Workers' Compensation Patients		To what extent is your primary practice accepting new Workers Comp patients?			
		No limitations, practice is open to all new Workers' Compens	Limit practice	Completely closed to all new Workers Compensation patients	Total
Gender	Female	30.4%	21.4%	48.2%	56
	Male	44.8%	24.7%	30.5%	223
Age	Under 40 years	40.0%	27.5%	32.5%	40
	40-49 years	45.1%	22.0%	32.9%	82
	50-59 years	37.9%	26.3%	35.8%	95
	60-69 years	44.8%	20.7%	34.5%	58
	70 years or more	50.0%	25.0%	25.0%	4
Specialty Categories	Family or general medicine	26.7%	37.2%	36.0%	86
	Ob/gyn	25.0%	6.3%	68.8%	16
	Gen internal medicine	24.2%	18.2%	57.6%	33
	Gen surgery	76.9%	7.7%	15.4%	13
	Medical subspecialty	60.0%	15.3%	24.7%	85
	Surgical subspecialty	62.1%	37.9%	.0%	29
	Neurosurgery	100.0%	.0%	.0%	3
	Psychiatry	.0%	10.0%	90.0%	10
Workers' Comp Total	Total	41.9%	24.0%	34.1%	279

**Region Central**

Currently Accepting New Workers' Compensation Patients		To what extent is your primary practice accepting new Workers Comp patients?			
		No limitations, practice is open to all new Workers' Compens	Limit practice	Completely closed to all new Workers Compensation patients	Total
Gender	Female	51.0%	23.5%	25.5%	51
	Male	67.7%	15.1%	17.2%	186
Age	Under 40 years	81.8%	11.4%	6.8%	44
	40-49 years	64.3%	19.0%	16.7%	84
	50-59 years	49.2%	18.5%	32.3%	65
	60-69 years	72.2%	13.9%	13.9%	36
	70 years or more	50.0%	25.0%	25.0%	8
Specialty Categories	Family or general medicine	60.0%	26.7%	13.3%	90
	Ob/gyn	36.4%	9.1%	54.5%	11
	Gen internal medicine	47.6%	14.3%	38.1%	21
	Gen surgery	82.4%	17.6%	.0%	17
	Medical subspecialty	67.7%	12.9%	19.4%	62
	Surgical subspecialty	95.5%	4.5%	.0%	22
	Neurosurgery	100.0%	.0%	.0%	4
	Psychiatry	12.5%	.0%	87.5%	8
Workers' Comp Total	Total	64.1%	16.9%	19.0%	237

**Region Eastern**

Currently Accepting New Workers' Compensation Patients		To what extent is your primary practice accepting new Workers Comp patients?			
		No limitations, practice is open to all new Workers' Compens	Limit practice	Completely closed to all new Workers Compensation patients	Total
Gender	Female	44.4%	27.8%	27.8%	18
	Male	65.3%	23.6%	11.1%	72
Age	Under 40 years	87.5%	6.3%	6.3%	16
	40-49 years	69.6%	26.1%	4.3%	23
	50-59 years	56.3%	25.0%	18.8%	32
	60-69 years	40.0%	40.0%	20.0%	15
	70 years or more	25.0%	25.0%	50.0%	4
Specialty Categories	Family or general medicine	75.0%	15.6%	9.4%	32
	Ob/gyn	40.0%	.0%	60.0%	10
	Gen internal medicine	45.0%	40.0%	15.0%	20
	Gen surgery	83.3%	16.7%	.0%	6
	Medical subspecialty	64.3%	35.7%	.0%	14
	Surgical subspecialty	50.0%	50.0%	.0%	4
	Neurosurgery	.0%	.0%	.0%	0
Psychiatry	50.0%	25.0%	25.0%	4	
Workers' Comp Total	Total	61.1%	24.4%	14.4%	90

**Workers' Compensation Acceptance by Practice Characteristics**

		To what extent is your primary practice accepting new Workers Comp patients?			
		No limitations, practice is open to all new Workers' Compensation	Limit practice	Completely closed to all new Workers Compensation patients	Total
Which of the following best describes your primary practice setting:	Private clinic or office	49.0%	21.6%	29.3%	1973
	Community clinic/public health clinic	38.9%	15.9%	45.2%	126
	Hospital-based ambulatory care clinic	53.8%	19.8%	26.4%	182
	Urgent care clinic	88.6%	11.4%	.0%	44
	Other (Specify )	46.2%	14.0%	39.8%	93
What is the size of your primary practice?	Solo practice	39.7%	22.3%	38.0%	645
	Partnership (2 physicians)	49.1%	19.2%	31.8%	214
	Group practice (3 to 10 physicians)	53.8%	21.3%	24.9%	903
	Group practice (11 to 50 physicians)	53.4%	20.4%	26.2%	367
	Group practice (More than 50 physicians)	56.2%	17.9%	25.9%	397
How your primary practice is organized:	Single-specialty practice	48.7%	21.0%	30.3%	1751
	Multi-specialty practice	53.6%	20.3%	26.1%	689
	Other	51.7%	15.7%	32.6%	89
What is your employment status at your primary practice?	Full owner (or sole proprietor)	40.6%	23.1%	36.3%	719
	Part-owner (or shareholder)	54.0%	21.7%	24.3%	803
	Employee	54.7%	17.7%	27.6%	902
	Independent contractor	48.1%	21.5%	30.4%	79
Employment Status Total	Total	50.2%	20.6%	29.2%	2537

**Workers' Comp: Importance of Administrative Requirements in Decision to Limit**

		How important were admin requirements in your decision to limit or close your primary practice to new Workers Comp patients?			
		Not important	Somewhat important	Very important	Total
Age	Under 40 years	8.3%	14.0%	77.7%	157
	40-49 years	9.7%	12.5%	77.7%	319
	50-59 years	15.0%	18.5%	66.5%	373
	60-69 years	7.9%	14.0%	78.1%	178
	70 years or more	17.4%	17.4%	65.2%	23
Specialty Categories	Family or general medicine	7.6%	15.2%	77.1%	328
	Ob/gyn	29.0%	14.5%	56.5%	62
	Gen internal medicine	10.3%	12.3%	77.3%	203
	Gen surgery	14.3%	14.3%	71.4%	14
	Medical subspecialty	13.6%	16.9%	69.5%	243
	Surgical subspecialty	6.0%	17.9%	76.1%	67
	Neurosurgery	.0%	.0%	100.0%	7
	Psychiatry	11.9%	16.1%	72.0%	118
Region	Other	12.5%	25.0%	62.5%	8
	Portland Metro	11.0%	15.1%	73.8%	489
	Mid-Willamette Valley	13.1%	17.2%	69.8%	268
	Northwestern	14.3%	19.0%	66.7%	21
	Southern	7.7%	9.2%	83.1%	142
	Eastern	23.3%	16.7%	60.0%	30
	Southwestern	6.3%	12.5%	81.3%	32
Which of the following best describes your primary practice setting:	Central	8.8%	20.6%	70.6%	68
	Private clinic or office	8.5%	15.0%	76.5%	873
	Community clinic/public health clinic	12.0%	16.0%	72.0%	50
	Hospital-based ambulatory care clinic	29.9%	14.9%	55.2%	67
What is the size of your primary practice?	Other (Specify )	44.0%	16.0%	40.0%	25
	Solo practice	9.6%	14.5%	75.9%	344
	Partnership (2 physicians)	10.9%	14.1%	75.0%	92
	Group practice (3 to 10 physicians)	9.4%	15.7%	74.9%	351
	Group practice (11 to 50 physicians)	12.4%	13.9%	73.7%	137
How your primary practice is organized:	Group practice (More than 50 physicians)	18.3%	18.3%	63.3%	120
	Single-specialty practice	9.8%	15.1%	75.1%	767
	Multi-specialty practice	15.4%	15.0%	69.6%	253
What is your employment status at your primary practice?	Other	16.0%	20.0%	64.0%	25
	Full owner (or sole proprietor)	9.2%	13.4%	77.4%	381
	Part-owner (or shareholder)	7.7%	17.9%	74.4%	312
	Employee	15.3%	15.6%	69.2%	308
	Independent contractor	24.1%	6.9%	69.0%	29
	Volunteer	75.0%	25.0%	.0%	4
Workers' Comp Total	Other	16.7%	16.7%	66.7%	12
	Total	11.1%	15.4%	73.5%	1042



**Workers' Compensation: Importance of Balanced Payer Mix in Decision to Limit**

		How important was need to balance payer sources in your decision to limit or close your primary practice to new Workers Comp patients?			
		Not important	Somewhat important	Very important	Total
Age	Under 40 years	55.8%	27.9%	16.2%	154
	40-49 years	58.8%	23.9%	17.3%	301
	50-59 years	61.0%	27.8%	11.2%	356
	60-69 years	61.8%	22.4%	15.8%	165
	70 years or more	47.8%	39.1%	13.0%	23
Specialty Categories	Family or general medicine	62.4%	29.9%	7.7%	311
	Ob/gyn	64.4%	11.9%	23.7%	59
	Gen internal medicine	63.2%	22.8%	14.0%	193
	Gen surgery	50.0%	42.9%	7.1%	14
	Medical subspecialty	54.5%	26.4%	19.1%	235
	Surgical subspecialty	49.2%	34.4%	16.4%	61
	Neurosurgery	57.1%	14.3%	28.6%	7
	Psychiatry	59.5%	21.6%	18.9%	111
	Other	50.0%	25.0%	25.0%	8
Region	Portland Metro	57.1%	25.5%	17.3%	462
	Mid-Willamette Valley	63.8%	26.5%	9.7%	257
	Northwestern	75.0%	15.0%	10.0%	20
	Southern	57.8%	25.9%	16.3%	135
	Eastern	55.2%	31.0%	13.8%	29
	Southwestern	74.2%	16.1%	9.7%	31
	Central	50.8%	33.8%	15.4%	65
Which of the following best describes your primary practice setting:	Private clinic or office	56.9%	27.8%	15.4%	832
	Community clinic/public health clinic	59.6%	25.5%	14.9%	47
	Hospital-based ambulatory care clinic	81.3%	12.5%	6.3%	64
	Other (Specify )	91.3%	8.7%	.0%	23
What is the size of your primary practice?	Solo practice	57.0%	26.9%	16.1%	323
	Partnership (2 physicians)	56.0%	22.6%	21.4%	84
	Group practice (3 to 10 physicians)	58.5%	27.0%	14.5%	337
	Group practice (11 to 50 physicians)	62.5%	25.7%	11.8%	136
	Group practice (More than 50 physicians)	66.4%	24.8%	8.8%	113
How your primary practice is organized:	Single-specialty practice	58.2%	26.8%	15.0%	727
	Multi-specialty practice	61.2%	25.2%	13.6%	242
	Other	72.0%	16.0%	12.0%	25
What is your employment status at your primary practice?	Full owner (or sole proprietor)	54.9%	27.7%	17.3%	364
	Part-owner (or shareholder)	56.8%	29.7%	13.5%	296
	Employee	67.0%	19.9%	13.1%	291
	Independent contractor	57.1%	28.6%	14.3%	28
	Volunteer	100.0%	.0%	.0%	4
	Other	58.3%	33.3%	8.3%	12
<b>Workers' Comp Total</b>	<b>Total</b>	<b>59.4%</b>	<b>26.0%</b>	<b>14.6%</b>	<b>992</b>

**Workers' Compensation: Importance of Complex Patient Needs in Decision to Limit**

		How important were complex needs of patients in your decision to limit or close your primary practice to new Workers Comp patients?			
		Not important	Somewhat important	Very important	Total
Age	Under 40 years	25.0%	25.6%	49.4%	156
	40-49 years	28.1%	27.5%	44.4%	306
	50-59 years	35.3%	26.4%	38.3%	363
	60-69 years	32.2%	19.9%	48.0%	171
	70 years or more	26.1%	34.8%	39.1%	23
Specialty Categories	Family or general medicine	31.1%	31.4%	37.4%	318
	Ob/gyn	41.7%	13.3%	45.0%	60
	Gen internal medicine	35.4%	24.6%	40.0%	195
	Gen surgery	42.9%	14.3%	42.9%	14
	Medical subspecialty	25.7%	25.7%	48.5%	237
	Surgical subspecialty	10.9%	18.8%	70.3%	64
	Neurosurgery	.0%	14.3%	85.7%	7
	Psychiatry	38.8%	25.9%	35.3%	116
Other	25.0%	.0%	75.0%	8	
Region	Portland Metro	29.0%	26.4%	44.6%	473
	Mid-Willamette Valley	36.4%	25.7%	37.9%	261
	Northwestern	28.6%	28.6%	42.9%	21
	Southern	27.7%	27.7%	44.5%	137
	Eastern	33.3%	20.0%	46.7%	30
	Southwestern	32.3%	22.6%	45.2%	31
	Central	27.3%	19.7%	53.0%	66
Which of the following best describes your primary practice setting:	Private clinic or office	28.9%	26.5%	44.6%	848
	Community clinic/public health clinic	29.2%	20.8%	50.0%	48
	Hospital-based ambulatory care clinic	39.7%	25.0%	35.3%	68
	Other (Specify )	65.2%	4.3%	30.4%	23
What is the size of your primary practice?	Solo practice	30.2%	26.0%	43.7%	334
	Partnership (2 physicians)	32.2%	27.6%	40.2%	87
	Group practice (3 to 10 physicians)	25.4%	28.6%	46.1%	343
	Group practice (11 to 50 physicians)	29.4%	21.3%	49.3%	136
	Group practice (More than 50 physicians)	46.9%	21.2%	31.9%	113
How your primary practice is organized:	Single-specialty practice	28.3%	26.8%	44.8%	745
	Multi-specialty practice	38.4%	22.9%	38.8%	245
	Other	32.0%	24.0%	44.0%	25
What is your employment status at your primary practice?	Full owner (or sole proprietor)	30.8%	26.5%	42.6%	373
	Part-owner (or shareholder)	27.9%	25.2%	46.8%	301
	Employee	33.3%	25.3%	41.4%	297
	Independent contractor	35.7%	28.6%	35.7%	28
	Volunteer	75.0%	.0%	25.0%	4
	Other	16.7%	25.0%	58.3%	12
Workers' Comp Total	Total	30.8%	25.9%	43.3%	1011

### Workers' Compensation: Importance of Professional Liability Insurance in Decision to Limit

		How important was cost or availability of professional liability insurance in your decision to limit or close your primary practice to new Workers Comp patients?			
		Not important	Somewhat important	Very important	Total
Age	Under 40 years	65.8%	19.1%	15.1%	152
	40-49 years	72.7%	14.3%	13.0%	300
	50-59 years	72.3%	19.4%	8.3%	350
	60-69 years	71.2%	19.0%	9.8%	163
	70 years or more	69.6%	21.7%	8.7%	23
Specialty Categories	Family or general medicine	79.8%	15.1%	5.1%	312
	Ob/gyn	55.2%	20.7%	24.1%	58
	Gen internal medicine	71.6%	17.4%	11.1%	190
	Gen surgery	61.5%	30.8%	7.7%	13
	Medical subspecialty	65.3%	20.0%	14.7%	225
	Surgical subspecialty	50.8%	30.2%	19.0%	63
	Neurosurgery	28.6%	42.9%	28.6%	7
	Psychiatry	82.1%	9.8%	8.0%	112
	Other	62.5%	25.0%	12.5%	8
Region	Portland Metro	69.1%	18.6%	12.3%	456
	Mid-Willamette Valley	74.1%	16.5%	9.4%	255
	Northwestern	80.0%	10.0%	10.0%	20
	Southern	68.2%	19.7%	12.1%	132
	Eastern	65.5%	24.1%	10.3%	29
	Southwestern	80.6%	9.7%	9.7%	31
	Central	75.4%	16.9%	7.7%	65
Which of the following best describes your primary practice setting:	Private clinic or office	68.6%	19.9%	11.5%	824
	Community clinic/public health clinic	83.3%	4.2%	12.5%	48
	Hospital-based ambulatory care clinic	86.9%	8.2%	4.9%	61
	Other (Specify )	87.0%	8.7%	4.3%	23
What is the size of your primary practice?	Solo practice	70.9%	20.1%	9.0%	323
	Partnership (2 physicians)	71.4%	17.9%	10.7%	84
	Group practice (3 to 10 physicians)	69.1%	17.7%	13.2%	333
	Group practice (11 to 50 physicians)	74.6%	13.8%	11.5%	130
	Group practice (More than 50 physicians)	73.2%	17.0%	9.8%	112
How your primary practice is organized:	Single-specialty practice	70.2%	18.3%	11.5%	721
	Multi-specialty practice	72.6%	17.3%	10.1%	237
	Other	84.0%	8.0%	8.0%	25
What is your employment status at your primary practice?	Full owner (or sole proprietor)	68.3%	21.5%	10.2%	363
	Part-owner (or shareholder)	66.7%	19.9%	13.4%	291
	Employee	78.0%	11.5%	10.5%	286
	Independent contractor	75.0%	14.3%	10.7%	28
	Volunteer	100.0%	.0%	.0%	4
Workers' Comp Total	Other	83.3%	16.7%	.0%	12
	Total	71.2%	17.8%	11.0%	981

### Workers' Compensation: Importance of Patient Compliance in Decision to Limit

		How important was non-compliance of patients in your decision to limit or close your primary practice to new Workers Comp patients?			
		Not important	Somewhat important	Very important	Total
Age	Under 40 years	48.1%	32.5%	19.5%	154
	40-49 years	54.3%	29.3%	16.4%	304
	50-59 years	56.7%	28.9%	14.3%	356
	60-69 years	46.7%	35.3%	18.0%	167
	70 years or more	56.5%	30.4%	13.0%	23
Specialty Categories	Family or general medicine	61.3%	28.7%	10.0%	310
	Ob/gyn	50.0%	24.1%	25.9%	58
	Gen internal medicine	57.2%	28.9%	13.9%	194
	Gen surgery	50.0%	42.9%	7.1%	14
	Medical subspecialty	44.7%	33.6%	21.7%	235
	Surgical subspecialty	29.2%	44.6%	26.2%	65
	Neurosurgery	28.6%	28.6%	42.9%	7
	Psychiatry	58.4%	25.7%	15.9%	113
	Other	37.5%	50.0%	12.5%	8
Region	Portland Metro	50.5%	30.5%	18.9%	465
	Mid-Willamette Valley	57.6%	29.4%	12.9%	255
	Northwestern	55.0%	35.0%	10.0%	20
	Southern	50.0%	33.8%	16.2%	136
	Eastern	60.0%	20.0%	20.0%	30
	Southwestern	64.5%	32.3%	3.2%	31
	Central	49.3%	32.8%	17.9%	67
Which of the following best describes your primary practice setting:	Private clinic or office	50.7%	31.1%	18.2%	835
	Community clinic/public health clinic	66.7%	20.8%	12.5%	48
	Hospital-based ambulatory care clinic	66.7%	27.3%	6.1%	66
	Other (Specify )	78.3%	17.4%	4.3%	23
What is the size of your primary practice?	Solo practice	50.2%	32.1%	17.7%	327
	Partnership (2 physicians)	52.9%	29.9%	17.2%	87
	Group practice (3 to 10 physicians)	51.5%	30.4%	18.2%	336
	Group practice (11 to 50 physicians)	58.5%	29.6%	11.9%	135
	Group practice (More than 50 physicians)	58.4%	30.1%	11.5%	113
How your primary practice is organized:	Single-specialty practice	50.8%	30.6%	18.6%	732
	Multi-specialty practice	58.3%	31.4%	10.3%	242
	Other	64.0%	24.0%	12.0%	25
What is your employment status at your primary practice?	Full owner (or sole proprietor)	48.9%	32.0%	19.1%	366
	Part-owner (or shareholder)	50.7%	33.1%	16.2%	296
	Employee	60.2%	25.5%	14.3%	294
	Independent contractor	53.6%	35.7%	10.7%	28
	Volunteer	75.0%	25.0%	.0%	4
	Other	50.0%	41.7%	8.3%	12
<b>Workers' Comp Total</b>	<b>Total</b>	<b>52.8%</b>	<b>30.9%</b>	<b>16.3%</b>	<b>997</b>

**Workers' Compensation: Importance of Patient Load in Decision to Limit**

		How important was patient load in your decision to limit or close your primary practice to new Workers Comp patients?			
		Not important	Somewhat important	Very important	Total
Age	Under 40 years	38.1%	31.6%	30.3%	155
	40-49 years	43.3%	30.0%	26.7%	307
	50-59 years	39.6%	33.1%	27.2%	356
	60-69 years	38.6%	27.7%	33.7%	166
	70 years or more	41.7%	20.8%	37.5%	24
Specialty Categories	Family or general medicine	38.5%	34.7%	26.8%	317
	Ob/gyn	44.8%	24.1%	31.0%	58
	Gen internal medicine	43.0%	26.4%	30.6%	193
	Gen surgery	57.1%	28.6%	14.3%	14
	Medical subspecialty	40.7%	29.7%	29.7%	236
	Surgical subspecialty	32.8%	44.3%	23.0%	61
	Neurosurgery	28.6%	42.9%	28.6%	7
	Psychiatry	39.5%	26.3%	34.2%	114
	Other	62.5%	12.5%	25.0%	8
Region	Portland Metro	42.4%	29.5%	28.2%	465
	Mid-Willamette Valley	43.4%	30.6%	26.0%	258
	Northwestern	28.6%	38.1%	33.3%	21
	Southern	34.3%	37.2%	28.5%	137
	Eastern	48.3%	10.3%	41.4%	29
	Southwestern	36.7%	36.7%	26.7%	30
	Central	29.4%	30.9%	39.7%	68
Which of the following best describes your primary practice setting:	Private clinic or office	38.2%	32.4%	29.4%	836
	Community clinic/public health clinic	49.0%	22.4%	28.6%	49
	Hospital-based ambulatory care clinic	44.8%	25.4%	29.9%	67
	Other (Specify )	83.3%	8.3%	8.3%	24
What is the size of your primary practice?	Solo practice	40.7%	29.4%	30.0%	327
	Partnership (2 physicians)	37.1%	37.1%	25.8%	89
	Group practice (3 to 10 physicians)	38.2%	32.6%	29.1%	340
	Group practice (11 to 50 physicians)	37.3%	29.9%	32.8%	134
	Group practice (More than 50 physicians)	50.0%	25.9%	24.1%	112
How your primary practice is organized:	Single-specialty practice	39.2%	31.6%	29.2%	737
	Multi-specialty practice	42.7%	29.0%	28.2%	241
	Other	52.0%	20.0%	28.0%	25
What is your employment status at your primary practice?	Full owner (or sole proprietor)	40.0%	30.4%	29.6%	365
	Part-owner (or shareholder)	36.1%	34.8%	29.1%	296
	Employee	44.5%	27.8%	27.8%	299
	Independent contractor	50.0%	25.0%	25.0%	28
	Volunteer	75.0%	.0%	25.0%	4
	Other	25.0%	25.0%	50.0%	12
Workers' Comp Total	Total	40.4%	30.8%	28.9%	1001

### Workers' Compensation: Importance of Reimbursement Rates in Decision to Limit

		How important were reimbursement rates in your decision to limit or close your primary practice to new Workers Comp patients?			
		Not important	Somewhat important	Very important	Total
Age	Under 40 years	54.5%	22.7%	22.7%	154
	40-49 years	46.2%	29.4%	24.4%	303
	50-59 years	48.6%	31.2%	20.2%	356
	60-69 years	45.0%	27.2%	27.8%	169
	70 years or more	41.7%	33.3%	25.0%	24
Specialty Categories	Family or general medicine	53.2%	31.0%	15.8%	310
	Ob/gyn	47.5%	20.3%	32.2%	59
	Gen internal medicine	52.8%	23.6%	23.6%	195
	Gen surgery	50.0%	14.3%	35.7%	14
	Medical subspecialty	41.9%	33.8%	24.4%	234
	Surgical subspecialty	39.7%	25.4%	34.9%	63
	Neurosurgery	28.6%	42.9%	28.6%	7
	Psychiatry	45.7%	26.7%	27.6%	116
	Other	25.0%	50.0%	25.0%	8
Region	Portland Metro	46.4%	27.6%	26.1%	468
	Mid-Willamette Valley	53.5%	27.3%	19.1%	256
	Northwestern	65.0%	15.0%	20.0%	20
	Southern	42.6%	37.5%	19.9%	136
	Eastern	55.2%	17.2%	27.6%	29
	Southwestern	54.8%	12.9%	32.3%	31
	Central	37.9%	40.9%	21.2%	66
Which of the following best describes your primary practice setting:	Private clinic or office	43.8%	30.3%	25.8%	837
	Community clinic/public health clinic	61.7%	25.5%	12.8%	47
	Hospital-based ambulatory care clinic	80.0%	15.4%	4.6%	65
	Other (Specify )	70.8%	16.7%	12.5%	24
What is the size of your primary practice?	Solo practice	41.1%	30.2%	28.7%	331
	Partnership (2 physicians)	41.6%	31.5%	27.0%	89
	Group practice (3 to 10 physicians)	50.6%	29.0%	20.4%	334
	Group practice (11 to 50 physicians)	50.0%	27.6%	22.4%	134
	Group practice (More than 50 physicians)	63.4%	22.3%	14.3%	112
How your primary practice is organized:	Single-specialty practice	46.1%	28.9%	25.0%	736
	Multi-specialty practice	53.1%	27.4%	19.5%	241
	Other	58.3%	33.3%	8.3%	24
What is your employment status at your primary practice?	Full owner (or sole proprietor)	40.5%	31.1%	28.4%	370
	Part-owner (or shareholder)	43.9%	31.4%	24.7%	296
	Employee	59.6%	23.3%	17.1%	292
	Independent contractor	57.1%	28.6%	14.3%	28
	Volunteer	100.0%	.0%	.0%	4
	Other	58.3%	25.0%	16.7%	12
<b>Workers' Comp Total</b>	<b>Total</b>	<b>47.9%</b>	<b>28.9%</b>	<b>23.2%</b>	<b>998</b>

2006 Oregon Physician Workforce Survey

Currently Accepting New Medicaid/OHP Patients-State		To what extent is your primary practice accepting new Medicaid OHP patients?					Total
		No limitations, practice is open to all new Medicaid patient	Accept new Medicaid FFS, but not Medicaid Managed Care	Accept new Medicaid Managed Care, but not Medicaid FFS	Limit both Medicaid Managed Care and Medicaid FFS	Completely closed to all new Medicaid patients	
Gender	Female	49.5%	2.0%	2.9%	21.0%	24.5%	832
	Male	52.8%	1.9%	4.4%	21.2%	19.6%	1980
Age	Under 40 years	61.3%	.6%	4.5%	17.3%	16.3%	514
	40-49 years	51.8%	1.5%	4.5%	20.9%	21.3%	842
	50-59 years	46.1%	2.8%	3.9%	23.1%	24.2%	935
	60-69 years	51.0%	2.7%	3.2%	23.9%	19.1%	439
	70 years or more	63.4%	1.2%	1.2%	9.8%	24.4%	82
Specialty Categories	Family or general medicine	37.2%	1.0%	9.0%	25.1%	27.6%	677
	Ob/gyn	58.9%	3.3%	.5%	29.2%	8.1%	209
	Gen internal medicine	33.4%	2.8%	4.5%	25.0%	34.3%	356
	Gen pediatrics	55.0%	2.1%	4.7%	30.9%	7.3%	191
	Gen surgery	81.7%	1.0%	3.8%	5.8%	7.7%	104
	Medical subspecialty	68.8%	1.9%	1.9%	16.2%	11.1%	773
	Pediatric subspecialty	75.4%	2.9%	1.4%	8.7%	11.6%	69
	Surgical subspecialty	58.7%	3.8%	1.4%	24.4%	11.7%	213
	Neurosurgery	37.0%	.0%	3.7%	44.4%	14.8%	27
	Psychiatry	26.7%	.0%	.6%	7.4%	65.3%	176
	Hospital-based specialty	.0%	.0%	.0%	.0%	.0%	0
Other	47.1%	5.9%	.0%	5.9%	41.2%	17	
Region	Portland Metro	46.4%	2.7%	3.6%	21.3%	26.0%	1404
	Mid-Willamette Valley	56.4%	1.0%	3.1%	22.9%	16.7%	612
	Northwestern	61.8%	4.4%	.0%	11.8%	22.1%	68
	Southern	55.3%	1.6%	6.9%	21.7%	14.5%	304
	Eastern	63.3%	1.0%	7.1%	18.4%	10.2%	98
	Southwestern	56.7%	1.5%	6.0%	20.9%	14.9%	67
Central	58.3%	.4%	4.2%	18.9%	18.1%	259	
Accepting Medicaid Total	Total	51.8%	2.0%	4.0%	21.1%	21.1%	2812

2006 Oregon Physician Workforce Survey

**Region Portland Metro**

Currently Accepting New Medicaid/OHP Patients		To what extent is your primary practice accepting new Medicaid OHP patients?					Total
		No limitations, practice is open to all new Medicaid patient	Accept new Medicaid FFS, but not Medicaid Managed Care	Accept new Medicaid Managed Care, but not Medicaid FFS	Limit both Medicaid Managed Care and Medicaid FFS	Completely closed to all new Medicaid patients	
Gender	Female	44.5%	2.5%	3.3%	21.1%	28.6%	479
	Male	47.5%	2.8%	3.7%	21.4%	24.6%	925
Age	Under 40 years	55.0%	.7%	5.2%	20.8%	18.2%	269
	40-49 years	46.9%	2.6%	3.8%	21.2%	25.5%	420
	50-59 years	40.1%	3.3%	3.5%	21.5%	31.5%	451
	60-69 years	44.7%	4.1%	1.4%	25.1%	24.7%	219
	70 years or more	62.2%	2.2%	2.2%	4.4%	28.9%	45
Specialty Categories	Family or general medicine	27.8%	1.3%	10.3%	20.9%	39.7%	234
	Ob/gyn	51.4%	5.4%	.9%	34.2%	8.1%	111
	Gen internal medicine	25.6%	3.0%	4.5%	24.6%	42.2%	199
	Gen pediatrics	44.9%	3.1%	4.1%	38.8%	9.2%	98
	Gen surgery	86.0%	2.3%	.0%	4.7%	7.0%	43
	Medical subspecialty	64.6%	2.3%	1.9%	16.8%	14.5%	429
	Pediatric subspecialty	78.0%	1.7%	.0%	8.5%	11.9%	59
	Surgical subspecialty	43.1%	6.9%	2.0%	30.4%	17.6%	102
	Neurosurgery	20.0%	.0%	6.7%	53.3%	20.0%	15
	Psychiatry	22.9%	.0%	1.0%	6.7%	69.5%	105
	Hospital-based specialty	.0%	.0%	.0%	.0%	.0%	0
Other	44.4%	11.1%	.0%	.0%	44.4%	9	
Accepting Medicaid Total	Total	46.4%	2.7%	3.6%	21.3%	26.0%	1404



2006 Oregon Physician Workforce Survey

**Region Mid-Willamette Valley**

Currently Accepting New Medicaid/OHP Patients		To what extent is your primary practice accepting new Medicaid OHP patients?					Total
		No limitations, practice is open to all new Medicaid patient	Accept new Medicaid FFS, but not Medicaid Managed Care	Accept new Medicaid Managed Care, but not Medicaid FFS	Limit both Medicaid Managed Care and Medicaid FFS	Completely closed to all new Medicaid patients	
Gender	Female	52.4%	.6%	1.8%	26.2%	19.0%	168
	Male	57.9%	1.1%	3.6%	21.6%	15.8%	444
Age	Under 40 years	61.5%	1.0%	3.8%	20.2%	13.5%	104
	40-49 years	52.6%	1.0%	3.6%	24.2%	18.6%	194
	50-59 years	53.8%	1.3%	3.1%	22.9%	18.8%	223
	60-69 years	65.4%	.0%	1.3%	23.1%	10.3%	78
	70 years or more	61.5%	.0%	.0%	23.1%	15.4%	13
Specialty Categories	Family or general medicine	36.8%	.5%	7.7%	33.5%	21.4%	182
	Ob/gyn	68.8%	.0%	.0%	27.1%	4.2%	48
	Gen internal medicine	32.8%	1.7%	1.7%	36.2%	27.6%	58
	Gen pediatrics	66.7%	.0%	2.2%	26.7%	4.4%	45
	Gen surgery	85.7%	.0%	4.8%	4.8%	4.8%	21
	Medical subspecialty	79.1%	2.0%	1.3%	11.1%	6.5%	153
	Pediatric subspecialty	83.3%	.0%	.0%	.0%	16.7%	6
	Surgical subspecialty	72.0%	2.0%	.0%	14.0%	12.0%	50
	Neurosurgery	.0%	.0%	.0%	75.0%	25.0%	4
	Psychiatry	34.1%	.0%	.0%	11.4%	54.5%	44
	Hospital-based specialty	.0%	.0%	.0%	.0%	.0%	0
Other	100.0%	.0%	.0%	.0%	.0%	1	
Accepting Medicaid Total	Total	56.4%	1.0%	3.1%	22.9%	16.7%	612

2006 Oregon Physician Workforce Survey

**Region Northwestern**

Currently Accepting New Medicaid/OHP Patients		To what extent is your primary practice accepting new Medicaid OHP patients?					Total
		No limitations, practice is open to all new Medicaid patient	Accept new Medicaid FFS, but not Medicaid Managed Care	Accept new Medicaid Managed Care, but not Medicaid FFS	Limit both Medicaid Managed Care and Medicaid FFS	Completely closed to all new Medicaid patients	
Gender	Female	76.5%	.0%	.0%	11.8%	11.8%	17
	Male	56.9%	5.9%	.0%	11.8%	25.5%	51
Age	Under 40 years	60.0%	.0%	.0%	6.7%	33.3%	15
	40-49 years	45.5%	.0%	.0%	9.1%	45.5%	11
	50-59 years	52.2%	8.7%	.0%	21.7%	17.4%	23
	60-69 years	82.4%	5.9%	.0%	5.9%	5.9%	17
	70 years or more	100.0%	.0%	.0%	.0%	.0%	2
Specialty Categories	Family or general medicine	58.1%	3.2%	.0%	3.2%	35.5%	31
	Ob/gyn	100.0%	.0%	.0%	.0%	.0%	4
	Gen internal medicine	57.1%	7.1%	.0%	14.3%	21.4%	14
	Gen pediatrics	33.3%	33.3%	.0%	33.3%	.0%	3
	Gen surgery	100.0%	.0%	.0%	.0%	.0%	3
	Medical subspecialty	37.5%	.0%	.0%	50.0%	12.5%	8
	Pediatric subspecialty	.0%	.0%	.0%	.0%	.0%	0
	Surgical subspecialty	100.0%	.0%	.0%	.0%	.0%	3
	Neurosurgery	.0%	.0%	.0%	.0%	.0%	0
	Psychiatry	100.0%	.0%	.0%	.0%	.0%	2
	Hospital-based specialty	.0%	.0%	.0%	.0%	.0%	0
Other	.0%	.0%	.0%	.0%	.0%	0	
Accepting Medicaid Total	Total	61.8%	4.4%	.0%	11.8%	22.1%	68

2006 Oregon Physician Workforce Survey

**Region Southwestern**

Currently Accepting New Medicaid/OHP Patients		To what extent is your primary practice accepting new Medicaid OHP patients?					Total
		No limitations, practice is open to all new Medicaid patient	Accept new Medicaid FFS, but not Medicaid Managed Care	Accept new Medicaid Managed Care, but not Medicaid FFS	Limit both Medicaid Managed Care and Medicaid FFS	Completely closed to all new Medicaid patients	
Gender	Female	53.3%	.0%	13.3%	13.3%	20.0%	15
	Male	57.7%	1.9%	3.8%	23.1%	13.5%	52
Age	Under 40 years	76.9%	.0%	7.7%	7.7%	7.7%	13
	40-49 years	68.4%	.0%	5.3%	15.8%	10.5%	19
	50-59 years	34.8%	4.3%	8.7%	30.4%	21.7%	23
	60-69 years	55.6%	.0%	.0%	33.3%	11.1%	9
	70 years or more	66.7%	.0%	.0%	.0%	33.3%	3
Specialty Categories	Family or general medicine	42.9%	4.8%	9.5%	23.8%	19.0%	21
	Ob/gyn	66.7%	.0%	.0%	.0%	33.3%	3
	Gen internal medicine	60.0%	.0%	10.0%	20.0%	10.0%	10
	Gen pediatrics	40.0%	.0%	20.0%	20.0%	20.0%	5
	Gen surgery	100.0%	.0%	.0%	.0%	.0%	2
	Medical subspecialty	72.2%	.0%	.0%	27.8%	.0%	18
	Pediatric subspecialty	.0%	.0%	.0%	.0%	.0%	0
	Surgical subspecialty	80.0%	.0%	.0%	20.0%	.0%	5
	Neurosurgery	.0%	.0%	.0%	.0%	.0%	0
	Psychiatry	.0%	.0%	.0%	.0%	100.0%	2
	Hospital-based specialty	.0%	.0%	.0%	.0%	.0%	0
Other	.0%	.0%	.0%	.0%	100.0%	1	
Accepting Medicaid Total	Total	56.7%	1.5%	6.0%	20.9%	14.9%	67

2006 Oregon Physician Workforce Survey

**Region Southern**

Currently Accepting New Medicaid/OHP Patients		To what extent is your primary practice accepting new Medicaid OHP patients?					Total
		No limitations, practice is open to all new Medicaid patient	Accept new Medicaid FFS, but not Medicaid Managed Care	Accept new Medicaid Managed Care, but not Medicaid FFS	Limit both Medicaid Managed Care and Medicaid FFS	Completely closed to all new Medicaid patients	
Gender	Female	53.7%	4.5%	.0%	22.4%	19.4%	67
	Male	55.7%	.8%	8.9%	21.5%	13.1%	237
Age	Under 40 years	68.9%	.0%	4.4%	13.3%	13.3%	45
	40-49 years	59.8%	.0%	6.9%	18.4%	14.9%	87
	50-59 years	50.9%	2.8%	6.6%	28.3%	11.3%	106
	60-69 years	43.3%	3.3%	10.0%	21.7%	21.7%	60
	70 years or more	83.3%	.0%	.0%	16.7%	.0%	6
Specialty Categories	Family or general medicine	36.8%	1.1%	11.5%	28.7%	21.8%	87
	Ob/gyn	64.7%	.0%	.0%	23.5%	11.8%	17
	Gen internal medicine	42.9%	2.9%	14.3%	25.7%	14.3%	35
	Gen pediatrics	56.3%	.0%	6.3%	25.0%	12.5%	16
	Gen surgery	69.2%	.0%	7.7%	7.7%	15.4%	13
	Medical subspecialty	74.7%	2.3%	3.4%	13.8%	5.7%	87
	Pediatric subspecialty	.0%	50.0%	.0%	50.0%	.0%	2
	Surgical subspecialty	62.1%	.0%	3.4%	31.0%	3.4%	29
	Neurosurgery	75.0%	.0%	.0%	25.0%	.0%	4
	Psychiatry	30.0%	.0%	.0%	.0%	70.0%	10
	Hospital-based specialty	.0%	.0%	.0%	.0%	.0%	0
Other	75.0%	.0%	.0%	.0%	25.0%	4	
Accepting Medicaid Total	Total	55.3%	1.6%	6.9%	21.7%	14.5%	304

2006 Oregon Physician Workforce Survey

**Region Central**

Currently Accepting New Medicaid/OHP Patients		To what extent is your primary practice accepting new Medicaid OHP patients?					Total
		No limitations, practice is open to all new Medicaid patient	Accept new Medicaid FFS, but not Medicaid Managed Care	Accept new Medicaid Managed Care, but not Medicaid FFS	Limit both Medicaid Managed Care and Medicaid FFS	Completely closed to all new Medicaid patients	
Gender	Female	57.8%	.0%	4.7%	14.1%	23.4%	64
	Male	58.5%	.5%	4.1%	20.5%	16.4%	195
Age	Under 40 years	74.0%	.0%	2.0%	8.0%	16.0%	50
	40-49 years	63.2%	.0%	5.7%	14.9%	16.1%	87
	50-59 years	45.2%	1.4%	1.4%	27.4%	24.7%	73
	60-69 years	53.7%	.0%	9.8%	24.4%	12.2%	41
	70 years or more	50.0%	.0%	.0%	25.0%	25.0%	8
Specialty Categories	Family or general medicine	48.3%	.0%	6.7%	25.8%	19.1%	89
	Ob/gyn	62.5%	.0%	.0%	18.8%	18.8%	16
	Gen internal medicine	33.3%	4.8%	.0%	9.5%	52.4%	21
	Gen pediatrics	68.8%	.0%	12.5%	18.8%	.0%	16
	Gen surgery	68.8%	.0%	12.5%	6.3%	12.5%	16
	Medical subspecialty	73.4%	.0%	.0%	17.2%	9.4%	64
	Pediatric subspecialty	50.0%	.0%	50.0%	.0%	.0%	2
	Surgical subspecialty	80.0%	.0%	.0%	20.0%	.0%	20
	Neurosurgery	100.0%	.0%	.0%	.0%	.0%	4
	Psychiatry	11.1%	.0%	.0%	11.1%	77.8%	9
	Hospital-based specialty	.0%	.0%	.0%	.0%	.0%	0
Other	.0%	.0%	.0%	50.0%	50.0%	2	
Accepting Medicaid Total	Total	58.3%	.4%	4.2%	18.9%	18.1%	259

2006 Oregon Physician Workforce Survey

**Region Eastern**

Currently Accepting New Medicaid/OHP Patients		To what extent is your primary practice accepting new Medicaid OHP patients?					Total
		No limitations, practice is open to all new Medicaid patient	Accept new Medicaid FFS, but not Medicaid Managed Care	Accept new Medicaid Managed Care, but not Medicaid FFS	Limit both Medicaid Managed Care and Medicaid FFS	Completely closed to all new Medicaid patients	
Gender	Female	77.3%	4.5%	.0%	9.1%	9.1%	22
	Male	59.2%	.0%	9.2%	21.1%	10.5%	76
Age	Under 40 years	88.9%	.0%	5.6%	.0%	5.6%	18
	40-49 years	50.0%	.0%	12.5%	29.2%	8.3%	24
	50-59 years	63.9%	2.8%	8.3%	16.7%	8.3%	36
	60-69 years	53.3%	.0%	.0%	33.3%	13.3%	15
	70 years or more	60.0%	.0%	.0%	.0%	40.0%	5
Specialty Categories	Family or general medicine	54.5%	.0%	15.2%	18.2%	12.1%	33
	Ob/gyn	60.0%	10.0%	.0%	30.0%	.0%	10
	Gen internal medicine	68.4%	.0%	.0%	21.1%	10.5%	19
	Gen pediatrics	100.0%	.0%	.0%	.0%	.0%	8
	Gen surgery	83.3%	.0%	.0%	16.7%	.0%	6
	Medical subspecialty	42.9%	.0%	14.3%	28.6%	14.3%	14
	Pediatric subspecialty	.0%	.0%	.0%	.0%	.0%	0
	Surgical subspecialty	100.0%	.0%	.0%	.0%	.0%	4
	Neurosurgery	.0%	.0%	.0%	.0%	.0%	0
	Psychiatry	50.0%	.0%	.0%	.0%	50.0%	4
	Hospital-based specialty	.0%	.0%	.0%	.0%	.0%	0
Other	.0%	.0%	.0%	.0%	.0%	0	
Accepting Medicaid Total	Total	63.3%	1.0%	7.1%	18.4%	10.2%	98

**Medicaid/OHP: Importance of Administrative Requirements in Decision to Limit**

		How important were admin requirements in your decision to limit or close your primary practice to new Medicaid/OHP patients?			
		Not important	Somewhat important	Very important	Total
Age	Under 40 years	22.0%	34.7%	43.4%	173
	40-49 years	18.1%	32.0%	49.9%	375
	50-59 years	16.2%	33.8%	50.0%	432
	60-69 years	17.8%	31.9%	50.3%	191
	70 years or more	4.3%	39.1%	56.5%	23
Specialty Categories	Family or general medicine	19.4%	34.9%	45.7%	387
	Ob/gyn	15.2%	36.7%	48.1%	79
	Gen internal medicine	19.5%	29.0%	51.5%	200
	Gen pediatrics	37.3%	39.8%	22.9%	83
	Gen surgery	6.7%	40.0%	53.3%	15
	Medical subspecialty	16.1%	33.2%	50.8%	199
	Pediatric subspecialty	8.3%	58.3%	33.3%	12
	Surgical subspecialty	2.4%	41.2%	56.5%	85
	Neurosurgery	17.6%	23.5%	58.8%	17
	Psychiatry	12.8%	18.3%	68.8%	109
	Total	17.7%	33.1%	49.2%	1186
Region	Portland Metro	16.6%	32.7%	50.8%	640
	Mid-Willamette Valley	21.1%	32.8%	46.2%	247
	Northwestern	30.4%	34.8%	34.8%	23
	Southern	19.4%	33.9%	46.8%	124
	Eastern	12.1%	39.4%	48.5%	33
	Southwestern	22.2%	29.6%	48.1%	27
	Central	12.0%	35.0%	53.0%	100
Which of the following best describes your primary practice setting:	Private clinic or office	15.2%	33.7%	51.1%	1063
	Community clinic/public health clinic	11.1%	22.2%	66.7%	9
	Hospital-based ambulatory care clinic	53.2%	29.8%	17.0%	47
	Other (Specify )	52.6%	15.8%	31.6%	19
What is the size of your primary practice?	Solo practice	11.3%	27.6%	61.2%	399
	Partnership (2 physicians)	10.7%	36.6%	52.7%	112
	Group practice (3 to 10 physicians)	17.6%	34.9%	47.6%	347
	Group practice (11 to 50 physicians)	25.0%	43.6%	31.4%	172
	Group practice (More than 50 physicians)	31.4%	30.1%	38.5%	156
How your primary practice is organized:	Single-specialty practice	14.7%	33.8%	51.5%	849
	Multi-specialty practice	25.6%	32.3%	42.2%	313
	Other	18.5%	29.6%	51.9%	27
What is your employment status at your primary practice?	Full owner (or sole proprietor)	10.9%	29.0%	60.1%	469
	Part-owner (or shareholder)	17.7%	40.8%	41.5%	424
	Employee	30.4%	26.6%	43.0%	263
	Independent contractor	10.0%	50.0%	40.0%	20
	Volunteer	100.0%	.0%	.0%	1
	Other	16.7%	41.7%	41.7%	12
<b>Medicaid Total</b>	<b>Total</b>	<b>17.6%</b>	<b>33.1%</b>	<b>49.3%</b>	<b>1178</b>

**Medicaid/OHP: Importance of Need to Balance Payer Mix in Decision to Limit**

		How important was need to balance payer sources in your decision to limit or close your primary practice to new Medicaid/OHP patients?			
		Not important	Somewhat important	Very important	Total
Age	Under 40 years	17.0%	21.6%	61.4%	176
	40-49 years	18.5%	25.8%	55.7%	368
	50-59 years	20.7%	25.6%	53.7%	430
	60-69 years	24.6%	24.1%	51.3%	187
	70 years or more	10.5%	57.9%	31.6%	19
Specialty Categories	Family or general medicine	17.0%	27.0%	56.0%	382
	Ob/gyn	15.2%	17.7%	67.1%	79
	Gen internal medicine	20.0%	25.5%	54.5%	200
	Gen pediatrics	14.1%	31.8%	54.1%	85
	Gen surgery	26.7%	13.3%	60.0%	15
	Medical subspecialty	23.7%	25.3%	51.0%	198
	Pediatric subspecialty	27.3%	27.3%	45.5%	11
	Surgical subspecialty	13.3%	24.1%	62.7%	83
	Neurosurgery	12.5%	31.3%	56.3%	16
	Psychiatry	36.9%	21.4%	41.7%	103
	<b>Total</b>	20.0%	25.3%	54.7%	1172
Region	Portland Metro	18.8%	24.9%	56.3%	638
	Mid-Willamette Valley	23.5%	27.6%	49.0%	243
	Northwestern	36.0%	20.0%	44.0%	25
	Southern	18.2%	25.6%	56.2%	121
	Eastern	12.1%	21.2%	66.7%	33
	Southwestern	42.3%	30.8%	26.9%	26
	Central	12.8%	23.4%	63.8%	94
Which of the following best describes your primary practice setting:	Private clinic or office	18.5%	26.0%	55.4%	1048
	Community clinic/public health clinic	12.5%	50.0%	37.5%	8
	Hospital-based ambulatory care clinic	30.0%	14.0%	56.0%	50
	Other (Specify )	66.7%	22.2%	11.1%	18
What is the size of your primary practice?	Solo practice	23.1%	23.1%	53.7%	389
	Partnership (2 physicians)	21.0%	25.7%	53.3%	105
	Group practice (3 to 10 physicians)	17.2%	27.6%	55.2%	348
	Group practice (11 to 50 physicians)	12.8%	28.5%	58.7%	172
	Group practice (More than 50 physicians)	24.1%	21.5%	54.4%	158
How your primary practice is organized:	Single-specialty practice	19.3%	25.1%	55.6%	833
	Multi-specialty practice	21.3%	26.3%	52.4%	315
	Other	22.2%	22.2%	55.6%	27
What is your employment status at your primary practice?	Full owner (or sole proprietor)	21.1%	24.3%	54.6%	460
	Part-owner (or shareholder)	15.7%	27.3%	57.0%	421
	Employee	24.4%	23.7%	51.9%	262
	Independent contractor	21.1%	26.3%	52.6%	19
	Volunteer	100.0%	.0%	.0%	1
	Other	16.7%	33.3%	50.0%	12
<b>Medicaid Total</b>	<b>Total</b>	19.9%	25.3%	54.8%	1164



**Medicaid/OHP: Importance of Complex Needs of Patients in Decision to Limit**

		How important were complex needs of patients in your decision to limit or close your primary practice to new Medicare patients?			
		Not important	Somewhat important	Very important	Total
Age	Under 40 years	39.3%	32.5%	28.2%	117
	40-49 years	44.2%	30.6%	25.2%	242
	50-59 years	44.9%	36.1%	19.0%	274
	60-69 years	45.2%	29.8%	25.0%	124
	70 years or more	36.4%	45.5%	18.2%	11
Specialty Categories	Family or general medicine	37.0%	38.0%	25.0%	332
	Ob/gyn	37.2%	30.2%	32.6%	43
	Gen internal medicine	48.9%	30.5%	20.6%	141
	Gen pediatrics	.0%	.0%	.0%	0
	Gen surgery	50.0%	10.0%	40.0%	10
	Medical subspecialty	54.5%	26.1%	19.3%	88
	Pediatric subspecialty	.0%	.0%	.0%	0
	Surgical subspecialty	37.8%	29.7%	32.4%	37
	Neurosurgery	33.3%	33.3%	33.3%	6
	Psychiatry	55.9%	28.4%	15.7%	102
	Total	44.0%	32.7%	23.3%	759
Region	Portland Metro	45.4%	31.0%	23.6%	348
	Mid-Willamette Valley	48.7%	32.8%	18.5%	195
	Northwestern	50.0%	50.0%	.0%	16
	Southern	29.9%	40.2%	29.9%	87
	Eastern	35.7%	32.1%	32.1%	28
	Southwestern	42.9%	28.6%	28.6%	21
	Central	41.1%	31.5%	27.4%	73
Which of the following best describes your primary practice setting:	Private clinic or office	40.8%	35.2%	24.1%	694
	Community clinic/public health clinic	60.0%	13.3%	26.7%	15
	Hospital-based ambulatory care clinic	78.3%	13.0%	8.7%	23
	Other (Specify )	81.8%	9.1%	9.1%	11
What is the size of your primary practice?	Solo practice	36.7%	32.6%	30.7%	267
	Partnership (2 physicians)	38.9%	31.9%	29.2%	72
	Group practice (3 to 10 physicians)	37.4%	41.0%	21.6%	227
	Group practice (11 to 50 physicians)	54.4%	30.1%	15.5%	103
	Group practice (More than 50 physicians)	71.7%	17.4%	10.9%	92
How your primary practice is organized:	Single-specialty practice	37.9%	35.3%	26.8%	544
	Multi-specialty practice	57.9%	27.7%	14.4%	202
	Other	52.6%	26.3%	21.1%	19
What is your employment status at your primary practice?	Full owner (or sole proprietor)	37.8%	34.3%	27.9%	315
	Part-owner (or shareholder)	43.5%	36.7%	19.8%	278
	Employee	56.6%	24.3%	19.1%	152
	Independent contractor	33.3%	41.7%	25.0%	12
	Volunteer	100.0%	.0%	.0%	2
	Other	60.0%	.0%	40.0%	5
Medicaid Total	Total	43.9%	32.6%	23.5%	758

**Medicaid/OHP: Importance of Professional Liability Insurance in Decision to Limit**

		How important was cost or availability of professional liability insurance in your decision to limit or close your primary practice to new Medicaid/OHP patients?			
		Not important	Somewhat important	Very important	Total
Age	Under 40 years	54.2%	31.0%	14.9%	168
	40-49 years	61.6%	21.5%	16.9%	367
	50-59 years	66.7%	19.3%	14.0%	415
	60-69 years	66.5%	19.2%	14.3%	182
	70 years or more	52.6%	31.6%	15.8%	19
Specialty Categories	Family or general medicine	68.7%	20.1%	11.2%	374
	Ob/gyn	38.5%	29.5%	32.1%	78
	Gen internal medicine	68.9%	18.9%	12.2%	196
	Gen pediatrics	69.2%	25.6%	5.1%	78
	Gen surgery	60.0%	6.7%	33.3%	15
	Medical subspecialty	59.2%	26.2%	14.7%	191
	Pediatric subspecialty	63.6%	27.3%	9.1%	11
	Surgical subspecialty	39.5%	24.7%	35.8%	81
	Neurosurgery	33.3%	33.3%	33.3%	15
	Psychiatry	77.9%	12.5%	9.6%	104
	Total	63.3%	21.6%	15.1%	1143
Region	Portland Metro	63.1%	21.7%	15.2%	618
	Mid-Willamette Valley	63.5%	22.4%	14.1%	241
	Northwestern	70.8%	16.7%	12.5%	24
	Southern	59.3%	22.0%	18.6%	118
	Eastern	57.6%	24.2%	18.2%	33
	Southwestern	69.2%	19.2%	11.5%	26
	Central	63.7%	23.1%	13.2%	91
Which of the following best describes your primary practice setting:	Private clinic or office	60.6%	23.6%	15.7%	1024
	Community clinic/public health clinic	50.0%	12.5%	37.5%	8
	Hospital-based ambulatory care clinic	85.1%	6.4%	8.5%	47
	Other (Specify )	94.4%	5.6%	.0%	18
What is the size of your primary practice?	Solo practice	61.6%	21.6%	16.8%	380
	Partnership (2 physicians)	65.4%	18.3%	16.3%	104
	Group practice (3 to 10 physicians)	57.4%	25.0%	17.6%	340
	Group practice (11 to 50 physicians)	67.1%	21.6%	11.4%	167
	Group practice (More than 50 physicians)	72.4%	18.4%	9.2%	152
How your primary practice is organized:	Single-specialty practice	61.1%	21.9%	17.0%	812
	Multi-specialty practice	67.2%	22.4%	10.4%	308
	Other	70.4%	14.8%	14.8%	27
What is your employment status at your primary practice?	Full owner (or sole proprietor)	61.5%	22.1%	16.3%	447
	Part-owner (or shareholder)	59.9%	23.3%	16.8%	416
	Employee	71.4%	17.9%	10.7%	252
	Independent contractor	57.9%	26.3%	15.8%	19
	Volunteer	100.0%	.0%	.0%	1
	Other	63.6%	27.3%	9.1%	11
<b>Medicaid Total</b>	<b>Total</b>	<b>62.8%</b>	<b>22.0%</b>	<b>15.2%</b>	<b>1136</b>

**Medicaid/OHP: Importance of Patient Compliance in Decision to Limit**

		How important was non-compliance of patients in your decision to limit or close your primary practice to new Medicaid/OHP patients?			
		Not important	Somewhat important	Very important	Total
Age	Under 40 years	36.4%	36.4%	27.2%	173
	40-49 years	35.8%	34.0%	30.2%	371
	50-59 years	32.4%	38.5%	29.1%	423
	60-69 years	28.3%	39.7%	32.1%	184
	70 years or more	40.0%	25.0%	35.0%	20
Specialty Categories	Family or general medicine	34.2%	38.7%	27.1%	380
	Ob/gyn	25.6%	37.2%	37.2%	78
	Gen internal medicine	38.2%	34.2%	27.6%	199
	Gen pediatrics	42.0%	42.0%	16.0%	81
	Gen surgery	33.3%	46.7%	20.0%	15
	Medical subspecialty	26.2%	40.5%	33.3%	195
	Pediatric subspecialty	45.5%	36.4%	18.2%	11
	Surgical subspecialty	16.7%	34.5%	48.8%	84
	Neurosurgery	20.0%	33.3%	46.7%	15
	Psychiatry	48.6%	25.7%	25.7%	105
	Total	33.4%	36.9%	29.7%	1163
Region	Portland Metro	35.6%	34.0%	30.4%	626
	Mid-Willamette Valley	35.1%	39.1%	25.8%	248
	Northwestern	41.7%	41.7%	16.7%	24
	Southern	25.6%	40.5%	33.9%	121
	Eastern	24.2%	24.2%	51.5%	33
	Southwestern	15.4%	53.8%	30.8%	26
	Central	32.3%	41.9%	25.8%	93
Which of the following best describes your primary practice setting:	Private clinic or office	30.5%	37.8%	31.6%	1041
	Community clinic/public health clinic	37.5%	25.0%	37.5%	8
	Hospital-based ambulatory care clinic	59.6%	27.7%	12.8%	47
	Other (Specify )	77.8%	16.7%	5.6%	18
What is the size of your primary practice?	Solo practice	29.6%	36.4%	34.0%	385
	Partnership (2 physicians)	29.2%	38.7%	32.1%	106
	Group practice (3 to 10 physicians)	29.5%	37.0%	33.5%	349
	Group practice (11 to 50 physicians)	39.1%	38.5%	22.5%	169
	Group practice (More than 50 physicians)	48.7%	33.1%	18.2%	154
How your primary practice is organized:	Single-specialty practice	30.0%	37.3%	32.7%	829
	Multi-specialty practice	42.3%	36.1%	21.6%	310
	Other	46.4%	25.0%	28.6%	28
What is your employment status at your primary practice?	Full owner (or sole proprietor)	28.9%	38.0%	33.1%	453
	Part-owner (or shareholder)	32.5%	36.8%	30.8%	419
	Employee	44.8%	31.4%	23.8%	261
	Independent contractor	30.0%	50.0%	20.0%	20
	Volunteer	100.0%	.0%	.0%	1
	Other	16.7%	66.7%	16.7%	12
<b>Medicaid Total</b>	<b>Total</b>	<b>33.5%</b>	<b>36.8%</b>	<b>29.7%</b>	<b>1155</b>

**Medicaid/OHP: Importance of Patient Load in Decision to Limit**

		How important was patient load in your decision to limit or close your primary practice to new Medicaid/OHP patients?			
		Not important	Somewhat important	Very important	Total
<b>Age</b>	Under 40 years	30.8%	36.6%	32.6%	172
	40-49 years	30.7%	32.6%	36.7%	371
	50-59 years	28.7%	37.2%	34.1%	425
	60-69 years	25.3%	41.8%	33.0%	182
	70 years or more	28.6%	42.9%	28.6%	21
<b>Specialty Categories</b>	Family or general medicine	28.6%	35.4%	36.0%	378
	Ob/gyn	21.5%	40.5%	38.0%	79
	Gen internal medicine	27.3%	33.3%	39.4%	198
	Gen pediatrics	26.5%	50.6%	22.9%	83
	Gen surgery	28.6%	50.0%	21.4%	14
	Medical subspecialty	32.8%	35.9%	31.3%	198
	Pediatric subspecialty	36.4%	45.5%	18.2%	11
	Surgical subspecialty	23.2%	40.2%	36.6%	82
	Neurosurgery	20.0%	46.7%	33.3%	15
	Psychiatry	39.0%	27.6%	33.3%	105
	Total	29.0%	36.6%	34.4%	1163
<b>Region</b>	Portland Metro	32.3%	35.8%	32.0%	629
	Mid-Willamette Valley	29.0%	35.5%	35.5%	245
	Northwestern	20.0%	40.0%	40.0%	25
	Southern	19.2%	43.3%	37.5%	120
	Eastern	27.3%	33.3%	39.4%	33
	Southwestern	15.4%	34.6%	50.0%	26
	Central	28.0%	35.5%	36.6%	93
<b>Which of the following best describes your primary practice setting:</b>	Private clinic or office	28.0%	37.4%	34.5%	1042
	Community clinic/public health clinic	.0%	37.5%	62.5%	8
	Hospital-based ambulatory care clinic	31.9%	25.5%	42.6%	47
	Other (Specify )	78.9%	10.5%	10.5%	19
<b>What is the size of your primary practice?</b>	Solo practice	28.1%	37.8%	34.1%	384
	Partnership (2 physicians)	32.7%	37.4%	29.9%	107
	Group practice (3 to 10 physicians)	24.9%	35.8%	39.3%	349
	Group practice (11 to 50 physicians)	25.0%	36.9%	38.1%	168
	Group practice (More than 50 physicians)	41.9%	33.5%	24.5%	155
<b>How your primary practice is organized:</b>	Single-specialty practice	27.3%	36.5%	36.2%	828
	Multi-specialty practice	33.4%	37.0%	29.6%	311
	Other	35.7%	28.6%	35.7%	28
<b>What is your employment status at your primary practice?</b>	Full owner (or sole proprietor)	27.6%	38.8%	33.6%	456
	Part-owner (or shareholder)	26.4%	38.8%	34.8%	420
	Employee	34.7%	29.0%	36.3%	259
	Independent contractor	44.4%	44.4%	11.1%	18
	Volunteer	100.0%	.0%	.0%	1
	Other	33.3%	16.7%	50.0%	12
<b>Medicaid Total</b>	<b>Total</b>	<b>29.1%</b>	<b>36.6%</b>	<b>34.3%</b>	<b>1155</b>

**Medicaid/OHP: Importance of Reimbursement Rates in Decision to Limit**

		How important were reimbursement rates in your decision to limit or close your primary practice to new Medicaid/OHP patients?			
		Not important	Somewhat important	Very important	Total
Age	Under 40 years	8.4%	18.0%	73.6%	178
	40-49 years	8.4%	12.1%	79.5%	380
	50-59 years	7.8%	13.3%	78.9%	435
	60-69 years	6.8%	16.8%	76.3%	190
	70 years or more	9.1%	27.3%	63.6%	22
Specialty Categories	Family or general medicine	8.2%	14.4%	77.3%	388
	Ob/gyn	3.8%	12.7%	83.5%	79
	Gen internal medicine	9.9%	16.8%	73.3%	202
	Gen pediatrics	7.0%	19.8%	73.3%	86
	Gen surgery	21.4%	.0%	78.6%	14
	Medical subspecialty	7.8%	12.3%	79.9%	204
	Pediatric subspecialty	9.1%	27.3%	63.6%	11
	Surgical subspecialty	1.2%	12.9%	85.9%	85
	Neurosurgery	.0%	18.8%	81.3%	16
	Psychiatry	11.7%	13.5%	74.8%	111
	Total	7.9%	14.5%	77.5%	1196
Region	Portland Metro	6.4%	13.9%	79.7%	655
	Mid-Willamette Valley	10.9%	16.5%	72.6%	248
	Northwestern	21.7%	4.3%	73.9%	23
	Southern	6.7%	18.3%	75.0%	120
	Eastern	6.1%	6.1%	87.9%	33
	Southwestern	11.5%	26.9%	61.5%	26
	Central	9.0%	10.0%	81.0%	100
Which of the following best describes your primary practice setting:	Private clinic or office	6.2%	14.0%	79.9%	1073
	Community clinic/public health clinic	12.5%	25.0%	62.5%	8
	Hospital-based ambulatory care clinic	27.1%	27.1%	45.8%	48
	Other (Specify )	42.1%	15.8%	42.1%	19
What is the size of your primary practice?	Solo practice	6.3%	11.8%	82.0%	399
	Partnership (2 physicians)	4.5%	10.0%	85.5%	110
	Group practice (3 to 10 physicians)	6.3%	16.9%	76.9%	350
	Group practice (11 to 50 physicians)	8.5%	19.2%	72.3%	177
	Group practice (More than 50 physicians)	16.8%	14.3%	68.9%	161
How your primary practice is organized:	Single-specialty practice	5.8%	13.5%	80.7%	855
	Multi-specialty practice	13.2%	17.6%	69.2%	318
	Other	14.8%	11.1%	74.1%	27
What is your employment status at your primary practice?	Full owner (or sole proprietor)	5.8%	12.8%	81.4%	468
	Part-owner (or shareholder)	5.1%	14.7%	80.2%	430
	Employee	16.4%	17.5%	66.2%	269
	Independent contractor	5.0%	10.0%	85.0%	20
	Volunteer	100.0%	.0%	.0%	1
	Other	8.3%	16.7%	75.0%	12
Medicaid Total	Total	7.9%	14.5%	77.6%	1188

**Currently Have Oregon Health Plan Patients**

		Do you currently have Oregon Health Plan/Medicaid patients under your care?			
		Yes	No	Don't know	Total
<b>Specialty Categories</b>	Family or general medicine	88.4%	9.2%	2.4%	708
	Ob/gyn	94.2%	4.9%	.9%	225
	Gen internal medicine	82.7%	10.9%	6.4%	421
	Gen pediatrics	97.6%	1.9%	.5%	208
	Gen surgery	90.4%	5.6%	4.0%	125
	Medical subspecialty	86.8%	9.1%	4.2%	838
	Pediatric subspecialty	87.8%	6.7%	5.6%	90
	Surgical subspecialty	82.8%	13.7%	3.4%	233
	Neurosurgery	79.3%	17.2%	3.4%	29
	Psychiatry	45.5%	52.9%	1.6%	187
	Other	57.9%	36.8%	5.3%	19
<b>Which of the following best describes your primary practice setting:</b>	Private clinic or office	85.2%	12.5%	2.2%	2236
	Community clinic/public health clinic	97.2%	2.8%	.0%	141
	University/college health service clinic	78.9%	12.0%	9.0%	133
	Hospital-based ambulatory care clinic	91.6%	5.8%	2.7%	226
	Urgent care clinic	70.2%	21.3%	8.5%	47
	Other (Specify )	72.1%	17.8%	10.1%	129
<b>Region</b>	Portland Metro	79.9%	15.1%	5.0%	1610
	Mid-Willamette Valley	88.6%	9.2%	2.2%	649
	Northwestern	97.1%	2.9%	.0%	69
	Southern	92.7%	5.4%	1.9%	314
	Eastern	97.1%	2.0%	1.0%	102
	Southwestern	87.3%	11.3%	1.4%	71
	Central	89.2%	9.7%	1.1%	268
<b>Region Total</b>	<b>Total</b>	<b>85.0%</b>	<b>11.6%</b>	<b>3.4%</b>	<b>3083</b>

**Access to Specialists for OHP Patients**

		How often are you able to refer to specialists for your Medicaid/OHP patients when you think it is medically necessary?				
		Never	Sometimes	Usually	Always	Total
<b>Specialty Categories</b>	Family or general medicine	3.1%	33.4%	51.2%	12.3%	586
	Ob/gyn	5.9%	31.0%	47.6%	15.5%	187
	Gen internal medicine	5.4%	34.1%	40.5%	19.9%	296
	Gen pediatrics	3.1%	24.0%	53.1%	19.9%	196
	Gen surgery	2.7%	36.0%	50.7%	10.7%	75
	Medical subspecialty	5.1%	31.8%	43.6%	19.4%	566
	Pediatric subspecialty	5.9%	27.5%	41.2%	25.5%	51
	Surgical subspecialty	2.2%	46.8%	43.9%	7.2%	139
	Neurosurgery	.0%	68.8%	31.3%	.0%	16
	Psychiatry	3.2%	38.7%	48.4%	9.7%	62
<b>Region</b>	Portland Metro	3.4%	33.9%	45.6%	17.0%	1017
	Mid-Willamette Valley	4.6%	31.3%	48.2%	15.9%	502
	Northwestern	.0%	36.2%	60.3%	3.4%	58
	Southern	6.0%	31.6%	45.6%	16.8%	250
	Eastern	7.5%	41.9%	41.9%	8.6%	93
	Southwestern	5.1%	27.1%	45.8%	22.0%	59
	Central	3.9%	36.3%	46.1%	13.7%	204
<b>Region Total</b>	<b>Total</b>	4.2%	33.5%	46.5%	15.8%	2183

**Access to Ancillary Services for OHP Patients**

		How often are you able to obtain ancillary services for your Medicaid/OHP patients when you think it is medically necessary?					Total
		Never	Sometimes	Usually	Always		
Specialty Categories	Family or general medicine	13.8%	47.5%	28.8%	9.8%	579	
	Ob/gyn	10.1%	48.3%	30.9%	10.7%	178	
	Gen internal medicine	10.7%	45.9%	31.7%	11.7%	290	
	Gen pediatrics	5.2%	44.0%	39.3%	11.5%	191	
	Gen surgery	7.3%	45.1%	36.6%	11.0%	82	
	Medical subspecialty	7.0%	42.7%	36.5%	13.8%	471	
	Pediatric subspecialty	2.1%	43.8%	39.6%	14.6%	48	
	Surgical subspecialty	8.5%	53.6%	31.4%	6.5%	153	
	Neurosurgery	20.0%	45.0%	25.0%	10.0%	20	
	Psychiatry	2.3%	52.3%	31.8%	13.6%	44	
Region	Portland Metro	8.5%	44.4%	34.2%	13.0%	965	
	Mid-Willamette Valley	11.9%	45.9%	32.1%	10.2%	471	
	Northwestern	14.0%	36.8%	42.1%	7.0%	57	
	Southern	8.0%	50.2%	30.4%	11.4%	237	
	Eastern	13.8%	44.8%	32.2%	9.2%	87	
	Southwestern	7.4%	53.7%	25.9%	13.0%	54	
	Central	8.3%	55.4%	30.1%	6.2%	193	
Region Total	Total	9.5%	46.5%	32.8%	11.2%	2064	



**Access to Non-Emergency Hospital Admission for OHP Patients**

		How often are you able to obtain non-emergency hospital admission for your Medicaid/OHP patients when you think it is medically necessary?				
		Never	Sometimes	Usually	Always	Total
<b>Specialty Categories</b>	Family or general medicine	11.4%	25.2%	38.7%	24.7%	473
	Ob/gyn	9.7%	29.0%	39.2%	22.2%	176
	Gen internal medicine	13.8%	23.7%	29.6%	32.8%	253
	Gen pediatrics	8.8%	16.3%	44.9%	29.9%	147
	Gen surgery	10.5%	26.7%	38.4%	24.4%	86
	Medical subspecialty	9.7%	27.3%	38.2%	24.8%	411
	Pediatric subspecialty	12.2%	26.8%	43.9%	17.1%	41
	Surgical subspecialty	6.3%	39.8%	39.8%	14.1%	128
	Neurosurgery	21.1%	42.1%	26.3%	10.5%	19
	Psychiatry	25.9%	31.0%	27.6%	15.5%	58
<b>Region</b>	Portland Metro	9.5%	27.4%	38.2%	24.9%	846
	Mid-Willamette Valley	10.7%	23.1%	39.1%	27.1%	402
	Northwestern	15.7%	15.7%	41.2%	27.5%	51
	Southern	14.8%	29.6%	34.2%	21.4%	196
	Eastern	11.3%	38.8%	28.8%	21.3%	80
	Southwestern	10.0%	20.0%	36.0%	34.0%	50
	Central	15.9%	26.5%	38.2%	19.4%	170
<b>Region Total</b>	<b>Total</b>	11.2%	26.6%	37.5%	24.7%	1795

**Access to Diagnostic Imaging Services for OHP Patients**

		How often are you able to obtain diagnostic imaging services for your Medicaid/OHP patients when you think it is medically necessary?				
		Never	Sometimes	Usually	Always	Total
<b>Specialty Categories</b>	Family or general medicine	6.3%	25.0%	47.5%	21.2%	585
	Ob/gyn	8.4%	20.5%	50.0%	21.1%	190
	Gen internal medicine	6.1%	25.9%	41.6%	26.3%	293
	Gen pediatrics	7.2%	14.4%	46.9%	31.4%	194
	Gen surgery	5.8%	27.9%	45.3%	20.9%	86
	Medical subspecialty	7.5%	26.5%	43.6%	22.4%	585
	Pediatric subspecialty	7.4%	22.2%	35.2%	35.2%	54
	Surgical subspecialty	.6%	40.3%	49.4%	9.7%	154
	Neurosurgery	5.6%	50.0%	38.9%	5.6%	18
	Psychiatry	4.3%	32.6%	47.8%	15.2%	46
<b>Region</b>	Portland Metro	5.7%	26.8%	43.4%	24.1%	1033
	Mid-Willamette Valley	6.1%	22.5%	52.6%	18.8%	506
	Northwestern	5.3%	17.5%	42.1%	35.1%	57
	Southern	9.2%	29.1%	41.8%	19.9%	261
	Eastern	8.8%	26.4%	41.8%	23.1%	91
	Southwestern	8.5%	16.9%	42.4%	32.2%	59
	Central	6.3%	29.0%	46.9%	17.9%	207
<b>Region Total</b>	<b>Total</b>	6.5%	25.8%	45.5%	22.3%	2214

**Access to Inpatient Mental Health Services for OHP Patients**

		How often are you able to obtain inpatient mental health services for your Medicaid/OHP patients when you think it is medically necessary?				
		Never	Sometimes	Usually	Always	Total
<b>Specialty Categories</b>	Family or general medicine	20.5%	44.1%	24.6%	10.9%	488
	Ob/gyn	24.5%	40.2%	21.6%	13.7%	102
	Gen internal medicine	25.5%	37.4%	21.8%	15.2%	243
	Gen pediatrics	16.2%	43.2%	29.7%	10.8%	148
	Medical subspecialty	22.7%	34.1%	25.6%	17.6%	176
	Psychiatry	4.5%	43.3%	43.3%	9.0%	67
<b>Region</b>	Portland Metro	19.9%	40.0%	25.9%	14.3%	568
	Mid-Willamette Valley	18.1%	45.3%	25.9%	10.6%	320
	Northwestern	23.8%	45.2%	26.2%	4.8%	42
	Southern	16.7%	38.7%	30.0%	14.7%	150
	Eastern	37.5%	37.5%	9.4%	15.6%	64
	Southwestern	20.0%	32.5%	35.0%	12.5%	40
	Central	26.3%	41.5%	21.2%	11.0%	118
<b>Region Total</b>	<b>Total</b>	20.7%	41.1%	25.4%	12.8%	1302

**Access to Inpatient Substance Abuse Services for OHP Patients**

		How often are you able to obtain inpatient substance abuse services for your Medicaid/OHP patients when you think it is medically necessary?				
		Never	Sometimes	Usually	Always	Total
<b>Specialty Categories</b>	Family or general medicine	34.0%	37.7%	16.8%	11.5%	453
	Ob/gyn	30.9%	39.2%	15.5%	14.4%	97
	Gen internal medicine	39.2%	32.1%	13.9%	14.8%	209
	Gen pediatrics	19.5%	49.4%	23.0%	8.0%	87
	Medical subspecialty	29.1%	27.7%	23.4%	19.9%	141
	Psychiatry	15.6%	48.4%	25.0%	10.9%	64
<b>Region</b>	Portland Metro	30.0%	38.5%	17.6%	13.9%	454
	Mid-Willamette Valley	33.6%	37.2%	16.8%	12.4%	274
	Northwestern	38.1%	31.0%	23.8%	7.1%	42
	Southern	28.4%	34.3%	19.4%	17.9%	134
	Eastern	40.4%	29.8%	14.0%	15.8%	57
	Southwestern	34.3%	31.4%	20.0%	14.3%	35
	Central	32.1%	39.4%	19.3%	9.2%	109
<b>Region Total</b>	<b>Total</b>	31.9%	36.8%	17.9%	13.4%	1105

**Access to Outpatient Mental Health Services for OHP Patients**

		How often are you able to obtain outpatient mental health services for your Medicaid/OHP patients when you think it is medically necessary?					Total
		Never	Sometimes	Usually	Always		
<b>Specialty Categories</b>	<b>Family or general medicine</b>	12.4%	50.2%	29.5%	8.0%	550	
	<b>Ob/gyn</b>	19.3%	55.0%	20.7%	5.0%	140	
	<b>Gen internal medicine</b>	21.2%	47.6%	20.5%	10.6%	273	
	<b>Gen pediatrics</b>	3.8%	55.1%	32.4%	8.6%	185	
	<b>Medical subspecialty</b>	23.9%	35.3%	24.4%	16.4%	201	
	<b>Psychiatry</b>	13.3%	31.7%	28.3%	26.7%	60	
<b>Region</b>	<b>Portland Metro</b>	18.7%	45.5%	23.9%	12.0%	675	
	<b>Mid-Willamette Valley</b>	14.2%	48.3%	26.9%	10.6%	360	
	<b>Northwestern</b>	14.6%	52.1%	31.3%	2.1%	48	
	<b>Southern</b>	14.0%	47.1%	29.7%	9.3%	172	
	<b>Eastern</b>	9.7%	47.2%	33.3%	9.7%	72	
	<b>Southwestern</b>	15.0%	45.0%	22.5%	17.5%	40	
	<b>Central</b>	7.6%	56.1%	31.1%	5.3%	132	
<b>Region Total</b>	<b>Total</b>	15.4%	47.6%	26.6%	10.5%	1499	

**Access to Outpatient Substance Abuse Services for OHP Patients**

		How often are you able to obtain outpatient substance abuse services for your Medicaid/OHP patients when you think it is medically necessary?				
		Never	Sometimes	Usually	Always	Total
<b>Specialty Categories</b>	Family or general medicine	18.2%	47.7%	25.4%	8.7%	484
	Ob/gyn	22.8%	48.5%	19.8%	8.9%	101
	Gen internal medicine	28.3%	44.7%	15.5%	11.5%	226
	Gen pediatrics	7.1%	58.6%	30.3%	4.0%	99
	Medical subspecialty	29.8%	30.5%	22.0%	17.7%	141
	Psychiatry	4.5%	37.9%	40.9%	16.7%	66
<b>Region</b>	Portland Metro	24.2%	41.9%	21.2%	12.7%	496
	Mid-Willamette Valley	18.3%	49.3%	22.9%	9.5%	284
	Northwestern	18.6%	48.8%	25.6%	7.0%	43
	Southern	14.8%	46.5%	27.5%	11.3%	142
	Eastern	25.0%	41.7%	21.7%	11.7%	60
	Southwestern	22.9%	37.1%	28.6%	11.4%	35
	Central	16.7%	50.9%	26.9%	5.6%	108
<b>Region Total</b>	<b>Total</b>	20.7%	45.2%	23.3%	10.8%	1168

## Awareness of Oregon Tobacco Quit Line

		Are you aware of the Oregon Tobacco Quit Line?		
		Yes	No	Total
Gender	Female	74.0%	26.0%	919
	Male	60.1%	39.9%	2311
Age	Under 40 years	64.4%	35.6%	646
	40-49 years	62.0%	38.0%	1016
	50-59 years	66.2%	33.8%	1042
	60-69 years	65.3%	34.7%	458
	70 years or more	50.0%	50.0%	68
Race	White	64.7%	35.3%	2855
	African-American	60.0%	40.0%	15
	Asian	52.8%	47.2%	193
	Native Hawaiian or Pacific Islander	75.0%	25.0%	4
	American Indian or Alaska Native	50.0%	50.0%	2
	Other	77.2%	22.8%	57
	Two or more races	55.3%	44.7%	38
Specialty Categories	Family or general medicine	88.4%	11.6%	627
	Ob/gyn	83.9%	16.1%	217
	Gen internal medicine	87.0%	13.0%	384
	Gen pediatrics	80.2%	19.8%	212
	Gen surgery	41.9%	58.1%	124
	Medical subspecialty	51.5%	48.5%	750
	Pediatric subspecialty	33.3%	66.7%	93
	Surgical subspecialty	41.1%	58.9%	207
	Neurosurgery	25.0%	75.0%	24
	Psychiatry	60.2%	39.8%	98
	Hospital-based specialty	42.8%	57.2%	484
Other	30.0%	70.0%	10	
Region	Portland Metro	60.8%	39.2%	1611
	Mid-Willamette Valley	70.2%	29.8%	694
	Northwestern	75.3%	24.7%	81
	Southern	60.8%	39.2%	362
	Eastern	69.3%	30.7%	114
	Southwestern	61.0%	39.0%	82
	Central	67.1%	32.9%	286
Region Total	Total	64.1%	35.9%	3230

### Concerns About Providing Care to Medicaid/OHP Patients

		Do you have concerns about providing care to Oregon Health Plan/Medicaid patients?		
		Yes	No	Total
Gender	Female	54.5%	45.5%	891
	Male	53.7%	46.3%	2267
Age	Under 40 years	53.1%	46.9%	636
	40-49 years	58.0%	42.0%	993
	50-59 years	53.8%	46.2%	1014
	60-69 years	48.4%	51.6%	450
	70 years or more	38.5%	61.5%	65
Race	White	53.8%	46.2%	2790
	African-American	60.0%	40.0%	15
	Asian	48.9%	51.1%	190
	Native Hawaiian or Pacific Islander	50.0%	50.0%	4
	Amerian Indian or Alaska Native	50.0%	50.0%	2
	Other	57.1%	42.9%	56
	Two or more races	64.9%	35.1%	37
Specialty Categories	Family or general medicine	59.0%	41.0%	614
	Ob/gyn	51.4%	48.6%	214
	Gen internal medicine	49.7%	50.3%	370
	Gen pediatrics	57.4%	42.6%	209
	Gen surgery	62.9%	37.1%	124
	Medical subspecialty	56.0%	44.0%	741
	Pediatric subspecialty	42.6%	57.4%	94
	Surgical subspecialty	67.2%	32.8%	201
	Neurosurgery	78.3%	21.7%	23
	Psychiatry	48.4%	51.6%	93
	Hospital-based specialty	41.3%	58.7%	465
	Other	40.0%	60.0%	10
Region	Portland Metro	52.2%	47.8%	1568
	Mid-Willamette Valley	53.6%	46.4%	679
	Northwestern	61.3%	38.8%	80
	Southern	56.7%	43.3%	358
	Eastern	58.9%	41.1%	112
	Southwestern	53.8%	46.2%	78
	Central	56.5%	43.5%	283
Region Total	Total	53.9%	46.1%	3158



**Anticipated Changes in Next Two Years: Closing or selling primary practice**

		Closing or selling your primary practice in the next two years?				
		Not anticipated	Might do	Definitely will do	Not applicable	Total
Gender	Female	70.2%	5.5%	2.3%	22.0%	1014
	Male	73.6%	8.8%	3.8%	13.8%	2480
Age	Under 40 years	75.4%	3.0%	1.2%	20.4%	667
	40-49 years	78.6%	6.5%	2.0%	12.9%	1077
	50-59 years	72.1%	8.3%	2.5%	17.1%	1169
	60-69 years	60.6%	14.3%	10.4%	14.7%	502
	70 years or more	53.2%	17.7%	7.6%	21.5%	79
Which of the following best describes your primary practice setting:	Private clinic or office	78.7%	9.9%	4.2%	7.2%	2215
	Community clinic/public health clinic	54.5%	5.0%	.8%	39.7%	121
	University/college health service clinic	58.6%	3.0%	1.5%	36.8%	133
	Hospital-based ambulatory care clinic	70.8%	3.7%	2.1%	23.5%	243
	Hospital inpatient setting	66.8%	4.6%	2.7%	25.9%	328
	Emergency department	59.7%	.5%	1.6%	38.2%	186
	Urgent care clinic	44.9%	6.1%	4.1%	44.9%	49
	Nursing facility	55.6%	22.2%	.0%	22.2%	9
What is the size of your primary practice?	Other (Specify )	55.9%	6.2%	1.0%	36.9%	195
	Solo practice	72.4%	16.7%	5.6%	5.3%	732
	Partnership (2 physicians)	79.2%	11.2%	4.8%	4.8%	250
	Group practice (3 to 10 physicians)	74.3%	5.6%	2.8%	17.3%	1226
	Group practice (11 to 50 physicians)	75.5%	4.2%	2.3%	18.0%	644
Specialty Categories	Group practice (More than 50 physicians)	65.1%	3.8%	2.3%	28.8%	607
	Family or general medicine	72.9%	9.0%	2.9%	15.2%	664
	Ob/gyn	75.2%	9.0%	4.1%	11.7%	222
	Gen internal medicine	66.1%	8.7%	2.7%	22.4%	401
	Gen pediatrics	81.6%	4.7%	3.8%	9.9%	212
	Gen surgery	73.0%	4.8%	7.1%	15.1%	126
	Medical subspecialty	76.0%	7.9%	3.5%	12.6%	807
	Pediatric subspecialty	69.9%	2.2%	1.1%	26.9%	93
	Surgical subspecialty	73.4%	11.8%	5.1%	9.7%	237
	Neurosurgery	66.7%	22.2%	7.4%	3.7%	27
	Psychiatry	72.5%	11.4%	3.1%	13.0%	193
	Hospital-based specialty	66.8%	4.0%	2.4%	26.7%	494
Other	94.4%	.0%	.0%	5.6%	18	
Region	Portland Metro	70.9%	6.4%	2.6%	20.0%	1814
	Mid-Willamette Valley	75.3%	8.3%	3.6%	12.7%	746
	Northwestern	64.1%	11.5%	3.8%	20.5%	78
	Southern	77.4%	9.1%	4.3%	9.1%	350
	Eastern	74.8%	11.7%	3.6%	9.9%	111
	Southwestern	67.8%	15.6%	5.6%	11.1%	90
	Central	73.8%	8.5%	4.9%	12.8%	305
Region Total	Total	72.6%	7.8%	3.3%	16.2%	3494

**Anticipated Changes in Next Two Years: Expand scope of practice**

		Expand scope of your primary practice in the next two years?				
		Not anticipated	Might do	Definitely will do	Not applicable	Total
Gender	Female	66.1%	19.0%	5.8%	9.1%	1039
	Male	65.4%	19.2%	8.1%	7.3%	2536
Age	Under 40 years	59.7%	20.2%	10.3%	9.8%	687
	40-49 years	63.4%	23.2%	7.8%	5.6%	1113
	50-59 years	67.3%	18.8%	5.9%	8.0%	1194
	60-69 years	73.0%	11.1%	6.9%	8.9%	504
	70 years or more	74.0%	10.4%	3.9%	11.7%	77
Which of the following best describes your primary practice setting:	Private clinic or office	70.5%	19.1%	7.4%	3.0%	2244
	Community clinic/public health clinic	63.1%	19.2%	6.2%	11.5%	130
	University/college health service clinic	53.8%	23.1%	12.6%	10.5%	143
	Hospital-based ambulatory care clinic	60.0%	22.8%	6.4%	10.8%	250
	Hospital inpatient setting	52.2%	23.2%	10.6%	14.1%	341
	Emergency department	59.1%	9.8%	3.1%	28.0%	193
	Urgent care clinic	53.1%	16.3%	2.0%	28.6%	49
	Nursing facility	55.6%	11.1%	.0%	33.3%	9
What is the size of your primary practice?	Other (Specify )	59.2%	15.8%	7.1%	17.9%	196
	Solo practice	71.1%	18.7%	6.3%	4.0%	729
	Partnership (2 physicians)	64.8%	22.5%	11.1%	1.6%	253
	Group practice (3 to 10 physicians)	63.4%	20.8%	7.8%	8.0%	1267
	Group practice (11 to 50 physicians)	63.3%	19.5%	8.9%	8.3%	663
Specialty Categories	Group practice (More than 50 physicians)	67.7%	14.2%	5.1%	12.9%	626
	Family or general medicine	71.3%	17.6%	5.1%	6.0%	683
	Ob/gyn	74.0%	19.7%	2.2%	4.0%	223
	Gen internal medicine	67.1%	15.6%	6.2%	11.0%	417
	Gen pediatrics	78.2%	11.6%	4.2%	6.0%	216
	Gen surgery	59.2%	28.0%	6.4%	6.4%	125
	Medical subspecialty	60.8%	22.5%	11.5%	5.1%	825
	Pediatric subspecialty	60.4%	24.0%	5.2%	10.4%	96
	Surgical subspecialty	68.7%	20.6%	8.2%	2.5%	243
	Neurosurgery	60.7%	25.0%	10.7%	3.6%	28
	Psychiatry	75.8%	14.4%	3.1%	6.7%	194
Hospital-based specialty	53.3%	18.9%	10.3%	17.6%	507	
Other	50.0%	33.3%	11.1%	5.6%	18	
Region	Portland Metro	62.4%	20.2%	8.4%	9.1%	1865
	Mid-Willamette Valley	70.3%	17.8%	5.3%	6.5%	751
	Northwestern	74.4%	11.5%	1.3%	12.8%	78
	Southern	69.3%	19.3%	6.4%	5.0%	358
	Eastern	71.7%	14.2%	8.8%	5.3%	113
	Southwestern	63.4%	22.6%	4.3%	9.7%	93
	Central	65.6%	18.6%	10.1%	5.7%	317
Region Total	Total	65.6%	19.2%	7.4%	7.8%	3575

**Anticipated Changes in Next Two Years: Reduce scope of practice**

		Reduce scope of your primary practice in the next two years?				
		Not anticipated	Might do	Definitely will do	Not applicable	Total
Gender	Female	73.1%	14.2%	4.0%	8.8%	1037
	Male	68.6%	17.5%	6.7%	7.1%	2536
Age	Under 40 years	76.8%	10.2%	3.5%	9.5%	686
	40-49 years	76.1%	13.9%	4.7%	5.3%	1115
	50-59 years	65.8%	20.8%	5.5%	7.9%	1188
	60-69 years	58.1%	21.1%	11.9%	8.9%	506
	70 years or more	59.0%	16.7%	12.8%	11.5%	78
Which of the following best describes your primary practice setting:	Private clinic or office	71.3%	18.9%	6.7%	3.1%	2247
	Community clinic/public health clinic	72.5%	16.0%	2.3%	9.2%	131
	University/college health service clinic	68.3%	16.2%	5.6%	9.9%	142
	Hospital-based ambulatory care clinic	72.6%	14.1%	3.6%	9.7%	248
	Hospital inpatient setting	66.1%	14.0%	5.4%	14.6%	336
	Emergency department	61.9%	7.7%	3.1%	27.3%	194
	Urgent care clinic	65.3%	2.0%	4.1%	28.6%	49
	Nursing facility	44.4%	11.1%	22.2%	22.2%	9
What is the size of your primary practice?	Solo practice	70.6%	19.2%	5.6%	4.5%	728
	Partnership (2 physicians)	74.4%	16.8%	6.0%	2.8%	250
	Group practice (3 to 10 physicians)	68.7%	17.7%	6.0%	7.6%	1269
	Group practice (11 to 50 physicians)	73.5%	11.5%	6.5%	8.5%	660
	Group practice (More than 50 physicians)	67.0%	16.6%	5.1%	11.3%	628
Specialty Categories	Family or general medicine	71.9%	18.1%	5.2%	4.8%	686
	Ob/gyn	66.4%	22.9%	7.2%	3.6%	223
	Gen internal medicine	66.5%	17.6%	4.8%	11.1%	415
	Gen pediatrics	81.6%	10.6%	3.2%	4.6%	217
	Gen surgery	63.8%	23.6%	7.1%	5.5%	127
	Medical subspecialty	70.7%	17.2%	6.6%	5.5%	818
	Pediatric subspecialty	79.4%	7.2%	1.0%	12.4%	97
	Surgical subspecialty	67.2%	18.0%	11.5%	3.3%	244
	Neurosurgery	61.5%	15.4%	19.2%	3.8%	26
	Psychiatry	67.9%	20.2%	4.7%	7.3%	193
	Hospital-based specialty	67.2%	10.6%	5.1%	17.1%	509
Other	83.3%	11.1%	.0%	5.6%	18	
Region	Portland Metro	72.0%	14.0%	5.1%	8.9%	1862
	Mid-Willamette Valley	68.8%	18.2%	6.5%	6.5%	753
	Northwestern	65.8%	19.0%	3.8%	11.4%	79
	Southern	68.2%	20.6%	5.6%	5.6%	359
	Eastern	68.1%	21.2%	5.3%	5.3%	113
	Southwestern	59.8%	17.4%	13.0%	9.8%	92
	Central	66.7%	21.0%	8.3%	4.1%	315
Region Total	Total	69.9%	16.6%	5.9%	7.6%	3573

### Anticipated Changes in Next Two Years: Increase referrals of complex patients

		Increase referrals of complex cases in your primary practice in the next two years?				
		Not anticipated	Might do	Definitely will do	Not applicable	Total
Gender	Female	60.1%	23.6%	6.5%	9.8%	1039
	Male	60.1%	20.6%	10.3%	9.0%	2508
Age	Under 40 years	61.8%	21.5%	7.8%	8.8%	678
	40-49 years	62.4%	21.9%	8.4%	7.3%	1113
	50-59 years	58.1%	23.1%	9.0%	9.8%	1180
	60-69 years	57.3%	18.6%	13.0%	11.0%	499
	70 years or more	61.0%	7.8%	11.7%	19.5%	77
Which of the following best describes your primary practice setting:	Private clinic or office	60.8%	24.5%	10.7%	3.9%	2229
	Community clinic/public health clinic	60.5%	24.8%	6.2%	8.5%	129
	University/college health service clinic	58.7%	19.6%	9.1%	12.6%	143
	Hospital-based ambulatory care clinic	65.6%	18.6%	6.3%	9.5%	253
	Hospital inpatient setting	57.9%	15.5%	8.8%	17.9%	330
	Emergency department	52.6%	11.1%	3.7%	32.6%	190
	Urgent care clinic	51.0%	20.4%	4.1%	24.5%	49
	Nursing facility	66.7%	.0%	.0%	33.3%	9
What is the size of your primary practice?	Other (Specify )	57.9%	11.3%	5.6%	25.1%	195
	Solo practice	57.9%	23.4%	11.4%	7.3%	722
	Partnership (2 physicians)	53.8%	28.7%	13.5%	4.0%	251
	Group practice (3 to 10 physicians)	60.0%	22.6%	8.9%	8.5%	1264
	Group practice (11 to 50 physicians)	62.2%	19.1%	8.6%	10.1%	653
Specialty Categories	Group practice (More than 50 physicians)	63.9%	16.5%	6.3%	13.4%	620
	Family or general medicine	60.6%	27.5%	7.4%	4.5%	688
	Ob/gyn	52.9%	26.9%	15.7%	4.5%	223
	Gen internal medicine	59.4%	25.8%	6.5%	8.2%	414
	Gen pediatrics	72.0%	18.3%	4.6%	5.0%	218
	Gen surgery	52.4%	27.0%	15.1%	5.6%	126
	Medical subspecialty	62.4%	18.2%	12.0%	7.4%	811
	Pediatric subspecialty	66.0%	17.0%	4.3%	12.8%	94
	Surgical subspecialty	53.7%	19.3%	19.3%	7.8%	244
	Neurosurgery	64.3%	10.7%	17.9%	7.1%	28
	Psychiatry	69.1%	19.4%	2.1%	9.4%	191
Hospital-based specialty	53.8%	16.0%	5.3%	24.9%	493	
Region	Other	82.4%	5.9%	11.8%	.0%	17
	Portland Metro	62.4%	18.7%	7.6%	11.3%	1847
	Mid-Willamette Valley	60.5%	23.3%	9.4%	6.9%	744
	Northwestern	50.6%	24.1%	12.7%	12.7%	79
	Southern	56.6%	25.6%	10.7%	7.0%	355
	Eastern	56.6%	28.3%	9.7%	5.3%	113
	Southwestern	48.9%	30.4%	9.8%	10.9%	92
Region Total	Central	56.8%	22.7%	15.5%	5.0%	317
	Total	60.1%	21.5%	9.2%	9.2%	3547

**Anticipated Changes in Next Two Years: Increase diagnostic procedures**

		Increase diagnostic procedures performed in your primary practice in the next two years?				
		Not anticipated	Might do	Definitely will do	Not applicable	Total
Gender	Female	67.6%	19.2%	4.3%	8.9%	1037
	Male	64.3%	19.2%	8.3%	8.2%	2520
Age	Under 40 years	61.5%	23.0%	7.3%	8.2%	686
	40-49 years	64.8%	20.0%	8.8%	6.4%	1112
	50-59 years	64.4%	19.6%	7.1%	8.8%	1178
	60-69 years	73.3%	12.3%	4.0%	10.5%	505
	70 years or more	64.5%	14.5%	1.3%	19.7%	76
Which of the following best describes your primary practice setting:	Private clinic or office	68.1%	20.6%	7.2%	4.0%	2235
	Community clinic/public health clinic	66.9%	17.7%	2.3%	13.1%	130
	University/college health service clinic	61.8%	18.1%	10.4%	9.7%	144
	Hospital-based ambulatory care clinic	64.8%	18.4%	8.2%	8.6%	256
	Hospital inpatient setting	58.4%	17.0%	7.6%	17.0%	329
	Emergency department	51.8%	19.4%	4.7%	24.1%	191
	Urgent care clinic	53.1%	22.4%	2.0%	22.4%	49
	Nursing facility	66.7%	.0%	.0%	33.3%	9
What is the size of your primary practice?	Solo practice	68.4%	17.7%	5.4%	8.4%	722
	Partnership (2 physicians)	69.0%	20.6%	7.5%	2.8%	252
	Group practice (3 to 10 physicians)	62.7%	21.8%	7.8%	7.8%	1263
	Group practice (11 to 50 physicians)	63.8%	20.5%	8.1%	7.6%	654
	Group practice (More than 50 physicians)	67.2%	14.3%	6.7%	11.8%	628
Specialty Categories	Family or general medicine	71.0%	20.1%	4.5%	4.4%	686
	Ob/gyn	61.7%	24.8%	8.6%	5.0%	222
	Gen internal medicine	70.4%	18.9%	3.9%	6.8%	412
	Gen pediatrics	85.3%	8.3%	.9%	5.5%	217
	Gen surgery	62.2%	21.3%	11.0%	5.5%	127
	Medical subspecialty	62.1%	22.8%	9.9%	5.2%	825
	Pediatric subspecialty	73.2%	15.5%	1.0%	10.3%	97
	Surgical subspecialty	65.3%	18.8%	10.0%	5.9%	239
	Neurosurgery	57.1%	28.6%	10.7%	3.6%	28
	Psychiatry	72.3%	8.0%	1.1%	18.6%	188
	Hospital-based specialty	47.8%	19.2%	11.4%	21.6%	500
Other	81.3%	6.3%	12.5%	.0%	16	
Region	Portland Metro	64.4%	18.5%	7.4%	9.7%	1857
	Mid-Willamette Valley	68.6%	18.1%	6.0%	7.3%	739
	Northwestern	65.0%	22.5%	2.5%	10.0%	80
	Southern	65.5%	19.3%	7.8%	7.3%	357
	Eastern	67.0%	19.6%	8.0%	5.4%	112
	Southwestern	59.1%	20.4%	7.5%	12.9%	93
	Central	63.3%	24.8%	8.2%	3.8%	319
Region Total	Total	65.3%	19.2%	7.1%	8.4%	3557

**Anticipated Changes in Next Two Years: Stop all direct patient care**

		Stop all direct patient care in your primary practice in the next two years?					
		Not anticipated	Might do	Definitely will do	Not applicable	Total	
Gender	Female	87.3%	4.8%	1.6%	6.3%	1049	
	Male	84.8%	5.1%	3.2%	6.8%	2532	
Age	Under 40 years	89.9%	2.3%	1.6%	6.2%	694	
	40-49 years	90.0%	3.3%	1.8%	4.9%	1113	
	50-59 years	84.3%	5.9%	2.2%	7.6%	1190	
	60-69 years	74.9%	9.9%	6.9%	8.3%	505	
	70 years or more	70.9%	8.9%	8.9%	11.4%	79	
Which of the following best describes your primary practice setting:	Private clinic or office	88.8%	5.4%	3.2%	2.7%	2240	
	Community clinic/public health clinic	86.2%	3.8%	1.5%	8.5%	130	
	University/college health service clinic	83.8%	4.9%	2.8%	8.5%	142	
	Hospital-based ambulatory care clinic	88.3%	4.3%	1.6%	5.9%	256	
	Hospital inpatient setting	79.2%	4.4%	2.3%	14.0%	342	
	Emergency department	72.5%	2.6%	3.1%	21.8%	193	
	Urgent care clinic	74.0%	6.0%	.0%	20.0%	50	
	Nursing facility	75.0%	12.5%	.0%	12.5%	8	
What is the size of your primary practice?	Other (Specify )	74.1%	5.0%	2.0%	18.9%	201	
	Solo practice	86.0%	6.2%	3.0%	4.8%	728	
	Partnership (2 physicians)	86.6%	5.1%	4.0%	4.3%	253	
	Group practice (3 to 10 physicians)	87.0%	4.2%	2.6%	6.2%	1275	
	Group practice (11 to 50 physicians)	84.7%	4.1%	2.6%	8.6%	654	
Specialty Categories	Group practice (More than 50 physicians)	83.6%	5.7%	2.5%	8.2%	634	
	Family or general medicine	89.7%	4.2%	2.3%	3.8%	687	
	Ob/gyn	84.9%	6.7%	4.9%	3.6%	225	
	Gen internal medicine	81.7%	8.2%	2.6%	7.5%	416	
	Gen pediatrics	92.7%	1.8%	2.8%	2.8%	218	
	Gen surgery	81.3%	4.7%	7.8%	6.3%	128	
	Medical subspecialty	88.1%	5.1%	2.3%	4.5%	824	
	Pediatric subspecialty	89.8%	3.1%	1.0%	6.1%	98	
	Surgical subspecialty	85.7%	6.1%	3.7%	4.5%	245	
	Neurosurgery	71.4%	17.9%	3.6%	7.1%	28	
	Psychiatry	87.5%	6.8%	1.0%	4.7%	192	
Region	Hospital-based specialty	75.7%	2.8%	2.6%	18.9%	503	
	Other	100.0%	.0%	.0%	.0%	17	
	Portland Metro	85.8%	4.5%	2.2%	7.4%	1871	
	Mid-Willamette Valley	85.7%	4.7%	3.2%	6.4%	748	
	Northwestern	82.7%	4.9%	2.5%	9.9%	81	
	Southern	84.7%	6.1%	3.1%	6.1%	359	
	Eastern	86.7%	6.2%	2.7%	4.4%	113	
Region Total	Southwestern	76.1%	9.8%	3.3%	10.9%	92	
	Central	87.7%	5.7%	4.4%	2.2%	317	
Region Total		Total	85.5%	5.0%	2.8%	6.7%	3581

**Anticipated Changes in Next Two Years: Stop services to specific groups of patients**

		Stop services to specific groups of patients in your primary practice in the next two years?				
		Not anticipated	Might do	Definitely will do	Not applicable	Total
Gender	Female	80.6%	8.3%	2.9%	8.3%	1014
	Male	73.6%	13.2%	4.6%	8.7%	2470
Age	Under 40 years	79.3%	9.2%	2.7%	8.9%	677
	40-49 years	77.7%	12.5%	4.2%	5.6%	1082
	50-59 years	73.0%	13.7%	4.3%	9.0%	1150
	60-69 years	72.1%	10.6%	5.6%	11.6%	498
	70 years or more	74.0%	3.9%	1.3%	20.8%	77
Which of the following best describes your primary practice setting:	Private clinic or office	74.3%	15.8%	5.7%	4.2%	2174
	Community clinic/public health clinic	84.3%	5.5%	.8%	9.4%	127
	University/college health service clinic	85.5%	6.5%	.7%	7.2%	138
	Hospital-based ambulatory care clinic	84.3%	5.9%	2.0%	7.9%	254
	Hospital inpatient setting	77.9%	5.5%	.9%	15.8%	330
	Emergency department	69.1%	.5%	1.6%	28.8%	191
	Urgent care clinic	66.0%	12.0%	2.0%	20.0%	50
	Nursing facility	62.5%	12.5%	.0%	25.0%	8
	Other (Specify )	71.6%	4.1%	1.0%	23.2%	194
What is the size of your primary practice?	Solo practice	69.8%	16.0%	7.6%	6.6%	708
	Partnership (2 physicians)	69.5%	19.9%	5.3%	5.3%	246
	Group practice (3 to 10 physicians)	75.7%	12.5%	3.9%	7.9%	1238
	Group practice (11 to 50 physicians)	78.6%	9.6%	2.5%	9.3%	636
	Group practice (More than 50 physicians)	82.0%	4.5%	1.6%	11.9%	621
Specialty Categories	Family or general medicine	75.7%	14.5%	4.4%	5.4%	663
	Ob/gyn	75.6%	16.4%	3.3%	4.7%	213
	Gen internal medicine	73.0%	11.6%	6.2%	9.2%	404
	Gen pediatrics	91.2%	3.7%	1.4%	3.7%	216
	Gen surgery	65.6%	18.9%	6.6%	9.0%	122
	Medical subspecialty	75.3%	14.0%	4.4%	6.3%	799
	Pediatric subspecialty	89.5%	1.1%	2.1%	7.4%	95
	Surgical subspecialty	67.6%	19.3%	5.9%	7.1%	238
	Neurosurgery	57.7%	23.1%	7.7%	11.5%	26
	Psychiatry	81.9%	6.4%	4.3%	7.4%	188
	Hospital-based specialty	73.2%	4.2%	1.8%	20.9%	503
Other	82.4%	17.6%	.0%	.0%	17	
Region	Portland Metro	77.3%	9.5%	3.4%	9.9%	1815
	Mid-Willamette Valley	79.2%	9.5%	3.8%	7.6%	739
	Northwestern	63.3%	16.5%	7.6%	12.7%	79
	Southern	67.6%	19.8%	5.4%	7.2%	349
	Eastern	71.2%	19.8%	3.6%	5.4%	111
	Southwestern	70.3%	15.4%	4.4%	9.9%	91
	Central	72.3%	16.7%	6.7%	4.3%	300
Region Total	Total	75.6%	11.8%	4.1%	8.6%	3484

**Anticipated Changes in Next Two Years: Reduce hours**

		Reduce hours in primary practice in the next two years?				
		Not anticipated	Might do	Definitely will do	Not applicable	Total
Gender	Female	71.1%	19.4%	4.7%	4.8%	1053
	Male	65.7%	21.9%	7.6%	4.8%	2552
Age	Under 40 years	74.4%	16.6%	3.5%	5.6%	694
	40-49 years	73.5%	18.6%	5.2%	2.8%	1125
	50-59 years	64.5%	23.3%	6.8%	5.3%	1200
	60-69 years	51.6%	28.2%	13.9%	6.3%	510
	70 years or more	59.2%	18.4%	11.8%	10.5%	76
Which of the following best describes your primary practice setting:	Private clinic or office	68.5%	22.7%	7.1%	1.7%	2255
	Community clinic/public health clinic	73.5%	17.4%	3.8%	5.3%	132
	University/college health service clinic	68.1%	20.8%	6.9%	4.2%	144
	Hospital-based ambulatory care clinic	69.1%	20.1%	5.4%	5.4%	259
	Hospital inpatient setting	64.3%	19.0%	6.7%	9.9%	342
	Emergency department	57.8%	18.6%	6.5%	17.1%	199
	Urgent care clinic	65.3%	10.2%	4.1%	20.4%	49
	Nursing facility	44.4%	22.2%	33.3%	.0%	9
What is the size of your primary practice?	Solo practice	66.1%	24.5%	5.9%	3.5%	734
	Partnership (2 physicians)	66.8%	24.1%	6.3%	2.8%	253
	Group practice (3 to 10 physicians)	68.6%	19.8%	6.9%	4.7%	1281
	Group practice (11 to 50 physicians)	70.0%	17.7%	7.3%	5.0%	660
	Group practice (More than 50 physicians)	63.8%	22.2%	7.5%	6.4%	639
Specialty Categories	Family or general medicine	69.5%	21.9%	5.4%	3.2%	685
	Ob/gyn	65.9%	25.6%	6.7%	1.8%	223
	Gen internal medicine	62.3%	22.0%	9.5%	6.2%	419
	Gen pediatrics	78.1%	15.5%	4.6%	1.8%	219
	Gen surgery	61.7%	25.0%	8.6%	4.7%	128
	Medical subspecialty	67.8%	22.5%	6.4%	3.3%	830
	Pediatric subspecialty	81.8%	13.1%	2.0%	3.0%	99
	Surgical subspecialty	69.4%	21.6%	7.8%	1.2%	245
	Neurosurgery	51.7%	31.0%	13.8%	3.4%	29
	Psychiatry	66.0%	21.1%	8.2%	4.6%	194
	Hospital-based specialty	61.7%	17.8%	7.2%	13.3%	517
Other	88.2%	11.8%	.0%	.0%	17	
Region	Portland Metro	68.3%	20.6%	5.7%	5.4%	1885
	Mid-Willamette Valley	67.5%	20.4%	8.3%	3.8%	756
	Northwestern	67.1%	20.3%	5.1%	7.6%	79
	Southern	64.4%	24.7%	6.1%	4.7%	360
	Eastern	68.4%	21.1%	7.0%	3.5%	114
	Southwestern	60.2%	21.5%	9.7%	8.6%	93
	Central	65.4%	22.3%	9.4%	2.8%	318
<b>Region Total</b>	<b>Total</b>	<b>67.3%</b>	<b>21.1%</b>	<b>6.8%</b>	<b>4.8%</b>	<b>3605</b>



### Anticipated Changes in Next Two Years: Relocate practice within Oregon

		Relocate primary practice within Oregon in the next two years?					
		Not anticipated	Might do	Definitely will do	Not applicable	Total	
Gender	Female	83.1%	7.6%	2.4%	6.9%	1056	
	Male	85.0%	7.1%	2.3%	5.6%	2546	
Age	Under 40 years	81.8%	8.6%	3.3%	6.3%	699	
	40-49 years	84.8%	9.3%	2.3%	3.6%	1124	
	50-59 years	84.6%	6.6%	2.5%	6.3%	1196	
	60-69 years	87.9%	2.8%	.8%	8.5%	506	
	70 years or more	79.2%	2.6%	1.3%	16.9%	77	
Which of the following best describes your primary practice setting:	Private clinic or office	88.0%	7.0%	2.2%	2.8%	2252	
	Community clinic/public health clinic	78.9%	10.5%	1.5%	9.0%	133	
	University/college health service clinic	84.0%	5.6%	.7%	9.7%	144	
	Hospital-based ambulatory care clinic	83.1%	6.5%	3.5%	6.9%	260	
	Hospital inpatient setting	78.6%	9.4%	2.3%	9.7%	341	
	Emergency department	69.3%	8.0%	4.0%	18.6%	199	
	Urgent care clinic	71.4%	8.2%	2.0%	18.4%	49	
	Nursing facility	77.8%	11.1%	.0%	11.1%	9	
What is the size of your primary practice?	Other (Specify )	78.1%	5.1%	3.1%	13.8%	196	
	Solo practice	82.9%	10.2%	2.7%	4.1%	732	
	Partnership (2 physicians)	89.5%	5.9%	1.6%	3.1%	256	
	Group practice (3 to 10 physicians)	83.9%	7.7%	2.3%	6.1%	1275	
	Group practice (11 to 50 physicians)	87.9%	3.3%	2.6%	6.2%	662	
Specialty Categories	Group practice (More than 50 physicians)	82.6%	7.4%	2.2%	7.8%	639	
	Family or general medicine	84.7%	8.0%	3.2%	4.1%	687	
	Ob/gyn	87.3%	5.0%	2.3%	5.4%	221	
	Gen internal medicine	81.1%	8.8%	1.4%	8.6%	419	
	Gen pediatrics	91.7%	2.8%	1.8%	3.7%	217	
	Gen surgery	81.3%	10.2%	1.6%	7.0%	128	
	Medical subspecialty	86.3%	7.2%	2.8%	3.7%	831	
	Pediatric subspecialty	90.9%	2.0%	.0%	7.1%	99	
	Surgical subspecialty	87.3%	7.8%	1.2%	3.7%	245	
	Neurosurgery	86.2%	6.9%	.0%	6.9%	29	
	Psychiatry	85.5%	7.3%	1.6%	5.7%	193	
Region	Hospital-based specialty	77.3%	7.8%	2.9%	12.0%	516	
	Other	88.2%	5.9%	5.9%	.0%	17	
	Portland Metro	84.4%	6.4%	2.2%	7.1%	1882	
	Mid-Willamette Valley	83.3%	8.8%	2.9%	5.0%	754	
	Northwestern	73.8%	16.3%	1.3%	8.8%	80	
	Southern	88.1%	5.5%	2.2%	4.1%	362	
	Eastern	85.0%	9.7%	.9%	4.4%	113	
Region Total	Southwestern	78.5%	10.8%	3.2%	7.5%	93	
	Central	88.1%	6.3%	2.5%	3.1%	318	
Region Total		Total	84.5%	7.2%	2.3%	6.0%	3602

**Anticipated Changes in Next Two Years: Relocate practice to another state**

		Relocate primary practice to another state in the next two years?				
		Not anticipated	Might do	Definitely will do	Not applicable	Total
Gender	Female	84.3%	7.1%	1.7%	6.9%	1051
	Male	84.0%	8.7%	1.7%	5.6%	2550
Age	Under 40 years	80.6%	10.1%	2.6%	6.7%	700
	40-49 years	83.8%	10.3%	2.2%	3.7%	1123
	50-59 years	85.2%	7.4%	1.2%	6.3%	1194
	60-69 years	87.2%	4.1%	1.0%	7.7%	507
	70 years or more	83.1%	.0%	.0%	16.9%	77
Which of the following best describes your primary practice setting:	Private clinic or office	88.2%	7.8%	1.3%	2.7%	2251
	Community clinic/public health clinic	80.3%	6.8%	3.0%	9.8%	132
	University/college health service clinic	81.3%	7.6%	1.4%	9.7%	144
	Hospital-based ambulatory care clinic	83.0%	6.6%	3.5%	6.9%	259
	Hospital inpatient setting	75.3%	12.5%	2.3%	9.9%	344
	Emergency department	69.2%	8.6%	4.0%	18.2%	198
	Urgent care clinic	71.4%	6.1%	4.1%	18.4%	49
	Nursing facility	88.9%	.0%	.0%	11.1%	9
What is the size of your primary practice?	Other (Specify )	76.9%	8.7%	.0%	14.4%	195
	Solo practice	84.6%	10.1%	1.4%	4.0%	733
	Partnership (2 physicians)	85.5%	9.0%	2.0%	3.5%	256
	Group practice (3 to 10 physicians)	83.4%	8.8%	1.7%	6.0%	1277
	Group practice (11 to 50 physicians)	86.5%	5.3%	2.3%	5.9%	659
Specialty Categories	Group practice (More than 50 physicians)	82.8%	7.5%	1.4%	8.3%	638
	Family or general medicine	84.0%	9.2%	2.2%	4.7%	688
	Ob/gyn	85.8%	9.6%	.0%	4.6%	219
	Gen internal medicine	84.4%	5.8%	1.4%	8.4%	416
	Gen pediatrics	92.2%	2.8%	1.4%	3.7%	218
	Gen surgery	75.2%	15.5%	2.3%	7.0%	129
	Medical subspecialty	87.6%	7.6%	1.2%	3.6%	829
	Pediatric subspecialty	87.9%	4.0%	3.0%	5.1%	99
	Surgical subspecialty	87.4%	7.7%	1.6%	3.3%	246
	Neurosurgery	79.3%	17.2%	.0%	3.4%	29
	Psychiatry	85.1%	6.7%	1.0%	7.2%	195
Hospital-based specialty	73.4%	11.2%	3.1%	12.2%	516	
Other	100.0%	.0%	.0%	.0%	17	
Region	Portland Metro	85.3%	6.5%	1.2%	7.0%	1882
	Mid-Willamette Valley	85.5%	8.0%	1.5%	5.0%	754
	Northwestern	73.8%	15.0%	2.5%	8.8%	80
	Southern	85.3%	8.3%	2.2%	4.2%	360
	Eastern	73.7%	18.4%	3.5%	4.4%	114
	Southwestern	74.2%	14.0%	4.3%	7.5%	93
	Central	81.4%	11.6%	3.1%	3.8%	318
Region Total	Total	84.1%	8.2%	1.7%	6.0%	3601

### Anticipated Changes in Next Two Years: Retire from practice

		Retire from your primary practice in the next two years?					Total
		Not anticipated	Might do	Definitely will do	Not applicable		
Gender	Female	87.5%	7.0%	1.9%	3.7%	1060	
	Male	78.1%	12.7%	5.2%	4.0%	2585	
Age	Under 40 years	91.9%	1.7%	1.1%	5.3%	700	
	40-49 years	91.7%	4.5%	1.2%	2.6%	1125	
	50-59 years	78.9%	13.2%	3.5%	4.4%	1209	
	60-69 years	52.3%	30.3%	14.2%	3.2%	528	
	70 years or more	49.4%	22.9%	19.3%	8.4%	83	
Which of the following best describes your primary practice setting:	Private clinic or office	82.0%	11.8%	4.6%	1.6%	2271	
	Community clinic/public health clinic	82.6%	8.3%	3.8%	5.3%	132	
	University/college health service clinic	79.2%	13.2%	2.8%	4.9%	144	
	Hospital-based ambulatory care clinic	84.3%	7.7%	3.1%	5.0%	261	
	Hospital inpatient setting	80.1%	9.4%	4.0%	6.5%	352	
	Emergency department	76.7%	6.9%	3.0%	13.4%	202	
	Urgent care clinic	68.6%	9.8%	7.8%	13.7%	51	
	Nursing facility	55.6%	33.3%	11.1%	.0%	9	
Other (Specify )	72.9%	13.8%	3.0%	10.3%	203		
What is the size of your primary practice?	Solo practice	79.4%	13.7%	3.9%	3.0%	742	
	Partnership (2 physicians)	79.5%	12.8%	5.8%	1.9%	258	
	Group practice (3 to 10 physicians)	81.6%	10.4%	4.0%	3.9%	1286	
	Group practice (11 to 50 physicians)	83.7%	9.9%	3.1%	3.3%	670	
	Group practice (More than 50 physicians)	79.1%	9.5%	5.5%	5.8%	650	
Specialty Categories	Family or general medicine	84.0%	10.1%	3.5%	2.5%	692	
	Ob/gyn	82.6%	10.7%	4.9%	1.8%	224	
	Gen internal medicine	80.9%	10.2%	2.8%	6.1%	423	
	Gen pediatrics	89.0%	6.9%	2.8%	1.4%	218	
	Gen surgery	76.2%	13.1%	5.4%	5.4%	130	
	Medical subspecialty	80.3%	12.2%	5.0%	2.5%	841	
	Pediatric subspecialty	85.0%	9.0%	3.0%	3.0%	100	
	Surgical subspecialty	77.9%	12.0%	7.2%	2.8%	249	
	Neurosurgery	62.1%	24.1%	10.3%	3.4%	29	
	Psychiatry	81.5%	11.8%	3.1%	3.6%	195	
	Hospital-based specialty	75.5%	11.4%	4.2%	8.9%	527	
Other	94.1%	5.9%	.0%	.0%	17		
Region	Portland Metro	81.4%	10.3%	3.7%	4.6%	1913	
	Mid-Willamette Valley	80.3%	11.9%	4.6%	3.2%	758	
	Northwestern	81.9%	6.0%	7.2%	4.8%	83	
	Southern	79.3%	13.2%	3.6%	3.9%	363	
	Eastern	81.7%	11.3%	4.3%	2.6%	115	
	Southwestern	71.7%	14.1%	6.5%	7.6%	92	
Central	82.2%	11.2%	5.6%	.9%	321		
Region Total	Total	80.8%	11.0%	4.2%	3.9%	3645	

### Anticipated Changes in Next Two Years: Increase Patient Volume

		Increase patient volume of your primary practice in the next two years?				
		Not anticipated	Might do	Definitely will do	Not applicable	Total
Gender	Female	54.8%	27.3%	12.9%	4.9%	1058
	Male	60.3%	22.6%	12.5%	4.6%	2553
Age	Under 40 years	43.9%	29.6%	21.0%	5.5%	706
	40-49 years	55.4%	28.3%	13.3%	2.9%	1124
	50-59 years	62.9%	21.6%	10.4%	5.0%	1197
	60-69 years	73.9%	13.4%	6.5%	6.1%	506
	70 years or more	75.6%	14.1%	1.3%	9.0%	78
Which of the following best describes your primary practice setting:	Private clinic or office	63.1%	23.4%	11.9%	1.6%	2254
	Community clinic/public health clinic	53.0%	25.8%	14.4%	6.8%	132
	University/college health service clinic	45.5%	29.7%	21.4%	3.4%	145
	Hospital-based ambulatory care clinic	57.8%	24.4%	13.2%	4.7%	258
	Hospital inpatient setting	50.4%	27.2%	14.5%	7.8%	345
	Emergency department	41.2%	22.6%	14.1%	22.1%	199
	Urgent care clinic	48.0%	24.0%	10.0%	18.0%	50
	Nursing facility	66.7%	11.1%	11.1%	11.1%	9
Other (Specify )	57.8%	21.1%	8.0%	13.1%	199	
What is the size of your primary practice?	Solo practice	61.3%	22.8%	13.0%	3.0%	733
	Partnership (2 physicians)	60.6%	20.9%	16.1%	2.4%	254
	Group practice (3 to 10 physicians)	56.7%	26.5%	12.1%	4.7%	1276
	Group practice (11 to 50 physicians)	54.1%	26.2%	15.1%	4.6%	669
	Group practice (More than 50 physicians)	64.6%	19.2%	9.4%	6.9%	641
Specialty Categories	Family or general medicine	59.3%	24.8%	13.2%	2.8%	690
	Ob/gyn	68.6%	20.2%	9.4%	1.8%	223
	Gen internal medicine	60.8%	22.8%	10.0%	6.4%	421
	Gen pediatrics	59.2%	24.8%	14.7%	1.4%	218
	Gen surgery	60.2%	23.4%	10.9%	5.5%	128
	Medical subspecialty	60.5%	23.7%	12.9%	2.9%	831
	Pediatric subspecialty	51.5%	32.0%	12.4%	4.1%	97
	Surgical subspecialty	62.9%	22.0%	13.1%	2.0%	245
	Neurosurgery	69.0%	13.8%	13.8%	3.4%	29
	Psychiatry	68.6%	22.2%	5.7%	3.6%	194
	Hospital-based specialty	44.4%	25.7%	16.6%	13.3%	518
Other	29.4%	41.2%	29.4%	.0%	17	
Region	Portland Metro	55.6%	24.4%	14.7%	5.4%	1895
	Mid-Willamette Valley	64.1%	23.2%	9.2%	3.5%	753
	Northwestern	60.8%	25.3%	6.3%	7.6%	79
	Southern	58.8%	25.7%	11.6%	3.9%	362
	Eastern	69.3%	17.5%	8.8%	4.4%	114
	Southwestern	66.7%	16.1%	7.5%	9.7%	93
	Central	57.5%	25.4%	14.6%	2.5%	315
Region Total	Total	58.7%	24.0%	12.7%	4.7%	3611

## Weekly Hours in Direct Patient Care

		In a typical week, how many hours do you spend in direct patient care at all of your practice								
		Less than 8 hours	8 to 16 hours	17 to 24 hours	25 to 32 hours	33 to 40 hours	41 to 48 hours	49 to 60 hours	More than 60 hours	Total
Gender	Female	3.8%	7.8%	19.8%	23.6%	22.0%	13.0%	7.7%	2.4%	1118
	Male	3.7%	6.4%	8.1%	14.3%	25.5%	18.3%	18.3%	5.4%	2705
Age	Under 40 years	3.1%	5.9%	10.0%	17.2%	25.0%	18.7%	15.7%	4.5%	733
	40-49 years	2.4%	4.9%	10.5%	17.8%	24.8%	18.0%	16.1%	5.5%	1173
	50-59 years	3.0%	5.6%	11.9%	16.7%	26.0%	17.6%	14.8%	4.5%	1261
	60-69 years	5.9%	10.8%	14.4%	16.7%	21.5%	11.7%	15.5%	3.6%	563
	70 years or more	20.4%	30.1%	14.0%	11.8%	15.1%	4.3%	4.3%	.0%	93
Which of the following best describes your primary practice setting:	Private clinic or office	1.7%	4.3%	9.9%	17.6%	27.2%	18.8%	16.2%	4.2%	2318
	Community clinic/public health clinic	9.9%	11.3%	16.9%	19.7%	24.6%	12.0%	4.9%	.7%	142
	University/college health service clinic	8.3%	25.0%	21.2%	10.9%	12.2%	9.6%	9.6%	3.2%	156
	Hospital-based ambulatory care clinic	10.2%	13.8%	15.6%	18.2%	21.1%	12.0%	7.3%	1.8%	275
	Hospital inpatient setting	4.2%	5.5%	5.2%	7.3%	13.8%	20.3%	30.9%	13.0%	385
	Emergency department	.0%	5.2%	18.5%	29.6%	31.8%	9.4%	4.3%	1.3%	233
	Urgent care clinic	17.6%	3.9%	13.7%	23.5%	27.5%	11.8%	.0%	2.0%	51
	Nursing facility	.0%	30.0%	50.0%	.0%	10.0%	.0%	10.0%	.0%	10
Other (Specify )	9.1%	12.5%	13.4%	14.2%	19.4%	13.8%	13.8%	3.9%	232	
What is the size of your primary practice?	Solo practice	4.1%	7.3%	11.1%	18.9%	26.2%	14.7%	13.8%	3.8%	755
	Partnership (2 physicians)	1.9%	6.5%	12.3%	14.9%	25.7%	20.3%	13.4%	5.0%	261
	Group practice (3 to 10 physicians)	2.5%	5.3%	10.1%	17.4%	26.6%	16.7%	15.8%	5.6%	1337
	Group practice (11 to 50 physicians)	2.8%	7.6%	13.5%	16.4%	20.2%	17.9%	17.6%	4.0%	726
	Group practice (More than 50 physicians)	6.5%	8.5%	12.1%	15.7%	22.5%	16.7%	14.1%	3.9%	694
How your primary practice is organized:	Single-specialty practice	2.5%	6.3%	10.8%	17.6%	24.8%	16.5%	16.7%	4.9%	2591
	Multi-specialty practice	5.3%	7.7%	11.9%	16.0%	24.4%	18.2%	12.5%	3.9%	1020
	Other	10.3%	9.7%	18.9%	16.0%	21.7%	12.6%	8.0%	2.9%	175
What is your employment status at your primary practice?	Full owner (or sole proprietor)	1.9%	5.7%	10.2%	17.4%	25.7%	17.6%	17.0%	4.5%	837
	Part-owner (or shareholder)	1.5%	2.2%	7.8%	16.8%	25.7%	20.1%	20.6%	5.3%	1236
	Employee	5.2%	8.9%	14.7%	17.7%	23.8%	14.5%	10.8%	4.4%	1463
	Independent contractor	6.4%	23.0%	14.7%	14.2%	19.1%	11.8%	9.3%	1.5%	204
	Volunteer	71.4%	28.6%	.0%	.0%	.0%	.0%	.0%	.0%	7
Other	17.5%	7.0%	19.3%	8.8%	22.8%	8.8%	10.5%	5.3%	57	
Specialty Categories	Family or general medicine	3.9%	3.5%	12.0%	21.0%	32.3%	17.7%	8.3%	1.3%	711
	Ob/gyn	3.1%	6.6%	9.6%	17.5%	20.6%	18.4%	16.7%	7.5%	228
	Gen internal medicine	4.4%	10.0%	12.4%	18.5%	21.4%	13.3%	13.7%	6.3%	459
	Gen pediatrics	2.7%	5.4%	11.6%	25.0%	32.1%	15.2%	4.9%	3.1%	224
	Gen surgery	.7%	6.0%	3.7%	6.0%	9.0%	22.4%	37.3%	14.9%	134
	Medical subspecialty	3.8%	7.1%	10.6%	14.1%	25.3%	18.0%	17.1%	4.0%	871
	Pediatric subspecialty	5.7%	13.3%	18.1%	16.2%	19.0%	12.4%	10.5%	4.8%	105
	Surgical subspecialty	2.4%	4.4%	8.4%	12.0%	16.4%	21.2%	27.2%	8.0%	250
	Neurosurgery	3.2%	6.5%	3.2%	6.5%	22.6%	6.5%	32.3%	19.4%	31
	Psychiatry	4.4%	13.7%	21.6%	20.6%	24.0%	11.3%	4.4%	.0%	204
	Hospital-based specialty	3.7%	6.1%	11.2%	15.5%	23.6%	16.3%	19.0%	4.4%	588
Other	11.1%	5.6%	11.1%	38.9%	11.1%	16.7%	5.6%	.0%	18	
Region	Portland Metro	4.5%	8.8%	13.9%	17.1%	24.2%	14.3%	13.0%	4.1%	2015
	Mid-Willamette Valley	2.8%	4.8%	8.9%	16.7%	26.1%	20.6%	15.7%	4.4%	790
	Northwestern	3.4%	2.3%	9.2%	24.1%	29.9%	16.1%	10.3%	4.6%	87
	Southern	1.8%	4.8%	9.9%	17.3%	25.4%	15.0%	19.3%	6.6%	394
	Eastern	5.9%	2.5%	6.7%	14.3%	21.0%	21.8%	24.4%	3.4%	119
	Southwestern	1.1%	3.3%	5.6%	14.4%	26.7%	30.0%	15.6%	3.3%	90
	Central	3.0%	5.2%	9.1%	16.5%	20.7%	18.9%	20.4%	6.1%	328
Region Total	Total	3.7%	6.8%	11.5%	17.0%	24.5%	16.7%	15.2%	4.6%	3823

## Weekly Hours on Administrative Tasks

		In a typical week, how many hours do you spend doing administrative tasks associated with patient care (e.g., charting, phone calls, referrals, paperwork) at all of your practice locations?					
		Less than 5 hours	5 to 9 hours	10 to 14 hours	15 to 20 hours	More than 20 hours (Specify )	Total
Gender	Female	22.9%	38.4%	24.0%	11.2%	3.6%	1121
	Male	26.5%	37.5%	22.9%	10.0%	3.2%	2715
Age	Under 40 years	21.7%	41.5%	24.4%	9.9%	2.6%	739
	40-49 years	20.1%	39.7%	24.5%	11.6%	4.1%	1177
	50-59 years	25.2%	36.6%	24.1%	10.6%	3.6%	1260
	60-69 years	37.4%	33.2%	18.5%	8.8%	2.1%	567
	70 years or more	53.8%	25.8%	14.0%	4.3%	2.2%	93
Which of the following best describes your primary practice setting:	Private clinic or office	20.3%	39.2%	26.5%	11.2%	2.8%	2320
	Community clinic/public health clinic	21.0%	38.5%	21.7%	11.2%	7.7%	143
	University/college health service clinic	28.4%	43.2%	14.8%	9.0%	4.5%	155
	Hospital-based ambulatory care clinic	27.1%	37.3%	20.1%	11.6%	3.9%	284
	Hospital inpatient setting	37.1%	32.6%	18.0%	7.6%	4.7%	383
	Emergency department	32.8%	36.6%	20.0%	8.1%	2.6%	235
	Urgent care clinic	61.5%	26.9%	7.7%	1.9%	1.9%	52
	Nursing facility	10.0%	70.0%	20.0%	.0%	.0%	10
What is the size of your primary practice?	Other (Specify )	41.8%	30.2%	15.9%	9.5%	2.6%	232
	Solo practice	22.9%	36.0%	24.9%	12.8%	3.3%	755
	Partnership (2 physicians)	22.3%	40.5%	21.6%	13.6%	1.9%	264
	Group practice (3 to 10 physicians)	24.3%	38.3%	24.3%	9.7%	3.3%	1345
	Group practice (11 to 50 physicians)	27.5%	38.2%	21.6%	8.5%	4.1%	726
How your primary practice is organized:	Group practice (More than 50 physicians)	27.9%	37.1%	22.4%	9.9%	2.6%	695
	Single-specialty practice	25.4%	37.8%	23.3%	10.2%	3.4%	2595
	Multi-specialty practice	23.2%	38.5%	24.1%	11.0%	3.2%	1028
	Other	36.4%	33.0%	19.3%	8.5%	2.8%	176
What is your employment status at your primary practice?	Full owner (or sole proprietor)	19.5%	37.1%	26.9%	13.1%	3.4%	835
	Part-owner (or shareholder)	23.9%	37.9%	27.0%	8.8%	2.4%	1245
	Employee	26.1%	39.4%	19.8%	10.4%	4.2%	1466
	Independent contractor	48.3%	28.8%	13.2%	7.8%	2.0%	205
	Volunteer	85.7%	14.3%	.0%	.0%	.0%	7
	Other	37.9%	31.0%	17.2%	12.1%	1.7%	58
Specialty Categories	Family or general medicine	16.1%	37.2%	28.0%	15.1%	3.6%	715
	Ob/gyn	23.6%	46.7%	20.1%	7.0%	2.6%	229
	Gen internal medicine	18.7%	33.7%	28.7%	12.0%	7.0%	460
	Gen pediatrics	25.0%	45.5%	20.5%	6.7%	2.2%	224
	Gen surgery	17.8%	39.3%	29.6%	11.1%	2.2%	135
	Medical subspecialty	24.3%	39.2%	22.6%	10.5%	3.4%	870
	Pediatric subspecialty	26.7%	34.3%	27.6%	10.5%	1.0%	105
	Surgical subspecialty	24.7%	39.8%	24.7%	8.8%	2.0%	251
	Neurosurgery	22.6%	32.3%	32.3%	9.7%	3.2%	31
	Psychiatry	27.7%	42.2%	20.9%	7.8%	1.5%	206
	Hospital-based specialty	46.1%	30.6%	14.0%	6.9%	2.4%	592
Region	Other	16.7%	50.0%	11.1%	22.2%	.0%	18
	Portland Metro	26.5%	37.9%	21.8%	10.5%	3.4%	2017
	Mid-Willamette Valley	24.7%	38.3%	25.2%	8.9%	2.9%	797
	Northwestern	17.2%	44.8%	19.5%	16.1%	2.3%	87
	Southern	26.5%	36.5%	22.7%	11.5%	2.8%	392
	Eastern	23.7%	39.8%	25.4%	9.3%	1.7%	118
	Southwestern	24.7%	31.2%	28.0%	12.9%	3.2%	93
Region Total	Central	22.3%	36.1%	26.5%	9.9%	5.1%	332
	Total	25.4%	37.7%	23.2%	10.3%	3.3%	3836

## Taking Call

		In a typical week, how many patients do you see in the hospital/emergency department setting (e.g., not phone consults) as a result of taking call?					
		None (I do not take call)	1 to 2 patients	3 to 5 patients	6 to 10 patients	More than 10 patients (Specify )	Total
Gender	Female	40.0%	27.8%	16.4%	8.4%	7.3%	1049
	Male	32.7%	23.4%	21.1%	13.7%	9.1%	2501
Age	Under 40 years	22.4%	26.5%	23.2%	14.4%	13.5%	652
	40-49 years	27.7%	26.5%	21.7%	13.8%	10.2%	1093
	50-59 years	35.9%	25.6%	19.4%	12.0%	7.1%	1163
	60-69 years	53.1%	19.9%	14.8%	8.4%	3.8%	548
	70 years or more	85.1%	8.5%	5.3%	.0%	1.1%	94
Which of the following best describes your primary practice setting:	Private clinic or office	32.4%	27.6%	22.2%	12.1%	5.7%	2309
	Community clinic/public health clinic	57.0%	15.5%	14.1%	8.5%	4.9%	142
	University/college health service clinic	39.2%	32.0%	14.4%	11.1%	3.3%	153
	Hospital-based ambulatory care clinic	37.9%	27.9%	16.2%	8.8%	9.2%	272
	Nursing facility	90.0%	10.0%	.0%	.0%	.0%	10
	Other (Specify )	50.9%	18.0%	13.1%	8.6%	9.5%	222
What is the size of your primary practice?	Solo practice	46.7%	25.4%	16.6%	7.6%	3.7%	748
	Partnership (2 physicians)	31.8%	33.0%	22.2%	8.0%	5.0%	261
	Group practice (3 to 10 physicians)	28.7%	25.2%	22.8%	13.8%	9.5%	1236
	Group practice (11 to 50 physicians)	28.2%	23.1%	19.6%	15.6%	13.5%	602
	Group practice (More than 50 physicians)	39.2%	22.2%	17.3%	12.4%	9.0%	659
How your primary practice is organized:	Single-specialty practice	32.6%	25.8%	20.4%	12.5%	8.7%	2370
	Multi-specialty practice	37.1%	23.3%	19.2%	12.2%	8.2%	991
	Other	55.8%	16.9%	13.6%	6.5%	7.1%	154
What is your employment status at your primary practice?	Full owner (or sole proprietor)	37.7%	27.9%	19.8%	9.8%	4.7%	827
	Part-owner (or shareholder)	20.5%	28.2%	23.9%	16.7%	10.6%	1147
	Employee	41.1%	21.6%	17.2%	10.6%	9.6%	1349
	Independent contractor	69.3%	10.7%	9.3%	4.0%	6.7%	150
	Volunteer	85.7%	14.3%	.0%	.0%	.0%	7
	Other	35.3%	19.6%	25.5%	13.7%	5.9%	51
Specialty Categories	Family or general medicine	44.0%	26.2%	17.9%	5.7%	6.1%	702
	Ob/gyn	16.5%	32.5%	23.4%	17.3%	10.4%	231
	Gen internal medicine	42.5%	19.5%	15.7%	9.7%	12.6%	452
	Gen pediatrics	22.0%	42.6%	22.4%	9.0%	4.0%	223
	Gen surgery	7.5%	9.0%	36.8%	39.1%	7.5%	133
	Medical subspecialty	29.0%	31.2%	18.8%	13.6%	7.3%	872
	Pediatric subspecialty	43.6%	19.8%	19.8%	5.9%	10.9%	101
	Surgical subspecialty	23.4%	18.3%	35.7%	18.7%	4.0%	252
	Neurosurgery	22.6%	19.4%	35.5%	16.1%	6.5%	31
	Psychiatry	78.8%	12.8%	3.9%	2.0%	2.5%	203
Other	70.6%	23.5%	5.9%	.0%	.0%	17	
Region	Portland Metro	38.3%	25.8%	17.9%	10.4%	7.6%	1884
	Mid-Willamette Valley	35.8%	24.2%	20.6%	11.7%	7.7%	737
	Northwestern	29.2%	29.2%	18.1%	13.9%	9.7%	72
	Southern	32.4%	21.5%	19.6%	18.3%	8.2%	367
	Eastern	20.0%	20.0%	30.0%	15.5%	14.5%	110
	Southwestern	24.7%	22.2%	16.0%	19.8%	17.3%	81
	Central	23.7%	24.4%	26.8%	13.0%	12.0%	299
Region Total	Total	34.9%	24.7%	19.7%	12.1%	8.6%	3550

## Changes in Hospital Privileges

		In the last 12 months, have you changed your hospital privileges?		
		Yes	No	Total
Gender	Female	12.6%	87.4%	1125
	Male	8.1%	91.9%	2730
Age	Under 40 years	11.6%	88.4%	741
	40-49 years	9.9%	90.1%	1176
	50-59 years	7.6%	92.4%	1275
	60-69 years	9.8%	90.2%	569
	70 years or more	7.4%	92.6%	94
Which of the following best describes your primary practice setting:	Private clinic or office	10.4%	89.6%	2328
	Community clinic/public health clinic	9.8%	90.2%	143
	University/college health service clinic	5.2%	94.8%	155
	Hospital-based ambulatory care clinic	8.1%	91.9%	284
	Nursing facility	10.0%	90.0%	10
	Other (Specify )	7.7%	92.3%	234
What is the size of your primary practice?	Solo practice	9.7%	90.3%	761
	Partnership (2 physicians)	13.7%	86.3%	263
	Group practice (3 to 10 physicians)	9.8%	90.2%	1352
	Group practice (11 to 50 physicians)	7.0%	93.0%	728
	Group practice (More than 50 physicians)	8.6%	91.4%	701
How your primary practice is organized:	Single-specialty practice	9.3%	90.7%	2608
	Multi-specialty practice	9.3%	90.7%	1029
	Other	11.7%	88.3%	180
What is your employment status at your primary practice?	Full owner (or sole proprietor)	9.9%	90.1%	842
	Part-owner (or shareholder)	7.4%	92.6%	1248
	Employee	10.7%	89.3%	1473
	Independent contractor	11.1%	88.9%	207
	Volunteer	14.3%	85.7%	7
	Other	5.2%	94.8%	58
Specialty Categories	Family or general medicine	11.7%	88.3%	716
	Ob/gyn	13.3%	86.7%	233
	Gen internal medicine	9.1%	90.9%	461
	Gen pediatrics	7.6%	92.4%	223
	Gen surgery	4.4%	95.6%	135
	Medical subspecialty	9.2%	90.8%	878
	Pediatric subspecialty	13.5%	86.5%	104
	Surgical subspecialty	10.3%	89.7%	252
	Neurosurgery	6.5%	93.5%	31
	Psychiatry	8.3%	91.7%	205
	Other	16.7%	83.3%	18
Region	Portland Metro	9.7%	90.3%	2028
	Mid-Willamette Valley	9.7%	90.3%	802
	Northwestern	9.2%	90.8%	87
	Southern	9.6%	90.4%	396
	Eastern	7.6%	92.4%	119
	Southwestern	3.3%	96.7%	92
	Central	9.1%	90.9%	331
Region Total	Total	9.4%	90.6%	3855



## Reasons for Changing Hospital Privileges

		Reasons for Changing Privileges						
		Increasingly required procedures beyond the scope of my practice	Increasing demand for call coverage	Change in practice	Change in hospital bylaws	Increasing uncompensated care	Total	
Gender	Female	16.0%	34.0%	62.8%	8.5%	12.8%	94	
	Male	12.9%	32.3%	65.8%	9.0%	18.7%	155	
Age	Under 40 years	13.3%	26.7%	70.0%	10.0%	11.7%	60	
	40-49 years	12.5%	42.5%	62.5%	11.3%	21.3%	80	
	50-59 years	15.7%	35.7%	55.7%	2.9%	15.7%	70	
	60-69 years	17.1%	17.1%	77.1%	14.3%	11.4%	35	
	70 years or more	.0%	25.0%	75.0%	.0%	50.0%	4	
Which of the following best describes your primary practice setting:	Private clinic or office	16.0%	35.5%	61.5%	9.5%	18.9%	169	
	Community clinic/public health clinic	10.0%	40.0%	70.0%	.0%	10.0%	10	
	University/college health service clinic	20.0%	40.0%	100.0%	.0%	.0%	5	
	Hospital-based ambulatory care clinic	16.7%	11.1%	83.3%	11.1%	11.1%	18	
	Nursing facility	.0%	.0%	100.0%	.0%	.0%	1	
What is the size of your primary practice?	Other (Specify )	16.7%	50.0%	41.7%	16.7%	8.3%	12	
	Solo practice	14.3%	39.3%	53.6%	19.6%	19.6%	56	
	Partnership (2 physicians)	22.2%	33.3%	63.0%	7.4%	29.6%	27	
	Group practice (3 to 10 physicians)	14.1%	31.8%	65.9%	5.9%	17.6%	85	
	Group practice (11 to 50 physicians)	9.4%	18.8%	71.9%	12.5%	3.1%	32	
How your primary practice is organized:	Group practice (More than 50 physicians)	11.6%	37.2%	69.8%	.0%	14.0%	43	
	Single-specialty practice	12.4%	32.3%	61.5%	9.3%	19.3%	161	
	Multi-specialty practice	14.9%	32.4%	70.3%	5.4%	10.8%	74	
What is your employment status at your primary practice?	Other	23.1%	38.5%	69.2%	23.1%	7.7%	13	
	Full owner (or sole proprietor)	14.8%	35.2%	50.0%	24.1%	20.4%	54	
	Part-owner (or shareholder)	14.1%	42.2%	53.1%	6.3%	21.9%	64	
	Employee	14.3%	28.6%	75.9%	4.5%	13.4%	112	
	Independent contractor	11.8%	23.5%	76.5%	.0%	5.9%	17	
Specialty Categories	Volunteer	.0%	.0%	100.0%	.0%	.0%	1	
	Other	.0%	.0%	.0%	.0%	.0%	0	
	Family or general medicine	19.7%	40.9%	57.6%	13.6%	22.7%	66	
	Ob/gyn	.0%	30.0%	70.0%	.0%	15.0%	20	
	Gen internal medicine	9.7%	38.7%	61.3%	3.2%	19.4%	31	
	Gen pediatrics	22.2%	.0%	55.6%	22.2%	.0%	9	
	Gen surgery	66.7%	16.7%	33.3%	16.7%	33.3%	6	
	Medical subspecialty	12.7%	27.3%	70.9%	5.5%	10.9%	55	
	Pediatric subspecialty	.0%	16.7%	100.0%	.0%	.0%	6	
	Surgical subspecialty	18.8%	56.3%	43.8%	12.5%	25.0%	16	
Region	Neurosurgery	50.0%	.0%	100.0%	.0%	.0%	2	
	Psychiatry	.0%	30.8%	76.9%	23.1%	23.1%	13	
	Other	.0%	50.0%	50.0%	.0%	.0%	2	
	Portland Metro	11.5%	30.0%	67.7%	4.6%	13.8%	130	
	Mid-Willamette Valley	13.0%	44.4%	55.6%	14.8%	29.6%	54	
	Northwestern	28.6%	57.1%	57.1%	28.6%	14.3%	7	
	Southern	14.8%	25.9%	77.8%	.0%	7.4%	27	
Eastern	37.5%	50.0%	50.0%	12.5%	37.5%	8		
Region Total	Southwestern	66.7%	.0%	66.7%	33.3%	.0%	3	
	Central	10.0%	20.0%	60.0%	20.0%	5.0%	20	
Region Total		Total	14.1%	32.9%	64.7%	8.8%	16.5%	249

**Charity Care**

		In a typical month, about how many hours do you spend providing charity care?							
		No charity care	1-10 hours	11-20 hours	21-30 hours	31-40 hours	More than 40 hours	Don't know	Total
Gender	Female	32.3%	47.9%	7.7%	1.5%	.5%	1.2%	9.0%	1094
	Male	25.8%	48.0%	11.7%	2.8%	1.3%	1.6%	8.9%	2700
Age	Under 40 years	35.6%	39.6%	8.0%	1.9%	.7%	1.6%	12.6%	728
	40-49 years	26.2%	48.4%	11.1%	3.1%	1.1%	1.4%	8.7%	1156
	50-59 years	26.3%	49.2%	12.0%	2.5%	1.0%	1.4%	7.6%	1257
	60-69 years	24.3%	52.7%	9.6%	1.8%	1.6%	2.0%	8.0%	560
	70 years or more	21.5%	61.3%	9.7%	.0%	1.1%	1.1%	5.4%	93
Specialty Categories	Family or general medicine	30.6%	52.0%	8.1%	.8%	1.0%	1.6%	5.9%	706
	Ob/gyn	19.8%	60.8%	7.9%	3.1%	.4%	2.2%	5.7%	227
	Gen internal medicine	35.7%	43.5%	9.6%	1.8%	.4%	1.3%	7.7%	457
	Gen pediatrics	37.6%	52.5%	4.5%	.5%	.0%	.0%	5.0%	221
	Gen surgery	11.3%	41.4%	24.8%	9.0%	3.0%	3.8%	6.8%	133
	Medical subspecialty	23.1%	54.6%	11.4%	2.0%	1.3%	.5%	7.2%	866
	Pediatric subspecialty	40.6%	34.9%	6.6%	.9%	.9%	2.8%	13.2%	106
	Surgical subspecialty	20.5%	50.2%	14.1%	4.4%	2.8%	2.8%	5.2%	249
	Neurosurgery	10.0%	53.3%	20.0%	3.3%	.0%	.0%	13.3%	30
	Psychiatry	35.1%	45.5%	10.9%	3.0%	1.0%	.0%	4.5%	202
	Hospital-based specialty	26.6%	32.9%	11.7%	3.8%	.9%	2.8%	21.4%	580
Other	29.4%	58.8%	5.9%	.0%	.0%	.0%	5.9%	17	
Region	Portland Metro	31.3%	44.1%	9.6%	2.1%	1.3%	1.6%	10.1%	1995
	Mid-Willamette Valley	26.9%	52.1%	10.4%	2.5%	.5%	1.4%	6.2%	791
	Northwestern	28.2%	38.8%	15.3%	2.4%	.0%	1.2%	14.1%	85
	Southern	20.0%	52.6%	13.6%	2.3%	2.1%	1.5%	7.9%	390
	Eastern	23.9%	47.0%	13.7%	1.7%	.9%	1.7%	11.1%	117
	Southwestern	21.3%	57.3%	7.9%	5.6%	.0%	1.1%	6.7%	89
	Central	19.0%	56.3%	11.3%	3.7%	.6%	1.5%	7.6%	327
Region Total	Total	27.6%	47.9%	10.5%	2.4%	1.1%	1.5%	8.9%	3794

**Issue Importance in Next 12 Months: Electronic Medical Record Adoption**

		Electronic medical record/electronic health record adoption				
		Not important	Somewhat important	Very important	No opinion	Total
Gender	Female	18.6%	29.9%	48.7%	2.8%	1095
	Male	20.7%	27.9%	49.3%	2.1%	2689
Age	Under 40 years	12.6%	31.4%	54.3%	1.8%	724
	40-49 years	18.6%	29.5%	50.0%	2.0%	1169
	50-59 years	21.7%	27.2%	49.0%	2.2%	1248
	60-69 years	26.7%	26.3%	43.9%	3.1%	551
	70 years or more	38.0%	22.8%	30.4%	8.7%	92
Specialty Categories	Family or general medicine	19.3%	23.8%	55.0%	1.9%	698
	Ob/gyn	17.7%	36.4%	43.3%	2.6%	231
	Gen internal medicine	14.0%	24.8%	59.6%	1.6%	443
	Gen pediatrics	19.5%	26.8%	50.0%	3.6%	220
	Gen surgery	21.6%	34.3%	42.5%	1.5%	134
	Medical subspecialty	20.7%	26.6%	49.7%	3.0%	868
	Pediatric subspecialty	10.6%	34.6%	53.8%	1.0%	104
	Surgical subspecialty	27.6%	32.4%	39.6%	.4%	250
	Neurosurgery	28.6%	39.3%	32.1%	.0%	28
	Psychiatry	37.3%	27.9%	30.9%	3.9%	204
	Hospital-based specialty	18.1%	32.4%	46.8%	2.7%	587
Other	5.9%	35.3%	58.8%	.0%	17	
Urban-Rural	Urban	18.9%	27.5%	51.1%	2.5%	2889
	Rural	23.9%	31.5%	42.8%	1.8%	895
Region	Portland Metro	19.6%	27.4%	50.6%	2.4%	1991
	Mid-Willamette Valley	15.6%	28.3%	53.9%	2.3%	789
	Northwestern	28.2%	21.2%	49.4%	1.2%	85
	Southern	27.3%	28.8%	41.3%	2.6%	385
	Eastern	26.3%	32.5%	40.4%	.9%	114
	Southwestern	26.4%	33.0%	38.5%	2.2%	91
	Central	19.5%	34.3%	43.5%	2.7%	329
Region Total	Total	20.1%	28.5%	49.1%	2.3%	3784

**Issue Importance in Next 12 Months: Medicare Reimbursement**

		Medicare reimbursement				
		Not important	Somewhat important	Very important	No opinion	Total
<b>Gender</b>	Female	12.5%	22.4%	57.9%	7.2%	1094
	Male	9.4%	18.1%	68.8%	3.7%	2678
<b>Age</b>	Under 40 years	7.3%	21.0%	66.7%	5.0%	715
	40-49 years	9.1%	17.9%	69.5%	3.5%	1164
	50-59 years	11.6%	18.6%	65.1%	4.7%	1252
	60-69 years	12.2%	21.7%	60.0%	6.0%	548
	70 years or more	20.4%	21.5%	48.4%	9.7%	93
	<b>Specialty Categories</b>	Family or general medicine	9.0%	21.5%	66.9%	2.7%
Ob/gyn		12.2%	27.8%	57.8%	2.2%	230
Gen internal medicine		10.0%	20.8%	66.1%	3.1%	448
Gen pediatrics		21.3%	16.4%	33.8%	28.5%	207
Gen surgery		5.9%	16.2%	77.2%	.7%	136
Medical subspecialty		6.4%	15.6%	75.1%	3.0%	866
Pediatric subspecialty		33.0%	23.7%	30.9%	12.4%	97
Surgical subspecialty		8.0%	17.2%	72.8%	2.0%	250
Neurosurgery		9.7%	9.7%	80.6%	.0%	31
Psychiatry		28.8%	22.4%	41.0%	7.8%	205
Hospital-based specialty		5.2%	19.4%	71.8%	3.6%	582
Other		11.8%	17.6%	70.6%	.0%	17
<b>Urban-Rural</b>	Urban	11.5%	19.8%	63.2%	5.5%	2875
	Rural	6.4%	18.1%	73.4%	2.2%	897
<b>Region</b>	Portland Metro	12.7%	21.8%	59.5%	6.0%	1980
	Mid-Willamette Valley	8.6%	18.9%	68.3%	4.2%	789
	Northwestern	8.3%	21.4%	64.3%	6.0%	84
	Southern	7.3%	12.8%	77.5%	2.3%	383
	Eastern	7.7%	14.5%	74.4%	3.4%	117
	Southwestern	5.4%	17.4%	77.2%	.0%	92
	Central	6.1%	15.3%	76.1%	2.4%	327
<b>Region Total</b>	<b>Total</b>	10.3%	19.4%	65.6%	4.7%	3772

**Issue Importance in Next 12 Months: Cost of Doing Business**

		Cost of doing business/overhead				
		Not important	Somewhat important	Very important	No opinion	Total
<b>Gender</b>	Female	8.2%	27.3%	60.1%	4.4%	1111
	Male	7.6%	24.3%	64.8%	3.2%	2694
<b>Age</b>	Under 40 years	7.7%	28.1%	59.2%	5.0%	723
	40-49 years	6.4%	23.7%	67.6%	2.3%	1173
	50-59 years	7.8%	25.7%	63.5%	3.0%	1266
	60-69 years	8.9%	24.5%	62.0%	4.5%	550
	70 years or more	19.4%	18.3%	52.7%	9.7%	93
	<b>Specialty Categories</b>	Family or general medicine	6.8%	27.7%	63.7%	1.8%
	Ob/gyn	7.3%	19.8%	71.6%	1.3%	232
	Gen internal medicine	8.7%	26.2%	57.9%	7.2%	447
	Gen pediatrics	5.8%	21.9%	69.6%	2.7%	224
	Gen surgery	5.9%	15.4%	76.5%	2.2%	136
	Medical subspecialty	6.0%	18.6%	72.1%	3.3%	866
	Pediatric subspecialty	16.3%	39.4%	40.4%	3.8%	104
	Surgical subspecialty	5.2%	17.6%	75.2%	2.0%	250
	Neurosurgery	9.7%	.0%	90.3%	.0%	31
	Psychiatry	9.6%	36.5%	48.6%	5.3%	208
	Hospital-based specialty	11.5%	34.9%	48.6%	5.0%	582
	Other	.0%	23.5%	76.5%	.0%	17
<b>Urban-Rural</b>	Urban	8.2%	25.2%	62.6%	4.0%	2902
	Rural	6.6%	25.1%	66.1%	2.1%	903
<b>Region</b>	Portland Metro	8.6%	25.7%	61.2%	4.5%	1996
	Mid-Willamette Valley	7.7%	27.4%	61.8%	3.1%	796
	Northwestern	13.1%	28.6%	53.6%	4.8%	84
	Southern	6.4%	19.1%	72.4%	2.1%	388
	Eastern	6.8%	22.0%	68.6%	2.5%	118
	Southwestern	4.3%	27.2%	67.4%	1.1%	92
	Central	4.8%	23.6%	70.4%	1.2%	331
<b>Region Total</b>	<b>Total</b>	<b>7.8%</b>	<b>25.2%</b>	<b>63.5%</b>	<b>3.5%</b>	<b>3805</b>

**Issue Importance in Next 12 Months: Pharmaceutical Costs**

		Pharmaceutical costs				
		Not important	Somewhat important	Very important	No opinion	Total
<b>Gender</b>	Female	11.2%	38.7%	47.8%	2.4%	1112
	Male	16.1%	42.2%	38.4%	3.2%	2689
<b>Age</b>	Under 40 years	13.4%	40.9%	43.2%	2.5%	729
	40-49 years	15.7%	44.3%	38.0%	2.0%	1172
	50-59 years	12.8%	43.4%	41.2%	2.6%	1260
	60-69 years	16.2%	32.8%	45.8%	5.1%	548
	70 years or more	28.3%	23.9%	37.0%	10.9%	92
<b>Specialty Categories</b>	Family or general medicine	7.2%	40.8%	51.2%	.8%	709
	Ob/gyn	16.1%	50.0%	32.2%	1.7%	230
	Gen internal medicine	8.2%	36.6%	52.3%	2.9%	453
	Gen pediatrics	5.3%	37.3%	56.0%	1.3%	225
	Gen surgery	30.1%	44.4%	22.6%	3.0%	133
	Medical subspecialty	9.2%	43.1%	44.8%	2.9%	866
	Pediatric subspecialty	15.5%	45.6%	36.9%	1.9%	103
	Surgical subspecialty	33.1%	44.8%	19.0%	3.2%	248
	Neurosurgery	22.6%	41.9%	25.8%	9.7%	31
	Psychiatry	11.7%	29.6%	55.3%	3.4%	206
	Hospital-based specialty	29.1%	41.0%	23.3%	6.6%	580
Other	17.6%	58.8%	23.5%	.0%	17	
<b>Urban-Rural</b>	Urban	14.9%	40.5%	41.4%	3.2%	2905
	Rural	14.1%	43.4%	40.3%	2.2%	896
<b>Region</b>	Portland Metro	14.5%	40.0%	42.0%	3.4%	2002
	Mid-Willamette Valley	13.6%	41.8%	42.1%	2.5%	788
	Northwestern	15.5%	42.9%	39.3%	2.4%	84
	Southern	14.4%	40.8%	42.1%	2.8%	390
	Eastern	18.1%	39.7%	39.7%	2.6%	116
	Southwestern	13.2%	52.7%	33.0%	1.1%	91
	Central	17.6%	44.5%	35.8%	2.1%	330
<b>Region Total</b>	<b>Total</b>	14.7%	41.2%	41.1%	3.0%	3801

**Issue Importance in Next 12 Months: Stress and Burnout**

		Stress and burnout				
		Not important	Somewhat important	Very important	No opinion	Total
<b>Gender</b>	Female	7.1%	32.6%	59.6%	.7%	1124
	Male	13.4%	39.7%	46.1%	.9%	2704
<b>Age</b>	Under 40 years	7.9%	39.2%	52.5%	.4%	734
	40-49 years	7.1%	34.6%	58.0%	.3%	1176
	50-59 years	10.0%	38.4%	51.1%	.5%	1273
	60-69 years	23.0%	40.9%	34.2%	2.0%	553
	70 years or more	50.0%	31.5%	10.9%	7.6%	92
	<b>Specialty Categories</b>	Family or general medicine	8.9%	39.7%	51.1%	.4%
	Ob/gyn	9.0%	30.9%	60.1%	.0%	233
	Gen internal medicine	8.6%	34.9%	55.5%	1.1%	456
	Gen pediatrics	11.2%	39.0%	49.3%	.4%	223
	Gen surgery	17.4%	28.8%	53.8%	.0%	132
	Medical subspecialty	11.8%	42.3%	44.8%	1.0%	870
	Pediatric subspecialty	16.3%	38.5%	45.2%	.0%	104
	Surgical subspecialty	14.3%	41.8%	41.8%	2.0%	251
	Neurosurgery	19.4%	29.0%	51.6%	.0%	31
	Psychiatry	19.1%	36.8%	43.1%	1.0%	209
	Hospital-based specialty	11.5%	32.3%	55.2%	1.0%	591
	Other	5.9%	64.7%	29.4%	.0%	17
<b>Urban-Rural</b>	Urban	11.7%	37.5%	49.9%	1.0%	2926
	Rural	11.0%	38.0%	50.7%	.3%	902
<b>Region</b>	Portland Metro	11.6%	37.4%	50.2%	.7%	2019
	Mid-Willamette Valley	13.1%	39.0%	46.7%	1.3%	793
	Northwestern	9.3%	24.4%	66.3%	.0%	86
	Southern	9.0%	38.0%	52.2%	.8%	389
	Eastern	12.8%	37.6%	49.6%	.0%	117
	Southwestern	15.2%	27.2%	56.5%	1.1%	92
	Central	9.6%	41.0%	48.8%	.6%	332
<b>Region Total</b>	<b>Total</b>	11.5%	37.6%	50.1%	.8%	3828

**Issue Importance in Next 12 Months: Mental Health Parity**

		Mental health parity				
		Not important	Somewhat important	Very important	No opinion	Total
<b>Gender</b>	Female	12.1%	38.4%	41.1%	8.5%	1084
	Male	22.9%	38.7%	26.7%	11.8%	2609
<b>Age</b>	Under 40 years	16.3%	40.5%	33.0%	10.2%	716
	40-49 years	19.2%	40.2%	30.5%	10.1%	1128
	50-59 years	18.2%	39.9%	31.5%	10.5%	1227
	60-69 years	25.9%	32.7%	28.9%	12.4%	532
	70 years or more	36.7%	21.1%	23.3%	18.9%	90
	<b>Specialty Categories</b>	Family or general medicine	12.0%	44.9%	36.3%	6.7%
	Ob/gyn	16.7%	45.0%	28.4%	9.9%	222
	Gen internal medicine	14.7%	42.4%	35.9%	6.9%	448
	Gen pediatrics	5.9%	45.0%	44.1%	5.0%	220
	Gen surgery	41.3%	23.8%	19.0%	15.9%	126
	Medical subspecialty	26.7%	37.2%	17.8%	18.3%	818
	Pediatric subspecialty	16.7%	31.4%	43.1%	8.8%	102
	Surgical subspecialty	37.1%	35.8%	10.0%	17.1%	240
	Neurosurgery	27.6%	37.9%	13.8%	20.7%	29
	Psychiatry	3.8%	10.5%	84.2%	1.4%	209
	Hospital-based specialty	23.4%	40.5%	25.9%	10.1%	563
	Other	23.5%	52.9%	11.8%	11.8%	17
<b>Urban-Rural</b>	Urban	19.7%	38.2%	31.5%	10.7%	2814
	Rural	19.9%	39.9%	29.0%	11.1%	879
<b>Region</b>	Portland Metro	18.7%	37.6%	33.1%	10.6%	1940
	Mid-Willamette Valley	20.8%	41.0%	27.8%	10.4%	770
	Northwestern	14.0%	34.9%	45.3%	5.8%	86
	Southern	21.6%	37.6%	28.1%	12.7%	370
	Eastern	21.9%	36.0%	28.1%	14.0%	114
	Southwestern	25.6%	33.3%	30.0%	11.1%	90
	Central	20.4%	43.3%	25.4%	10.8%	323
<b>Region Total</b>	<b>Total</b>	19.7%	38.6%	30.9%	10.8%	3693



**Issue Importance in Next 12 Months: Complexity of Subspecialty Referral**

		Complexity of subspecialty referral				
		Not important	Somewhat important	Very important	No opinion	Total
<b>Gender</b>	Female	25.5%	45.6%	21.0%	7.9%	1091
	Male	33.3%	42.3%	16.8%	7.7%	2634
<b>Age</b>	Under 40 years	27.7%	44.8%	20.6%	6.9%	714
	40-49 years	29.3%	46.9%	17.4%	6.4%	1137
	50-59 years	30.6%	43.5%	18.1%	7.8%	1240
	60-69 years	36.9%	36.3%	16.7%	10.1%	545
	70 years or more	48.3%	22.5%	12.4%	16.9%	89
	<b>Specialty Categories</b>	Family or general medicine	29.9%	51.0%	15.5%	3.6%
	Ob/gyn	36.1%	45.8%	11.5%	6.6%	227
	Gen internal medicine	32.0%	43.9%	17.1%	7.0%	444
	Gen pediatrics	24.9%	54.8%	15.4%	5.0%	221
	Gen surgery	34.1%	45.5%	14.4%	6.1%	132
	Medical subspecialty	32.7%	40.3%	17.2%	9.7%	843
	Pediatric subspecialty	33.3%	32.4%	25.5%	8.8%	102
	Surgical subspecialty	35.2%	34.4%	23.4%	7.0%	244
	Neurosurgery	32.3%	41.9%	19.4%	6.5%	31
	Psychiatry	31.9%	42.2%	15.7%	10.3%	204
	Hospital-based specialty	26.2%	36.9%	24.9%	12.0%	558
	Other	17.6%	64.7%	11.8%	5.9%	17
<b>Urban-Rural</b>	Urban	31.6%	42.5%	17.9%	8.0%	2837
	Rural	29.1%	45.6%	18.5%	6.9%	888
<b>Region</b>	Portland Metro	31.2%	41.8%	19.2%	7.9%	1955
	Mid-Willamette Valley	31.1%	46.7%	13.6%	8.6%	778
	Northwestern	16.3%	45.3%	34.9%	3.5%	86
	Southern	34.1%	40.7%	18.4%	6.8%	381
	Eastern	27.0%	41.7%	20.0%	11.3%	115
	Southwestern	33.3%	41.1%	16.7%	8.9%	90
	Central	30.6%	47.5%	16.3%	5.6%	320
<b>Region Total</b>	<b>Total</b>	<b>31.0%</b>	<b>43.2%</b>	<b>18.0%</b>	<b>7.8%</b>	<b>3725</b>

**Issue Importance in Next 12 Months: Medical Malpractice Insurance**

		Medical malpractice insurance				
		Not important	Somewhat important	Very important	No opinion	Total
<b>Gender</b>	Female	17.3%	39.1%	40.0%	3.5%	1109
	Male	17.0%	37.5%	43.5%	2.1%	2690
<b>Age</b>	Under 40 years	16.9%	37.1%	43.2%	2.8%	722
	40-49 years	14.5%	38.7%	44.9%	1.9%	1169
	50-59 years	17.1%	38.2%	42.3%	2.3%	1266
	60-69 years	21.6%	37.0%	37.9%	3.4%	551
	70 years or more	22.0%	37.4%	34.1%	6.6%	91
	<b>Specialty Categories</b>	Family or general medicine	21.2%	43.4%	33.2%	2.3%
	Ob/gyn	9.5%	26.7%	62.5%	1.3%	232
	Gen internal medicine	27.5%	39.1%	28.9%	4.5%	447
	Gen pediatrics	16.1%	48.7%	32.1%	3.1%	224
	Gen surgery	10.3%	22.8%	65.4%	1.5%	136
	Medical subspecialty	15.5%	44.0%	37.6%	2.9%	857
	Pediatric subspecialty	27.5%	37.3%	31.4%	3.9%	102
	Surgical subspecialty	12.4%	25.6%	60.4%	1.6%	250
	Neurosurgery	3.2%	12.9%	83.9%	.0%	31
	Psychiatry	22.6%	44.2%	29.8%	3.4%	208
	Hospital-based specialty	10.6%	29.5%	58.6%	1.4%	587
	Other	5.9%	58.8%	35.3%	.0%	17
<b>Urban-Rural</b>	Urban	18.3%	38.0%	40.7%	2.9%	2896
	Rural	13.0%	37.8%	48.0%	1.3%	903
<b>Region</b>	Portland Metro	20.3%	38.2%	38.5%	3.1%	1993
	Mid-Willamette Valley	15.0%	38.9%	43.6%	2.5%	794
	Northwestern	17.6%	38.8%	41.2%	2.4%	85
	Southern	10.8%	38.1%	49.2%	1.8%	388
	Eastern	15.4%	33.3%	49.6%	1.7%	117
	Southwestern	7.7%	39.6%	52.7%	.0%	91
	Central	13.0%	35.0%	50.8%	1.2%	331
<b>Region Total</b>	<b>Total</b>	17.1%	38.0%	42.5%	2.5%	3799

**Issue Importance in Next 12 Months: Call Coverage**

		Call coverage				
		Not important	Somewhat important	Very important	No opinion	Total
Gender	Female	22.2%	33.1%	40.3%	4.4%	1108
	Male	26.5%	32.5%	37.3%	3.7%	2679
Age	Under 40 years	18.0%	37.0%	41.7%	3.3%	724
	40-49 years	21.6%	33.0%	42.5%	2.9%	1167
	50-59 years	25.4%	33.6%	37.4%	3.6%	1262
	60-69 years	37.4%	27.1%	29.3%	6.2%	546
	70 years or more	58.0%	15.9%	15.9%	10.2%	88
Specialty Categories	Family or general medicine	29.8%	39.5%	27.7%	3.0%	704
	Ob/gyn	16.3%	30.9%	50.2%	2.6%	233
	Gen internal medicine	31.2%	31.2%	31.7%	5.8%	445
	Gen pediatrics	17.3%	37.3%	44.0%	1.3%	225
	Gen surgery	13.3%	27.4%	59.3%	.0%	135
	Medical subspecialty	23.7%	36.4%	36.3%	3.6%	862
	Pediatric subspecialty	26.2%	41.7%	28.2%	3.9%	103
	Surgical subspecialty	16.9%	19.4%	61.3%	2.4%	248
	Neurosurgery	6.7%	23.3%	70.0%	.0%	30
	Psychiatry	42.2%	31.1%	22.8%	3.9%	206
	Hospital-based specialty	23.7%	26.1%	43.0%	7.3%	579
Other	82.4%	11.8%	5.9%	.0%	17	
Urban-Rural	Urban	26.5%	32.5%	36.8%	4.1%	2888
	Rural	21.2%	33.3%	42.4%	3.1%	899
Region	Portland Metro	27.1%	33.0%	36.2%	3.7%	1986
	Mid-Willamette Valley	25.9%	34.3%	35.2%	4.5%	792
	Northwestern	26.7%	24.4%	45.3%	3.5%	86
	Southern	18.9%	34.5%	43.0%	3.6%	386
	Eastern	13.8%	34.5%	50.0%	1.7%	116
	Southwestern	23.1%	29.7%	41.8%	5.5%	91
	Central	24.2%	27.6%	44.2%	3.9%	330
Region Total	Total	25.3%	32.7%	38.1%	3.9%	3787

**Issue Importance in Next 12 Months: Health Insurance Coverage for the Uninsured**

		Health insurance coverage for the uninsured				
		Not important	Somewhat important	Very important	No opinion	Total
<b>Gender</b>	Female	4.4%	29.9%	63.8%	1.9%	1116
	Male	6.4%	34.4%	57.2%	2.0%	2682
<b>Age</b>	Under 40 years	3.6%	37.8%	57.7%	1.0%	730
	40-49 years	5.4%	35.2%	57.9%	1.5%	1169
	50-59 years	5.6%	31.7%	60.6%	2.1%	1260
	60-69 years	8.4%	26.2%	62.2%	3.3%	550
	70 years or more	16.9%	28.1%	48.3%	6.7%	89
	<b>Specialty Categories</b>	Family or general medicine	4.4%	35.7%	58.6%	1.3%
	Ob/gyn	3.4%	31.8%	63.1%	1.7%	233
	Gen internal medicine	8.3%	32.8%	56.3%	2.7%	448
	Gen pediatrics	2.7%	31.6%	65.3%	.4%	225
	Gen surgery	6.0%	26.9%	64.9%	2.2%	134
	Medical subspecialty	7.1%	34.1%	56.9%	1.9%	864
	Pediatric subspecialty	5.9%	20.6%	72.5%	1.0%	102
	Surgical subspecialty	6.0%	39.2%	53.6%	1.2%	250
	Neurosurgery	9.7%	35.5%	54.8%	.0%	31
	Psychiatry	6.2%	27.3%	64.1%	2.4%	209
	Hospital-based specialty	5.5%	32.4%	58.4%	3.6%	580
	Other	.0%	35.3%	64.7%	.0%	17
<b>Urban-Rural</b>	Urban	5.8%	32.9%	59.1%	2.1%	2896
	Rural	5.7%	33.5%	59.4%	1.4%	902
<b>Region</b>	Portland Metro	6.1%	31.8%	59.8%	2.4%	1999
	Mid-Willamette Valley	4.4%	36.2%	57.6%	1.8%	792
	Northwestern	9.4%	30.6%	60.0%	.0%	85
	Southern	6.8%	35.9%	55.7%	1.6%	384
	Eastern	7.7%	29.1%	60.7%	2.6%	117
	Southwestern	8.7%	45.7%	44.6%	1.1%	92
	Central	4.0%	28.6%	66.6%	.9%	329
<b>Region Total</b>	<b>Total</b>	<b>5.8%</b>	<b>33.1%</b>	<b>59.2%</b>	<b>2.0%</b>	<b>3798</b>

**Issue Importance in Next 12 Months: Medicaid Reimbursement**

		Oregon Health Plan/Medicaid reimbursement				
		Not important	Somewhat important	Very important	No opinion	Total
<b>Gender</b>	Female	9.6%	30.8%	54.7%	5.0%	1107
	Male	9.6%	30.6%	56.7%	3.1%	2684
<b>Age</b>	Under 40 years	7.0%	31.8%	58.0%	3.2%	719
	40-49 years	8.1%	30.6%	58.4%	2.8%	1167
	50-59 years	10.4%	31.6%	54.1%	3.8%	1264
	60-69 years	12.0%	27.4%	55.8%	4.9%	552
	70 years or more	22.5%	29.2%	39.3%	9.0%	89
	<b>Specialty Categories</b>	Family or general medicine	8.1%	33.5%	55.7%	2.7%
	Ob/gyn	3.9%	33.9%	60.9%	1.3%	230
	Gen internal medicine	14.9%	32.2%	48.0%	4.9%	450
	Gen pediatrics	4.4%	20.4%	72.0%	3.1%	225
	Gen surgery	6.6%	27.2%	64.7%	1.5%	136
	Medical subspecialty	8.7%	33.2%	54.9%	3.1%	858
	Pediatric subspecialty	10.8%	21.6%	64.7%	2.9%	102
	Surgical subspecialty	14.5%	28.1%	53.8%	3.6%	249
	Neurosurgery	9.7%	29.0%	61.3%	.0%	31
	Psychiatry	25.6%	23.2%	40.9%	10.3%	203
	Hospital-based specialty	5.5%	31.6%	58.7%	4.3%	583
	Other	11.8%	17.6%	64.7%	5.9%	17
<b>Urban-Rural</b>	Urban	10.3%	30.9%	54.7%	4.1%	2891
	Rural	7.3%	30.0%	60.4%	2.2%	900
<b>Region</b>	Portland Metro	11.5%	32.0%	52.0%	4.5%	1986
	Mid-Willamette Valley	7.5%	30.8%	58.5%	3.1%	795
	Northwestern	7.0%	33.7%	55.8%	3.5%	86
	Southern	7.8%	26.9%	62.8%	2.6%	387
	Eastern	5.2%	27.6%	66.4%	.9%	116
	Southwestern	12.0%	39.1%	45.7%	3.3%	92
	Central	6.4%	24.9%	66.6%	2.1%	329
<b>Region Total</b>	<b>Total</b>	9.6%	30.7%	56.1%	3.7%	3791

**Issue Importance in Next 12 Months: Recruitment of Qualified Non-Physician Staff**

		Recruitment of qualified non-physician staff				
		Not important	Somewhat important	Very important	No opinion	Total
<b>Gender</b>	Female	18.2%	36.6%	41.3%	3.9%	1102
	Male	20.8%	43.6%	31.9%	3.7%	2672
<b>Age</b>	Under 40 years	14.9%	44.4%	39.6%	1.1%	717
	40-49 years	18.5%	41.2%	37.0%	3.4%	1159
	50-59 years	21.0%	42.0%	32.6%	4.4%	1255
	60-69 years	25.5%	39.1%	30.3%	5.1%	552
	70 years or more	33.0%	31.9%	20.9%	14.3%	91
	<b>Specialty Categories</b>	Family or general medicine	21.3%	42.3%	34.5%	1.8%
	Ob/gyn	23.9%	40.9%	32.6%	2.6%	230
	Gen internal medicine	19.5%	40.9%	34.5%	5.0%	440
	Gen pediatrics	12.6%	43.9%	41.3%	2.2%	223
	Gen surgery	25.9%	43.0%	28.9%	2.2%	135
	Medical subspecialty	14.1%	44.8%	37.5%	3.5%	863
	Pediatric subspecialty	14.6%	41.7%	40.8%	2.9%	103
	Surgical subspecialty	21.7%	46.6%	29.7%	2.0%	249
	Neurosurgery	16.7%	46.7%	26.7%	10.0%	30
	Psychiatry	41.9%	27.6%	23.6%	6.9%	203
	Hospital-based specialty	20.1%	37.6%	35.5%	6.8%	577
	Other	29.4%	35.3%	35.3%	.0%	17
<b>Urban-Rural</b>	Urban	19.1%	41.0%	35.7%	4.2%	2880
	Rural	22.9%	43.3%	31.2%	2.6%	894
<b>Region</b>	Portland Metro	20.2%	39.9%	35.2%	4.6%	1986
	Mid-Willamette Valley	17.9%	44.2%	35.3%	2.5%	787
	Northwestern	20.5%	41.0%	34.9%	3.6%	83
	Southern	22.6%	40.5%	34.0%	2.9%	385
	Eastern	23.3%	41.4%	31.9%	3.4%	116
	Southwestern	18.0%	50.6%	25.8%	5.6%	89
	Central	20.4%	43.6%	33.5%	2.4%	328
<b>Region Total</b>	<b>Total</b>	20.0%	41.5%	34.7%	3.8%	3774

**Issue Importance in Next 12 Months: Patient Safety**

		Patient safety				
		Not important	Somewhat important	Very important	No opinion	Total
Gender	Female	6.9%	31.7%	59.1%	2.3%	1111
	Male	10.5%	36.4%	50.9%	2.2%	2693
Age	Under 40 years	8.5%	34.5%	54.9%	2.1%	730
	40-49 years	9.4%	36.1%	53.0%	1.5%	1165
	50-59 years	8.8%	35.0%	54.0%	2.1%	1264
	60-69 years	10.5%	34.1%	52.0%	3.4%	554
	70 years or more	22.0%	28.6%	44.0%	5.5%	91
Specialty Categories	Family or general medicine	11.8%	41.0%	45.0%	2.1%	709
	Ob/gyn	6.9%	28.0%	64.7%	.4%	232
	Gen internal medicine	9.8%	35.2%	53.5%	1.6%	449
	Gen pediatrics	7.2%	37.8%	51.8%	3.2%	222
	Gen surgery	11.9%	46.3%	40.3%	1.5%	134
	Medical subspecialty	10.5%	34.6%	52.5%	2.3%	863
	Pediatric subspecialty	8.7%	31.7%	58.7%	1.0%	104
	Surgical subspecialty	10.4%	34.5%	53.4%	1.6%	249
	Neurosurgery	12.9%	29.0%	58.1%	.0%	31
	Psychiatry	7.7%	27.5%	59.9%	4.8%	207
	Hospital-based specialty	6.1%	30.4%	60.5%	2.9%	588
Other	12.5%	50.0%	37.5%	.0%	16	
Urban-Rural	Urban	8.8%	33.8%	54.9%	2.4%	2905
	Rural	11.5%	38.7%	48.3%	1.6%	899
Region	Portland Metro	9.0%	33.4%	55.3%	2.4%	2000
	Mid-Willamette Valley	9.5%	36.0%	52.3%	2.1%	791
	Northwestern	14.0%	36.0%	48.8%	1.2%	86
	Southern	8.4%	35.5%	54.3%	1.8%	392
	Eastern	12.9%	35.3%	50.0%	1.7%	116
	Southwestern	8.9%	42.2%	47.8%	1.1%	90
	Central	11.2%	39.2%	46.8%	2.7%	329
Region Total	Total	9.5%	35.0%	53.3%	2.2%	3804

**Issue Importance in Next 12 Months: Electronic Prescribing**

		Electronic prescribing				
		Not important	Somewhat important	Very important	No opinion	Total
Gender	Female	30.0%	37.7%	25.3%	6.9%	1102
	Male	34.9%	38.8%	21.0%	5.3%	2663
Age	Under 40 years	27.7%	43.3%	25.2%	3.9%	726
	40-49 years	33.8%	40.2%	20.8%	5.1%	1148
	50-59 years	33.8%	37.1%	22.8%	6.3%	1254
	60-69 years	36.9%	34.9%	21.2%	6.9%	547
	70 years or more	51.1%	18.9%	15.6%	14.4%	90
Specialty Categories	Family or general medicine	28.0%	38.0%	29.9%	4.1%	703
	Ob/gyn	31.3%	44.6%	21.0%	3.0%	233
	Gen internal medicine	24.2%	44.2%	28.3%	3.4%	446
	Gen pediatrics	27.3%	35.5%	29.5%	7.7%	220
	Gen surgery	38.3%	39.1%	20.3%	2.3%	133
	Medical subspecialty	33.7%	39.2%	22.3%	4.8%	860
	Pediatric subspecialty	28.8%	45.2%	22.1%	3.8%	104
	Surgical subspecialty	44.1%	41.6%	10.6%	3.7%	245
	Neurosurgery	44.8%	41.4%	10.3%	3.4%	29
	Psychiatry	42.2%	29.4%	18.1%	10.3%	204
	Hospital-based specialty	41.8%	32.3%	13.8%	12.1%	572
Other	37.5%	50.0%	6.3%	6.3%	16	
Urban-Rural	Urban	32.0%	38.9%	23.3%	5.9%	2875
	Rural	38.4%	37.3%	18.9%	5.4%	890
Region	Portland Metro	32.4%	37.8%	23.3%	6.5%	1978
	Mid-Willamette Valley	28.9%	42.3%	24.6%	4.2%	788
	Northwestern	36.9%	34.5%	23.8%	4.8%	84
	Southern	41.0%	35.0%	18.8%	5.2%	383
	Eastern	40.5%	33.6%	19.8%	6.0%	116
	Southwestern	37.1%	42.7%	14.6%	5.6%	89
	Central	38.2%	39.1%	16.8%	5.8%	327
Region Total	Total	33.5%	38.5%	22.3%	5.8%	3765



**Issue Importance in Next 12 Months: Pay for Performance**

		Pay for performance				
		Not important	Somewhat important	Very important	No opinion	Total
<b>Gender</b>	Female	22.3%	40.0%	31.9%	5.8%	1093
	Male	26.4%	42.7%	26.2%	4.7%	2658
<b>Age</b>	Under 40 years	24.0%	44.4%	28.1%	3.5%	718
	40-49 years	23.6%	42.5%	29.6%	4.4%	1147
	50-59 years	24.5%	44.0%	26.7%	4.9%	1249
	60-69 years	31.1%	34.4%	26.9%	7.5%	546
	70 years or more	28.6%	33.0%	26.4%	12.1%	91
<b>Specialty Categories</b>	Family or general medicine	28.3%	41.0%	26.6%	4.1%	703
	Ob/gyn	25.7%	41.2%	30.1%	3.1%	226
	Gen internal medicine	23.7%	44.4%	28.0%	3.9%	439
	Gen pediatrics	20.5%	43.8%	29.2%	6.4%	219
	Gen surgery	24.4%	41.2%	29.8%	4.6%	131
	Medical subspecialty	23.6%	43.6%	27.7%	5.1%	857
	Pediatric subspecialty	17.3%	43.3%	32.7%	6.7%	104
	Surgical subspecialty	29.7%	36.6%	29.7%	4.1%	246
	Neurosurgery	27.6%	34.5%	34.5%	3.4%	29
	Psychiatry	33.5%	30.5%	26.6%	9.4%	203
	Hospital-based specialty	23.6%	44.9%	26.0%	5.5%	577
Other	11.8%	41.2%	35.3%	11.8%	17	
<b>Urban-Rural</b>	Urban	24.7%	42.9%	27.2%	5.3%	2863
	Rural	26.9%	39.0%	30.0%	4.2%	888
<b>Region</b>	Portland Metro	23.6%	43.8%	27.3%	5.3%	1977
	Mid-Willamette Valley	28.0%	38.8%	28.6%	4.6%	779
	Northwestern	26.5%	36.1%	30.1%	7.2%	83
	Southern	23.8%	40.8%	31.2%	4.2%	382
	Eastern	30.4%	36.5%	27.0%	6.1%	115
	Southwestern	24.2%	38.5%	34.1%	3.3%	91
	Central	27.8%	44.1%	23.5%	4.6%	324
<b>Region Total</b>	<b>Total</b>	25.2%	41.9%	27.9%	5.0%	3751

**Issue Importance in Next 12 Months: Recruitment of Physicians**

		Recruitment of physicians				
		Not important	Somewhat important	Very important	No opinion	Total
Gender	Female	24.4%	34.2%	37.3%	4.1%	1101
	Male	23.3%	34.3%	38.9%	3.5%	2683
Age	Under 40 years	23.7%	36.0%	37.7%	2.6%	717
	40-49 years	22.9%	36.1%	37.9%	3.0%	1160
	50-59 years	22.7%	33.7%	40.0%	3.7%	1260
	60-69 years	24.9%	31.0%	38.9%	5.2%	555
	70 years or more	37.0%	25.0%	26.1%	12.0%	92
	Specialty Categories	Family or general medicine	26.4%	35.2%	35.7%	2.7%
	Ob/gyn	23.4%	27.3%	46.3%	3.0%	231
	Gen internal medicine	20.8%	28.2%	47.6%	3.4%	443
	Gen pediatrics	23.4%	38.1%	33.0%	5.5%	218
	Gen surgery	23.1%	36.6%	38.8%	1.5%	134
	Medical subspecialty	25.3%	36.2%	34.3%	4.2%	861
	Pediatric subspecialty	15.4%	43.3%	36.5%	4.8%	104
	Surgical subspecialty	23.3%	33.7%	41.4%	1.6%	249
	Neurosurgery	23.3%	23.3%	46.7%	6.7%	30
	Psychiatry	42.0%	30.7%	18.5%	8.8%	205
	Hospital-based specialty	15.0%	36.3%	45.3%	3.4%	587
	Other	41.2%	23.5%	35.3%	.0%	17
Urban-Rural	Urban	24.2%	35.6%	35.8%	4.3%	2887
	Rural	21.6%	29.9%	46.8%	1.7%	897
Region	Portland Metro	26.3%	35.2%	33.5%	5.0%	1986
	Mid-Willamette Valley	20.5%	35.1%	42.0%	2.4%	791
	Northwestern	15.3%	28.2%	54.1%	2.4%	85
	Southern	21.2%	29.3%	47.7%	1.8%	386
	Eastern	22.4%	27.6%	47.4%	2.6%	116
	Southwestern	17.6%	24.2%	56.0%	2.2%	91
	Central	22.2%	38.6%	36.8%	2.4%	329
Region Total	Total	23.6%	34.2%	38.4%	3.7%	3784

**Issue Importance in Next 12 Months: Government Regulation and Oversight**

		Government regulation and oversight				
		Not important	Somewhat important	Very important	No opinion	Total
Gender	Female	13.9%	47.4%	34.4%	4.2%	1109
	Male	12.0%	41.4%	44.8%	1.8%	2685
Age	Under 40 years	20.0%	47.4%	29.7%	2.9%	725
	40-49 years	13.3%	45.4%	39.3%	2.1%	1159
	50-59 years	8.7%	41.4%	47.8%	2.1%	1263
	60-69 years	9.0%	38.4%	49.0%	3.6%	555
	70 years or more	19.6%	33.7%	42.4%	4.3%	92
Specialty Categories	Family or general medicine	12.4%	43.3%	42.0%	2.3%	709
	Ob/gyn	15.5%	49.6%	33.6%	1.3%	232
	Gen internal medicine	12.3%	40.6%	43.5%	3.6%	446
	Gen pediatrics	14.2%	54.8%	26.9%	4.1%	219
	Gen surgery	12.6%	33.3%	52.6%	1.5%	135
	Medical subspecialty	10.2%	41.3%	46.4%	2.1%	862
	Pediatric subspecialty	18.6%	54.9%	25.5%	1.0%	102
	Surgical subspecialty	11.2%	35.7%	51.4%	1.6%	249
	Neurosurgery	3.4%	34.5%	62.1%	.0%	29
	Psychiatry	12.0%	44.0%	37.8%	6.2%	209
	Hospital-based specialty	14.8%	43.9%	39.1%	2.2%	586
Other	12.5%	56.3%	31.3%	.0%	16	
Urban-Rural	Urban	12.8%	43.7%	40.7%	2.9%	2898
	Rural	11.9%	41.4%	45.3%	1.3%	896
Region	Portland Metro	12.9%	44.7%	39.2%	3.2%	1993
	Mid-Willamette Valley	12.3%	43.1%	42.2%	2.4%	794
	Northwestern	16.5%	43.5%	38.8%	1.2%	85
	Southern	10.8%	42.2%	46.0%	1.0%	389
	Eastern	12.0%	40.2%	45.3%	2.6%	117
	Southwestern	5.5%	37.4%	56.0%	1.1%	91
	Central	14.2%	37.5%	47.1%	1.2%	325
Region Total	Total	12.6%	43.1%	41.8%	2.5%	3794

**Issue Importance in Next 12 Months: Retention of Physicians**

		Retention of physicians				
		Not important	Somewhat important	Very important	No opinion	Total
<b>Gender</b>	Female	14.6%	29.7%	52.3%	3.4%	1106
	Male	17.1%	31.6%	48.0%	3.2%	2673
<b>Age</b>	Under 40 years	15.0%	33.1%	49.8%	2.1%	719
	40-49 years	15.3%	32.4%	49.1%	3.3%	1159
	50-59 years	15.9%	31.7%	49.2%	3.2%	1262
	60-69 years	19.4%	26.3%	50.5%	3.8%	547
	70 years or more	28.3%	19.6%	41.3%	10.9%	92
<b>Specialty Categories</b>	Family or general medicine	17.2%	30.6%	48.6%	3.5%	708
	Ob/gyn	17.3%	31.6%	50.6%	.4%	231
	Gen internal medicine	13.1%	26.7%	57.0%	3.2%	442
	Gen pediatrics	20.3%	34.7%	41.4%	3.6%	222
	Gen surgery	15.0%	30.8%	53.4%	.8%	133
	Medical subspecialty	16.3%	33.3%	45.8%	4.6%	853
	Pediatric subspecialty	13.5%	33.7%	51.9%	1.0%	104
	Surgical subspecialty	15.0%	30.8%	51.8%	2.4%	247
	Neurosurgery	13.3%	16.7%	63.3%	6.7%	30
	Psychiatry	30.6%	25.2%	38.3%	5.8%	206
	Hospital-based specialty	12.1%	32.6%	52.7%	2.6%	586
	Other	29.4%	35.3%	35.3%	.0%	17
<b>Urban-Rural</b>	Urban	17.9%	31.2%	47.3%	3.6%	2881
	Rural	11.4%	30.6%	55.7%	2.3%	898
<b>Region</b>	Portland Metro	19.4%	31.1%	45.7%	3.7%	1983
	Mid-Willamette Valley	13.5%	32.1%	51.5%	2.9%	787
	Northwestern	11.6%	25.6%	62.8%	.0%	86
	Southern	13.9%	26.8%	56.2%	3.1%	388
	Eastern	6.8%	36.8%	55.6%	.9%	117
	Southwestern	9.9%	30.8%	54.9%	4.4%	91
	Central	14.1%	33.0%	49.8%	3.1%	327
<b>Region Total</b>	<b>Total</b>	16.4%	31.1%	49.3%	3.3%	3779

**Issue Importance in Next 12 Months: Commercial Health Plan Reimbursement**

		Commercial health plan reimbursement				
		Not important	Somewhat important	Very important	No opinion	Total
<b>Gender</b>	Female	11.4%	31.6%	52.2%	4.8%	1103
	Male	7.8%	31.9%	57.7%	2.6%	2673
<b>Age</b>	Under 40 years	10.6%	35.0%	51.7%	2.8%	718
	40-49 years	7.9%	30.5%	58.8%	2.8%	1159
	50-59 years	7.9%	32.4%	56.6%	3.0%	1259
	60-69 years	10.0%	30.3%	55.1%	4.6%	548
	70 years or more	13.0%	26.1%	53.3%	7.6%	92
<b>Specialty Categories</b>	Family or general medicine	10.2%	38.2%	49.3%	2.3%	706
	Ob/gyn	6.4%	31.8%	59.2%	2.6%	233
	Gen internal medicine	13.0%	34.8%	47.6%	4.6%	437
	Gen pediatrics	6.9%	30.7%	58.7%	3.7%	218
	Gen surgery	8.3%	30.1%	60.2%	1.5%	133
	Medical subspecialty	7.8%	29.9%	58.9%	3.4%	862
	Pediatric subspecialty	9.7%	36.9%	53.4%	.0%	103
	Surgical subspecialty	8.4%	22.5%	65.9%	3.2%	249
	Neurosurgery	3.2%	9.7%	87.1%	.0%	31
	Psychiatry	11.1%	22.7%	61.4%	4.8%	207
	Hospital-based specialty	7.2%	33.1%	55.7%	4.0%	580
Other	5.9%	29.4%	64.7%	.0%	17	
<b>Urban-Rural</b>	Urban	9.5%	30.3%	56.6%	3.7%	2883
	Rural	6.9%	36.8%	54.4%	1.8%	893
<b>Region</b>	Portland Metro	9.9%	30.1%	55.7%	4.2%	1981
	Mid-Willamette Valley	8.3%	34.1%	54.8%	2.8%	794
	Northwestern	9.5%	35.7%	50.0%	4.8%	84
	Southern	8.4%	31.1%	59.3%	1.3%	383
	Eastern	6.0%	39.3%	53.8%	.9%	117
	Southwestern	7.7%	44.0%	47.3%	1.1%	91
<b>Region Total</b>	<b>Total</b>	8.9%	31.8%	56.1%	3.2%	3776

**Issue Importance in Next 12 Months: Commercial Health Plan Administrative Requirements**

		Commercial health plan administrative requirements				
		Not important	Somewhat important	Very important	No opinion	Total
<b>Gender</b>	Female	12.9%	36.5%	43.5%	7.1%	1092
	Male	10.4%	36.0%	50.1%	3.6%	2657
<b>Age</b>	Under 40 years	14.7%	39.4%	41.0%	4.9%	714
	40-49 years	10.4%	36.3%	49.4%	3.9%	1146
	50-59 years	9.9%	37.0%	48.6%	4.6%	1252
	60-69 years	10.3%	31.3%	53.5%	4.9%	546
	70 years or more	13.2%	26.4%	51.6%	8.8%	91
	<b>Specialty Categories</b>	Family or general medicine	10.1%	40.0%	46.8%	3.1%
	Ob/gyn	9.6%	37.8%	47.8%	4.8%	230
	Gen internal medicine	14.4%	34.8%	45.3%	5.5%	437
	Gen pediatrics	11.2%	39.1%	44.7%	5.1%	215
	Gen surgery	12.8%	36.1%	49.6%	1.5%	133
	Medical subspecialty	9.1%	35.1%	51.9%	3.9%	857
	Pediatric subspecialty	10.8%	44.1%	44.1%	1.0%	102
	Surgical subspecialty	9.3%	29.7%	57.3%	3.7%	246
	Neurosurgery	6.7%	20.0%	73.3%	.0%	30
	Psychiatry	8.7%	23.3%	62.1%	5.8%	206
	Hospital-based specialty	15.0%	38.7%	38.0%	8.2%	573
	Other	5.9%	47.1%	47.1%	.0%	17
<b>Urban-Rural</b>	Urban	11.8%	34.8%	48.2%	5.2%	2860
	Rural	8.9%	40.4%	48.1%	2.6%	889
<b>Region</b>	Portland Metro	12.4%	34.0%	47.5%	6.2%	1964
	Mid-Willamette Valley	10.1%	37.0%	49.6%	3.3%	789
	Northwestern	13.1%	40.5%	41.7%	4.8%	84
	Southern	9.7%	40.0%	48.2%	2.1%	380
	Eastern	9.5%	37.9%	50.9%	1.7%	116
	Southwestern	6.6%	47.3%	45.1%	1.1%	91
	Central	8.3%	37.8%	50.8%	3.1%	325
<b>Region Total</b>	<b>Total</b>	11.1%	36.1%	48.2%	4.6%	3749

**Oregon Medical Malpractice Reinsurance Program**

		Do you currently receive the Oregon Medical Malpractice Reinsurance Program (also known as the Medical Malpractice Insurance Subsidy)?				
		Yes	No	Doesn't apply--Not a rural practice	Don't know	Total
<b>Gender</b>	Female	8.0%	35.4%	21.8%	34.8%	1119
	Male	12.7%	45.3%	18.3%	23.7%	2728
<b>Age</b>	Under 40 years	10.2%	27.4%	18.5%	43.9%	736
	40-49 years	9.0%	39.9%	20.9%	30.2%	1170
	50-59 years	13.1%	45.4%	20.4%	21.1%	1280
	60-69 years	13.5%	57.4%	15.1%	14.0%	564
	70 years or more	13.4%	59.8%	16.5%	10.3%	97
<b>Specialty Categories</b>	Family or general medicine	20.1%	44.8%	14.0%	21.1%	707
	Ob/gyn	14.5%	46.2%	20.9%	18.4%	234
	Gen internal medicine	9.5%	41.4%	20.6%	28.4%	461
	Gen pediatrics	10.7%	31.7%	21.0%	36.6%	224
	Gen surgery	17.2%	38.8%	22.4%	21.6%	134
	Medical subspecialty	6.9%	42.9%	20.2%	30.0%	871
	Pediatric subspecialty	1.9%	30.2%	25.5%	42.5%	106
	Surgical subspecialty	11.6%	47.0%	19.1%	22.3%	251
	Neurosurgery	3.3%	53.3%	20.0%	23.3%	30
	Psychiatry	4.8%	57.1%	23.8%	14.3%	210
	Hospital-based specialty	10.6%	37.4%	18.8%	33.1%	601
Other	22.2%	44.4%	16.7%	16.7%	18	
<b>If your primary specialty is family medicine, general medicine, or ob/gyn, do you currently provide maternity care?</b>	Yes	22.5%	40.6%	17.4%	19.5%	298
	No	17.4%	46.4%	15.3%	20.9%	608
<b>Region</b>	Portland Metro	2.7%	44.3%	24.9%	28.2%	2024
	Mid-Willamette Valley	3.6%	44.6%	21.5%	30.3%	796
	Northwestern	48.9%	30.7%	.0%	20.5%	88
	Southern	27.3%	42.6%	11.0%	19.0%	399
	Eastern	50.0%	24.2%	2.5%	23.3%	120
	Southwestern	62.6%	11.0%	.0%	26.4%	91
	Central	25.8%	44.1%	6.7%	23.4%	329
<b>Region Total</b>	<b>Total</b>	<b>11.4%</b>	<b>42.4%</b>	<b>19.3%</b>	<b>26.9%</b>	<b>3847</b>

**Rural Provider State Income Tax Credit Program**

		Do you currently participate in the Rural Provider State Income Tax Credit Program?				
		Yes	No	Doesn't apply--Not a rural practice	Don't know	Total
Gender	Female	11.4%	48.2%	24.9%	15.5%	1122
	Male	17.2%	52.8%	20.2%	9.8%	2736
Age	Under 40 years	15.9%	42.9%	22.7%	18.5%	736
	40-49 years	13.0%	49.9%	23.1%	14.0%	1173
	50-59 years	16.8%	53.7%	21.8%	7.7%	1285
	60-69 years	17.3%	58.9%	17.3%	6.5%	567
	70 years or more	15.5%	62.9%	16.5%	5.2%	97
Specialty Categories	Family or general medicine	30.8%	46.2%	15.3%	7.7%	712
	Ob/gyn	11.2%	54.9%	23.2%	10.7%	233
	Gen internal medicine	14.5%	52.8%	21.4%	11.3%	462
	Gen pediatrics	12.5%	46.0%	26.3%	15.2%	224
	Gen surgery	24.4%	42.2%	23.0%	10.4%	135
	Medical subspecialty	8.2%	55.8%	23.9%	12.1%	876
	Pediatric subspecialty	2.8%	48.1%	26.4%	22.6%	106
	Surgical subspecialty	11.6%	59.2%	18.8%	10.4%	250
	Neurosurgery	.0%	71.0%	12.9%	16.1%	31
	Psychiatry	7.7%	61.7%	24.4%	6.2%	209
	Hospital-based specialty	17.3%	46.0%	22.6%	14.1%	602
	Other	11.1%	50.0%	27.8%	11.1%	18
If your primary specialty is family medicine, general medicine, or ob/gyn, do you currently provide maternity care?	Yes	23.4%	47.8%	19.4%	9.4%	299
	No	27.7%	47.6%	16.4%	8.3%	611
Region	Portland Metro	1.1%	59.2%	27.9%	11.7%	2031
	Mid-Willamette Valley	9.1%	55.4%	24.2%	11.3%	798
	Northwestern	88.8%	6.7%	.0%	4.5%	89
	Southern	39.0%	42.0%	10.5%	8.5%	400
	Eastern	89.2%	4.2%	.8%	5.8%	120
	Southwestern	48.4%	27.5%	1.1%	23.1%	91
	Central	35.6%	41.6%	8.5%	14.3%	329
Region Total	Total	15.5%	51.5%	21.6%	11.4%	3858



### Reaction to Potential Medicare Reimbursement Reduction

		If Medicare reimbursement for physicians declines in 2007, which of the following actions will you take?					
		Will accept all new Medicare patients	Will limit acceptance of new Medicare patients	Will not accept any new Medicare patients	Will drop all Medicare patients	Undecided	Total
Gender	Female	21.3%	19.6%	16.4%	3.3%	39.4%	769
	Male	27.0%	25.1%	14.1%	3.5%	30.2%	2097
Age	Under 40 years	25.0%	21.1%	13.0%	3.0%	38.0%	540
	40-49 years	23.1%	24.1%	15.2%	3.4%	34.1%	874
	50-59 years	24.5%	24.4%	16.5%	3.5%	31.1%	922
	60-69 years	30.1%	24.8%	13.0%	4.4%	27.7%	455
	70 years or more	41.3%	20.0%	10.7%	1.3%	26.7%	75
Which of the following best describes your primary practice setting:	Private clinic or office	19.0%	28.8%	19.5%	4.1%	28.6%	1994
	Community clinic/public health clinic	53.3%	5.7%	4.9%	1.6%	34.4%	122
	University/college health service clinic	39.1%	16.5%	6.1%	.9%	37.4%	115
	Hospital-based ambulatory care clinic	39.4%	13.0%	4.6%	1.9%	41.2%	216
	Hospital inpatient setting	42.2%	12.0%	1.3%	1.8%	42.7%	225
	Emergency department	14.3%	14.3%	.0%	14.3%	57.1%	7
	Urgent care clinic	26.8%	14.6%	7.3%	7.3%	43.9%	41
	Nursing facility	37.5%	12.5%	.0%	.0%	50.0%	8
	Other (Specify )	34.7%	8.9%	3.2%	1.6%	51.6%	124
What is the size of your primary practice?	Solo practice	20.1%	28.5%	23.1%	5.5%	22.8%	632
	Partnership (2 physicians)	21.8%	25.6%	18.8%	6.8%	26.9%	234
	Group practice (3 to 10 physicians)	29.0%	24.0%	12.3%	2.5%	32.2%	1032
	Group practice (11 to 50 physicians)	27.2%	23.2%	11.6%	3.0%	35.0%	474
	Group practice (More than 50 physicians)	25.3%	15.9%	10.6%	1.7%	46.5%	471
What is your employment status at your primary practice?	Full owner (or sole proprietor)	17.7%	32.3%	24.6%	5.6%	19.9%	719
	Part-owner (or shareholder)	22.6%	27.9%	17.4%	3.2%	28.8%	941
	Employee	32.7%	15.2%	6.3%	2.4%	43.4%	1051
	Independent contractor	28.2%	12.6%	10.7%	2.9%	45.6%	103
	Volunteer	80.0%	.0%	.0%	.0%	20.0%	5
	Other	27.0%	21.6%	8.1%	.0%	43.2%	37
Specialty Categories	Family or general medicine	18.6%	21.4%	28.7%	3.1%	28.1%	668
	Ob/gyn	18.2%	33.6%	11.2%	3.7%	33.2%	214
	Gen internal medicine	23.6%	14.5%	23.1%	3.0%	35.8%	399
	Gen surgery	36.1%	20.3%	4.5%	1.5%	37.6%	133
	Medical subspecialty	31.3%	27.6%	4.2%	3.2%	33.7%	831
	Surgical subspecialty	25.7%	32.5%	5.9%	5.1%	30.8%	237
	Neurosurgery	13.3%	60.0%	3.3%	.0%	23.3%	30
	Psychiatry	8.7%	21.2%	29.3%	6.0%	34.8%	184
	Hospital-based specialty	52.0%	6.6%	1.3%	2.0%	38.2%	152
	Other	33.3%	27.8%	11.1%	16.7%	11.1%	18
Region	Portland Metro	25.9%	20.7%	12.9%	4.1%	36.4%	1454
	Mid-Willamette Valley	26.4%	22.8%	16.5%	2.1%	32.2%	618
	Northwestern	34.8%	27.3%	13.6%	1.5%	22.7%	66
	Southern	21.7%	27.8%	18.8%	3.2%	28.4%	313
	Eastern	26.0%	26.0%	13.5%	4.2%	30.2%	96
	Southwestern	21.1%	36.6%	15.5%	1.4%	25.4%	71
	Central	24.6%	32.3%	16.1%	4.0%	23.0%	248
Region Total	Total	25.5%	23.7%	14.7%	3.5%	32.7%	2866

*[This page intentionally left blank.]*

**Appendix C: 2006 Oregon Physician Workforce  
Survey Instrument**

*[This page intentionally left blank.]*



# 2006 Oregon Physician Workforce Survey

Dear Colleague,

We need information that only you can provide. In 2004, the Oregon Medical Association (OMA), the DHS Division of Medical Assistance Programs (DMAP) and the Office for Oregon Health Policy and Research (OHPR) conducted a survey of Oregon's physician workforce, and over 3,500 physicians responded. Physicians in high-risk specialties reported that they had stopped or were limiting provision of these services to patients, and half of Oregon's primary care physicians said they limit the number of new patients they will accept.

**These survey results allow us to replace anecdote with evidence when presenting physician workforce information to the Governor's office and to the Legislature.**

The data you provide by responding to this survey will help us better understand not only what is most important to you, but also how the physician workforce is changing in Oregon. The reliability of these results depends on you. In order to generalize our findings, we must maximize our response rate, so every returned survey is important.

Please take fifteen minutes to complete the survey and mail it back in the enclosed self-addressed, postage-paid envelope if you are employed or practicing (either as a paid or volunteer physician) in Oregon. If all of your practice or employment is outside Oregon, please check the box at the bottom of this page and return the survey without answering any of the questions. If your clinic manager is a better source for some of the clinic-based questions, please feel free to consult with him or her.

Your responses will remain **completely confidential**. There is a number on this survey that will allow us to track our mailings and to remove you from the reminder list when a completed survey is returned, but your name will never be identified with your survey responses in any way.

Alternatively, the 2006 Physician Workforce Survey can also be completed on the web by going to [www.oregon.gov/das/ohpr/physiciansurvey.shtml](http://www.oregon.gov/das/ohpr/physiciansurvey.shtml) and clicking on Physician Workforce Survey. You will be asked to enter the number printed on this paper survey to complete the online survey.

Thank you for participating in this survey. Please contact Tina Edlund at [tina.d.edlund@state.or.us](mailto:tina.d.edlund@state.or.us) or (503) 378-2422 x400, if you have any questions or comments.

Regards,

Allen Douma, MD  
Director  
DHS-DMAP

Andris Antoniskis, MD  
President  
OMA

Jeanene A. Smith, MD  
Deputy Administrator  
OHPR

Please check here and **STOP** if your professional time **DOES NOT** involve any **direct patient care in Oregon**.

Please check here and **STOP** if you have retired.

**Return the uncompleted survey in the enclosed business reply envelope** so that we can remove your name from the reminder list. Thank you very much for your assistance.

Name (PLEASE PRINT): \_\_\_\_\_ Zip Code: \_\_\_\_\_



# 2006 Oregon Physician Workforce Survey

## Physician Characteristics

1. What is your **primary specialty**? (*Mark only one*)

1  Family/General Medicine

2  Obstetrics and/or Gynecology

3  General Internal Medicine

4  General Pediatrics

5  General Surgery

6  Internal Medicine Subspecialty

6<sup>a</sup>(Specify) \_\_\_\_\_

7  Pediatric Subspecialty

7<sup>a</sup>(Specify) \_\_\_\_\_

8  Surgical Subspecialty

8<sup>a</sup>(Specify) \_\_\_\_\_

9  Anesthesiology

10  Dermatology

11  Emergency Medicine

12  Neurological Surgery

13  Neurology

14  Nuclear Medicine

15  Occupational/Environmental  
Medicine

16  Ophthalmology

17  Orthopedics

18  Otolaryngology

19  Pathology

20  Physical Medicine &  
Rehabilitation

21  Plastic Surgery

22  Preventive Medicine

23  Psychiatry

24  Radiology

25  Urology

88  Other  
(Specify) \_\_\_\_\_

2. If your primary specialty is **family medicine, general medicine, or ob/gyn**, do you **currently** provide **maternity care**? (*Mark only one*)

1  Yes

2  No

3  Does not apply. I am not a family medicine, general medicine or ob/gyn practitioner

3. What is your gender?

1  Female

2  Male

4. What is your age? (*Mark only one*)

1  Under 40 years

2  40-49 years

3  50-59 years

4  60-69 years

5  70 years or more

5. Are you Hispanic, Spanish or Latino?

1  Yes

2  No

6. What is your race? (*Mark all that apply*)

1  White

1  Black or African-American

1  Asian

1  Native Hawaiian or Pacific Islander

1  American Indian or Alaskan Native

1  Other (Specify) \_\_\_\_\_

7. When do you plan to retire? (*Mark only one*)

1  Within the next 2 years

2  In the next 2 to 5 years

3  More than 5 years from now

8. In addition to English, in which languages do you feel comfortable communicating for most clinical purposes? (Mark all that apply)

- None (English only)
- Russian
- Spanish
- Vietnamese
- Other (Specify)\_\_\_\_\_

9. How long have you had a medical license in ANY state, including Oregon? (Mark only one)

- Less than 2 years
- 2 to 5 years
- 6 to 10 years
- 11 to 20 years
- More than 20 years

10. Which of the following are part of your current professional activities? (Mark all that apply)

- Clinical practice
- Administration not related to direct patient care
- Teaching
- Research
- Resident/Fellow
- Other (Specify)\_\_\_\_\_

11. How satisfied have you been with your medical career in the *last 12 months*? (Mark only one)

- Very satisfied
- Somewhat satisfied
- Neither satisfied nor dissatisfied
- Somewhat dissatisfied
- Very dissatisfied

12. How satisfied have you been with your medical career *overall*? (Mark only one)

- Very satisfied
- Somewhat satisfied
- Neither satisfied nor dissatisfied
- Somewhat dissatisfied
- Very dissatisfied

13. What is the greatest source of your professional satisfaction? (Mark only one)

- Intellectual challenge
- Clinical practice
- Income
- Patient relationships
- Practice environment
- Other (Specify \_\_\_\_\_)

## Practice Characteristics

Your **primary practice setting** is the location at which you spend the greatest amount of time in **direct patient care**.

14. Which of the following best describes your **primary practice setting**: (Mark only one)

- Private clinic or office
- Community clinic/public health clinic
- University/college health service clinic
- Hospital-based ambulatory care clinic
- Inpatient setting
- Emergency department
- Urgent care clinic
- Nursing facility
- Other (Specify \_\_\_\_\_)

15. What is the zip code at your **primary practice location**?

9	7			
---	---	--	--	--

16. What is the size of your **primary practice**? (Mark only one)

- 1  Solo practice  
2  Partnership (2 physicians)  
3  Group practice (3 to 10 physicians)  
4  Group practice (11 to 50 physicians)  
5  Group practice (More than 50 physicians)

17. Indicate how your **primary practice** is organized: (Mark only one)

- 1  Single-specialty practice  
2  Multi-specialty practice  
3  Other (Specify \_\_\_\_\_)

18. What is your employment status at your **primary practice**? (Mark only one)

- 1  Full owner (or sole proprietor)  
2  Part-owner (or shareholder)  
3  Employee  
4  Independent contractor  
5  Volunteer  
6  Other (Specify \_\_\_\_\_)

19. In a **typical week**, how many patients do you see in your **primary practice setting**? (Your best estimate is fine. Mark only one.)

- 1  1 to 25 patients  
2  26 to 50 patients  
3  51 to 75 patients  
4  76 to 100 patients  
5  101 to 200 patients  
6  More than 200 patients (Specify \_\_\_\_\_)  
7  Does not apply

20. In a typical week, how many **new patients** do you see in your **primary practice setting**? (Your best estimate is fine. Mark only one)

- 1  None  
2  1 to 25 new patients  
3  26 to 50 new patients  
4  51 to 75 new patients  
5  76 to 100 new patients  
6  101 to 200 new patients  
7  More than 200 new patients (Specify \_\_\_\_\_)  
8  Does not apply

21. On average, how many calendar days are normally required to **schedule a non-urgent appointment** for **established** patients at your **primary practice**? (Mark only one)

- 1  Same day  
2  1 day  
3  2 days  
4  3 days  
5  4 to 6 days  
6  7 to 14 days  
7  15 to 21 days  
8  22 to 30 days  
9  31 to 45 days  
10  46 to 60 days  
11  More than 60 days  
(Specify \_\_\_\_\_)

22. To what extent is your **primary practice** accepting **new Medicare** patients? (Mark only one)

- 1  No limitations, practice is open to all new Medicare patients → GO TO Q24  
2  Accept new Medicare FFS, but not Medicare Advantage → GO TO Q23  
3  Accept new Medicare Advantage, but not Medicare FFS → GO TO Q23  
4  Limit both Medicare Advantage and Medicare FFS → GO TO Q23  
5  Completely closed to all new Medicare patients → GO TO Q23



23. How important was each of the following factors in the decision to limit or close your primary practice to new **Medicare** patients? (Mark one response on each row)

	Not important	Somewhat important	Very important
a. Administrative requirements associated with Medicare	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
b. Need to balance payer sources	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
c. Complex needs of patients	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
d. Cost or availability of professional liability insurance	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
e. Non-compliance of patients	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
f. Patient load	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
g. Reimbursement rates	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
h. Other (Specify _____)	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>

24. To what extent is your **primary practice** accepting **new** Workers' Compensation patients? (Mark only one)

- 1  No limitations, practice is open to all new Workers' Compensation patients → **GO TO Q26**  
 2  Limit practice → **GO TO Q25**  
 3  Completely closed to all new Workers' Compensation patients → **GO TO Q25**

25. How important was each of the following factors in the decision to limit or close your primary practice to new Workers' Compensation patients?

	Not important	Somewhat important	Very important
a. Administrative requirements associated with Workers' Comp	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
b. Need to balance payer sources	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
c. Complex needs of patients	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
d. Cost or availability of professional liability insurance	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
e. Non-compliance of patients	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
f. Patient load	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
g. Reimbursement rates	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
h. Other (Specify _____)	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>

26. To what extent is your **primary practice** accepting **new** Medicaid/OHP patients? (Mark only one)

- 1  No limitations, practice is open to all new Medicaid patients → **GO TO Q28**  
 2  Accept new Medicaid FFS, but not Medicaid Managed Care → **GO TO Q27**  
 3  Accept new Medicaid Managed Care, but not Medicaid FFS → **GO TO Q27**  
 4  Limit both Medicaid Managed Care and Medicaid FFS → **GO TO Q27**  
 5  Completely closed to all new Medicaid patients → **GO TO Q27**

27. How important was each of the following factors in the decision to limit or close your primary practice to new Medicaid/OHP patients?

	Not important	Somewhat important	Very important
a. Administrative requirements associated with Medicaid/OHP	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
b. Need to balance payer sources	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
c. Complex needs of patients	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
d. Cost or availability of professional liability insurance	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
e. Non-compliance of patients	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
f. Patient load	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
g. Reimbursement rates	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>
h. Other (Specify) _____	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>

28. Do you **currently** have Oregon Health Plan/Medicaid patients under your care? (Mark only one)

- 1  Yes
- 2  No → GO TO Q33
- 3  Don't know → GO TO Q33

29. How often are you able to obtain access to the following for your Medicaid/OHP patients when you think it is medically necessary? (Mark one response on each line)

	Always	Usually	Sometimes	Never	Doesn't apply /Don't know
a. Referral to specialists (if you are a specialist, referral to other specialists)	4 <input type="checkbox"/>	3 <input type="checkbox"/>	2 <input type="checkbox"/>	1 <input type="checkbox"/>	9 <input type="radio"/>
b. Ancillary services such as physical therapy, home health, etc.	4 <input type="checkbox"/>	3 <input type="checkbox"/>	2 <input type="checkbox"/>	1 <input type="checkbox"/>	9 <input type="radio"/>
c. Non-emergency hospital admission	4 <input type="checkbox"/>	3 <input type="checkbox"/>	2 <input type="checkbox"/>	1 <input type="checkbox"/>	9 <input type="radio"/>
d. Diagnostic imaging services	4 <input type="checkbox"/>	3 <input type="checkbox"/>	2 <input type="checkbox"/>	1 <input type="checkbox"/>	9 <input type="radio"/>
e. Inpatient mental health	4 <input type="checkbox"/>	3 <input type="checkbox"/>	2 <input type="checkbox"/>	1 <input type="checkbox"/>	9 <input type="radio"/>
f. Outpatient mental health	4 <input type="checkbox"/>	3 <input type="checkbox"/>	2 <input type="checkbox"/>	1 <input type="checkbox"/>	9 <input type="radio"/>
g. Inpatient substance abuse	4 <input type="checkbox"/>	3 <input type="checkbox"/>	2 <input type="checkbox"/>	1 <input type="checkbox"/>	9 <input type="radio"/>
h. Outpatient substance abuse	4 <input type="checkbox"/>	3 <input type="checkbox"/>	2 <input type="checkbox"/>	1 <input type="checkbox"/>	9 <input type="radio"/>

30. Are you aware of the Oregon Tobacco Quit Line?

- 1  Yes
- 2  No

31. Do you have concerns about providing care to Oregon Health Plan/Medicaid patients?

- 1  Yes
- 2  No → GO TO Q 33

32. What is your greatest concern about providing care to Oregon Health Plan/Medicaid patients?

---



---

33. Please indicate whether you **anticipate taking the following actions** in your **primary practice** in the **next two years?** (Mark one on each line)

	Not anticipated	Might do	Definitely will do	Not applicable
a. Close or sell practice	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>
b. Expand scope of practice	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>
c. Reduce scope of practice	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>
d. Increase referrals of complex cases	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>
e. Increase diagnostic procedures performed	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>
f. Stop providing all direct patient care	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>
g. Stop providing services to specific groups of patients (Which groups? _____)	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>
h. Reduce patient care hours	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>
i. Relocate practice within state	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>
j. Relocate practice to another state	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>
k. Retire from practice	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>
l. Increase patient volume	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>
m. Other (Specify) _____	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>

34. What is the **current** payer mix at your **primary practice?** Your best estimate is fine. Total should equal 100%.

Payer	Percent of Patients
a. Commercial insurance	%
b. Medicare	%
c. Medicaid/Oregon Health Plan	%
d. TriCare/CHAMPUS	%
e. Worker's Compensation	%
f. Uninsured/Self-Pay	%
<b>TOTAL (should equal 100%)</b>	<b>100%</b>

35. Do you see patients at more than one practice/clinic location?

- 1  Yes  
 2  No → GO TO Q38

36. What is the zip code at your **second practice location?**

9	7			
---	---	--	--	--

37. In a **typical week**, how many patients do you see in your **second practice setting**? (Please provide your best estimate. Mark only one.)

- 1  0 patients
- 2  1 to 25 patients
- 3  26 to 50 patients
- 4  51 to 75 patients
- 4  76 to 100 patients
- 6  101 to 200 patients
- 7  More than 200 patients (Specify \_\_\_\_\_)
- 8  Does not apply

## Physician Time

38. In a typical week, how many hours do you spend in **direct patient care** at **all of your practice locations**?

- 1  Less than 8 hours
- 2  8 to 16 hours
- 3  17 to 24 hours
- 4  25 to 32 hours
- 5  33 to 40 hours
- 6  41 to 48 hours
- 7  49 to 60 hours
- 8  More than 60 hours (Specify \_\_\_\_\_)

39. In a typical week, how many hours do you spend doing **administrative tasks** associated with inpatient and/or outpatient care (e.g., charting, phone calls, referrals, paperwork, etc.) at **all of your practice locations**? (Your best estimate is fine. Mark only one.)

- 1  Less than 5 hours
- 2  5 to 9 hours
- 3  10 to 14 hours
- 4  15 to 20 hours
- 5  More than 20 hours (Specify \_\_\_\_\_)

40. In a **typical week**, how many patients do you see in the **hospital/emergency department setting** (e.g., not phone consults) as a result of **taking call**? (Mark only one)

- 1  None (I do not take call)
- 2  1 to 2 patients
- 3  3 to 5 patients
- 4  6 to 10 patients
- 5  More than 10 patients (Specify \_\_\_\_\_)

41. In the **last 12 months**, have you changed your hospital privileges? (Mark only one)

- 1  Yes
- 2  No → GO TO Q43

42. Did the reason for changing hospital privileges include: (Mark all that apply)

- 1  Increasingly required procedures beyond the scope of my practice
- 2  Increasing demand for call coverage
- 3  Change in practice
- 4  Change in hospital by-laws
- 5  Increasing uncompensated care
- 6  Other (Specify \_\_\_\_\_)

**Charity care**, as defined here, is care for which, because of financial need, you charged either no fee or a reduced fee. It does NOT include time spent providing services for which you expected, but did not receive, payment, and it does NOT include time spent providing services under discounted fee contracts or to Medicare or Medicaid clients.

43. In a typical month, about how many hours do you spend providing charity care? (Your best estimate is fine. Mark only one)

- No charity care hours  
 1-10 hours  
 11-20 hours  
 21-30 hours  
 31-40 hours  
 More than 40 hours  
 Don't know

## About Your Profession

44. Thinking about the next 12 months, rate the importance of each of the following issues to you:

	Not important	Somewhat important	Very important	No opinion
a. Electronic medical record/electronic health record adoption	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>
b. Medicare reimbursement	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>
c. Cost of doing business/overhead	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>
d. Pharmaceutical costs	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>
e. Stress and burnout	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>
f. Mental health parity	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>
g. Complexity of subspecialty referral	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>
h. Medical malpractice insurance	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>
i. Call coverage	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>
j. Health insurance coverage for the uninsured	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>
k. Oregon Health Plan/Medicaid reimbursement	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>
l. Recruitment of qualified non-physician staff	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>
m. Pay for performance	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>
n. Recruitment of physicians	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>
o. Patient safety	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>
p. Electronic prescribing	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>
q. Government regulation and oversight	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>
r. Retention of physicians	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>
s. Commercial health plan reimbursement	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>
t. Commercial health plan administrative requirements	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>
u. Other (Specify) _____	1 <input type="checkbox"/>	2 <input type="checkbox"/>	3 <input type="checkbox"/>	9 <input type="radio"/>

45. Do you currently receive the Oregon Medical Malpractice Reinsurance Program (also known as the Medical Malpractice Insurance Subsidy)? *(Mark only one)*

- 1  Yes
- 2  No
- 3  Doesn't apply. Not a rural practice.
- 4  Don't know

46. Do you currently participate in the Rural Provider State Income Tax Credit Program?

- 1  Yes
- 2  No
- 3  Doesn't apply. Not a rural practice.
- 4  Don't know

47. If Medicare reimbursement for physicians declines in 2007, which of the following actions will you take? *(Mark only one)*

- 1  Will accept all new Medicare patients
- 2  Will limit acceptance of new Medicare patients
- 3  Will not accept any new Medicare patients
- 4  Will drop all Medicare patients
- 5  Undecided

48. What is the greatest challenge you will face professionally in the next two years?

---

---

---

49. Anything else?

---

---

---

---

---

---

---

***Thank you for your participation!***

Questions or comments:

Tina Edlund  
Office for Oregon Health Policy and Research  
Tel: (503) 378-2422 x400  
Email: [tina.d.edlund@state.or.us](mailto:tina.d.edlund@state.or.us)