Bureau of Justice Statistics



BJS home page

Medical Problems of Prisoners

Laura M. Maruschak, BJS Statistician

Related pages :

Corrections statistics

Prisons

On this page:

- Summary
- Highlights
- Selected findings
- Statistical tables
- Methodology
- Related publications

Press release | PDF format (355K)

Summary

Medical problems of prisoners presents findings on state and federal prisoners who reported a current medical problem, a physical or mental impairment, a dental problem, or an injury since admission based on data from the 2004 Survey of Inmates in State and Federal Correctional Facilities. The prevalence of specific medical problems and conditions is also included. The report examines medical problems and other conditions by gender, age, and select background characteristics. NCJ 221740

Highlights

- An estimated 44% of state inmates and 39% of federal inmates reported a current medical problem other than a cold or virus.
- Arthritis (state 15%; federal 12%) and hypertension (state 14%; federal 13%) were the two most commonly reported medical problems.
- Among inmates who reported a medical problem, 70% of state and 76% of federal inmates reported seeing a medical professional because of the problem.
- More than 8 in 10 inmates in state and federal prisons reported receiving a medical exam or a blood test since

- admission.
- Almost all state and federal inmates reported being tested for TB (95% and 96%, respectively).
- More than a third (36%) of state inmates and nearly a quarter (24%) of federal inmates reported having an impairment.
- Learning was the most commonly reported impairment among state and federal inmates (23% and 13%, respectively).
- 16% of state inmates and 8% of federal inmates reported having multiple impairments.

◆ To the top

Selected findings

Characteristics of inmates with medical problems

Female inmates in both state and federal prisons were more likely to report having a current medical problem than male inmates, but were equally likely to report a dental problem. Among both state and federal inmates, females were more than 1 ½ times more likely to report 2 or more current medical problems than male inmates. The percentages of state and federal inmates who reported a medical problem, a dental problem, or having had surgery since admission increased with age.

Among state and federal inmates current medical problems were most commonly reported by those who were homeless in the year before arrest, who used a needle to inject drugs, and who reported receiving government assistance as compared to those who had not been homeless, who had not used a needle to inject drugs, and who did not receive government assistance.

Characteristics of inmates with impairments

Male and female inmates in state and federal prisons were equally likely to report having at least 1 of 6 impairments which include learning, speech, hearing, vision, mobility, or mental impairment. Female inmates (11%) in state prisons were more likely to report a mental impairment than male inmates (6%).

The percentage of state and federal inmates reporting hearing and vision impairments increased with age. Among state inmates reports of having a learning impairment decreased with age. More than a quarter (28%) of state inmates age 24 or younger reported a learning impairment compared to 16% of those 45 or older. The number of impairments reported varied little between inmates 34 years of age or younger and those 35 years of age or older.

Twenty-one percent of state inmates and 16% of federal, reported having only one impairment. Among state inmates, 16% reported having two or more impairments; 8% of federal inmates.

Impairments were most commonly reported among state and federal inmates who were homeless in the year

before arrest, who used a needle to inject drugs, and who reported receiving government assistance as compared to those who had not been homeless, who had not used a needle to inject drugs, and who did not receive government assistance.

Characteristics of inmates who reported injuries

State inmates were about 1½ times more likely to report an accidental injury (22%) than a fight-related injury (16%). Federal inmates were more than 2½ times more likely to report an accidental injury (23%) than a fight-related injury (8%). In state prisons, male inmates were more likely than female inmates to be accidentally injured or injured in a fight. Among state inmates, 17% of those age 24 or younger and ages 25-34 reported being injured in a fight compared to 13% of those age 45 or older.

Health assessments and medical services received by inmates

Most state and federal inmates received some type of medical services either at admission or since admission to prison. About 9 in 10 state and federal inmates reported that at the time of admission they were asked about their health or medical history. About three-quarters reported that staff checked to see if they were sick, injured, or intoxicated at the time they were admitted. Nearly all state (88%) and federal (91%) inmates reported that they were asked about thoughts of suicide at admission to prison.

The majority of inmates in state and federal prisons had received a medical exam, blood test, or TB test since admission. More than 7 in 10 state and 8 in 10 federal inmates were tested for HIV since admission.

Among inmates who reported a current medical problem, 70% of state inmates and 76% of federal inmates reported seeing a medical professional. Among inmates admitted to state and federal prisons, about an eighth reported having had surgery.

More than 8 in 10 state and federal inmates who reported a dental problem reported seeing a health care professional. Eighty percent of state inmates and 86% of federal inmates who reported an injury since admission reported seeing a health care professional.

Problems reported and medical services received by female inmates

More than half of female inmates in state (57%) and federal (52%) prisons reported having a current medical problem. About a quarter of female inmates reported one medical problem and another quarter reported multiple problems. Females reported higher percentages of most of the specific types of medical problems than male inmates. Arthritis, asthma, and hypertension were the most commonly reported medical problems among female inmates.

Nearly all females in state (91%) and federal (94%) prisons reported having a medical exam since admission

to prison. Among females, 86% of those in state prisons and 78% of those in federal prisons reported receiving a pelvic exam.

Among female prisoners, 4% of state and 3 % of federal inmates said they were pregnant at the time of admission. Of those in state prisons who said they were pregnant at admission, 94% received an obstetric exam. More than half (54%) received some type of pregnancy care.

♠ To the top

Statistical Tables

To access an individual table, click on the table number below:

- Table 1. Prison inmates who reported a medical problem by gender and age, 2004
- Table 2. Medical problems reported by prison inmates by gender and age, 2004
- Table 3. Number of medical problems reported by prison inmates by gender, 2004
- Table 4. Impairments reported by prison inmates by gender and age, 2004
- Table 5. Number of impairments reported by prison inmates by age, 2004
- Table 6. Prison inmates who reported an injury since admission by gender and age, 2004
- Table 7. Health-related conditions reported by prison inmates by background characteristics, 2004
- Table 8. Medical services received by prison inmates, 2004
- Table 9. Prison inmates who saw a health-care professional, 2004
- Table 10. Medical services received by female prison inmates, 2004

Appendix table 1. Standard errors of state and federal inmates with medical problems, impairments, or injuries since admission by gender and age, 2004

Appendix table 2. Standard errors of state and federal inmates who reported specific current medical problems by gender, 2004

Appendix table 3. Standard errors of state and federal inmates with an impairment by gender, 2004

★ To the top

Methodology

Surveys of Inmates in State and Federal Correctional Facilities, 2004

The Survey of Inmates in State and Federal Correctional Facilities, 2004, is comprised of two separate surveys: one in state adult correctional facilities and one in federal correctional facilities. The surveys provide nationally representative data on state prison inmates and sentenced federal inmates. Both surveys used the same questionnaire and a stratified two-stage sample design where facilities were selected in the first stage and inmates to be interviewed in the second stage. Findings from the 2004 Survey of Inmates in State and

Federal Adult Correctional Facilities presented in this summary should not be compared to findings from the 1997 survey due to a redesign of the medical problems and impairment measures.

The state prison sample was selected from a universe of 1,585 facilities that were enumerated in the 2000 Census of State and Federal Correctional Facilities, or had opened between the completion of the Census and April 1, 2003. A total of 287 state prisons participated in the survey; 2 refused, 11 were closed or had no inmates to survey, and 1 was erroneously included in the universe.

The federal prison sample was selected from 148 federal prisons and satellite facilities holding inmates on January 4, 2003. Thirty-nine of the 40 federal prisons selected participated in the survey.

A total of 14,499 inmates in the state facilities were interviewed; 1,653 inmates refused to participate, resulting in a second-stage nonresponse rate of 10.2%. In the federal survey, after the initial sample of inmates, a secondary sample of 1 in 3 drug offenders was selected for participation in the survey. A total of 3,686 inmates in federal facilities were interviewed and 567 refused to participate, for a second-stage nonresponse rate of 13.3%.

The accuracy of the 2004 Survey of Inmates in State and Federal Correctional Facilities depends on sampling and measurement errors. Sampling errors occur by chance because a sample rather than a complete enumeration of the population was conducted.

Measurement error can be attributed to many sources, such as nonresponse, recall difficulties, differences in the interpretation of questions among inmates, and processing errors.

The sampling error, as measured by an estimated standard error, varies by the size of the estimate and the size of the base population. These standard errors may be used to construct confidence intervals around percentages. For example, the 95-percent confidence interval around the percentage of state inmates who reported a current medical problem is approximately 43.8% plus or minus 1.96 times .73% (or 42.4% to 45.2%).

These standard errors may also be used to test the statistical significance of the difference between two sample statistics by pooling the standard errors of the two sample estimates. For example, the standard error of the difference between male and female state prisoners who had a current medical problem would be 1.37% (or the square root of the sum of the squared standard errors for each group). The 95% confidence interval around the difference would be 1.96% times 1.37% (or 2.69%). Since the difference of 13.8% (56.7% minus 42.9%) is greater than 2.69%, the difference would be considered statistically significant.

Detailed descriptions of the methodology for each of these surveys, including standard error tables and links to other reports or findings from these surveys, are available at the **National Archive of Criminal Justice Data (NACJD)**.

Related publications

Medical Problems of Inmates, 1997, 1/01 Presents survey data on offenders who were in prison who reported a medical problem since admission or a physical impairment or mental condition. NCJ 181644

BJS home page | Top of this page

Bureau of Justice Statistics www.ojp.usdoj.gov/bjs/ Send comments to askbjs@usdoj.gov

Current medical problem*

Bureau of Justice Statistics



BJS home page

Medical Problems of Prisoners

Statistical Tables

Download spreadsheet version (.csv file)

Next

Table 1. Prison inmates who reported a medical problem by gender and age, 2004

since admission

Dental problem

since admission

Had surgery

Related pages:

Corrections statistics --

Prisons

	Number	Percent	Number	Percent	Number	Percent
State inmates						
All inmates	531,500	43.8 %	149,400	12.3 %	609,400	50.3 %
Gender						
Male	485,200	42.9 %	139,600	12.4 %	569,600	50.4 %
Female	46,300	56.7	9,700	11.9	39,800	48.8
Age						
24 or younger	51,500	24.4 %	12,200	5.8 %	76,800	36.4 %
25-34	136,300	34.1	36,800	9.2	190,500	47.7
35-44	184,500	50.0	50,000	13.5	202,300	54.8
45 or older	159,200	68.5	50,400	21.7	139,800	60.3
Federal inmates						
All inmates	48,800	38.5 %	15,100	12.0 %	63,200	50.0 %
Gender						
Male	44,100	37.5 %	13,700	11.7 %	58,700	50.0 %
Female	4,700	52.2	1,400	16.0	4,500	50.0
Age						
24 or younger	2,400	21.3 %	400	3.6 %	4,000	35.1 %
25-34	13,800	28.3	4,200	8.6	21,900	45.0
35-44	14,400	39.8	3,700	10.2	18,800	52.0
45 or older	18,200	60.0	6,900	22.9	18,500	61.2

Note: Number of inmates with each problem was estimated and then rounded to the nearest 100. See Appendix tables for standard errors for the survey estimates.

*Inmates were determined to have a current medical problem if they reported currently having at least 1 of 14 specific problems: arthritis, asthma, cancer, diabetes, heart problems, hypertension, kidney problems, liver problems, paralysis, problems due to a stroke, hepatitis, HIV, a sexually transmitted disease, or tuberculosis.

Source: Survey of Inmates in State and Federal Correctional Facilities, 2004. See also Methodology.

Previous Next

BJS home page | Top of this page

Bureau of Justice Statistics www.ojp.usdoj.gov/bjs/ Send comments to askbjs@usdoj.gov

Bureau of Justice Statistics



Age

BJS home page

Medical Problems of Prisoners

Statistical **Tables**

Download spreadsheet version (.csv file)

Table 2. Medical problems reported by prison inmates by gender and age, 2004

Gender

Previous

Next

Related
pages:
Corrections
statistics
· Prisons

Current medical problem	All inmates	Male	Female	24 or younger	25-34	35-44	45 or older	
State inmates								
Arthritis	15.3 %	14.6 %	24.5 %	5.4 %	8.6 %	17.4 %	32.6 %	
Asthma	9.1	8.4	19.2	10.1	9.1	8.3	9.6	
Cancer	0.9	8.0	2.4	0.1	0.3	0.6	2.8	
Diabetes	4.0	3.9	5.5	0.4	1.5	4.1	11.3	
Heart problems	6.1	5.9	9.0	2.7	4.1	5.7	13.3	
Hypertension	13.8	13.6	16.8	3.4	8.0	15.4	30.6	
Kidney problems	3.2	2.9	6.9	1.5	2.2	3.6	5.7	
Liver problems	1.1	1.1	1.3	0.1	0.4	1.4	2.9	
Paralysis	1.4	1.4	1.4	0.5	1.0	1.8	2.4	
Stroke	2.6	2.5	3.7	1.3	1.7	3.1	4.6	
Hepatitis	5.3	5.0	9.5	0.9	2.4	6.8	11.7	
HIV	1.6	1.6	1.9	0.3	0.8	2.5	2.6	
Sexually transmitted disease	0.8	0.7	2.0	0.6	0.7	1.1	0.7	
Tuberculosis*	9.4	9.6	6.1	4.0	6.5	11.5	15.8	
Federal inmates								
Arthritis	12.4 %	11.5 %	23.8 %	3.8 %	5.7 %	10.8 %	28.3 %	
Asthma	7.2	6.7	13.7	10.5	5.5	7.9	7.8	
Cancer	0.6	0.6	1.0	0.0	0.1	0.4	2.0	
Diabetes	5.1	5.0	6.9	0.7	2.0	4.2	12.9	
Heart problems	6.0	5.7	10.0	2.2	3.9	4.4	12.8	
Hypertension	13.2	12.6	20.7	2.1	7.5	11.5	28.4	
Kidney problems	3.1	2.8	6.9	1.8	2.1	2.7	5.5	
Liver problems	1.1	1.1	1.1	0.0	0.3	1.2	2.9	

Paralysis	1.6	1.6	1.5	0.2	1.6	1.3	2.6
Stroke	1.7	1.6	2.9	0.1	1.1	1.5	3.7
Hepatitis	4.2	4.2	4.5	0.0	1.9	5.6	7.9
HIV Sexually transmitted disease	1.0	1.0	1.4	0.7	0.4	1.9	1.1
	0.4	0.4	0.4	0.5	0.5	0.5	0.2
Tuberculosis*	7.1	7.2	6.2	2.7	5.7	8.0	10.1

^{*}Includes all inmates who reported ever having TB.

Source: Survey of Inmates in State and Federal Correctional Facilities, 2004. See also Methodology.

Previous Next

BJS home page | Top of this page

Bureau of Justice Statistics www.ojp.usdoj.gov/bjs/ Send comments to askbjs@usdoj.gov

Bureau of Justice Statistics



BJS home page

Medical Problems of Prisoners

Statistical Tables

Download spreadsheet version (.csv file)

Previous Next Table 3. Number of medical problems reported by inmates by gender, 2004

Percent of prison inmates

Related pages:

Corrections statistics -Prisons

	Total	Male	Female
State inmates			
Number of current medical problems	;		
0	56.2 %	57.1 %	43.3 %
1	26.0	25.8	28.6
2	10.3	10.0	14.3
3 or more	7.5	7.1	13.9
Federal inmates			
Number of current medical problems	;		
0	61.5 %	62.5 %	47.8 %
1	23.5	23.3	26.4
2	8.4	8.0	13.0
3 or more	6.7	6.2	12.8

Source: Survey of Inmates in State and Federal Correctional Facilities, 2004.

See also Methodology.

Previous Next

BJS home page | Top of this page

Bureau of Justice Statistics www.ojp.usdoj.gov/bjs/ Send comments to askbjs@usdoj.gov

Bureau of Justice Statistics



BJS home page

Medical Problems of Prisoners

Statistical Tables

Download spreadsheet version (.csv file)

Table 4. Impairments reported by prison inmates by gender and age, 2004

Previous

Physical

Percent of inmates who reported an impairment

Related pages:

Next

Corrections statistics -· Prisons

	Any impairment	Total	Learning	Speech	Hearing	Vision	Mobility*	Mental
State inmates								
All inmates	36.2 %	34.3 %	23.3 %	3.8 %	7.0 %	10.3 %	2.5 %	5.9 %
Gender								
Male	36.2 %	34.5 %	23.6 %	3.9 %	6.9 %	10.2 %	2.5 %	5.6 %
Female	36.8	32.0	18.7	2.6	7.6	12.0	2.1	11.0
Age								
24 or younger	34.7 %	33.4 %	28.0 %	3.4 %	3.1 %	6.0 %	0.8 %	5.1 %
25-34	34.4	32.5	24.6	3.6	5.1	7.2	1.4	5.9
35-44	36.0	33.6	23.4	3.9	7.2	10.3	2.5	6.5
45 or older	41.2	39.5	16.4	4.2	13.4	19.4	6.1	5.9
Federal inmates								
All inmates	24.4 %	23.4 %	12.7 %	1.5 %	5.0 %	8.6 %	2.3 %	3.0 %
Gender								
Male	24.3 %	23.3 %	12.9 %	1.5 %	4.9 %	8.4 %	2.2 %	2.8 %
Female	26.1	24.0	10.0	2.0	6.6	10.8	3.2	5.3
Age								
24 or younger	22.6 %	22.3 %	16.8 %	2.9 %	2.5 %	5.0 %	0.5 %	2.9 %
25-34	20.5	19.2	13.2	0.6	3.2	5.5	1.0	2.7
35-44	22.5	22.0	12.9	1.4	4.6	8.1	1.6	2.6
45 or older	33.8	32.1	10.1	2.8	9.4	15.4	6.0	3.9

^{*}Includes use of a cane, wheelchair, walker, hearing aid, or other aids in daily activity.

Source: Survey of Inmates in State and Federal Correctional Facilities, 2004. See also Methodology.

Previous Next

BJS home page | Top of this page

Bureau of Justice Statistics www.ojp.usdoj.gov/bjs/ Send comments to askbjs@usdoj.gov

Bureau of Justice Statistics



BJS home page Medical Problems of Prisoners

Statistical Tables Download spreadsheet version (.csv file)

Previous Next

Table 5. Number of impairments reported by prison inmates by age, 2004

Percent of prison inmates by age

Related pages:

Corrections statistics -Prisons

	Total	34 or younger	35 or older
State inmates			
Number of impairments			
0	63.8 %	65.5 %	62.0 %
1	20.5	19.9	21.2
2	9.9	9.9	9.9
3 or more	5.8	4.7	6.9
Federal inmates			
Number of impairments			
0	75.6 %	79.1 %	72.3 %
1	16.3	14.1	18.2
2	5.9	5.2	6.6
3 or more	2.3	1.6	2.8

Source: Survey of Inmates in State and Federal Correctional Facilities, 2004.

See also Methodology.

Previous Next

BJS home page | Top of this page

Bureau of Justice Statistics www.ojp.usdoj.gov/bjs/ Send comments to askbjs@usdoj.gov

Bureau of Justice Statistics



BJS home page Medical Problems of Prisoners

Statistical Tables Download spreadsheet version (.csv file)

Previous Next

Table 6. Prison inmates who reported an injury since admission by gender and age, 2004

Percent of inmates who reported an injury since admission

Related pages:

Corrections statistics -Prisons

Characteristics	Total	In an accident	In a fight
State inmates			
Total	32.6 %	22.3 %	15.9 %
Gender			
Male	33.2 %	22.6 %	16.5 %
Female	24.7	18.9	8.5
Age			
24 or younger	31.9 %	21.4 %	16.8 %
25-34	34.7	23.8	16.7
35-44	32.5	22.2	16.1
45 or older	29.7	21.0	13.4
Federal inmates			
Total	28.2 %	22.9 %	8.3 %
Gender			
Male	28.3 %	22.8 %	8.7 %
Female	26.9	24.9	3.6
Age			
24 or younger	28.9 %	24.4 %	7.7 %
25-34	30.7	25.0	8.9
35-44	27.4	22.0	8.7
45 or older	24.8	20.1	7.2

Source: Survey of Inmates in State and Federal Correctional Facilities, 2004. See also Methodology.

Previous Next

BJS home page | Top of this page

Bureau of Justice Statistics www.ojp.usdoj.gov/bjs/ Send comments to askbjs@usdoj.gov

Bureau of Justice Statistics



BJS home page Medical Problems of Prisoners

Statistical Tables Download spreadsheet version (.csv file)

Previous Next

Table 7. Health-related conditions reported by prison inmates by background characteristics, 2004

Percent of inmates

Related pages:

Corrections statistics --

Prisons

			8	Since admission		
	Current medical problem	Any impairment	Injured	Surgery	Dental problem	
State inmates						
Homeless in year before arrest						
Yes	51.2 %	48.9 %	35.1 %	12.2 %	53.6 %	
No	43.0	34.8	32.3	12.3	49.9	
Employed in month before offense						
Yes	43.8 %	34.9 %	32.7 %	12.6 %	51.0 %	
No	43.8	39.2	31.9	11.5	48.1	
Source of income						
Wages/salary	43.6 %	34.6 %	33.0 %	12.4 %	50.9 %	
Government transfers	61.0	55.7	31.4	15.8	52.5	
Other	41.9	36.3	37.2	12.7	51.9	
Alcohol dependence or abuse						
Yes	44.6 %	39.2 %	34.7 %	11.8 %	51.9 %	
No	43.1	33.6	30.8	12.7	49.0	
Ever used drugs						
Yes	43.2 %	37.1 %	33.6 %	11.7 %	50.8 %	
No	47.2	31.9	27.9	15.5	47.7	
Used drugs in month before arrest						
Yes	42.9 %	37.2 %	34.3 %	11.8 %	51.2 %	
No	45.2	34.8	30.7	13.4	49.6	
Used needle to inject drugs						
Yes	60.4 %	43.0 %	34.3 %	15.1 %	57.5 %	
No	40.2	34.8	32.2	11.7	48.7	

Drug dependence or abuse					
Yes	44.3 %	39.3 %	34.4 %	11.6 %	51.6 %
No	43.2	32.7	30.6	13.1	48.7
Federal inmates					
Homeless in year before arrest					
Yes	55.9 %	33.5 %	36.1 %	18.7 %	53.7 %
No	37.8	24.1	27.8	11.7	49.9
Employed in month before offense					
Yes	37.9 %	23.5 %	28 %	12.4 %	50.0 %
No	40.4	25.8	28.9	11.2	49.3
Source of income					
Wages/salary	37.0 %	22.5 %	27.6 %	11.8 %	50.1 %
Government transfers	59.1	43.9	29.6	16.4	54.1
Other	39.2	23.9	32.5	12.6	52.7
Alcohol dependence or abuse					
Yes	38.4 %	25.1 %	29.2 %	9.3 %	49.0 %
No	38.6	24.1	27.7	13.5	50.4
Ever used drugs					
Yes	39.1 %	24.6 %	29.1 %	11.8 %	51.9 %
No	36.1	24.0	24.3	12.9	43.0
Used drugs in month before arrest					
Yes	37.8 %	24.2 %	29.8 %	11.1 %	52.6 %
No	39.3	24.7	26.6	13.2	47.5
Used needle to inject drugs					
Yes	58.2 %	31.3 %	35.5 %	16.5 %	62.1 %
No	36.0	23.6	27.2	11.5	48.5
Drug dependence or abuse					
Yes	37.9 %	25.2 %	31.2 %	11.4 %	52.7 %
No	38.8	23.9	25.4	12.5	47.4

Source: Survey of Inmates in State and Federal Correctional Facilities, 2004. See also Methodology.

Previous Next

Bureau of Justice Statistics www.ojp.usdoj.gov/bjs/ Send comments to askbjs@usdoj.gov

Bureau of Justice Statistics



BJS home page Medical Problems of Prisoners

Statistical Tables Download spreadsheet version (.csv file)

Previous Next

Prisons

Table 8. Medical services received by prison inmates, 2004

Percent of all prison inmates

Corrections statistics --

Related pages:

State	Federal
74.3 %	79.1 %
88.6	91.1
87.6	90.9
95.1 %	95.9 %
87.4	93.1
73.1	83.5
84.4	91.5
	74.3 % 88.6 87.6 95.1 % 87.4 73.1

Source: Survey of Inmates in State and Federal Correctional Facilities, 2004.

See also Methodology.

Previous Next

BJS home page | Top of this page

Bureau of Justice Statistics www.ojp.usdoj.gov/bjs/ Send comments to askbjs@usdoj.gov

Bureau of Justice Statistics



BJS home page

Medical Problems of Prisoners

Statistical Tables

Download spreadsheet version (.csv file)

Previous

Next

Table 9. Prison inmates who saw a health care professional, 2004

Related pages:

Percent of prison inmates who saw a health care professional*

Corrections statistics --

· Prisons

State	Federal	
69.7 %	75.9 %	
80.4	85.7	
85.6	85.9	
	69.7 % 80.4	69.7 % 75.9 % 80.4 85.7

^{*} Based on inmates who reported a medical problem.

Source: Survey of Inmates in State and Federal Correctional Facilities, 2004.

See also Methodology.

Previous Next

BJS home page | Top of this page

Bureau of Justice Statistics www.ojp.usdoj.gov/bjs/ Send comments to askbjs@usdoj.gov

Bureau of Justice Statistics



BJS home page Medical Problems of Prisoners

Statistical Tables Download spreadsheet version (.csv file)

Previous Next

Table 10. Medical services received by female prison inmates, 2004

Related pages:

Percent of female prison inmates

Corrections statistics --

· Prisons

	State	Federal
Had a medical exam since admission?	90.7 %	93.7 %
Had a pelvic exam since admission?	85.8 %	78.1 %
Were you pregnant at admission?	4.1 %	2.9 %
If yes to pregnant:		
Had an obstetric exam?	94.3 %	%
Received pregnancy care?	53.9	

^{...} Not calculated due to small sample size.

Source: Survey of Inmates in State and Federal Correctional Facilities, 2004.

See also **Methodology**.

Previous Next

BJS home page | Top of this page

Bureau of Justice Statistics www.ojp.usdoj.gov/bjs/ Send comments to askbjs@usdoj.gov

Bureau of Justice Statistics



BJS home page

Medical Problems of Prisoners

Statistical Tables

Download spreadsheet version (.csv file)

Previous Next Appendix table 1. Standard errors of state and federal inmates with medical problems, impairments, or injuries since admission by gender and age, 2004

Standard error for estimated percentages

Since admission

Related pages:

Corrections statistics --

Prisons

			omos dumosion				
	Current medical problem	Any impairment	Had surgery	Dental problem	Injured accident	Injured fight	
State inmates							
All inmates	0.73 %	0.70 %	0.48 %	0.73 %	0.61 %	0.54 %	
Gender							
Male	0.71 %	0.69 %	0.47 %	0.72 %	0.60 %	0.53 %	
Female	1.17	1.14	0.78	1.16	0.93	0.66	
Age							
24 or younger	1.51 %	1.67 %	0.82 %	1.69 %	1.44 %	1.31 %	
25-34	1.21	1.21	0.74	1.28	1.09	0.95	
35-44	1.33	1.28	0.91	1.32	1.10	0.98	
45 or older	1.55	1.65	1.38	1.64	1.36	1.14	
Federal inmates							
All inmates	1.38 %	1.22 %	0.92 %	1.42 %	1.20 %	0.78 %	
Gender							
Male	1.36 %	1.20 %	0.90 %	1.40 %	1.18 %	0.79 %	
Female	2.35	2.06	1.72	2.35	2.03	0.87	
Age							
24 or younger	3.87 %	3.95 %	1.76 %	4.51 %	4.06 %	2.52 %	
25-34	2.07	1.85	1.65	2.30	1.99	1.31	
35-44	2.60	2.22	1.61	2.65	2.2	1.50	
45 or older	2.84	2.76	2.45	2.84	2.33	1.51	

Source: Survey of Inmates in State and Federal Correctional Facilities, 2004. See also Methodology.

Previous Next

BJS home page | Top of this page

Bureau of Justice Statistics www.ojp.usdoj.gov/bjs/ Send comments to askbjs@usdoj.gov

Bureau of Justice Statistics



BJS home page Medical Problems of Prisoners

Contents Download spreadsheet version (.csv file)

Previous Next

Appendix table 2. Standard errors of state and federal inmates who reported specific current medical problems by gender, 2004

Related pages: Standard error for estimated percentages

Corrections statistics --

· Prisons

Current medical problem	Total	Male	Female
State inmates			
Arthritis	0.53 %	0.51 %	1.02 %
Asthma	0.42	0.40	0.93
Cancer	0.14	0.13	0.36
Diabetes	0.29	0.28	0.54
Heart problems	0.35	0.34	0.68
Hypertension	0.51	0.50	0.89
Kidney problems	0.26	0.24	0.60
Liver problems	0.15	0.15	0.27
Paralysis	0.17	0.17	0.28
Stroke	0.23	0.22	0.45
Hepatitis	0.33	0.31	0.70
HIV	0.21	0.20	0.35
Sexually transmitted disease	0.13	0.12	0.33
Tuberculosis*	0.43	0.43	0.57
Federal inmates			
Arthritis	0.94 %	0.90 %	2.00 %
Asthma	0.74	0.70	1.62
Cancer	0.22	0.22	0.47
Diabetes	0.63	0.61	1.19
Heart problems	0.68	0.65	1.41
Hypertension	0.97	0.93	1.90
Kidney problems	0.49	0.46	1.19
Liver problems	0.30	0.29	0.49
Paralysis	0.36	0.35	0.57

Stroke	0.37	0.35	0.79
Hepatitis	0.57	0.56	0.98
HIV	0.31	0.31	0.60
Sexually transmitted disease	0.18	0.18	0.30
Tuberculosis*	0.73	0.73	1.14

^{*}Includes all inmates who ever reported having TB.

Source: Survey of Inmates in State and Federal Correctional Facilities, 2004. See also Methodology.

Previous Next

BJS home page | Top of this page

Bureau of Justice Statistics www.ojp.usdoj.gov/bjs/ Send comments to askbjs@usdoj.gov

Bureau of Justice Statistics



BJS home page Medical Problems of Prisoners

Statistical Tables Download spreadsheet version (.csv file)

Appendix table 3. Standard errors of state and federal inmates with an impairment by gender, 2004

State inmates

Standard error for estimated percentages

Related pages:

Corrections statistics --

Prisons

Previous

Total	Male	Female	Total	Male	Female
0.70 %	0.68 %	1.11 %	1.20 %	1.18 %	2.01 %
0.62	0.61	0.93	0.95	0.94	1.41
0.28	0.28	0.38	0.35	0.34	0.66
0.37	0.36	0.63	0.62	0.61	1.17
0.45	0.44	0.77	0.80	0.78	1.46
0.23	0.22	0.34	0.43	0.41	0.83
0.35 %	0.33 %	0.74 %	0.49 %	0.46 %	1.05 %
	0.70 % 0.62 0.28 0.37 0.45 0.23	0.70 % 0.68 % 0.62 0.61 0.28 0.28 0.37 0.36 0.45 0.44 0.23 0.22	0.70 % 0.68 % 1.11 % 0.62 0.61 0.93 0.28 0.28 0.38 0.37 0.36 0.63 0.45 0.44 0.77 0.23 0.22 0.34	0.70 % 0.68 % 1.11 % 1.20 % 0.62 0.61 0.93 0.95 0.28 0.28 0.38 0.35 0.37 0.36 0.63 0.62 0.45 0.44 0.77 0.80 0.23 0.22 0.34 0.43	0.70 % 0.68 % 1.11 % 1.20 % 1.18 % 0.62 0.61 0.93 0.95 0.94 0.28 0.28 0.38 0.35 0.34 0.37 0.36 0.63 0.62 0.61 0.45 0.44 0.77 0.80 0.78 0.23 0.22 0.34 0.43 0.41

Source: Survey of Inmates in State and Federal Correctional Facilities, 2004.

See also Methodology.

Previous Next

BJS home page | Top of this page

Bureau of Justice Statistics www.ojp.usdoj.gov/bjs/ Send comments to askbjs@usdoj.gov OJP Freedom of Information Act page Legal Policies and Disclaimers Page last revised on *April* 22, 2008

Federal inmates