

United States
Department of
Agriculture



Federal Crop
Insurance
Corporation



Product
Administration
and Standards
Division

SOYBEAN LOSS ADJUSTMENT STANDARDS HANDBOOK

FCIC-25440

(11-2007)

2008 and Succeeding Crop Years

UNITED STATES DEPARTMENT OF AGRICULTURE
WASHINGTON, D.C. 20250

FEDERAL CROP INSURANCE HANDBOOK	Number: 25440	(11-2007)
SUBJECT: SOYBEAN LOSS ADJUSTMENT STANDARDS HANDBOOK 2008 AND SUCCEEDING CROP YEARS	OPI: Product Administration and Standards Division	
	APPROVED: <i>/S:/ MARY ALONZO</i> <i>For Deputy Administrator, Product Management</i>	DATE: <i>11/29/2007</i>

THIS HANDBOOK CONTAINS THE OFFICIAL FCIC-ISSUED LOSS ADJUSTMENT STANDARDS FOR THIS CROP FOR THE 2008 AND SUCCEEDING CROP YEARS. ALL REINSURED COMPANIES WILL UTILIZE THESE STANDARDS FOR BOTH LOSS ADJUSTMENT AND LOSS TRAINING.

SUMMARY OF CHANGES/CONTROL CHART

The following list contains significant changes to this handbook, as determined by us. It may not represent all changes made. All changes made to this handbook are applicable regardless of whether or not listed

Major Changes: See changes or additions in text which have been **highlighted**. Three stars (***) identify where information has been removed.

Changes for Crop Year 2008 (FCIC-25440) issued **NOVEMBER, 2007:**

1. Throughout handbook: Made editorial and syntax changes so handbook text tracks with current RMA-approved handbook formatting, and updated examples and forms as needed.
2. Throughout the handbook: Comments that pertained to grammar, punctuation, deleting unneeded words, rewording to make a sentence flow better, corrections of reference numbers, formatting, etc. were incorporated if accepted, but are not listed.
3. Throughout the handbook: Replace the term "Insurance Provider" with "Approved Insurance Provider" or abbreviated "AIP."
4. Throughout the handbook: Removed the signature blocks and privacy act statements from all form examples. These are still required entries on any applicable company generated forms.
5. **Subsection 3 A:** Added statement to clarify the following may not be a complete list of insurability requirements. Refer to the Basic Provisions, Coarse Grain Crop Provisions, and Special Provisions for a complete list.

SOYBEAN LOSS ADJUSTMENT STANDARDS HANDBOOK

SUMMARY OF CHANGES / CONTROL CHART (Continued)

6. **Subsection 3 D (1):** Added language stating the adjuster must refer to the Special Provisions if production is eligible for quality adjustment as identified in the Coarse Grains Crop Provisions.
7. **Subsection 3 D (3) (a):** Removed “test weight” as a factor that can cause soybeans to grade Sample Grade.
8. **Subsection 3 D (3) (b):** Added a statement to clarify that soybeans with a test weight less than 49 pounds are eligible for quality adjustment.
9. **Subsection 4 B (3):** Changed “Initial Planting” to Earliest planting” to match the SPOI.
10. **Subsection 5 C (2):** Revised procedure for determining row width to match current RMA approved procedure.
11. **Subsection 5 C (3) (a) & (b):** Added statement to Clarify that Indeterminate type soybeans include Maturity Group IV and earlier-maturing varieties, and Determinate type soybeans include Maturity Group V and later-maturing varieties.
12. **Subsection 8 A:** Added section to clarify the minimum requirements for the Soybean Appraisal Worksheets.
13. **Subsection 9 A:** Added section to clarify the minimum requirements for the Claim Form.
14. **Subsection 9 C, Section I, Item M a. (2):** Added statement instruction the adjuster to refer to the LAM for information on how to determine uninsured cause appraisals.
15. **Subsection 9 C, Section I, Narrative, paragraph “u.”:** Added statement instructing the adjuster to enter the level of mycotoxin found in the production, if applicable.

Control Chart For: Soybean Loss Adjustment Standards Handbook						
	SC Page(s)	TC Page(s)	Text Page(s)	Reference Material	Date	Directive Number
Remove	Entire Handbook					
Current Index	1-2	1-2	1-48	49-69	11-2007	FCIC-25440

SOYBEAN LOSS ADJUSTMENT HANDBOOK

TABLE OF CONTENTS

PAGE

1. INTRODUCTION	1
2. SPECIAL INSTRUCTIONS	1
A. DISTRIBUTION	1
B. TERMS, ABBREVIATIONS, AND DEFINITIONS	1
3. INSURANCE CONTRACT INFORMATION	2
A. INSURABILITY	2
B. PROVISIONS AND PROCEDURES NOT APPLICABLE TO CAT COVERAGE	3
C. UNIT DIVISION.....	3
D. QUALITY ADJUSTMENT	3
4. REPLANTING PAYMENT PROCEDURES	4
A. GENERAL INFORMATION	4
B. QUALIFICATION FOR REPLANTING PAYMENT.....	4
C. MAXIMUM REPLANTING PAYMENT	5
D. REPLANTING PAYMENT INSPECTIONS	6
5. SOYBEAN APPRAISALS	6
A. GENERAL INFORMATION	6
B. SELECTING REPRESENTATIVE SAMPLES FOR APPRAISALS	6
C. MEASURING ROW WIDTH FOR SAMPLE SELECTION	6
D. PLANT TYPES AND STAGES OF GROWTH.....	7
6. APPRAISAL METHODS	13
A. GENERAL INFORMATION	13
B. STAND REDUCTION METHOD.....	13
C. PLANT DAMAGE METHOD.....	14
D. SEED COUNT METHOD	17
E. INTERPOLATION TABLES	18

SOYBEAN LOSS ADJUSTMENT HANDBOOK

TABLE OF CONTENTS (Continued)

	<u>PAGE</u>
7. APPRAISAL DEVIATIONS AND MODIFICATIONS	18
A. DEVIATIONS.....	18
B. MODIFICATIONS.....	18
8. APPRAISAL WORKSHEET ENTRIES AND COMPLETION PROCEDURES	18
A. APPRAISAL WORKSHEET FORM STANDARDS	18
B. GENERAL INFORMATION FOR WORKSHEET ENTRIES AND COMPLETION INSTRUCTIONS	19
C. WORKSHEET ENTRIES AND COMPLETION INFORMATION.....	20
PART I - STAND REDUCTION AND PLANT DAMAGE.....	20
PART II - SEED COUNT METHOD	24
APPRAISAL WORKSHEET EXAMPLES.....	26
9. CLAIM FORM ENTRIES AND COMPLETION PROCEDURES	30
A. CLAIM FORM STANDARDS	30
B. GENERAL INFORMATION FOR ENTRIES AND COMPLETION INSTRUCTIONS..	30
C. FORM ENTRIES AND COMPLETION INFORMATION.....	31
SECTION I - ACREAGE APPRAISED, PRODUCTION AND ADJUSTMENTS	33
SECTION II - HARVESTED PRODUCTION.....	40
CLAIM FORM EXAMPLE	46
CLAIM FORM EXAMPLE (REPLANT)	47
10. REFERENCE MATERIAL	49
TABLE A - MINIMUM REPRESENTATIVE SAMPLE REQUIREMENTS	49
TABLE B - ROW WIDTH FACTOR	49
TABLE C - COMBINED TEST WEIGHT AND PACK FACTOR.....	50
TABLE D - SEED (BEAN) SIZE FACTOR.....	51
TABLE E - PLANTS PER ACRE.....	52
TABLE F – INDETERMINATE SOYBEAN STAND REDUCTION LOSS	
VC - R1 STAGES.....	56
INDETERMINATE SOYBEAN STAND REDUCTION LOSS	
R2 – R3.5 STAGES.....	59
DETERMINATE SOYBEAN STAND REDUCTION LOSS	62
TABLE G - CUTOFF/BREAKOVER	65
TABLE H - INDETERMINATE SOYBEAN DEFOLIATION PERCENT OF DAMAGE.....	67
TABLE I - DETERMINATE SOYBEAN DEFOLIATION PERCENT OF DAMAGE	68
TABLE J - SOYBEAN MOISTURE ADJUSTMENT FACTOR	69

1. INTRODUCTION

THIS HANDBOOK MUST BE USED IN CONJUNCTION WITH THE LOSS ADJUSTMENT MANUAL (LAM) STANDARDS HANDBOOK, FCIC-25010.

The FCIC-issued loss adjustment standards for this crop are the official standard requirements for adjusting Multiple Peril Crop Insurance (MPCI) losses in a uniform and timely manner. The FCIC-issued standards for this crop and crop year are in effect as of the signature date for this crop handbook at www.rma.usda.gov/handbooks/25000/index.html. All reinsured companies will utilize these standards for both loss adjustment and loss training for the applicable crop year. These standards which include crop appraisal methods, claims completion instructions, and form standards, supplement the general (not crop-specific) loss adjustment standards identified in the (LAM).

2. SPECIAL INSTRUCTIONS

This handbook remains in effect until superseded by reissuance of **either** the entire handbook **or** selected portions (through slipsheets or bulletins). If slipsheets have been issued for a handbook, the original handbook as amended by slipsheet pages shall constitute the handbook. A bulletin can supersede either the original handbook or subsequent slipsheets.

A. DISTRIBUTION

The following is the minimum distribution of forms completed by the adjuster and signed by the insured (or the insured's authorized representative) for the loss adjustment inspection:

- (1) One legible copy to the insured. The original and all remaining copies as instructed by the Approved Insurance Provider (AIP).
- (2) It is the AIPs' responsibility to maintain original insurance documents relative to policyholder servicing as designated in their approved plan of operations.

B. TERMS, ABBREVIATIONS, AND DEFINITIONS

- (1) Terms, abbreviations, and definitions **general** (not crop specific) to loss adjustment are identified in the LAM.
- (2) Terms, abbreviations, and definitions **specific** to soybean loss adjustment and this handbook, which are not defined in this section, are defined as they appear in the text.
- (3) Abbreviations:

CAT	Catastrophic Risk Protection
CIH	Crop Insurance Handbook
DSSH	Document and Supplemental Standards Handbook, FCIC-24040
FGIS	Federal Grain Inspection Service

(4) Definitions:

Harvest Combining, threshing, or picking the insured crop for grain, or cutting for hay, silage, or fodder.

3. INSURANCE CONTRACT INFORMATION

The **AIP** is to determine that the insured has complied with all policy provisions of the insurance contract. Crop provisions, which are to be considered in this determination, include (but are not limited to):

A. INSURABILITY

The following may not be a complete list of insurability requirements. Refer to the Basic Provisions, Crop Provisions, and Special Provisions for a complete list.

- (1) The crop insured will be all soybeans in the county in which the insured has a share, for which premium rates are provided by the actuarial documents; and
 - (a) That are planted for harvest as beans;
 - (b) That **are** adapted to the area based on days to maturity and is compatible with agronomic and weather conditions in the area;
 - (c) Unless allowed in the Special Provisions or a written agreement, soybeans are not insurable if they are:
 - 1 interplanted with another crop; or
 - 2 planted into an established grass or legume.
- (2) Unless otherwise allowed by the Special Provisions, soybeans must be mechanically incorporated into the soil in the planting process to be considered insurable. Refer to the LAM. Refer to the Special Provisions for any applicable allowed practices such as “Non-Conventional (NC).” The “Non-Conventional” practice deals with soybeans planted in a two-step operation in which the seed is first broadcast onto the surface of the soil using a boom type spreader and is subsequently incorporated into the soil at the proper depth in a timely manner. Written agreements may be issued to insure soybean acreage seeded by methods NOT RATED on the actuarial documents if specified standards provided for in the written agreement are met.
- (3) Any acreage of the insured crop damaged before the final planting date, to the extent that the majority of producers in the area would normally not further care for the crop, must be replanted unless the **AIP** agrees that it is not practical. Refer to the LAM for replanting provision issues. Refer to section 4 of this handbook for replanting payment procedures.

B. PROVISIONS AND PROCEDURES NOT APPLICABLE TO CAT COVERAGE

Refer to the CIH and LAM for provisions and procedures not applicable to CAT.

C. UNIT DIVISION

Refer to the insurance contract for unit provisions. Unless limited by the Crop or Special Provisions, a basic unit, as defined in the Basic Provisions, may be divided into optional units if, for each optional unit, all the conditions stated in the applicable provisions are met.

D. QUALITY ADJUSTMENT

(1) The adjuster must refer to the Special Provisions if production is eligible for quality adjustment as identified in the Crop Provisions.

(2) Refer to the LAM for information on speculative type contract prices in quality adjustment. THE QUALITY ADJUSTMENT FACTOR CANNOT BE GREATER THAN 1.000 or less than zero (.000).

(3) Soybean production, in accordance with the crop provisions, will be eligible for quality adjustment if:

*** (a) Deficiencies in quality (due to insurable causes of loss), in accordance with the Official United States Standards for Grain, result in soybeans not meeting the grade requirements for U.S. No. 4 or better (grades U.S. Sample Grade) because of kernel damage (excluding heat damage) or having a musty, sour, or commercially objectionable foreign odor (except garlic odor) or which meet the special grade for garlicky soybeans,

(b) The test weight is less than 49 pounds and discount factors are provided in the SPOIs; or

(c) Substances or conditions are present that are identified by the Food and Drug Administration or other public health organizations of the United States as being injurious to human or animal health. "Green Damage" (soybeans which are discolored green in cross section), as described by FGIS, will be considered as a type of kernel damage.

Refer to the LAM for instructions on who can obtain samples for grading, and who can make determinations of deficiencies, conditions and substances that would cause the crop to qualify for quality adjustment.

- (4) When due to insurable cause(s), use of quality adjustment for soybeans is handled by determining the appropriate discount factors from the Special Provisions, summing them together, if applicable, and subtracting from 1.000 to obtain the applicable Quality Adjustment Factor (percent of production to count). Refer to the Special Provisions for chart discount factors, instructions for calculating non-chart discount factors, and other discounts allowed. Also, refer to the LAM for examples and guidance in determining reduction in values (RIV's) to determine non-chart discount factors.
- (5) Moisture adjustment is applied prior to applying any qualifying adjustment for quality such as test weight, kernel damage, etc. A soybean moisture adjustment chart is located in **TABLE J**. Moisture adjustment results in a reduction in production to count of 0.12 percent for each 0.1 percent moisture in excess of **13 percent**.
- (6) For soybeans for which RIV's apply, and which can be conditioned/reconditioned, refer to the Quality Statement(s) in the Special Provisions for instructions.
- (7) If a local market cannot be found for the soybeans, refer to the LAM.
- (8) Refer to the LAM for special instructions regarding mycotoxin-infected grain.
- (9) Document quality adjustment information as described in the instructions for the "Narrative" section of the claim form (subsection 9 B), or on a Special Report.
- (10) For additional quality adjustment definitions, instructions, qualifications, and testing requirements, refer to the LAM and the Official United States Standards for Grain.

4. REPLANTING PAYMENT PROCEDURES

A. GENERAL INFORMATION

- (1) Replanting payments made on acreage replanted by a practice that was uninsurable as an original planting will require the deduction of the replanting payment for such acreage from the original unit liability. If the unit dollar loss (final claim) is less than the original unit liability minus such replanting payment, the actual indemnity dollar amount will not be affected by the replanting payment. The premium will not be reduced.
- (2) No replanting payment will be made on acreage on which one replanting payment has already been allowed for the crop year.

B. QUALIFICATIONS FOR REPLANTING PAYMENT

To qualify for replanting payment, the:

- (1) insured crop must be damaged by an insurable cause;
- (2) **AIP** determines that it is practical to replant (refer to the LAM);

- (3) acres being replanted must have been initially planted on or after the “**Earliest** Planting” date established by the Special Provisions;
- (4) bushel per acre appraisal (or **the** appraisal plus any appraisals for uninsured causes of loss) must be less than 90 percent of the bushel per acre production guarantee for the acreage the insured intends to replant (Refer to section 5, “Soybean” Appraisals);
- (5) acreage replanted must be AT LEAST the lesser of 20 acres or 20 percent of the insured **planted** acreage for the unit as determined on the final planting date or within the late planting period if a late planting period is applicable (Any acreage planted after the end of the late planting period will not be included when determining if the 20 acres or 20 percent qualification is met. Refer to the LAM.); and
- (6) **AIP** has given consent to replant.

In the Narrative of the claim form or on a Special Report, show the bushel per acre appraisal for each field or subfield and the calculations to document that qualifications for a replant payment have been met.

C. MAXIMUM REPLANTING PAYMENT

The maximum amount of the replanting payment per acre will be the LESSER OF:

- (1) the insured’s actual replanting cost;
- (2) the product of multiplying the maximum bushels allowed in the policy (**3 bushels**) by the insured’s price election, times the insured’s share in the crop; or
- (3) 20 percent of the production guarantee times **the** applicable price election times the insured’s share.

Compute the number of bushels per acre allowed for a replanting payment by dividing the maximum replanting payment by the price election. Show all calculations in the Narrative **section** of the claim form or on a Special Report.

EXAMPLE 1

Owner/operator (100 percent share)

30 acres replanted

Insured’s actual cost to replant = \$18.00 **per acre**

Price election = \$**6.50** per bu.

20% of prod. guar. (28.0 bu. x 20%) = 5.6 bu. x \$**6.50** (price election) x 1.000 (share) = \$**36.40**

3.0 bu. (maximum bu. allowed in policy) x \$**6.50** (price election) x 1.000 (share) = \$**19.50**

The lesser of \$18.00, \$**36.40** and \$**19.50** is \$**18.00**

Actual bushels per acre allowed = **2.8** bu. (\$**18.00** ÷ \$**6.50**)

Enter **2.8** bu. in Section I “Adjusted Potential” column of the claim form.

EXAMPLE 2

Landlord/tenant (50/50 share)

No agreement exists that allows the tenant to have the landlord's share of the replanting payment.

30 acres replanted

Insured's actual cost to replant = \$9.00 per acre

Price election = \$6.50 per bu.

20% of prod. guar. (28.0 bu. x 20%) = 5.6 bu. x \$6.50 (price election) x .500 (share) = \$18.20

3.0 bu. (maximum bu. allowed in policy) x \$6.50 (price election) x .500 (share) = \$9.75

The lesser of \$9.00, \$18.20, and \$9.75 is \$9.00

Actual bushels per acre allowed = 1.4 bu. ($\$9.00 \div \6.50)

Enter 1.4 bu. in Section I "Adjusted Potential" column of the claim form.

Enter 1.4 bu. In Section I, "Adjusted Potential" column of the claim form if share has been applied or 2.8 bu. if share has yet to be applied. (Follow individual AIP guidelines). Indicate in the Narrative if adjusted potential has/has not been reduced for share on claim form according to individual AIP guidelines.

D. REPLANTING PAYMENT INSPECTIONS

Replanting payment inspections are to be prepared as final inspections on the claim form only when qualifying for a replanting payment. Non-qualifying replanting payment inspections (**unless the claim is withdrawn by the insured**) are to be handled as preliminary inspections. If qualified for a replanting payment, a Certification Form may be prepared on the initial farm visit. Refer to the LAM.

5. SOYBEAN APPRAISALS

A. GENERAL INFORMATION

Potential production for all types of inspections will be appraised in accordance with procedures specified in this handbook and the LAM.

B. SELECTING REPRESENTATIVE SAMPLES FOR APPRAISALS

- (1) Determine the minimum number of required samples for a field or subfield by the field size, the average stage of growth, age (size) and general capabilities of the plants, and variability of potential production and plant damage within the field or subfield.
- (2) Split the field into subfields when:
 - (a) Variable damage causes the crop potential to appear to be significantly different within the same field; or
 - (b) The insured wishes to destroy a portion of a field.


- (3) Each field or subfield must be appraised separately.
- (4) Take not less than the minimum number (count) of representative samples required in **TABLE A** for each field or subfield.

C. MEASURING ROW WIDTH FOR SAMPLE SELECTION

Use these instructions for all appraisal methods that require row width determinations.

- (1) Use a measuring tape marked in inches or convert a tape marked in tenths, to inches, to measure row width (refer to the LAM for conversion table).
- (2) Measure across **THREE** OR MORE row **spaces**, from the center of the first row to the center of the **fourth** row (or as many rows as needed), and divide the result by the number of row **spaces** measured across, to determine an average row width.

EXAMPLE:



- (3) Where rows are skipped for tractor and planter tires, refer to the LAM.
- (4) For broadcast acreage, use a 3-foot square grid (9 square feet).
- (5) Apply the average row width to **TABLE B** to determine the factor required for the sample row. (The row-width factor is applied only to the Seed Count appraisal method).

D. PLANT TYPES AND STAGES OF GROWTH

- (1) These instructions provide plant-type and growth-stage information for use when appraising potential production during various stages of growth.
- (2) Soybean Types and Regions of Production. Soybeans fall into two general types, determinate and indeterminate, with several varieties in each type. Determinate varieties usually are planted in the southern region and indeterminate varieties are planted in the northern region.
- (3) Plant Characteristics:
 - (a) Indeterminate type (**Maturity Group IV and earlier-maturing varieties**):
 - 1 Pods are generally formed on the main stem of the plant.

- 2 The plant is generally less bushy than the determinate varieties.
 - 3 The blooming period begins earlier and extends over a longer period of time than the determinate type. Flowering begins at the 4th or 5th node and progresses upward.
- (b) Determinate type (Maturity Group V and later-maturing varieties):
- 1 Pods are formed on branches as well as on the main stem of the plant.
 - 2 Plants branch out considerably more than the indeterminate type and reach almost full height before blooming.
 - 3 The blooming period is shorter than the indeterminate type. Regardless of planting dates, the same (determinate type) variety will generally bloom at the same time and with the same duration. Flowering begins at the 8th or 10th node and progresses both up and down.
- (4) Growth Stage Determination and Designation:
- (a) The growth stage determination is based on at least 50 percent of plants having reached the stage described. The main stem is used for stage determination and branches are ignored. Stage of growth is determined by the examination of 10 consecutive plants with a complete main stem. Fields should be split into sub-fields to reflect distinctly different stages from different parts of the field.
 - (b) Designation:
 - 1 Vegetative (V) Stages - From emergence of the plant until first bloom.
 - 2 Reproductive (R) Stages - After bloom through plant maturity.
 - (c) For hail damage the stage of growth at the time of damage can be determined by inspecting the plant to determine the portions (leaves, pods, etc.) exposed at the time of the storm. In the absence of hail, and as verification, the stage can be determined by counting back from the date of adjustment by the time-intervals between stages.
- Do not attempt to go from reproductive to vegetative stages using time intervals.**
- (5) Vegetative Stage Identification:
- (a) Determination of all vegetative stages requires node identification. Vegetative stages are determined by counting the nodes above the cotyledonary node.
 - (b) A node is the part of the stem from which leaves develop. When the leaf drops from the plant, the node is marked by a small knob that remains on the stem. Nodes, not leaves, are counted for stage determination.

- (c) The cotyledonary node has 2 cotyledons (seed leaves) located directly opposite each other at the bottom of the main stem. The cotyledons are pulled above the soil surface as the seedling develops.
- (d) The unifoliate node has 2 unifoliate (single leaflet) leaves located directly opposite each other, immediately above the cotyledonary node. This node is the first node counted in staging the growth of a soybean plant.
- (e) All nodes above the unifoliate node have trifoliolate (three leaflet) leaves. The trifoliolate nodes alternate up the main stem with a node on one side of the stem, then above it another node on the opposite side of the stem.
- (f) To stage the plant, count the unifoliate node and all nodes above it that have a fully developed trifoliolate leaf present (or missing). A trifoliolate leaf is considered fully developed when it has unrolled to the extent that the leaflet edges are no longer touching other portions of the leaflet.

(g) V-Stage descriptions are given below.

STAGE	DESCRIPTION	TIME INTERVAL IN DAYS FROM LAST STAGE
EMERGENCE (VE and VC) - V1	FROM EMERGENCE TO STAGE V1	
V1	Fully developed leaves at unifoliate node.	10
V2	Fully developed trifoliolate leaf at second node above cotyledonary node.	5
V3	Fully developed trifoliolate leaf at third node above cotyledonary node.	5
V4	Fully developed trifoliolate leaf at fourth node above cotyledonary node.	5
V5	Fully developed trifoliolate leaf at fifth node above cotyledonary node.	5
V6	Fully developed trifoliolate leaf at sixth node above cotyledonary node.	3
V7	Fully developed trifoliolate leaf at seventh node above cotyledonary node.	3
V8	Fully developed trifoliolate leaf at eighth node above cotyledonary node.	3
V9	Fully developed trifoliolate leaf at ninth node above cotyledonary node.	3
V10	Fully developed trifoliolate leaf at tenth node above cotyledonary node.	3
VN	Node greater than tenth node above the cotyledon node that has a fully developed trifoliolate leaf (e.g., V11, V12, etc.).	3
Adjust all losses at the stage of growth on the date of damage.		

(h) Shown below are leaves, nodes, and plants in various V stages.

Fig. 1




Fig. 2





Fig. 3




Fig. 4

(6) Reproductive Stage Identification:

- (a) Reproductive stages are based on flowering, pod development, and plant maturation.
- (b) Reproductive stages are subdivided into half stages for adjusting losses. Development for a half stage is midway between that of stages with a whole number. All stages are based on 50 percent of the plants in the sample at or beyond a given phase of development. References to four uppermost nodes include the top node with a fully developed trifoliolate leaf.
- (c) The vegetative stage that occurs prior to the R1 (indeterminate) or R1-R2 (determinate) Stage may vary depending on the season, variety, time of planting, etc. Time intervals cannot be used to determine the vegetative stage that occurred immediately prior to R1 (indeterminate) or R1-R2 (determinate). Time intervals for half-stages are one-half the number of days between whole stages.
- (d) R-Stage descriptions

STAGE	DESCRIPTION	TIME INTERVAL IN DAYS FROM LAST STAGE
Indeterminate		
R1	One open flower at any node on the main stem.	
R2	Open flower at one of the two uppermost nodes on the main stem with a fully developed leaf.	3
Determinate		
R1 - R2	Flower at one of the four uppermost nodes.	3
Both Determinate and Indeterminate		
R3	Pod just visible at one of the four uppermost nodes.	7
R4	Pod 3/4 inch long at one of the four uppermost nodes.	9
R5	Seeds beginning to develop at one of the four uppermost nodes. A seed is considered "beginning to develop" when it is 1/8 inch in length.	9
R6	Pod containing green seeds that fill the pod cavity at one of the four uppermost nodes.	15
R6.5	When all the normal pods on the four uppermost nodes of the main stem have their pod cavities completely filled, suture-to-suture, with seed.	9
R7	Beginning of Seed Count Method One normal pod on the main stem that has reached its mature pod color. 50 percent or more of the leaves are yellow at this stage. Physiological maturity.	9
R8	95 percent of pods are brown.	9
Adjust all losses at the stage of growth on the date of damage, except that the Seed Count Method is used if in R7 or beyond at Date of Adjustment.		

(e) Shown below are pods and plants in various R stages.

R1 (Indeterminate)
R1-R2 (Determinate)





Fig. 3

R4 Pod



3/4"

Fig. 4

R5 Pod



(1/8" seeds)

Fig. 5

R6 Pod



(Seeds fill cavity)

6. APPRAISAL METHODS

A. GENERAL INFORMATION

These instructions provide information on appraisal methods for:

Appraisal Method...	Use...
Stand Reduction Method	for planted acreage with no emerged seed, or on plants through the R6.5 Stage.
Plant Damage Method	when there is defoliation (leaf loss) AND plants that are cutoff or broken over. Plant damage calculations apply to the percent of the crop remaining (after stand reduction).
Seed Count Method	from the R7 stage through full maturity to determine the appraisal after any insured cause of damage.

B. STAND REDUCTION METHOD

- (1) V-Stages for determinate soybeans and VC through R3.5 stage for indeterminate soybean stand reduction. DETERMINE THE AMOUNT OF DIRECT DAMAGE. DEAD, MISSING, OR NON-EMERGED PLANTS are included as direct damage in the VC through R3.5 stages for indeterminate soybeans and the V-stages for determinate soybeans. **If possible, when** damage from an insurable cause results in missing plants or non-emergence, determine the original plants per acre from an undamaged area of the unit.

If the reduction in stand is solely due to non-emerged seed due to insufficient soil moisture, do not complete appraisals prior to the time specified in the LAM. Refer to the paragraph in the LAM regarding deferred appraisals and non-emerged seed.

- (a) Determine the ORIGINAL number of plants, and the REMAINING number of live plants per acre. Use these steps:
- 1 Determine row width in inches, unless broadcast.
 - 2 Measure a 10 **foot** row length for the sample of row **of** soybeans, or use 3-foot by 3-foot square grid for broadcast soybeans.
 - 3 Count the original number of plants in the sample (living and dead/non-harvestable, missing, or non-emerged).
 - 4 Count the remaining number of live plants in the sample.
 - 5 Use **TABLE E (PLANTS PER ACRE)** to convert the original and remaining plants in the sample to plants per acre.

- (b) Use the values in **TABLE F** (ORIGINAL AND REMAINING PLANTS PER ACRE) to determine the percent stand loss. Apply these values to the appropriate tables in **TABLE F (SOYBEAN STAND REDUCTION LOSS CHART)**.

EXAMPLE: Indeterminate soybeans planted in 30-inch rows – V5 stage.

55 living and dead plants = 95,000 original plants/A. (**TABLE E**).

40 live plants = 70,000 remaining plants/A. (**TABLE E**).

Percent loss from stand reduction (**TABLE F**) = 7.0 percent.

- (2) R-Stage Plants Destroyed. For direct damage to R1 through R6.5 stage determinate soybeans, and R4 through R6.5 stage indeterminate soybeans (Part I, item 19 of the appraisal worksheet).

- (a) Count 100 consecutive plants (living and missing, non-emerged, dead/non-harvestable).
- (b) Determine the number of dead or non-harvestable plants in the 100 plant sample. This is the percentage of dead/non-harvestable plants. Enter this number in **Part I**, item 19 of the appraisal worksheet.

Include any cutoffs and/or breakovers, from stage R4 through stage R6.5, on a factored basis, based on how many damaged plants are required to equal 1 undamaged plant (e.g., 2-for-1, or 3-for-1, etc.) if stand reduction is the only damage.

EXAMPLE: Entry for 10 dead/non-harvestable plants, plus 10 plants cutoff/broken over factored on a 2-for-1 basis = 15 plants.

C. PLANT DAMAGE METHOD (Part I - Appraisal Worksheet, items 22 and 23)

- (1) Use the plant damage method for DEFOLIATION damage on determinate soybean plants beginning with the V9 stage, through the R6 stage.

For indeterminate soybeans, beginning with the R1 stage, use the plant damage method for plants CUT OFF or BROKEN OVER in stages R1 through R3.5. Any plants cut off and/or broken over in stages R4 through R6.5 are included in item 19, "R-stage plants destroyed" of the Stand Reduction Method (on a factored basis).

Use the following procedure to record individual plant-count entries in the Field Notes (plant damage is applied to the percent of the crop remaining):

- (a) Determine the number of original nodes (above the cotyledonary node) **on the** date of damage for a representative 20-plant sample. (The number of original nodes will be **the** number of nodes per plant for the stage times 20 (e.g. V9 stage, 9 nodes times 20 = 180 original nodes).

- (b) Determine the number of nodes cutoff and/or broken over on each plant in the 20-plant sample and enter in item 34 of the “Field Notes” section.

An individual plant may have nodes broken over as well as nodes cut off above the break. In such cases, both are recorded.

- (c) Total the number of nodes cutoff and/or broken over. Divide the total by the total number of nodes **on the** date of damage to arrive at the percent of nodes destroyed.
- (d) Refer to the **TABLE G (CUTOFF/BREAKOVER)** to determine the percent of damage.

If cutoffs and/or breakovers exceed 65 percent for the sample, have the insured leave representative strip(s) intact until a seed count appraisal can be made, or the crop is harvested. Otherwise, the damage is limited to the **table** entry for 65 percent.

- (e) For R stages and DETERMINATE V stages V9 - VN, determine the percent defoliation on each plant. Obtain the average, and apply to the appropriate defoliation **table (TABLE H or TABLE I)** to arrive at the percent damage for the sample. Enter the percent damage in item 35 of the appraisal worksheet. On cutoffs or breakovers, count only TRIFOLIOLATE LEAFLETS below cutoff or breakover point on the stem in determining defoliation.
 - (f) To obtain the appraisal, multiply the percent potential (100 - percent damage) by the APH yield.
- (2) Shown below are defoliation (Fig. 1), a cutoff with defoliation (Fig. 2), and a breakover with defoliation (Fig. 3).
- (a) DEFOLIATION: R4 represents the stage at the date of damage (DOD).
 - (b) CUTOFF: V5 represents the stage at the DOD.
 - (c) BREAK OVER: V6 represents the stage at the DOD.

DEFOLIATION, CUTOFF, AND BREAKOVER ILLUSTRATIONS

New leaves after hail storm
(no evidence of hail)




Fig.1

Fig. 2





Fig. 3

D. SEED COUNT METHOD (Part II, items 47 through 59 of appraisal worksheet).

When this method is used, neither the stand reduction nor the plant damage method is used. In this method, seeds per square foot are determined and converted to bushels per acre by using the proper row width factor and seed size factor.

- (1) Determine the average row width as stated in subsection 5 C above and apply this number to **TABLE B (Row Width Factor)**.
- (2) Count the number of live plants in the 10-foot sample row. Divide this number by “10” to determine the average plants per foot.
- (3) Select five representative plants from the 10-foot sample row. Count the number of seeds on the selected plants. If there are less than five representative plants in the sample row, count and average the number of seeds per plant from ALL plants in the sample.
- (4) Repeat steps (2) and (3) above for each sample taken.
- (5) Total the number of plants per foot from each sample and divide by the number of samples taken to determine the average number of plants per foot.
- (6) Total the number of seeds from the representative plants for each sample and divide by the total number of plants sampled to determine the average number of seeds per plant. (Do not count any plants for samples which contain no seeds).
- (7) Determine the seed size factor by selecting 100 mature seeds from the sample plants and placing them in a GRADUATED CYLINDER only (No syringes, etc.). Determine the number of cubic centimeters (cc’s) occupied by the seeds. Apply this number to **TABLE D (Seed (Bean) Size Factor)**. If unable to obtain 100 mature seeds in the sample due to immaturity or swelling from excess moisture, use the factor of “.092” unless otherwise authorized.
- (8) Multiply:
 - (a) the row width factor, times;
 - (b) the seed size factor, times;
 - (c) the average number of plants per foot, times;
 - (d) the average number of seeds per plant.

The result, rounded to tenths, is the appraisal in bushels per acre.

E. INTERPOLATION TABLES

A separate booklet of interpolation tables should not be used since the soybean interpolation tables have been incorporated into the following tables found in the Reference Material Section.

- (1) **Plants Per Acre Chart (TABLE E)**. Number of Plants in 10 feet of row (or in a 3-foot x 3-foot grid for broadcast soybeans) -
- (2) Soybean Stand Reduction Loss **(TABLE F)** is for either plant type.
- (3) Indeterminate **Soybean Defoliation Percent of Damage (TABLE H)**. The percent of damage is considered “0” for live plants with less than 10 percent defoliation
- (4) Determinate **Soybean Defoliation Percent of Damage (TABLE I)**. The percent of damage is considered “0” for live plants with less than 10 percent defoliation.
- (5) Cutoff/Breakover **(TABLE G)** (either plant type). The percent of damage is considered “0” for live plants with less than 5 percent cut off or broken over nodes. The upper limit of cut off/**broken** over nodes is 65 percent, up to and including the R3.5 stage.

7. APPRAISAL DEVIATION AND MODIFICATION

A. DEVIATIONS

Deviations in appraisal methods require FCIC written authorization (as described in the LAM) prior to implementation.

B. MODIFICATIONS

There are no pre-established modifications contained in this handbook. Refer to the LAM for additional information.

8. APPRAISAL WORKSHEET ENTRIES AND COMPLETION PROCEDURES

A. APPRAISAL WORKSHEET FORM STANDARDS

- (1) The entry items in subsection 8 C are the minimum requirements for the Soybean Appraisal Worksheet for the Stand Reduction Method, the Hail Damage Method, and the Seed Count Method. All entry items are “Substantive,” (i.e., they are required).

- (2) Appraisal Worksheet Completion Instructions. The completion instructions for the required entry items on the Appraisal Worksheet in the following subsections are “Substantive,” (i.e., they are required.)
- (3) The Privacy Act and Nondiscrimination statements are required statements that must be printed on the form or provided to the insured as a separate document. These statements are not shown on the example form in this section. The current Privacy Act and Nondiscrimination Statements can be found in the DSSH.
- (4) Refer to the DSSH for other crop insurance form requirements (e.g., font point size, etc.).

B. GENERAL INFORMATION FOR WORKSHEET ENTRIES AND COMPLETION INSTRUCTIONS

- (1) Include the AIP name in the appraisal worksheet title if not preprinted on the AIP's worksheet, when a worksheet entry is not provided.
- (2) Include the claim number on the appraisal worksheet (when required by the AIP), when a worksheet entry is not provided.
- (3) Separate appraisal worksheets are required for each unit appraised, and for each field or subfield which has a differing base (APH) yield or farming practice (applicable to replant, preliminary, and final claims). Refer to section 5 “Soybean Appraisals” for sampling requirements.
- (4) For every inspection, complete items 1 through 12 and items 56 through 59. Complete Part I and II as instructed below. The following appraisal worksheet shows the required entries for the V and R stages, with and without plant damage.
- (5) V-Stages for Determinate Soybeans and VC through R3.5 Stage for Indeterminate Soybean Appraisals:
 - (a) If stand reduction is the ONLY damage, complete Part I (except for items 19, 21, 22 and 23 and the field notes) and items 30, 31, and 32.

- (b) If plant damage (cutoffs and/or breakovers) has occurred, complete items 13 through 18, items 20 through 29, and the field notes. If stand reduction has occurred, appraise plant damage on the remaining stand (refer to items 21, 22 and 23). Defoliation is applied for DETERMINATE soybeans only in the stages V9 – VN.
- (6) R1 through R6 Stage Determinate Soybeans, and R4 through R6.5 Stage Indeterminate Soybean Appraisals:
- (a) If stand reduction is the ONLY damage, complete Part I (except items 16, 17, 18, 21, 22, 23, and the field notes). Cutoffs or breakovers from the R1 through R6 stage for determinate soybeans, and R4 through R6.5 stage for indeterminate soybeans are factored and are to be included in item 19.
 - (b) If plant damage (cutoffs or breakovers through R3.5, and/or defoliation (refer to **TABLE H** or **TABLE I**) through R6.5 for indeterminate soybeans or R6 for determinate soybeans) has occurred, complete Part I (except items 16, 17 and 18). Appraise plant damage on the remaining stand if stand reduction has occurred (refer to items 21, 22 and 23). Do not include cutoffs or breakovers in **Part I**, item 19 on a factored basis.
- (7) R7 through Full Maturity Appraisals, use Part II, the Seed Count Method.
- (8) Standard appraisal worksheet items are numbered consecutively in subsection 8 C. An example appraisal worksheet is also provided to illustrate how to complete entries.

C. WORKSHEET ENTRIES AND COMPLETION INFORMATION

Verify or make the following entries:

**Item
No.**

Information Required

PART I - STAND REDUCTION AND PLANT DAMAGE

1. **Insured's Name:** Name of the insured that identifies EXACTLY the person (legal entity) to whom the policy is issued.
2. **Policy Number:** Insured's assigned policy number.
3. **Crop Year:** Four-digit crop year, as defined in the policy, for which the claim has been filed.
4. **Unit No.:** Five-digit unit number from the Summary of Coverage after it is verified to be correct (e.g., 00100).
5. **Field ID:** Field or subfield identification symbol.

6. **Practice:** Three-digit code number entered exactly as specified on the actuarial documents, for the practice carried out by the insured. If “No Practice Specified,” enter appropriate 3-digit code number from the actuarial documents.
7. **Company:** Name of **AIP**, if not preprinted on the worksheet (Company Name).
8. **Date of Damage:** First three letters of the month during which MOST of the insured damage (including progressive damage) occurred. Include **the** SPECIFIC DATE where applicable, as in the case of hail damage (e.g., Aug. 11).
9. **Acres:** Number of determined acres, to tenths, in field or subfield being appraised.
10. **Variety:** Variety name of soybeans being appraised, if known, followed by “D” if determinate type, or “I” if indeterminate.
11. **Row Width:** Row width to **the** nearest inch. If broadcast, enter “B.” Refer to subsection 5C for row width determination information.
12. **Claim Number:** Claim number as assigned by the **AIP**.

DIRECT DAMAGE

13. **Sample No.:** If more than five samples are needed, (refer to **TABLE A (Minimum Sample Requirements)**) use additional pages, and number the samples 6, 7, 8, etc.
14. **DOD:** Stage of growth on date of damage. (Refer to subsection 5D.)
15. **DOA:** Stage of growth on date of appraisal.
16. **Original (1000): (V-Stage Appraisals Only)** Original stand (living and dead, missing, or non-emerged). Enter to **the** nearest 500 as a decimal **rounded** to tenths (e.g. enter 110,000 as 110.0). Refer to **TABLE E (Plants Per Acre)** and entry in item 31.
17. **Remaining: (V-Stage Appraisals Only):** Remaining stand (live plants). Refer to **TABLE E (Plants Per Acre)** and entry in item 32. Enter to **the** nearest 500 as a decimal to tenths (e.g. enter 12,500 as 12.5).
18. **Stand Reduction: (Percent of Loss – V-Stages for Determinate Soybeans and VC through R3.5 Stage for Indeterminate Soybean Appraisals Only):** Stand reduction percent **of** loss to tenths from the appropriate **table in TABLE F** (Soybean Stand Reduction Loss).
19. **R-Stage Plants Destroyed:** For stand reduction in the R stages (R1 through R6.5 Stage Determinate Soybeans, and R4 through R6.5 Stage Indeterminate Soybean), enter the number (percent) of dead or non-harvestable plants in a 100 plant (living and missing/dead/non-harvestable) sample. Include cutoffs and/or breakovers from the R4 through R6.5 stages on a factored basis only if stand reduction is the only damage. Refer to subsection 6 B (2). For indeterminate soybeans in the R1 through R3.5 stage, MAKE NO ENTRY.

20. **Total Direct Damage:** Total direct damage to tenths from item 18 or 19, as appropriate.
21. **% Crop (Remaining):** Enter the result of subtracting item 20 from 100 percent. If there is no direct damage, enter 100. If there is no plant damage (item 42) leave blank.

PLANT DAMAGE

22. **Gross:** If there is plant damage to the sample, complete the field notes and enter the item 42 entry for the same sample.
23. **Net:** Item 21 times item 22 (rounded to the nearest tenth percent), if there is an entry in item 22.
24. **Total % Damage:** Enter the total direct and plant damage (item 20 plus item 23, to the nearest tenth percent).
25. **Total:** Total of item 24 entries to nearest tenth percent. If more than five samples, enter only the accumulated total on the last page.

COMPUTATIONS

Verify or make the following entries:

Item

No.

Information Required

26. **Sample Average Damage:** Sample average damage to nearest tenth percent (item 25, total number of samples from all pages).
27. **% Potential:** Percent potential to nearest tenth percent (subtract item 26 entry from 100 percent).
28. **APH Yield:** Enter the approved APH yield to nearest whole bushel from the APH form.
29. **Appraisal Bu/A:** Appraisal to nearest tenth bushel (item 27 times item 28).

SOYBEAN FIELD NOTES

Complete the field notes on a representative sample of 20 consecutive plants from the sample area used for stand reduction if stand reduction has occurred. If not, select a representative 20-plant sample.

Verify or make the following entries:

Item

No.

Information Required

30. **Sample Number:** Match the sample with the same numbered sample used in item 13. If more than five samples are needed, use additional pages, and number the samples “6”, “7”, “8”, etc.

31. **Total:** (V-Stages for Determinate Soybeans and VC through R3.5 Stage for Indeterminate Soybean only) Total plants (living, dead, missing, and non-emerged) counted in 10 feet of row. For broadcast soybeans, count the number of plants in a 3'x3' sample area.
32. **Remaining:** (V-Stages for Determinate Soybeans and VC through R3.5 Stage for Indeterminate Soybean only) Remaining live plants in 10 feet of row. For broadcast soybeans, count the number of plants in a 3 ft. x 3 ft. sample area.
33. **Total Nodes:** Total number of nodes on the 20-plant sample, determined by multiplying the nodes per plant for the stage at date of damage times 20.
34. **Nodes Cutoff/Broken Over:** For V stages through R3.5, total number of nodes cutoff and/or broken over on each plant in the sample, entered under appropriate plant number.
35. **% Defoliation:** Percent defoliation on each plant in the sample. (Refer to Fig. 1 on the chart in subsection 6 C (2).

Defoliation is counted only in the V9 through R6.5 stages for determinate beans, and the R1 through R6.5 stages for indeterminate beans.
36. **Total (Cutoff and/or Broken Over):** Total number of nodes cut off and/or broken over (add item 34 entries together for all 20 plants).
37. **Total (Defoliation):** Total defoliation on the 20 plant sample (add item 35 entries together for all 20 plants).
38. **% of Nodes (Cutoff/Broken Over):** Percent of nodes cut off (item 36 divided by item 33 to nearest whole percent).
39. **Average Defoliation Percent:** Average defoliation (item 37 divided by 20 (number of plants sampled), rounded to the nearest whole percent).
40. **% Damage (Cutoff/Broken Over):** Percent cutoff/broken over damage (nearest tenth percent) from the TABLE G (Cutoff/Breakover).
41. **% Damage (Defoliation):** Percent defoliation damage (to the nearest tenth percent) from TABLE H or TABLE I (Indeterminate Soybean or Determinate Soybean Defoliation Percent of Damage), as appropriate.
42. **Total (Percent Plant Damage):** Total percent plant damage (item 40 + item 41), to tenths. Carry this entry to item 22 ("Gross").

PART II - SEED COUNT METHOD (Use at R7 through full maturity)

Verify or make the following entries:

- | Item No. | <u>Information Required</u> |
|-----------------|--|
| 43. | Sample Number: Sample number. If more than ten samples are needed use additional pages and number the samples “11”, “12”, “13”, etc. |
| 44. | Plants Per 10 Feet: Number of plants per ten-foot row length sample. If broadcast soybeans, count the number of plants in a 3' X 3' sample area. If there were no remaining or harvestable plants in the representative sample area or plants with pods containing no seeds, enter “0”. |
| 45. | Plants Per Foot: Item 44 divided by 10 (feet) for each sample, to the nearest tenth. (The row-width factor of “2.22” for broadcast soybeans allows us to divide item 44 by 10 (feet) for broadcast as well as row-cropped soybeans.) |
| 46. | Total Seeds (5 Rep. Plants): Total seeds shelled from five REPRESENTATIVE SOYBEAN PLANTS in each sample (item 44) OR from ALL plants in the sample if there are only five plants, or less. If there were no remaining or harvestable soybean plants in the representative sample area, or the pods on the 5 plants contained no seeds, enter “0”. |
| 47. | Total (item 45): Total of all item 45 sample entries (if more than ten samples, enter on last page only). |
| 48. | Total (item 46): Total of item 46 sample entries (if more than ten samples, enter on last page only). |
| 49. | Number of Samples: Total number of samples from all pages. Include any “0” samples in this count. |
| 50. | Total (Representative) Plants: Total of the REPRESENTATIVE PLANTS from all samples (maximum of five plants per sample). If there are five plants or less in a sample, count ALL of those plants. Do not count any plants for samples with “0” entered in item 46. |
| 51. | Row Width Factor: Row width factor from TABLE B for the row width in item 11 (“Row Width”). |
| 52. | Seed Size Factor: Seed (bean) size factor from TABLE D (refer to subsection 6 D (7)). |
| 53. | Average Plants/Foot: Result of item 47 divided by item 49 (rounded to tenths). |
| 54. | Average Seeds/Plant: Result of item 48 divided by item 50 (rounded to tenths). |
| 55. | Appraisal (Bu/A): Result of item 51 times item 52 times item 53 times item 54. Round to tenths only at the end result. |

56. **Remarks:** Remarks pertinent to the appraisal, sampling, conditions in general (e.g. - very hot and dry), etc.

The following required entries are not illustrated on the Appraisal Worksheet example below.

57. **Adjuster's Signature, Code No., and Date:** Signature of **the** adjuster, code number, and date signed **after** the insured (or insured's authorized representative) has signed. If the appraisal is performed prior to **the** signature date, document the date of appraisal in the "Remarks" section of the Appraisal Worksheet (if available); otherwise, document the appraisal date in the "Narrative" **section** of the Production Worksheet.
58. **Insured's Signature and Date:** Insured's (or insured's authorized representative's) signature and date. **BEFORE** obtaining insured's signature, **REVIEW ALL ENTRIES** on the Appraisal Worksheet **WITH THE INSURED**, particularly explaining codes, etc., which may not be readily understood.
59. **Page:** Page numbers - (Example: Page 1 of 1, Page 1 of 2, Page 2 of 2, etc.).

FOR ILLUSTRATION PURPOSES ONLY
SOYBEAN APPRAISAL WORKSHEET

PART I – STAND REDUCTION AND PLANT DAMAGE METHOD

1 Insured I. M. INSURED	2 Policy Number XXXXXXXX	3 Crop Year YYYY	4 Unit No. 00100	5 Field ID A	6 Practice 003
7 Company ANY COMPANY	8 Date of Damage AUG	9 Acres 10.0	10 Variety WELLS - I	11 Row Width 30"	12 Claim Number XXXXX

13 Sample No.	STAGE OF GROWTH		V-STAGE		18 V-Stage Stand Reduction % Loss	19 R-Stage Plants Destroyed	20 Total Direct Damage	21 % Crop Remaining	PLANT DAMAGE		24 Total Damage (20 + 23)	26 Sample Average Damage	
	14 DOD	15 DOA	16 Original (1000)	17 Remaining (1000)					22 Gross (Item 42)	23 Net (21 x 22)			27 % Potential
1	V4	V5	120.0	25.0	46.0		46.0				46.0	50.0	
2	V4	V5	125.0	22.5	50.0		50.0				50.0	50.0	
3	V4	V5	120.0	20.0	54.0		54.0				54.0	43	
25 Total											150.0	29 Appraisal (BU/A) =	21.5

SOYBEAN FIELD NOTES

SAMPLE NUMBER	PLANTS PER 10 FEET		PLANT NUMBER																		TOTAL	% OF NODES	% DAMAGE	TOTAL				
	31 Total	32 Remaining		34 Nodes Cut Off/ Broken Over	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					17	18	19	20
1	69	14																							36	38	40	
33 Total Nodes			35 % Defoliation																						37	39	41 +	42 =
2	71	13																						36	38	40		
33 Total Nodes			35 % Defoliation																					37	39	41 +	42 =	
3	68	11																						36	38	40		
33 Total Nodes			35 % Defoliation																					37	39	41 +	42 =	

56 Remarks

This form example does not illustrate all required entry items (e.g., signatures, dates, etc.).

FOR ILLUSTRATION PURPOSES ONLY
SOYBEAN APPRAISAL WORKSHEET

PART I – STAND REDUCTION AND PLANT DAMAGE METHOD

1 Insured I. M. INSURED	2 Policy Number XXXXXXXX	3 Crop Year YYYY	4 Unit No. 00200	5 Field ID A	6 Practice 002
7 Company ANY COMPANY	8 Date of Damage JUN 10	9 Acres 10.0	10 Variety WELLS - I	11 Row Width 30"	12 Claim Number XXXXX

13 Sample No.	STAGE OF GROWTH		V-STAGE		18 V-Stage Stand Reduction % Loss	19 R-Stage Plants Destroyed	20 Total Direct Damage	21 % Crop Remaining	PLANT DAMAGE		24 Total Damage (20 + 23)	26 Sample Average Damage	
	14 DOD	15 DOA	16 Original (1000)	17 Remaining (1000)					22 Gross (Item 42)	23 Net (21 x 22)			27 % Potential
1	V4	V5	120.0	25.0	46.0		46.0	54.0	11.0	5.9	51.9	56.9	
2	V4	V5	125.0	22.5	50.0		50.0	50.0	17.2	8.6	58.6	43.1	
3	V4	V5	120.0	20.0	54.0		54.0	46.0	13.4	6.2	60.2	43	
25 Total											170.7	29 Appraisal (BU/A) =	18.5

SOYBEAN FIELD NOTES																				25 Total	29 Appraisal (BU/A)						
SAMPLE NUMBER	PLANTS PER 10 FEET		PLANT NUMBER	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			17	18	19	20	TOTAL	% OF NODES
30 1	31 Total	32 Remaining	34 Nodes Cut Off/ Broken Over	4	1	4	2	0	3	4	1	2	3	3	0	1	4	0	1	3	4	1	3	36 44	38 55	40 11.0	
33 Total Nodes	80		35 % Defoliation																					37	39	41 +	42 = 11.0
30 2	31 Total	32 Remaining	34 Nodes Cut Off/ Broken Over	3	4	1	4	1	1	2	4	4	3	3	2	2	4	0	3	3	2	2	3	36 51	38 64	40 17.2	
33 Total Nodes	80		35 % Defoliation																					37	39	41 +	42 = 17.2
30 3	31 Total	32 Remaining	34 Nodes Cut Off/ Broken Over	1	4	2	3	4	1	4	3	2	3	4	0	2	2	0	1	3	1	4	3	36 47	38 59	40 13.4	
33 Total Nodes	80		35 % Defoliation																					37	39	41 +	42 = 13.4

56 Remarks

This form example does not illustrate all required entry items (e.g., signatures, dates, etc.).

FOR ILLUSTRATION PURPOSES ONLY
SOYBEAN APPRAISAL WORKSHEET

PART I – STAND REDUCTION AND PLANT DAMAGE METHOD

1 Insured I. M. INSURED		2 Policy Number XXXXXXXX		3 Crop Year YYYY		4 Unit No. 00300		5 Field ID A		6 Practice 003	
7 Company ANY COMPANY		8 Date of Damage AUG 11		9 Acres 10.0		10 Variety WELLS - D		11 Row Width 30"		12 Claim Number XXXXX	

13 Sample No.	STAGE OF GROWTH		V-STAGE		18 V-Stage Stand Reduction % Loss	19 R-Stage Plants Destroyed	20 Total Direct Damage	21 % Crop Remaining	PLANT DAMAGE		24 Total Damage (20 + 23)	COMPUTATIONS	
	14 DOD	15 DOA	16 Original (1000)	17 Remaining (1000)					22 Gross (Item 42)	23 Net (21 x 22)		26 Sample Average Damage	27 % Potential
1	R3	R5				29.0	29.0	71.0	17.0	12.1	41.1	41.3	
2	R3	R5				34.0	34.0	66.0	10.8	7.1	41.1	58.7	
3	R3	R5				34.5	34.5	65.5	10.8	7.1	41.6	43	

SOYBEAN FIELD NOTES											25 Total 123.8	29 Appraisal (BU/A) = 25.2
---------------------	--	--	--	--	--	--	--	--	--	--	--------------------------	--------------------------------------

SAMPLE NUMBER	PLANTS PER 10 FEET		PLANT NUMBER	1-20																				TOTAL	% OF NODES	% DAMAGE	TOTAL
	31 Total	32 Remaining		34 Nodes Cut Off/ Broken Over	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19				
30 1			34 Nodes Cut Off/ Broken Over	4	1	4	2	0	3	4	1	2	3	3	0	1	4	0	1	3	4	1	3	36 44	38 16	40 9.6	
33 Total Nodes	280		35 % Defoliation	40	40	50	50	35	45	40	30	35	50	60	40	35	40	35	45	50	35	30	35	37 820	39 41	41 + 7.4	42 = 17.0
30 2			34 Nodes Cut Off/ Broken Over	3	4	1	4	1	1	2	4	4	3	3	2	2	4	0	3	3	2	2	3	36 51	38 18	40 10.8	
33 Total Nodes	280		35 % Defoliation	10	15	15	10	10	20	15	15	10	0	0	10	10	0	15	15	10	0	10	10	37 200	39 10	41 + 0	42 = 10.8
30 3			34 Nodes Cut Off/ Broken Over	1	4	2	3	4	1	4	3	2	3	4	0	2	2	0	1	3	1	4	3	36 47	38 17	40 10.2	
33 Total Nodes	280		35 % Defoliation	20	30	30	20	20	20	30	30	20	10	10	20	20	10	25	25	15	15	20	20	37 410	39 21	41 + 0.6	42 = 10.8

56 Remarks

This form example does not illustrate all required entry items (e.g., signatures, dates, etc.).

PART II - SEED COUNT METHOD TO BE USED AFTER R-7															
1 Insured I. M. INSURED				2 Policy Number XXXXXXXX				3 Crop Year YYYY		4 Unit No. 00400		5 Field ID A		6 Practice 003	
7 Company ANY COMPANY				8 Date of Damage AUG				9 Acres 10.0		10 Variety WELLS - D		11 Row Width 30"		12 Claim Number XXXXXX	
43 SAMPLE NUMBER	1	2	3	4	5	6	7	8	9	10			51 Row Width Factor .80		
44 Plants Per 10 Feet	17	0	15	0	19	16							52 Seed Size Factor .064		
45 Plants Per Foot	1.7	0	1.5	0	1.9	1.6							47 Total 6.7	49 6	53 Average Plants/Foot 1.1
46 Total Seeds (5 Rep. Plants)	320	0	125	0	175	145							48 Total 765	50 20	54 Average Seeds/Plants 38.3
												55 Appraisal(BU/A) 2.2			

This form example does not illustrate all required entry items (e.g., signatures, dates, etc.).

9. CLAIM FORM ENTRIES AND COMPLETION PROCEDURES

A. CLAIM FORM STANDARDS

- (1) The entry items in subsection **9C** are the minimum Claim Form (hereafter referred to as “Production Worksheet”) requirements. All of these entry items are considered “Substantive,” (i.e., they are required.)
- (2) Production Worksheet completion instructions. The completion instructions for the required entry items on the Production Worksheet in the following subsections are “Substantive,” (i.e., they are required.)
- (3) The Privacy Act and Nondiscrimination statements are required statements that must be printed on the form or provided as a separate document. These statements are not shown in the example form in this section. The current Privacy Act and Nondiscrimination Statements can be found in the DSSH.
- (4) The certification statement required by the current DSSH must be included on the form directly above the insured’s signature block and immediately followed by the statement below.

“I understand the certified information on this Production Worksheet will be used to determine my loss, if any, to the above unit. The AIP may audit and approve this information and supporting documentation. The Federal Crop Insurance Corporation, an agency of the United States, subsidizes and reinsures this crop insurance.”

- (5) Refer to the DSSH for other crop insurance form requirements (e.g., point size of font, etc.)

B. GENERAL INFORMATION FOR ENTRIES AND COMPLETION INSTRUCTIONS

- (1) The claim form (hereafter referred to as “Production Worksheet”) is a progressive form containing all notices of damage for all preliminary, replant, and final inspections on a unit.
- (2) If a Production Worksheet has been prepared on a prior inspection, verify each entry and enter additional information as needed. If a change or correction is necessary, strike out all entries on the line and re-enter correct entries on a new line. The adjuster and insured should initial any line deletions.
- (3) Refer to the LAM for instructions regarding the following:
 - (a) Acreage report errors.
 - (b) Delayed notices and delayed claims.

- (c) Corrected claims or fire losses (double coverage) and cases involving uninsured causes of loss, unusual situations, controversial claims, concealment, or misrepresentation.
 - (d) Claims involving a Certification Form (when all the acreage on the unit has been appraised to be put to another use, when acreage is being appraised for a replanting payment and all acreage on the unit has been initially planted, or other reasons described in the LAM).
 - (e) “No Indemnity Due” claims (which must be verified by an APPRAISAL or NOTIFICATION from the insured that the production exceeded the guarantee).
 - (f) Late planting.
- (4) Refer to the Prevented Planting Handbook for information on prevented planting.
 - (5) The adjuster is responsible for determining if any of the insured’s requirements under the notice and claim provisions of the policy have not been met. If any have not, the adjuster should contact the **AIP**.
 - (6) Instructions labeled “**PRELIMINARY**” apply to preliminary inspections only. Instructions labeled “**REPLANT**” apply to replant inspections only. Instructions labeled “**FINAL**” apply to final inspections only. Instructions not labeled apply to ALL inspections.

C. FORM ENTRIES AND COMPLETION INFORMATION

Verify or make the following entries:

<u>Item No.</u>	<u>Information Required</u>
1.	Crop/Code #: “Soybeans” (0081).
2.	Unit #: Five-digit unit number from the Summary of Coverage after it is verified to be correct (e.g., 00100).
3.	Legal Description: Section, township, and range number, or other legal description that identifies the location of the unit.
4.	Date of Damage: First three letters of the month during which MOST of the insured damage (including progressive damage) occurred for each inspection. Include the SPECIFIC DATE where applicable as in the case of hail damage (e.g., AUG 11).
5.	Cause of Damage: Name of insured cause(s) of loss for this crop as listed in the LAM. If it is evident that no indemnity is due, enter “NONE.” If an insured cause of loss is coded as “Other,” explain in the “Narrative.”

Refer to the Basic Provisions and the crop provisions for this crop for **the applicable** information pertaining to insured and uninsured causes of loss.

6. **Primary Cause %:**

PRELIMINARY: MAKE NO ENTRY.

REPLANT AND FINAL: Percent of damage for the cause of damage listed in item 5 that is determined to be the primary cause of damage, to the nearest whole percent. The primary cause of damage must exceed 50 percent (e.g., 51%). Enter an “X” for the major secondary cause of damage.

7. **Company/Agency:** Name of company and agency servicing the contract.

8. **Name of Insured:** Name of the insured that identifies EXACTLY the person (legal entity) to whom the policy is issued.

9. **Claim #:** Claim number as assigned by the **AIP**.

10. **Policy #:** Insured’s assigned policy number.

11. **Crop Year:** Four-digit crop year, as defined in the policy, for which the claim is filed.

12. **Additional Units:**

PRELIMINARY AND REPLANT: MAKE NO ENTRY.

FINAL: Unit number(s) for ALL non-loss units for the crop at the time of final inspection. A non-loss unit is any unit for which a Production Worksheet has not been completed. Additional non-loss units may be entered on a single Production Worksheet.

If more spaces are needed for non-loss units, enter the unit numbers, identified as “Non-Loss Units,” in the **Narrative** or on an attached Special Report.

13. **Est. Prod. Per Acre:**

PRELIMINARY AND REPLANT: MAKE NO ENTRY.

FINAL: Estimated yield per acre, in whole bushels, of all non-loss units for the crop at the time of final inspection.

14. **Date(s) Notice of Loss:**

PRELIMINARY:

- a. Date the notice of damage was given for the unit in item 2.
- b. A third preliminary inspection (if needed) requires an additional set of Production Worksheets. Enter the date of notice for a third preliminary inspection in the 1st space of item 14 on the second set **of Production Worksheets**.
- c. Reserve the “Final” space on the first page of the first set of Production Worksheets for the date of notice for the final inspection.

- d. If the inspection is initiated by the **AIP**, enter “Company Insp.” instead of the date.

REPLANT AND FINAL: Transfer the last date in the 1st or 2nd space to the FINAL space if a final inspection should be made as a result of the notice. Always enter the complete date of notice (**MM/DD/YYYY**) for the FINAL inspection in the FINAL space on the first page of the first set of Production Worksheets. For a delayed notice of loss or delayed claim, refer to the LAM.

15. **Companion Policy(s):**

- a. If no other person has a share in the unit (insured has 100 percent share), MAKE NO ENTRY.
- b. In all cases where the insured has LESS than a 100 percent share of a loss-affected unit, ask the insured if the OTHER person sharing in the unit has a multiple-peril crop insurance contract (i.e., not crop-hail, fire, etc.). If the other person does not, enter “NONE.”
- (1) If the other person has a multiple-peril crop insurance contract and it can be determined that the SAME **AIP** services it, enter the contract number. Handle these companion policies according to **AIP** instructions.
 - (2) If the OTHER person has a multiple-peril crop insurance contract and a DIFFERENT **AIP** or agent services it, enter the name of the **AIP** and/or agent (and contract number) if known.
 - (3) If unable to verify the existence of a companion contract, enter “Unknown” and contact the **AIP** for further instructions.
 - (4) Refer to the LAM for further information regarding companion contracts.

SECTION I - ACREAGE APPRAISED, PRODUCTION AND ADJUSTMENTS

Make separate line entries for varying:

- (1) Rate classes, types, or farming practices;
- (2) APH yields;
- (3) Appraisals;
- (4) Adjustments to appraised mature production (moisture and/or quality adjustment factors);
- (5) Stages or intended use(s) of acreage;
- (6) Shares (e.g., 50 percent and 75 percent shares on the same unit); or
- (7) Appraisals for damage due to hail or fire if Hail and Fire Exclusion is in effect.

Verify or make the following entries:

**Item
No.**

Information Required

- A. **Field ID:** The field identification symbol from a sketch map or an aerial photo. Refer to the **Narrative**. In the margin (or in a separate column), enter the date of inspection for the last line entry of each inspection.

REFER TO THE LAM FOR INSTRUCTIONS REGARDING ENTRY OF FIRST CROP AND SECOND CROP CODES.

Where acreage is PARTLY replanted, omit the field ID symbol for the fields that have not been replanted and that have been consolidated into a single line entry.

- B. **Preliminary Acres:**

PRELIMINARY: The number of acres, to tenths, (include “E” if estimated), for which consent for other use has been given. Determine **the** actual acreage, to tenths, when the boundaries of the appraised acreage may not be determined later.

REPLANT AND FINAL: MAKE NO ENTRY.

- C. **Final Acres:** Refer to the LAM for definition of acceptable determined acres used herein.

Determined acres to tenths (include “E” if estimated) for which consent is given for other use and/or:

- a. Put to other use without consent.
- b. Abandoned.
- c. Damaged by uninsured causes.
- d. For which the insured failed to provide acceptable records of production.

REPLANT: Determine the total acres, to tenths, of replanted acreage (DO NOT ESTIMATE). Make a separate line entry for any PART of a field or subfield NOT replanted.


- a. Determine the planted acreage of any fields or subfields NOT replanted. Consolidate it into a single line entry UNLESS the usual reasons for separate line entries apply. Record the field or subfields identities (from a map or aerial photo) in the narrative.
- b. ACCOUNT FOR ALL PLANTED ACREAGE IN THE UNIT.

FINAL: Determined acres to tenths.

Acreage breakdowns WITHIN a unit may be estimated (enter “E” in front of the acres) if a determination is impractical AND if authorization was received from the **AIP**. Document authorization in the Narrative.

ACCOUNT FOR ALL ACREAGE IN THE UNIT. In the event of over-reported acres, handle in accordance with individual AIP instructions. In the event of under-reported acres, draw a diagonal line in Column “C” as shown.

- C₁ Enter the ACTUAL acres for the field or subfield.
- C₂ Enter the REPORTED acres for the field or subfield.



- D. **Interest or Share:** Insured’s interest in the crop to three decimal places as determined at the time of inspection. If shares vary on the same UNIT, use separate line entries.
- E. **Risk:** Three-digit code for the correct “Rate Class” specified on the actuarial documents. If a “Rate Class” or “High Risk Area” is not specified on the actuarial documents, MAKE NO ENTRY. Verify with the Summary of Coverage and if the Rate Class is found to be incorrect, revise according to the AIP’s instructions. Refer to the LAM.

Unrated land is uninsurable without a written agreement.

- F. **Practice:** Three-digit code number entered exactly as specified on the actuarial documents, for the practice carried out by the insured. If “No Practice Specified,” enter the appropriate 3-digit code number from the actuarial documents.
- G. **Type/Class/Variety:** Three-digit code number entered exactly as specified on the actuarial documents, for the type grown by the insured. If “No Type Specified,” enter the appropriate 3-digit code number from the actuarial documents.
- H. **Stage:**

PRELIMINARY: MAKE NO ENTRY.

REPLANT: Replant stage abbreviation as shown below.

<u>STAGE</u>	<u>EXPLANATION</u>
“R”	Acreage replanted and qualifying for replanting payment.
“NR”	Acreage not replanted or not qualifying for a replanting payment. Enter “NR” if the combined potential production appraisal and uninsured cause appraisal totals 90 percent or more of the guarantee for replant claims.

FINAL: Stage abbreviation as shown below.

<u>STAGE</u>	<u>EXPLANATION</u>
“P”	Acres abandoned without consent, put to other use without consent, damaged solely by uninsured causes, or for which the insured failed to provide records of production which are acceptable to the AIP .
“H”	Harvested.
“UH”	Unharvested or put to other use with consent.

PREVENTED PLANTING: Refer to the **Prevented Planting Handbook** for proper codes for any eligible prevented planting acreage.

GLEANED ACREAGE: Refer to the **LAM** for information on gleaning.

I. **Intended or Final Use:** Use of acreage. Use the following “Intended Use” abbreviations.

<u>USE</u>	<u>EXPLANATION</u>
“Replant”	Acres replanted and qualifying for replanting payment
“Not Replanted”	Acres not replanted or not qualifying for a replanting payment
“To Millet,” etc	Use made of the acreage
“WOC”	Other use without consent
“SU”	Solely uninsured
“ABA”	Abandoned without consent
“H”	Harvested
“UH”	Unharvested

Verify any “Intended Use” entry. If the final use of the acreage was not as indicated, strike out the original line and initial it. Enter all data on a new line showing the correct “Final Use.”

PREVENTED PLANTING: Refer to the **Prevented Planting Handbook** for proper codes for any eligible prevented planting acreage.

GLEANED ACREAGE: Refer to the **LAM** for information on gleaning.

J. **Appraised Potential:**

REPLANT: MAKE NO ENTRY. (Enter the replant appraisal in the Narrative. Refer to section 4, “**Replanting Payment Procedures**” for additional instructions.)

PRELIMINARY AND FINAL: Per-acre appraisal in bushels, to tenths, of **POTENTIAL** production for the acreage appraised. Refer to section 5, “**Soybean Appraisals**” for additional instructions.

If there is no potential on UH acreage, enter “0.”

K₁. Moisture %:

REPLANT: MAKE NO ENTRY.

PRELIMINARY AND FINAL: Moisture percent (if in excess of **13.0 percent**) to tenths. Moisture adjustment is applied prior to applying any qualifying adjustment for quality.

K₂. Factor:

REPLANT: MAKE NO ENTRY.

PRELIMINARY AND FINAL: Moisture factor - For appraised mature grain production in excess of **13.0 percent**, obtain **moisture** factor from **TABLE J (Soybean Moisture Adjustment Factors)**.

L. Shell and/or Quality Factor:

REPLANT: MAKE NO ENTRY.

PRELIMINARY AND FINAL: For mature unharvested soybeans which due to insurable causes qualify for quality adjustment as provided in the Coarse Grains Crop Provisions, enter the Quality Adjustment factor (three place decimal) calculated in accordance with the Quality Adjustment Statements in the Special Provisions. If appraised mature soybeans have no value, enter “.000.” For additional quality adjustment definitions, instructions, qualifications and testing requirements, refer to the LAM and the Official United States Standards for Grain. Also refer to the quality adjustment instructions in the “Narrative,” herein.

M. + Uninsured Cause:

REPLANT: MAKE NO ENTRY.

PRELIMINARY AND FINAL: EXPLAIN IN THE NARRATIVE.

a. Hail and Fire exclusion NOT in effect.

- (1) Enter NOT LESS than the insured’s production guarantee per acre in bushels, **rounded** to tenths, for the line, (calculated by multiplying the elected coverage level percentage times the approved APH yield per acre shown on the APH form) for any “P” stage acreage.

On preliminary inspections, advise the insured to keep the harvested production from any acreage damaged SOLELY by uninsured causes separate from other production.

- (2) For acreage that is damaged PARTLY by uninsured causes, enter the APPRAISED UNINSURED loss of production per acre in bushels, to tenths, for any such acreage. **Refer to the LAM for information on how to determine uninsured cause appraisals.**

- b. When there is late-planted acreage, the applicable per-acre production guarantee for such acreage is the production guarantee that has been reduced for late-planted acreage.
- c. Refer to the LAM when a Hail and Fire Exclusion is in effect and damage is from hail or fire.
- d. Enter the result of adding uninsured cause appraisals to hail and fire exclusion appraisals.

For fire losses, if the insured also has other fire insurance (double coverage), refer to the LAM.

N. Adjusted Potential:

REPLANT: Enter the bushels per acre allowed for replanting. (Refer to section 4, "Replanting Payment Procedures," for qualifications and computations.)

PRELIMINARY AND FINAL: Column "J" times Column "K₂" times Column "L" plus Column "M," rounded to bushels to tenths.

O. Total to Count: Column "C or C₁" (actual acres) times Column "N," rounded to tenths.

P. Per Acre: Per Acre Guarantee - Enter the per acre production guarantee from the insured's policy. Refer to the LAM for late planting procedures.

Q. Total: Column "C₂" (reported acres; "C" if acreage is not under-reported), times Column "P," rounded to tenths.

16. Total Acres:

PRELIMINARY: MAKE NO ENTRY.

REPLANT and FINAL: Total Actual Acres (Column "C" or ["C₁" if there are under-reported acres]), to tenths.

FOR ITEM 17. WHEN SEPARATE LINE ENTRIES ARE MADE FOR VARYING SHARES, STAGES, APH YIELDS, PRICE ELECTIONS, TYPES, ETC., WITHIN THE UNIT, AND TOTALS NEED TO BE KEPT SEPARATE FOR CALCULATING INDEMNITIES, MAKE NO ENTRY AND FOLLOW THE AIP'S INSTRUCTIONS; OTHERWISE, MAKE THE FOLLOWING ENTRIES.

17. Totals:

PRELIMINARY: MAKE NO ENTRY.

REPLANT and FINAL: Total of Column "O" and total of Column "Q".

NARRATIVE:

If more space is needed, document on a Special Report, and enter “See Special Report.” Attach the Special Report to the Production Worksheet.

- a. If no acreage is released on the unit, enter “No acreage released,” adjuster’s initials, and date.
- b. If notice of damage was given and “No Inspection” is necessary, enter the unit number(s), “No Inspection,” date, and adjuster’s initials. The insured’s signature is not required.
- c. Explain any uninsured causes, unusual, or controversial cases.
- d. If there is an appraisal in Section I, Column M for uninsured causes due to a hail/fire exclusion, show the original hail/fire liability per acre and the hail/fire indemnity per acre.
- e. Document the actual appraisal date if an appraisal was performed prior to the adjuster’s signature date on the appraisal worksheet, and the date of the appraisal is not recorded on the appraisal worksheet.
- f. State that there is “No other fire insurance” when fire damages or destroys the insured crop and it is determined that the insured has no other fire insurance. Refer to the LAM.
- g. Explain any errors found on the Summary of Coverage.
- h. Explain any commingled production. Refer to the LAM.
- i. Explain any entry for “Production Not to Count” in Section II, Column “O,” and/or any production not included in Section II, Column “I” or Columns “B” - “E” entries (e.g., harvested production from uninsured acreage that can be identified separately from the insured acreage in the unit).
- j. Explain a “NO” checked in item 19, “Similar Damage.”
- k. Attach a sketch map or aerial photo to identify the total unit:
 - (1) If consent is or has been given to put part of the unit to another use or to replant;
 - (2) If acreage has been replanted to a practice uninsurable as an original practice;
 - (3) If uninsured causes are present; or
 - (4) For unusual or controversial cases.

Indicate on the sketch map or aerial photo, the disposition of acreage destroyed or put to other use with or without consent.
- l. Explain any difference between date of inspection and signature dates. For an ABSENTEE insured, enter the date of the inspection AND the date of mailing the Production Worksheet for signature.
- m. When any other adjuster or supervisor accompanied the adjuster on the inspection, enter the code number of the other adjuster or supervisor and the date of inspection.

- n. Explain the reason for a “No Indemnity Due” claim. “No Indemnity Due” claims are to be distributed in accordance with the **AIP**’s instructions.
- o. Explain any delayed notices or delayed claims as instructed in the LAM.
- p. Document any authorized estimated acres shown in Section I, Column C as follows: “Line 3 ‘E’ acres authorized by **the AIP** MM/DD/YYYY.”
- q. Document the method and calculation used to determine acres for the unit. Refer to the LAM.
- r. Specify the type of insects or disease when the insured cause of damage or loss is listed as insects or disease. The LAM lists Asian Soybean Rust as a separate cause of loss. Explain why control measures did not work, **or if control measures were unavailable**.
- s. Document the appraisal (plus appraisal for uninsured causes of loss, if applicable) for replanted acreage, and the calculations to show that the qualification for a replanting payment have been met. Refer to section 4.
- t. If any acreage to be replanted in the unit does not qualify for a replanting payment, enter Field No., “NOT QUAL FOR RP PAYMENT,” date of inspection, adjuster’s initials, and reason not qualified.
- u. Explain any “.000” QA factor entered in Section I, Column “L” and Section II, Column “R.” Explain any deficiencies, substances, or conditions that are allowed for quality adjustment, as well as any which were not allowed. **If mycotoxins are present, enter the level**. Also, enter the RIV’s and Local Market Price used in establishing the QA factor for mature appraised production. Document any excess transportation costs or conditioning costs used to determine the QA factor.
- v. Document field ID’s, date, and method of destruction of mycotoxin-infested soybeans if they have no market value. For further documentation instructions, refer to the LAM.
- w. Document the name and address of the charitable organization when gleaned acreage is applicable. Refer to the LAM for more information on gleaning.
- x. Document any other pertinent information, including any data to support any factors used to calculate the production.

SECTION II - HARVESTED PRODUCTION

GENERAL INFORMATION:

- (1) Account for **ALL HARVESTED PRODUCTION** (for **ALL ENTITIES** sharing in the crop) except production appraised **BEFORE** harvest and shown in Section I because the quantity cannot be determined later (e.g., high moisture grain going into air-tight storage, released for other uses, etc.).
- (2) Columns “B” through “E” are for structure measurement entries (Rectangular, Round, Square, Conical Pile, etc.). If structures are a combination of shapes, break into a series of average measurements, if possible. Enter “Odd Shape” if production is stored in an odd shaped structure. Document measurements on a Special Report or other worksheet used for this purpose.
- (3) If farm-stored production has been weighed prior to storage and acceptable weight tickets are available showing gross weights, enter “Weighed and Stored On Farm” in Columns “B” through “E.” Refer to the LAM for acceptable weight tickets.

- (4) For production commercially stored, sold, etc., make entries in Columns “B” through “E” as follows:
 - (a) Name and address of storage facility or buyer.
 - (b) “Seed,” “Fed,” etc.
- (5) There will be no “harvested production” entries for replanting payments.
- (6) If acceptable sales or weight tickets are not available, refer to the LAM.
- (7) If additional lines are necessary, the data may be entered on a continuation sheet.
USE SEPARATE LINES FOR:
 - (a) Separate storage structures.
 - (b) Varying names and addresses of buyers of sold production.
 - (c) Varying determinations of production (varying moisture, foreign material (FM), test weight, value, etc.).

Average percent of dockage or moisture can be entered when the elevator has calculated the average on the summary sheet, and the determined average is acceptable to the adjuster. Separate line entries are not otherwise required. Refer to the LAM for instructions.
 - (d) Varying shares (e.g., 50 percent and 75 percent shares on same unit).
 - (e) Conical piles. Do **NOT** add the cone in the top or bottom of a bin to the height of other grain in the structure. For computing the production in cones and conical piles, refer to the LAM.
- (8) There will generally be no harvested production entries in Columns “A” through “S” for preliminary inspections.
- (9) If there is harvested production from more than one insured practice (or type) and a separate approved APH yield has been established for each, the harvested production also must be entered on separate lines in Columns “A” through “S” by type or practice. If production has been commingled, refer to the LAM.

Verify or make the following entries:

**Item
No.**

Information Required

18. **Date Harvest Completed: (Used to determine if there is a delayed notice or a delayed claim. Refer to the LAM.)**

PRELIMINARY: MAKE NO ENTRY.

REPLANT AND FINAL:

- a. The earlier of the date the ENTIRE acreage on the unit was (1) harvested, (2) totally destroyed, (3) put to other use, (4) a combination of harvested, destroyed, or put to other use, or (5) the calendar date for the end of the insurance period.

- b. If at the time of final inspection (if prior to the end of the insurance period), there is any unharvested insured acreage remaining on the unit that the insured does not intend to harvest, enter “**Incomplete.**”
- c. If at the time of final inspection (if prior to the end of the insurance period), **none** of the insured acreage on the unit has been harvested, and the insured does not intend to harvest such acreage, enter “**No Harvest.**”
- d. If the case involves a Certification Form, enter the date from the Certification Form when the entire unit is put to another use, replanting is complete for the unit, etc. Refer to the LAM.

19. **Similar Damage:**

PRELIMINARY: MAKE NO ENTRY.

REPLANT AND FINAL: Check “Yes” or “No.” Check “Yes” if **the** amount and cause of damage due to insurable causes is similar to the experience of other farms in the area. If “No” is checked, explain in the Narrative.

20. **Assignment of Indemnity:** Check “Yes” **only** if an assignment of indemnity is in effect for the crop year; otherwise, check “No.” Refer to the LAM.

21. **Transfer of Right to Indemnity:** Check “Yes” **only** if a transfer of right to indemnity is in effect for the unit for the crop year; otherwise, check “No.” Refer to the LAM.

A₁. **Share:** RECORD ONLY VARYING SHARES on SAME unit to three decimal places.

A₂. **Field ID:**

- a. If only one practice and/or type of harvested production is listed in Section I, MAKE NO ENTRY.
- b. If more than one practice and/or type of harvested production is listed in Section I, and a separate approved APH yield exists, indicate for each practice/type the corresponding Field ID (from Section I, Column “A.”)
- c. **REFER TO THE LAM FOR INSTRUCTIONS REGARDING ENTRY OF FIRST CROP AND SECOND CROP CODES.**

B. **Length or Diameter:** Internal measurement in feet **rounded** to tenths of structural space occupied by **the** crop.

- a. Length if rectangular or square.
- b. Diameter if round or conical pile. Refer to the LAM to convert circumference to diameter if internal diameter measurement is not possible.

C. **Width:** Internal width measurement in feet to tenths of space occupied by **the** crop in structure if rectangular or square. If round, enter “RND.” If conical pile, enter “Cone.”

- D. **Depth:** Depth measurement in feet to tenths of space occupied by **the** crop in rectangular, round, or square structure. If conical pile, enter the height of the cone. If there is production in the storage structure from other units or sources, refer to the LAM.
- E. **Deduction:** Cubic feet, to tenths, of crop space displaced by chutes, vents, studs, crossies, etc. Refer to the LAM for computation instructions.
- F. **Net Cubic Feet:** Net cubic feet of **the** crop in the storage structure. Refer to the LAM for computation instructions.
- G. **Conversion Factor:** Enter Conversion Factor as .8 (only if structure measurements are entered).
- H. **Gross Prod.:** Multiply Column “F” times Column “G,” rounded to tenths of a bushel.
- I. **Bu., Ton, Lbs., Cwt.:** Circle “Bu.” in column heading. Production in bushels, **rounded** to tenths, before deductions for grain moisture and foreign material for production:
- a. Weighed and stored on the farm.
 - b. Sold and/or stored in commercial storage - Obtain **the** gross production for the UNIT from the summary and/or settlement sheets. (Individual load slips only WILL NOT suffice unless the storage facility or buyer WILL NOT provide summary and/or settlement sheets to the insured, and this is documented in the **Narrative**.)
 - c. Stored in odd-shaped structures. The adjuster must compute the amount of gross production. (Refer to the LAM for cubic footage and production computations). A copy of ALL production calculations must be left in the file folder.
 - d. For mycotoxin-infected soybeans, enter ALL production even if it has no market value.
- J. **Shell/Sugar Factor:** MAKE NO ENTRY
- K₁. **FM %:** Make entry to **tenths**. Refer to the LAM for entry instructions.
Refer to the LAM for FGIS definitions of “FM” and “Dockage.”
- K₂. **Factor:** Enter the three-place factor determined by subtracting the percent of FM from 1.000, or subtract the entry in K₁ from 100 and divide by 100. **EXAMPLE:** For 4 percent, enter “.960.”
- L₁. **Moisture %:** Enter moisture percent to tenths. Moisture adjustment is applied prior to applying any qualifying adjustment for quality.
- L₂. **Factor:** If grain moisture is more than **13.0 percent**, enter the four-place moisture factor from **TABLE J (Soybean Moisture Adjustment Factors)**
- M₁. **Test Wt.:** Enter test weight (ONLY when storage structure measurements are entered) in whole pounds (or pounds **rounded** to tenths IF so instructed by the **AIP**). Refer to the LAM for instructions on determining test weight.

M₂. **Factor:** Combination Test Weight and Pack Factor - Enter the factor from **TABLE C (Combined Test Weight and Pack Factor)** for the square footage of floor space in the storage structure. Refer to the LAM for instructions on calculating floor space of a structure.

If the **AIP** instructions are to enter test weight **rounded** to **tenths**, use the nearest ½ pound test weight value on the combination test weight/pack factor chart.

For test weights not shown on the chart, multiply the actual test weight by the last available combination test weight pack factor for the appropriate structure size and divide the result by the last available test weight shown on the chart.

EXAMPLE FOR TEST WEIGHT NOT SHOWN ON THE CHART:

Soybeans with a test weight of 66 pounds stored in a less than 255 Sq. Ft. bin.
66 **pounds** (actual test weight) x 1.103 (last available factor) ÷ 65 (last available test weight)
= 1.120

N. **Adjusted Production:** Result of multiplying (“H” or “I”) x “K₂” x “L₂” x “M₂.” **(Rounded to tenths).**

O. **Prod. Not to Count:** Net production NOT to count, in bushels, to tenths, WHEN ACCEPTABLE RECORDS IDENTIFYING SUCH PRODUCTION ARE AVAILABLE, from harvested acreage which has been assessed an appraisal of not less than the guarantee per acre, or from other sources (e.g., other units or uninsured acreage) in the same storage structure (if the storage entries include such production).

THIS ENTRY MUST NEVER EXCEED PRODUCTION SHOWN ON THE SAME LINE. EXPLAIN THE TOTAL BIN CONTENTS (bin grain depth, etc.) AND ANY “PRODUCTION NOT TO COUNT” IN THE NARRATIVE.

Make no entry if only the depth for production to count has been entered in Column “D,” and the depth for production not to count has been entered in the “Narrative” section. Refer to the example in the LAM.

P. **Production:** Result of subtracting the entry in Column “O” from Column “N,” to tenths.

Q₁. **Value:** When applicable, enter the Reduction in Value (RIV). RIV must be limited to amounts that are usual, customary, and reasonable. (Refer to the Special Provisions and the LAM for further instructions.)

DO NOT make an entry when the quality adjustment factor can be obtained from the charts in the Special Provisions.

Q₂. **MKT. Price:** If an entry is in item “Q₁,” enter the Local Market Price for U.S. Grade No. 1 Soybeans (refer to the crop provisions). Refer to the LAM for further instructions.

DO NOT make an entry when the quality adjustment factor can be obtained from the charts in the Special Provisions.

R. **Quality Factor:** For production eligible for quality adjustment, enter the 3-digit quality adjustment factor determined by subtracting the result of “Q₁” divided by “Q₂” from 1.000, or 1.000 minus the discount factor(s) obtained from the Special Provisions.

- S. **Production to Count:** Enter result from multiplying Column “P” times Column “R” in bushels, rounded to tenths.

FOR ITEMS 22 - 24. WHEN SEPARATE LINE ENTRIES ARE MADE FOR VARYING SHARES, STAGES, APH YIELDS, PRICE ELECTIONS, TYPES, ETC., WITHIN THE UNIT, AND TOTALS NEED TO BE KEPT SEPARATE FOR CALCULATING INDEMNITIES, MAKE NO ENTRY AND FOLLOW THE AIP'S INSTRUCTIONS; OTHERWISE, MAKE THE FOLLOWING ENTRIES.

22. **Section II Total:**

PRELIMINARY AND REPLANT: MAKE NO ENTRY.

FINAL: Total of Column “S,” to tenths.

23. **Section I Total:**

PRELIMINARY AND REPLANT: MAKE NO ENTRY.

FINAL: Enter the figure from Section I, Column “O” total.

24. **Unit Total:**

PRELIMINARY AND REPLANT: MAKE NO ENTRY.

FINAL: Total of 22 and 23, to tenths.

The following required entries are not illustrated on the Production Worksheet example below.

25. **Adjuster’s Signature, Code #, and Date:** Signature of adjuster, code number, and date signed **after** the insured (or insured’s authorized representative) has signed. For an absentee insured, enter adjuster’s code number **ONLY**. The signature and date will be entered **AFTER** the absentee has signed and returned the Production Worksheet.

Final indemnity inspections and final replanting payment inspections should be signed on bottom line.

26. **Insured’s Signature and Date:** Insured’s (or insured’s authorized representative’s) signature and date. **BEFORE** obtaining insured’s signature, **REVIEW ALL ENTRIES** on the Production Worksheet **WITH THE INSURED**, particularly explaining codes, etc., that may not be readily understood.

Final indemnity inspections and final replanting payment inspections should be signed on the bottom line.

27. **Page:**

PRELIMINARY: Page numbers - “1,” “2,” etc., at the time of inspection.

REPLANT AND FINAL: Page numbers - (Example: Page 1 of 1, Page 1 of 2, Page 2 of 2, etc.).

1 Crop/Code #	2 Unit #	3 Legal Description			PRODUCTION WORKSHEET (FOR ILLUSTRATION PURPOSES ONLY)				8 Name of Insured I. M. INSURED							
SOYBEANS - 0081	00200	SW1-96N-30W							7 Company <u>ANY COMPANY</u>				9 Claim # XXXXXXXX		11 Crop Year YYYY	
4 Date of Damage	JUN 10				Agency <u>ANY AGENCY</u>				10 Policy # XXXXXXXX							
5 Cause of Damage	HAIL								14 Date(s) Notice of Loss		1 st MM/DD/YYYY		2 nd MM/DD/YYYY		Final MM/DD/YYYY	
6 Primary Cause %	100								15 Companion Policy(s)							
12 Additional Units	00300	00100	00400													
13 Est. Prod Per Acre	40	40	40													

SECTION I - ACREAGE APPRAISED, PRODUCTION AND ADJUSTMENTS

ACTUARIAL										POTENTIAL YIELD					STAGE GUARANTEE	
A	B	C	D	E	F	G	H	I	J	K ₁ K ₂	L	M	N	O	P	Q
Field ID	Prelim Acres	Final Acres	Interest or Share	Risk	Practice	Type Class Variety	Stage	Intended or Final Use	Appraised Potential	Moisture % Factor	Shell and/or Quality Factor	+Uninsured Cause	Adjusted Potential	Total to Count (C x N)	Per Acre	Total (C x P)
M/D A NS	7.5 E	10.0	1.000		002	997	UH	PLOWED	18.5				18.5	185.0	28.0	280.0
M/D B NS		10.0	1.000		002	997	P	WOC				28.0	28.0	280.0	28.0	280.0
M/D C NS		60.2	1.000		002	997	H	H							28.0	1685.6
16 TOTAL		80.2											17 TOTALS	465.0		2245.6

NARRATIVE (If more space is needed, attach a Special Report) Soybeans at Acme Elevator weighed 44# per bushel and had 9.9% kernel damage. Field B- Put to other use without consent. Fields C determined from FSA permanent field measurements. Field A & B - wheel measured. Refer to attached Special Report for measurements and calculations. Refer to attached FGIS Grade Certificate. Test Wt. = 44# (DF = .015) + 9.9% Kernel Damage (DF = .051) = .066 1.000 - .066 = .934 Quality Adjustment Factor.

SECTION II - HARVESTED PRODUCTION

18 Date Harvest Completed MM/DD/YYYY					19 Damage Similar to Other Farms in the Area? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>					20 Assignment of Indemnity? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>					21 Transfer of Right To Indemnity? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>				
MEASUREMENTS					GROSS PRODUCTION					ADJUSTMENTS TO HARVESTED PRODUCTION									
A ₁ A ₂	B	C	D	E	F	G	H	I	J	K ₁ K ₂	L ₁ L ₂	M ₁ M ₂	N	O	P	Q ₁ Q ₂	R	S	
Share	Length or Diameter	Width	Depth	Deduction	Net Cubic Feet	Conversion Factor	Gross Prod. (F x G)	Bu. Ton Lbs. Cwt.	Shell/Sugar Factor	FM% Factor	Moisture% Factor	Test Wt. Factor	Adjusted Production HorIxJxK ₂ xL ₂ xM ₂	Prod. Not To Count	Production(N - O)	Value Mkt. Price	Quality Factor	Production To Count (P X R)	
	ACME ELEVATOR ANYTOWN, ANY STATE							530.1		1.0 .990				524.8		524.8		.934	490.2
	14.0	RND	10.0		1539.4	.8	1231.5				16.7 .9556	52 .903		1062.7		1062.7			1062.7
22 Section II Total																	1552.9		
23 Section I Total																	465.0		
24 Unit Total																	2017.9		

This form example does not illustrate all required entry items (e.g., signatures, dates, etc.).

1. Crop/Code # SOYBEANS 0081	2. Unit # 00100	3. Legal Description SW1-96N-30W
4. Date of Damage JUN 10		
5. Cause of Damage HAIL		
6. Primary Cause % 100		
12. Additional Units		
13. Est. Prod. Per Acre		

**FOR ILLUSTRATION PURPOSES ONLY
PRODUCTION WORKSHEET**

7. Company **ANY COMPANY**
Agency **ANY AGENCY**

8. Name of Insured I. M. INSURED		
9. Claim # XXXXXXXX	11. Crop Year YYYY	
10. Policy # XXXXXXXX		
14. Date(s) Notice of Loss	1 st MM/DD/YYYY	2 nd Final MM/DD/YYYY
15. Companion Policy(s)		

SECTION I - ACREAGE APPRAISED, PRODUCTION AND ADJUSTMENTS

ACTUARIAL									POTENTIAL YIELD						STAGE GUARANTEE		
A	B	C	D	E	F	G	H	I	J	K ₁	L	M	N	O	P	Q	
Field ID	Prelim Acres	Final Acres	Interest or Share	Risk	Practice	Type Class	Stage	Intended or Final Use	Appraised Potential	Moisture % Factor	Shell and/or Quality Factor	+ Uninsured Cause	Adjusted Potential	Total To Count	Per Acre	Total (C x P)	
A M/D	30.0	30.0	1.000		002	997	R	REPLANTED					2.8	84.0	28.0	840.0	
		40.0	1.000		002	997	NR	NOT REPLANTED							28.0	1120.0	
16. TOTAL		70.0												84.0		1960.0	
														17. TOTALS		84.0	1960.0

NARRATIVE (If more space is needed, attach a Special Report) Example above shows allowance when the actual cost and/or 20% of the production guarantee is less than the maximum allowance. Insured's actual cost to replant - \$18.00/acre. Price election - \$6.50. $\$18.00 \div \$6.50 = 2.8$ bu. $28.0 \text{ bu./acre} \times 20\% = 5.6 \text{ bu./acre}$ (3.0 bu. maximum allowed). Appraised potential less than 90% of the production guarantee ($28.0 \times 90\% = 25.2 \text{ bu./acre}$ B- appraised potential = 10.0 bu/acre). Total acreage from FSA permanent field measurement. Field A wheel measured. See attached Special Report for measurements and calculations.

SECTION I - ACREAGE APPRAISED, PRODUCTION AND ADJUSTMENTS

ACTUARIAL									POTENTIAL YIELD						STAGE GUARANTEE		
A	B	C	D	E	F	G	H	I	J	K ₁	L	M	N	O	P	Q	
Field ID	Prelim Acres	Final Acres	Interest or Share	Risk	Practice	Type Class	Stage	Intended or Final Use	Appraised Potential	Moisture % Factor	Shell and/or Quality Factor	+ Uninsured Cause	Adjusted Potential	Total To Count	Per Acre	Total (C x P)	
A M/D	30.0	30.0	.500		002	997	R	REPLANTED					1.4	42.0	28.0	840.0	
		40.0	.500		002	997	NR	NOT REPLANTED							28.0	1120.0	
16. TOTAL		70.0												42.0		1960.0	
														17. TOTALS		42.0	1960.0

NARRATIVE (If more space is needed, attach a Special Report) Example above shows allowance when the actual cost and/or 20% of the production guarantee is less than the maximum allowance when share is considered. Insured's actual cost to replant - \$9.00/acre. Price election - \$6.50. $\$9.00 \div \$6.50 = 1.4$ bu. $28.0 \text{ bu./acre} \times 20\% \times .500 \text{ share} = 2.8 \text{ bu./acre}$ (maximum allowed - 3.0 bu./acre x .500 share = 1.5 bu./acre). Appraised potential less than 90% of the production guarantee ($28.0 \times 90\% = 25.2 \text{ bu./acre}$ B- appraised potential = 10.0 bu/acre). Total acreage from FSA permanent field measurement. Field A wheel measured. See attached Special Report for measurements and calculations.

This form example does not illustrate all required entry items (e.g., signatures, dates, etc.).

10. REFERENCE MATERIAL

TABLE A - MINIMUM REPRESENTATIVE SAMPLE REQUIREMENTS

ACRES IN FIELD OR SUBFIELD	MINIMUM NO. OF SAMPLES
*** 0.1 – 10.0	3
Add one additional sample for each additional 40.0 acres (or fraction thereof) in the field or subfield.	

TABLE B - ROW WIDTH FACTOR

ROW WIDTH	FACTOR	ROW WIDTH	FACTOR	ROW WIDTH	FACTOR
6"	4.00	22"	1.09	38"	0.63
8"	3.00	24"	1.00	40"	0.60
10"	2.40	26"	0.92	42"	0.57
12"	2.00	28"	0.86	44"	0.55
14"	1.71	30"	0.80	46"	0.52
16"	1.50	32"	0.75	48"	0.50
18"	1.33	34"	0.71	B*	2.22
20"	1.20	36"	0.67		

“B*” - Broadcast

For row widths other than those shown in **TABLE B**, determine the appropriate factor by dividing 24 by the row width (nearest one-half inch). Round the factor to two decimal places.

EXAMPLE: 7 1/2 inches (or 7.5") $24 \div 7.5 = 3.20$ Factor
 15 inches $24 \div 15 = 1.60$ Factor

TABLE C - COMBINED TEST WEIGHT AND PACK FACTOR

Test Weight	Less Than 255 Sq. Ft. -	255 Sq. Ft. to 461 Sq. Ft. -	462 Sq. Ft. to 767 Sq. Ft. -	768 Sq. Ft. to 1384 Sq. Ft. -	1385 Sq. Ft. to 2289 Sq. Ft. -	2290 or Over Sq. Ft. -
40.0	0.719	0.727	0.739	0.745	0.757	0.774
40.5	0.727	0.735	0.747	0.753	0.765	0.782
41.0	0.735	0.743	0.755	0.761	0.773	0.790
41.5	0.743	0.751	0.763	0.769	0.781	0.798
42.0	0.750	0.759	0.771	0.777	0.789	0.806
42.5	0.758	0.767	0.780	0.785	0.797	0.814
43.0	0.766	0.775	0.788	0.793	0.805	0.822
43.5	0.774	0.783	0.796	0.801	0.813	0.830
44.0	0.782	0.791	0.804	0.809	0.821	0.838
44.5	0.790	0.798	0.812	0.817	0.829	0.846
45.0	0.797	0.806	0.820	0.825	0.837	0.854
45.5	0.805	0.814	0.828	0.833	0.845	0.862
46.0	0.813	0.822	0.836	0.841	0.853	0.870
46.5	0.820	0.830	0.844	0.849	0.861	0.878
47.0	0.828	0.837	0.851	0.857	0.869	0.886
47.5	0.836	0.845	0.859	0.865	0.877	0.894
48.0	0.843	0.853	0.867	0.873	0.885	0.902
48.5	0.851	0.860	0.875	0.881	0.893	0.910
49.0	0.858	0.868	0.883	0.889	0.901	0.918
49.5	0.866	0.876	0.891	0.897	0.909	0.926
50.0	0.873	0.883	0.898	0.905	0.917	0.934
50.5	0.881	0.891	0.906	0.913	0.925	0.942
51.0	0.888	0.898	0.914	0.921	0.933	0.951
51.5	0.896	0.906	0.921	0.928	0.940	0.957
52.0	0.903	0.913	0.929	0.936	0.948	0.966
52.5	0.910	0.921	0.937	0.943	0.955	0.973
53.0	0.918	0.928	0.944	0.951	0.963	0.981
53.5	0.925	0.936	0.952	0.959	0.971	0.990
54.0	0.932	0.943	0.959	0.966	0.978	0.997
54.5	0.940	0.951	0.967	0.974	0.986	1.005
55.0	0.947	0.958	0.974	0.982	0.994	1.013
55.5	0.954	0.965	0.982	0.989	1.001	1.020
56.0	0.961	0.973	0.989	0.997	1.010	1.029
56.5	0.969	0.980	0.997	1.004	1.016	1.035
57.0	0.976	0.987	1.004	1.012	1.025	1.044
57.5	0.983	0.994	1.012	1.019	1.032	1.051
58.0	0.990	1.001	1.019	1.027	1.040	1.060
58.5	0.997	1.009	1.026	1.034	1.047	1.067
59.0	1.004	1.016	1.033	1.041	1.054	1.074
59.5	1.011	1.023	1.041	1.049	1.062	1.083
60.0	1.018	1.030	1.048	1.056	1.069	1.090
60.5	1.025	1.037	1.055	1.063	1.076	1.097
61.0	1.032	1.044	1.062	1.071	1.084	1.105
61.5	1.039	1.051	1.070	1.078	1.091	1.112
62.0	1.046	1.058	1.077	1.085	1.098	1.119
62.5	1.053	1.065	1.084	1.092	1.105	1.126

TABLE C - COMBINED TEST WEIGHT AND PACK FACTOR (Continued)

Test Weight	Less Than 255 Sq. Ft. -	255 Sq. Ft. to 461 Sq. Ft. -	462 Sq. Ft. to 767 Sq. Ft. -	768 Sq. Ft. to 1384 Sq. Ft. -	1385 Sq. Ft. to 2289 Sq. Ft. -	2290 or Over Sq. Ft. -
63.0	1.059	1.072	1.091	1.099	1.112	1.133
63.5	1.066	1.079	1.098	1.106	1.119	1.140
64.0	1.073	1.086	1.105	1.113	1.126	1.147
64.5	1.080	1.093	1.112	1.120	1.133	1.154
65.0	1.087	1.100	1.119	1.127	1.140	1.161

If the actual test weight is not shown on the chart, refer to subsection 9 B Section II, item M₂ for instructions.

TABLE D - SEED (BEAN) SIZE FACTOR

CC'S PER 100 SEEDS	FACTOR	CC'S PER 100 SEEDS	FACTOR	CC'S PER 100 SEEDS	FACTOR
5	0.017	21	0.071	36	0.122
6	0.020	22	0.075	37	0.126
7	0.024	23	0.078	38	0.129
8	0.027	24	0.081	39	0.132
9	0.031	25	0.085	40	0.136
10	0.034	26	0.088	41	0.139
11	0.037	27	0.092	42	0.143
12	0.041	28	0.095	43	0.146
13	0.044	29	0.098	44	0.149
14	0.047	30	0.102	45	0.153
15	0.051	31	0.105	46	0.156
16	0.054	32	0.109	47	0.160
17	0.058	33	0.112	48	0.163
18	0.061	34	0.115	49	0.166
19	0.064	35	0.119	50	0.170
20	0.068				

If unable to obtain 100 mature beans in sample due to immaturity or swelling from excess moisture, use factor .092 unless otherwise authorized.

TABLE E - PLANTS PER ACRE (Page 1 of 4)

INSTRUCTIONS: Count the number of plants in a representative 10 feet of row (3-foot square grid for broadcast). Find the number in the appropriate row width column. If the number of counted plants is not shown on the table, use the next higher shown number. Then go to the far left column to find the number of plants per acre.

Plants Per Acre	Row Width (inches)																			Broadcast (3' x 3')
	40	38	36	34	32	30	28	26	24	22	20	18	16	14	12	10	8	7	6	
180,000	138	131	124	117	110	103	96	90	83	76	69	62	55	48	41	34	28	24	21	37
175,000	134	127	121	114	107	100	94	87	80	74	67	60	54	47	40	33	27	23	20	36
170,000	130	124	117	111	104	98	91	85	78	72	65	59	52	46	39		26			35
165,000	126	120	114	107	101	95	88	82	76	69	63	57	51	44	38	32	25	22	19	34
160,000	122	116	110	104	98	92	86	80	73	67	61	55	49	43	37	31	24	21	18	33
155,000	119	113	107	101	95	89	83	77	71	65	59	53	47	42	36	30				32
150,000	115	109	103	98	92	86	80	75	69	63	57	52	46	40	34	29	23	20	17	31
145,000	111	105	100	94	89	83	78	72	67	61	55	50	44	39	33	28	22	19		30
140,000	107	102	96	91	86	80	75	70	64	59	54	48	43	37	32	27	21		16	29
135,000	103	98	93	88	83	77	72	67	62	57	52	46	41	36	31	26		18	15	28
130,000	99	95	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20	17		27
125,000	96	91	86	81	77	72	67	62	57	53	48	43	38	33	29	24	19		14	26
122,500	94	89	84	80	75	70	66	61	56	52	47	42	37		28	23		16		
120,000	92	87	83	78	73	69	64	60	55	51	46	41		32		23	18			25
117,500	90	85	81	76	72	67	63	58	54	49	45	40	36	31	27	22			13	
115,000	88	84	79	75	70	66	62	57	53	48	44		35		26			15		24
112,500	86	81	77	73	69	64	60	56	51	47	43	39	34	30		21	17			
110,000	84	80	76	72	67	63	59	55		46	42	38		29	25					23
	Number of Plants in Ten Feet of Row																			

TABLE E - PLANTS PER ACRE (Page 2 of 4)

Plants Per Acre	Row Width (inches)																		Broadcast (3'3')	
	40	38	36	34	32	30	28	26	24	22	20	18	16	14	12	10	8	7		6
107,500	82	78	74	70	66	62	58	53	49	45	41	37	33				16	14	12	
105,000	80	76	72	68	64	60	56	52	48	44	40	36	32	28	24	20				22
102,500	78	75	71	67	63	59	55	51	47	43	39	35	31	27						
100,000	77	73	69	65	61	57	54	50	46	42	38	34			23	19	15	13	11	21
97,500	75	71	67	63	60	56	52	48	45	41	37		30	26	22					
95,000	73	69	65	62	58	55	51	47	44	40	36	33	29	25		18				20
92,500	71	67	64	60	57	53	50	46	42	39	35	32	28		21		14	12		
90,000	69	65	62	59	55	52	48	45	41	38	34	31		24		17			10	18
87,500	67	64	60	57	54	50	47	44	40	37	33	30	27	23	20		13			
85,000	65	62	59	55	52	49	46	42	39	36		29	26		16			11		17
82,500	63	60	57	54	51	47	44	41	38	35	32	28	25	22	19				9	
80,000	61	58	55	52	49	46	43	40	37	34	31		24	21	18	15	12			16
77,500	59	56	53	50	47	44	42	39	36	33	30	27						10		
75,000	57	55	52	49	46	43	40	37	34	32	29	26	23	20	17	14	11			15
72,500	55	53	50	47	44	42	39	36	33	31	28	25	22	19					8	
70,000	54	51	48	46	43	40	37	35	32	29	27	24	21		16	13		9		14
67,500	52	49	46	44	41	39	36	34	31	28	26	23		18	15		10			
65,000	50	47	45	42	40	37	35	32	30	27	25	22	20	17		12			7	13
62,500	48	45	43	41	38	36	33	31	29	26	24		19		14			8		
60,000	46	44	41	39	37	34	32	30	28	25	23	21	18	16		11	9			12
Number of Plants in Ten Feet of Row																				

TABLE E - PLANTS PER ACRE (Page 3 of 4)

Plants Per Acre	Row Width (inches)																			Broadcast
	40	38	36	34	32	30	28	26	24	22	20	18	16	14	12	10	8	7	6	(3'3')
57,500	44	42	40	37	35	33	31	29	26	24	22	20		15	13					
55,000	42	40	38	36	34	32	29	27	25	23	21	19	17				8	7	6	11
52,500	40	38	36	34	32	30	28	26	24	22	20	18	16	14	12	10				
50,000	38	36	34	33	31	29	27	25	23	21	19	17	15	13	11					10
47,500	36	35	33	31	29	27	25	24	22	20	18	16				9	7	6	5	
45,000	34	33	31	29	28	26	24	22	21	19	17	15	14	12	10					9
42,500	33	31	29	28	26	24	23	21	20	18	16		13	11		8				
40,000	31	29	28	26	24	23	21	20	18	17	15	14	12		9		6	5		8
37,500	29	27	26	24	23	22	20	19	17	16	14	13	11	10		7			4	
35,000	27	25	24	23	21	20	19	17	16	15	13	12		9	8		5			7
32,500	25	24	22	21	20	19	17	16	15	14	12	11	10		7	6		4		
30,000	23	22	21	20	18	17	16	15	14	13	11	10	9	8					3	6
27,500	21	20	19	18	17	16	15	14	13	12		9	8	7	6	5	4			
25,000	19	18	17	16	15	14	13	12	11	11	10							3		5
22,500	17	16	15	15	14	13	12	11	10	9	9	8	7	6	5	4	3			
20,000	15	15	14	13	12	11	11	10	9	8	8	7	6	5					2	4
17,500	13	13	12	11	11	10	9	9	8	7	7	6	5		4	3		2		
15,000	11	11	10	10	9	9	8	7	7	6	6	5		4	3		2			3
12,500	10	9	9	8	8	7	7	6	6	5	5	4	4	3		2			1	
10,000	8	7	7	7	6	6	5	5	5	4	4	3	3		2			1		2
Number of Plants in Ten Feet of Row																				

TABLE E - PLANTS PER ACRE (Page 4 of 4)

If the number of counted plants in ten feet of row is greater than the top number in the appropriate row width column, divide the number of plants by 2, and proceed as above. Multiply the plants per acre found in the left column by 2 to arrive at the actual number of plants per acre. (Refer to **EXAMPLE 1** below.) If the number of counted plants in ten feet of row is fewer than the lowest number in the appropriate row width column, multiply the number of plants by 2, and proceed as above. Divide the plants per acre found in the left column by 2 to arrive at the actual number of plants per acre. (Refer to **EXAMPLE 2** below.) If the plant population is above 125,000, round to the nearest 5,000. If the population is below 125,000, round to the nearest 2,500. (Refer to examples below.)

EXAMPLE 1: Row Width = 30 inches
110 Original Plants in 10 feet of Row
 $110 \div 2 = 55$
55 Original Plants = 95,000 plants per acre
 $95,000 \text{ plants per acre} \times 2 = 190,000$

EXAMPLE 2: Row Width = 30 inches
4 Original Plants in 10 feet of Row
 $4 \times 2 = 8$
8 Original Plants = 15,000 plants per acre
 $15,000 \text{ plants per acre} \div 2 = 7,500$

If the planted row width is not listed on the table, divide the row width, in inches, by 12. Multiply this result by 10 to arrive at the square feet in the sample. Count the number of plants in the sample and divide by the square feet to arrive at plants per square foot. Multiply plants per square foot by 43,560 sq. ft. per acre to arrive at plants per acre. If the plant population is above 125,000, round to the nearest 5,000. If the population is below 125,000, round to the nearest 2,500. (Refer to examples below.)

EXAMPLE 1: Row Width = 15 inches
42 Original Plants in 10 feet of row
 $(15 \text{ in.} \div 12 \text{ in.}) \times 10 \text{ feet} = 12.5$
 $42 \div 12.5 = 3.36$
 $3.36 \times 43,560 = 146,362$ (round to 145,000)

EXAMPLE 2: Row Width = 7 ½ inches
15 Original Plants in 10 feet of row
 $(7.5 \text{ in.} \div 12 \text{ in.}) \times 10 \text{ feet} = 6.25$
 $15 \div 6.25 = 2.40$
 $2.40 \times 43,560 = 104,544$ (round to 105,000)

**TABLE F: INDETERMINATE SOYBEAN STAND REDUCTION LOSS
VC – R1 STAGES (Page 1 of 3)**

Original Stand Plants/Acre	Remaining Plants Per Acre (000's omitted)																		
	180	175	170	165	160	155	150	145	140	135	130	125	122.5	120	117.5	115	112.5	110	107.5
180,000	0	0	0	0	0	1	1	1	1	1	2	2	2	2	3	3	3	3	4
175,000		0	0	0	0	0	1	1	1	1	2	2	2	2	3	3	3	3	3
170,000			0	0	0	0	1	1	1	1	2	2	2	2	3	3	3	3	3
165,000				0	0	0	0	1	1	1	2	2	2	2	3	3	3	3	3
160,000					0	0	0	0	1	1	2	2	2	2	3	3	3	3	3
155,000						0	0	0	1	1	2	2	2	2	3	3	3	3	3
150,000							0	0	0	1	1	1	2	2	2	2	3	3	3
145,000								0	0	0	1	1	1	2	2	2	2	3	3
140,000									0	0	1	1	1	1	2	2	2	3	3
135,000										0	0	1	1	1	1	2	2	2	3
130,000											0	0	1	1	1	1	2	2	3
125,000												0	0	0	1	1	1	1	2
122,500													0	0	0	1	1	1	1
120,000														0	0	0	1	1	1
117,500															0	0	0	1	1
115,000																0	0	1	1
112,500																	0	0	1
110,000																		0	0
107,500																			0

Original Stand Plants/Acre	Remaining Plants Per Acre (000's omitted)																		
	105	102.5	100	97.5	95	92.5	90	87.5	85	82.5	80	77.5	75	72.5	70	67.5	65	62.5	60
180,000	4	4	5	5	5	6	6	7	7	8	9	9	10	11	12	13	14	15	16
175,000	4	4	5	5	5	6	6	7	7	8	9	9	10	11	12	13	14	15	16
170,000	4	4	4	5	5	6	6	7	7	8	9	9	10	11	12	13	14	15	16
165,000	4	4	4	5	5	6	6	7	7	8	8	9	10	11	12	13	14	15	16
160,000	4	4	4	5	5	5	6	7	7	8	8	9	10	11	12	13	14	15	16
155,000	3	4	4	4	5	5	6	6	7	8	8	9	10	11	11	12	13	15	16
150,000	3	4	4	4	5	5	6	6	7	7	8	9	10	10	11	12	13	14	16
145,000	3	3	4	4	5	5	6	6	7	7	8	9	9	10	11	12	13	14	15
140,000	3	3	4	4	4	5	5	6	6	7	8	8	9	10	11	12	13	14	15
135,000	3	3	3	4	4	5	5	6	6	7	7	8	9	10	11	12	13	14	15
130,000	2	3	3	3	4	4	5	5	6	7	7	8	9	10	10	11	13	14	15
125,000	2	2	3	3	4	4	4	5	6	6	7	8	8	9	10	11	12	13	15
122,500	2	2	3	3	3	4	4	5	5	6	7	7	8	9	10	11	12	13	14
120,000	2	2	2	3	3	4	4	5	5	6	7	7	8	9	10	11	12	13	14
117,500	1	2	2	3	3	3	4	4	5	6	6	7	8	9	10	11	12	13	14
115,000	1	1	2	2	3	3	4	4	5	5	6	7	8	8	9	10	11	13	14
112,500	1	1	2	2	2	3	3	4	5	5	6	7	7	8	9	10	11	12	14
110,000	1	1	1	2	2	3	3	4	4	5	6	6	7	8	9	10	11	12	13
107,500	0	1	1	1	2	2	3	3	4	5	5	6	7	8	9	10	11	12	13
105,000	0	0	1	1	2	2	3	3	4	4	5	6	7	7	8	9	10	12	13
102,500		0	0	1	1	2	2	3	3	4	5	5	6	7	8	9	10	11	13
100,000			0	0	1	1	2	2	3	4	4	5	6	7	8	9	10	11	12
97,500				0	0	1	1	2	3	3	4	5	5	6	7	8	9	11	12
95,000					0	0	1	2	2	3	4	4	5	6	7	8	9	10	11
92,500						0	1	1	2	2	3	4	5	5	6	7	9	10	11
90,000							0	1	1	2	3	3	4	5	6	7	8	9	11
87,500								0	1	1	2	3	4	4	5	6	8	9	10
85,000									0	1	1	2	3	4	5	6	7	8	9
82,500										0	1	1	2	3	4	5	6	8	9
80,000											0	1	2	3	4	5	6	7	8

PERCENT LOSS FROM STAND REDUCTION

TABLE F: INDETERMINATE SOYBEAN STAND REDUCTION LOSS VC – R1 STAGES (Page 2 of 3)

Original Stand Plants/Acre	Remaining Plants Per Acre (000's omitted)																							
	57.5	55	52.5	50	47.5	45	42.5	40	37.5	35	32.5	30	27.5	25	22.5	20	17.5	15	12.5	10	7.5	5	2.5	0
180,000	18	19	20	22	24	26	28	30	32	35	38	40	44	47	51	55	59	64	69	74	80	86	93	100
175,000	17	19	20	22	24	26	28	30	32	35	37	40	44	47	51	55	59	64	69	74	80	86	93	100
170,000	17	19	20	22	24	26	28	30	32	35	37	40	44	47	51	55	59	64	69	74	80	86	93	100
165,000	17	19	20	22	24	25	28	30	32	35	37	40	43	47	51	55	59	64	69	74	80	86	93	100
160,000	17	19	20	22	23	25	27	30	32	35	37	40	43	47	51	55	59	64	69	74	80	86	93	100
155,000	17	18	20	22	23	25	27	30	32	34	37	40	43	47	51	55	59	63	68	74	80	86	93	100
150,000	17	18	20	22	23	25	27	29	32	34	37	40	43	47	50	54	59	63	68	74	80	86	93	100
145,000	17	18	20	21	23	25	27	29	32	34	37	40	43	47	50	54	59	63	68	74	80	86	93	100
140,000	17	18	20	21	23	25	27	29	32	34	37	40	43	47	50	54	59	63	68	74	80	86	93	100
135,000	16	18	19	21	23	25	27	29	31	34	37	40	43	46	50	54	58	63	68	74	80	86	93	100
130,000	16	18	19	21	23	24	27	29	31	34	37	40	43	46	50	54	58	63	68	74	79	86	93	100
125,000	16	17	19	21	22	24	26	29	31	33	36	39	43	46	50	54	58	63	68	74	79	86	93	100
122,500	16	17	19	20	22	24	26	28	31	33	36	39	42	46	50	54	58	63	68	73	79	86	93	100
120,000	16	17	19	20	22	24	26	28	31	33	36	39	42	46	50	54	58	63	68	73	79	86	93	100
117,500	15	17	18	20	22	24	26	28	30	33	36	39	42	46	49	54	58	63	68	73	79	86	93	100
115,000	15	17	18	20	22	24	26	28	30	33	36	39	42	46	49	53	58	63	68	73	79	86	93	100
112,500	15	16	18	20	21	23	25	28	30	33	36	39	42	45	49	53	58	63	68	73	79	86	93	100
110,000	15	16	18	19	21	23	25	28	30	33	35	38	42	45	49	53	58	62	68	73	79	86	93	100
107,500	14	16	17	19	21	23	25	27	30	32	35	38	42	45	49	53	58	62	67	73	79	86	92	100
105,000	14	16	17	19	21	23	25	27	30	32	35	38	41	45	49	53	57	62	67	73	79	85	92	100
102,500	14	15	17	19	20	22	25	27	29	32	35	38	41	45	49	53	57	62	67	73	79	85	92	100
100,000	14	15	17	18	20	22	24	27	29	32	35	38	41	45	48	53	57	62	67	73	79	85	92	100
97,500	13	15	16	18	20	22	24	26	29	31	34	37	41	44	48	52	57	62	67	73	79	85	92	100
95,000	13	14	16	18	19	21	24	26	28	31	34	37	40	44	48	52	57	62	67	73	79	85	92	100
92,500	12	14	15	17	19	21	23	26	28	31	34	37	40	44	48	52	56	61	67	72	79	85	92	100
90,000	12	13	15	17	19	21	23	25	28	30	33	36	40	43	47	52	56	61	67	72	78	85	92	100
87,500	11	13	15	16	18	20	22	25	27	30	33	36	39	43	47	51	56	61	66	72	78	85	92	100
85,000	11	12	14	16	18	20	22	24	27	30	33	36	39	43	47	51	56	61	66	72	78	85	92	100
82,500	10	12	13	15	17	19	21	24	26	29	32	35	39	42	46	51	55	60	66	72	78	85	92	100
80,000	10	11	13	15	17	19	21	23	26	29	32	35	38	42	46	50	55	60	66	72	78	85	92	100
	PERCENT LOSS FROM STAND REDUCTION																							

TABLE F: INDETERMINATE SOYBEAN STAND REDUCTION LOSS VC – R1 STAGES (Page 3 of 3)

Original Stand Plants/Acre	REMAINING PLANTS PER ACRE (000'S OMITTED)																															
	77.5	75	72.5	70	67.5	65	62.5	60	57.5	55	52.5	50	47.5	45	42.5	40	37.5	35	32.5	30	27.5	25	22.5	20	17.5	15	12.5	10	7.5	5	2.5	0
77,500	0	1	2	3	4	5	6	8	9	10	12	14	16	18	20	23	25	28	31	34	38	42	46	50	55	60	65	71	78	85	92	100
75,000		0	1	2	3	4	5	7	8	10	11	13	15	17	19	22	25	27	30	34	37	41	45	50	54	60	65	71	78	84	92	100
72,500			0	1	2	3	4	6	7	9	11	12	14	16	19	21	24	27	30	33	37	41	45	49	54	59	65	71	77	84	92	100
70,000				0	1	2	4	5	6	8	10	11	13	16	18	20	23	26	29	32	36	40	44	49	54	59	64	71	77	84	92	100
67,500					0	1	2	4	5	7	9	11	13	15	17	20	22	25	28	32	35	39	44	48	53	58	64	70	77	84	92	100
65,000						0	1	3	4	6	8	9	11	14	16	19	21	24	27	31	35	39	43	47	52	58	64	70	77	84	92	100
62,500							0	1	3	5	6	8	10	13	15	17	20	23	26	30	34	38	42	47	52	57	63	69	76	84	91	100
60,000								0	2	3	5	7	9	11	14	16	19	22	25	29	33	37	41	46	51	57	63	69	76	83	91	100
57,500									0	2	4	5	8	10	12	15	18	21	24	28	32	36	40	45	50	56	62	68	76	83	91	100
55,000										0	2	4	6	8	11	14	16	20	23	27	31	35	39	44	49	55	61	68	75	83	91	100
52,500											0	2	4	7	9	12	15	18	21	25	29	34	38	43	49	54	61	67	75	82	91	100
50,000												0	2	5	7	10	13	16	20	24	28	32	37	42	47	53	60	67	74	82	91	100
47,500													0	2	5	8	11	14	18	22	26	31	35	41	46	52	59	66	73	82	90	100
45,000														0	3	6	9	12	16	20	24	29	34	39	45	51	58	65	73	81	90	100
42,500															0	3	6	10	14	18	22	27	32	37	43	50	57	64	72	81	90	100
40,000																0	3	7	11	15	20	25	30	35	42	48	55	63	71	80	90	100
37,500																	0	4	8	12	17	22	27	33	40	46	54	62	70	79	89	100
35,000																		0	4	9	14	19	25	31	37	44	52	60	69	79	89	100
32,500																			0	5	10	15	21	28	34	42	50	58	68	78	88	100
30,000																				0	5	11	17	24	31	39	47	56	66	77	88	100
27,500																					0	6	13	20	27	36	44	54	64	75	87	100
25,000																						0	7	14	23	31	41	51	62	74	86	100
22,500																							0	8	17	26	36	47	59	72	85	100
20,000																								0	9	20	31	43	55	69	84	100
17,500																									0	11	23	37	51	66	82	100
15,000																										0	14	28	44	62	80	100
	PERCENT LOSS FROM STAND REDUCTION																															

**TABLE F: INDETERMINATE SOYBEAN STAND REDUCTION LOSS
R2 – R3.5 STAGES (Page 1 of 3)**

Original Stand Plants/Acre	Remaining Plants Per Acre (000's omitted)																		
	180	175	170	165	160	155	150	145	140	135	130	125	122.5	120	117.5	115	112.5	110	107.5
180,000	0	1	2	3	4	5	7	8	9	11	12	14	15	16	17	18	19	20	21
175,000		0	1	2	3	4	6	7	9	10	12	13	14	15	16	17	18	19	20
170,000			0	1	2	3	5	6	8	9	11	12	13	14	15	16	17	18	19
165,000				0	1	2	4	5	7	8	10	11	12	13	14	15	16	17	18
160,000					0	1	3	4	5	7	9	10	11	12	13	14	15	16	17
155,000						0	1	3	4	6	7	9	10	11	12	13	14	15	16
150,000							0	1	3	5	6	8	9	10	11	12	13	14	15
145,000								0	2	3	5	7	8	8	9	10	11	13	14
140,000									0	2	3	5	6	7	8	9	10	11	12
135,000										0	2	4	5	6	7	8	9	10	11
130,000											0	2	3	4	5	6	7	8	9
125,000												0	1	2	3	4	5	6	7
122,500													0	1	2	3	4	5	7
120,000														0	1	2	3	4	6
117,500															0	1	2	3	5
115,000																0	1	2	4
112,500																	0	1	2
110,000																		0	1
107,500																			0

Original Stand Plants/Acre	Remaining Plants Per Acre (000's omitted)																		
	105	102.5	100	97.5	95	92.5	90	87.5	85	82.5	80	77.5	75	72.5	70	67.5	65	62.5	60
180,000	22	23	24	25	26	27	28	29	31	32	33	35	36	37	39	40	42	44	45
175,000	21	22	23	24	25	26	28	29	30	31	33	34	35	37	38	40	41	43	45
170,000	20	21	22	23	24	26	27	28	29	31	32	33	35	36	38	39	41	42	44
165,000	19	20	21	22	24	25	26	27	29	30	31	33	34	36	37	39	40	42	43
160,000	18	19	20	21	23	24	25	26	28	29	30	32	33	35	36	38	39	41	43
155,000	17	18	19	20	22	23	24	25	27	28	30	31	32	34	35	37	39	40	42
150,000	16	17	18	19	21	22	23	24	26	27	29	30	31	33	35	36	38	40	41
145,000	15	16	17	18	19	21	22	23	25	26	28	29	31	32	34	35	37	39	40
140,000	13	15	16	17	18	19	21	22	24	25	26	28	29	31	33	34	36	38	40
135,000	12	13	14	16	17	18	19	21	22	24	25	27	28	30	32	33	35	37	39
130,000	10	12	13	14	15	17	18	19	21	22	24	25	27	29	30	32	34	36	37
125,000	9	10	11	12	14	15	16	18	19	21	22	24	26	27	29	31	33	34	36
122,500	8	9	10	12	13	14	16	17	19	20	22	23	25	27	28	30	32	34	36
120,000	7	8	9	11	12	13	15	16	18	19	21	22	24	26	28	29	31	33	35
117,500	6	7	8	10	11	12	14	15	17	18	20	22	23	25	27	29	30	32	34
115,000	5	6	7	9	10	11	13	14	16	17	19	21	22	24	26	28	30	32	34
112,500	4	5	6	8	9	10	12	13	15	17	18	20	22	23	25	27	29	31	33
110,000	3	4	5	7	8	9	11	12	14	16	17	19	21	22	24	26	28	30	32
107,500	1	3	4	5	7	8	10	11	13	14	16	18	20	21	23	25	27	29	31
105,000	0	1	3	4	6	7	9	10	12	13	15	17	19	20	22	24	26	28	30
102,500		0	1	3	4	6	7	9	11	12	14	16	17	19	21	23	25	27	29
100,000			0	1	3	4	6	8	9	11	13	14	16	18	20	22	24	26	28
97,500				0	2	3	5	6	8	10	11	13	15	17	19	21	23	25	27
95,000					0	2	3	5	7	8	10	12	14	16	18	20	22	24	26
92,500						0	2	3	5	7	9	10	12	14	16	18	21	23	25
90,000							0	2	3	5	7	9	11	13	15	17	19	21	24
87,500								0	2	4	5	7	9	11	13	16	18	20	22
85,000									0	2	4	6	8	10	12	14	16	19	21
82,500										0	2	4	6	8	10	12	15	17	19
80,000											0	2	4	6	8	11	13	15	18
	PERCENT LOSS FROM STAND REDUCTION																		

TABLE F: INDETERMINATE SOYBEAN STAND REDUCTION LOSS R2 – R3.5 STAGES (Page 2 of 3)

Original Stand Plants/Acre	Remaining Plants Per Acre (000's omitted)																							
	57.5	55	52.5	50	47.5	45	42.5	40	37.5	35	32.5	30	27.5	25	22.5	20	17.5	15	12.5	10	7.5	5	2.5	0
180,000	47	49	50	52	54	56	58	60	62	64	66	68	71	73	75	78	80	83	86	88	91	94	97	100
175,000	46	48	50	52	54	55	57	59	62	64	66	68	70	73	75	78	80	83	85	88	91	94	97	100
170,000	46	48	49	51	53	55	57	59	61	63	65	68	70	72	75	77	80	83	85	88	91	94	97	100
165,000	45	47	49	51	53	55	57	59	61	63	65	67	70	72	75	77	80	82	85	88	91	94	97	100
160,000	45	46	48	50	52	54	56	58	60	62	65	67	69	72	74	77	80	82	85	88	91	94	97	100
155,000	44	46	48	49	51	53	55	58	60	62	64	67	69	71	74	77	79	82	85	88	91	94	97	100
150,000	43	45	47	49	51	53	55	57	59	61	64	66	69	71	74	76	79	82	85	88	91	94	97	100
145,000	42	44	46	48	50	52	54	56	59	61	63	66	68	71	73	76	79	81	84	87	90	94	97	100
140,000	41	43	45	47	49	51	53	56	58	60	63	65	68	70	73	76	78	81	84	87	90	93	97	100
135,000	40	42	44	46	48	51	53	55	57	60	62	65	67	70	72	75	78	81	84	87	90	93	97	100
130,000	39	41	43	45	47	50	52	54	56	59	61	64	66	69	72	75	78	81	84	87	90	93	97	100
125,000	38	40	42	44	46	49	51	53	56	58	61	63	66	69	71	74	77	80	83	86	90	93	96	100
122,500	38	40	42	44	46	48	50	53	55	58	60	63	66	68	71	74	77	80	83	86	90	93	96	100
120,000	37	39	41	43	45	48	50	52	55	57	60	62	65	68	71	74	77	80	83	86	89	93	96	100
117,500	36	38	40	43	45	47	49	52	54	57	59	62	65	68	70	73	76	80	83	86	89	93	96	100
115,000	36	38	40	42	44	46	49	51	54	56	59	62	64	67	70	73	76	79	83	86	89	93	96	100
112,500	35	37	39	41	44	46	48	51	53	56	58	61	64	67	70	73	76	79	82	86	89	93	96	100
110,000	34	36	38	41	43	45	48	50	53	55	58	61	64	66	69	72	76	79	82	86	89	93	96	100
107,500	33	35	38	40	42	45	47	49	52	55	57	60	63	66	69	72	75	79	82	85	89	92	96	100
105,000	32	34	37	39	41	44	46	49	51	54	57	60	63	66	69	72	75	78	82	85	89	92	96	100
102,500	31	34	36	38	41	43	46	48	51	54	56	59	62	65	68	71	75	78	81	85	89	92	96	100
100,000	30	33	35	37	40	42	45	47	50	53	56	59	62	65	68	71	74	78	81	85	88	92	96	100
97,500	29	32	34	36	39	41	44	47	49	52	55	58	61	64	67	71	74	77	81	85	88	92	96	100
95,000	28	31	33	35	38	40	43	46	49	51	54	57	60	64	67	70	74	77	81	84	88	92	96	100
92,500	27	30	32	34	37	40	42	45	48	51	54	57	60	63	66	70	73	77	80	84	88	92	96	100
90,000	26	28	31	33	36	39	41	44	47	50	53	56	59	62	66	69	73	76	80	84	88	92	96	100
87,500	25	27	30	32	35	37	40	43	46	49	52	55	58	62	65	69	72	76	80	83	87	92	96	100
85,000	23	26	28	31	34	36	39	42	45	48	51	54	58	61	64	68	72	75	79	83	87	91	96	100
82,500	22	24	27	30	32	35	38	41	44	47	50	54	57	60	64	67	71	75	79	83	87	91	96	100
80,000	20	23	26	28	31	34	37	40	43	46	49	53	56	60	63	67	71	74	78	83	87	91	95	100
	PERCENT LOSS FROM STAND REDUCTION																							

TABLE F: INDETERMINATE SOYBEAN STAND REDUCTION LOSS R2 – R3.5 STAGES (Page 3 of 3)

Original Stand Plants/Acre	REMAINING PLANTS PER ACRE (000'S OMITTED)																															
	77.5	75	72.5	70	67.5	65	62.5	60	57.5	55	52.5	50	47.5	45	42.5	40	37.5	35	32.5	30	27.5	25	22.5	20	17.5	15	12.5	10	7.5	5	2.5	0
77,500	0	2	4	7	9	11	14	16	19	21	24	27	30	32	35	39	42	45	48	52	55	59	62	66	70	74	78	82	86	91	95	100
75,000		0	2	5	7	9	12	14	17	20	22	25	28	31	34	37	40	44	47	51	54	58	62	65	69	73	78	82	86	91	95	100
72,500			0	2	5	7	10	12	15	18	21	23	26	29	33	36	39	42	46	49	53	57	61	65	69	73	77	81	86	90	95	100
70,000				0	2	5	8	10	13	16	19	22	25	28	31	34	38	41	45	48	52	56	60	64	68	72	76	81	86	90	95	100
67,500					0	3	5	8	11	14	17	20	23	26	29	33	36	40	43	47	51	55	59	63	67	71	76	80	85	90	95	100
65,000						0	3	6	8	11	14	17	21	24	27	31	34	38	42	45	49	53	58	62	66	71	75	80	85	90	95	100
62,500							0	3	6	9	12	15	18	22	25	29	32	36	40	44	48	52	56	61	65	70	75	79	84	89	95	100
60,000								0	3	6	9	13	16	20	23	27	30	34	38	42	46	51	55	60	64	69	74	79	84	89	94	100
57,500									0	3	7	10	13	17	21	24	28	32	36	40	45	49	54	58	63	68	73	78	83	89	94	100
55,000										0	3	7	11	14	18	22	26	30	34	38	43	47	52	57	62	67	72	77	83	88	94	100
52,500											0	4	7	11	15	19	23	28	32	36	41	46	50	55	60	66	71	77	82	88	94	100
50,000												0	4	8	12	16	20	25	29	34	39	44	49	54	59	64	70	76	82	88	94	100
47,500													0	4	8	13	17	22	26	31	36	41	47	52	57	63	69	75	81	87	93	100
45,000														0	4	9	14	18	23	28	33	39	44	50	55	61	67	74	80	86	93	100
42,500															0	5	10	15	20	25	30	36	42	47	53	60	66	72	79	86	93	100
40,000																0	5	10	16	21	27	33	39	45	51	58	64	71	78	85	92	100
37,500																	0	6	11	17	23	29	35	42	48	55	62	69	77	84	92	100
35,000																		0	6	12	18	25	32	38	45	53	60	68	75	83	92	100
32,500																			0	7	13	20	27	35	42	50	58	66	74	82	91	100
30,000																				0	7	15	22	30	38	46	55	63	72	81	90	100
27,500																					0	8	16	25	33	42	51	60	70	80	90	100
25,000																						0	9	18	27	37	47	57	67	78	89	100
22,500																							0	10	20	31	42	53	64	76	88	100
20,000																								0	11	23	35	47	60	73	86	100
17,500																									0	13	27	41	55	70	85	100
15,000																										0	16	32	48	65	82	100
	PERCENT LOSS FROM STAND REDUCTION																															

TABLE F: DETERMINATE SOYBEAN STAND REDUCTION LOSS (Page 1 of 3)

Original Stand Plants/Acre	Remaining Plants Per Acre (000's omitted)																			
	180	175	170	165	160	155	150	145	140	135	130	125	122.5	120	117.5	115	112.5	110	107.5	
180,000	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	1.0	1.0	1.5	2.0	2.5	3.0	3.5	
175,000		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	1.0	1.0	1.5	2.0	2.5	3.0	3.5	
170,000			0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	1.0	1.0	1.5	2.0	2.5	3.0	3.5	
165,000				0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	1.0	1.0	1.5	2.0	2.5	3.0	3.5	
160,000					0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	1.0	1.0	1.5	2.0	2.5	3.0	3.5	
155,000						0.0	0.0	0.0	0.0	1.0	1.0	1.0	1.0	1.0	1.5	2.0	2.5	3.0	3.5	
150,000							0.0	0.0	0.0	1.0	1.0	1.0	1.0	1.0	1.5	2.0	2.5	3.0	3.5	
145,000								0.0	0.0	1.0	1.0	1.0	1.0	1.0	1.5	2.0	2.5	3.0	3.5	
140,000									0.0	1.0	1.0	1.0	1.0	1.0	1.5	2.0	2.5	3.0	3.5	
135,000										0.0	1.0	1.0	1.0	1.0	1.5	2.0	2.5	3.0	3.5	
130,000											0.0	1.0	1.0	1.0	1.5	2.0	2.5	3.0	3.5	
125,000												0.0	1.0	1.0	1.5	2.0	2.5	3.0	3.5	
122,500													0.0	0.5	1.0	1.5	2.0	2.5	3.0	
120,000														0.0	0.5	1.0	1.5	2.0	2.5	
117,500																0.0	0.5	1.0	1.5	2.0
115,000																	0.0	0.5	1.0	1.5
112,500																		0.0	0.5	1.0
110,000																			0.0	0.5
107,500																				0.0

Original Stand Plants/Acre	Remaining Plants Per Acre (000's omitted)																			
	105	102.5	100	97.5	95	92.5	90	87.5	85	82.5	80	77.5	75	72.5	70	67.5	65	62.5	60	
180,000	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.5	21.0	22.5	24.0	
175,000	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.5	21.0	22.5	24.0	
170,000	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.5	21.0	22.5	24.0	
165,000	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.5	21.0	22.5	24.0	
160,000	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.5	21.0	22.5	24.0	
155,000	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.5	21.0	22.5	24.0	
150,000	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.5	21.0	22.5	24.0	
145,000	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.5	21.0	22.5	24.0	
140,000	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.5	21.0	22.5	24.0	
135,000	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.5	21.0	22.5	24.0	
130,000	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.5	21.0	22.5	24.0	
125,000	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.5	21.0	22.5	24.0	
122,500	3.5	4.5	5.5	6.5	7.5	8.5	9.5	10.5	11.5	12.5	13.5	14.5	15.5	16.5	17.5	19.0	20.5	22.0	23.5	
120,000	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.5	20.0	21.5	23.0	
117,500	2.5	3.5	4.5	5.5	6.5	7.5	8.5	9.5	10.5	11.5	12.5	13.5	14.5	15.5	16.5	18.0	19.5	21.0	22.5	
115,000	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.5	19.0	20.5	22.0	
112,500	1.5	2.5	3.5	4.5	5.5	6.5	7.5	8.5	9.5	10.5	11.5	12.5	13.5	14.5	15.5	17.0	18.5	20.0	21.5	
110,000	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.5	18.0	19.5	21.0	
107,500	0.5	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.5	17.0	18.5	20.0	
105,000	0.0	0.5	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.5	16.0	17.5	19.0	
102,500		0.0	0.5	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.5	15.0	16.5	18.0	
100,000			0.0	0.5	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.5	14.0	15.5	17.0	
97,500				0.0	0.5	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.5	13.0	14.5	16.0	
95,000					0.0	0.5	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.5	12.0	13.5	15.0	
92,500						0.0	0.5	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.5	11.0	12.5	14.0	
90,000							0.0	0.5	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.5	10.0	11.5	13.0	
87,500								0.0	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.5	11.0	12.5	
85,000									0.0	1.0	2.0	3.0	4.0	5.0	6.0	7.5	9.0	10.5	12.0	
82,500										0.0	1.0	2.0	3.0	4.0	5.0	6.5	8.0	9.5	11.0	
80,000											0.0	1.0	2.0	3.0	4.0	5.5	7.0	9.0	10.0	
PERCENT LOSS FROM STAND REDUCTION																				

TABLE F: DETERMINATE SOYBEAN STAND REDUCTION LOSS (Page 2 of 3)

Original Stand Plants/Acre	Remaining Plants Per Acre (000's omitted)																							
	57.5	55	52.5	50	47.5	45	42.5	40	37.5	35	32.5	30	27.5	25	22.5	20	17.5	15	12.5	10	7.5	5	2.5	0
180,000	25.5	27.0	28.5	30.0	31.5	33.0	34.5	36.0	38.0	40.0	42.0	44.0	46.5	49.0	51.5	54.0	56.5	59.0	62.0	65.0	73.8	82.5	91.3	100.0
175,000	25.5	27.0	28.5	30.0	31.5	33.0	34.5	36.0	38.0	40.0	42.0	44.0	46.5	49.0	51.5	54.0	56.5	59.0	62.0	65.0	73.8	82.5	91.3	100.0
170,000	25.5	27.0	28.5	30.0	31.5	33.0	34.5	36.0	38.0	40.0	42.0	44.0	46.5	49.0	51.5	54.0	56.5	59.0	62.0	65.0	73.8	82.5	91.3	100.0
165,000	25.5	27.0	28.5	30.0	31.5	33.0	34.5	36.0	38.0	40.0	42.0	44.0	46.5	49.0	51.5	54.0	56.5	59.0	62.0	65.0	73.8	82.5	91.3	100.0
160,000	25.5	27.0	28.5	30.0	31.5	33.0	34.5	36.0	38.0	40.0	42.0	44.0	46.5	49.0	51.5	54.0	56.5	59.0	62.0	65.0	73.8	82.5	91.3	100.0
155,000	25.5	27.0	28.5	30.0	31.5	33.0	34.5	36.0	38.0	40.0	42.0	44.0	46.5	49.0	51.5	54.0	56.5	59.0	62.0	65.0	73.8	82.5	91.3	100.0
150,000	25.5	27.0	28.5	30.0	31.5	33.0	34.5	36.0	38.0	40.0	42.0	44.0	46.5	49.0	51.5	54.0	56.5	59.0	62.0	65.0	73.8	82.5	91.3	100.0
145,000	25.5	27.0	28.5	30.0	31.5	33.0	34.5	36.0	38.0	40.0	42.0	44.0	46.5	49.0	51.5	54.0	56.5	59.0	62.0	65.0	73.8	82.5	91.3	100.0
140,000	25.5	27.0	28.5	30.0	31.5	33.0	34.5	36.0	38.0	40.0	42.0	44.0	46.5	49.0	51.5	54.0	56.5	59.0	62.0	65.0	73.8	82.5	91.3	100.0
135,000	25.5	27.0	28.5	30.0	31.5	33.0	34.5	36.0	38.0	40.0	42.0	44.0	46.5	49.0	51.5	54.0	56.5	59.0	62.0	65.0	73.8	82.5	91.3	100.0
130,000	25.5	27.0	28.5	30.0	31.5	33.0	34.5	36.0	38.0	40.0	42.0	44.0	46.5	49.0	51.5	54.0	56.5	59.0	62.0	65.0	73.8	82.5	91.3	100.0
125,000	25.5	27.0	28.5	30.0	31.5	33.0	34.5	36.0	38.0	40.0	42.0	44.0	46.5	49.0	51.5	54.0	56.5	59.0	62.0	65.0	73.8	82.5	91.3	100.0
122,500	25.0	26.5	28.0	29.5	31.0	32.5	34.0	35.5	37.5	39.5	41.5	43.5	46.0	48.5	51.0	53.5	56.0	58.5	61.5	64.5	73.4	82.3	91.1	100.0
120,000	24.5	26.0	27.5	29.0	30.5	32.0	33.5	35.0	37.0	39.0	41.0	43.0	45.5	48.0	50.5	53.0	55.5	58.0	61.0	63.5	72.6	81.8	90.9	100.0
117,500	24.0	25.5	27.0	28.5	30.0	31.5	33.0	34.5	36.5	38.5	40.5	42.5	45.0	47.5	50.0	52.5	55.0	57.5	60.5	63.5	72.6	81.8	90.9	100.0
115,000	23.5	25.0	26.5	28.0	29.5	31.0	32.5	34.0	36.0	38.0	40.0	42.0	44.5	47.0	49.5	52.0	54.5	57.0	60.0	63.0	72.3	81.5	90.8	100.0
112,500	23.0	24.5	26.0	27.5	29.0	30.5	32.0	33.5	35.5	37.5	39.5	41.5	44.0	46.5	49.0	51.5	54.0	56.5	59.5	62.5	71.9	81.3	90.6	100.0
110,000	22.5	24.0	25.5	27.0	28.5	30.0	31.5	33.0	35.0	37.0	39.0	41.0	43.5	46.0	48.5	51.0	53.5	56.0	59.0	62.0	71.5	81.0	90.5	100.0
107,500	21.5	23.0	24.5	26.0	28.0	29.0	30.5	32.0	34.0	36.0	38.0	40.0	42.5	45.0	47.5	50.0	52.5	55.0	58.5	61.5	71.1	80.8	90.4	100.0
105,000	20.5	22.0	23.5	25.0	26.5	28.0	29.5	31.0	33.0	35.0	37.0	39.0	41.5	44.0	46.5	49.0	51.5	54.0	57.5	61.0	70.8	80.5	90.3	100.0
102,500	19.5	21.0	22.5	24.0	25.5	27.0	28.5	30.0	32.0	34.0	36.0	38.0	40.5	43.0	45.5	48.0	50.5	53.0	56.5	60.0	70.0	80.0	90.0	100.0
100,000	18.5	20.0	21.5	23.0	24.5	26.0	27.5	29.0	31.0	33.0	35.0	37.0	39.5	42.0	44.5	47.0	49.5	52.0	55.5	59.0	69.3	79.5	89.8	100.0
97,500	17.5	19.0	20.5	22.0	23.5	25.0	26.5	28.0	30.0	32.0	34.0	36.0	38.5	41.0	43.5	46.0	48.5	51.0	54.5	58.0	68.5	79.0	89.5	100.0
95,000	16.5	18.0	19.5	21.0	22.5	24.0	25.5	27.0	29.0	31.0	33.0	35.0	37.5	40.0	42.5	45.0	47.5	50.0	53.5	57.0	67.8	78.5	89.3	100.0
92,500	15.5	17.0	18.5	20.0	21.5	23.0	24.5	26.0	28.0	30.0	32.0	34.0	36.5	39.0	41.5	44.0	46.5	49.0	52.5	56.0	67.0	78.0	89.0	100.0
90,000	14.5	16.0	17.5	19.0	20.5	22.0	23.5	25.0	27.0	29.0	31.0	33.0	35.5	38.0	40.5	43.0	45.5	48.0	51.5	55.0	66.3	77.5	88.8	100.0
87,500	14.0	15.5	17.0	18.5	20.0	21.5	23.0	24.5	26.5	28.5	30.5	32.5	35.0	37.5	40.0	42.5	45.0	47.5	51.0	54.5	65.9	77.3	88.6	100.0
85,000	13.5	15.0	16.5	18.0	19.5	21.0	22.5	24.0	26.0	28.0	30.0	32.0	34.5	37.0	39.5	42.0	44.5	47.0	50.5	54.0	65.5	77.0	88.5	100.0
82,500	12.0	14.0	15.5	17.0	18.5	20.0	21.5	23.0	25.0	27.0	29.0	31.0	33.5	36.0	38.5	41.0	43.5	46.0	49.5	53.0	64.8	76.5	88.3	100.0
80,000	11.5	13.0	14.5	16.0	17.5	19.0	20.5	22.0	24.0	26.0	28.0	30.0	32.5	35.0	37.5	40.0	42.5	45.0	48.5	52.0	64.0	76.0	88.0	100.0
	PERCENT LOSS FROM STAND REDUCTION																							

TABLE F: DETERMINATE SOYBEAN STAND REDUCTION LOSS (Page 3 of 3)

Original Stand Plants/Acre	REMAINING PLANTS PER ACRE (000'S OMITTED)																															
	77.5	75	72.5	70	67.5	65	62.5	60	57.5	55	52.5	50	47.5	45	42.5	40	37.5	35	32.5	30	27.5	25	22.5	20	17.5	15	12.5	10	7.5	5	2.5	0
77,500	0.0	1.0	2.0	3.0	4.5	6.0	7.5	9.0	10.5	12.0	13.5	15.0	16.5	18.0	19.5	21.0	23.0	25.0	27.0	29.0	31.5	34.0	36.5	39.0	41.5	44.0	47.5	51.0	63.3	75.5	87.8	100.0
75,000		0.0	1.0	2.0	3.5	5.0	6.5	8.0	9.5	11.0	12.5	14.0	15.5	17.0	18.5	20.0	22.0	24.0	26.0	28.0	30.5	33.0	35.5	38.0	40.5	43.0	46.5	50.0	62.5	75.0	87.5	100.0
72,500			0.0	1.0	2.5	4.0	5.5	7.0	8.5	10.0	11.5	13.0	14.5	16.0	17.5	19.0	20.8	22.5	24.5	26.5	29.0	31.5	34.0	36.5	39.3	42.0	45.5	49.0	61.8	74.5	87.3	100.0
70,000				0.0	1.5	3.0	4.5	6.0	7.5	9.0	10.5	12.0	13.5	15.0	16.5	18.0	19.5	21.0	23.0	25.0	27.5	30.0	32.5	35.0	38.0	41.0	44.5	48.0	61.0	74.0	87.0	100.0
67,500					0.0	1.5	3.0	4.5	6.0	7.5	9.0	10.5	12.0	13.5	15.3	17.0	18.5	20.0	22.0	24.0	26.3	28.5	31.0	33.5	36.8	40.0	43.5	47.0	60.3	73.5	86.8	100.0
65,000						0.0	1.5	3.0	4.5	6.0	7.5	9.0	10.5	12.0	14.0	16.0	17.5	19.0	21.0	23.0	25.0	27.0	29.5	32.0	35.5	39.0	42.5	46.0	59.5	73.0	86.5	100.0
62,500							0.0	1.5	3.0	4.5	6.3	8.0	9.5	11.0	12.8	14.5	16.0	17.5	19.5	21.5	23.8	26.0	28.5	31.0	34.5	38.0	41.8	45.5	59.1	72.8	86.4	100.0
60,000								0.0	1.5	3.0	5.0	7.0	8.5	10.0	11.5	13.0	14.5	16.0	18.0	20.0	22.5	25.0	27.5	30.0	33.5	37.0	41.0	45.0	58.8	72.5	86.3	100.0
57,500									0.0	1.5	3.3	5.0	6.5	8.0	9.8	11.5	13.0	14.5	16.5	18.5	21.0	23.5	26.0	28.5	32.0	35.5	39.8	44.0	58.0	72.0	86.0	100.0
55,000										0.0	1.5	3.0	4.5	6.0	8.0	10.0	11.5	13.0	15.0	17.0	19.5	22.0	24.5	27.0	30.5	34.0	38.5	43.0	57.3	71.5	85.8	100.0
52,500											0.0	1.5	3.3	5.0	7.0	9.0	10.8	12.5	14.5	16.5	18.8	21.0	23.5	26.0	29.5	33.0	37.5	42.0	56.5	71.0	85.5	100.0
50,000												0.0	2.0	4.0	6.0	8.0	10.0	12.0	14.0	16.0	18.0	20.0	22.5	25.0	28.5	32.0	36.5	41.0	55.8	70.5	85.3	100.0
47,500													0.0	2.0	4.0	6.0	8.0	10.0	12.3	14.5	16.8	19.0	21.8	24.5	28.0	31.5	36.0	40.5	55.4	70.3	85.1	100.0
45,000														0.0	2.0	4.0	6.0	8.0	10.5	13.0	15.5	18.0	21.0	24.0	27.5	31.0	35.5	40.0	55.0	70.0	85.0	100.0
42,500															0.0	2.0	4.3	6.5	9.3	12.0	14.8	17.5	20.5	23.5	27.0	30.5	35.0	39.5	54.6	69.8	84.9	100.0
40,000																0.0	2.5	5.0	8.0	11.0	14.0	17.0	20.0	23.0	26.5	30.0	34.5	39.0	54.3	69.5	84.8	100.0
37,500																	0.0	3.5	6.8	10.0	13.3	16.5	19.5	22.5	26.0	29.5	34.0	38.5	53.9	69.3	84.6	100.0
35,000																		0.0	5.5	9.0	12.5	16.0	19.0	22.0	25.5	29.0	33.5	38.0	53.5	69.0	84.5	100.0
32,500																			0.0	8.0	11.7	15.5	18.5	21.5	25.0	28.5	33.0	37.5	53.1	68.8	84.4	100.0
30,000																				0.0	11.0	15.0	18.0	21.0	24.5	28.0	32.5	37.0	52.8	68.5	84.3	100.0
27,500																					0.0	14.5	17.5	20.5	24.0	27.5	32.0	36.5	52.4	68.3	84.1	100.0
25,000																						0.0	17.0	20.0	23.5	27.0	31.5	36.0	52.0	68.0	84.0	100.0
22,500																							0.0	19.5	23.0	26.5	31.0	35.5	51.6	67.8	83.9	100.0
20,000																								0.0	22.5	26.0	30.5	35.0	51.3	67.5	83.8	100.0
17,500																									0.0	25.5	30.0	34.5	50.9	67.3	83.6	100.0
15,000																										0.0	29.5	34.0	50.5	67.0	83.5	100.0
	PERCENT LOSS FROM STAND REDUCTION																															

TABLE G - CUTOFF/BREAKOVER (Page 1 of 2)

STAGE OF GROWTH	PERCENTAGE OF NODES CUTOFF/BROKEN OVER																				
	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
V1-VN	0	0	0	0	0	1.0	1.2	1.4	1.6	1.8	2.0	2.2	2.4	2.6	2.8	3.0	3.0	3.0	3.0	3.0	3.0
R1	1.0	1.2	1.4	1.6	1.8	2.0	2.2	2.4	2.6	2.8	3.0	3.2	3.4	3.6	3.8	4.0	4.2	4.4	4.6	4.8	5.0
R2	1.0	1.4	1.8	2.2	2.6	3.0	3.2	3.4	3.6	3.8	4.0	4.4	4.8	5.2	5.6	6.0	6.2	6.4	6.6	6.8	7.0
R2.5	2.0	2.4	2.8	3.2	3.6	4.0	4.4	4.8	5.2	5.6	6.0	6.6	7.2	7.8	8.4	9.0	9.2	9.4	9.6	9.8	10.0
R3	3.0	3.6	4.2	4.8	5.4	6.0	6.6	7.2	7.8	8.4	9.0	9.6	10.2	10.8	11.4	12.0	12.4	12.8	13.2	13.6	14.0
R3.5	4.0	4.8	5.6	6.4	7.2	8.0	8.8	9.6	10.4	11.2	12.0	12.8	13.6	14.4	15.2	16.0	16.6	17.2	17.8	18.4	19.0
	PERCENT DAMAGE																				

STAGE OF GROWTH	PERCENTAGE OF NODES CUTOFF/BROKEN OVER																				
	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46
V1-VN	3.2	3.4	3.6	3.8	4.0	4.2	4.4	4.6	4.8	5.0	5.2	5.4	5.6	5.8	6.0	6.2	6.4	6.6	6.8	7.0	7.4
R1	5.2	5.4	5.6	5.8	6.0	6.2	6.4	6.6	6.8	7.0	7.4	7.8	8.2	8.6	9.0	9.2	9.4	9.6	9.8	10.0	10.2
R2	7.2	7.4	7.6	7.8	8.0	8.2	8.4	8.6	8.8	9.0	9.4	9.8	10.2	10.6	11.0	11.2	11.4	11.6	11.8	12.0	12.2
R2.5	10.4	10.8	11.2	11.6	12.0	12.4	12.8	13.2	13.6	14.0	14.4	14.8	15.2	15.6	16.0	16.4	16.8	17.2	17.6	18.0	18.4
R3	14.6	15.2	15.8	16.4	17.0	17.4	17.8	18.2	18.6	19.0	19.6	20.2	20.8	21.4	22.0	22.6	23.2	23.8	24.4	25.0	25.6
R3.5	19.8	20.6	21.4	22.2	23.0	23.8	24.6	25.4	26.2	27.0	27.8	28.6	29.4	30.2	31.0	31.8	32.6	33.4	34.2	35.0	35.8
	PERCENT DAMAGE																				

TABLE G - CUTOFF/BREAKOVER (Page 2 of 2)

STAGE OF GROWTH	PERCENTAGE OF NODES CUTOFF/BROKEN OVER																		
	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65*
V1-VN	7.8	8.2	8.6	9.0	9.4	9.8	10.2	10.6	11.0	11.6	12.2	12.8	13.4	14.0	14.8	15.6	16.4	17.2	18.0
R1	10.4	10.6	10.8	11.0	11.6	12.2	12.8	13.4	14.0	14.6	15.2	15.8	16.4	17.0	17.6	18.2	18.8	19.4	20.0
R2	12.4	12.6	12.8	13.0	13.6	14.2	14.8	15.4	16.0	16.6	17.2	17.8	18.4	19.0	19.8	20.6	21.4	22.2	23.0
R2.5	18.8	19.2	19.6	20.0	20.8	21.6	22.4	23.2	24.0	24.8	25.6	26.4	27.2	28.0	28.8	29.6	30.4	31.2	32.0
R3	26.2	26.8	27.4	28.0	28.8	29.6	30.4	31.2	32.0	32.8	33.6	34.4	35.2	36.0	37.0	38.0	39.0	40.0	41.0
R3.5	36.6	37.4	38.2	39.0	39.8	40.6	41.4	42.2	43.0	44.2	45.4	46.6	47.8	49.0	49.8	50.6	51.4	52.2	53.0
	PERCENT DAMAGE																		

* If more than 65 percent of the nodes are cutoff or broken over, it is impossible to predict the percentage of loss that may result. Growing conditions following the damage will dictate the extent of recovery that may occur. The adjustment should be deferred to R7 as instructed in the appraisal instructions and the Seed Count Method should be used.

Except for losses occurring near harvest, claims shall not be finalized until at least 7 to 10 days following the hail storm.

TABLE H - INDETERMINATE SOYBEAN DEFOLIATION PERCENT OF DAMAGE

Stages	0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100
Vc-Vn	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
R1	0	0	0	1	1	1	2	2	3	3	3	4	4	4	5	5	6	7	8	10	12
R2	0	0	0	1	2	2	3	4	5	5	6	7	7	8	9	10	12	14	16	19	23
R2.5	0	1	1	2	2	3	3	4	5	6	7	8	9	10	11	13	15	17	20	23	28
R3	0	1	2	3	3	4	4	5	6	7	8	9	11	12	14	16	18	21	24	28	33
R3.5	0	2	3	3	4	5	5	6	7	8	10	11	13	15	18	21	24	27	31	37	45
R4	0	2	3	4	5	6	7	8	9	10	12	14	16	19	22	26	30	34	39	46	56
R4.5	0	2	4	5	6	8	9	10	11	13	15	17	20	23	27	31	37	42	49	56	65
R5	0	2	4	6	7	9	10	11	13	15	17	20	23	27	31	36	43	50	58	66	75
R5.5	0	2	4	6	7	9	10	11	13	15	17	20	23	27	31	36	43	50	58	66	75
R6	0	1	1	3	6	8	9	10	11	13	14	16	18	20	23	27	31	36	41	47	53
R6.5	0	0	0	0	1	1	1	2	3	3	4	5	5	6	8	11	13	16	18	20	23

For percentage of defoliation not on the chart, interpolate as follows:

Locate the defoliation percents directly below and above the actual defoliation **percentage** taken from item 39 on the appraisal worksheet. Subtract the lower number from the actual percent and divide by 5. Multiply this result by the difference between the percent damage of the lower and higher defoliation percentages. Add this amount to the percent damage of the lower number, in percent **rounded** to tenths..

EXAMPLE: Stage is R5. Actual percent defoliation is 73 **percent** (item 39). 70 and 75 (percents directly below and above) $73 - 70 = 3$
 $3 \div 5 = .6$ $36 - 31 = 5$ $5 \times .6 = 3$ $3 + 31 = 34$ 34.0 **percent** will be the percent damage from defoliation entered in item 41 on the appraisal worksheet.

TABLE I - DETERMINATE SOYBEAN DEFOLIATION PERCENT OF DAMAGE

Stages	0	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100
V9-V12	0	0	0	0	0	0	0	0	0	3	4	4	5	6	7	8	8	8	9	9	10
V13-Vn	0	0	0	0	0	0	0	0	3	4	8	9	9	10	11	12	14	16	19	22	25
R1-2	0	0	0	0	0	0	0	3	6	8	11	12	13	14	15	17	20	26	32	36	40
R2.5	0	0	0	0	0	0	3	5	6	8	11	12	13	15	16	18	22	30	36	40	45
R3	0	0	0	0	0	3	5	6	7	9	12	13	14	16	17	20	25	35	40	45	50
R3.5	0	0	0	0	3	5	6	7	8	10	12	13	15	17	18	21	28	36	41	47	63
R4	0	0	0	3	5	6	7	8	9	11	12	14	16	18	19	22	30	37	43	49	76
R4.5	0	2	3	4	5	6	7	8	10	12	13	15	17	19	22	24	34	40	46	58	80
R5	0	2	3	4	5	7	8	9	11	13	15	16	18	20	23	26	35	44	50	66	84
R5.5	0	2	3	4	5	7	8	9	11	13	15	16	18	20	23	26	35	44	50	66	84
R6	0	1	2	3	4	5	6	7	8	9	11	12	13	15	17	19	25	32	36	49	62

For percentage of defoliation not on the chart, interpolate as follows:

Locate the defoliation percents directly below and above the actual defoliation **percent** taken from item 39 on the appraisal worksheet. Subtract the lower number from the actual percent and divide by 5. Multiply this result by the difference between the percent damage of the lower and higher defoliation percentages. Add this amount to the percent damage of the lower number, in percent to tenths.

EXAMPLE: Stage is R3. Actual percent defoliation is 41 **percent** (item 39). 40 and 45 (percents directly below and above). $41 - 40 = 1$
 $1 \div 5 = .2$ $9 - 7 = 2$ $2 \times .2 = .4$ $.4 + 7 = 7.4$ 7.4 **percent** will be the percent damage from defoliation
 entered in item 41 on the appraisal worksheet.

If the growth stage is R6.5, defer the appraisal until the R7 stage and appraise using the Seed-Count method.

TABLE J - SOYBEAN MOISTURE ADJUSTMENT FACTORS

Whole Percent Moisture	TENTHS OF PERCENT MOISTURE									
	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
13	1.0000	.9988	.9976	.9964	.9952	.9940	.9928	.9916	.9904	.9892
14	.9880	.9868	.9856	.9844	.9832	.9820	.9808	.9796	.9784	.9772
15	.9760	.9748	.9736	.9724	.9712	.9700	.9688	.9676	.9664	.9652
16	.9640	.9628	.9616	.9604	.9592	.9580	.9568	.9556	.9544	.9532
17	.9520	.9508	.9496	.9484	.9472	.9460	.9448	.9436	.9424	.9412
18	.9400	.9388	.9376	.9364	.9352	.9340	.9328	.9316	.9304	.9292
19	.9280	.9268	.9256	.9244	.9232	.9220	.9208	.9196	.9184	.9172
20	.9160	.9148	.9136	.9124	.9112	.9100	.9088	.9076	.9064	.9052
21	.9040	.9028	.9016	.9004	.8992	.8980	.8968	.8956	.8944	.8932
22	.8920	.8908	.8896	.8884	.8872	.8860	.8848	.8836	.8824	.8812
23	.8800	.8788	.8776	.8764	.8752	.8740	.8728	.8716	.8704	.8692
24	.8680	.8668	.8656	.8644	.8632	.8620	.8608	.8596	.8584	.8572
25	.8560	.8548	.8536	.8524	.8512	.8500	.8488	.8476	.8464	.8452
26	.8440	.8428	.8416	.8404	.8392	.8380	.8368	.8356	.8344	.8332
27	.8320	.8308	.8296	.8284	.8272	.8260	.8248	.8236	.8224	.8212
28	.8200	.8188	.8176	.8164	.8152	.8140	.8128	.8116	.8104	.8092
29	.8080	.8068	.8056	.8044	.8032	.8020	.8008	.7996	.7984	.7972
30	.7960	.7948	.7936	.7924	.7912	.7900	.7888	.7876	.7864	.7852
31	.7840	.7828	.7816	.7804	.7792	.7780	.7768	.7756	.7744	.7732
32	.7720	.7708	.7696	.7684	.7672	.7660	.7648	.7636	.7624	.7612
33	.7600	.7588	.7576	.7564	.7552	.7540	.7528	.7516	.7504	.7492
34	.7480	.7468	.7456	.7444	.7432	.7420	.7408	.7396	.7384	.7372
35	.7360	.7348	.7336	.7324	.7312	.7300	.7288	.7276	.7264	.7252
36	.7240	.7228	.7216	.7204	.7192	.7180	.7168	.7156	.7144	.7132
37	.7120	.7108	.7096	.7084	.7072	.7060	.7048	.7036	.7024	.7012
38	.7000	.6988	.6976	.6964	.6952	.6940	.6928	.6916	.6904	.6892
39	.6880	.6868	.6856	.6844	.6832	.6820	.6808	.6796	.6784	.6772
40	.6760	.6748	.6736	.6724	.6712	.6700	.6688	.6676	.6664	.6652