

APPENDIX B

OUTCOME AND ASSESSMENT INFORMATION SET OASIS-B1 (1/2008)

Appendix B contains the nine sections listed below. Each section has a cover page that explains the purpose of the document.

1. Medicare's OASIS: Standardized Outcome and Assessment Information Set for Home Health Care
2. Copyright information
3. Outcome and Assessment Information Set OASIS-B1 (1/2008)
4. Comparison Between SOC/ROC, Follow-Up, Discharge, and Inpatient Transfer Versions of OASIS-B1 (1/2008)
5. Patient Tracking Sheet of the Outcome and Assessment Information Set OASIS-B1 PTS (1/2008)
6. Start of Care Version of the Outcome and Assessment Information Set OASIS-B1 SOC (1/2008) – (also used for Resumption of Care Following Inpatient Stay)
7. Follow-Up Version of the Outcome and Assessment Information Set OASIS-B1 FU (1/2008)
8. Transfer Version of the Outcome and Assessment Information Set OASIS-B1 TRANSFER (1/2008) – (used for Transfer to an Inpatient Facility)
9. Discharge Version of the Outcome and Assessment Information Set OASIS-B1 DC (1/2008) – (also used for Transfer to an Inpatient Facility or Patient Death at Home)

These forms (in a ZIP file containing all OASIS-B1 data sets) are available for downloading from CMS' OASIS Web site at

http://www.cms.hhs.gov/HomeHealthQualityInits/12_HHQIOASISDataSet.asp#TopOfPage

**Medicare's OASIS:
Standardized Outcome and Assessment Information Set
for Home Health Care**

Explanatory prologue for the Outcome and Assessment Information Set (OASIS). This document, published in a special supplement to *NAHC Report*, No. 625, August 11, 1995, provides historical information on the purpose of OASIS, its development, and the use of the OASIS in the context of outcome-based quality improvement. Some of the details have changed with subsequent Federal Regulations.

MEDICARE'S OASIS: STANDARDIZED OUTCOME AND ASSESSMENT INFORMATION SET FOR HOME HEALTH CARE – July 1999

Peter W. Shaughnessy, Ph.D.
Kathryn S. Crisler, M.S., R.N.
Robert E. Schlenker, Ph.D.
David F. Hittle, Ph.D.
University of Colorado

The Outcome and Assessment Information Set (OASIS) that HCFA is requiring for purposes of outcome-based quality improvement under Medicare (as part of the new Conditions of Participation) has undergone several years of development and refinement. In addition to reviewing the purpose and evolution of the OASIS to date, this prologue provides information on selected operational issues.

Purpose, History, and Improvements

The data items that constitute the OASIS were developed largely for purposes of measuring patient outcomes in home health care. Nearly all of the items also are useful for assessing the care needs of patients, but no pretense is made that the OASIS constitutes a comprehensive assessment instrument. Since the vast majority of OASIS items are similar to those currently used by most home health agencies at start of care (often in less precise form), it is intended that home care agencies and others replace their current versions of these items with the actual OASIS items. Experience in various demonstration programs has shown that this enables home care providers to conduct more precise assessments of patient conditions for these items.

The OASIS has its genesis in 12 years of research, development, and demonstration programs to design and test outcome measures for home care (funded by HCFA and The Robert Wood Johnson Foundation). One of the important products from this program was a 73-item data set required to measure outcomes, first published in a 1994 report written by the Center for Health Services and Policy Research (the Research Center) at the University of Colorado. This was expanded to a 79-item data set as a result of recommendations from a HCFA-convened task force of home care experts who reviewed the data set from the perspective of items judged essential for assessment. The Research Center revised and rearranged the 79 items into a data set format termed OASIS-A in 1995.

The OASIS-A items that had been developed and tested in the national research program (along with those added by the expert panel) were then used operationally in two demonstration programs (summarized below) beginning in late 1995 and 1996. This experience suggested selected refinements, resulting in OASIS-B, which contained 79 items. Although a few items were dropped, a few were added, and wording changes were made to clarify items, the substance of OASIS-B was virtually the same as OASIS-A. The current (1998) release of OASIS, termed OASIS-B1, includes modifications to the patient identifiers (termed clinical record items) and one demographic item. These modifications are intended to assist HCFA in tracking and managing data. As the Medicare program moves forward with OASIS, it is clear such identifiers (also used for billing, care planning, etc., under Medicare) would naturally accompany the core OASIS items and be of value for agency-specific applications of OASIS.

Thus, OASIS-B was largely the result of applying and testing OASIS-A, beginning in 1996 in (1) the national demonstration of outcome-based quality improvement (OBQI) that HCFA is sponsoring and the University of Colorado Research Center is administering, and (2) an

analogous OBQI demonstration in New York State that the Department of Health is sponsoring and the University of Colorado Research Center is administering. The experience of the 50 national demonstration agencies and the 22 New York State demonstration agencies in using the OASIS for purposes of collecting outcome data, as well as selected experiences of other agencies throughout the country which have elected to use the OASIS data set, were taken into consideration in the modest set of revisions that initially resulted in OASIS-B.

Further experience in the demonstrations and in HCFA's needs for data management and administration subsequently were taken into consideration in refining OASIS-B to produce OASIS-B1. Reliability testing, programmatic applications, and provider suggestions to improve OASIS will continue with a view toward improving the data set. Nonetheless, OASIS is now regarded as a stable data set that can be used in the context of patient assessment and outcome monitoring. At the same time as home care practices, patient conditions, and policies change, it will be necessary to occasionally update and refine the data set. As other revisions are released, the suffixes "C," "D," etc. will be used.

One of the primary reasons OASIS has been deemed stable and useful for the home care field is its multiplicity of successful applications in the demonstration programs. Nearly all demonstration agencies have been extremely successful in effectively and precisely implementing and maintaining OASIS data collection. This in turn has resulted in accurate and useful outcome reports, case mix reports, and adverse event reports. Using the findings from the outcome reports and developing methods to evaluate the care that influences specific outcomes, a majority of agencies in the national demonstration changed care behaviors to produce improved outcomes in the areas they targeted for improvement.

It is our intent at the Research Center to provide the home care industry with regular updates on OBQI demonstrations, operational issues related to OBQI that are important to both individual agencies and Medicare, strengths and weaknesses associated with using the OASIS for various purposes, and other issues pertinent to smoothly and effectively implementing the OASIS data set in order to measure outcomes. We have used and will continue to use several different forums for these communications (including the HCFA website, since much of our home care research is sponsored by HCFA). Information related to operational features of the OASIS is summarized in subsequent paragraphs.

Operational Issues

With respect to understanding and using OASIS data items, several points are important to take into consideration. Since the OASIS is used for measuring outcomes defined as change in health status between two or more time points, most data items are obtained at start of care and follow-up time points (i.e., every two calendar months and discharge). Selected items are unique to either start of care or follow-up times. These are indicated as such on the OASIS. All OASIS items are intended to be completed through routine patient assessment approaches and collection of patient subjective and objective data. The items should not be used in the form of a patient interview for collecting data.

A number of software developers currently have software available or are developing software that incorporates the OASIS into their electronic clinical record systems. In addition, stand-alone OASIS-specific software, not part of a more comprehensive electronic clinical record system, has been developed for agencies that do not have or are not presently interested in a more comprehensive electronic clinical record system. This stand-alone software enables an agency to computerize or enter OASIS data that have been recorded by clinicians using forms that integrate the OASIS items into the agency's assessment instrument. HAVEN, which is

distributed by HCFA at no charge, is an example of this type of software product. Regardless of whether an agency uses a comprehensive electronic clinical record system (possibly with laptops) or stand-alone software to specifically computerize OASIS items, it is important that the exact wording of OASIS items be directly incorporated into the clinical record. Agencies should be certain that their software (1) can be efficiently updated with occasional changes that might occur in OASIS, and (2) provides the capability to extract OASIS items for purposes of transmission to HCFA for outcome comparisons and benchmarking, as well as other agency internal applications that will naturally be of interest once OASIS data are computerized.

Care providers should not have the option to carry the same OASIS data from start of care to follow up in describing or assessing patient health status (this often results in inaccurate follow-up data because providers are tempted to minimize their time by carrying forward the data from the initial time point instead of properly reassessing and recording the information at follow up). This carry-forward approach should not be used in either paper or electronic documentation approaches. That is, assessment forms should not be designed with OASIS data from a prior time period on the same page as data for the current time period, and electronic clinical record software should not be designed so that OASIS data from a prior time period can simply be inserted into the current time period.

Completeness and accuracy of OASIS data are imperative. Not only are these attributes mandatory under HCFA requirements and surveillance policies, but most importantly, complete and accurate OASIS data are essential for individual home health agencies. With precise and comprehensive data, agencies will be able to systematically track case mix changes over time, compare agency-level case mix with a national reference sample, and most importantly, monitor patient outcomes from year to year and relative to national reference outcomes.

This means that agency CEOs, administrators, clinical managers, clinical staff, and fiscal staff should be aware of OASIS' purposes and, most critically, take all possible steps to ensure the accuracy and completeness of OASIS for every patient on whom such data are collected. If this is done, then the agency can derive full benefit from the multiplicity of uses of OASIS.

We wish to repeat that the OASIS was not developed as a comprehensive assessment instrument. It was developed primarily for purposes of measuring outcomes for adult home care patients. Agencies will find it necessary to supplement the OASIS in order to comprehensively assess health status and care needs of patients (for example, the OASIS does not include vital signs nor was it developed with pediatric patients in mind).

It is also important to note that the purpose of measuring patient outcomes through the OASIS is to assist home care agencies with quality improvement activities. In 1995, we authored a book published by the National Association for Home Care, *Outcome-Based Quality Improvement, A Manual for Home Care Agencies on How to Use Outcomes*.¹ This publication provides guidance to agencies on measuring and reporting outcomes and on using them to improve quality.

¹ For additional information on *Outcome-Based Quality Improvement*, call or write the National Association for Home Care, 228 Seventh St., SE, Washington, DC 20003, (202) 547-7424, fax: (202) 547-3540.

Copyright

The Outcome Assessment and Information Set (OASIS) is in the public domain and may not be copyrighted.

Outcome and Assessment Information Set OASIS-B1 (1/2008)

This section includes all items on the OASIS-B1 (1/2008). This contains the full text of all OASIS items. It is included primarily for reference purposes. Home care agencies (that wish to begin integration of OASIS into their comprehensive assessment forms) and/or software developers should use the OASIS items specific to particular types of assessments.

This form (in a ZIP file containing all OASIS-B1 data sets) is available for downloading from CMS' OASIS Web site at

http://www.cms.hhs.gov/HomeHealthQualityInits/12_HHQIOASISDataSet.asp#TopOfPage

According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control numbers for this information are 0938-0760 and 0938-0761. The time required to complete this information collection is estimated to average 0.7 minute per response, including the time to review instructions, search existing data resources, gather the data needed, and complete and review the information collection. If you have comments concerning the accuracy of the time estimate(s) or suggestions for improving this form, please write to: CMS, 7500 Security Boulevard, Attn: PRA Reports Clearance Officer, Baltimore, Maryland 21244-1850.

Outcome and Assessment Information Set (OASIS-B1)

Items to be Used at Specific Time Points

Start of Care -----	Home Health Patient Tracking Sheet, M0080-M0826
Start of care—further visits planned	
Resumption of Care -----	M0080-M0826
Resumption of care (after inpatient stay)	
Follow-Up -----	M0080-M0110, M0230-M0250, M0390, M0420, M0440, M0450, M0460, M0470, M0474, M0476, M0488, M0490, M0520-M0550, M0650-M0700, M0800, M0826
Recertification (follow-up) assessment	
Other follow-up assessment	
Transfer to an Inpatient Facility -----	M0080-M0100, M0830-M0855, M0890-M0906
Transferred to an inpatient facility—patient not discharged from an agency	
Transferred to an inpatient facility—patient discharged from agency	
Discharge from Agency — Not to an Inpatient Facility	
Death at home -----	M0080-M0100, M0906
Discharge from agency -----	M0080-M0100, M0200-M0220, M0250, M0280-M0380, M0410-M0820, M0830-M0880, M0903-M0906
Note: For items M0640-M0800, please note special instructions at the beginning of the section.	

CLINICAL RECORD ITEMS

(M0080) Discipline of Person Completing Assessment:

- 1-RN 2-PT 3-SLP/ST 4-OT

(M0090) Date Assessment Completed:

__ / __ / __ __
month day year

(M0100) This Assessment is Currently Being Completed for the Following Reason:

Start/Resumption of Care

- 1 – Start of care—further visits planned
 3 – Resumption of care (after inpatient stay)

Follow-Up

- 4 – Recertification (follow-up) reassessment [**Go to M0110**]
 5 – Other follow-up [**Go to M0110**]

Transfer to an Inpatient Facility

- 6 – Transferred to an inpatient facility—patient not discharged from agency [**Go to M0830**]
 7 – Transferred to an inpatient facility—patient discharged from agency [**Go to M0830**]

Discharge from Agency — Not to an Inpatient Facility

- 8 – Death at home [**Go to M0906**]
 9 – Discharge from agency [**Go to M0200**]

(M0110) Episode Timing: Is the Medicare home health payment episode for which this assessment will define a case mix group an “early” episode or a “later” episode in the patient’s current sequence of adjacent Medicare home health payment episodes?

- 1 - Early
- 2 - Later
- UK - Unknown
- NA - Not Applicable: No Medicare case mix group to be defined by this assessment.

At follow-up go to **M0230**

DEMOGRAPHICS AND PATIENT HISTORY

(M0175) From which of the following **Inpatient Facilities** was the patient discharged during the past 14 days?
(Mark all that apply.)

- 1 - Hospital
- 2 - Rehabilitation facility
- 3 - Skilled nursing facility
- 4 - Other nursing home
- 5 - Other (specify) _____
- NA - Patient was not discharged from an inpatient facility **[If NA, go to M0200]**

(M0180) Inpatient Discharge Date (most recent):

___/___/_____
month day year

- UK - Unknown

(M0190) List each **Inpatient Diagnosis** and ICD-9-CM code at the level of highest specificity for only those conditions treated during an inpatient stay within the last 14 days (no surgical, E-codes, or V-codes):

<u>Inpatient Facility Diagnosis</u>	<u>ICD-9-CM</u>
a. _____	(____.____)
b. _____	(____.____)

(M0200) Medical or Treatment Regimen Change Within Past 14 Days: Has this patient experienced a change in medical or treatment regimen (e.g., medication, treatment, or service change due to new or additional diagnosis, etc.) within the last 14 days?

- 0 - No **[If No, go to M0220; if No at Discharge, go to M0250]**
- 1 - Yes

(M0210) List the patient’s **Medical Diagnoses** and ICD-9-CM codes at the level of highest specificity for those conditions requiring changed medical or treatment regimen (no surgical, E-codes, or V-codes)::

<u>Changed Medical Regimen Diagnosis</u>	<u>ICD-9-CM</u>
a. _____	(____.____)
b. _____	(____.____)
c. _____	(____.____)
d. _____	(____.____)

(M0220) Conditions Prior to Medical or Treatment Regimen Change or Inpatient Stay Within Past 14 Days: If this patient experienced an inpatient facility discharge or change in medical or treatment regimen within the past 14 days, indicate any conditions which existed prior to the inpatient stay or change in medical or treatment regimen. **(Mark all that apply.)**

- 1 - Urinary incontinence
- 2 - Indwelling/suprapubic catheter
- 3 - Intractable pain
- 4 - Impaired decision-making
- 5 - Disruptive or socially inappropriate behavior
- 6 - Memory loss to the extent that supervision required
- 7 - None of the above
- NA - No inpatient facility discharge and no change in medical or treatment regimen in past 14 days
- UK - Unknown

M0230/240/246 Diagnoses, Severity Index, and Payment Diagnoses: List each diagnosis for which the patient is receiving home care (Column 1) and enter its ICD-9-CM code at the level of highest specificity (no surgical/procedure codes) (Column 2) . Rate each condition (Column 2) using the severity index. (Choose one value that represents the most severe rating appropriate for each diagnosis.) V codes (for M0230 or M0240) or E codes (for M0240 only) may be used. ICD-9-CM sequencing requirements must be followed if multiple coding is indicated for any diagnoses. If a V code is reported in place of a case mix diagnosis, then optional item M0246 Payment Diagnoses (Columns 3 and 4) may be completed. A case mix diagnosis is a diagnosis that determines the Medicare PPS case mix group.

Code each row as follows:

Column 1: Enter the description of the diagnosis.

Column 2: Enter the ICD-9-CM code for the diagnosis described in Column 1;

Rate the severity of the condition listed in Column 1 using the following scale:

- 0 - Asymptomatic, no treatment needed at this time
- 1 - Symptoms well controlled with current therapy
- 2 - Symptoms controlled with difficulty, affecting daily functioning; patient needs ongoing monitoring
- 3 - Symptoms poorly controlled; patient needs frequent adjustment in treatment and dose monitoring
- 4 - Symptoms poorly controlled; history of re-hospitalizations

Column 3: (OPTIONAL) If a V code reported in any row in Column 2 is reported in place of a case mix diagnosis, list the appropriate case mix diagnosis (the description and the ICD-9-CM code) in the same row in Column 3. Otherwise, leave Column 3 blank in that row.

Column 4: (OPTIONAL) If a V code in Column 2 is reported in place of a case mix diagnosis that requires multiple diagnosis codes under ICD-9-CM coding guidelines, enter the diagnosis descriptions and the ICD-9-CM codes in the same row in Columns 3 and 4. For example, if the case mix diagnosis is a manifestation code, record the diagnosis description and ICD-9-CM code for the underlying condition in Column 3 of that row and the diagnosis description and ICD-9-CM code for the manifestation in Column 4 of that row. Otherwise, leave Column 4 blank in that row.

(M0230) Primary Diagnosis & (M0240) Other Diagnoses		(M0246) Case Mix Diagnoses (OPTIONAL)	
(1)	(2)	(3)	(4)
	ICD-9-CM and severity rating for each condition	Complete only if a V code in Column 2 is reported in place of a case mix diagnosis.	Complete only if the V code in Column 2 is reported in place of a case mix diagnosis that is a multiple coding situation (e.g., a manifestation code).
Description	ICD-9-CM / Severity Rating	Description/ ICD-9-CM	Description/ ICD-9-CM
(M0230) Primary Diagnosis	(V codes are allowed)	(V or E codes NOT allowed)	(V or E codes NOT allowed)
a. _____	a. (____ . ____) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	a. _____ (____ . ____)	a. _____ (____ . ____)
(M0240) Other Diagnoses	(V or E codes are allowed)	(V or E codes NOT allowed)	(V or E codes NOT allowed)
b. _____	b. (____ . ____) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	b. _____ (____ . ____)	b. _____ (____ . ____)
c. _____	c. (____ . ____) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	c. _____ (____ . ____)	c. _____ (____ . ____)
d. _____	d. (____ . ____) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	d. _____ (____ . ____)	d. _____ (____ . ____)
e. _____	e. (____ . ____) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	e. _____ (____ . ____)	e. _____ (____ . ____)
f. _____	f. (____ . ____) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	f. _____ (____ . ____)	f. _____ (____ . ____)

(M0250) Therapies the patient receives at home: **(Mark all that apply.)**

- 1 - Intravenous or infusion therapy (excludes TPN)
- 2 - Parenteral nutrition (TPN or lipids)
- 3 - Enteral nutrition (nasogastric, gastrostomy, jejunostomy, or any other artificial entry into the alimentary canal)
- 4 - None of the above

(M0260) Overall Prognosis: BEST description of patient's overall prognosis for recovery from this episode of illness.

- 0 - Poor: little or no recovery is expected and/or further decline is imminent
- 1 - Good/Fair: partial to full recovery is expected
- UK - Unknown

(M0270) Rehabilitative Prognosis: BEST description of patient's prognosis for functional status.

- 0 - Guarded: minimal improvement in functional status is expected; decline is possible
- 1 - Good: marked improvement in functional status is expected
- UK - Unknown

(M0280) Life Expectancy: (Physician documentation is not required.)

- 0 - Life expectancy is greater than 6 months
- 1 - Life expectancy is 6 months or fewer

(M0290) High Risk Factors characterizing this patient: **(Mark all that apply.)**

- 1 - Heavy smoking
- 2 - Obesity
- 3 - Alcohol dependency
- 4 - Drug dependency
- 5 - None of the above
- UK - Unknown

LIVING ARRANGEMENTS

(M0300) Current Residence:

- 1 - Patient's owned or rented residence (house, apartment, or mobile home owned or rented by patient/couple/significant other)
- 2 - Family member's residence
- 3 - Boarding home or rented room
- 4 - Board and care or assisted living facility
- 5 - Other (specify) _____

(M0340) Patient Lives With: **(Mark all that apply.)**

- 1 - Lives alone
- 2 - With spouse or significant other
- 3 - With other family member
- 4 - With a friend
- 5 - With paid help (other than home care agency staff)
- 6 - With other than above

SUPPORTIVE ASSISTANCE

(M0350) Assisting Person(s) Other than Home Care Agency Staff: **(Mark all that apply.)**

- 1 - Relatives, friends, or neighbors living outside the home
- 2 - Person residing in the home (EXCLUDING paid help)
- 3 - Paid help
- 4 - None of the above [If None of the above, go to M0390]
- UK - Unknown [If Unknown, go to M0390]

(M0360) Primary Caregiver taking lead responsibility for providing or managing the patient's care, providing the most frequent assistance, etc. (other than home care agency staff):

- 0 - No one person [**If No one person, go to M0390**]
- 1 - Spouse or significant other
- 2 - Daughter or son
- 3 - Other family member
- 4 - Friend or neighbor or community or church member
- 5 - Paid help
- UK - Unknown [**If Unknown, go to M0390**]

(M0370) How Often does the patient receive assistance from the primary caregiver?

- 1 - Several times during day and night
- 2 - Several times during day
- 3 - Once daily
- 4 - Three or more times per week
- 5 - One to two times per week
- 6 - Less often than weekly
- UK - Unknown

(M0380) Type of Primary Caregiver Assistance: (Mark all that apply.)

- 1 - ADL assistance (e.g., bathing, dressing, toileting, bowel/bladder, eating/feeding)
- 2 - IADL assistance (e.g., meds, meals, housekeeping, laundry, telephone, shopping, finances)
- 3 - Environmental support (housing, home maintenance)
- 4 - Psychosocial support (socialization, companionship, recreation)
- 5 - Advocates or facilitates patient's participation in appropriate medical care
- 6 - Financial agent, power of attorney, or conservator of finance
- 7 - Health care agent, conservator of person, or medical power of attorney
- UK - Unknown

SENSORY STATUS

(M0390) Vision with corrective lenses if the patient usually wears them:

- 0 - Normal vision: sees adequately in most situations; can see medication labels, newsprint.
- 1 - Partially impaired: cannot see medication labels or newsprint, but can see obstacles in path, and the surrounding layout; can count fingers at arm's length.
- 2 - Severely impaired: cannot locate objects without hearing or touching them or patient nonresponsive.

(M0400) Hearing and Ability to Understand Spoken Language in patient's own language (with hearing aids if the patient usually uses them):

- 0 - No observable impairment. Able to hear and understand complex or detailed instructions and extended or abstract conversation.
- 1 - With minimal difficulty, able to hear and understand most multi-step instructions and ordinary conversation. May need occasional repetition, extra time, or louder voice.
- 2 - Has moderate difficulty hearing and understanding simple, one-step instructions and brief conversation; needs frequent prompting or assistance.
- 3 - Has severe difficulty hearing and understanding simple greetings and short comments. Requires multiple repetitions, restatements, demonstrations, additional time.
- 4 - Unable to hear and understand familiar words or common expressions consistently, or patient nonresponsive.

(M0410) Speech and Oral (Verbal) Expression of Language (in patient's own language):

- 0 - Expresses complex ideas, feelings, and needs clearly, completely, and easily in all situations with no observable impairment.
- 1 - Minimal difficulty in expressing ideas and needs (may take extra time; makes occasional errors in word choice, grammar or speech intelligibility; needs minimal prompting or assistance).
- 2 - Expresses simple ideas or needs with moderate difficulty (needs prompting or assistance, errors in word choice, organization or speech intelligibility). Speaks in phrases or short sentences.
- 3 - Has severe difficulty expressing basic ideas or needs and requires maximal assistance or guessing by listener. Speech limited to single words or short phrases.
- 4 - Unable to express basic needs even with maximal prompting or assistance but is not comatose or unresponsive (e.g., speech is nonsensical or unintelligible).
- 5 - Patient nonresponsive or unable to speak.

(M0420) Frequency of Pain interfering with patient's activity or movement:

- 0 - Patient has no pain or pain does not interfere with activity or movement
- 1 - Less often than daily
- 2 - Daily, but not constantly
- 3 - All of the time

(M0430) Intractable Pain: Is the patient experiencing pain that is not easily relieved, occurs at least daily, and affects the patient's sleep, appetite, physical or emotional energy, concentration, personal relationships, emotions, or ability or desire to perform physical activity?

- 0 - No
- 1 - Yes

INTEGUMENTARY STATUS

(M0440) Does this patient have a **Skin Lesion** or an **Open Wound**? This excludes "OSTOMIES."

- 0 - No [If No, go to **M0490**]
- 1 - Yes

(M0445) Does this patient have a **Pressure Ulcer**?

- 0 - No [If No, go to **M0468**]
- 1 - Yes

(M0450) Current Number of Pressure Ulcers at Each Stage: (Circle one response for each stage.)

Pressure Ulcer Stages		Number of Pressure Ulcers				
a)	Stage 1: Nonblanchable erythema of intact skin; the heralding of skin ulceration. In darker-pigmented skin, warmth, edema, hardness, or discolored skin may be indicators.	0	1	2	3	4 or more
b)	Stage 2: Partial thickness skin loss involving epidermis and/or dermis. The ulcer is superficial and presents clinically as an abrasion, blister, or shallow crater.	0	1	2	3	4 or more
c)	Stage 3: Full-thickness skin loss involving damage or necrosis of subcutaneous tissue which may extend down to, but not through, underlying fascia. The ulcer presents clinically as a deep crater with or without undermining of adjacent tissue.	0	1	2	3	4 or more
d)	Stage 4: Full-thickness skin loss with extensive destruction, tissue necrosis, or damage to muscle, bone, or supporting structures (e.g., tendon, joint capsule, etc.)	0	1	2	3	4 or more
e)	In addition to the above, is there at least one pressure ulcer that cannot be observed due to the presence of eschar or a nonremovable dressing, including casts? <input type="checkbox"/> 0 - No <input type="checkbox"/> 1 - Yes					

(M0460) [At follow-up, skip to M0470 if patient has no pressure ulcers]

Stage of Most Problematic (Observable) Pressure Ulcer:

- 1 - Stage 1
- 2 - Stage 2
- 3 - Stage 3
- 4 - Stage 4
- NA - No observable pressure ulcer

(M0464) Status of Most Problematic (Observable) Pressure Ulcer:

- 1 - Fully granulating
- 2 - Early/partial granulation
- 3 - Not healing
- NA - No observable pressure ulcer

(M0468) Does this patient have a **Stasis Ulcer**?

- 0 - No [If No, go to **M0482**]
- 1 - Yes

(M0470) Current Number of Observable Stasis Ulcer(s):

- 0 - Zero
- 1 - One
- 2 - Two
- 3 - Three
- 4 - Four or more

(M0474) Does this patient have at least one **Stasis Ulcer that Cannot be Observed** due to the presence of a nonremovable dressing?

- 0 - No
- 1 - Yes

(M0476) [At follow-up, skip to M0488 if patient has no stasis ulcers]

Status of Most Problematic (Observable) Stasis Ulcer:

- 1 - Fully granulating
- 2 - Early/partial granulation
- 3 - Not healing
- NA - No observable stasis ulcer

(M0482) Does this patient have a **Surgical Wound**?

- 0 - No [If No, go to **M0490**]
- 1 - Yes

(M0484) Current Number of (Observable) Surgical Wounds: (If a wound is partially closed but has more than one opening, consider each opening as a separate wound.)

- 0 - Zero
- 1 - One
- 2 - Two
- 3 - Three
- 4 - Four or more

(M0486) Does this patient have at least one **Surgical Wound that Cannot be Observed** due to the presence of a nonremovable dressing?

- 0 - No
- 1 - Yes

(M0488) [At follow-up, skip to M0490 if patient has no surgical wounds]

Status of Most Problematic (Observable) Surgical Wound:

- 1 - Fully granulating
- 2 - Early/partial granulation
- 3 - Not healing
- NA - No observable surgical wound

RESPIRATORY STATUS

(M0490) When is the patient dyspneic or noticeably **Short of Breath**?

- 0 - Never, patient is not short of breath
- 1 - When walking more than 20 feet, climbing stairs
- 2 - With moderate exertion (e.g., while dressing, using commode or bedpan, walking distances less than 20 feet)
- 3 - With minimal exertion (e.g., while eating, talking, or performing other ADLs) or with agitation
- 4 - At rest (during day or night)

(M0500) **Respiratory Treatments** utilized at home: **(Mark all that apply.)**

- 1 - Oxygen (intermittent or continuous)
- 2 - Ventilator (continually or at night)
- 3 - Continuous positive airway pressure
- 4 - None of the above

ELIMINATION STATUS

(M0510) Has this patient been treated for a **Urinary Tract Infection** in the past 14 days?

- 0 - No
- 1 - Yes
- NA - Patient on prophylactic treatment
- UK - Unknown

(M0520) **Urinary Incontinence or Urinary Catheter Presence:**

- 0 - No incontinence or catheter (includes anuria or ostomy for urinary drainage) [**If No, go to M0540**]
- 1 - Patient is incontinent
- 2 - Patient requires a urinary catheter (i.e., external, indwelling, intermittent, suprapubic) [**Go to M0540**]

(M0530) When does **Urinary Incontinence** occur?

- 0 - Timed-voiding defers incontinence
- 1 - During the night only
- 2 - During the day and night

(M0540) **Bowel Incontinence Frequency:**

- 0 - Very rarely or never has bowel incontinence
- 1 - Less than once weekly
- 2 - One to three times weekly
- 3 - Four to six times weekly
- 4 - On a daily basis
- 5 - More often than once daily
- NA - Patient has ostomy for bowel elimination
- UK - Unknown

(M0550) **Ostomy for Bowel Elimination:** Does this patient have an ostomy for bowel elimination that (within the last 14 days): a) was related to an inpatient facility stay, or b) necessitated a change in medical or treatment regimen?

- 0 - Patient does not have an ostomy for bowel elimination.
- 1 - Patient's ostomy was not related to an inpatient stay and did not necessitate change in medical or treatment regimen.
- 2 - The ostomy was related to an inpatient stay or did necessitate change in medical or treatment regimen.

NEURO/EMOTIONAL/BEHAVIORAL STATUS

(M0560) Cognitive Functioning: (Patient's current level of alertness, orientation, comprehension, concentration, and immediate memory for simple commands.)

- 0 - Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently.
- 1 - Requires prompting (cuing, repetition, reminders) only under stressful or unfamiliar conditions.
- 2 - Requires assistance and some direction in specific situations (e.g., on all tasks involving shifting of attention), or consistently requires low stimulus environment due to distractibility.
- 3 - Requires considerable assistance in routine situations. Is not alert and oriented or is unable to shift attention and recall directions more than half the time.
- 4 - Totally dependent due to disturbances such as constant disorientation, coma, persistent vegetative state, or delirium.

(M0570) When Confused (Reported or Observed):

- 0 - Never
- 1 - In new or complex situations only
- 2 - On awakening or at night only
- 3 - During the day and evening, but not constantly
- 4 - Constantly
- NA - Patient nonresponsive

(M0580) When Anxious (Reported or Observed):

- 0 - None of the time
- 1 - Less often than daily
- 2 - Daily, but not constantly
- 3 - All of the time
- NA - Patient nonresponsive

(M0590) Depressive Feelings Reported or Observed in Patient: (Mark all that apply.)

- 1 - Depressed mood (e.g., feeling sad, tearful)
- 2 - Sense of failure or self reproach
- 3 - Hopelessness
- 4 - Recurrent thoughts of death
- 5 - Thoughts of suicide
- 6 - None of the above feelings observed or reported

(M0610) Behaviors Demonstrated at Least Once a Week (Reported or Observed): (Mark all that apply.)

- 1 - Memory deficit: failure to recognize familiar persons/places, inability to recall events of past 24 hours, significant memory loss so that supervision is required
- 2 - Impaired decision-making: failure to perform usual ADLs or IADLs, inability to appropriately stop activities, jeopardizes safety through actions
- 3 - Verbal disruption: yelling, threatening, excessive profanity, sexual references, etc.
- 4 - Physical aggression: aggressive or combative to self and others (e.g., hits self, throws objects, punches, dangerous maneuvers with wheelchair or other objects)
- 5 - Disruptive, infantile, or socially inappropriate behavior (**excludes** verbal actions)
- 6 - Delusional, hallucinatory, or paranoid behavior
- 7 - None of the above behaviors demonstrated

(M0620) Frequency of Behavior Problems (Reported or Observed) (e.g., wandering episodes, self abuse, verbal disruption, physical aggression, etc.):

- 0 - Never
- 1 - Less than once a month
- 2 - Once a month
- 3 - Several times each month
- 4 - Several times a week
- 5 - At least daily

(M0630) Is this patient receiving Psychiatric Nursing Services at home provided by a qualified psychiatric nurse?

- 0 - No
- 1 - Yes

ADL/IADLs

For M0640-M0800, complete the "Current" column for all patients. For these same items, complete the "Prior" column only at start of care and at resumption of care; mark the level that corresponds to the patient's condition 14 days prior to start of care date (M0030) or resumption of care date (M0032). In all cases, record what the patient is *able to do*.

(M0640) Grooming: Ability to tend to personal hygiene needs (i.e., washing face and hands, hair care, shaving or make up, teeth or denture care, fingernail care).

- | Prior | Current | |
|--------------------------|--------------------------|--|
| <input type="checkbox"/> | <input type="checkbox"/> | 0 - Able to groom self unaided, with or without the use of assistive devices or adapted methods. |
| <input type="checkbox"/> | <input type="checkbox"/> | 1 - Grooming utensils must be placed within reach before able to complete grooming activities. |
| <input type="checkbox"/> | <input type="checkbox"/> | 2 - Someone must assist the patient to groom self. |
| <input type="checkbox"/> | <input type="checkbox"/> | 3 - Patient depends entirely upon someone else for grooming needs. |
| <input type="checkbox"/> | | UK - Unknown |

(M0650) Ability to Dress Upper Body (with or without dressing aids) including undergarments, pullovers, front-opening shirts and blouses, managing zippers, buttons, and snaps:

- | Prior | Current | |
|--------------------------|--------------------------|---|
| <input type="checkbox"/> | <input type="checkbox"/> | 0 - Able to get clothes out of closets and drawers, put them on and remove them from the upper body without assistance. |
| <input type="checkbox"/> | <input type="checkbox"/> | 1 - Able to dress upper body without assistance if clothing is laid out or handed to the patient. |
| <input type="checkbox"/> | <input type="checkbox"/> | 2 - Someone must help the patient put on upper body clothing. |
| <input type="checkbox"/> | <input type="checkbox"/> | 3 - Patient depends entirely upon another person to dress the upper body. |
| <input type="checkbox"/> | | UK - Unknown |

(M0660) Ability to Dress Lower Body (with or without dressing aids) including undergarments, slacks, socks or nylons, shoes:

- | Prior | Current | |
|--------------------------|--------------------------|--|
| <input type="checkbox"/> | <input type="checkbox"/> | 0 - Able to obtain, put on, and remove clothing and shoes without assistance. |
| <input type="checkbox"/> | <input type="checkbox"/> | 1 - Able to dress lower body without assistance if clothing and shoes are laid out or handed to the patient. |
| <input type="checkbox"/> | <input type="checkbox"/> | 2 - Someone must help the patient put on undergarments, slacks, socks or nylons, and shoes. |
| <input type="checkbox"/> | <input type="checkbox"/> | 3 - Patient depends entirely upon another person to dress lower body. |
| <input type="checkbox"/> | | UK - Unknown |

(M0670) Bathing: Ability to wash entire body. **Excludes grooming (washing face and hands only).**

- | Prior | Current | |
|--------------------------|--------------------------|--|
| <input type="checkbox"/> | <input type="checkbox"/> | 0 - Able to bathe self in <u>shower or tub</u> independently. |
| <input type="checkbox"/> | <input type="checkbox"/> | 1 - With the use of devices, is able to bathe self in shower or tub independently. |
| <input type="checkbox"/> | <input type="checkbox"/> | 2 - Able to bathe in shower or tub with the assistance of another person:
(a) for intermittent supervision or encouragement or reminders, <u>OR</u>
(b) to get in and out of the shower or tub, <u>OR</u>
(c) for washing difficult to reach areas. |
| <input type="checkbox"/> | <input type="checkbox"/> | 3 - Participates in bathing self in shower or tub, <u>but</u> requires presence of another person throughout the bath for assistance or supervision. |
| <input type="checkbox"/> | <input type="checkbox"/> | 4 - <u>Unable</u> to use the shower or tub and is bathed in <u>bed or bedside chair</u> . |
| <input type="checkbox"/> | <input type="checkbox"/> | 5 - Unable to effectively participate in bathing and is totally bathed by another person. |
| <input type="checkbox"/> | | UK - Unknown |

(M0680) Toileting: Ability to get to and from the toilet or bedside commode.

- | Prior | Current | |
|--------------------------|--------------------------|--|
| <input type="checkbox"/> | <input type="checkbox"/> | 0 - Able to get to and from the toilet independently with or without a device. |
| <input type="checkbox"/> | <input type="checkbox"/> | 1 - When reminded, assisted, or supervised by another person, able to get to and from the toilet. |
| <input type="checkbox"/> | <input type="checkbox"/> | 2 - <u>Unable</u> to get to and from the toilet but is able to use a bedside commode (with or without assistance). |
| <input type="checkbox"/> | <input type="checkbox"/> | 3 - <u>Unable</u> to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently. |
| <input type="checkbox"/> | <input type="checkbox"/> | 4 - Is totally dependent in toileting. |
| <input type="checkbox"/> | | UK - Unknown |

(M0690) Transferring: Ability to move from bed to chair, on and off toilet or commode, into and out of tub or shower, and ability to turn and position self in bed if patient is bedfast.

Prior Current

- 0 - Able to independently transfer.
- 1 - Transfers with minimal human assistance or with use of an assistive device.
- 2 - Unable to transfer self but is able to bear weight and pivot during the transfer process.
- 3 - Unable to transfer self and is unable to bear weight or pivot when transferred by another person.
- 4 - Bedfast, unable to transfer but is able to turn and position self in bed.
- 5 - Bedfast, unable to transfer and is unable to turn and position self.
- UK - Unknown

(M0700) Ambulation/Locomotion: Ability to SAFELY walk, once in a standing position, or use a wheelchair, once in a seated position, on a variety of surfaces.

Prior Current

- 0 - Able to independently walk on even and uneven surfaces and climb stairs with or without railings (i.e., needs no human assistance or assistive device).
- 1 - Requires use of a device (e.g., cane, walker) to walk alone or requires human supervision or assistance to negotiate stairs or steps or uneven surfaces.
- 2 - Able to walk only with the supervision or assistance of another person at all times.
- 3 - Chairfast, unable to ambulate but is able to wheel self independently.
- 4 - Chairfast, unable to ambulate and is unable to wheel self.
- 5 - Bedfast, unable to ambulate or be up in a chair.
- UK - Unknown

(M0710) Feeding or Eating: Ability to feed self meals and snacks. **Note: This refers only to the process of eating, chewing, and swallowing, not preparing the food to be eaten.**

Prior Current

- 0 - Able to independently feed self.
- 1 - Able to feed self independently but requires:
(a) meal set-up; OR
(b) intermittent assistance or supervision from another person; OR
(c) a liquid, pureed or ground meat diet.
- 2 - Unable to feed self and must be assisted or supervised throughout the meal/snack.
- 3 - Able to take in nutrients orally and receives supplemental nutrients through a nasogastric tube or gastrostomy.
- 4 - Unable to take in nutrients orally and is fed nutrients through a nasogastric tube or gastrostomy.
- 5 - Unable to take in nutrients orally or by tube feeding.
- UK - Unknown

(M0720) Planning and Preparing Light Meals (e.g., cereal, sandwich) or reheat delivered meals:

Prior Current

- 0 - (a) Able to independently plan and prepare all light meals for self or reheat delivered meals; OR
(b) Is physically, cognitively, and mentally able to prepare light meals on a regular basis but has not routinely performed light meal preparation in the past (i.e., prior to this home care admission).
- 1 - Unable to prepare light meals on a regular basis due to physical, cognitive, or mental limitations.
- 2 - Unable to prepare any light meals or reheat any delivered meals.
- UK - Unknown

(M0730) Transportation: Physical and mental ability to safely use a car, taxi, or public transportation (bus, train, subway).

Prior Current

- 0 - Able to independently drive a regular or adapted car; OR uses a regular or handicap-accessible public bus.
- 1 - Able to ride in a car only when driven by another person; OR able to use a bus or handicap van only when assisted or accompanied by another person.
- 2 - Unable to ride in a car, taxi, bus, or van, and requires transportation by ambulance.
- UK - Unknown

(M0740) Laundry: Ability to do own laundry -- to carry laundry to and from washing machine, to use washer and dryer, to wash small items by hand.

Prior Current

- 0 - (a) Able to independently take care of all laundry tasks; OR
(b) Physically, cognitively, and mentally able to do laundry and access facilities, but has not routinely performed laundry tasks in the past (i.e., prior to this home care admission).
- 1 - Able to do only light laundry, such as minor hand wash or light washer loads. Due to physical, cognitive, or mental limitations, needs assistance with heavy laundry such as carrying large loads of laundry.
- 2 - Unable to do any laundry due to physical limitation or needs continual supervision and assistance due to cognitive or mental limitation.
- UK - Unknown

(M0750) Housekeeping: Ability to safely and effectively perform light housekeeping and heavier cleaning tasks.

Prior Current

- 0 - (a) Able to independently perform all housekeeping tasks; OR
(b) Physically, cognitively, and mentally able to perform all housekeeping tasks but has not routinely participated in housekeeping tasks in the past (i.e., prior to this home care admission).
- 1 - Able to perform only light housekeeping (e.g., dusting, wiping kitchen counters) tasks independently.
- 2 - Able to perform housekeeping tasks with intermittent assistance or supervision from another person.
- 3 - Unable to consistently perform any housekeeping tasks unless assisted by another person throughout the process.
- 4 - Unable to effectively participate in any housekeeping tasks.
- UK - Unknown

(M0760) Shopping: Ability to plan for, select, and purchase items in a store and to carry them home or arrange delivery.

Prior Current

- 0 - (a) Able to plan for shopping needs and independently perform shopping tasks, including carrying packages; OR
(b) Physically, cognitively, and mentally able to take care of shopping, but has not done shopping in the past (i.e., prior to this home care admission).
- 1 - Able to go shopping, but needs some assistance:
(a) By self is able to do only light shopping and carry small packages, but needs someone to do occasional major shopping; OR
(b) Unable to go shopping alone, but can go with someone to assist.
- 2 - Unable to go shopping, but is able to identify items needed, place orders, and arrange home delivery.
- 3 - Needs someone to do all shopping and errands.
- UK - Unknown

(M0770) Ability to Use Telephone: Ability to answer the phone, dial numbers, and effectively use the telephone to communicate.

Prior Current

- 0 - Able to dial numbers and answer calls appropriately and as desired.
- 1 - Able to use a specially adapted telephone (i.e., large numbers on the dial, teletype phone for the deaf) and call essential numbers.
- 2 - Able to answer the telephone and carry on a normal conversation but has difficulty with placing calls.
- 3 - Able to answer the telephone only some of the time or is able to carry on only a limited conversation.
- 4 - Unable to answer the telephone at all but can listen if assisted with equipment.
- 5 - Totally unable to use the telephone.
- NA - Patient does not have a telephone.
- UK - Unknown

MEDICATIONS

(M0780) Management of Oral Medications: Patient's ability to prepare and take all prescribed oral medications reliably and safely, including administration of the correct dosage at the appropriate times/intervals. **Excludes injectable and IV medications. (NOTE: This refers to ability, not compliance or willingness.)**

Prior Current

- 0 - Able to independently take the correct oral medication(s) and proper dosage(s) at the correct times.
- 1 - Able to take medication(s) at the correct times if:
 - (a) individual dosages are prepared in advance by another person; OR
 - (b) given daily reminders; OR
 - (c) someone develops a drug diary or chart.
- 2 - Unable to take medication unless administered by someone else.
- NA - No oral medications prescribed.
- UK - Unknown

(M0790) Management of Inhalant/Mist Medications: Patient's ability to prepare and take all prescribed inhalant/mist medications (nebulizers, metered dose devices) reliably and safely, including administration of the correct dosage at the appropriate times/intervals. **Excludes all other forms of medication (oral tablets, injectable and IV medications).**

Prior Current

- 0 - Able to independently take the correct medication and proper dosage at the correct times.
- 1 - Able to take medication at the correct times if:
 - (a) individual dosages are prepared in advance by another person, OR
 - (b) given daily reminders.
- 2 - Unable to take medication unless administered by someone else.
- NA - No inhalant/mist medications prescribed.
- UK - Unknown

(M0800) Management of Injectable Medications: Patient's ability to prepare and take all prescribed injectable medications reliably and safely, including administration of correct dosage at the appropriate times/intervals. **Excludes IV medications.**

Prior Current

- 0 - Able to independently take the correct medication and proper dosage at the correct times.
- 1 - Able to take injectable medication at correct times if:
 - (a) individual syringes are prepared in advance by another person, OR
 - (b) given daily reminders.
- 2 - Unable to take injectable medications unless administered by someone else.
- NA - No injectable medications prescribed.
- UK - Unknown

EQUIPMENT MANAGEMENT

(M0810) Patient Management of Equipment (includes ONLY oxygen, IV/infusion therapy, enteral/parenteral nutrition equipment or supplies): Patient's ability to set up, monitor and change equipment reliably and safely, add appropriate fluids or medication, clean/store/dispose of equipment or supplies using proper technique. **(NOTE: This refers to ability, not compliance or willingness.)**

- 0 - Patient manages all tasks related to equipment completely independently.
- 1 - If someone else sets up equipment (i.e., fills portable oxygen tank, provides patient with prepared solutions), patient is able to manage all other aspects of equipment.
- 2 - Patient requires considerable assistance from another person to manage equipment, but independently completes portions of the task.
- 3 - Patient is only able to monitor equipment (e.g., liter flow, fluid in bag) and must call someone else to manage the equipment.
- 4 - Patient is completely dependent on someone else to manage all equipment.
- NA - No equipment of this type used in care [If NA, go to M0826]

(M0820) Caregiver Management of Equipment (includes ONLY oxygen, IV/infusion equipment, enteral/parenteral nutrition, ventilator therapy equipment or supplies): Caregiver's ability to set up, monitor, and change equipment reliably and safely, add appropriate fluids or medication, clean/store/dispose of equipment or supplies using proper technique. **(NOTE: This refers to ability, not compliance or willingness.)**

- 0 - Caregiver manages all tasks related to equipment completely independently.
- 1 - If someone else sets up equipment, caregiver is able to manage all other aspects.
- 2 - Caregiver requires considerable assistance from another person to manage equipment, but independently completes significant portions of task.
- 3 - Caregiver is only able to complete small portions of task (e.g., administer nebulizer treatment, clean/store/dispose of equipment or supplies).
- 4 - Caregiver is completely dependent on someone else to manage all equipment.
- NA - No caregiver
- UK - Unknown

THERAPY NEED

(M0826) Therapy Need: In the home health plan of care for the Medicare payment episode for which this assessment will define a case mix group, what is the indicated need for therapy visits (total of reasonable and necessary physical, occupational, and speech-language pathology visits combined)? **(Enter zero ["000"] if no therapy visits indicated.)**

- (___ ___) Number of therapy visits indicated (total of physical, occupational and speech-language pathology combined).
- NA - Not Applicable: No case mix group defined by this assessment.

EMERGENCY CARE

(M0830) Emergent Care: Since the last time OASIS data were collected, has the patient utilized any of the following services for emergent care (other than home care agency services)? **(Mark all that apply.)**

- 0 - No emergent care services [**If no emergent care, go to M0855**]
- 1 - Hospital emergency room (includes 23-hour holding)
- 2 - Doctor's office emergency visit/house call
- 3 - Outpatient department/clinic emergency (includes urgicenter sites)
- UK - Unknown [**If UK, go to M0855**]

(M0840) Emergent Care Reason: For what reason(s) did the patient/family seek emergent care? **(Mark all that apply.)**

- 1 - Improper medication administration, medication side effects, toxicity, anaphylaxis
- 2 - Nausea, dehydration, malnutrition, constipation, impaction
- 3 - Injury caused by fall or accident at home
- 4 - Respiratory problems (e.g., shortness of breath, respiratory infection, tracheobronchial obstruction)
- 5 - Wound infection, deteriorating wound status, new lesion/ulcer
- 6 - Cardiac problems (e.g., fluid overload, exacerbation of CHF, chest pain)
- 7 - Hypo/Hyperglycemia, diabetes out of control
- 8 - GI bleeding, obstruction
- 9 - Other than above reasons
- UK - Reason unknown

DATA ITEMS COLLECTED AT INPATIENT FACILITY ADMISSION OR AGENCY DISCHARGE ONLY

(M0855) To which **Inpatient Facility** has the patient been admitted?

- 1 - Hospital [**Go to M0890**]
- 2 - Rehabilitation facility [**Go to M0903**]
- 3 - Nursing home [**Go to M0900**]
- 4 - Hospice [**Go to M0903**]
- NA - No inpatient facility admission

(M0870) Discharge Disposition: Where is the patient after discharge from your agency? **(Choose only one answer.)**

- 1 - Patient remained in the community (not in hospital, nursing home, or rehab facility)
- 2 - Patient transferred to a noninstitutional hospice [**Go to M0903**]
- 3 - Unknown because patient moved to a geographic location not served by this agency [**Go to M0903**]
- UK - Other unknown [**Go to M0903**]

(M0880) After discharge, does the patient receive health, personal, or support **Services or Assistance**? **(Mark all that apply.)**

- 1 - No assistance or services received
- 2 - Yes, assistance or services provided by family or friends
- 3 - Yes, assistance or services provided by other community resources (e.g., meals-on-wheels, home health services, homemaker assistance, transportation assistance, assisted living, board and care)

Go to M0903

(M0890) If the patient was admitted to an acute care **Hospital**, for what **Reason** was he/she admitted?

- 1 - Hospitalization for emergent (unscheduled) care
- 2 - Hospitalization for urgent (scheduled within 24 hours of admission) care
- 3 - Hospitalization for elective (scheduled more than 24 hours before admission) care
- UK - Unknown

(M0895) Reason for Hospitalization: (Mark all that apply.)

- 1 - Improper medication administration, medication side effects, toxicity, anaphylaxis
- 2 - Injury caused by fall or accident at home
- 3 - Respiratory problems (SOB, infection, obstruction)
- 4 - Wound or tube site infection, deteriorating wound status, new lesion/ulcer
- 5 - Hypo/Hyperglycemia, diabetes out of control
- 6 - GI bleeding, obstruction
- 7 - Exacerbation of CHF, fluid overload, heart failure
- 8 - Myocardial infarction, stroke
- 9 - Chemotherapy
- 10 - Scheduled surgical procedure
- 11 - Urinary tract infection
- 12 - IV catheter-related infection
- 13 - Deep vein thrombosis, pulmonary embolus
- 14 - Uncontrolled pain
- 15 - Psychotic episode
- 16 - Other than above reasons

Go to M0903

(M0900) For what **Reason(s)** was the patient **Admitted** to a **Nursing Home**? **(Mark all that apply.)**

- 1 - Therapy services
- 2 - Respite care
- 3 - Hospice care
- 4 - Permanent placement
- 5 - Unsafe for care at home
- 6 - Other
- UK - Unknown

(M0903) Date of Last (Most Recent) Home Visit:

___/___/_____
month day year

(M0906) Discharge/Transfer/Death Date: Enter the date of the discharge, transfer, or death (at home) of the patient.

___/___/_____
month day year

Comparison Between SOC, Follow-Up, Discharge, and Inpatient Transfer Versions of OASIS-B1 (1/2008)

This section contains wording changes or changes in response options for several of the OASIS items across various time points. This document presents these changes to facilitate incorporating OASIS items into clinical documentation.

The first column displays each OASIS item title and its corresponding Mxxxx number as it appears in the full OASIS-B1 (1/2008) document. The second column notes any modifications (or omissions) appropriate for start of care (SOC) or resumption of care (ROC) documentation. The third, fourth and fifth columns note item changes that should appear in the follow-up (i.e. 60-day), inpatient transfer, or discharge documentation, respectively.

COMPARISON BETWEEN SOC, FOLLOW-UP, TRANSFER, AND DISCHARGE VERSIONS OF OASIS-B1 (1/2008)

This document contains wording changes or changes in response options for several of the OASIS items across various time points. This document presents these changes to facilitate incorporating OASIS items into clinical documentation.

The first column displays each OASIS item title and its corresponding Mxxx number as it appears in the full OASIS-B1 document. The second column notes any modifications (or omissions) appropriate for start of care (SOC) or resumption of care (ROC) documentation. The third, fourth and fifth columns note items changes that should appear in the follow-up (i.e. 60-day), discharge or inpatient transfer documentation, respectively.

Item #	SOC/ROC Version	Follow-Up Version	Inpatient Transfer Version	Discharge Version
Patient Tracking Sheet (PTS) M0010-M0072, M0140, M0150	Items to be used at this timepoint: M0010-M0150, M0175-M0300, M0340-M0590, M0610-M0826. ROC Version Items to be used at this timepoint: Update PTS as needed, M0080- M0100, M0175-M0300, M0340- M0590, M0610-M0826.	Items to be used at this timepoint: M0080-M0110, M0230-M0250, M0390, M0420, M0440, M0450, M0460, M0470, M0474, M0476, M0488, M0490, M0520- M0550, M0650-M0700, M0800, M0826.	The transfer items are included in the discharge version. However, if an agency chooses to have a separate inpatient facility form, the following is a list of items that are to be used. • Transferred to inpatient facility – patient not discharged from agency: M0080-M0100, M0830-M0855, M0890-M0906 • Transferred to inpatient facility – patient discharged from agency: M0080-M0100, M0830-M0855, M0890-M0906 • Death at home: M0080-M0100, M0906 • Discharge from agency (not to inpatient facility): M0080-M0100, M0200-M0220, M0250, M0280-M0380, M0410-M0820, M0830-M0880, M0903-M0906	Items to be used in specific circumstances: • Transferred to inpatient facility – patient not discharged from agency: M0080-M0100, M0830-M0855, M0890-M0906 • Transferred to inpatient facility – patient discharged from agency: M0080-M0100, M0830-M0855, M0890-M0906 • Death at home: M0080-M0100, M0906 • Discharge from agency (not to inpatient facility): M0080-M0100, M0200-M0220, M0250, M0280-M0380, M0410-M0820, M0830-M0880, M0903-M0906
PATIENT TRACKING SHEET				
M0010 Agency Medicare Provider Number	Verify at SOC, update at ROC as needed	Update as needed	Update as needed	Update as needed
M0012 Agency Medicaid Provider Number	Verify at SOC, update at ROC as needed	Update as needed	Update as needed	Update as needed
M0014 Branch State (Optional)	Verify at SOC, update at ROC as needed	Update as needed	Update as needed	Update as needed
M0016 Branch ID Number (Optional)	Verify at SOC, update at ROC as needed	Update as needed	Update as needed	Update as needed
M0020 Patient ID Number	Verify at SOC, update at ROC as needed	Update as needed	Update as needed	Update as needed
M0030 Start of Care Date	Verify at SOC, update at ROC as needed	Update as needed	Update as needed	Update as needed
M0032 Resumption of Care Date	Verify at SOC, update at ROC as needed	Update as needed	Update as needed	Update as needed
M0040 Patient's Name	Verify at SOC, update at ROC as needed	Update as needed	Update as needed	Update as needed

Item #	SOC/ROC Version	Follow-Up Version	Inpatient Transfer Version	Discharge Version
M0050 Patient State of Residence	Verify at SOC, update at ROC as needed	Update as needed	Update as needed	Update as needed
M0060 Patient Zip Code	Verify at SOC, update at ROC as needed	Update as needed	Update as needed	Update as needed
M0063 Medicare Number	Verify at SOC, update at ROC as needed	Update as needed	Update as needed	Update as needed
M0064 Social Security Number	Verify at SOC, update at ROC as needed	Update as needed	Update as needed	Update as needed
M0065 Medicaid Number	Verify at SOC, update at ROC as needed	Update as needed	Update as needed	Update as needed
M0066 Birth Date	Verify at SOC, update at ROC as needed	Update as needed	Update as needed	Update as needed
M0069 Gender	Verify at SOC, update at ROC as needed	Update as needed	Update as needed	Update as needed
M0072 Primary Referring Physician ID (UPIN)	Verify at SOC, update at ROC as needed	Update as needed	Update as needed	Update as needed
M0080 Discipline of Person Completing Assessment	Verify at SOC, update at ROC as needed	Update as needed	Update as needed	Update as needed
M0090 Date Assessment Completed	Verify at SOC, update at ROC as needed	Update as needed	Update as needed	Update as needed
M0100 Reason for Assessment	Options 1 and 3 are highlighted. Options 4-9 are shaded out or omitted.	Options 4 and 5 are highlighted. Options 1-3 and 6-9 are shaded out or omitted.	Options 6 and 7 are highlighted. Options 1-5 and 8-9 are shaded out or omitted.	Options 6-9 are highlighted. Options 1-5 are shaded out or omitted.
M0110 Episode Timing		Omitted	Omitted	Omitted
M0140 Race/Ethnicity		Omitted	Omitted	Omitted
M0150 Current Payment Sources for Home Care		Update as needed.	Update as needed.	Update as needed.
DEMOGRAPHICS AND PATIENT HISTORY				
M0175 Inpatient Facilities	If NA, go to M0200	Omitted	Omitted	Omitted
M0180 Inpatient Discharge Date		Omitted	Omitted	Omitted
M0190 Inpatient Diagnoses		Omitted	Omitted	Omitted
M0200 Medical or Treatment Regimen Change Within Past 14 Days	If "no" go to M0220. ¹	Omitted	Omitted	If "no" go to M0250.
M0210 Medical Diagnoses		Omitted	Omitted	
M0220 Conditions Prior to Medical or Treatment Regimen Change Within Past 14 Days	Also refers to inpatient stay within the past 14 days.	Omitted	Omitted	All references to inpatient stay deleted. "NA" and "Unknown" deleted as response options.

¹In this and all other "skip" patterns, the end point of the skip pattern can be renumbered to direct the clinician to the next appropriate OASIS item or non-OASIS item.

Item #	SOC/ROC Version	Follow-Up Version	Inpatient Transfer Version	Discharge Version
M0230/M0240/M0246 Diagnoses and Severity Index			Omitted	Omitted
M0250 Therapies			Omitted	
M0260 Overall Prognosis		Omitted	Omitted	Omitted
M0270 Rehabilitative Prognosis		Omitted	Omitted	Omitted
M0280 Life Expectancy		Omitted	Omitted	
M0290 High Risk Factors		Omitted	Omitted	"Unknown" deleted as response option.
LIVING ARRANGEMENTS				
M0300 Current Residence		Omitted.	Omitted	
M0340 Patient Lives With		Omitted	Omitted	
SUPPORTIVE ASSISTANCE				
M0350 Assisting Person(s) Other than Home Care Agency Staff	If "none of the above" or "unknown," go to M0390.	Omitted	Omitted	If "none of the above," go to M0410. "Unknown" deleted as response option.
M0360 Primary Caregiver	If "no one person," or "unknown," go to M0390.	Omitted	Omitted	If "no one person," go to M0410. "Unknown" deleted as response option.
M0370 How Often		Omitted	Omitted	"Unknown" deleted as response option.
M0380 Type of Primary Caregiver Assistance		Omitted	Omitted	"Unknown" deleted as response option.
SENSORY STATUS				
M0390 Vision			Omitted	Omitted
M0400 Hearing and Ability to Understand Spoken Language		Omitted	Omitted	Omitted
M0410 Speech and Oral (Verbal) Expression of Language		Omitted	Omitted	
M0420 Frequency of Pain			Omitted	
M0430 Intractable Pain		Omitted	Omitted	
INTEGUMENTARY STATUS				
M0440 Skin Lesion/Open Wound	If "no," go to M0490.	If "no," go to M0490.	Omitted	If "no," go to M0490.
M0445 Pressure Ulcer	If "no," go to M0468.	Omitted.	Omitted	If "no," go to M0468.
M0450 Current Number of Pressure Ulcers at Each Stage		If no pressure ulcers, mark "0" for each stage.	Omitted	
M0460 Stage of Most Problematic (Observable) Pressure Ulcer		Skip to M0470 if no pressure ulcers.	Omitted	
M0464 Status of Most Problematic (Observable) Pressure Ulcer		Omitted	Omitted	
M0468 Stasis Ulcer	If "no," go to M0482.	Omitted	Omitted	If "no," go to M0482.
M0470 Current Number of Observable Stasis Ulcer(s)		.	Omitted	

Item #	SOC/ROC Version	Follow-Up Version	Inpatient Transfer Version	Discharge Version
M0474 Stasis Ulcer that Cannot be Observed			Omitted	
M0476 Status of Most Problematic (Observable) Stasis Ulcer		Skip to M0488 if no stasis ulcers	Omitted	
M0482 Surgical Wound	If "no," go to M0490.	Omitted	Omitted	If "no," go to M0490.
M0484 Current Number of (Observable) Surgical Wounds		Omitted	Omitted	
M0486 Surgical Wound that Cannot be Observed		Omitted	Omitted	
M0488 Status of Most Problematic (Observable) Surgical Wound		Skip to M0490 if no surgical wounds.	Omitted	
RESPIRATORY STATUS				
M0490 Short of Breath			Omitted	
M0500 Respiratory Treatments		Omitted	Omitted	
ELIMINATION STATUS				
M0510 Urinary Tract Infection		Omitted	Omitted	"Unknown" deleted as response option.
M0520 Urinary Incontinence or Urinary Catheter Presence	If "no incontinence" or "requires urinary catheter," go to M0540.	If "no incontinence" or "requires urinary catheter," go to M0540.	Omitted	If "no incontinence" or "requires urinary catheter," go to M0540.
M0530 Urinary Incontinence			Omitted	
M0540 Bowel Incontinence Frequency		"Unknown" deleted as response option.	Omitted	"Unknown" deleted as response option.
M0550 Ostomy for Bowel Elimination			Omitted	All references to "inpatient facility stay" deleted.
NEURO/EMOTIONAL/BEHAVIORAL STATUS				
M0560 Cognitive Functioning		Omitted	Omitted	
M0570 When Confused (Reported or Observed)		Omitted	Omitted	
M0580 When Anxious (Reported or Observed)		Omitted	Omitted	
M0590 Depressive Feelings Reported or Observed in Patient		Omitted	Omitted	
M0610 Behaviors Demonstrated At Least Once a Week (Reported or Observed)		Omitted	Omitted	
M0620 Frequency of Behavior Problems (Reported or Observed)		Omitted	Omitted	
M0630 Psychiatric Nursing Services		Omitted	Omitted	

Item #	SOC/ROC Version	Follow-Up Version	Inpatient Transfer Version	Discharge Version
ADL/IADLs	For M0640-M0800, complete the "current" column for all patients. For these same items, complete the "prior" column only at SOC/ROC; mark the level that corresponds to the patient's condition 14 days prior to SOC date (M0030) or ROC date (M0032). In all cases record what the patient is able to do.	For M0650-M0700, record what the patient currently is able to do.	Omitted	For M0640-M0800, record what the patient currently is able to do.
M0640 Grooming		No longer required at this timepoint.	Omitted	"Prior" box deleted. "Unknown" deleted as response option.
M0650 Ability to Dress <u>Upper</u> Body		"Prior" box deleted. "Unknown" deleted as response option.	Omitted	"Prior" box deleted. "Unknown" deleted as response option.
M0660 Ability to Dress <u>Lower</u> Body		"Prior" box deleted. "Unknown" deleted as response option.	Omitted	"Prior" box deleted. "Unknown" deleted as response option.
M0670 Bathing		"Prior" box deleted. "Unknown" deleted as response option.	Omitted	"Prior" box deleted. "Unknown" deleted as response option.
M0680 Toileting		"Prior" box deleted. "Unknown" deleted as response option.	Omitted	"Prior" box deleted. "Unknown" deleted as response option.
M0690 Transferring		"Prior" box deleted. "Unknown" deleted as response option.	Omitted	"Prior" box deleted. "Unknown" deleted as response option.
M0700 Ambulation/Locomotion		"Prior" box deleted. "Unknown" deleted as response option.	Omitted	"Prior" box deleted. "Unknown" deleted as response option.
M0710 Feeding or Eating		Omitted	Omitted	"Prior" box deleted. "Unknown" deleted as response option.
M0720 Planning and Preparing Light Meals		Omitted	Omitted	"Prior" box deleted. "Unknown" deleted as response option.
M0730 Transportation		Omitted	Omitted	"Prior" box deleted. "Unknown" deleted as response option.
M0740 Laundry		Omitted	Omitted	"Prior" box deleted. "Unknown" deleted as response option.
M0750 Housekeeping		Omitted	Omitted	"Prior" box deleted. "Unknown" deleted as response option.
M0760 Shopping		Omitted	Omitted	"Prior" box deleted. "Unknown" deleted as response option.
M0770 Ability to Use Telephone		Omitted	Omitted	"Prior" box deleted. "Unknown" deleted as response option.
MEDICATIONS				
M0780 Management of Oral Medications		Omitted	Omitted	"Prior" box deleted. "Unknown" deleted as response option.
M0790 Management of Inhalant/Mist Medications		Omitted	Omitted	"Prior" box deleted. "Unknown" deleted as response option.

Item #	SOC/ROC Version	Follow-Up Version	Inpatient Transfer Version	Discharge Version
M0800 Management of Injectable Medications EQUIPMENT MANAGEMENT		"Prior" box deleted. "Unknown" deleted as response option.	Omitted	"Prior" box deleted. "Unknown" deleted as response option.
M0810 Patient Management of Equipment (includes <u>ONLY</u> oxygen, IV/infusion therapy, enteral/parenteral nutrition equipment or supplies)	If "NA," go to M0826.	Omitted	Omitted	If "NA," go to M0830.
M0820 Caregiver Management of Equipment (includes <u>ONLY</u> oxygen, IV/infusion equipment, enteral/parenteral nutrition, ventilator therapy equipment or supplies)		Omitted.	Omitted	"Unknown" deleted as response option.
OTHER				
M0826 Therapy Need EMERGENT CARE			Omitted	Omitted
M0830 Emergent Care	Omitted	Omitted	If "no emergent care" or "unknown," go to M0855.	If "no emergent care" or "unknown," go to M0855.
M0840 Emergent Care Reason DATA ITEMS COLLECTED AT INPATIENT FACILITY ADMISSION OR DISCHARGE ONLY	Omitted	Omitted		
M0855 Inpatient Facility	Omitted	Omitted	If response is: 1 - Go to M0890 2 - Go to M0903 3 - Go to M0900 4 - Go to M0903 "NA" deleted as response option.	If response is: 1 - Go to M0890 2 - Go to M0903 3 - Go to M0900 4 - Go to M0903
M0870 Discharge Disposition	Omitted	Omitted	Omitted	If response is: 2, 3, or UK, go to M0903.
M0880 Services or Assistance	Omitted	Omitted	Omitted	Go to M0903.
M0890 Hospital Reason	Omitted	Omitted		
M0895 Reason for Hospitalization	Omitted	Omitted	Go to M0903	Go to M0903.
M0900 Reason(s) Admitted to a Nursing Home	Omitted	Omitted		
M0903 Date of last (Most Recent) Home Visit	Omitted	Omitted		
M0906 Discharge/Transfer/Death Date	Omitted	Omitted		

Patient Tracking Sheet of the Outcome and Assessment Information Set OASIS-B1 (1/2008)

This section includes the full text of the Patient Tracking Sheet items that are expected to be completed at start of care. The items are to be updated as necessary at other time point visits.

Outcome and Assessment Information Set (OASIS-B1)

PATIENT TRACKING SHEET

(M0010) Agency Medicare Provider Number: _ _ _ _ _

(M0012) Agency Medicaid Provider Number: _ _ _ _ _

(M0014) Branch State: _ _

(M0016) Branch ID Number: _ _ _ _ _

(M0020) Patient ID Number: _ _ _ _ _

(M0030) Start of Care Date:
 m m - d d - y y y y

(M0032) Resumption of Care Date:
 m m - d d - y y y y NA - Not Applicable

(M0040) Patient Name: _____
(First) (MI) (Last) (Suffix)

(M0050) Patient State of Residence: _ _

(M0060) Patient Zip Code: _ _ _ _ _

(M0063) Medicare Number: _____ NA - No Medicare
(including suffix if any)

(M0064) Social Security Number: _____ UK - Unknown or Not Available

(M0065) Medicaid Number: _____ NA - No Medicaid

(M0066) Birth Date:
 m m - d d - y y y y

(M0069) Gender: 1 - Male 2 - Female

(M0072) Primary Referring Physician ID: _____ (UPIN#)
 UK - Unknown or Not Available

(M0140) Race/Ethnicity (as identified by patient): **(Mark all that apply.)**

- 1 - American Indian or Alaska Native
- 2 - Asian
- 3 - Black or African-American
- 4 - Hispanic or Latino
- 5 - Native Hawaiian or Pacific Islander
- 6 - White
- UK - Unknown

(M0150) Current Payment Sources for Home Care: (Mark all that apply.)

- 0 - None; no charge for current services
- 1 - Medicare (traditional fee-for-service)
- 2 - Medicare (HMO/managed care)
- 3 - Medicaid (traditional fee-for-service)
- 4 - Medicaid (HMO/managed care)
- 5 - Workers' compensation
- 6 - Title programs (e.g., Title III, V, or XX)
- 7 - Other government (e.g., CHAMPUS, VA, etc.)
- 8 - Private insurance
- 9 - Private HMO/managed care
- 10 - Self-pay
- 11 - Other (specify) _____
- UK - Unknown

**Start of Care Version
of the Outcome and Assessment Information Set OASIS-B1 (1/2008) –
(also used for Resumption of Care Following Inpatient Stay)**

This section includes Start of Care and Resumption of Care items. This contains the full text of OASIS items that are expected to be incorporated into the comprehensive assessment to be completed at start of care, and upon resumption of care following an inpatient stay.

(M0200) Medical or Treatment Regimen Change Within Past 14 Days: Has this patient experienced a change in medical or treatment regimen (e.g., medication, treatment, or service change due to new or additional diagnosis, etc.) within the last 14 days?

- 0 - No [If No, go to M0220]
- 1 - Yes

(M0210) List the patient's **Medical Diagnoses** and ICD-9-CM codes at the level of highest specificity for those conditions requiring changed medical or treatment regimen (no surgical, E-codes, or V-codes)::

<u>Changed Medical Regimen Diagnosis</u>	<u>ICD-9-CM</u>
a. _____	(____ . ____)
b. _____	(____ . ____)
c. _____	(____ . ____)
d. _____	(____ . ____)

(M0220) Conditions Prior to Medical or Treatment Regimen Change or Inpatient Stay Within Past 14 Days: If this patient experienced an inpatient facility discharge or change in medical or treatment regimen within the past 14 days, indicate any conditions which existed prior to the inpatient stay or change in medical or treatment regimen. **(Mark all that apply.)**

- 1 - Urinary incontinence
- 2 - Indwelling/suprapubic catheter
- 3 - Intractable pain
- 4 - Impaired decision-making
- 5 - Disruptive or socially inappropriate behavior
- 6 - Memory loss to the extent that supervision required
- 7 - None of the above
- NA - No inpatient facility discharge and no change in medical or treatment regimen in past 14 days
- UK - Unknown

M0230/240/246 Diagnoses, Severity Index, and Payment Diagnoses: List each diagnosis for which the patient is receiving home care (Column 1) and enter its ICD-9-CM code at the level of highest specificity (no surgical/procedure codes) (Column 2) . Rate each condition (Column 2) using the severity index. (Choose one value that represents the most severe rating appropriate for each diagnosis.) V codes (for M0230 or M0240) or E codes (for M0240 only) may be used. ICD-9-CM sequencing requirements must be followed if multiple coding is indicated for any diagnoses. If a V code is reported in place of a case mix diagnosis, then optional item M0246 Payment Diagnoses (Columns 3 and 4) may be completed. A case mix diagnosis is a diagnosis that determines the Medicare PPS case mix group.

Code each row as follows:

Column 1: Enter the description of the diagnosis.

Column 2: Enter the ICD-9-CM code for the diagnosis described in Column 1;

Rate the severity of the condition listed in Column 1 using the following scale:

- 0 - Asymptomatic, no treatment needed at this time
- 1 - Symptoms well controlled with current therapy
- 2 - Symptoms controlled with difficulty, affecting daily functioning; patient needs ongoing monitoring
- 3 - Symptoms poorly controlled; patient needs frequent adjustment in treatment and dose monitoring
- 4 - Symptoms poorly controlled; history of re-hospitalizations

Column 3: (OPTIONAL) If a V code reported in any row in Column 2 is reported in place of a case mix diagnosis, list the appropriate case mix diagnosis (the description and the ICD-9-CM code) in the same row in Column 3. Otherwise, leave Column 3 blank in that row.

Column 4: (OPTIONAL) If a V code in Column 2 is reported in place of a case mix diagnosis that requires multiple diagnosis codes under ICD-9-CM coding guidelines, enter the diagnosis descriptions and the ICD-9-CM codes in the same row in Columns 3 and 4. For example, if the case mix diagnosis is a manifestation code, record the diagnosis description and ICD-9-CM code for the underlying condition in Column 3 of that row and the diagnosis description and ICD-9-CM code for the manifestation in Column 4 of that row. Otherwise, leave Column 4 blank in that row.

(M0230) Primary Diagnosis & (M0240) Other Diagnoses		(M0246) Case Mix Diagnoses (OPTIONAL)	
Column 1	Column 2	Column 3	Column 4
	ICD-9-CM and severity rating for each condition	Complete only if a V code in Column 2 is reported in place of a case mix diagnosis.	Complete only if the V code in Column 2 is reported in place of a case mix diagnosis that is a multiple coding situation (e.g., a manifestation code).
Description	ICD-9-CM / Severity Rating	Description/ ICD-9-CM	Description/ ICD-9-CM
(M0230) Primary Diagnosis	(V codes are allowed)	(V or E codes NOT allowed)	(V or E codes NOT allowed)
a. _____	a. (____ . ____) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	a. _____ (____ . ____)	a. _____ (____ . ____)
(M0240) Other Diagnoses	(V or E codes are allowed)	(V or E codes NOT allowed)	(V or E codes NOT allowed)
b. _____	b. (____ . ____) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	b. _____ (____ . ____)	b. _____ (____ . ____)
c. _____	c. (____ . ____) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	c. _____ (____ . ____)	c. _____ (____ . ____)
d. _____	d. (____ . ____) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	d. _____ (____ . ____)	d. _____ (____ . ____)
e. _____	e. (____ . ____) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	e. _____ (____ . ____)	e. _____ (____ . ____)
f. _____	f. (____ . ____) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	f. _____ (____ . ____)	f. _____ (____ . ____)

(M0250) Therapies the patient receives at home: **(Mark all that apply.)**

- 1 - Intravenous or infusion therapy (excludes TPN)
- 2 - Parenteral nutrition (TPN or lipids)
- 3 - Enteral nutrition (nasogastric, gastrostomy, jejunostomy, or any other artificial entry into the alimentary canal)
- 4 - None of the above

(M0260) Overall Prognosis: BEST description of patient's overall prognosis for recovery from this episode of illness.

- 0 - Poor: little or no recovery is expected and/or further decline is imminent
- 1 - Good/Fair: partial to full recovery is expected
- UK - Unknown

(M0270) Rehabilitative Prognosis: BEST description of patient's prognosis for functional status.

- 0 - Guarded: minimal improvement in functional status is expected; decline is possible
- 1 - Good: marked improvement in functional status is expected
- UK - Unknown

(M0280) Life Expectancy: (Physician documentation is not required.)

- 0 - Life expectancy is greater than 6 months
- 1 - Life expectancy is 6 months or fewer

(M0290) High Risk Factors characterizing this patient: **(Mark all that apply.)**

- 1 - Heavy smoking
- 2 - Obesity
- 3 - Alcohol dependency
- 4 - Drug dependency
- 5 - None of the above
- UK - Unknown

LIVING ARRANGEMENTS

(M0300) Current Residence:

- 1 - Patient's owned or rented residence (house, apartment, or mobile home owned or rented by patient/couple/significant other)
- 2 - Family member's residence
- 3 - Boarding home or rented room
- 4 - Board and care or assisted living facility
- 5 - Other (specify) _____

(M0340) Patient Lives With: **(Mark all that apply.)**

- 1 - Lives alone
- 2 - With spouse or significant other
- 3 - With other family member
- 4 - With a friend
- 5 - With paid help (other than home care agency staff)
- 6 - With other than above

SUPPORTIVE ASSISTANCE

(M0350) Assisting Person(s) Other than Home Care Agency Staff: **(Mark all that apply.)**

- 1 - Relatives, friends, or neighbors living outside the home
- 2 - Person residing in the home (EXCLUDING paid help)
- 3 - Paid help
- 4 - None of the above **[If None of the above, go to M0390]**
- UK - Unknown **[If Unknown, go to M0390]**

(M0360) Primary Caregiver taking lead responsibility for providing or managing the patient's care, providing the most frequent assistance, etc. (other than home care agency staff):

- 0 - No one person **[If No one person, go to M0390]**
- 1 - Spouse or significant other
- 2 - Daughter or son
- 3 - Other family member
- 4 - Friend or neighbor or community or church member
- 5 - Paid help
- UK - Unknown **[If Unknown, go to M0390]**

(M0370) How Often does the patient receive assistance from the primary caregiver?

- 1 - Several times during day and night
- 2 - Several times during day
- 3 - Once daily
- 4 - Three or more times per week
- 5 - One to two times per week
- 6 - Less often than weekly
- UK - Unknown

(M0380) Type of Primary Caregiver Assistance: (Mark all that apply.)

- 1 - ADL assistance (e.g., bathing, dressing, toileting, bowel/bladder, eating/feeding)
- 2 - IADL assistance (e.g., meds, meals, housekeeping, laundry, telephone, shopping, finances)
- 3 - Environmental support (housing, home maintenance)
- 4 - Psychosocial support (socialization, companionship, recreation)
- 5 - Advocates or facilitates patient's participation in appropriate medical care
- 6 - Financial agent, power of attorney, or conservator of finance
- 7 - Health care agent, conservator of person, or medical power of attorney
- UK - Unknown

SENSORY STATUS

(M0390) Vision with corrective lenses if the patient usually wears them:

- 0 - Normal vision: sees adequately in most situations; can see medication labels, newsprint.
- 1 - Partially impaired: cannot see medication labels or newsprint, but can see obstacles in path, and the surrounding layout; can count fingers at arm's length.
- 2 - Severely impaired: cannot locate objects without hearing or touching them or patient nonresponsive.

(M0400) Hearing and Ability to Understand Spoken Language in patient's own language (with hearing aids if the patient usually uses them):

- 0 - No observable impairment. Able to hear and understand complex or detailed instructions and extended or abstract conversation.
- 1 - With minimal difficulty, able to hear and understand most multi-step instructions and ordinary conversation. May need occasional repetition, extra time, or louder voice.
- 2 - Has moderate difficulty hearing and understanding simple, one-step instructions and brief conversation; needs frequent prompting or assistance.
- 3 - Has severe difficulty hearing and understanding simple greetings and short comments. Requires multiple repetitions, restatements, demonstrations, additional time.
- 4 - Unable to hear and understand familiar words or common expressions consistently, or patient nonresponsive.

(M0410) Speech and Oral (Verbal) Expression of Language (in patient's own language):

- 0 - Expresses complex ideas, feelings, and needs clearly, completely, and easily in all situations with no observable impairment.
- 1 - Minimal difficulty in expressing ideas and needs (may take extra time; makes occasional errors in word choice, grammar or speech intelligibility; needs minimal prompting or assistance).
- 2 - Expresses simple ideas or needs with moderate difficulty (needs prompting or assistance, errors in word choice, organization or speech intelligibility). Speaks in phrases or short sentences.
- 3 - Has severe difficulty expressing basic ideas or needs and requires maximal assistance or guessing by listener. Speech limited to single words or short phrases.
- 4 - Unable to express basic needs even with maximal prompting or assistance but is not comatose or unresponsive (e.g., speech is nonsensical or unintelligible).
- 5 - Patient nonresponsive or unable to speak.

(M0420) Frequency of Pain interfering with patient's activity or movement:

- 0 - Patient has no pain or pain does not interfere with activity or movement
- 1 - Less often than daily
- 2 - Daily, but not constantly
- 3 - All of the time

(M0430) Intractable Pain: Is the patient experiencing pain that is not easily relieved, occurs at least daily, and affects the patient's sleep, appetite, physical or emotional energy, concentration, personal relationships, emotions, or ability or desire to perform physical activity?

- 0 - No
- 1 - Yes

INTEGUMENTARY STATUS

(M0440) Does this patient have a **Skin Lesion** or an **Open Wound**? This excludes "OSTOMIES."

- 0 - No [If No, go to **M0490**]
 1 - Yes

(M0445) Does this patient have a **Pressure Ulcer**?

- 0 - No [If No, go to **M0468**]
 1 - Yes

(M0450) Current Number of Pressure Ulcers at Each Stage: (Circle one response for each stage.)

Pressure Ulcer Stages		Number of Pressure Ulcers				
a)	Stage 1: Nonblanchable erythema of intact skin; the heralding of skin ulceration. In darker-pigmented skin, warmth, edema, hardness, or discolored skin may be indicators.	0	1	2	3	4 or more
b)	Stage 2: Partial thickness skin loss involving epidermis and/or dermis. The ulcer is superficial and presents clinically as an abrasion, blister, or shallow crater.	0	1	2	3	4 or more
c)	Stage 3: Full-thickness skin loss involving damage or necrosis of subcutaneous tissue which may extend down to, but not through, underlying fascia. The ulcer presents clinically as a deep crater with or without undermining of adjacent tissue.	0	1	2	3	4 or more
d)	Stage 4: Full-thickness skin loss with extensive destruction, tissue necrosis, or damage to muscle, bone, or supporting structures (e.g., tendon, joint capsule, etc.)	0	1	2	3	4 or more
e)	In addition to the above, is there at least one pressure ulcer that cannot be observed due to the presence of eschar or a nonremovable dressing, including casts? <input type="checkbox"/> 0 - No <input type="checkbox"/> 1 - Yes					

(M0460) Stage of Most Problematic (Observable) Pressure Ulcer:

- 1 - Stage 1
 2 - Stage 2
 3 - Stage 3
 4 - Stage 4
 NA - No observable pressure ulcer

(M0464) Status of Most Problematic (Observable) Pressure Ulcer:

- 1 - Fully granulating
 2 - Early/partial granulation
 3 - Not healing
 NA - No observable pressure ulcer

(M0468) Does this patient have a **Stasis Ulcer**?

- 0 - No [If No, go to **M0482**]
 1 - Yes

(M0470) Current Number of Observable Stasis Ulcer(s):

- 0 - Zero
 1 - One
 2 - Two
 3 - Three
 4 - Four or more

(M0474) Does this patient have at least one **Stasis Ulcer that Cannot be Observed** due to the presence of a nonremovable dressing?

- 0 - No
- 1 - Yes

(M0476) Status of Most Problematic (Observable) Stasis Ulcer:

- 1 - Fully granulating
- 2 - Early/partial granulation
- 3 - Not healing
- NA - No observable stasis ulcer

(M0482) Does this patient have a **Surgical Wound**?

- 0 - No [If No, go to **M0490**]
- 1 - Yes

(M0484) Current Number of (Observable) Surgical Wounds: (If a wound is partially closed but has more than one opening, consider each opening as a separate wound.)

- 0 - Zero
- 1 - One
- 2 - Two
- 3 - Three
- 4 - Four or more

(M0486) Does this patient have at least one **Surgical Wound that Cannot be Observed** due to the presence of a nonremovable dressing?

- 0 - No
- 1 - Yes

(M0488) Status of Most Problematic (Observable) Surgical Wound:

- 1 - Fully granulating
- 2 - Early/partial granulation
- 3 - Not healing
- NA - No observable surgical wound

RESPIRATORY STATUS

(M0490) When is the patient dyspneic or noticeably **Short of Breath**?

- 0 - Never, patient is not short of breath
- 1 - When walking more than 20 feet, climbing stairs
- 2 - With moderate exertion (e.g., while dressing, using commode or bedpan, walking distances less than 20 feet)
- 3 - With minimal exertion (e.g., while eating, talking, or performing other ADLs) or with agitation
- 4 - At rest (during day or night)

(M0500) Respiratory Treatments utilized at home: **(Mark all that apply.)**

- 1 - Oxygen (intermittent or continuous)
- 2 - Ventilator (continually or at night)
- 3 - Continuous positive airway pressure
- 4 - None of the above

ELIMINATION STATUS

(M0510) Has this patient been treated for a **Urinary Tract Infection** in the past 14 days?

- 0 - No
- 1 - Yes
- NA - Patient on prophylactic treatment
- UK - Unknown

(M0520) Urinary Incontinence or Urinary Catheter Presence:

- 0 - No incontinence or catheter (includes anuria or ostomy for urinary drainage) [If No, go to **M0540**]
- 1 - Patient is incontinent
- 2 - Patient requires a urinary catheter (i.e., external, indwelling, intermittent, suprapubic) [Go to **M0540**]

(M0530) When does Urinary Incontinence occur?

- 0 - Timed-voiding defers incontinence
- 1 - During the night only
- 2 - During the day and night

(M0540) Bowel Incontinence Frequency:

- 0 - Very rarely or never has bowel incontinence
- 1 - Less than once weekly
- 2 - One to three times weekly
- 3 - Four to six times weekly
- 4 - On a daily basis
- 5 - More often than once daily
- NA - Patient has ostomy for bowel elimination
- UK - Unknown

(M0550) Ostomy for Bowel Elimination: Does this patient have an ostomy for bowel elimination that (within the last 14 days): a) was related to an inpatient facility stay, or b) necessitated a change in medical or treatment regimen?

- 0 - Patient does not have an ostomy for bowel elimination.
- 1 - Patient's ostomy was not related to an inpatient stay and did not necessitate change in medical or treatment regimen.
- 2 - The ostomy was related to an inpatient stay or did necessitate change in medical or treatment regimen.

NEURO/EMOTIONAL/BEHAVIORAL STATUS

(M0560) Cognitive Functioning: (Patient's current level of alertness, orientation, comprehension, concentration, and immediate memory for simple commands.)

- 0 - Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently.
- 1 - Requires prompting (cuing, repetition, reminders) only under stressful or unfamiliar conditions.
- 2 - Requires assistance and some direction in specific situations (e.g., on all tasks involving shifting of attention), or consistently requires low stimulus environment due to distractibility.
- 3 - Requires considerable assistance in routine situations. Is not alert and oriented or is unable to shift attention and recall directions more than half the time.
- 4 - Totally dependent due to disturbances such as constant disorientation, coma, persistent vegetative state, or delirium.

(M0570) When Confused (Reported or Observed):

- 0 - Never
- 1 - In new or complex situations only
- 2 - On awakening or at night only
- 3 - During the day and evening, but not constantly
- 4 - Constantly
- NA - Patient nonresponsive

(M0580) When Anxious (Reported or Observed):

- 0 - None of the time
- 1 - Less often than daily
- 2 - Daily, but not constantly
- 3 - All of the time
- NA - Patient nonresponsive

(M0590) Depressive Feelings Reported or Observed in Patient: (Mark all that apply.)

- 1 - Depressed mood (e.g., feeling sad, tearful)
- 2 - Sense of failure or self reproach
- 3 - Hopelessness
- 4 - Recurrent thoughts of death
- 5 - Thoughts of suicide
- 6 - None of the above feelings observed or reported

(M0610) Behaviors Demonstrated at Least Once a Week (Reported or Observed): (Mark all that apply.)

- 1 - Memory deficit: failure to recognize familiar persons/places, inability to recall events of past 24 hours, significant memory loss so that supervision is required
- 2 - Impaired decision-making: failure to perform usual ADLs or IADLs, inability to appropriately stop activities, jeopardizes safety through actions
- 3 - Verbal disruption: yelling, threatening, excessive profanity, sexual references, etc.
- 4 - Physical aggression: aggressive or combative to self and others (e.g., hits self, throws objects, punches, dangerous maneuvers with wheelchair or other objects)
- 5 - Disruptive, infantile, or socially inappropriate behavior (**excludes** verbal actions)
- 6 - Delusional, hallucinatory, or paranoid behavior
- 7 - None of the above behaviors demonstrated

(M0620) Frequency of Behavior Problems (Reported or Observed) (e.g., wandering episodes, self abuse, verbal disruption, physical aggression, etc.):

- 0 - Never
- 1 - Less than once a month
- 2 - Once a month
- 3 - Several times each month
- 4 - Several times a week
- 5 - At least daily

(M0630) Is this patient receiving **Psychiatric Nursing Services at home provided by a qualified psychiatric nurse?**

- 0 - No
- 1 - Yes

ADL/IADLs

For M0640-M0800, complete the "Current" column for all patients. For these same items, complete the "Prior" column only at start of care and at resumption of care; mark the level that corresponds to the patient's condition 14 days prior to start of care date (M0030) or resumption of care date (M0032). In all cases, record what the patient is *able to do*.

(M0640) Grooming: Ability to tend to personal hygiene needs (i.e., washing face and hands, hair care, shaving or make up, teeth or denture care, fingernail care).

- | <u>Prior</u> | <u>Current</u> | |
|--------------------------|--------------------------|--|
| <input type="checkbox"/> | <input type="checkbox"/> | 0 - Able to groom self unaided, with or without the use of assistive devices or adapted methods. |
| <input type="checkbox"/> | <input type="checkbox"/> | 1 - Grooming utensils must be placed within reach before able to complete grooming activities. |
| <input type="checkbox"/> | <input type="checkbox"/> | 2 - Someone must assist the patient to groom self. |
| <input type="checkbox"/> | <input type="checkbox"/> | 3 - Patient depends entirely upon someone else for grooming needs. |
| <input type="checkbox"/> | | UK - Unknown |

(M0650) Ability to Dress Upper Body (with or without dressing aids) including undergarments, pullovers, front-opening shirts and blouses, managing zippers, buttons, and snaps:

- | <u>Prior</u> | <u>Current</u> | |
|--------------------------|--------------------------|---|
| <input type="checkbox"/> | <input type="checkbox"/> | 0 - Able to get clothes out of closets and drawers, put them on and remove them from the upper body without assistance. |
| <input type="checkbox"/> | <input type="checkbox"/> | 1 - Able to dress upper body without assistance if clothing is laid out or handed to the patient. |
| <input type="checkbox"/> | <input type="checkbox"/> | 2 - Someone must help the patient put on upper body clothing. |
| <input type="checkbox"/> | <input type="checkbox"/> | 3 - Patient depends entirely upon another person to dress the upper body. |
| <input type="checkbox"/> | | UK - Unknown |

(M0660) Ability to Dress Lower Body (with or without dressing aids) including undergarments, slacks, socks or nylons, shoes:

- | <u>Prior</u> | <u>Current</u> | |
|--------------------------|--------------------------|--|
| <input type="checkbox"/> | <input type="checkbox"/> | 0 - Able to obtain, put on, and remove clothing and shoes without assistance. |
| <input type="checkbox"/> | <input type="checkbox"/> | 1 - Able to dress lower body without assistance if clothing and shoes are laid out or handed to the patient. |
| <input type="checkbox"/> | <input type="checkbox"/> | 2 - Someone must help the patient put on undergarments, slacks, socks or nylons, and shoes. |
| <input type="checkbox"/> | <input type="checkbox"/> | 3 - Patient depends entirely upon another person to dress lower body. |
| <input type="checkbox"/> | | UK - Unknown |

(M0670) Bathing: Ability to wash entire body. **Excludes grooming (washing face and hands only).**

- | <u>Prior</u> | <u>Current</u> | |
|--------------------------|--------------------------|--|
| <input type="checkbox"/> | <input type="checkbox"/> | 0 - Able to bathe self in <u>shower or tub</u> independently. |
| <input type="checkbox"/> | <input type="checkbox"/> | 1 - With the use of devices, is able to bathe self in shower or tub independently. |
| <input type="checkbox"/> | <input type="checkbox"/> | 2 - Able to bathe in shower or tub with the assistance of another person:
(a) for intermittent supervision or encouragement or reminders, <u>OR</u>
(b) to get in and out of the shower or tub, <u>OR</u>
(c) for washing difficult to reach areas. |
| <input type="checkbox"/> | <input type="checkbox"/> | 3 - Participates in bathing self in shower or tub, <u>but</u> requires presence of another person throughout the bath for assistance or supervision. |
| <input type="checkbox"/> | <input type="checkbox"/> | 4 - <u>Unable</u> to use the shower or tub and is bathed in <u>bed or bedside chair</u> . |
| <input type="checkbox"/> | <input type="checkbox"/> | 5 - Unable to effectively participate in bathing and is totally bathed by another person. |
| <input type="checkbox"/> | | UK - Unknown |

(M0680) Toileting: Ability to get to and from the toilet or bedside commode.

- | <u>Prior</u> | <u>Current</u> | |
|--------------------------|--------------------------|--|
| <input type="checkbox"/> | <input type="checkbox"/> | 0 - Able to get to and from the toilet independently with or without a device. |
| <input type="checkbox"/> | <input type="checkbox"/> | 1 - When reminded, assisted, or supervised by another person, able to get to and from the toilet. |
| <input type="checkbox"/> | <input type="checkbox"/> | 2 - <u>Unable</u> to get to and from the toilet but is able to use a bedside commode (with or without assistance). |
| <input type="checkbox"/> | <input type="checkbox"/> | 3 - <u>Unable</u> to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently. |
| <input type="checkbox"/> | <input type="checkbox"/> | 4 - Is totally dependent in toileting. |
| <input type="checkbox"/> | | UK - Unknown |

(M0690) Transferring: Ability to move from bed to chair, on and off toilet or commode, into and out of tub or shower, and ability to turn and position self in bed if patient is bedfast.

- | <u>Prior</u> | <u>Current</u> | |
|--------------------------|--------------------------|--|
| <input type="checkbox"/> | <input type="checkbox"/> | 0 - Able to independently transfer. |
| <input type="checkbox"/> | <input type="checkbox"/> | 1 - Transfers with minimal human assistance or with use of an assistive device. |
| <input type="checkbox"/> | <input type="checkbox"/> | 2 - <u>Unable</u> to transfer self but is able to bear weight and pivot during the transfer process. |
| <input type="checkbox"/> | <input type="checkbox"/> | 3 - Unable to transfer self and is <u>unable</u> to bear weight or pivot when transferred by another person. |
| <input type="checkbox"/> | <input type="checkbox"/> | 4 - Bedfast, unable to transfer but is able to turn and position self in bed. |
| <input type="checkbox"/> | <input type="checkbox"/> | 5 - Bedfast, unable to transfer and is <u>unable</u> to turn and position self. |
| <input type="checkbox"/> | | UK - Unknown |

(M0700) Ambulation/Locomotion: Ability to SAFELY walk, once in a standing position, or use a wheelchair, once in a seated position, on a variety of surfaces.

Prior Current

- | | | | | |
|--------------------------|--------------------------|----|---|---|
| <input type="checkbox"/> | <input type="checkbox"/> | 0 | - | Able to independently walk on even and uneven surfaces and climb stairs with or without railings (i.e., needs no human assistance or assistive device). |
| <input type="checkbox"/> | <input type="checkbox"/> | 1 | - | Requires use of a device (e.g., cane, walker) to walk alone <u>or</u> requires human supervision or assistance to negotiate stairs or steps or uneven surfaces. |
| <input type="checkbox"/> | <input type="checkbox"/> | 2 | - | Able to walk only with the supervision or assistance of another person at all times. |
| <input type="checkbox"/> | <input type="checkbox"/> | 3 | - | Chairfast, <u>unable</u> to ambulate but is able to wheel self independently. |
| <input type="checkbox"/> | <input type="checkbox"/> | 4 | - | Chairfast, unable to ambulate and is <u>unable</u> to wheel self. |
| <input type="checkbox"/> | <input type="checkbox"/> | 5 | - | Bedfast, unable to ambulate or be up in a chair. |
| <input type="checkbox"/> | | UK | - | Unknown |

(M0710) Feeding or Eating: Ability to feed self meals and snacks. **Note: This refers only to the process of eating, chewing, and swallowing, not preparing the food to be eaten.**

Prior Current

- | | | | | |
|--------------------------|--------------------------|----|---|---|
| <input type="checkbox"/> | <input type="checkbox"/> | 0 | - | Able to independently feed self. |
| <input type="checkbox"/> | <input type="checkbox"/> | 1 | - | Able to feed self independently but requires:
(a) meal set-up; <u>OR</u>
(b) intermittent assistance or supervision from another person; <u>OR</u>
(c) a liquid, pureed or ground meat diet. |
| <input type="checkbox"/> | <input type="checkbox"/> | 2 | - | <u>Unable</u> to feed self and must be assisted or supervised throughout the meal/snack. |
| <input type="checkbox"/> | <input type="checkbox"/> | 3 | - | Able to take in nutrients orally <u>and</u> receives supplemental nutrients through a nasogastric tube or gastrostomy. |
| <input type="checkbox"/> | <input type="checkbox"/> | 4 | - | <u>Unable</u> to take in nutrients orally and is fed nutrients through a nasogastric tube or gastrostomy. |
| <input type="checkbox"/> | <input type="checkbox"/> | 5 | - | Unable to take in nutrients orally or by tube feeding. |
| <input type="checkbox"/> | | UK | - | Unknown |

(M0720) Planning and Preparing Light Meals (e.g., cereal, sandwich) or reheat delivered meals:

Prior Current

- | | | | | |
|--------------------------|--------------------------|----|---|---|
| <input type="checkbox"/> | <input type="checkbox"/> | 0 | - | (a) Able to independently plan and prepare all light meals for self or reheat delivered meals; <u>OR</u>
(b) Is physically, cognitively, and mentally able to prepare light meals on a regular basis but has not routinely performed light meal preparation in the past (i.e., prior to this home care admission). |
| <input type="checkbox"/> | <input type="checkbox"/> | 1 | - | <u>Unable</u> to prepare light meals on a regular basis due to physical, cognitive, or mental limitations. |
| <input type="checkbox"/> | <input type="checkbox"/> | 2 | - | Unable to prepare any light meals or reheat any delivered meals. |
| <input type="checkbox"/> | | UK | - | Unknown |

(M0730) Transportation: Physical and mental ability to safely use a car, taxi, or public transportation (bus, train, subway).

Prior Current

- | | | | | |
|--------------------------|--------------------------|----|---|--|
| <input type="checkbox"/> | <input type="checkbox"/> | 0 | - | Able to independently drive a regular or adapted car; <u>OR</u> uses a regular or handicap-accessible public bus. |
| <input type="checkbox"/> | <input type="checkbox"/> | 1 | - | Able to ride in a car only when driven by another person; <u>OR</u> able to use a bus or handicap van only when assisted or accompanied by another person. |
| <input type="checkbox"/> | <input type="checkbox"/> | 2 | - | <u>Unable</u> to ride in a car, taxi, bus, or van, and requires transportation by ambulance. |
| <input type="checkbox"/> | | UK | - | Unknown |

(M0740) Laundry: Ability to do own laundry -- to carry laundry to and from washing machine, to use washer and dryer, to wash small items by hand.

Prior Current

- 0 - (a) Able to independently take care of all laundry tasks; OR
(b) Physically, cognitively, and mentally able to do laundry and access facilities, but has not routinely performed laundry tasks in the past (i.e., prior to this home care admission).
- 1 - Able to do only light laundry, such as minor hand wash or light washer loads. Due to physical, cognitive, or mental limitations, needs assistance with heavy laundry such as carrying large loads of laundry.
- 2 - Unable to do any laundry due to physical limitation or needs continual supervision and assistance due to cognitive or mental limitation.
- UK - Unknown

(M0750) Housekeeping: Ability to safely and effectively perform light housekeeping and heavier cleaning tasks.

Prior Current

- 0 - (a) Able to independently perform all housekeeping tasks; OR
(b) Physically, cognitively, and mentally able to perform all housekeeping tasks but has not routinely participated in housekeeping tasks in the past (i.e., prior to this home care admission).
- 1 - Able to perform only light housekeeping (e.g., dusting, wiping kitchen counters) tasks independently.
- 2 - Able to perform housekeeping tasks with intermittent assistance or supervision from another person.
- 3 - Unable to consistently perform any housekeeping tasks unless assisted by another person throughout the process.
- 4 - Unable to effectively participate in any housekeeping tasks.
- UK - Unknown

(M0760) Shopping: Ability to plan for, select, and purchase items in a store and to carry them home or arrange delivery.

Prior Current

- 0 - (a) Able to plan for shopping needs and independently perform shopping tasks, including carrying packages; OR
(b) Physically, cognitively, and mentally able to take care of shopping, but has not done shopping in the past (i.e., prior to this home care admission).
- 1 - Able to go shopping, but needs some assistance:
(a) By self is able to do only light shopping and carry small packages, but needs someone to do occasional major shopping; OR
(b) Unable to go shopping alone, but can go with someone to assist.
- 2 - Unable to go shopping, but is able to identify items needed, place orders, and arrange home delivery.
- 3 - Needs someone to do all shopping and errands.
- UK - Unknown

(M0770) Ability to Use Telephone: Ability to answer the phone, dial numbers, and effectively use the telephone to communicate.

Prior Current

- 0 - Able to dial numbers and answer calls appropriately and as desired.
- 1 - Able to use a specially adapted telephone (i.e., large numbers on the dial, teletype phone for the deaf) and call essential numbers.
- 2 - Able to answer the telephone and carry on a normal conversation but has difficulty with placing calls.
- 3 - Able to answer the telephone only some of the time or is able to carry on only a limited conversation.
- 4 - Unable to answer the telephone at all but can listen if assisted with equipment.
- 5 - Totally unable to use the telephone.
- NA - Patient does not have a telephone.
- UK - Unknown

MEDICATIONS

(M0780) Management of Oral Medications: Patient's ability to prepare and take all prescribed oral medications reliably and safely, including administration of the correct dosage at the appropriate times/intervals. **Excludes injectable and IV medications. (NOTE: This refers to ability, not compliance or willingness.)**

Prior Current

- 0 - Able to independently take the correct oral medication(s) and proper dosage(s) at the correct times.
- 1 - Able to take medication(s) at the correct times if:
 - (a) individual dosages are prepared in advance by another person; OR
 - (b) given daily reminders; OR
 - (c) someone develops a drug diary or chart.
- 2 - Unable to take medication unless administered by someone else.
- NA - No oral medications prescribed.
- UK - Unknown

(M0790) Management of Inhalant/Mist Medications: Patient's ability to prepare and take all prescribed inhalant/mist medications (nebulizers, metered dose devices) reliably and safely, including administration of the correct dosage at the appropriate times/intervals. **Excludes all other forms of medication (oral tablets, injectable and IV medications).**

Prior Current

- 0 - Able to independently take the correct medication and proper dosage at the correct times.
- 1 - Able to take medication at the correct times if:
 - (a) individual dosages are prepared in advance by another person, OR
 - (b) given daily reminders.
- 2 - Unable to take medication unless administered by someone else.
- NA - No inhalant/mist medications prescribed.
- UK - Unknown

(M0800) Management of Injectable Medications: Patient's ability to prepare and take all prescribed injectable medications reliably and safely, including administration of correct dosage at the appropriate times/intervals. **Excludes IV medications.**

Prior Current

- 0 - Able to independently take the correct medication and proper dosage at the correct times.
- 1 - Able to take injectable medication at correct times if:
 - (a) individual syringes are prepared in advance by another person, OR
 - (b) given daily reminders.
- 2 - Unable to take injectable medications unless administered by someone else.
- NA - No injectable medications prescribed.
- UK - Unknown

EQUIPMENT MANAGEMENT

(M0810) Patient Management of Equipment (includes ONLY oxygen, IV/infusion therapy, enteral/parenteral nutrition equipment or supplies): Patient's ability to set up, monitor and change equipment reliably and safely, add appropriate fluids or medication, clean/store/dispose of equipment or supplies using proper technique. **(NOTE: This refers to ability, not compliance or willingness.)**

- 0 - Patient manages all tasks related to equipment completely independently.
- 1 - If someone else sets up equipment (i.e., fills portable oxygen tank, provides patient with prepared solutions), patient is able to manage all other aspects of equipment.
- 2 - Patient requires considerable assistance from another person to manage equipment, but independently completes portions of the task.
- 3 - Patient is only able to monitor equipment (e.g., liter flow, fluid in bag) and must call someone else to manage the equipment.
- 4 - Patient is completely dependent on someone else to manage all equipment.
- NA - No equipment of this type used in care [If NA, go to M0826]

(M0820) Caregiver Management of Equipment (includes ONLY oxygen, IV/infusion equipment, enteral/parenteral nutrition, ventilator therapy equipment or supplies): Caregiver's ability to set up, monitor, and change equipment reliably and safely, add appropriate fluids or medication, clean/store/dispose of equipment or supplies using proper technique. **(NOTE: This refers to ability, not compliance or willingness.)**

- 0 - Caregiver manages all tasks related to equipment completely independently.
- 1 - If someone else sets up equipment, caregiver is able to manage all other aspects.
- 2 - Caregiver requires considerable assistance from another person to manage equipment, but independently completes significant portions of task.
- 3 - Caregiver is only able to complete small portions of task (e.g., administer nebulizer treatment, clean/store/dispose of equipment or supplies).
- 4 - Caregiver is completely dependent on someone else to manage all equipment.
- NA - No caregiver
- UK - Unknown

THERAPY NEED

(M0826) Therapy Need: In the home health plan of care for the Medicare payment episode for which this assessment will define a case mix group, what is the indicated need for therapy visits (total of reasonable and necessary physical, occupational, and speech-language pathology visits combined)? **(Enter zero ["000"] if no therapy visits indicated.)**

- (__ __ __) Number of therapy visits indicated (total of physical, occupational and speech-language pathology combined).
- NA - Not Applicable: No case mix group defined by this assessment.

Follow-Up Version of the Outcome and Assessment Information Set OASIS-B1 (1/2008)

This section includes Follow-up items. This contains the full text of OASIS items that are expected to be incorporated into the comprehensive assessment to be completed at the time of recertification (or other follow-up).

M0230/240/246 Diagnoses, Severity Index, and Payment Diagnoses: List each diagnosis for which the patient is receiving home care (Column 1) and enter its ICD-9-CM code at the level of highest specificity (no surgical/procedure codes) (Column 2) . Rate each condition (Column 2) using the severity index. (Choose one value that represents the most severe rating appropriate for each diagnosis.) V codes (for M0230 or M0240) or E codes (for M0240 only) may be used. ICD-9-CM sequencing requirements must be followed if multiple coding is indicated for any diagnoses. If a V code is reported in place of a case mix diagnosis, then optional item M0246 Payment Diagnoses (Columns 3 and 4) may be completed. A case mix diagnosis is a diagnosis that determines the Medicare PPS case mix group.

Code each row as follows:

Column 1: Enter the description of the diagnosis.

Column 2: Enter the ICD-9-CM code for the diagnosis described in Column 1;

Rate the severity of the condition listed in Column 1 using the following scale:

- 0 - Asymptomatic, no treatment needed at this time
- 1 - Symptoms well controlled with current therapy
- 2 - Symptoms controlled with difficulty, affecting daily functioning; patient needs ongoing monitoring
- 3 - Symptoms poorly controlled; patient needs frequent adjustment in treatment and dose monitoring
- 4 - Symptoms poorly controlled; history of re-hospitalizations

Column 3: (OPTIONAL) If a V code reported in any row in Column 2 is reported in place of a case mix diagnosis, list the appropriate case mix diagnosis (the description and the ICD-9-CM code) in the same row in Column 3. Otherwise, leave Column 3 blank in that row.

Column 4: (OPTIONAL) If a V code in Column 2 is reported in place of a case mix diagnosis that requires multiple diagnosis codes under ICD-9-CM coding guidelines, enter the diagnosis descriptions and the ICD-9-CM codes in the same row in Columns 3 and 4. For example, if the case mix diagnosis is a manifestation code, record the diagnosis description and ICD-9-CM code for the underlying condition in Column 3 of that row and the diagnosis description and ICD-9-CM code for the manifestation in Column 4 of that row. Otherwise, leave Column 4 blank in that row.

(M0230) Primary Diagnosis & (M0240) Other Diagnoses		(M0246) Case Mix Diagnoses (OPTIONAL)	
Column 1	Column 2	Column 3	Column 4
	ICD-9-CM and severity rating for each condition	Complete only if a V code in Column 2 is reported in place of a case mix diagnosis.	Complete only if the V code in Column 2 is reported in place of a case mix diagnosis that is a multiple coding situation (e.g., a manifestation code).
Description	ICD-9-CM / Severity Rating	Description/ ICD-9-CM	Description/ ICD-9-CM
<u>(M0230) Primary Diagnosis</u>	<u>(V codes are allowed)</u>	<u>(V or E codes NOT allowed)</u>	<u>(V or E codes NOT allowed)</u>
a. _____	a. (____ . ____) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	a. _____ (____ . ____)	a. _____ (____ . ____)
<u>(M0240) Other Diagnoses</u>	<u>(V or E codes are allowed)</u>	<u>(V or E codes NOT allowed)</u>	<u>(V or E codes NOT allowed)</u>
b. _____	b. (____ . ____) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	b. _____ (____ . ____)	b. _____ (____ . ____)
c. _____	c. (____ . ____) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	c. _____ (____ . ____)	c. _____ (____ . ____)
d. _____	d. (____ . ____) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	d. _____ (____ . ____)	d. _____ (____ . ____)
e. _____	e. (____ . ____) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	e. _____ (____ . ____)	e. _____ (____ . ____)
f. _____	f. (____ . ____) <input type="checkbox"/> 0 <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4	f. _____ (____ . ____)	f. _____ (____ . ____)

(M0250) Therapies the patient receives at home: **(Mark all that apply.)**

- 1 - Intravenous or infusion therapy (excludes TPN)
- 2 - Parenteral nutrition (TPN or lipids)
- 3 - Enteral nutrition (nasogastric, gastrostomy, jejunostomy, or any other artificial entry into the alimentary canal)
- 4 - None of the above

SENSORY STATUS

(M0390) Vision with corrective lenses if the patient usually wears them:

- 0 - Normal vision: sees adequately in most situations; can see medication labels, newsprint.
- 1 - Partially impaired: cannot see medication labels or newsprint, but can see obstacles in path, and the surrounding layout; can count fingers at arm's length.
- 2 - Severely impaired: cannot locate objects without hearing or touching them or patient nonresponsive.

(M0420) Frequency of Pain interfering with patient's activity or movement:

- 0 - Patient has no pain or pain does not interfere with activity or movement
- 1 - Less often than daily
- 2 - Daily, but not constantly
- 3 - All of the time

INTEGUMENTARY STATUS

(M0440) Does this patient have a **Skin Lesion** or an **Open Wound**? This excludes "OSTOMIES."

- 0 - No [If No, go to **M0490**]
- 1 - Yes

(M0450) Current Number of Pressure Ulcers at Each Stage: (Circle one response for each stage.)

Pressure Ulcer Stages		Number of Pressure Ulcers				
a)	Stage 1: Nonblanchable erythema of intact skin; the heralding of skin ulceration. In darker-pigmented skin, warmth, edema, hardness, or discolored skin may be indicators.	0	1	2	3	4 or more
b)	Stage 2: Partial thickness skin loss involving epidermis and/or dermis. The ulcer is superficial and presents clinically as an abrasion, blister, or shallow crater.	0	1	2	3	4 or more
c)	Stage 3: Full-thickness skin loss involving damage or necrosis of subcutaneous tissue which may extend down to, but not through, underlying fascia. The ulcer presents clinically as a deep crater with or without undermining of adjacent tissue.	0	1	2	3	4 or more
d)	Stage 4: Full-thickness skin loss with extensive destruction, tissue necrosis, or damage to muscle, bone, or supporting structures (e.g., tendon, joint capsule, etc.)	0	1	2	3	4 or more
e)	In addition to the above, is there at least one pressure ulcer that cannot be observed due to the presence of eschar or a nonremovable dressing, including casts? <input type="checkbox"/> 0 - No <input type="checkbox"/> 1 - Yes					

(M0460) [Skip to M0470 if patient has no pressure ulcers]

Stage of Most Problematic (Observable) Pressure Ulcer:

- 1 - Stage 1
- 2 - Stage 2
- 3 - Stage 3
- 4 - Stage 4
- NA - No observable pressure ulcer

(M0470) Current Number of Observable Stasis Ulcer(s):

- 0 - Zero
- 1 - One
- 2 - Two
- 3 - Three
- 4 - Four or more

(M0474) Does this patient have at least one **Stasis Ulcer that Cannot be Observed** due to the presence of a nonremovable dressing?

- 0 - No
- 1 - Yes

(M0476) [Skip to M0488 if patient has no stasis ulcers]

Status of Most Problematic (Observable) Stasis Ulcer:

- 1 - Fully granulating
- 2 - Early/partial granulation
- 3 - Not healing
- NA - No observable stasis ulcer

(M0488) [Skip to M0490 if patient has no surgical wounds]

Status of Most Problematic (Observable) Surgical Wound:

- 1 - Fully granulating
- 2 - Early/partial granulation
- 3 - Not healing
- NA - No observable surgical wound

RESPIRATORY STATUS

(M0490) When is the patient dyspneic or noticeably **Short of Breath**?

- 0 - Never, patient is not short of breath
- 1 - When walking more than 20 feet, climbing stairs
- 2 - With moderate exertion (e.g., while dressing, using commode or bedpan, walking distances less than 20 feet)
- 3 - With minimal exertion (e.g., while eating, talking, or performing other ADLs) or with agitation
- 4 - At rest (during day or night)

ELIMINATION STATUS

(M0520) Urinary Incontinence or Urinary Catheter Presence:

- 0 - No incontinence or catheter (includes anuria or ostomy for urinary drainage) [**If No, go to M0540**]
- 1 - Patient is incontinent
- 2 - Patient requires a urinary catheter (i.e., external, indwelling, intermittent, suprapubic) [**Go to M0540**]

(M0530) When does Urinary Incontinence occur?

- 0 - Timed-voiding defers incontinence
- 1 - During the night only
- 2 - During the day and night

(M0540) Bowel Incontinence Frequency:

- 0 - Very rarely or never has bowel incontinence
- 1 - Less than once weekly
- 2 - One to three times weekly
- 3 - Four to six times weekly
- 4 - On a daily basis
- 5 - More often than once daily
- NA - Patient has ostomy for bowel elimination

(M0550) Ostomy for Bowel Elimination: Does this patient have an ostomy for bowel elimination that (within the last 14 days): a) was related to an inpatient facility stay, or b) necessitated a change in medical or treatment regimen?

- 0 - Patient does not have an ostomy for bowel elimination.
- 1 - Patient's ostomy was not related to an inpatient stay and did not necessitate change in medical or treatment regimen.
- 2 - The ostomy was related to an inpatient stay or did necessitate change in medical or treatment regimen.

ADL/IADLs

(M0650) Ability to Dress Upper Body (with or without dressing aids) including undergarments, pullovers, front-opening shirts and blouses, managing zippers, buttons, and snaps:

Current

- 0 - Able to get clothes out of closets and drawers, put them on and remove them from the upper body without assistance.
- 1 - Able to dress upper body without assistance if clothing is laid out or handed to the patient.
- 2 - Someone must help the patient put on upper body clothing.
- 3 - Patient depends entirely upon another person to dress the upper body.

(M0660) Ability to Dress Lower Body (with or without dressing aids) including undergarments, slacks, socks or nylons, shoes:

Current

- 0 - Able to obtain, put on, and remove clothing and shoes without assistance.
- 1 - Able to dress lower body without assistance if clothing and shoes are laid out or handed to the patient.
- 2 - Someone must help the patient put on undergarments, slacks, socks or nylons, and shoes.
- 3 - Patient depends entirely upon another person to dress lower body.

(M0670) Bathing: Ability to wash entire body. **Excludes grooming (washing face and hands only).**

Current

- 0 - Able to bathe self in shower or tub independently.
- 1 - With the use of devices, is able to bathe self in shower or tub independently.
- 2 - Able to bathe in shower or tub with the assistance of another person:
(a) for intermittent supervision or encouragement or reminders, OR
(b) to get in and out of the shower or tub, OR
(c) for washing difficult to reach areas.
- 3 - Participates in bathing self in shower or tub, but requires presence of another person throughout the bath for assistance or supervision.
- 4 - Unable to use the shower or tub and is bathed in bed or bedside chair.
- 5 - Unable to effectively participate in bathing and is totally bathed by another person.

(M0680) Toileting: Ability to get to and from the toilet or bedside commode.

Current

- 0 - Able to get to and from the toilet independently with or without a device.
- 1 - When reminded, assisted, or supervised by another person, able to get to and from the toilet.
- 2 - Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance).
- 3 - Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently.
- 4 - Is totally dependent in toileting.

(M0690) Transferring: Ability to move from bed to chair, on and off toilet or commode, into and out of tub or shower, and ability to turn and position self in bed if patient is bedfast.

Current

- 0 - Able to independently transfer.
- 1 - Transfers with minimal human assistance or with use of an assistive device.
- 2 - Unable to transfer self but is able to bear weight and pivot during the transfer process.
- 3 - Unable to transfer self and is unable to bear weight or pivot when transferred by another person.
- 4 - Bedfast, unable to transfer but is able to turn and position self in bed.
- 5 - Bedfast, unable to transfer and is unable to turn and position self.

(M0700) Ambulation/Locomotion: Ability to SAFELY walk, once in a standing position, or use a wheelchair, once in a seated position, on a variety of surfaces.

Current

- 0 - Able to independently walk on even and uneven surfaces and climb stairs with or without railings (i.e., needs no human assistance or assistive device).
- 1 - Requires use of a device (e.g., cane, walker) to walk alone or requires human supervision or assistance to negotiate stairs or steps or uneven surfaces.
- 2 - Able to walk only with the supervision or assistance of another person at all times.
- 3 - Chairfast, unable to ambulate but is able to wheel self independently.
- 4 - Chairfast, unable to ambulate and is unable to wheel self.
- 5 - Bedfast, unable to ambulate or be up in a chair.

MEDICATIONS

(M0800) Management of Injectable Medications: Patient's ability to prepare and take all prescribed injectable medications reliably and safely, including administration of correct dosage at the appropriate times/intervals. **Excludes IV medications.**

Current

- 0 - Able to independently take the correct medication and proper dosage at the correct times.
- 1 - Able to take injectable medication at correct times if:
(a) individual syringes are prepared in advance by another person, OR
(b) given daily reminders.
- 2 - Unable to take injectable medications unless administered by someone else.
- NA - No injectable medications prescribed.
- UK - Unknown

THERAPY NEED

(M0826) Therapy Need: In the home health plan of care for the Medicare payment episode for which this assessment will define a case mix group, what is the indicated need for therapy visits (total of reasonable and necessary physical, occupational, and speech-language pathology visits combined)? **(Enter zero ["000"] if no therapy visits indicated.)**

- (___ ___) Number of therapy visits indicated (total of physical, occupational and speech-language pathology combined).
- NA - Not Applicable: No case mix group defined by this assessment.

**Transfer Version
of the Outcome and Assessment Information Set OASIS-B1 (1/2008) –
(used for Transfer to an Inpatient Facility)**

This section includes transfer to inpatient facility items. This section contains the full text of OASIS items that are expected to be incorporated into the comprehensive assessment completed when a home care patient is transferred to an inpatient facility for 24 hours or more, regardless of whether the patient is discharged from the home care agency at that time. Although the items included in this document are also included in the discharge set, the number of items required to be completed upon transfer to inpatient facility is substantially fewer than the items required upon discharge other than to an inpatient facility. Therefore, agencies may wish to use a separate form for transfers to inpatient facility to reduce unnecessary use of paper.

(M0890) If the patient was admitted to an acute care **Hospital**, for what **Reason** was he/she admitted?

- 1 - Hospitalization for emergent (unscheduled) care
- 2 - Hospitalization for urgent (scheduled within 24 hours of admission) care
- 3 - Hospitalization for elective (scheduled more than 24 hours before admission) care
- UK - Unknown

(M0895) Reason for Hospitalization: (Mark all that apply.)

- 1 - Improper medication administration, medication side effects, toxicity, anaphylaxis
- 2 - Injury caused by fall or accident at home
- 3 - Respiratory problems (SOB, infection, obstruction)
- 4 - Wound or tube site infection, deteriorating wound status, new lesion/ulcer
- 5 - Hypo/Hyperglycemia, diabetes out of control
- 6 - GI bleeding, obstruction
- 7 - Exacerbation of CHF, fluid overload, heart failure
- 8 - Myocardial infarction, stroke
- 9 - Chemotherapy
- 10 - Scheduled surgical procedure
- 11 - Urinary tract infection
- 12 - IV catheter-related infection
- 13 - Deep vein thrombosis, pulmonary embolus
- 14 - Uncontrolled pain
- 15 - Psychotic episode
- 16 - Other than above reasons

Go to M0903

(M0900) For what **Reason(s)** was the patient **Admitted** to a **Nursing Home**? **(Mark all that apply.)**

- 1 - Therapy services
- 2 - Respite care
- 3 - Hospice care
- 4 - Permanent placement
- 5 - Unsafe for care at home
- 6 - Other
- UK - Unknown

(M0903) Date of Last (Most Recent) Home Visit:

___/___/_____
month day year

(M0906) Discharge/Transfer/Death Date: Enter the date of the discharge, transfer, or death (at home) of the patient.

___/___/_____
month day year

**Discharge Version
of the Outcome and Assessment Information Set OASIS-B1 (1/2008) –
(also used for Transfer to an Inpatient Facility or Patient Death at Home)**

This section includes discharge items. This contains the full text of OASIS items that are expected to be incorporated into the comprehensive assessment to be completed at the time of discharge from home care, or transfer to an inpatient facility.

Outcome and Assessment Information Set (OASIS-B1)

DISCHARGE VERSION

(also used for Transfer to an Inpatient Facility or Patient Death at Home)

Items to be Used at Specific Time Points

Transfer to an Inpatient Facility ----- M0080-M0100, M0830-M0855, M0890-M0906

- Transferred to an inpatient facility—patient not discharged from an agency
- Transferred to an inpatient facility—patient discharged from agency

Discharge from Agency — Not to an Inpatient Facility

- Death at home ----- M0080-M0100, M0906
- Discharge from agency ----- M0080-M0100, M0200-M0220, M0250, M0280-M0380, M0410-M0820, M0830-M0880, M0903-M0906

CLINICAL RECORD ITEMS

(M0080) Discipline of Person Completing Assessment:

- 1-RN 2-PT 3-SLP/ST 4-OT

(M0090) Date Assessment Completed:

___ / ___ / ___
month day year

(M0100) This Assessment is Currently Being Completed for the Following Reason:

Transfer to an Inpatient Facility

- 6 - Transferred to an inpatient facility—patient not discharged from agency [**Go to M0830**]
- 7 - Transferred to an inpatient facility—patient discharged from agency [**Go to M0830**]

Discharge from Agency — Not to an Inpatient Facility

- 8 - Death at home [**Go to M0906**]
- 9 - Discharge from agency [**Go to M0200**]

DEMOGRAPHICS AND PATIENT HISTORY

(M0200) Medical or Treatment Regimen Change Within Past 14 Days: Has this patient experienced a change in medical or treatment regimen (e.g., medication, treatment, or service change due to new or additional diagnosis, etc.) within the last 14 days?

- 0 - No [**If No, go to M0250**]
- 1 - Yes

(M0210) List the patient's Medical Diagnoses and ICD-9-CM codes at the level of highest specificity for those conditions requiring changed medical or treatment regimen (no surgical, E-codes, or V-codes):

<u>Changed Medical Regimen Diagnosis</u>	<u>ICD-9-CM</u>
a. _____	(____.____)
b. _____	(____.____)
c. _____	(____.____)
d. _____	(____.____)

(M0220) Conditions Prior to Medical or Treatment Regimen Change Within Past 14 Days: If this patient experienced a change in medical or treatment regimen within the past 14 days, indicate any conditions which existed prior to the change in medical or treatment regimen. **(Mark all that apply.)**

- 1 - Urinary incontinence
- 2 - Indwelling/suprapubic catheter
- 3 - Intractable pain
- 4 - Impaired decision-making
- 5 - Disruptive or socially inappropriate behavior
- 6 - Memory loss to the extent that supervision required
- 7 - None of the above

(M0250) Therapies the patient receives at home: **(Mark all that apply.)**

- 1 - Intravenous or infusion therapy (excludes TPN)
- 2 - Parenteral nutrition (TPN or lipids)
- 3 - Enteral nutrition (nasogastric, gastrostomy, jejunostomy, or any other artificial entry into the alimentary canal)
- 4 - None of the above

(M0280) Life Expectancy: (Physician documentation is not required.)

- 0 - Life expectancy is greater than 6 months
- 1 - Life expectancy is 6 months or fewer

(M0290) High Risk Factors characterizing this patient: **(Mark all that apply.)**

- 1 - Heavy smoking
- 2 - Obesity
- 3 - Alcohol dependency
- 4 - Drug dependency
- 5 - None of the above

LIVING ARRANGEMENTS

(M0300) Current Residence:

- 1 - Patient's owned or rented residence (house, apartment, or mobile home owned or rented by patient/couple/significant other)
- 2 - Family member's residence
- 3 - Boarding home or rented room
- 4 - Board and care or assisted living facility
- 5 - Other (specify) _____

(M0340) Patient Lives With: **(Mark all that apply.)**

- 1 - Lives alone
- 2 - With spouse or significant other
- 3 - With other family member
- 4 - With a friend
- 5 - With paid help (other than home care agency staff)
- 6 - With other than above

SUPPORTIVE ASSISTANCE

(M0350) Assisting Person(s) Other than Home Care Agency Staff: **(Mark all that apply.)**

- 1 - Relatives, friends, or neighbors living outside the home
- 2 - Person residing in the home (EXCLUDING paid help)
- 3 - Paid help
- 4 - None of the above **[If None of the above, go to M0410]**

(M0360) Primary Caregiver taking lead responsibility for providing or managing the patient's care, providing the most frequent assistance, etc. (other than home care agency staff):

- 0 - No one person [If No one person, go to M0410]
- 1 - Spouse or significant other
- 2 - Daughter or son
- 3 - Other family member
- 4 - Friend or neighbor or community or church member
- 5 - Paid help

(M0370) How Often does the patient receive assistance from the primary caregiver?

- 1 - Several times during day and night
- 2 - Several times during day
- 3 - Once daily
- 4 - Three or more times per week
- 5 - One to two times per week
- 6 - Less often than weekly

(M0380) Type of Primary Caregiver Assistance: (Mark all that apply.)

- 1 - ADL assistance (e.g., bathing, dressing, toileting, bowel/bladder, eating/feeding)
- 2 - IADL assistance (e.g., meds, meals, housekeeping, laundry, telephone, shopping, finances)
- 3 - Environmental support (housing, home maintenance)
- 4 - Psychosocial support (socialization, companionship, recreation)
- 5 - Advocates or facilitates patient's participation in appropriate medical care
- 6 - Financial agent, power of attorney, or conservator of finance
- 7 - Health care agent, conservator of person, or medical power of attorney

SENSORY STATUS

(M0410) Speech and Oral (Verbal) Expression of Language (in patient's own language):

- 0 - Expresses complex ideas, feelings, and needs clearly, completely, and easily in all situations with no observable impairment.
- 1 - Minimal difficulty in expressing ideas and needs (may take extra time; makes occasional errors in word choice, grammar or speech intelligibility; needs minimal prompting or assistance).
- 2 - Expresses simple ideas or needs with moderate difficulty (needs prompting or assistance, errors in word choice, organization or speech intelligibility). Speaks in phrases or short sentences.
- 3 - Has severe difficulty expressing basic ideas or needs and requires maximal assistance or guessing by listener. Speech limited to single words or short phrases.
- 4 - Unable to express basic needs even with maximal prompting or assistance but is not comatose or unresponsive (e.g., speech is nonsensical or unintelligible).
- 5 - Patient nonresponsive or unable to speak.

(M0420) Frequency of Pain interfering with patient's activity or movement:

- 0 - Patient has no pain or pain does not interfere with activity or movement
- 1 - Less often than daily
- 2 - Daily, but not constantly
- 3 - All of the time

(M0430) Intractable Pain: Is the patient experiencing pain that is not easily relieved, occurs at least daily, and affects the patient's sleep, appetite, physical or emotional energy, concentration, personal relationships, emotions, or ability or desire to perform physical activity?

- 0 - No
- 1 - Yes

INTEGUMENTARY STATUS

(M0440) Does this patient have a **Skin Lesion** or an **Open Wound**? This excludes "OSTOMIES."

- 0 - No [If No, go to **M0490**]
 1 - Yes

(M0445) Does this patient have a **Pressure Ulcer**?

- 0 - No [If No, go to **M0468**]
 1 - Yes

(M0450) Current Number of Pressure Ulcers at Each Stage: (Circle one response for each stage.)

Pressure Ulcer Stages		Number of Pressure Ulcers				
a)	Stage 1: Nonblanchable erythema of intact skin; the heralding of skin ulceration. In darker-pigmented skin, warmth, edema, hardness, or discolored skin may be indicators.	0	1	2	3	4 or more
b)	Stage 2: Partial thickness skin loss involving epidermis and/or dermis. The ulcer is superficial and presents clinically as an abrasion, blister, or shallow crater.	0	1	2	3	4 or more
c)	Stage 3: Full-thickness skin loss involving damage or necrosis of subcutaneous tissue which may extend down to, but not through, underlying fascia. The ulcer presents clinically as a deep crater with or without undermining of adjacent tissue.	0	1	2	3	4 or more
d)	Stage 4: Full-thickness skin loss with extensive destruction, tissue necrosis, or damage to muscle, bone, or supporting structures (e.g., tendon, joint capsule, etc.)	0	1	2	3	4 or more
e)	In addition to the above, is there at least one pressure ulcer that cannot be observed due to the presence of eschar or a nonremovable dressing, including casts? <input type="checkbox"/> 0 - No <input type="checkbox"/> 1 - Yes					

(M0460) Stage of Most Problematic (Observable) Pressure Ulcer:

- 1 - Stage 1
 2 - Stage 2
 3 - Stage 3
 4 - Stage 4
 NA - No observable pressure ulcer

(M0464) Status of Most Problematic (Observable) Pressure Ulcer:

- 1 - Fully granulating
 2 - Early/partial granulation
 3 - Not healing
 NA - No observable pressure ulcer

(M0468) Does this patient have a **Stasis Ulcer**?

- 0 - No [If No, go to **M0482**]
 1 - Yes

(M0470) Current Number of Observable Stasis Ulcer(s):

- 0 - Zero
 1 - One
 2 - Two
 3 - Three
 4 - Four or more

(M0474) Does this patient have at least one **Stasis Ulcer that Cannot be Observed** due to the presence of a nonremovable dressing?

- 0 - No
- 1 - Yes

(M0476) Status of Most Problematic (Observable) Stasis Ulcer:

- 1 - Fully granulating
- 2 - Early/partial granulation
- 3 - Not healing
- NA - No observable stasis ulcer

(M0482) Does this patient have a **Surgical Wound**?

- 0 - No [If No, go to **M0490**]
- 1 - Yes

(M0484) Current Number of (Observable) Surgical Wounds: (If a wound is partially closed but has more than one opening, consider each opening as a separate wound.)

- 0 - Zero
- 1 - One
- 2 - Two
- 3 - Three
- 4 - Four or more

(M0486) Does this patient have at least one **Surgical Wound that Cannot be Observed** due to the presence of a nonremovable dressing?

- 0 - No
- 1 - Yes

(M0488) Status of Most Problematic (Observable) Surgical Wound:

- 1 - Fully granulating
- 2 - Early/partial granulation
- 3 - Not healing
- NA - No observable surgical wound

RESPIRATORY STATUS

(M0490) When is the patient dyspneic or noticeably **Short of Breath**?

- 0 - Never, patient is not short of breath
- 1 - When walking more than 20 feet, climbing stairs
- 2 - With moderate exertion (e.g., while dressing, using commode or bedpan, walking distances less than 20 feet)
- 3 - With minimal exertion (e.g., while eating, talking, or performing other ADLs) or with agitation
- 4 - At rest (during day or night)

(M0500) Respiratory Treatments utilized at home: **(Mark all that apply.)**

- 1 - Oxygen (intermittent or continuous)
- 2 - Ventilator (continually or at night)
- 3 - Continuous positive airway pressure
- 4 - None of the above

ELIMINATION STATUS

(M0510) Has this patient been treated for a **Urinary Tract Infection** in the past 14 days?

- 0 - No
- 1 - Yes
- NA - Patient on prophylactic treatment

(M0520) Urinary Incontinence or Urinary Catheter Presence:

- 0 - No incontinence or catheter (includes anuria or ostomy for urinary drainage) [If No, go to **M0540**]
- 1 - Patient is incontinent
- 2 - Patient requires a urinary catheter (i.e., external, indwelling, intermittent, suprapubic) [Go to **M0540**]

(M0530) When does Urinary Incontinence occur?

- 0 - Timed-voiding defers incontinence
- 1 - During the night only
- 2 - During the day and night

(M0540) Bowel Incontinence Frequency:

- 0 - Very rarely or never has bowel incontinence
- 1 - Less than once weekly
- 2 - One to three times weekly
- 3 - Four to six times weekly
- 4 - On a daily basis
- 5 - More often than once daily
- NA - Patient has ostomy for bowel elimination

(M0550) Ostomy for Bowel Elimination: Does this patient have an ostomy for bowel elimination that (within the last 14 days) necessitated a change in medical or treatment regimen?

- 0 - Patient does not have an ostomy for bowel elimination.
- 1 - Patient's ostomy did not necessitate change in medical or treatment regimen.
- 2 - The ostomy did necessitate change in medical or treatment regimen.

NEURO/EMOTIONAL/BEHAVIORAL STATUS

(M0560) Cognitive Functioning: (Patient's current level of alertness, orientation, comprehension, concentration, and immediate memory for simple commands.)

- 0 - Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently.
- 1 - Requires prompting (cuing, repetition, reminders) only under stressful or unfamiliar conditions.
- 2 - Requires assistance and some direction in specific situations (e.g., on all tasks involving shifting of attention), or consistently requires low stimulus environment due to distractibility.
- 3 - Requires considerable assistance in routine situations. Is not alert and oriented or is unable to shift attention and recall directions more than half the time.
- 4 - Totally dependent due to disturbances such as constant disorientation, coma, persistent vegetative state, or delirium.

(M0570) When Confused (Reported or Observed):

- 0 - Never
- 1 - In new or complex situations only
- 2 - On awakening or at night only
- 3 - During the day and evening, but not constantly
- 4 - Constantly
- NA - Patient nonresponsive

(M0580) When Anxious (Reported or Observed):

- 0 - None of the time
- 1 - Less often than daily
- 2 - Daily, but not constantly
- 3 - All of the time
- NA - Patient nonresponsive

(M0590) Depressive Feelings Reported or Observed in Patient: (Mark all that apply.)

- 1 - Depressed mood (e.g., feeling sad, tearful)
- 2 - Sense of failure or self reproach
- 3 - Hopelessness
- 4 - Recurrent thoughts of death
- 5 - Thoughts of suicide
- 6 - None of the above feelings observed or reported

(M0610) Behaviors Demonstrated at Least Once a Week (Reported or Observed): (Mark all that apply.)

- 1 - Memory deficit: failure to recognize familiar persons/places, inability to recall events of past 24 hours, significant memory loss so that supervision is required
- 2 - Impaired decision-making: failure to perform usual ADLs or IADLs, inability to appropriately stop activities, jeopardizes safety through actions
- 3 - Verbal disruption: yelling, threatening, excessive profanity, sexual references, etc.
- 4 - Physical aggression: aggressive or combative to self and others (e.g., hits self, throws objects, punches, dangerous maneuvers with wheelchair or other objects)
- 5 - Disruptive, infantile, or socially inappropriate behavior (**excludes** verbal actions)
- 6 - Delusional, hallucinatory, or paranoid behavior
- 7 - None of the above behaviors demonstrated

(M0620) Frequency of Behavior Problems (Reported or Observed) (e.g., wandering episodes, self abuse, verbal disruption, physical aggression, etc.):

- 0 - Never
- 1 - Less than once a month
- 2 - Once a month
- 3 - Several times each month
- 4 - Several times a week
- 5 - At least daily

(M0630) Is this patient receiving **Psychiatric Nursing Services at home provided by a qualified psychiatric nurse?**

- 0 - No
- 1 - Yes

ADL/IADLs

(M0640) Grooming: Ability to tend to personal hygiene needs (i.e., washing face and hands, hair care, shaving or make up, teeth or denture care, fingernail care).

Current

- 0 - Able to groom self unaided, with or without the use of assistive devices or adapted methods.
- 1 - Grooming utensils must be placed within reach before able to complete grooming activities.
- 2 - Someone must assist the patient to groom self.
- 3 - Patient depends entirely upon someone else for grooming needs.

(M0650) Ability to Dress Upper Body (with or without dressing aids) including undergarments, pullovers, front-opening shirts and blouses, managing zippers, buttons, and snaps:

Current

- 0 - Able to get clothes out of closets and drawers, put them on and remove them from the upper body without assistance.
- 1 - Able to dress upper body without assistance if clothing is laid out or handed to the patient.
- 2 - Someone must help the patient put on upper body clothing.
- 3 - Patient depends entirely upon another person to dress the upper body.

(M0660) Ability to Dress Lower Body (with or without dressing aids) including undergarments, slacks, socks or nylons, shoes:

Current

- 0 - Able to obtain, put on, and remove clothing and shoes without assistance.
- 1 - Able to dress lower body without assistance if clothing and shoes are laid out or handed to the patient.
- 2 - Someone must help the patient put on undergarments, slacks, socks or nylons, and shoes.
- 3 - Patient depends entirely upon another person to dress lower body.

(M0670) Bathing: Ability to wash entire body. **Excludes grooming (washing face and hands only).**

Current

- 0 - Able to bathe self in shower or tub independently.
- 1 - With the use of devices, is able to bathe self in shower or tub independently.
- 2 - Able to bathe in shower or tub with the assistance of another person:
(a) for intermittent supervision or encouragement or reminders, OR
(b) to get in and out of the shower or tub, OR
(c) for washing difficult to reach areas.
- 3 - Participates in bathing self in shower or tub, but requires presence of another person throughout the bath for assistance or supervision.
- 4 - Unable to use the shower or tub and is bathed in bed or bedside chair.
- 5 - Unable to effectively participate in bathing and is totally bathed by another person.

(M0680) Toileting: Ability to get to and from the toilet or bedside commode.

Current

- 0 - Able to get to and from the toilet independently with or without a device.
- 1 - When reminded, assisted, or supervised by another person, able to get to and from the toilet.
- 2 - Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance).
- 3 - Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently.
- 4 - Is totally dependent in toileting.

(M0690) Transferring: Ability to move from bed to chair, on and off toilet or commode, into and out of tub or shower, and ability to turn and position self in bed if patient is bedfast.

Current

- 0 - Able to independently transfer.
- 1 - Transfers with minimal human assistance or with use of an assistive device.
- 2 - Unable to transfer self but is able to bear weight and pivot during the transfer process.
- 3 - Unable to transfer self and is unable to bear weight or pivot when transferred by another person.
- 4 - Bedfast, unable to transfer but is able to turn and position self in bed.
- 5 - Bedfast, unable to transfer and is unable to turn and position self.

(M0700) Ambulation/Locomotion: Ability to SAFELY walk, once in a standing position, or use a wheelchair, once in a seated position, on a variety of surfaces.

Current

- 0 - Able to independently walk on even and uneven surfaces and climb stairs with or without railings (i.e., needs no human assistance or assistive device).
- 1 - Requires use of a device (e.g., cane, walker) to walk alone or requires human supervision or assistance to negotiate stairs or steps or uneven surfaces.
- 2 - Able to walk only with the supervision or assistance of another person at all times.
- 3 - Chairfast, unable to ambulate but is able to wheel self independently.
- 4 - Chairfast, unable to ambulate and is unable to wheel self.
- 5 - Bedfast, unable to ambulate or be up in a chair.

(M0710) Feeding or Eating: Ability to feed self meals and snacks. **Note: This refers only to the process of eating, chewing, and swallowing, not preparing the food to be eaten.**

Current

- 0 - Able to independently feed self.
- 1 - Able to feed self independently but requires:
(a) meal set-up; OR
(b) intermittent assistance or supervision from another person; OR
(c) a liquid, pureed or ground meat diet.
- 2 - Unable to feed self and must be assisted or supervised throughout the meal/snack.
- 3 - Able to take in nutrients orally and receives supplemental nutrients through a nasogastric tube or gastrostomy.
- 4 - Unable to take in nutrients orally and is fed nutrients through a nasogastric tube or gastrostomy.
- 5 - Unable to take in nutrients orally or by tube feeding.

(M0720) Planning and Preparing Light Meals (e.g., cereal, sandwich) or reheat delivered meals:

Current

- 0 - (a) Able to independently plan and prepare all light meals for self or reheat delivered meals; OR
(b) Is physically, cognitively, and mentally able to prepare light meals on a regular basis but has not routinely performed light meal preparation in the past (i.e., prior to this home care admission).
- 1 - Unable to prepare light meals on a regular basis due to physical, cognitive, or mental limitations.
- 2 - Unable to prepare any light meals or reheat any delivered meals.

(M0730) Transportation: Physical and mental ability to safely use a car, taxi, or public transportation (bus, train, subway).

Current

- 0 - Able to independently drive a regular or adapted car; OR uses a regular or handicap-accessible public bus.
- 1 - Able to ride in a car only when driven by another person; OR able to use a bus or handicap van only when assisted or accompanied by another person.
- 2 - Unable to ride in a car, taxi, bus, or van, and requires transportation by ambulance.

(M0740) Laundry: Ability to do own laundry -- to carry laundry to and from washing machine, to use washer and dryer, to wash small items by hand.

Current

- 0 - (a) Able to independently take care of all laundry tasks; OR
(b) Physically, cognitively, and mentally able to do laundry and access facilities, but has not routinely performed laundry tasks in the past (i.e., prior to this home care admission).
- 1 - Able to do only light laundry, such as minor hand wash or light washer loads. Due to physical, cognitive, or mental limitations, needs assistance with heavy laundry such as carrying large loads of laundry.
- 2 - Unable to do any laundry due to physical limitation or needs continual supervision and assistance due to cognitive or mental limitation.

(M0750) Housekeeping: Ability to safely and effectively perform light housekeeping and heavier cleaning tasks.

Current

- 0 - (a) Able to independently perform all housekeeping tasks; OR
(b) Physically, cognitively, and mentally able to perform all housekeeping tasks but has not routinely participated in housekeeping tasks in the past (i.e., prior to this home care admission).
- 1 - Able to perform only light housekeeping (e.g., dusting, wiping kitchen counters) tasks independently.
- 2 - Able to perform housekeeping tasks with intermittent assistance or supervision from another person.
- 3 - Unable to consistently perform any housekeeping tasks unless assisted by another person throughout the process.
- 4 - Unable to effectively participate in any housekeeping tasks.

(M0760) Shopping: Ability to plan for, select, and purchase items in a store and to carry them home or arrange delivery.

Current

- 0 - (a) Able to plan for shopping needs and independently perform shopping tasks, including carrying packages; OR
(b) Physically, cognitively, and mentally able to take care of shopping, but has not done shopping in the past (i.e., prior to this home care admission).
- 1 - Able to go shopping, but needs some assistance:
(a) By self is able to do only light shopping and carry small packages, but needs someone to do occasional major shopping; OR
(b) Unable to go shopping alone, but can go with someone to assist.
- 2 - Unable to go shopping, but is able to identify items needed, place orders, and arrange home delivery.
- 3 - Needs someone to do all shopping and errands.

(M0770) Ability to Use Telephone: Ability to answer the phone, dial numbers, and effectively use the telephone to communicate.

Current

- 0 - Able to dial numbers and answer calls appropriately and as desired.
- 1 - Able to use a specially adapted telephone (i.e., large numbers on the dial, teletype phone for the deaf) and call essential numbers.
- 2 - Able to answer the telephone and carry on a normal conversation but has difficulty with placing calls.
- 3 - Able to answer the telephone only some of the time or is able to carry on only a limited conversation.
- 4 - Unable to answer the telephone at all but can listen if assisted with equipment.
- 5 - Totally unable to use the telephone.
- NA - Patient does not have a telephone.

MEDICATIONS

(M0780) Management of Oral Medications: Patient's ability to prepare and take all prescribed oral medications reliably and safely, including administration of the correct dosage at the appropriate times/intervals. **Excludes injectable and IV medications. (NOTE: This refers to ability, not compliance or willingness.)**

Current

- 0 - Able to independently take the correct oral medication(s) and proper dosage(s) at the correct times.
- 1 - Able to take medication(s) at the correct times if:
(a) individual dosages are prepared in advance by another person; OR
(b) given daily reminders; OR
(c) someone develops a drug diary or chart.
- 2 - Unable to take medication unless administered by someone else.
- NA - No oral medications prescribed.

(M0790) Management of Inhalant/Mist Medications: Patient's ability to prepare and take all prescribed inhalant/mist medications (nebulizers, metered dose devices) reliably and safely, including administration of the correct dosage at the appropriate times/intervals. **Excludes all other forms of medication (oral tablets, injectable and IV medications).**

Current

- 0 - Able to independently take the correct medication and proper dosage at the correct times.
- 1 - Able to take medication at the correct times if:
(a) individual dosages are prepared in advance by another person, OR
(b) given daily reminders.
- 2 - Unable to take medication unless administered by someone else.
- NA - No inhalant/mist medications prescribed.

(M0800) Management of Injectable Medications: Patient's ability to prepare and take all prescribed injectable medications reliably and safely, including administration of correct dosage at the appropriate times/intervals. **Excludes IV medications.**

Current

- 0 - Able to independently take the correct medication and proper dosage at the correct times.
- 1 - Able to take injectable medication at correct times if:
(a) individual syringes are prepared in advance by another person, OR
(b) given daily reminders.
- 2 - Unable to take injectable medications unless administered by someone else.
- NA - No injectable medications prescribed.

EQUIPMENT MANAGEMENT

(M0810) Patient Management of Equipment (includes ONLY oxygen, IV/infusion therapy, enteral/parenteral nutrition equipment or supplies): Patient's ability to set up, monitor and change equipment reliably and safely, add appropriate fluids or medication, clean/store/dispose of equipment or supplies using proper technique. **(NOTE: This refers to ability, not compliance or willingness.)**

- 0 - Patient manages all tasks related to equipment completely independently.
- 1 - If someone else sets up equipment (i.e., fills portable oxygen tank, provides patient with prepared solutions), patient is able to manage all other aspects of equipment.
- 2 - Patient requires considerable assistance from another person to manage equipment, but independently completes portions of the task.
- 3 - Patient is only able to monitor equipment (e.g., liter flow, fluid in bag) and must call someone else to manage the equipment.
- 4 - Patient is completely dependent on someone else to manage all equipment.
- NA - No equipment of this type used in care [If NA, go to M0830]

(M0820) Caregiver Management of Equipment (includes ONLY oxygen, IV/infusion equipment, enteral/parenteral nutrition, ventilator therapy equipment or supplies): Caregiver's ability to set up, monitor, and change equipment reliably and safely, add appropriate fluids or medication, clean/store/dispose of equipment or supplies using proper technique. **(NOTE: This refers to ability, not compliance or willingness.)**

- 0 - Caregiver manages all tasks related to equipment completely independently.
- 1 - If someone else sets up equipment, caregiver is able to manage all other aspects.
- 2 - Caregiver requires considerable assistance from another person to manage equipment, but independently completes significant portions of task.
- 3 - Caregiver is only able to complete small portions of task (e.g., administer nebulizer treatment, clean/store/dispose of equipment or supplies).
- 4 - Caregiver is completely dependent on someone else to manage all equipment.
- NA - No caregiver

EMERGENT CARE

(M0830) Emergent Care: Since the last time OASIS data were collected, has the patient utilized any of the following services for emergent care (other than home care agency services)? **(Mark all that apply.)**

- 0 - No emergent care services [If no emergent care, go to M0855]
- 1 - Hospital emergency room (includes 23-hour holding)
- 2 - Doctor's office emergency visit/house call
- 3 - Outpatient department/clinic emergency (includes urgicenter sites)
- UK - Unknown [If UK, go to M0855]

(M0840) Emergent Care Reason: For what reason(s) did the patient/family seek emergent care? **(Mark all that apply.)**

- 1 - Improper medication administration, medication side effects, toxicity, anaphylaxis
- 2 - Nausea, dehydration, malnutrition, constipation, impaction
- 3 - Injury caused by fall or accident at home
- 4 - Respiratory problems (e.g., shortness of breath, respiratory infection, tracheobronchial obstruction)
- 5 - Wound infection, deteriorating wound status, new lesion/ulcer
- 6 - Cardiac problems (e.g., fluid overload, exacerbation of CHF, chest pain)
- 7 - Hypo/Hyperglycemia, diabetes out of control
- 8 - GI bleeding, obstruction
- 9 - Other than above reasons
- UK - Reason unknown

DATA ITEMS COLLECTED AT INPATIENT FACILITY ADMISSION OR AGENCY DISCHARGE ONLY

(M0855) To which **Inpatient Facility** has the patient been admitted?

- 1 - Hospital [**Go to M0890**]
- 2 - Rehabilitation facility [**Go to M0903**]
- 3 - Nursing home [**Go to M0900**]
- 4 - Hospice [**Go to M0903**]
- NA - No inpatient facility admission

(M0870) Discharge Disposition: Where is the patient after discharge from your agency? **(Choose only one answer.)**

- 1 - Patient remained in the community (not in hospital, nursing home, or rehab facility)
- 2 - Patient transferred to a noninstitutional hospice [**Go to M0903**]
- 3 - Unknown because patient moved to a geographic location not served by this agency [**Go to M0903**]
- UK - Other unknown [**Go to M0903**]

(M0880) After discharge, does the patient receive health, personal, or support **Services or Assistance**? **(Mark all that apply.)**

- 1 - No assistance or services received
- 2 - Yes, assistance or services provided by family or friends
- 3 - Yes, assistance or services provided by other community resources (e.g., meals-on-wheels, home health services, homemaker assistance, transportation assistance, assisted living, board and care)

Go to M0903

(M0890) If the patient was admitted to an acute care **Hospital**, for what **Reason** was he/she admitted?

- 1 - Hospitalization for emergent (unscheduled) care
- 2 - Hospitalization for urgent (scheduled within 24 hours of admission) care
- 3 - Hospitalization for elective (scheduled more than 24 hours before admission) care
- UK - Unknown

(M0895) Reason for Hospitalization: (Mark all that apply.)

- 1 - Improper medication administration, medication side effects, toxicity, anaphylaxis
- 2 - Injury caused by fall or accident at home
- 3 - Respiratory problems (SOB, infection, obstruction)
- 4 - Wound or tube site infection, deteriorating wound status, new lesion/ulcer
- 5 - Hypo/Hyperglycemia, diabetes out of control
- 6 - GI bleeding, obstruction
- 7 - Exacerbation of CHF, fluid overload, heart failure
- 8 - Myocardial infarction, stroke
- 9 - Chemotherapy
- 10 - Scheduled surgical procedure
- 11 - Urinary tract infection
- 12 - IV catheter-related infection
- 13 - Deep vein thrombosis, pulmonary embolus
- 14 - Uncontrolled pain
- 15 - Psychotic episode
- 16 - Other than above reasons

Go to M0903

(M0900) For what Reason(s) was the patient Admitted to a Nursing Home? (Mark all that apply.)

- 1 - Therapy services
- 2 - Respite care
- 3 - Hospice care
- 4 - Permanent placement
- 5 - Unsafe for care at home
- 6 - Other
- UK - Unknown

(M0903) Date of Last (Most Recent) Home Visit:

___/___/_____
month day year

(M0906) Discharge/Transfer/Death Date: Enter the date of the discharge, transfer, or death (at home) of the patient.

___/___/_____
month day year