

Table 33. Tuberculosis Cases and Percentages by Noninjecting Drug Use,¹ Age ≥15: Reporting Areas, 2006

Reporting Area	Total Cases	Cases with Information on Noninjecting Drug Use		Cases Reporting Noninjecting Drug Use	
		No.	(%)	No.	(%)
United States	12,971	12,611	(97.2)	990	(7.9)
Alabama	191	191	(100.0)	9	(4.7)
Alaska	63	61	(96.8)	2	(3.3)
Arizona	274	230	(83.9)	16	(7.0)
Arkansas	95	95	(100.0)	2	(2.1)
California	2,646	2,567	(97.0)	160	(6.2)
Colorado	117	117	(100.0)	4	(3.4)
Connecticut	85	85	(100.0)	5	(5.9)
Delaware	27	27	(100.0)	2	(7.4)
District of Columbia	67	65	(97.0)	3	(4.6)
Florida	981	973	(99.2)	145	(14.9)
Georgia	465	456	(98.1)	58	(12.7)
Hawaii	113	56	(49.6)	--	--
Idaho	19	14	(73.7)	--	--
Illinois	525	490	(93.3)	46	(9.4)
Indiana	109	109	(100.0)	5	(4.6)
Iowa	40	40	(100.0)	0	(0.0)
Kansas	81	81	(100.0)	9	(11.1)
Kentucky	84	84	(100.0)	8	(9.5)
Louisiana	194	173	(89.2)	27	(15.6)
Maine	15	15	(100.0)	1	(6.7)
Maryland	245	242	(98.8)	10	(4.1)
Massachusetts	251	236	(94.0)	10	(4.2)
Michigan	211	210	(99.5)	12	(5.7)
Minnesota	193	192	(99.5)	4	(2.1)
Mississippi	107	107	(100.0)	9	(8.4)
Missouri	92	91	(98.9)	6	(6.6)
Montana	13	13	(100.0)	0	(0.0)
Nebraska	22	22	(100.0)	0	(0.0)
Nevada	97	93	(95.9)	7	(7.5)
New Hampshire	15	15	(100.0)	1	(6.7)
New Jersey	492	491	(99.8)	25	(5.1)
New Mexico	46	42	(91.3)	3	(7.1)
New York State ²	301	275	(91.4)	6	(2.2)
New York City	916	901	(98.4)	70	(7.8)
North Carolina	357	355	(99.4)	44	(12.4)
North Dakota	9	7	(77.8)	1	(14.3)
Ohio	223	222	(99.6)	18	(8.1)
Oklahoma	133	133	(100.0)	20	(15.0)
Oregon	77	74	(96.1)	8	(10.8)
Pennsylvania	307	302	(98.4)	10	(3.3)
Rhode Island	23	23	(100.0)	0	(0.0)
South Carolina	215	214	(99.5)	33	(15.4)
South Dakota	13	13	(100.0)	1	(7.7)
Tennessee	261	261	(100.0)	26	(10.0)
Texas	1,479	1,479	(100.0)	122	(8.2)
Utah	28	28	(100.0)	1	(3.6)
Vermont	8	8	(100.0)	0	(0.0)
Virginia	306	306	(100.0)	8	(2.6)
Washington	250	242	(96.8)	23	(9.5)
West Virginia	22	19	(86.4)	2	(10.5)
Wisconsin	64	62	(96.9)	6	(9.7)
Wyoming	4	4	(100.0)	0	(0.0)
American Samoa ³
Fed. States of Micronesia ³	54	41	(75.9)	0	(0.0)
Guam ³	44	41	(93.2)	0	(0.0)
Marshall Islands ³	24	18	(75.0)	0	(0.0)
N. Mariana Islands ³	34	31	(91.2)	0	(0.0)
Puerto Rico ³	104	104	(100.0)	22	(21.2)
Republic of Palau ³	3	3	(100.0)	0	(0.0)
U.S. Virgin Islands ³

¹Noninjecting drug use within past 12 months of TB diagnosis. Percentage based on 52 reporting areas (50 states, New York City, and the District of Columbia). Counts and percentages shown only for reporting areas with information reported for ≥75% of cases.

²Excludes New York City.

³Not included in U.S. totals. Data for 2006 are interim as of April 6, 2007.

Note: Ellipses indicate data not available.