

CLINIC-SPECIFIC DEMOGRAPHIC, CLINICAL, AND LABORATORY DATA

The remainder of this report provides clinic-specific figures for each of 25 of the 26 currently participating clinics. Because the Tripler Army Medical Center Sentinel Site had <50 GISP isolates for 2001 (n=2), figures for Tripler are not included. Individual figures for each clinic show demographic and clinical characteristics of the men with gonorrhea enrolled in GISP, as well as antimicrobial susceptibilities for the *N. gonorrhoeae* isolates. The number of isolates submitted by each clinic is 300 when the full sample of 25 isolates per month is obtained. However, the number of isolates submitted is lower for many clinics located in areas with low gonorrhea rates. Each page of figures is labeled with the city of the participating clinic and the actual number of isolates on which the clinic's 2001 data are based.

Definitions of terms and abbreviations used in the clinic-specific figures are given below.

Figure D: Contact=has sexual partner with gonorrhea
TOC/Other=test of cure/other

Figure G: Azi/Ery=azithromycin/erythromycin
Doxy/Tet=doxycycline/tetracycline

Figure H: PPNG=penicillinase-producing *N. gonorrhoeae*
TRNG=plasmid-mediated tetracycline resistant *N. gonorrhoeae*
PPNG-TRNG=plasmid-mediated penicillin and tetracycline resistant *N. gonorrhoeae*
PenR=chromosomally mediated penicillin resistant *N. gonorrhoeae*
TetR=chromosomally mediated tetracycline resistant *N. gonorrhoeae*
CMRNG=chromosomally mediated penicillin and tetracycline resistant *N. gonorrhoeae*