

**2008 Crop Year Premiums and Discounts (P & D's), and Additional Discounts,  
for the Minor Oilseeds: Canola, Crambe, Flaxseed, Mustard Seed, Rapeseed,  
Safflower, Sesame, Sunflower Seed, Oil and Sunflower Seed, Other**

**A Canola**

**Discounts for Canola**

<b>Grade or Factor Description</b>	<b>Effective 2007 Crop</b>	<b>Effective 2008 Crop</b>
	<b>Dollars Per Cwt.</b>	<b>Dollars Per Cwt.</b>
	<b>Discount</b>	<b>Discount</b>
<b>Oil Content (%)</b>		
37.9 - 37.0	\$.22	\$.22
36.9 - 36.0	.44	.44
35.9 - 35.0	.66	.66
<b>Moisture (%)</b>		
8.1 - 8.5	\$.11	\$.11
8.6 - 9.0	.22	.22
9.1 - 9.5	.33	.33
9.6 - 10.0	.44	.44
<b>Heat Damage (%)</b>		
0.2 - 0.5	\$.10	\$.10
<b>Total Damage (%)</b>		
2.1 - 3.0	\$.06	\$.06
3.1 - 4.0	.12	.12
4.1 - 5.0	.18	.18
5.1 - 6.0	.24	.24
6.1 - 7.0	.30	.30
7.1 - 8.0	.38	.38
8.1 - 9.0	.46	.46
9.1 - 10.0	.56	.56
<b>Distinctly Green Seeds (%)</b>		
2.1 - 6.0	\$.12	\$.12
<b>Garlic Bulbs (per 500 grams)</b>		
4 - 15 bulbs	\$.02 per bulb over 3 not to exceed 15	\$.02 per bulb over 3 not to exceed 15
<b>Total Conspicuous Admixtures (%)</b>		
1.1 - 1.5	\$.38	\$.38

**A Canola (Continued)**

**Additional Discounts for Canola**

<b>Grade or Factor Description</b>	<b>Effective July 1, 2007</b>	<b>Effective July 1, 2008</b>
	<b>Dollars Per Cwt.</b>	<b>Dollars Per Cwt.</b>
	<b>Discount</b>	<b>Discount</b>
<b>Grade Discount</b>	\$.50 for 2007 crop	\$.50 for 2008 crop
<b>Sample Grade</b>	\$.50 for 2006 crop	\$.50 for 2007 crop
	\$.50 for 2005 crop	\$.50 for 2006 crop
<b>Oil Content (%)</b>		
34.9 - 34.0	\$1.10	\$1.10
33.9 - 33.0	1.54	1.54
32.9 - 32.0	1.98	1.98
31.9 - 31.0	2.42	2.42
30.9 - 30.0	2.86	2.86
29.9 - 29.0	3.74	3.74
28.9 - 28.0	4.62	4.62
For each 1 percent or fraction of a percent under 28.0 percent	\$.88	\$.88
<b>Moisture (%)</b>		
10.1 - 10.5	\$.69	\$.69
10.6 - 11.0	.94	.94
11.1 - 11.5	1.19	1.19
11.6 - 12.0	1.44	1.44
12.1 - 12.5	1.94	1.94
12.6 - 13.0	2.44	2.44
13.1 - 13.5	2.94	2.94
For each 0.5 percent or fraction of a percent over 13.5 percent	\$.50	\$.50

**A Canola (Continued)**

**Additional Discounts for Canola**

<b>Grade or Factor Description</b>	<b>Effective July 1, 2007</b>	<b>Effective July 1, 2008</b>
	<b>Dollars Per Cwt.</b>	<b>Dollars Per Cwt.</b>
	<b>Discount</b>	<b>Discount</b>
<b>Heat Damage (%)</b>		
0.6 - 1.0	\$ .20	\$ .20
1.1 - 1.5	.30	.30
1.6 - 2.0	.40	.40
2.1 - 3.0	.60	.60
3.1 - 4.0	1.40	1.40
4.1 - 5.0	2.20	2.20
5.1 - 6.0	3.20	3.20
For each 1 percent or fraction of a percent over 6.0 percent	\$1.00	\$1.00
<b>Sclerotinia Bodies (%)</b>		
0.11 - 0.15	\$1.50	\$1.50
0.16 - 0.20	2.25	2.25
0.21 - 0.25	3.50	3.50
0.26 - 0.30	5.00	5.00
For each 0.05 percent or fraction of a percent over 0.30 percent	\$1.50	\$1.50
<b>Distinctly Green Seed (%)</b>		
6.1 - 10.0	\$ .24	\$ .24
10.1 - 15.0	.40	.40
15.1 - 20.0	.60	.60
20.1 - 25.0	1.50	1.50
25.1 - 35.0	3.00	3.00
For each 10 percent or fraction of a percent over 35.0 percent	\$1.50	\$1.50

**A Canola (Continued)**

**Additional Discounts for Canola**

<b>Grade or Factor Description</b>	<b>Effective July 1, 2007</b>	<b>Effective July 1, 2008</b>
	<b>Dollars Per Cwt.</b>	<b>Dollars Per Cwt.</b>
	<b>Discount</b>	<b>Discount</b>
<b>Total Damage (%)</b>		
10.1 - 11.0	\$ .81	\$ .81
11.1 - 12.0	1.06	1.06
12.1 - 13.0	1.31	1.31
13.1 - 14.0	1.56	1.56
14.1 - 15.0	1.81	1.81
15.1 - 16.0	2.31	2.31
16.1 - 17.0	2.81	2.81
17.1 - 18.0	3.31	3.31
For each 1.0 percent or fraction of a percent over 18.0 percent	\$ .50	\$ .50
<b>Garlic Bulbs (Per 500 Grams)</b>		
16 - 20	\$ .30	\$ .30
21 - 30	.50	.50
31 - 50	.75	.75
51 - 75	1.50	1.50
76-100	3.00	3.00
<b>Total Conspicuous Admixtures (%)</b>		
1.6 - 2.0	\$1.50	\$1.50
2.1 - 2.5	2.25	2.25
2.6 - 3.0	5.00	5.00
For each 0.5 percent or fraction of a percent over 3.0 percent	\$2.75	\$2.75
<b>Infested</b>	\$ .40	\$ .40
<b>Musty</b>	\$ .40	\$ .40
<b>Sour</b>	\$ .40	\$ .40
<b>Heating</b>	\$ .40	\$ .40
<b>COFO</b>	\$ .70	\$ .70
<b>Distinctly low quality</b>	\$ .70	\$ .70

**B Crambe****Discounts for Crambe**

<b>Grade or Factor Description</b>	<b>Effective 2007 Crop</b>	<b>Effective 2008 Crop</b>
	<b>Dollars Per Cwt.</b>	<b>Dollars Per Cwt.</b>
	<b>Discount</b>	<b>Discount</b>
<b>Class Purity (%) 99.5 - 99.7</b>	\$1.00	\$1.00
<b>Moisture (%) 8.1 - 10.0</b>	\$1.00	\$1.00
<b>Heat damage (%) 0.2</b>	\$1.00	\$1.00
<b>Total damage (%) 1.6 - 3.0</b>	\$1.00	\$1.00
<b>Sclerotinia bodies (%) 0.2</b>	\$1.00	\$1.00
<b>Inconspicuous admixtures (%) 0.2</b>	\$1.00	\$1.00
<b>Conspicuous admixtures (%) 0.4 - 0.5</b>	\$1.00	\$1.00

**B Crambe (Continued)****Additional Discounts for Crambe**

<b>Grade or Factor Description</b>	<b>Effective July 1, 2007</b>	<b>Effective July 1, 2008</b>
	<b>Dollars Per Cwt.</b>	<b>Dollars Per Cwt.</b>
	<b>Discount</b>	<b>Discount</b>
<b>Class Purity (%)</b>		
98.0 - 99.4	\$2.00	\$2.00
95.0 - 97.9	3.00	3.00
Below 94.9 and greater than 0	5.00	5.00
<b>Moisture (%)</b>		
10.1 - 10.9	\$1.25	\$1.25
11.0 - 11.9	1.50	1.50
12.0 - 12.9	1.75	1.75
13.0 - 13.9	2.00	2.00
14.0 - 14.9	2.25	2.25
For each 1.0 percent or fraction of a percent over 14.9 percent	\$.25	\$.25

**B Crambe (Continued)****Additional Discounts for Crambe**

<b>Grade or Factor Description</b>	<b>Effective July 1, 2007</b>	<b>Effective July 1, 2008</b>
	<b>Dollars Per Cwt.</b>	<b>Dollars Per Cwt.</b>
	<b>Discount</b>	<b>Discount</b>
<b>Heat Damage (%)</b>		
0.3 - 0.5	\$2.00	\$2.00
0.6 - 1.0	3.00	3.00
1.1 - 1.5	4.00	4.00
1.6 - 5.0	5.00	5.00
For each 5 percent or fraction of a percent over 5.0 percent	\$1.00	\$1.00
<b>Sclerotinia Bodies (%)</b>		
0.3	\$2.00	\$2.00
0.4 - 1.0	3.00	3.00
1.1 - 1.5	4.00	4.00
1.6 - 3.0	5.00	5.00
For each 1.5 percent or fraction of a percent over 3.0 percent	\$1.00	\$1.00

**B Crambe (Continued)**

**Additional Discounts for Crambe**

<b>Grade or Factor Description</b>	<b>Effective July 1, 2007</b>	<b>Effective July 1, 2008</b>
	<b>Dollars Per Cwt.</b>	<b>Dollars Per Cwt.</b>
	<b>Discount</b>	<b>Discount</b>
<b>Distinctly Green Seed (%)</b>		
1.6 - 3.5	\$1.00	\$1.00
3.6 - 5.0	2.00	2.00
For each 1.5 percent or fraction of a percent over 5.0 percent	\$1.00	\$1.00
<b>Total Damage (%)</b>		
3.1 - 5.0	\$2.00	\$2.00
5.1 - 10.5	3.00	3.00
10.6 - 15.0	4.00	4.00
15.1 - 20.0	5.00	5.00
For each 5 percent or fraction of a percent over 20.0 percent	\$1.00	\$1.00
<b>Conspicuous Admixture (%)</b>		
0.6 - 0.7	\$2.00	\$2.00
0.8 - 1.0	3.00	3.00
1.1 - 1.5	4.00	4.00
1.6 - 3.0	5.00	5.00
For each 1.5 percent or fraction of a percent over 3.0 percent	\$1.00	\$1.00
<b>Other Weed Seeds (%)</b>		
0.6 - 0.7	\$2.00	\$2.00
0.8 - 1.0	3.00	3.00
1.1 - 1.5	4.00	4.00
1.6 - 3.0	5.00	5.00



**B Crambe (Continued)****Additional Discounts for Crambe**

<b>Grade or Factor Description</b>	<b>Effective July 1, 2007</b>	<b>Effective July 1, 2008</b>
	<b>Dollars Per Cwt.</b>	<b>Dollars Per Cwt.</b>
	<b>Discount</b>	<b>Discount</b>
<b>Test Weight:</b>		
24.0 - 24.9	\$ .25	\$ .25
23.0 - 23.9	\$ .50	\$ .50
22.0 - 22.9	\$ .75	\$ .75
21.0 - 21.9	\$ 1.00	\$ 1.00
20.0 - 20.9	\$ 1.25	\$ 1.25
For each whole pound or fraction of a pound under 20.0	\$ .25	\$ .25
<b>Infested</b>	\$ 1.00	\$ 1.00
<b>Musty</b>	\$ 1.00	\$ 1.00
<b>Sour</b>	\$ 1.00	\$ 1.00
<b>Heating</b>	\$ 1.00	\$ 1.00
<b>COFO</b>	\$ 2.00	\$ 2.00

**C Flaxseed**

**Discounts for Flaxseed**

<b>Grade or Factor Description</b>	<b>Effective 2007 Crop</b>	<b>Effective 2008 Crop</b>
	<b>Discount</b>	<b>Discount</b>
	<b>Per Cwt.</b>	<b>Per Cwt.</b>
<b>Test Weight (Lbs.)</b>		
48.9 - 48.5	\$.06	\$.06
48.4 - 48.0	.12	.12
47.9 - 47.5	.18	.18
47.4 - 47.0	.24	.24
<b>Moisture (%)</b>		
8.1 - 9.0	\$.22	\$.22
<b>Heat Damage (%)</b>		
0.3 - 0.5	\$.06	\$.06
<b>Total Damage (%)</b>		
10.1 - 11.0	\$.22	\$.22
11.1 - 12.0	.44	.44
12.1 - 13.0	.66	.66
13.1 - 14.0	.88	.88
14.1 - 15.0	1.10	1.10

**C Flaxseed (Continued)**

**Additional Discounts for Flaxseed**

<b>Grade or Factor Description</b>	<b>Effective July 1, 2007</b>	<b>Effective July 1, 2008</b>
	<b>Discount</b>	<b>Discount</b>
	<b>Per Cwt.</b>	<b>Per Cwt.</b>
<b>Grade Discount</b>	\$ .50 for 2007 crop	\$ .50 for 2008 crop
<b>Sample Grade</b>	\$ .50 for 2006 crop	\$ .50 for 2007 crop
	\$ .50 for 2005 crop	\$ .50 for 2006 crop
<b>Test Weight (Lbs.)</b>		
46.9 - 46.5	\$ .30	\$ .30
46.4 - 46.0	.36	.36
45.9 - 45.5	.42	.42
45.4 - 45.0	.48	.48
44.9 - 44.5	.54	.54
44.4 - 44.0	.60	.60
43.9 - 43.5	.66	.66
43.4 - 43.0	.72	.72
42.9 - 42.5	.78	.78
42.4 - 42.0	.84	.84
41.9 - 41.5	.90	.90
41.4 - 41.0	.96	.96
40.9 - 40.5	1.02	1.02
40.4 - 40.0	1.08	1.08
39.9 - 39.5	1.20	1.20
39.4 - 39.0	1.32	1.32
38.9 - 38.5	1.44	1.44
38.4 - 38.0	1.56	1.56
37.9 - 37.5	1.68	1.68
37.4 - 37.0	1.80	1.80
36.9 - 36.5	1.92	1.92
36.4 - 36.0	2.04	2.04
35.9 - 35.5	2.16	2.16
35.4 - 35.0	2.28	2.28
34.9 - 34.5	2.40	2.40
34.4 - 34.0	2.52	2.52

**C Flaxseed (Continued)****Additional Discounts for Flaxseed**

<b>Grade or Factor Description</b>	<b>Effective July 1, 2007</b>	<b>Effective July 1, 2008</b>
	<b>Discount</b>	<b>Discount</b>
	<b>Per Cwt.</b>	<b>Per Cwt.</b>
<b>Test Weight (Lbs.) (Cont.)</b>		
33.9 - 33.5	2.64	2.64
33.4 - 33.0	2.76	2.76
32.9 - 32.5	2.88	2.88
32.4 - 32.0	3.00	3.00
31.9 - 31.5	3.12	3.12
31.4 - 31.0	3.24	3.24
30.9 - 30.5	3.36	3.36
30.4 - 30.0	3.48	3.48
For each 0.5 pound or fraction of a pound under 30.0	\$ .12	\$.12

**C Flaxseed (Continued)**

**Additional Discounts for Flaxseed**

<b>Grade or Factor Description</b>	<b>Effective July 1, 2007</b>	<b>Effective July 1, 2008</b>
	<b>Discount</b>	<b>Discount</b>
	<b>Per Cwt.</b>	<b>Per Cwt.</b>
<b>Moisture (%)</b>		
9.1 - 10.0	\$ .44	\$ .44
10.1 - 11.0	.75	.75
11.1 - 12.0	1.75	1.75
12.1 - 13.0	2.75	2.75
13.1 - 14.0	3.75	3.75
14.1 - 15.0	4.75	4.75
For each 1 percent or fraction of a percent over 15.0 percent	\$1.00	\$1.00
<b>Heat Damage (%)</b>		
0.6 - 1.0	\$ .12	\$ .12
1.1 - 1.5	.24	.24
1.6 - 2.0	.48	.48
2.1 - 3.0	1.00	1.00
For each 1 percent or fraction of a percent over 3.0 percent	\$1.00	\$1.00
<b>Total Damage (%)</b>		
15.1 - 16.0	\$1.60	\$1.60
16.1 - 17.0	2.10	2.10
17.1 - 18.0	2.60	2.60
18.1 - 19.0	3.10	3.10
19.1 - 20.0	3.60	3.60
For each 1 percent or fraction of a percent over 20.0 percent	\$ .50	\$ .50
<b>Infested</b>	\$ .40	\$ .40
<b>Musty</b>	\$ .40	\$ .40
<b>Sour</b>	\$ .40	\$ .40
<b>Heating</b>	\$ .40	\$ .40
<b>COFO</b>	\$ .70	\$ .70
<b>Distinctly low quality</b>	\$ .70	\$ .70

**D Mustard Seed**

**Discounts for Mustard Seed**

<b>Grade or Factor Description</b>	<b>Effective 2007 Crop</b>	<b>Effective 2008 Crop</b>
	<b>Dollars Per Cwt.</b>	<b>Dollars Per Cwt.</b>
	<b>Discount</b>	<b>Discount</b>
<b>Class Purity (%) 99.5 - 99.7</b>	\$1.00	\$1.00
<b>Moisture (%) 8.1 - 10.0</b>	\$1.00	\$1.00
<b>Heat damage (%) 0.2</b>	\$1.00	\$1.00
<b>Total damage (%) 1.6 - 3.0</b>	\$1.00	\$1.00
<b>Sclerotinia bodies (%) 0.2</b>	\$1.00	\$1.00
<b>Inconspicuous admixtures (%) 0.2</b>	\$1.00	\$1.00
<b>Conspicuous admixtures (%) 0.4 - 0.5</b>	\$1.00	\$1.00

**D Mustard Seed (Continued)**

**Additional Discounts for Mustard Seed**

<b>Grade or Factor Description</b>	<b>Effective July 1, 2007</b>	<b>Effective July 1, 2008</b>
	<b>Dollars Per Cwt.</b>	<b>Dollars Per Cwt.</b>
	<b>Discount</b>	<b>Discount</b>
<b>Class Purity (%)</b>		
98.0 - 99.4	\$2.00	\$2.00
95.0 - 97.9	3.00	3.00
Below 94.9 and greater than 0	5.00	5.00
<b>Moisture (%)</b>		
10.1 - 12.0	\$2.00	\$2.00
12.1 - 15.0	3.00	3.00
For each 3.0 percent or fraction of a percent over 15.0 percent	\$1.00	\$1.00
<b>Heat Damage (%)</b>		
0.3 - 0.5	\$2.00	\$2.00
0.6 - 1.0	3.00	3.00
1.1 - 1.5	4.00	4.00
1.6 - 5.0	5.00	5.00
For each 5 percent or fraction of a percent over 5.0 percent	\$1.00	\$1.00
<b>Sclerotinia Bodies (%)</b>		
0.3	\$2.00	\$2.00
0.4 - 1.0	3.00	3.00
1.1 - 1.5	4.00	4.00
1.6 - 3.0	5.00	5.00
For each 1.5 percent or fraction of a percent over 3.0 percent	\$1.00	\$1.00

**D Mustard Seed (Continued)**

**Additional Discounts for Mustard Seed**

<b>Grade or Factor Description</b>	<b>Effective July 1, 2007</b>	<b>Effective July 1, 2008</b>
	<b>Dollars Per Cwt.</b>	<b>Dollars Per Cwt.</b>
	<b>Discount</b>	<b>Discount</b>
<b>Distinctly Green Seed (%)</b>		
1.6 - 3.5	\$1.00	\$1.00
3.6 - 5.0	2.00	2.00
For each 1.5 percent or fraction of a percent over 5.0 percent	\$1.00	\$1.00
<b>Total Damage (%)</b>		
3.1 - 5.0	\$2.00	\$2.00
5.1 - 10.5	3.00	3.00
10.6 - 15.0	4.00	4.00
15.1 - 20.0	5.00	5.00
For each 5 percent or fraction of a percent over 20.0 percent	\$1.00	\$1.00
<b>Conspicuous Admixture (%)</b>		
0.6 - 0.7	\$2.00	\$2.00
0.8 - 1.0	3.00	3.00
1.1 - 1.5	4.00	4.00
1.6 - 3.0	5.00	5.00
For each 1.5 percent or fraction of a percent over 3.0 percent	\$1.00	\$1.00
<b>Other Weed Seeds (%)</b>		
0.6 - 0.7	\$2.00	\$2.00
0.8 - 1.0	3.00	3.00
1.1 - 1.5	4.00	4.00
1.6 - 3.0	5.00	5.00



**D Mustard Seed (Continued)**

**Additional Discounts Mustard Seed**

<b>Grade or Factor Description</b>	<b>Effective July 1, 2007</b>	<b>Effective July 1, 2008</b>
	<b>Dollars Per Cwt.</b>	<b>Dollars Per Cwt.</b>
	<b>Discount</b>	<b>Discount</b>
<b>Infested</b>	\$2.00	\$2.00
<b>Musty</b>	\$2.00	\$2.00
<b>Sour</b>	\$2.00	\$2.00
<b>Heating</b>	\$2.00	\$2.00
<b>COFO</b>	\$4.00	\$4.00

## E Rapeseed

### Discounts for Rapeseed

Grade or Factor Description	Effective 2007 Crop	Effective 2008 Crop
	Dollars Per Cwt.	Dollars Per Cwt.
	Discount	Discount
<b>Oil Content (%)</b>		
37.9 - 37.0	\$.22	\$.22
36.9 - 36.0	.44	.44
35.9 - 35.0	.66	.66
<b>Moisture (%)</b>		
8.1 - 8.5	\$.11	\$.11
8.6 - 9.0	.22	.22
9.1 - 9.5	.33	.33
9.6 - 10.0	.44	.44
<b>Heat damage (%)</b>		
0.2 - 0.5	\$.10	\$.10
<b>Total Damage (%)</b>		
2.1 - 3.0	\$.06	\$.06
3.1 - 4.0	.12	.12
4.1 - 5.0	.18	.18
5.1 - 6.0	.24	.24
6.1 - 7.0	.30	.30
7.1 - 8.0	.38	.38
8.1 - 9.0	.46	.46
9.1 - 10.0	.56	.56

**E Rapeseed (Continued)****Discounts for Rapeseed**

<b>Grade or Factor Description</b>	<b>Effective 2007 Crop</b>	<b>Effective 2008 Crop</b>
	<b>Dollars Per Cwt.</b>	<b>Dollars Per Cwt.</b>
	<b>Discount</b>	<b>Discount</b>
<b>Garlic Bulbs (per 500 grams)</b>		
4 - 15 bulbs	\$.02 per bulb over 3 not to exceed 15	\$.02 per bulb over 3 not to exceed 15
<b>Distinctly Green Seeds (%)</b>		
2.1 - 6.0	\$.12	\$.12
<b>Total Conspicuous Admixtures (%)</b>		
1.1 - 1.5	\$.38	\$.38

**E Rapeseed (Continued)**

**Additional Discounts for Rapeseed**

<b>Grade or Factor Description</b>	<b>Effective July 1, 2007</b>	<b>Effective July 1, 2008</b>
	<b>Dollars Per Cwt.</b>	<b>Dollars Per Cwt.</b>
	<b>Discount</b>	<b>Discount</b>
<b>Oil Content (%)</b>		
34.9 - 34.0	\$1.10	\$1.10
33.9 - 33.0	1.54	1.54
32.9 - 32.0	1.98	1.98
31.9 - 31.0	2.42	2.42
30.9 - 30.0	2.86	2.86
29.9 - 29.0	3.74	3.74
28.9 - 28.0	4.62	4.62
27.9 - 27.0	5.50	5.50
26.9 - 26.0	6.38	6.38
25.9 - 25.0	7.26	7.26
24.9 - 24.0	8.14	8.14
23.9 - 23.0	9.02	9.02
22.9 - 22.0	9.90	9.90
21.9 - 21.0	10.78	10.78
20.9 - 20.0	11.66	11.66
For each 1 percent or fraction of a percent under 20.0 percent	\$ .88	\$ .88

**E Rapeseed (Continued)****Additional Discounts for Rapeseed**

<b>Grade or Factor Description</b>	<b>Effective July 1, 2007</b>	<b>Effective July 1, 2008</b>
	<b>Dollars Per Cwt.</b>	<b>Dollars Per Cwt.</b>
	<b>Discount</b>	<b>Discount</b>
<b>Moisture (%)</b>		
10.1 - 10.5	\$ .69	\$ .69
10.6 - 11.0	.94	.94
11.1 - 11.5	1.19	1.19
11.6 - 12.0	1.44	1.44
12.1 - 12.5	1.94	1.94
12.6 - 13.0	2.44	2.44
13.1 - 13.5	2.94	2.94
13.6 - 14.0	3.44	3.44
14.1 - 14.5	3.94	3.94
14.6 - 15.0	4.44	4.44
For each 0.5 percent or a fraction of a percent over 15.0 percent	\$ .50	\$ .50

**E Rapeseed (Continued)**

**Additional Discounts for Rapeseed**

<b>Grade or Factor Description</b>	<b>Effective July 1, 2007</b>	<b>Effective July 1, 2008</b>
	<b>Dollars Per Cwt.</b>	<b>Dollars Per Cwt.</b>
	<b>Discount</b>	<b>Discount</b>
<b>Heat Damage (%)</b>		
0.6 - 1.0	\$ .20	\$ .20
1.1 - 1.5	.30	.30
1.6 - 2.0	.40	.40
2.1 - 3.0	.60	.60
3.1 - 4.0	1.40	1.40
4.1 - 5.0	2.20	2.20
5.1 - 6.0	3.20	3.20
6.1 - 7.0	4.20	4.20
7.1 - 8.0	5.20	5.20
8.1 - 9.0	6.20	6.20
9.1 - 10.0	7.20	7.20
For each 1 percent or fraction of a percent over 10.0 percent	\$1.00	\$1.00
<b>Sclerotinia Bodies</b>		
0.2	\$ .38	\$ .38
0.3	1.50	1.50
0.4	2.25	2.25
0.5	5.00	5.00
For each 0.1 percent or fraction of a percent over 0.5 percent	\$2.75	\$2.75
<b>Distinctly Green Seed</b>		
6.1 - 10.0	\$ .24	\$ .24
10.1 - 15.0	.40	.40
15.1 - 20.0	.60	.60
20.1 - 25.0	1.50	1.50
25.1 - 35.0	3.00	3.00
For each 10 percent or fraction of a percent over 35.0 percent	\$1.50	\$1.50

**E Rapeseed (Continued)**

**Additional Discounts for Rapeseed**

<b>Grade or Factor Description</b>	<b>Effective July 1, 2007</b>	<b>Effective July 1, 2008</b>
	<b>Dollars Per Cwt.</b>	<b>Dollars Per Cwt.</b>
	<b>Discount</b>	<b>Discount</b>
<b>Total Damage (%)</b>		
10.1 - 11.0	\$ .81	\$ .81
11.1 - 12.0	1.06	1.06
12.1 - 13.0	1.31	1.31
13.1 - 14.0	1.56	1.56
14.1 - 15.0	1.81	1.81
15.1 - 16.0	2.31	2.31
16.1 - 17.0	2.81	2.81
17.1 - 18.0	3.31	3.31
18.1 - 19.0	3.81	3.81
19.1 - 20.0	4.31	4.31
20.1 - 21.0	4.81	4.81
21.1 - 22.0	5.31	5.31
22.1 - 23.0	5.81	5.81
23.1 - 24.0	6.31	6.31
24.1 - 25.0	6.81	6.81
For each 1 percent or fraction of a percent over 25.0 percent	\$ .50	\$ .50
<b>Garlic Bulbs (per 500 grams)</b>		
16 - 20	\$ .30	\$ .30
21 - 30	.50	.50
31 - 50	.75	.75
51 - 75	1.50	1.50
76 - 100	3.00	3.00

**E Rapeseed (Continued)**

**Additional Discounts for Rapeseed**

<b>Grade or Factor Description</b>	<b>Effective July 1, 2007</b>	<b>Effective July 1, 2008</b>
	<b>Dollars Per Cwt.</b>	<b>Dollars Per Cwt.</b>
	<b>Discount</b>	<b>Discount</b>
<b>Total Conspicuous Admixtures</b>		
1.6 - 2.0	\$1.50	\$1.50
2.1 - 2.5	2.25	2.25
2.6 - 3.0	5.00	5.00
For each 0.5 percent or fraction of a percent over 3.0 percent	\$2.75	\$2.75
<b>Infested</b>	\$ .40	\$ .40
<b>Musty</b>	\$ .40	\$ .40
<b>Sour</b>	\$ .40	\$ .40
<b>Heating</b>	\$ .40	\$ .40
<b>COFO</b>	\$ .70	\$ .70



**F Safflower**

**Premiums and Discounts for Safflower**

Grade or Factor Description	Effective 2007 Crop		Effective 2008 Crop	
	Dollars Per Cwt.		Dollars Per Cwt.	
	Premium	Discount	Premium	Discount
<b>Oil Content</b>				
38.1 or Higher	\$.02 for each 1.0 or fraction above 38.0		\$.02 for each 1.0 or fraction above 38.0	
38.0				
37.9 - 37.0		\$.22		\$.22
36.9 - 36.0		.44		.44
35.9 - 35.0		.66		.66
<b>Moisture (%)</b>				
8.1 - 9.0		\$.22		\$.22
9.1 - 10.0		.44		.44
<b>Free Fatty Acid (%)</b>				
1.1 - 2.0		\$.07		\$.07
2.1 - 2.5		.14		.14
2.6 - 3.5		.25		.25
3.6 - 4.0		.36		.36
<b>Dockage (%)</b>				
1.1 - 2.0		\$.11		\$.11
2.1 - 3.0		.22		.22
3.1 - 4.0		.33		.33
4.1 - 5.0		.44		.44
5.1 - 6.0		.55		.55
<b>Other Grains (%)</b>				
0.6 - 1.0		\$.10		\$.10
1.1 - 1.5		.20		.20
1.6 - 2.0		.30		.30
2.1 - 3.0		.50		.50

**F Safflower (Continued)**

**Additional Discounts for Safflower**

<b>Grade or Factor Description</b>	<b>Effective July 1, 2007</b>	<b>Effective July 1, 2008</b>
	<b>Dollars Per Cwt.</b>	<b>Dollars Per Cwt.</b>
	<b>Discount</b>	<b>Discount</b>
<b>Oil Content (%)</b>		
34.9 - 34.0	\$1.10	\$1.10
33.9 - 33.0	1.54	1.54
32.9 - 32.0	1.98	1.98
31.9 - 31.0	2.42	2.42
30.9 - 30.0	2.86	2.86
For each 1 percent or fraction of a percent under 30.0 percent	\$ .88	\$ .88
<b>Moisture (%)</b>		
10.1 - 11.0	\$ .88	\$ .88
11.1 - 12.0	1.32	1.32
12.1 - 13.0	2.32	2.32
13.1 - 14.0	3.32	3.32
14.1 - 15.0	4.32	4.32
For each 1 percent or fraction of a percent over 15.0 percent	\$1.00	\$1.00
<b>Heat Damage (%)</b>		
0.2 - 0.5	\$ .25	\$ .25
0.6 - 1.0	.50	.50
1.1 - 1.5	1.50	1.50
1.6 - 2.0	2.50	2.50
For each 0.5 percent or fraction of a percent over 2.0 percent	\$1.00	\$1.00

## F Safflower (Continued)

### Additional Discount for Safflower

Grade or Factor Description	Effective July 1, 2007	Effective July 1, 2008
	Dollars Per Cwt.	Dollars Per Cwt.
	Discount	Discount
<b>Free Fatty Acid (%)</b>		
4.1 - 4.5	\$.61	\$.61
4.6 - 5.0	.86	.86
For each 0.5 percent or fraction of a percent over 5.0 percent	\$.25	\$.25
<b>Other Grains (%)</b>		
3.1 - 4.0	\$.70	\$.70
4.1 - 5.0	.90	.90
For each 1 percent or fraction of a percent over 5.0 percent	\$.20	\$.20
<b>Total Damage (%)</b>		
3.1 - 4.0	\$.05	\$.05
4.1 - 5.0	.10	.10
5.1 - 6.0	.15	.15
6.1 - 7.0	.20	.20
7.1 - 8.0	.25	.25
8.1 - 9.0	.30	.30
9.1 - 10.0	.35	.35
10.1 - 11.0	.45	.45
11.1 - 12.0	.55	.55
12.1 - 13.0	.65	.65
13.1 - 14.0	.75	.75
14.1 - 15.0	.85	.85
15.1 - 16.0	1.10	1.10
16.1 - 17.0	1.35	1.35
17.1 - 18.0	1.60	1.60
18.1 - 19.0	1.85	1.85
19.1 - 20.0	2.10	2.10
For each 1 percent or fraction of a percent over 20.0 percent	\$.25	\$.25

**G Safflower (Continued)****Additional Discounts for Safflower**

<b>Grade or Factor Description</b>	<b>Effective July 1, 2007</b>	<b>Effective July 1, 2008</b>
	<b>Dollars Per Cwt.</b>	<b>Dollars Per Cwt.</b>
	<b>Discount</b>	<b>Discount</b>
<b>Dockage (%)</b>		
6.1 - 7.0	\$ .77	\$ .77
7.1 - 8.0	.99	.99
8.1 - 9.0	1.21	1.21
9.1 - 10.0	1.43	1.43
For each 1 percent or fraction of a percent over 10.0 percent	\$ .22	\$ .22
<b>Infested</b>	\$ .50	\$ .50
<b>Musty</b>	\$ .50	\$ .50
<b>Sour</b>	\$ .50	\$ .50
<b>Heating</b>	\$ .50	\$ .50
<b>COFO</b>	\$ .70	\$ .70

**2 APSS Modifications (Continued)****H Sesame****Discounts for Sesame**

<b>Grade or Factor Description</b>	<b>Effective 2007 Crop</b>	<b>Effective 2008 Crop</b>
	<b>Dollars Per Cwt.</b>	<b>Dollars Per Cwt.</b>
	<b>Discount</b>	<b>Discount</b>
<b>Class Purity (%) 99.5 - 99.7</b>	\$0.00	\$0.00
<b>Moisture (%) 8.1 - 10.0</b>	\$0.00	\$0.00
<b>Heat damage (%) 0.2</b>	\$0.00	\$0.00
<b>Total damage (%) 1.6 - 3.0</b>	\$0.00	\$0.00
<b>Sclerotinia bodies (%) 0.2</b>	\$0.00	\$0.00
<b>Inconspicuous admixtures (%) 0.2</b>	\$0.00	\$0.00
<b>Conspicuous admixtures (%) 0.4 - 0.5</b>	\$0.00	\$0.00

**H Sesame (Continued)**

**Discounts for Sesame**

<b>Grade or Factor Description</b>	<b>Effective 2007 Crop</b>		<b>Effective 2008 Crop</b>	
	<b>Per Bushel</b>		<b>Per Bushel</b>	
	<b>Premium</b>	<b>Discount</b>	<b>Premium</b>	<b>Discount</b>
<b>Grade</b>				
<b>1</b>	\$2.00		\$2.00	
<b>2</b>	1.50		1.50	
<b>3</b>	1.00		1.00	
<b>4</b>	.50		.50	
<b>5</b>	.00		.00	
<b>6</b>		\$1.00		\$1.00
<b>7</b>		2.00		2.00
<b>8</b>		3.00		3.00
<b>9</b>		5.00		5.00
<b>10</b>		10.00		10.00

## H Sesame (Continued)

### Additional Discounts for Sesame

Grade or Factor Description	Effective July 1, 2007	Effective July 1, 2008
	Dollars Per Cwt.	Dollars Per Cwt.
	Discount	Discount
<b>Class Purity (%)</b>		
98.0 - 99.4	\$0.00	\$0.00
95.0 - 97.9	0.00	0.00
0.0 - 94.9	0.00	0.00
<b>Moisture (%)</b>		
0.1 - 0.9	\$0.00	\$0.00
1.0 - 1.9	0.00	0.00
2.0 - 2.9	0.00	0.00
3.0 - 3.9	0.00	0.00
4.0 - 4.9	0.00	0.00
For each 1.0 percent or fraction of a percent over 14.9 percent	\$0	\$0
<b>Heat Damage (%)</b>		
0.3 - 0.5	\$0.00	\$0.00
0.6 - 1.0	0.00	0.00
1.1 - 1.5	0.00	0.00
1.6 - 5.0	0.00	0.00
For each 5 percent or fraction of a percent over 5.0 percent	\$0.00	\$0.00
<b>Sclerotinia Bodies (%)</b>		
0.3	\$0.00	\$0.00
0.4 - 1.0	0.00	0.00
1.1 - 1.5	0.00	0.00
1.6 - 3.0	0.00	0.00
For each 1.5 percent or fraction of a percent over 3.0 percent	\$0.00	\$0.00

## H Sesame (Continued)

### Additional Discounts for Sesame

Grade or Factor Description	Effective July 1, 2007	Effective July 1, 2008
	Dollars Per Cwt.	Dollars Per Cwt.
	Discount	Discount
<b>Distinctly Green Seed (%)</b>		
1.6 - 3.5	\$0.00	\$0.00
3.6 - 5.0	0.00	0.00
For each 1.5 percent or fraction of a percent over 5.0 percent	\$0.00	\$0.00
<b>Total Damage (%)</b>		
3.1 - 5.0	\$0.00	\$0.00
5.1 – 10.5	0.00	0.00
10.6 - 15.0	0.00	0.00
15.1 - 20.0	0.00	0.00
For each 5 percent or fraction of a percent over 20.0 percent	\$0.00	\$0.00
<b>Conspicuous Admixture (%)</b>		
0.6 - 0.7	\$0.00	\$0.00
0.8 - 1.0	0.00	0.00
1.1 - 1.5	0.00	0.00
1.6 - 3.0	0.00	0.00
For each 1.5 percent or fraction of a percent over 3.0 percent	\$0.00	\$0.00
<b>Other Weed Seeds (%)</b>		
0.6 - 0.7	\$0.00	\$0.00
0.8 - 1.0	0.00	0.00
1.1 - 1.5	0.00	0.00
1.6 - 3.0	0.00	0.00



## H Sesame (Continued)

### Additional Discounts for Sesame

<b>Grade or Factor Description</b>	<b>Effective July 1, 2007</b>	<b>Effective July 1, 2008</b>
	<b>Dollars Per Cwt.</b>	<b>Dollars Per Cwt.</b>
	<b>Discount</b>	<b>Discount</b>
<b>Test Weight:</b>		
24.0 - 24.9	\$0	\$0
23.0 - 23.9	\$0	\$0
22.0 - 22.9	\$0	\$0
21.0 - 21.9	\$0	\$0
20.0 - 20.9	\$0	\$0
For each whole pound or fraction of a pound under 20.0	\$0	\$0
<b>Infested</b>	\$1.00	\$1.00
<b>Musty</b>	\$5.00	\$5.00
<b>Sour</b>	\$10.00	\$10.00
<b>Heating</b>	\$10.00	\$10.00
<b>COFO</b>	\$10.00	\$10.00

## I Sunflower Seed, Oil Type

### Premiums and Discounts for Sunflower Seed, Oil Type

Grade or Factor Description	Effective 2007 Crop		Effective 2008 Crop	
	Dollars Per Cwt.		Dollars Per Cwt.	
	Premium	Discount	Premium	Discount
<b>Oil Content (%)</b>				
41.0 and higher	\$.10		\$.10	
40.9 - 40.0				
39.9 - 39.0		\$.22		\$.22
38.9 - 38.0		.44		.44
37.9 - 37.0		.82		.82
36.9 - 36.0		1.20		1.20
35.9 - 35.0		1.58		1.58
<b>Moisture (%)</b>				
8.1 - 9.0		\$.22		\$.22
9.1 - 10.0		.44		.44
<b>Heat Damage (%)</b>				
0.6 - 1.0		\$.33		\$.33
<b>Total Damage (%)</b>				
5.1 - 6.0		\$.22		\$.22
6.1 - 7.0		.44		.44
7.1 - 8.0		.66		.66
8.1 - 9.0		.88		.88
9.1 - 10.0		1.10		1.10

# I Sunflower Seed, Oil Type (Continued)

## Additional Discounts for Sunflower Seed, Oil Type

Grade or Factor Description	Effective July 1, 2007	Effective July 1, 2008
	Dollars Per Cwt.	Dollars Per Cwt.
	Discount	Discount
<b>Grade Discount</b> <b>Sample Grade</b>	\$.50 for 2007 crop \$.50 for 2006 crop \$.50 for 2005 crop	\$.50 for 2008 crop \$.50 for 2007 crop \$.50 for 2006 crop
<b>Oil Content (%)</b>		
34.9 - 34.0	\$2.08	\$2.08
33.9 - 33.0	2.58	2.58
32.9 - 32.0	3.08	3.08
31.9 - 31.0	3.58	3.58
30.9 - 30.0	4.08	4.08
For each 1 percent or fraction of a percent under 30.0 percent	\$ .50	\$ .50
<b>Moisture (%)</b>		
10.1 - 11.0	\$ .77	\$ .77
11.1 - 12.0	1.10	1.10
12.1 - 13.0	1.54	1.54
13.1 - 14.0	1.98	1.98
14.1 - 15.0	2.42	2.42
For each 1 percent or fraction of a percent over 15.0 percent	\$ .44	\$ .44
<b>Heat Damage (%)</b>		
1.1 - 1.5	\$ .53	\$ .53
1.6 - 2.0	.73	.73
2.1 - 2.5	.93	.93
2.6 - 3.0	1.13	1.13
3.1 - 3.5	1.33	1.33
3.6 - 4.0	1.53	1.53
4.1 - 4.5	1.73	1.73
4.6 - 5.0	1.93	1.93
For each 0.5 percent or fraction of a percent over 5.0 percent	\$ .20	\$ .20

**I Sunflower Seed Oil Type (Continued)**

**Additional Discounts for Sunflower Seed, Oil Type**

<b>Grade or Factor Description</b>	<b>Effective July 1, 2007</b>	<b>Effective July 1, 2008</b>
	<b>Dollars Per Cwt.</b>	<b>Dollars Per Cwt.</b>
	<b>Discount</b>	<b>Discount</b>
<b>Test Weight (lbs.)</b>		
24.9 - 24.0	\$ .20	\$ .20
23.9 - 23.0	.40	.40
22.9 - 22.0	.60	.60
21.9 - 21.0	.80	.80
20.9 - 20.0	1.00	1.00
19.9 - 19.0	1.20	1.20
18.9 - 18.0	1.40	1.40
For each pound or fraction of a pound under 18.0	\$ .20	\$ .20

## I Sunflower Seed, Oil Type (Continued)

### Additional Discounts for Sunflower Seed, Oil Type

Grade or Factor Description	Effective July 1, 2007	Effective July 1, 2008
	Dollars Per Cwt.	Dollars Per Cwt.
	Discount	Discount
<b>Total Damage (%)</b>		
10.1 - 11.0	\$1.54	\$1.54
11.1 - 12.0	1.98	1.98
12.1 - 13.0	2.42	2.42
13.1 - 14.0	2.86	2.86
14.1 - 15.0	3.30	3.30
15.1 - 16.0	3.74	3.74
16.1 - 17.0	4.18	4.18
17.1 - 18.0	4.62	4.62
18.1 - 19.0	5.06	5.06
19.1 - 20.0	5.50	5.50
For each 1 percent or fraction of a percent over 20.0 percent	\$.44	\$.44
<b>Infested</b>	\$.50	\$.50
<b>Musty</b>	\$.50	\$.50
<b>Sour</b>	\$.50	\$.50
<b>Heating</b>	\$.50	\$.50
<b>COFO</b>	\$.70	\$.70
<b>Distinctly low quality</b>	\$.70	\$.70
<b>Dockage</b>	\$.10 each 1 % over 5.0	\$.10 each 1 % over 5.0

# I Sunflower Seed, Other Type

## Discounts for Sunflower Seed, Other Type

Grade or Factor Description	Effective 2007 Crop	Effective 2008 Crop
	Dollars Per Cwt.	Dollars Per Cwt.
	Discount	Discount
<b>Test Weight (lbs.)</b>		
22.9 - 20.0	\$.50	\$.50
<b>Insect Damage (%)</b>		
3.1 - 3.5	\$.25	\$.25
3.6 - 4.0	.50	.50
4.1 - 4.5	.75	.75
4.6 - 5.0	1.00	1.00

**I Sunflower Seed, Other Type (Continued)**

**Additional Discounts for Sunflower Seed, Other Type**

<b>Grade or Factor Description</b>	<b>Effective July 1, 2007</b>	<b>Effective July 1, 2008</b>
	<b>Dollars Per Cwt.</b>	<b>Dollars Per Cwt.</b>
	<b>Discount</b>	<b>Discount</b>
<b>Insect Damage (%)</b>		
5.1 - 6.0	\$1.50	\$1.50
6.1 - 7.0	2.00	2.00
7.1 - 8.0	2.50	2.50
8.1 - 9.0	3.00	3.00
9.1 - 10.0	3.50	3.50
For each 1 percent or fraction of a percent over 10.0 percent	\$ .50	\$ .50
<b>Moisture (%)</b>		
10.1 - 11.0	\$ .22	\$ .22
11.1 - 12.0	.66	.66
12.1 - 13.0	1.10	1.10
13.1 - 14.0	1.54	1.54
14.1 - 15.0	1.98	1.98
For each 1 percent or fraction of a percent over 15.0 percent	\$ .44	\$ .44
<b>Heat Damage (%)</b>		
1.1 - 1.5	\$.20	\$.20
1.6 - 2.0	.40	.40
2.1 - 2.5	.60	.60
2.6 - 3.0	.80	.80
For each 0.5 percent or fraction of a percent over 3.0 percent	\$.20	\$.20
<b>Sclerotinia Bodies</b>		
1.1 - 2.0	\$1.00	\$1.00
2.1 - 3.0	2.00	2.00
3.1 - 4.0	3.00	3.00
4.1 - 5.0	4.00	4.00
For each 1 percent or fraction of a percent over 5.0 percent	\$1.00	\$1.00

**I Sunflower Seed, Other Type (Continued)**

**Additional Discounts for Sunflower Seed, Other Type**

<b>Grade or Factor Description</b>	<b>Effective July 1, 2007</b>	<b>Effective July 1, 2008</b>
	<b>Dollars Per Cwt.</b>	<b>Dollars Per Cwt.</b>
	<b>Discount</b>	<b>Discount</b>
<b>Test Weight (lbs.)</b>		
19.9 - 19.5	\$ .90	\$ .90
19.4 - 19.0	1.30	1.30
18.9 - 18.5	1.70	1.70
18.4 - 18.0	2.10	2.10
17.9 - 17.5	2.50	2.50
17.4 - 17.0	2.90	2.90
16.9 - 16.5	3.30	3.30
16.4 - 16.0	3.70	3.70
15.9 - 15.5	4.10	4.10
15.4 - 15.0	4.50	4.50
For each half percent or fraction of a half percent under 15.0	\$ .40	\$ .40
<b>Infested</b>	\$ .50	\$ .50
<b>Musty</b>	\$ .50	\$ .50
<b>Sour</b>	\$ .50	\$ .50
<b>COFO</b>	\$ .70	\$ .70
<b>Heating</b>	\$ .50	\$ .50
<b>Dark Roasted (percent)</b>		
1.0 -1.9	\$1.00	\$1.00
2.0 - 2.9	2.00	2.00
3.0 – 3.9	3.00	3.00
4.0 – 4.9	4.00	4.00
5.0 and higher	5.00	5.00