



DEPARTMENT OF HEALTH

**New Release**

**LINDA LINGLE**  
GOVERNOR

---

CHIYOME LEINAALA FUKINO, M.D.  
DIRECTOR  
Phone: (808) 586-4410  
Fax: (808) 586-4444

---

For Immediate Release: January 27, 2006

06-05

**DOH CITES GOODFELLOW BROTHERS, INC. (MAUI) FOR PERMIT VIOLATION**

The Hawaii State Department of Health Clean Air Branch has issued a Notice of Violation (Docket 05-CA-EO-15) against Goodfellow Brothers, Inc. (Maui), for not conducting the required annual stack performance test in 2004 for the asphalt batch plant, a permit violation.

Goodfellow Brothers, Inc. operates a portable Drum Mix Asphalt Batch Plant at various sites on the island of Maui. Conducting the required test is important to ensure continuing compliance of the facility with applicable state and federal emissions requirements and to minimize impact to the public. A penalty of \$4,600 has been imposed on Goodfellow Brothers, Inc.

Goodfellow Brothers, Inc. has twenty days to contest the order, and if it does so, the case will be scheduled for a hearing.

###

For information contact:  
Jill Stensrud  
Clean Air Branch  
Phone (808) 586-4200

Janice Okubo  
Communications Office  
Phone: (808) 586-4442