8. REFERENCES

*Aaseth J, Alexander J, Norseth T. 1982. Uptake of ⁵¹Cr-Chromate by human erythrocytes - A role of glutathione. Acta Pharmacol Toxicol 50:310-315.

*ACGIH. 1998. TLVs and BEIs for chemical substances and physical agents. American Conference of Governmental Industrial Hygienists, Cincinnati, OH, 26, 99.

*ACGIH. 1999. Chromium. Documentation of the threshold limit values and biological exposure indices. American Conference of Governmental Industrial Hygienists. Cincinnati, OH.

*Adachi S. 1987. Effect of chromium compounds on the respiratory system: Part 5. Long term inhalation of chromic acid mist in electroplating by C57BL female mice and recapitulation on our experimental studies. Jpn J Ind Health 29:17-33.

*Adachi S, Yoshimura H, Katayama H, et al. 1986. Effects of chromium compounds on the respiratory system: Part 4. Long term inhalation of chromic acid mist in electroplating to ICR female mice. Jpn J Ind Health 28:283-287.

*Adachi S, Yoshimura H, Miyayama R, et al. 1981. Effects of chromium compounds on the respiratory system: Part 1. An experimental study of inhalation of chromic acid mist in electroplating. Jpn J Ind Health 23:294-299.

*Adinolfi M. 1985. The development of the human blood-CSF-brain barrier. Dev Med Child Neurol 27:532-537.

*Adlercreutz H. 1995. Phytoestrogens: Epidemiology and a possible role in cancer protection. Environ Health Perspect Suppl 103(7):103-112.

*Aguilar MV, Martinez-Para C, Gonzalez J. 1997. Effects of arsenic(V)-chromium(III) interaction on plasma glucose and cholesterol levels in growing rats. Ann Nutr Metab 41:189-195.

*Aitio A, Jarvisalo J, Kiilunen M, et al. 1988. Chromium. In: Clarkson TW, Friberg L, Norberg CF, et al. Eds. Biological monitoring of toxic metals. New York, NY: Plenum Press, 369-382.

*Aiyar J, Borges K, Floyd RA, et al. 1989. Role of chromium(V), glutathione thiyl radical and hydroxyl radical intermediates in chromium(VI)-induced DNA damage. Toxicol Environ Chem 22:135-148.

*Aiyar J, Berkovits HJ, Floyd RA. et al. 1991. Reaction of chromium(VI) with glutathione or with hydrogen peroxide: Identification of reactive intermediates and their role in chromium(VI)-induced DNA damage. Environ Health Perspect 92: 53-62.

*AK Dept Env Conserv. 1999. Drinking water. Alaska Department of Environmental Conservation. Rule 18 AAC 80. <u>http://www.state.ak.us/local/akpages/ENV.CONSERV/home.htm</u>.

Akatsuka K, Fairhall LT. 1934. The toxicology of chromium. J Ind Hyg 16:1-24.

*AL Dept Env Management. 1998. Water quality criteria. Alabama Department of Environmental Management, Water Division. <u>http://www.adem.state.al.us/</u>.

^{*}Cited in text

*Albert RE. 1991. Issues in the risk assessment of chromium. Environ Health Perspect 92:91-92.

Alcedo JA, Misra M, Hamilton JW, et al. 1994. The genotoxic carcinogen chromium(VI) alters the metal-inducible expression but not the basal expression of the metallothionein gene *in vivo*. Carcinogenesis 15(5):1089-1092.

Alexander J, Aaseth J, Norseth T. 1982. Uptake of chromium by rat liver mitochondria. Toxicology 24:115-122.

*Alderson M, Rattan N, Bidstrup L. 1981. Health of workmen in the chromate-producing industry in Britain. Br J Ind Med 38:117-124.

*Al-Hamood MH, Elbetieha A, Bataineh H. 1998. Sexual maturation and fertility of male and female mice exposed prenatally and postnatally to trivalent and hexavalent chromium compounds. Reproduction, Fertility and Development 10:179-183.

Allen MJ, Myer BJ, Millett PJ, et al. 1997. The effects of particulate cobalt, chromium and cobaltchromium alloy on human osteoblast-like cells in vitro. J Bone Jt Surg Am 79-B(3):475-482.

Al-Sabti K, Franko M, Andrijani..S, et al. 1994. Chromium-induced micronuclei in fish. J Appl Toxicol 14(5):333-336.

*Altman PK, Dittmer DS. 1974. Biological handbooks: Biology data book, Volume III, Second edition. Bethesda, MD: Federation of American Societies for Experimental Biology, 1987-2008, 2041.

*American Chrome and Chemicals. 1989. Chromic acid. Material safety data sheets. Corpus Christi, TX: American Chrome and Chemicals, Inc.

Amstad P, Hussain SP, Cerutti P. 1994. Ultraviolet B light-induced mutagenesis of p53 hotspot codons 248 and 249 in human skin fibroblasts. Mol Carcinog 10:181-188.

Anderlini VC. 1992. The effect of sewage on trace metal concentrations and scope for growth in *Mytilus edulis aoteanus* and *Perna canaliculus* from Wellington Harbour, New Zealand. Sci Total Environ 125:263-288.

*Andersen ME, Krishnan K. 1994. Relating *in vitro* to *in vivo* exposures with physiologically-based tissue dosimetry and tissue response models. In: H. Salem, ed. Animal Test Alternatives. U.S. Army Chemical Research Development and Engineering Center, Aberdeen Proving Ground, Maryland.

*Andersen ME, Clewell HJ,III, Gargas ML, et al. 1987. Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. Toxicol Appl Pharmacol 87:185-205.

*Anderson RA. 1981. Nutritional role of chromium. Sci Total Environ 17:13-29.

*Anderson RA. 1986. Chromium metabolism and its role in disease processes in man. Clin Physiol Biochem 4:31-41.

*Anderson RA. 1987. Chromium. In: Mertz, W, ed. Trace elements in human and animal nutrition. 5th ed. Vol 1. San Diego, CA: Academic Press, Inc., 225-244.

Anderson RA. 1998a. Chromium, glucose intolerance and diabetes. J Am Coll Nutr 17(6):548-555.

*Anderson RA. 1998b. Effects of chromium on body composition and weight loss. Nutr Rev 56(9):266-270.

Anderson RA, Bryden NA, Evock-Clover CM, et al. 1997a. Beneficial effects of chromium on glucose and lipid variables in control and somatotropin-treated pigs are associated with increased tissue chromium and altered tissue copper, iron, and zinc. J Anim Sci 75:657-661.

*Anderson RA, Bryden NA, Patterson KY, et al. 1993. Breast milk chromium and its association with chromium intake, chromium excretion, and serum chromium. Clin Nutr 57:519-523.

*Anderson RA, Bryden NA, Polansky MM. 1997b. Lack of toxicity of chromium chloride and chromium picolinate in rats. J Am Coll Nutr 16(3):273-279.

*Anderson RA, Cheng N, Bryden NA, et al. 1997c. Elevated intakes of supplemental chromium improve glucose and insulin variables in individuals with type 2 diabetes. Diabetes 46:1786-1791.

*Anderson RA, Polansky MM, Bryden NA, et al. 1983. Effects of chromium supplementation on urinary Cr excretion of human subjects and correlation of Cr excretion with selected clinical parameters. J Nutr 113:276-281.

*Angerer J, Amin W, Heinrich-Ramm R, et al. 1987. Occupational chronic exposure to metals: I. Chromium exposure of stainless steel welders biological monitoring. Int Arch Occup Environ Health 59:503-512.

Anjum F, Shakoori AR. 1997. Sublethal effects of hexavalent chromium on the body growth rate and liver function enzymes of phenobarbitone-pretreated and promethazine-pretreated rabbits. J Environ Pathol Toxicol Oncol 16(1):51-59.

Anwar RA, Langham RF, Hoppert CA, et al. 1961. Chronic toxicity studies: III. Chronic toxicity of cadmium and chromium in dogs. Arch Environ Health 3:456-460.

Apostoli P, Maranelli G, Duca PG, et al. 1997. Reference values of urinary chromium in Italy. Int Arch Occup Environ Health 70:173-179.

*Appenroth D, Braunlich H. 1988. Age dependent differences in sodium dichromate nephrotoxicity in rats. Exp Pathol 33:179-185.

Armbruster DA, Rudolph FB. 1976. Rat liver pyruvate carboxylase: Inhibition by chromium nucleotide complexes. J Biol Chem 251:320-323.

Armitage P, Doll R. 1954. The age distribution of cancer and a multi-stage theory of carcinogenesis. Br J Cancer 8:1-12.

Asmatullah SNQ, Shakoori AR. 1998. Hexavalent chromium-induced congenital abnormalities in chick embryos. J Appl Toxicol 18:167-171.

*ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles. Agency for Toxic Substances and Disease Registry, Division of Toxicology, Atlanta, GA..

*ATSDR. 1990a. Health assessment for Cherokee County-Galena subsite National Priorities List (NPL) site, Galena, Cherokee County, Kansas, Region 7. Agency for Toxic Substances and Disease Registry, Atlanta, GA. CERCLIS No. KSD980741862. NTIS PB90-112053.

*ATSDR. 1990b. Health assessment for Butterworth Landfill, Kent County, Michigan, Region 5. Agency for Toxic Substances and Disease Registry, Atlanta, GA. CERCLIS No. MIDO62222997. NTIS PB90-106899.

*ATSDR/CDC. 1990. Subcommittee report on biological indicators of organ damage. Agency for Toxic Substances and Disease Registry, Centers for Disease Control and Prevention, Atlanta GA.

*Axelsson G, Rylander R. 1980. Environmental chromium dust and lung cancer mortality. Environ Res 23:469-476.

*Axelsson G, Rylander R, Schmidt A. 1980. Mortality and incidence of tumours among ferrochromium workers. Br J Ind Med 37:121-127.

*AZ Dept Health Services. 1999. Health based guidance levels for the ingestion of contaminants in drinking water. Arizona Department of Health Services, Office of Environmental Health. http://www.hs.state.az.us/.

Baetjer AM. 1950a. Pulmonary carcinoma in chromate workers: I. A review of the literature and report of cases. Int Arch Ind Hyg Occup Med 2(5):487-504.

*Baetjgr AM. 1950b. Pulmonary carcinoma in chromate workers: II. Incidence and basis of hospital records. Int Arch Ind Hyg Occup Med 2(5):505-516.

*Baetjer AM, Damron C, Budacz V. 1959a. The distribution and retention of chromium in men and animals. Arch Ind Health 20:136-150.

*Baetjer AM, Lowney JF, Steffee H, et al. 1959b. Effect of chromium on incidence of lung tumors in mice and rats. Arch Ind Health 20:124-135.

Bagdon RE, Hazen RE. 1991. Skin permeation and cutaneous hypersensitivity as a basis for making risk assessment of chromium as a soil contaminant. Environ Health Perspect 92:111-119.

*Baggett JM. 1986. Chromium and the potentiative interaction with some other nephrotoxins. In: Serrone D, ed. Proceedings of chromium symposium 1986: An Update. Pittsburgh, PA: Industrial Health Foundation, 59-78.

Baggett JM, Berndt WO. 1984. Interaction of potassium dichromate with the nephrotoxins, mercuric chloride and citrinin. Toxicology 33:157-169.

Baggett JM, Berndt WO. 1985. The effect of potassium dichromate and mercuric chloride on urinary excretion and organ subcellular distribution of ²⁰³Hg]mercuric chloride in rats. Toxicol Lett 29:115-121.

*Baines AD. 1965. Cell renewal following dichromate induced renal tubular necrosis. Am J Pathol 47:851-876.

Baker TSU, Arlauskas A, Tandon RK, et al. 1986. Toxic and genotoxic action of electric-arc welding fumes on cultures mammalian cells. J Appl Toxicol 6:357-362.

*Banner W, Koch M, Capin M, et al. 1986. Experimental chelation therapy in chromium, lead, and boron intoxication with *N*-acetylcysteine and other compounds. Toxicol Appl Pharmacol 83:142-147.

*Baranowska-Dutkiewicz B. 1981. Absorption of hexavalent chromium by skin in man. Arch Toxicol 47:47-50.

Barceloux DG. 1999. Chromium. Clin Toxicol 37(2):173-194.

*Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessment. Regul Toxicol Pharmacol 8:471-486.

*Barnhart J. 1997. Chromium chemistry and implications for environmental fate and toxicity. Journal of Soil Contamination 6(6):561-568.

*Barrie LA, Hoff RM. 1985. Five years of air chemistry observations in the Canadian Arctic. Atmos Environ 19(12):1995-2010.

*Barrie LA, Lindberg SE, Chan WH, et al. 1987. On the concentration of trace metals in precipitation. Atmos Environ 21:1133-1135.

*Bartlett R. 1991. Chromium cycling in soils and water: Links, gaps, and methods. Environ Health Perspect 92:17-24.

*Bartlett RJ, Kimble JM. 1976. Behavior of chromium in soils: Trivalent forms. J Environ Qual 5:379-386.

Basketter DA, Briatico-Vangosa G, Kaestner W, et al. 1993. Nickel, cobalt and chromium in consumer products: a role in allergic contact dermatitis? Contact Dermatitis 28:15-25.

*Bataineh H, Al-Hamood MH, Elbetieha A, et al. 1997. Effect of long-term ingestion of chromium compounds on aggression, sex behavior and fertility in adult male rat. Drug Chem Toxicol 20(3):133-149.

*Becker N. 1999. Cancer mortality among arc welders exposed to fumes containing chromium and nickel: Results of a third follow-up: 1989-1995. J Occup Environ Med 41(4):294-303.

*Becker N, Claude J, Frentzel-Beyme R. 1985. Cancer risk of arc welders exposed to fumes containing chromium and nickel. Scand J Work Environ Health 11:75-82.

*Behari JR, Tandon SK. 1980. Chelation in metal intoxication: VIII. Removal of chromium from organs of potassium chromate administered rats. Clin Toxicol 16(1):33-40.

*Behari J, Chandra SV, Tandon SK. 1978. Comparative toxicity of trivalent and hexavalent chromium to rabbits: III. Biochemical and histological changes in testicular tissue. Acta Biol Med Ger 37:463-468.

*Bell RW, Hipfner JC. 1997. Airborne hexavalent chromium in Southwestern Ontario. J Air Waste Manage Assoc 47:905-910.

*Bennett BG. 1986. Exposure assessment for metals involved in carcinogenesis. IARC Sci Publ 71:115-128.

*Bennicelli C, Camoirano A, Petruzzelli S, et al. 1983. High sensitivity of *salmonella* TA102 in detecting hexavalent chromium mutagenicity and its reversal by liver and lung preparations. Mutat Res 122:1-5.

Berg NO, Berlin M, Bohgard M, et al. 1987. Bronchocarcinogenic properties of welding and thermal spraying fumes containing chromium in the rat. Am J Ind Med 11:39-54.

*Berger GS. 1994. Epidemiology of endometriosis. In: Berger GS, ed. Endometriosis: Advanced management and surgical techniques. New York, NY: Springer-Verlag.

Berry JP, Hourdry J, Galle P, et al. 1978. Chromium concentration by proximal renal tubule cells: An ultrastructural microanalytical and cytochemical study. J Histochem Cytochem 26:651-657.

Bervoets L, Solis D, Romero AM, et al. 1998. Trace metal levels in chironomid larvae and sediments from a Bolivian river: Impact of mining activities. Ecotoxicol Environ Saf 41:275-283.

*Beyer WN, Cromartie EJ. 1987. A survey of Pb, Cu, Zn, Cd, Cr, As and Se in earthworms and soil from diverse sites. Environmental Monitoring Assessment 8:27-36.

*Beyersmann D and Koster A. 1987. On the role of trivalent chromium in chromium genotoxicity. Toxicol Environ Chem 14:11-22.

Beyersmann D, Koster A, Buttner B. 1985. Model reactions of chromium compounds with mammalian and bacterial cells. In: Merian E, Fre RW, Hardi W, et al., eds. Carcinogenic and mutagenic metal compounds: Environmental and analytical chemistry and biological effects. London, UK: Gordon and Breach Science Publishers, 303-310.

Bianchi V, Levis AG. 1985. Mechanisms of chromium genotoxicity. In: Merian E, Frei RW, Hardi W et al., eds. Carcinogenic and mutagenic metal compounds: Environmental and analytical chemistry and biological effects. London: Gordon and Breach Science Publishers, 269-294.

Bianchi V, Levis AG. 1987. Recent advances in chromium genotoxicity. Toxicol Environ Chem 15:1-24.

Bianchi V, Levis AG. 1988. Review of genetic effects and mechanisms of action of chromium compounds. Sci Total Environ 71:351-355.

Bianchi V, Dal Toso R, Debetto P, et al. 1980. Mechanisms of chromium toxicity in mammalian cell cultures. Toxicology 17:219-224.

Bianchi V, Levis AG, Saggioro D. 1979. Differential cytotoxic activity of potassium dichromate on nucleoside uptake in BHK fibroblasts. Chem Biol Interact 24:137-151.

*Bidstrup P. 1951. Carcinoma of the lung in chromate workers. Br J Ind Med 8:302-305.

*Bidstrup P, Case R. 1956. Carcinoma of the lung in workmen in the bichromates-producing industry in Great Britain. Br J Ind Med 13:260-264.

Biedermann KA, Landolph JR. 1987. Induction of anchorage independence in human diploid foreskin fibroblasts by carcinogenic metal salts. Cancer Res 47:3815-3823.

Bilos C, Colombo JC, Presa MJR. 1998. Trace metals in suspended particles, sediments, and asiatic clams (Corbicula fluminea) of the Rio de la Plata Estuary, Argentina. Environ Pollut 99:1-11.

Black CB, Cowan JA. 1997. Inert chromium and cobalt complexes as probes of magnesium-dependent enzymes. Evaluation of the mechanistic role of the essential metal cofactor in *Escherichia coli* exonuclease III. Eur J Biochem 243:684-689.

Blair J. 1928. Chrome ulcers. Report on twelve cases. J Am Med Assoc 90:1927-1928.

*Blankenship LJ, Carlisle DL, Wise JP, et al. 1997. Induction of apoptotic cell death by particulate lead chromate: differential effects of vitamins C and E on genotoxicity and survival. Toxicol Appl Pharmacol 146:270-280.

Blankenship LJ, Manning FCR, Orenstein JM, et al. 1994. Apoptosis is the mode of cell death caused by carcinogenic chromium. Toxicol Appl Pharmacol 126:75-83.

Blasiak J, Trzeciak A, Malecka-Panas E, et al. 1999. DNA damage and repair in human lymphocytes and gastric mucuosa cells exposed to chromium and curcumin. Teratogenesis Carcinog Mutagen 19:19-31.

Bolt L, Ellwood DC, Hill MJ, et al. 1994. The role of colonic sulphate-reducing bacteria in the pharmacology of heavy metals. Eur J Cancer Prev 3:357-359.

*Bonatti S, Meini M, Abbondandolo A. 1976. Genetic effects of potassium dichromate in *Schizosaccharomyces pombe*. Mutat Res 38:147-150.

*Bonde JPE, Olsen JH, Hansen KS. 1992. Adverse pregnancy outcome and childhood malignancy with reference to paternal welding exposure. Scand J Work Environ Health 18:169-177.

*Borg H. 1987. Trace metals and water chemistry of forest lakes in northern Sweden. 1987. Water Research 21(1):65-72.

Borges KM, Wetterhahn KE. 1989. Chromium cross-links glutathione and cysteine to DNA. Carcinogenesis 10:2165-2168.

*Borneff I, Engelhardt K, Griem W, et al. 1968. Carcinogenic substances in water and soil. XXII. Mouse drinking study with 3,4-benzopyrene and potassium chromate. Arch Hyg 152:45-53.

*Boscolo P, Di Gioacchino M, Bavazzano P, et al. 1997. Effects of chromium on lymphocyte subsets and immunoglobulins from normal population and exposed workers. Life Sci 60(16):1319-1325.

Boscolo P, Di Gioacchino M, Sabbioni E, et al. 1999. Expression of lymphocyte subpopulations, cytokine serum levels, and blood and urinary trace elements in asymptomatic atopic men exposed to an urban environment. Int Arch Occup Environ Health 72:26-32.

*Bovet P, Lob M, Grandjean M. 1977. Spirometric alterations in workers in the chromium electroplating industry. Int Arch Occup Environ Health 40:25-32.

Bradberry SM, Vale JA. 1999. Therapeutic review: Is ascorbic acid of value in chromium poisoning and chromium dermititis? Clin Toxicol 37(2):195-200.

Bradshaw LM, Fishwick D, Slater T, et al. 1998. Chronic bronchitis, work related respiratory symptoms, and pulmonary function in welders in New Zealand. Occup Environ Med 55:150-154.

*Bragt PC, van Dura EA. 1983. Toxicokinetics of hexavalent chromium in the rat after intratracheal administration of chromates of different solubilities. Ann Occup Hyg 27(3):315-322.

Branca M, Dessi A, Kozlowski H, et al. 1989. *In vitro* interaction of mutagenic chromium(VI) with red blood cells. FEBS Lett 257:52-54.

*Braver ER, Infante P, Chu K. 1985. An analysis of lung cancer risk from exposure to hexavalent chromium. Teratog Carcinog Mutagen 5:365-378.

Brendt WO. 1976. Renal chromium accumulation and its relationship to chromium-induced nephrotoxicity. J Toxicol Environ Health 1:449-459.

*Bridgewater LC, Manning FCR, Patierno SR. 1994a. Base-specific arrest of *in vitro* DNA replication by carcinogenic chromium: relationship to DNA interstrand crosslinking. Carcinogenesis 15(11):2421-2427.

*Bridgewater LC, Manning FCR, Patierno SR. 1998. Arrest of replication by mammalian DNA polymerase α and β caused by chromium-DNA lesions. Mol Carcinogen 23:201-206.

*Bridgewater LC, Manning FCR, Woo ES, et al. 1994b. DNA polymerase arrest by adducted trivalent chromium. Mol Carcinogen 9:122-133.

*Brieger H. 1920. [The symptoms of acute chromate poisoning]. Z Exper Path Therap 21:393-408. Abstracts in J Ind Hyg 3:98, 1922 and 2:26, 1920.

*Briggs JA, Briggs RC. 1988. Characterization of chromium effects on a rat liver epithelial cell line and their relevance to *in vitro* transformation. Cancer Res 48:6484-6490.

Bright P, Burge PS, O'Hickey SP, et al. 1997. Occupational asthma due to chrome and nickel electroplating. Thorax 52:28-32.

*Broadhurst CL, Schmidt WF, Reeves JB, et al. 1997. Characterization and structure by NMR and FTIR spectroscopy, and molecular modeling of chromium(III) picolinate and nicotinate complexes utilized for nutritional supplementation. J Inorg Biochem 66:119-130.

*Bronzetti GL, Galli A. 1989. Influence of NTA on the chromium genotoxicity. Toxicol Environ Chem 23:101-104.

*Bronzetti G, Galli A, Boccardo P, et al. 1986. Genotoxicity of chromium *in vitro* on yeast: Interaction with DNA. Toxicol Environ Chem 13:103-111.

*Brune D, Nordberg G, Wester PO. 1980. Distribution of 23 elements in the kidney, liver, and lungs of workers from a smeltery and refinery in north Sweden exposed to a number of elements and of a control group. Sci Total Environ 16:13-35.

*Bryson WG, Goodall CM. 1983. Differential toxicity and clearance kinetics of chromium(III) or (VI) in mice. Carcinogenesis 4(12):1535-1539.

*Bulbulian R. Pringle DD, Liddy MS. 1996. Chromium picolinate supplementation in male and female swimmers. Med Sci Sports Exerc 28:511.

*Buckell M, Harvey DG. 1951. An environmental study of the chromate industry. Br J Ind Med 8:298-301.

Buhl KJ. 1997. Relative sensitivity if three endangered fishes, Colorado squawfish, bonytail, and razorback sucker, to selected metal pollutants. Ecotoxicol Environ Saf 37:186-192.

*Bukowski JA, Goldstein MD, Korn LR, et al. 1991. Biological markers in chromium exposure assessment: Confounding variables. Arch Environ Health 46(4):230-236.

Bundy KJ, Berzins D. 1998. Differential pulse polarographic analysis of lead and chromium content in Louisiana waters. Environ Geochem Health 20:45-51.

*Bunker VW, Lawson MS, Delves HT, et al. 1984. The uptake and excretion of chromium by the elderly. Am J Clin Nutr 39:797-802.

Burke T, Fagliano J, Goldoft M, et al. 1991. Chromite ore processing residue in Hudson County, New Jersey. Environ Health Perspect 92:131-137.

*Burrows D, ed. 1983. Adverse chromate reactions on the skin. In: Burrows D, ed. Chromium: Metabolism and toxicity. Boca Raton, FL: CRC Press, Inc., 137-163.

Burton JL, Nonnecke BJ, Dubeski PL, et al. 1996. Effects of supplemental chromium on production of cytokines by mitogen-stimulated bovine peripheral blood mononuclear cells. J Dairy Sci 79:2237-2246.

*Byrne CJ, DeLeon IR. 1986. Trace metal residues in biota and sediments from Lake Pontchartrain, Louisiana. Bull Environ Contam Toxicol 37:151-158.

*Calder LM. 1988. Chromium contamination of groundwater. Adv Env Sci Technol 20:215-229.

Calevro F, Campani S, Ragghianti M, et al. 1998. Tests of toxicity and teratogenicity in biphasic vertebrates treated with heavy metals (CR3+, AL3+, Cd2+). Chemosphere 37(14-15):3011-3017.

Campbell WW, Beard JL, Joseph LJ, et al. 1997. Chromium picolinate supplementation and resistive training by older men: Efects on iron-status and hematologic indexes. Am J Clin Nutr 66:944-949.

*Campbell WW, Joseph LJ, Davey SL, et al. 1999. Effects of resistance training and chromium picolinate on body composition and skeletal muscle in older men. J Appl Physiol 86(1):29-39.

*Capellmann M, Bolt HM. 1992. Chromium (VI) reducing capacity of ascorbic acid and of human plasma in vitro. Arch Toxicol 66:45-50.

*Capellmann M, Mikalsen A, Hindrum M, et al. 1995. Influence of reducing compounds on the formation of DNA-protein cross-links in HL-60 cells induced by hexavalent chromium. Carcinogenesis 16(5):1135-1139.

*CARB. 1990. Procedure for the analysis of hexavalent chromium at ambient atmospheric levels by ionchromatography. El Monte, CA: California Air Resources Board.

*Carlisle DL, Pritchard DE, Singh J, et al. 2000. Apoptosis and P53 induction in human lung fibroblasts exposed to chromium (VI): Effect of ascorbate and tocopherol. Toxicol Sci 55:60-68.

Carter WW. 1929. The effect of chromium poisoning on the nose and throat: The report of a case. Med J Rec 130:125-127.

*Cary EE. 1982. Chromium in air, soil and natural waters. In: Langård S, ed. Topics in environmental health 5: Biological and environmental aspects of chromium. New York, NY: Elsevier Biomedical Press, 49-64.

*Casey CE, Hambidge KM 1984. Chromium in human milk from American mothers. Br J Nutr 52:73-77.

*Cason JS. 1959. Report on three extensive industrial chemical burns. Br Med J 1:827-829.

*Cass GR, McRae GJ. 1986. Emissions and air quality relationships for atmospheric trace metals. In: Nriagu JO, Davidson CI, eds. Toxic metals in the atmosphere. New York, NY: John Wiley and Sons, Inc., 145-171.

Casto BC, Meyers J, DiPaolo JA. 1979. Enhancement of viral transformation for evaluation of the carcinogenic or mutagenic potential of inorganic metal salts. Cancer Res 39:193-198.

Catsimpoolas N, Griffith AL, Skrabut EM, et al. 1976. Differential Cr uptake of human peripheral lymphocytes separated by density gradient electrophoresis. Cell Immunol 25:317-321.

*Cavalleri A, Minoia C. 1985. Distribution in serum and erythrocytes and urinary elimination in workers exposed to chromium(VI) and chromium(III). G Ital Med Lav 7:35-38.

*Cavalleri A, Minoia C, Richelmi P, et al. 1985. Determination of total and hexavalent chromium in bile after intravenous administration of potassium dichromate in rats. Environ Res 37:490-496.

CELDS. 1990. Computer-aided Environmental Legislative Data System. July, 1990.

Cervantes M, Glassman AB. 1996. Breast cancer cytogenetics: A review and proposal for clinical application. Ann Clin Lab Sci 26(3):208-214.

Chadwick JK, Wilson HK, White MA. 1997. An investigation of occupational metal exposure in thermal spraying processes. Sci Total Environ 199:115-124.

*Chakov NE, Collins RA, Vincent JB. 1999. A re-investigation the electron spectra of chromium(III) picolinate complexes and high yield synthesis and characterization of $Cr2(\mu-OH)2(pic)4.5H2O$ (Hpic=picolinate acid). Polyhedron 18:2891-2897.

Chang GX, Mallard BA, Mowat DN, et al. 1996. Effect of supplemental chromium on antibody responses of newly arrived fedder calves to vaccines and ovalbumin. Can J Vet Res 60:140-144.

*Chen F, Ye J, Zhang X, et al. 1997. One-electron reduction of chromium(VI) by α -Lipoic acid and related hydroxyl radical generation, dG hydroxylation and nuclear transcription factor- κ B activation. Arch Biochem Biophys 338(2):165-172.

Chen J-C, Wey —Y, Chiang B-C, et al. 1998. The simulation of hexavalent chromium formation under various incineration conditions. Chemosphere 36(7):1553-1564.

*Chen JM, Hao OJ. 1998. Microbial chromium (VI) reduction. Crit Rev Environ Sci 28(3):219-251.

*Chen NSC, Tsai A, Dyer I. 1973. Effect of chelating agents on chromium absorption in rats. J Nutr 103:1182-1186.

Cheng L, Liu S, Dixon K. 1998. Analysis of repair and mutagenesis of chromium-induced DNA damage in yeast, mammalian cells, and transgenic mice. Environ Health Perspect Suppl 106(Suppl. 4):1027-1032.

Chorvatovi. ová D, Ginter E. 1989. Effect of Cr(VI) and vitamin C in transplacental micronucleus test in mice. Biologia 44:1033-1038.

*Chorvatovi. ová D, Ková. iková Z, Šandula J, et al. 1993. Protective effect of sulfoethylglucan against hexavalent chromium. Mutat Res 302:207-211.

*Chowdhury AR, Mitra C. 1995. Spermatogenic and steroidogenic impairment after chromium treatment in rats. Indian J Exp Biol 33:480-484.

*Christenson WR, Davis ME, Berndt WO. 1989. The effect of combined treatment with potassium dichromate and maleic acid on renal function in the rat. Toxicol Lett 49:21-27.

*Cikrt M, Bencko V. 1979. Biliary excretion and distribution of ⁵¹Cr(III) and ⁵¹Cr(VI) in rats. J Hyg Epidemiol Microbiol Immunol 23:241-246.

*Clancy SP, Clarkson PM, DeCheke ME, et al. 1994. Effects of chromium picolinate supplementation on body composition, strength, and urinary chromium loss in football players. Int J Sports Med 4:142-153.

*Clapp TC, Umbreit TH, Meeker RJ, et al. 1991. Bioavailability of lead and chromium from encapsulated pigment materials. Bull Environ Contam Toxicol 46:271-275.

Clarkson PM. 1997. Effects of exercise on chromium levels: Is supplementation required? Sports Med 23(6):341-349.

Clemente GF. 1976. Trace element pathways from environment to man. J Radioanal Chem 32:25-41.

*Clewell HJ III, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. Toxicol Ind Health 1:111-113.

*Clochesy JM. 1984. Chromium ingestion: A case report. J Emerg Nurs 10:281-282.

*CMR. 1988. Chemical Marketing Reporter. Chemical Profile. New York, NY: Schnell Publishing Co. October 17, 1988 and October 24, 1988.

*CO Dept Public Health Env. 1999. The basic standards and methods for surface water. Colorado Department of Public Health and Environment, Water Quality ControlCommission. http://www.state.co.us/gov_dir/cdphe_dir/cdphehom.html

Cobo JM, Castineira M. 1997. Oxidative stress, mitochondrial respiration, and glycemic control: Clues from chronic supplementation with Cr3+ or As3+ to male Wistar rats. Nutrition 13(11-12):965-970.

Cohen HA. 1966. Carrier specificity of tuberculin-type reaction to trivalent chromium. Arch Dermatol 93:34-40.

Cohen MD, Kargacin B, Klein CB, et al. 1993. Mechanisms of chromium carcinogenicity and toxicity. Crit Rev Toxicol 23(3):255-281.

*Cohen MD, Zelikoff JT, Chen L-C, et al. 1998. Immunotoxicologic effects of inhaled chromium: Role of particle solubility and co-exposure to ozone. Toxicol Appl Pharmacol 152:30-40.

*Cohen SR, David DM, Kramkowski RS. 1974. Clinical manifestations of chromic acid toxicity: Nasal lesions in electroplate workers. Cutis 13:558-568.

Cole P, Merletti F. 1980. Chemical agents and occupational cancer. J Environ Pathol Toxicol 3:399-417.

*Coleman RF, Herrington J, Scales JT. 1973. Concentration of wear products in hair, blood, and urine after total hip replacement. Br Med J i:527-529.

Colsky AS, Peacock JS. 1990. Sodium pyruvate inhibits the spontaneous release of ⁵¹Cr from RBC in chromium release assays. J Immunol Methods 129:139-141.

*Coogan T, Motz J, Snyder C, et al. 1991a. Differential DNA-protein crosslinking in lymphocytes and liver following chronic drinking water exposure of rats to potassium chromate. Toxicol Appl Pharmacol 109:60-72.

*Coogan TP, Squibb KS, Motz J, et al. 1991b. Distribution of chromium within cells of the blood. Toxicol Appl Pharmacol 108:157-166.

*Corbett GE, Dodge DG, O'Flaherty EO, et al. 1998. In vitro reduction kinetics of hexavalent chromium in human blood. Environmental Research (Section A) 78:7-11.

*Corbett GE, Finley BL, Paustenbach DJ, et al. 1997. Systemic uptake of chromium in human volunteers following dermal contact with hexavalent chromium (22mg/L). J Expo Anal Environ Epidemiol 7(2):179-189.

Corradi MG, Gorbi G, Ricci A, et al. 1995. Chromium-induced sexual reproduction gives rise to a Crtolerant progeny in *Scenedesmus acutus*. Ecotoxicol Environ Safety 32:12-18.

*Costa M. 1991. DNA-protein complexes induced by chromate and other carcinogens. Environ Health Perspect 92: 45-52.

Costa M. 1997. Toxicity and carcinogenicty of Cr(VI) in animal models and humans. Crit Rev Toxicol 27(5):431-442.

Costa M. 1998. Carcinogenic metals. Science Progress 81(4):329-339.

*Costa M, Zhitkovich A, Gargas M, et al. 1996. Interlaboratory validation of a new assay for DNA-protein crosslinks. Mutat Res 369:13-21.

*Costa M, Zhitkovich A, Harris M, et al. 1997. DNA-protein cross-links produced by various chemicals, in cultured human lymphoma cells. J Toxicol Environ Health 50(5):433-449.

*Cox XB, Linton RW, Butler FE. 1985. Determination of chromium speciation in environmental particles. Multitechnique study of ferrochrome smelter dust. Environ Sci Technol 19:345-352.

Criqui M, Austin M, Barrett-Connor E. 1979. The effect of non-response on risk ratios in a cardiovascular disease study. J Chron Dis 32:633-638.

Cross HJ, Faux SP, Levy LS. 1997. Establishing an occupational exposure limit for hexavalent chromium in the European Union. Regul Toxicol Pharmacol 26:S72-S76.

*Cupo DY, Wetterhahn KE. 1985. Binding of chromium to chromatin and DNA from liver and kidney of rats treated with sodium dichromate and chromium(III) chloride *in vivo*. Cancer Res 45: 1146-1151.

*Da Costa JC, Jones FX, Rosenberger RC. 1916. Tanner's ulcer: Chrome sores - chrome holes - acid bites. Ann Surg 63:155-166.

*Dalager NA, Mason TJ, Fraumeni JF, et al. 1980. Cancer mortality among workers exposed to zinc chromate paints. J Occup Med 22(1):25-29.

Danford DE, Anderson RA. 1985. Beltsville Human Nutrition Research Center, U.S. Department of Agriculture. Nutr Support Serv 5:64.

*Danielsson BRG, Hassoun E, Dencker L. 1982. Embryotoxicity of chromium: Distribution in pregnant mice and effects on embryonic cells *in vitro*. Arch Toxicol 51:233-245.

Danielsson D-A, Pehrson B. 1998. Effects of chromium supplementation on the growth and carcass quality of bulls fed a grain-based diet during the finishing period. Vet Med (Prague) 45:219-224.

Darrie RG. 1991. Health experience in the vicinity of a chromate plant [Abstract]. Chromium research workshop, March 26, 1991, Arlington, VA.

*Dasch JM, Wolff GT. 1989. Trace inorganic species in precipitation and their potential use in source apportionment studies. Water Air Soil Pollut 43:401-412.

*Davids HW, Lieber M. 1951. Underground waste contamination by chromium wastes. Water Sewage Works 98:528-534.

*Davies J. 1979. Lung cancer mortality of workers in chromate pigment manufacture: An epidemiological survey. J Oil Colour Chem Assoc 62:157-163.

*Davies J. 1984. Lung cancer mortality among workers making lead chromate and zinc chromate pigments at three English factories. Br J Ind Med 41:158-169.

*Davies J, Easton D, Bidstrup P. 1991. Mortality from respiratory cancer and other causes in United Kingdom chromate production workers. Br J Ind Med 48:299-313.

Davis CM, Sumrall KH, Vincent JB. 1996. A biologically active form of chromium may activate a membrane phosphotyrosine phosphatase (PTP). Biochemistry 35:12963-12969.

Debetto P, Luciani S. 1988. Toxic effect of chromium on cellular metabolism. Sci Total Environ 71:365-377.

D'Elia CF, Sanders JG, Capone DG. 1989. Analytical chemistry for environmental sciences: A question of confidence. Env Sci Technol 23(7):768-774.

*De Flora S. 1978. Metabolic deactivation of mutagens in the *Salmonella*-microsome test. Nature 271:455-456.

*De Flora S. 1981. Study of 106 organic and inorganic compounds in the *Salmonella*/microsome test. Carcinogenesis 2(4):283-298.

*De Flora S, Wetterhahn KE. 1989. Mechanisms of chromium metabolism and genotoxicity. Life Chemistry Reports. 7: 169-244.

*De Flora S, Badolati GS, Serra D, et al. 1987a. Circadian reduction of chromium in the gastric environment. Mutat Res 192:169-174.

*De Flora S, Bagnasco M, Serra D, et al. 1990. Genotoxicity of chromium compounds. A review. Mutat Res 238:99-172.

*De Flora S, Bennicelli C, Zanacchi P, et al. 1984. Metabolic activation and deactivation of mutagens by preparations of human lung parenchyma and bronchial tree. Mutat Res 139:9-14.

*De Flora S, Camoirana A, Bagnasco M, et al. 1997. Estimates of the chromium(VI) reducing capacity in human body compartments as a mechanism for attenuating its potential toxicity and carcinogenicity. Carcinogenesis 18(3):531-537.

*De Flora S, Petruzelli S, Camoirano A, et al. 1987b. Pulmonary metabolism of mutagens and its relationship with lung cancer and smoking habits. Cancer Res 47:4740-4745.

De Flora S, Serra D, Basso C, et al. 1989. Mechanistic aspects of chromium carcinogenicity: Biological monitoring of exposure and the response at the subcellular level to toxic substances. Arch Toxicol Suppl 13:28-39.

*Deng C, Lee HH, Xian H, et al. 1988. Chromosomal aberrations and sister chromatid exchanges of peripheral blood lymphocytes in Chinese electroplating workers: effect of nickel and chromium. J Trace Elem Exper Med 1:57-62.

De Raeve H, Vandecasteele C, Demedts M, et al. 1998. Dermal and respiratory sensitization to chromate in a cement floorer. Am J Ind Med 34:169-176.

*Diaz-Mayans J, Laborda R, Nunez A. 1986. Hexavalent chromium effects on motor activity and some metabolic aspects of Wistar albino rats. Comp Biochem Physiol 83C(1):191-195.

Dillon CT, Lay PA, Bonin AM, et al. 1993. *In vitro* DNA damage and mutations induced by a macrocyclic tetraamide chromium(V) complex: implications for the role of Cr(V) peptide complexes in chromium-induced cancers. Carcinogenesis 14(9):1875-1880.

Ding WJ, Chai Z, Duan P, et al. 1998. Serum and urine chromium concentrations in elderly diabetics. Biol Trace Elem Res 63:231-237.

*DiPaolo JA, Casto BC. 1979. Quantitative studies of *in vitro* morphological transformation of Syrian hamster cells by inorganic metal salts. Cancer Res 39:1008-1013.

Dixon JR, Lowe DB, Richards DE, et al. 1970. The role of trace metals in chemical carcinogenesis: Asbestos cancers. Cancer Res 30:1068-1074.

DOD. 1947. The oral toxicity of hexavalent chromium. U.S. Department of Defense, Washington, DC. NTIS AD722 266.

*Donaldson DL, Smith CC, Yunice AA. 1984. Renal excretion of chromium-51 chloride in the dog. Am J Physiol 246(6):F870-F878.

*Donaldson RM, Barreras RF. 1966. Intestinal absorption of trace quantities of chromium. J Lab Clin Med 68:484-493.

*Douglas GR, Bell RDL, Grant CE, et al. 1980. Effect of lead chromate on chromosome aberration, sister-chromatid exchange and DNA damage in mammalian cells *in vitro*. Mutat Res 77:157-163.

*Dube P. 1988. Determination of chromium in human urine by graphite furnace atomic absorption spectrometry with Zeeman-effect background correction. Analyst 113:917-921.

Dudek EJ, Dobson AW, LeDoux SP, et al. 1998. Chromium(VI) induces specific types of mitochondrial DNA damage in human lung A549 cells. Proc Am Assoc Cancer Res 39:240.

Duffus JH. 1996. Epidemiology and the identification of metals as human carcinogens. Sci Prog 79(4):311-326.

Duranceau SJ, Poole J, Foster JV. 1999. Wet-pipe fire sprinklers and water quality: Cross-section control in new wet-pipe fire sprinkler systems should be vigorously pursued, but retrofitting is not recommended. J Am Water Works Assoc 91(7):78-90.

*Dvizhkov PP, Fedorova VI. 1967. [Blastomogenic properties of chromium oxide]. Vopr Onkol 13:57-62. (Russian).

Eaton D, Stacey N, Wong K, et al. 1980. Dose-response effects of various metal ions on the rat liver metallothionein, glutathione, heme oxygenase, and cytochrome P-450. Toxicol Appl Pharmacol 55:393-402.

*Eckel WP, Jacob TA. 1988. Ambient levels of 24 dissolved metals in U.S. surface and ground waters. In: Proceedings of 196th meeting of the American Chemical Society Division of Environmental Chemistry. Vol. 28, 371-372.

Edme JL, Shirali P, Mereau M, et al. 1997. Assessment of biological chromium among stainless steel and mild steel workers in relation to welding processes. Int Arch Occup Environ Health 70:237-242.

*Edmundson WF. 1951. Chrome ulcers of the skin and nasal septum and their relation to patch testing. J Invest Dermatol 17:17-19.

*EEH. 1976. An epidemiological study of lead chromate plants: Final report. Equitable Environmental Health, Inc. Berkeley, California.

*EEH. 1983. Mortality in employees of three plants which produced chromate pigments. Equitable Environmental Health, Inc. Berkeley, California.

*Eisenberg M, Topping JJ. 1986. Trace metal residues in finfish from Maryland waters, 1978-1979. J Environ Sci Health 21(1):87-102.

*Elbetieha A, Al-Hamood MH. 1997. Long-term exposure of male and female mice to trivalent and hexavalent chromium compounds: effect on fertility. Toxicology 116:39-47.

*Elias Z, Mur J-M, Pierre F, et al. 1989a. Chromosome aberrations in peripheral blood lymphocytes of welders and characterization of their exposure by biological samples analysis. J Occup Med 31(5):477-483.

*Elias Z, Poirot O, Pezerat H, et al. 1989b. Cytotoxic and neoplastic transforming effects of industrial hexavalent chromium pigments in Syrian hamster embryo cells. Carcinogenesis 10(11):2043-2052.

*Ellis EN, Brouhard BH, Lynch RE, et al. 1982. Effects of haemodialysis and dimercaprol in acute dichromate poisoning. J Toxicol Clin Toxicol 19(3):249-258.

*Engebrigtsen JK. 1952. Some investigations on hypersensitiveness to bichromate in cement workers. Acta Derm Venereol 32:462-468.

*Engel H, Calnan C. 1963. Chromate dermatitis from paint. Br J Ind Med 20:192-198.

*Engelhardt S, Moser-Veillon PB, Mangels AR, et al. 1990. Appearance of an oral dose of chromium (53Cr) in breast milk? In: Atkinson SA, Hanson LA, Chandra RK, ed. Breast feeding, nutrition, infection and infant growth in developed and emerging countries. St. John's, Canada: ARTS Biomedical Publishers and Distributors, 485-487.

*Enterline PE. 1974. Respiratory cancer among chromate workers. J Occup Med 16(8):523-526.

EPA. 1975. U.S. Environmental Protection Agency. National interim primary drinking water regulations. Federal Register 40:59566-59587

*EPA. 1978. Reviews of the environmental effects of pollutants: III. Chromium. Cincinnati, OH: Office of Research and Development, U.S. Environmental Protection Agency. EPA-600/1-78-023.

*EPA. 1979. Water-related environmental fate of 129 priority pollutants: Vol. I: Introduction and technical background, metals and inorganics, pesticides and PCBs. EPA 440/5-79-029a. Washington, DC: Office of Water Planning and Standards, Office of Water and Waste Management, U.S. Environmental Protection Agency, 40-43.

*EPA. 1980. Ambient water quality criteria for chromium. Washington, DC: Office of Water Regulations and Standards, Criteria and Standards Division, U.S. Environmental Protection Agency. EPA-440/5-80-035.

*EPA. 1981. U.S. Environmental Protection Agency. Federal Register January 6, 1981, (45)4617-4618 as amended in 46 FR 27476-27477, May 20, 1981.

EPA. 1982. Errata for Ambient Water Quality Criteria Documents. February 23, 1982, update. Washington, D.C. Office of Water Regulations and Standards, U.S Environmental Protection Agency.

*EPA. 1983. Methods for chemical analysis of water and wastes. Cincinnati, OH: Environmental Monitoring and Support Laboratory, U.S. Environmental Protection Agency. EPA 600/4-79-020.

*EPA. 1984a. Health assessment document for chromium. Research Triangle Park, NC: Environmental Assessment and Criteria Office, U.S. Environmental Protection Agency. EPA 600/8-83-014F.

*EPA. 1984b. Locating and estimating air emissions from sources of chromium. Research Triangle Park, NC: Office of Air Quality Planning and Standards, U.S. Environmental Protection Agency. NTIS PB85-106474.

EPA. 1984c. Health effects assessment for hexavalent chromium. Report to Office of Emergency and Remedial Response, U.S. Environmental Protection Agency by Environmental Criteria and Assessment Office, U.S. Environmental Protection Agency, Cincinnati, OH. ECAO-CIN-HO19.

EPA. 1984d. Health effects assessment for trivalent chromium. Report to Office of Solid Waste and Emergency Response, Office of Emergency and Remedial Response, U.S. Environmental Protection Agency, Washington, DC by Environmental Criteria and Assessment Office, Office of Health and Environmental Assessment, Office of Research and Development, U.S. Environmental Protection Agency, Cincinnati, OH. EPA-540/1-86-035.

*EPA. 1985a. Environmental profiles and hazard indices for constituents of municipal sludge: Chromium. Washington, DC: Office of Health and Environmental Assessment, U.S. Environmental Protection Agency.

EPA. 1985b. U.S. Environmental Protection Agency. National primary drinking water regulations; synthetic organic chemicals, inorganic chemicals and microorganism; proposed rule. Federal Register 50:46966.

EPA. 1985c. U.S. Environmental Protection Agency. Notification requirements; reportable quantity adjustments; final rule and proposed rule. Federal Register 50:13482.

EPA. 1985d. Drinking water criteria document for chromium (Final draft). Report to Criteria and Standards Division, Office of Drinking Water, U.S. Environmental Protection Agency, Washington, DC by ICAIR Life Systems, Inc., Cleveland, OH. NTIS PB86-118072.

*EPA. 1986a. Chromium (atomic absorption, furnace technique): Method: 7191. Test methods for evaluating solid waste. Vol. 1A: Laboratory manual physical/chemical methods 3rd ed. SW-846. Office of Solid Waste and Emergency Response, U.S. Environmental Protection Agency, Washington, DC.

*EPA. 1986b. Chromium (atomic absorption, direct aspiration): Method: 7190. Test methods for evaluating solid waste. Vol. 1A: Laboratory manual physical/chemical methods 3rd ed. SW-846. Office of Solid Waste and Emergency Response, U.S. Environmental Protection Agency, Washington, DC.

*EPA. 1986c. Chromium, hexavalent (coprecipitation): Method: 7195. Test methods for evaluating solid waste. Vol. 1A: Laboratory manual physical/chemical methods 3rd ed. SW-846. Office of Solid Waste and Emergency Response, U.S. Environmental Protection Agency, Washington, DC.

*EPA. 1986d. Chromium, hexavalent (chelation/extraction): Method: 7197. Test methods for evaluating solid waste. Vol. 1A: Laboratory manual physical/chemical methods 3rd ed. SW-846. Office of Solid Waste and Emergency Response, U.S. Environmental Protection Agency, Washington, DC.

*EPA. 1986e. Chromium, hexavalent (differential pulse polarography): Method: 7198. Test methods for evaluating solid waste. Vol. 1A: Laboratory manual physical/chemical methods 3rd ed. SW-846. Office of Solid Waste and Emergency Response, U.S. Environmental Protection Agency, Washington, DC.

EPA. 1987a. U.S. Environmental Protection Agency. Extremely hazardous substances list and threshold planning quantities; emergency planning and release notification requirements. Federal Register 52:13378-13410.

*EPA. 1987b. Quality criteria for water 1986. Office of Water Regulations and Standards, U.S. Environmental Protection Agency, Washington, DC. EPA 440/5-86-001

*EPA. 1988a. Analysis of the Clean Water Act Effluent Guidelines Pollutants. Summary of the chemical regulated by industrial points source categories. 40 CFR Parts 400-475. Draft. Washington, DC: Office of Water Regulations and Standards, Division of Water, U.S. Environmental Protection Agency.

*EPA. 1988b. Environmental Protection Agency. Mining waste exclusion. Federal Register 53:41288-41300.

*EPA. 1988c. Fate of chromium(III) in chlorinated water. Cincinnati, OH: Office of Research and Development, U.S. Environmental Protection Agency. NTIS PB88-130992.

EPA. 1989a. Interim methods for development of inhalation reference doses. U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. Washington, DC. EPA 600/8-88-066F.

EPA. 1989b. Environmental Protection Agency. 40 CFR Parts 141, 142, and 143. National primary and secondary drinking water regulations: Proposed rule. Federal Register 54:22062-22160.

EPA. 1989c. Environmental Protection Agency. 40 CFR Parts 116, 117, and 302. Reportable quantity adjustments: Delisting of ammonium thiosulfate. Federal Register 54:33426-33484.

*EPA. 1990a. Interim methods for development of inhalation reference concentrations. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Office of Research and Development, Environmental Criteria and Assessment Office. EPA 600/8-90/066A.

*EPA. 1990b. Noncarcinogenic effects of chromium: Update to health assessment document. Research Triangle Park, NC: Environmental Criteria and Assessment Office, Office of Health and Environmental Assessment, U.S. Environmental Protection Agency. EPA 600/8-87/048F.

EPA. 1991. National primary drinking water regulations-synthetic organic chemicals and inorganic chemicals; monitoring for unregulated contaminants; national primary drinking water regulations implementation; national secondary drinking water regulations. Final rule. Federal Register 56:3526-3597.

EPA. 1994. Test methods for evaluating solid waste. Vol. 1A: Laboratory manual physical/chemical methods 3rd ed. SW-846. Office of Solid Waste and Emergency Response, U.S. Environmental Protection Agency, Washington, DC.

*EPA 1995. Emergency planning and community -right-to-know act. Title III (SARA). U.S. Environmental Protection Agency.

*EPA. 1996a. Method 7199: Determination of hexavalent chromium in drinking water, groundwater, and industrial wastewater effluents by ion chromatography. In: Test methods for evaluating solid waste. 3rd ed. SW-846. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response.

*EPA. 1996b. Method 6010: Inductively coupled plasma-atomic emission spectrometry. In: Test methods for evaluating solid waste. 3rd ed. SW-846. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response.

*EPA. 1996c. Drinking Water Regulations and Health Advisories. Washington D.C.: U.S. Environmental Protection Agency, Office of Water. EPA 822-B-96-002.

*EPA. 1997. Special report on environmental endocrine disruption: An effects assessment and analysis. Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. EPA/630/R-96/012.

EPA. 1998a. U.S. Environmental Protection Agency. 40 CFR 302.4. Designation of hazardous substances. Washington, DC.

*EPA. 1998b. U.S. Environmental Protection Agency. 40 CFR 406. Clean water effluent guidelines. Washington, DC.

*EPA. 1999a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.65.

*EPA. 1999b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 264.94.

EPA. 1999c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 264 App IX.

*EPA. 1999d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4.

*EPA. 1999e. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.51.

*EPA. 1999f. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.62.

EPA. 1999g. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.23.

*EPA. 1999h. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.32.

*EPA. 1999i. National Recommended Water Quality Criteria- Correction. U.S. Environmental Protection Agency, Office of Water. EPA 822-Z-99-001.

Escobar P, Sicard DM, Alfonso E, et al. 1998. the comet assay and DNA damage in a human population exposed to chromium compounds. Environ Mol Mutagen 31(Suppl. 29):72.

*Eun HC, Marks R. 1990. Dose-response relationships for topically applied antigens. Br J Dermatol 122:491-499.

*Evan AP, Dail WG. 1974. The effects of sodium chromate on the proximal tubules of the rat kidney: Fine structural damage and lysozymuria. Lab Invest 30(6):704-715.

*Evans GW. 1989. The effect of chromium picolinate on insulin controlled parameters in humans. Int J Biosocial Med Res 11(2):163-180.

Evans GW, Pouchnik DJ. 1993. Composition and biological activity of chromium-pyridine carboxylate complexes. J Inorg Biochem 49:177-187.

Evock-Clover CM, Polansky MM, Anderson RA, et al. 1993. Dietary chromium supplementation with or without somatotropin treatment alters serum hormones and metabolites in growing pigs without affecting growth performance. J Nutr 123:1504-1512.

*Fagliano JA, Savrin J, Udasin I, et al. 1997. Community exposure and medical screening near chromium waste sites in New Jersey. Regul Toxicol Pharmacol 26:S13-S22.

Fairhurst S, Minty CA. 1989. The toxicity of chromium and inorganic chromium compounds. Health and Safety Executive Review. Toxicity Review 21. London: Her Majesty's Stationery Office.

*Falerios M, Schild K, Sheehan P, et al. 1992. Airborne concentrations of trivalent and hexavalent chromium from contaminated soils at unpaved and partially paved commercial/industrial sites. J Air Waste Manage Assoc 42:40-48.

*FDA. 1999a. Food and Drug Administration. Code of Federal Regulations. 21 CFR 165.110.

FDA. 1999b. Food and Drug Administration. Code of Federal Regulations. 40 CFR 101.36.

*FDA. 1999c. Food and Drug Administration. Code of Federal Regulations. 40 CFR 101.9.

*FEDRIP. 1998. Federal Research In Progress Database. National Technical Information Service, Springfield, VA.

*FEDRIP. 1999. Federal Research In Progress Database. National Technical Information Service, Springfield, VA.

Feltzer SP, Dourson ML. 1997. Hexavalent chromium-contaminated soils: options for risk assessment and risk management. Regul Toxicol Pharmacol 25:43-59.

Finley BL, Mayhall DA. 1994. Airborne concentrations of chromium due to contaminated interior building surfaces. Appl Occup Hyg 9:433-441.

*Finley BL, Paustenbach DJ. 1997. Using applied research to reduce uncertainty in health risk assessment: Five case studies involving human exposure to chromium in soil and groundwater. Journal of Soil Contamination 6(6):649-106.

*Finley B, Fehling K, Falerios M, et al. 1993. Field validation for sampling and analysis of airborne hexavalent chromium. Appl Occup Environ Hyg 8(3):191-200.

*Finley BL, Kerger BD, Dodge DG, et al. 1996a. Assessment of airborne hexavalent chromium in the home following use of contaminated tapwater. J Expo Anal Environ Epidemiol 6(2)229-245.

*Finley BL, Kerger BD, Katona MW, et al. 1997. Human ingestion of chromium (VI) in drinking water: Pharmacokinetics of following repeated exposure. Toxicol Appl Pharmacol 142:151-159.

*Finley BL, Scott PK, Norton RL, et al. 1996b. Urinary chromium concentrations in humans following ingestion of safe doses of hexavalent and trivalent chromium: Implications for biomonitoring. J Toxicol Environ Health 48:479-499.

*Fishbein L. 1981. Sources, transport and alterations of metal compounds: An overview. I. Arsenic, beryllium, cadmium, chromium and nickel. Environ Health Perspect 40:43-64.

*Fishbein L. 1984. Overview of analysis of carcinogenic and/or mutagenic metals in biological and environmental samples: I. Arsenic, beryllium, cadmium, chromium and selenium. Int J Environ Anal Chem 17:113-170.

Flint GN, Carter SV, Fairman B. 1998. Skin allergy from exposure to alloys of chromium. Contact Dermatitis 39:315-316.

*Foa V, Riboldi L, Patroni M, et al. 1988. Effects derived from long-term low-level chromium exposure in ferro-alloy metallurgy. Study of absorption and renal function in workers. Sci Total Environ 71:389-400.

*Fomon SJ. 1966. Body composition of the infant. Part I: The male reference infant. In: Falkner F, ed. Human Development. Philadelphia, PA: WB Saunders, 239-246.

*Fomon SJ, Haschke F, Ziegler EE, et al. 1982. Body composition of reference children from birth to age 10 years. Am J Clin Nutr 35:1169-1175.

Foo SC, Khoo NY, Heng A, et al. 1993. Metals in hair as biological indices for exposure. Int Arch Occup Environ Health 65:S83-S86.

*Fornace AJ, Seres DS, Lechner JF, et al. 1981. DNA-protein cross-linking by chromium salts. Chem Biol Interact 36:345-354.

Fowler JF, Kauffman CL, Marks JG, et al. 1999. An environmental hazard assessment of low-level dermal exposure to hexavalent chromium in solution among chromium-sensitized volunteers. J Occup Environ Med 41(3):150-160.

Fox GN, Sabovic Z. 1998. Chromium picolinate supplementation for diabetes mellitus. J Fam Pract 46(1):83-86.

Fradkin A, Janoff A, Lane B, et al. 1975. *In vitro* transformation of BHK21 cells grown in the presence of calcium chromate. Cancer Res 35:1058-1063.

*Franchini I, Mutti A. 1988. Selected toxicological aspects of chromium(VI) compounds. Sci Total Environ 71:379-387.

*Franchini I, Magnani F, Mutti A. 1983. Mortality experience among chromeplating workers. Scand J Work Environ Health 9:247-252.

*Franchini I, Mutti A, Cavatorta A, et al. 1978. Nephrotoxicity of chromium. Contrib Nephrol 10:98-110.

Fraser DJ, Brandt TL, Kroll DJ. 1995. Topoisomerase IIα promoter trans-activation early in monocytic differentiation of HL-60 human leukemia cells. Mol Pharmacol 47:696-706.

Freeman NC, Stern AH, Lioy PJ. 1997. Exposure to chromium dust form homes in a chromium surveillance project. Arch Environ Health 52(3):213-219.

*Fregert S. 1975. Occupational dermatitis in a 10-year material. Contact Dermatitis 1:96-107.

*Fregert S, Rorsman H. 1964. Allergy to trivalent chromium. Arch Dermatol 90:4-6.

*Fregert S, Rorsman H. 1966. Allergic reactions to trivalent chromium compounds. Arch Dermatol 93:711-713.

Fregert S, Hjorth N, Magnusson B, et al. 1969. Epidemiology of contact dermatitis. Trans St John's Hosp Dermatol Soc 55:17-35.

*Frentzel-Beyme R. 1983. Lung cancer mortality of workers employed in chromate pigment factories. J Cancer Res Clin Oncol 105:183-188.

Fresco P, Shacker F, Kortenkamp A. 1995. The reductive conversion of chromium (VI) by ascorbate gives rise to apurinic/apyrimidinic sites in isolated DNA. Chem Res Toxicol 8:884-890.

*Fristedt B, Lindqvist B, Schutz A, et al. 1965. Survival in a case of acute oral chromic acid poisoning with acute renal failure treated by haemodialysis. Acta Med Scand 177:153-159.

*FSTRAC. 1990. Summary of state and federal drinking water standards and guidelines. Chemical Communication Subcommittee, Federal-State Toxicology and Regulatory Alliance Committee, U.S. Environmental Protection Agency, Washington, DC.

*FSTRAC 1995. Summary of State and Federal drinking water standards and guidelines. Contaminant Policy and Communications Subcommittee, Federal State Toxicology and Risk Analysis Committee.

*Fujii T, Sakamoto Y, Fukumori N, et al. 1976. [Primary eye irritation tests using a chromium dross extract]. Annual Report of the Tokyo Metropolitan Research Laboratory of Public Health 27:124-128. (Japanese).

*Fukai R. 1967. Valency state of chromium in seawater. Nature 213:901.

*Fukunaga M, Kurachi Y, Mizuguchi Y. 1982. Action of some metal ions on yeast chromosomes. Chem Pharm Bull 30(8):3017-3019.

Fullerton A, Gammelgaard B, Avnstorp C, et al. 1993. Chromium content in human skin after *in vitro* application of ordinary cement and ferrous-sulphate-reduced cement. Contact Dermatitis 29:133-137.

Furst A, Haro RT. 1969. A survey of metal carcinogenesis. Prog Exp Tumor Res 12:102-133.

*Furst A, Schlauder M, Sasmore DP. 1976. Tumorigenic activity of lead chromate. Cancer Res 36:1779-1783.

Fusheng Y, Yaping M, Zhongcheng W. 1999. Content of metals in different diameter airborne particles and effect on micronuclei formation in human lymphocytes. Journal of Hygiene Research 28(1):21-22.

Gad SC. 1989. Acute and chronic systemic chromium toxicity. Sci Total Environ 86:149-157.

*Gad SC, Powers WJ, Dunn BJ, et al. 1986. Acute toxicity of four chromate salts. In: Serrone DM, ed. Chromium symposium 1986: An update. Pittsburgh, PA.: Industrial Health Foundation inc., 43-58.

Gagné SM, Li MX, Sykes BD. 1997. Mechanism of direct coupling between binding and induced structural change in regulatory calcium binding proteins. Biochemistry 36:4386-4392.

*Gale TF. 1978. Embryotoxic effects of chromium trioxide in hamsters. Environ Res 16:101-109.

*Gale TF. 1982. The embryotoxic response to maternal chromium trioxide exposure in different strains of hamsters. Environ Res 29:196-203.

*Gale TF, Bunch JD III. 1979. The effect of the time of administration of chromium trioxide on the embryotoxic response in hamsters. Teratology 19:81-86.

*Gao M, Levy LS, Braithwaite RA, et al. 1993. Monitoring of total chromium in rat fluids and lymphocytes following intratracheal administration of soluble trivalent or hexavalent chromium compounds. Hum Exp Toxicol 12:377-382.

*Gao M, Levy LS, Faux SP, et al. 1994. Use of molecular epidemiological techniques in a pilot study on workers exposed to chromium. Occup Environ Med 51:663-668.

*Garcia J, Jennette K. 1981. Electron-transport cytochrome P-450 system is involved in the microsomal metabolism of the carcinogen chromate. J Inorganic Biochem 14:281-295.

*Gargas ML, Norton RL, Paustenbach DJ, et al. 1994. Urinary excretion of chromium by humans following ingestion of chromium picolinate: Implications for biomonitoring. Drug Metab Dispos 22(4):522-529.

*Gasiorowski K, Szyba K, Wozniak D, et al. 1997. Inhibition of potassium dichromate mutagenicity by todralazine. Mutagenesis 12(6):411-415.

*Gasiorowski K, Szyba K, Wozniak D, et al. 1998. Genotoxicity of Cr(VI) can be markedly lowered by complexation of the chromate anion. BioMetals 11:175-181.

*Gava C, Costa R, Zordan M, et al. 1989a. Induction of gene mutations in *Salmonella* and *Drosophila* by soluble Cr(VI) compounds: synergistic effects of nitrilotriacetic acid. Toxicol Environ Chem 22:27-38.

*Gava C, Perazzolo M, Zentilin L, et al. 1989b. Genotoxic potentiality and DNA-binding properties of acetylacetone, maltol, and their aluminum(III) and chromium(III) neutral complexes. Toxicol Environ Chem 22:149-157.

Geier A, Bar-Shalom I, Beery R, et al. 1996. Induction of apoptosis in MDA-231 cells by protein systhesis inhibitors is suppressed by multiple agents. Cancer Invest 14(5):435-444.

*Gerhardsson L, Brune D, Nordberg GF, et al. 1988. Multielemental assay of tissues of deceased smelter workers and controls. Sci Total Environ 74:97-110.

*Gianello G, Masci O, Carelli G, et al. 1998. Occupational exposure to chromium—An assessment of environmental pollution levels and biological monitoring of exposed workers. Ind Health 36:74-77.

Gibb HJ, Chen CW, Hiremath CB. 1988. Carcinogen risk assessment of chromium compounds. Washington, DC: Office of Health and Environmental Assessment, Office of Research and Development, U.S. Environmental Protection Agency. EPA-600/D-880129.

*Giwercman A, Carlsen E, Keiding N, et al. 1993. Evidence for increasing incidence of abnormalities of the human testis: A review. Environ Health Perspect Suppl 101(2):65-71.

*Glaser U, Hochrainer D, Kloppel H, et al. 1984. [Inhalation studies with Wistar rats and pathophysiological effects of chromium]. Report to Umweltbundesamt, D-1 UFOPLAN FTE 10606007/2. Berlin, 156. (German) (Cited in WHO 1988).

*Glaser U, Hochrainer D, Kloppel H, et al. 1985. Low level chromium(VI) inhalation effects on alveolar macrophages and immune functions in Wistar rats. Arch Toxicol 57:250-256.

*Glaser U, Hochrainer D, Kloppel H, et al. 1986. Carcinogenicity of sodium dichromate and chromium(VI/III) oxide aerosols inhaled by male Wistar rats. Toxicology 42:219-232.

*Glaser U, Hochrainer D, Oldiges H. 1988. Investigations of the lung carcinogenic potentials of sodium dichromate and Cr VI/III oxide aerosols in Wistar rats. Environ Hyg 1:111-116.

*Glaser U, Hochrainer D, Steinhoff D. 1990. Investigation of irritating properties of inhaled CrVI with possible influence on its carcinogenic action. Environ Hyg 2:235-245.

Gochfeld M. 1991. Panel discussion: Analysis of chromium: Methodologies and detection levels and behavior of chromium in environmental media. Environ Health Perspect 92:42-43.

Gochfeld M, Witmer C. 1991. A research agenda for environmental health aspects of chromium, Environ Health Perspect 92:141-144.

Goicolea A, Barrio RJ, de Balugera ZG, et al. 1998. Study of the toxicity in industrial soils by the bioluminescence assay. J Environ Sci Health Part A 33(5):863-875.

*Goitre M, Bedello PG, Cane D. 1982. Chromium dermatitis and oral administration of the metal. Contact Dermatitis 8:208-209.

*Goldman M, Karotkin RH. 1935. Acute potassium bichromate poisoning. Am J Med Sci 189:400-403.

*Gomes E. 1972. Incidence of chromium-induced lesions among electroplating workers in Brazil. Ind Med 41(12):21-25.

*Gomez-Arroyo S, Altamirano M, Villalobos-Pietrini R. 1981. Sister chromatid exchanges induced by some chromium compounds in human lymphocytes *in vitro*. Mutat Res 90:425-431.

*Grant.KE, Chandler RM, Castle AL, et al. 1997. Chromium and exercise training: Effect on obese women. Med Sci Sports Exer 29:992-998.

*Greater Tokyo Bureau of Hygiene. 1989. [Report concerning the effect of chromium in a health survey (10-year survey)]. Report, Greater Tokyo, Bureau of Hygiene, Tokyo, Japan. (Japanese).

*Greathouse DG, Craun GF. 1978. Cardiovascular disease study — occurrence of inorganics in household tap water and relationships to cardiovascular mortality rates. In: Hemphil DD, ed. Trace substances in environmental health. Vol. XII. University of Missouri, 31-39.

*Greenberg RR, Zeisler R. 1988. A radiochemical procedure for ultratrace determination of chromium in biological materials. J Radioanaly Nucl Chem 124(1):5-20.

*Gregus Z, Klaassen CD. 1986. Disposition of metals in rats: A comparative study of fecal, urinary, and biliary excretion and tissue distribution of eighteen metals. Toxicol Appl Pharmacol 85:24-38.

*Greig RA, Jones J. 1976. Nondestructive neutron activation analysis of marine organisms collected from ocean dump sites of the middle eastern United States. Arch Environ Contam Toxicol 4(4):420-434.

Griepink B, Tolg G. 1989. Sample digestion for the determination of elemental traces in matrices of environmental concern. Pure Appl Chem 61(6):1139-1146.

Grogan CH. 1957. Experimental studies in metal Carcinogenesis VIII. On the etiological factor in chromate cancer. Cancer 10:625-638.

Grogan CH, Oppenheimer H. 1955. Experimental studied in metal carcinogenesis. V. Interaction of Cr(III) and Cr(VI) compounds with proteins. Arch Biochem Biophys 56:204-221.

Gromadzinska J, Wasowicz W, Sklodowska M, et al. 1996. The influence of atmospheric chromium on selenium content and glutathione peroxidase activity in blood of tannery workers. Environ Health Perspect 104(12):1312-1316.

*Gross PR, Katz SA, Samitz MH. 1968. Sensitization of guinea pigs to chromium salts. J Invest Dermatol 50(5):424-427.

*Gruber JE, Jennette KW. 1978. Metabolism of the carcinogen chromate by rat liver microsomes. Biochem Biophys Res Commun 82(2):700-706.

*Guillemin MP, Berode M. 1978. A study of the difference in chromium exposure in workers in two types of electroplating process. Ann Occup Hyg 21:105-112.

*Gumbleton M, Nicholls PJ. 1988. Dose-response and time-response biochemical and histological study of potassium dichromate-induced nephrotoxicity in the rat. Food Chem Toxic 26(1):37-44.

Gurjar BR, Mohan M, Sidhu KS. 1996. Potential health risks related to carcinogens in the atmospheric environment in India. Regul Toxicol Pharmacol 24:141-148.

Gurson CT. 1977. The metabolic significance of dietary chromium. Adv Nutr Res 1:23-53.

Gustavsson P, Jakobsson R, Johansson H, et al. 1998. Occupational exposures and squamous cell carcinoma of the oral cavity, pharynx, larynx, and oesophagus: A case-control study in Sweden. Occup Environ Med 55:393-400.

Guthrie BE. 1982. The nutritional role of chromium. In: Langård S, ed. Biological and environmental aspects of chromium. Amsterdam: Elsevier Biomedical Press, 117-148.

*Guzelian PS, Henry CJ, Olin SS. 1992. Similarities and differences between children and adults: Implications for risk assessment. Washington, DC: International Life Sciences Institute Press.

*Gylseth B, Gundersen N, Langård S. 1977. Evaluation of chromium exposure based on a simplified method for urinary chromium determination. Scand J Work Environ Health 3:28-31.

*Haberman PJ, Baggett JM, Berndt WO. 1987. The effect of chromate on citrinin-induced renal dysfunction in the rat. Toxicol Lett 38:83-90.

*Haguenoer JM, Dubois G, Frimat P, et al. 1981. [Mortality due to bronch-pulmonary cancer in a factory producing pigments based on lead and zinc chromates]. In: Prevention of occupational cancer - International Symposium, Occupational Safety and Health Series 46. Geneva, Switzerland: International Labour Office, 168-176. (French)

*Hallmark MA, Reynolds TH, DeSouza CA, et al. 1996. Effects of chromium on resistance training on muscle strength and body composition. Med Sci Sports Exerc 28:139-144.

*Hamamy HA, Al-Hakkak ZS, Hussain AF. 1987. Chromosome aberrations in workers in a tannery in Iraq. Mutat Res 189:395-398.

Hamdan S, Morse B, Reinhold D. 1999. Nickel subsulfide is similar to potassium dichromate in protecting normal human fibroblasts from the mutagenic effects of benzo [a]pyrene diolepoxide. Environ Mol Mutagen 33:211-218.

Hanaoka T, Yamano Y, Katsuno N, et al. 1997. Elevated serum levels of pantropic p53 proteins in chromium workers. Scand J Work Environ Health 23:37-40.

Hanna PM, Kadiiska MB, Jordan SJ, et al. 1993. Role of metallothionein in zinc(II) and chromium(III) mediated tolerance to carbon tetrachloride hepatoxicity: Evidence against a trichloromethy radical-scavenging mechanism. Chem Res Toxicol 6:711-717.

*Hanslian L, Navratil J, Jurak J, et al. 1967. [Damage to the upper respiratory tract by a chromic acid aerosol]. Pracovni Lekarstvi 19:294-298. (Czechoslovakian).

*Harnley JM, Patterson KY, Veillon C, et al. 1983. Comparison of electrothermal atomic absorption spectrometry and atomic emission spectrometry for determination of chromium in urine. Anal Chem 55:1417-1419.

*Hartford WH. 1979. Chromium compounds. In: Grayson M, ed. Kirk-Othmer encyclopedia of chemical technology. 3rd ed. Volume 6. New York, NY: John Wiley and Sons, 82-120.

Hartwig A. 1998. Carcinogenicity of metal compounds: possible role of DNA repair inhibition. Toxicol Lett 102-103:235-239.

*Harzdorf C, Janser G. 1984. The determination of chromium(VI) in waste water and industrial effluents by differential pulse polarography. Anal Chim Acta 165:201-207.

Hasten DL, Hegsted M, Keenan MJ, et al. 1997. Effects of various forms of dietary chromium in growth and body composition in the rat. Nutr Res 17(2):283-294.

*Hasten DL, Rome EP, Franks BD, et al. 1992. Effects of chromium picolinate on beginning weight training students. Int J Sport Nutr 2:343-350.

*Haworth S, Lawlor T, Mortelmans K, et al. 1983. *Salmonella* mutagenicity test results for 250 chemicals. Environ Mutagen Suppl 1:3-142.

Hayashi M, Sutou S, Shimada H, et al. 1989. Difference between intraperitoneal and oral gavage application in the micronucleus test. Mutat Res 223:329-344.

Hayes RB. 1988. Review of occupational epidemiology of chromium chemicals and respiratory cancer. Sci Total Environ 71:331-339.

Hayes RB. 1997. The carcinognicity of metals in humans. Cancer Causes Control 8:371-385.

*Hayes RB, Lilienfeld AM, Snell LM. 1979. Mortality in chromium chemical production workers: A prospective study. Int J Epidemiol 8(4):365-374.

*Hayes RB, Sheffet A, Spirtas R. 1989. Cancer mortality among a cohort of chromium pigment workers. Am J Ind Med 16:127-133.

HazDat. 1998. Hazardous substances database. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta, GA.

*HazDat. 1999. Hazardous substances database. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta, GA.

*HazDat. 2000. Hazardous substances database. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta, GA.

*Hemminki K, Vainio H. 1984. Human exposure to potentially carcinogenic compounds. IARC Scientific Publ No. 59:37-45.

*Henderson RF, Rebar AH, Pickrell JA, et al. 1979. Early damage indicators in the lung. III. Biochemical and cytological response of the lung to inhaled metal salts. Toxicol Appl Pharmacol 50:123-136.

*Henshaw JM, Heithmar EM, Hinners TA. 1989. Inductively coupled plasma mass spectrometric determination of trace elements in surface waters subject to acidic deposition. Anal Chem 61:335-342.

Hernberg S. 1977. Incidence of cancer in population with exceptional exposure to metals. Cold Spring Harbor conference: Cell proliferation 4:147-157.

Hewitt PJ. 1988. Accumulation of metals in the tissues of occupationally exposed workers. Environ Geochem Health 10:113-116.

*HI Dept Health. 1999a. Water quality standards. Hawaii Department of Health, Environmental Health. <u>http://www.hawaii.gov/health</u>

*HI Dept Health. 1999b. Rules relating to potable water systems. Hawaii Department of Health, Environmental Health, Safe Drinking Water. <u>http://www.hawaii.gov/health</u>

Higashi N, Taki H, Nishimura Y, et al. 1993. Chromium and tritiated thymidine releases from target cells are differential events in human monocyte/macrophage-mediated cytotoxicity. Cell Immunol 150:333-342.

*Higgins TE, Halloran AR, Petura JC. 1997. Traditional and innovative treatment methods for Cr(VI) in soil. Journal of Soil Contamination 6(6):767-797.

Hilaski R, Katz S, Salem H. 1992. Inhalation toxicity of chromium from Whetlerite dust in rats. Toxicol Lett 62:25-31.

*Hill WJ, Ferguson WS. 1979. Statistical analysis of epidemiological data from a chromium chemical manufacturing plant. J Occup Med 21:103-106.

*Hjollund NHI, Bonde JPE, Hansen KS. 1995. Male-mediated risk of spontaneous abortion with reference to stainless steel welding. Scand J Work Environ Health 21:272-276.

Hjollund NHI, Bonde JPE, Jensen TK, et al. 1998. Semen quality and sex hormones with reference to metal welding. Reprod Toxicol 12(2):91-95.

Hneihen AS, Standeven AM, Wetterhahn KE. 1993. Differential binding of chromium(VI) and chromium(III) complexes to salmon sperm nuclei and nuclear DNA and isolated calf thymus DNA. Carcinogenesis 14(9):1795-1803.

*Hoel DG, Davis DL, Miller AB, et al. 1992. Trends in cancer mortality in 15 industrialized countries, 1969-1986. J Natl Cancer Inst 84(5):313-320.

*Hojo Y, Satomi Y. 1991. *In vivo* nephrotoxicity induced in mice by chromium(VI): Involvement of glutathione and chromium(V). Biol Trace Elem Res 31:21-31.

Hooper JW, Fields BN. 1996. Role of the μ 1 protein in reovirus stability and capacity to cause chromium release from host cells. J Virol 70(1):459-467.

Hopkins Jr LL. 1965. Distribution in the rat of physiological amounts of injected $Cr^{51}(III)$ with time. Am J Physiol 209:731-735.

Hopkins Jr LL, Schwarz K. 1964. Chromium(III) binding to serum proteins, specifically siderophilin. Biochim Biophys Acta 90:484-491.

Horng CJ, Lin SR. 1996. Determination of urinary zinc, chromium, and copper in steel production workers. Biol Trace Elem Res 55:307-314

*Horowitz SB, Finley BL. 1993. Using human sweat to extract chromium from chromite ore processing residue: Applications to setting health-based cleanup levels. J Toxicol Environ Health 40:585-599.

Horowitz SB, Finley BL. 1994. Setting health-protective soil concentrations for dermal contact allergens: A proposed methodology. Regul Toxicol Pharmacol 19:31-47.

*HSDB. 1998. Hazardous Substance Data Bank. National Library of Medicine, National Toxicology Information Program, Bethesda MD.

*HSDB. 1999. Hazardous Substance Data Bank. National Library of Medicine, National Toxicology Information Program, Bethesda MD.

Huang Y-L, Chen C-Y, Sheu J-Y, et al. 1999. Lipid peroxidation in workers exposed to hexavalent chromium. Journal of Toxicology and Environmental Health,Part A 56:235-247.

*Hueper WC. 1955. Experimental studies in metal carcinogenesis. VII. Tissue reactions to parenterally introduced powdered metallic chromium and chromite ore. J Natl Cancer Inst 16:447-469.

*Hueper WC. 1958. Experimental studies in metal carcinogenesis. Arch Ind Health 18:284-291.

Hueper WC. 1961. Environmental carcinogenesis and cancers. Cancer Res 21:842-857.

*Hueper WC, Payne WW. 1959. Experimental cancers in rats produced by chromium compounds and their significance to industry and public health. Ind Hyg J 20:274-280.

*Hueper WC, Payne WW. 1962. Experimental studies in metal carcinogenesis. X. Cancerigenic effects of chromite ore roast deposited in muscle tissue and pleural cavity of rats. Arch Environ Health 5:51-68.

Hughes LS, Cass GR, Gone J, et al. 1998. Physical and chemical characterization of atmospheric ultrafine particles in the Los Angeles area. Environ Sci Technol 32(9):1153-1161.

Hunt CD, Stoecker BJ. 1996. Deliberations and evaluations of the approaches, endpoints, and paradigms for boron, chromium, and fluoride dietary recommendations. RDA Workshop: New approaches, endpoints and paradigms for RDAs of mineral elements: 2441S-S2451.

*Hunter WC, Roberts JM. 1932. Experimental study of the effects of potassium bichromate on the monkey's kidney. Am J Pathol 9:133-147.

*Hurlbut CS Jr, ed. 1971. Dana's manual of mineralogy. 18th ed. New York, NY: John Wiley and Sons, Inc., 346-347.

*Husgafvel-Pursiainen K, Kalliomaki P-L, Sorsa M. 1982. A chromosome study among stainless steel workers. J Occup Med 24:762-766.

Huvinen M, Oksanen L, Kalliomaki K, et al. 1997. Estimation of individual dust exposure by magnetopneumography in stainless steel production. Sci Total Environ 199:133-139.

*Huvinen M, Uitti J, Zitting A, et al. 1996. Respiratory health of workers exposed to low levels of chromium in stainless steel production. Occup Environ Med 53:741-747.

*Hyodo K, Suzuki S, Furuya N, et al. 1980. An analysis of chromium, copper, and zinc in organs of a chromate worker. Int Arch Occup Environ Health 46:141-150.

*Hyland JL, Snoots TR, Balthis WL. 1998. Sediment quality of estuaries in the southeastern U.S. Environ Monitor Assess 51:331-343.

*IARC. 1980. IARC monographs on the evaluation of the carcinogenic risk of chemicals to humans. Some metals and metallic compounds: Volume 23. Lyons, France: World Health Organization, 205-323.

*IARC. 1986a. Selected methods of analysis: Some metals. In: O'Neill IK, Schuller P, Fishbein L, ed. Vol. 8: IARC Scientific Publications No. 71. World Health Organization, Lyon, France, 141-158; 291-317; 433-440.

IARC. 1986b. Sources of exposure and biological effects of chromium. In: O'Neill IK, Schuller P, Fishbein L, eds. Environmental carcinogens selected methods of analysis. IARC Sci Publ No. 71,63-77.

IARC. 1987. IARC monographs on the evaluation of the carcinogenic risk of chemicals to humans: Overall evaluations of carcinogenicity. Vol. 1 to 42: Supplement 7: An updating of IARC monographs. World Health Organization, Lyons, France.

*IARC. 1990. IARC monographs on the evaluation of carcinogenic risks to humans. Chromium, nickel and welding. Vol. 49. World Health Organization, Lyons, France, 49-256.

*ID Dept Health Welfare. 1999a. Ground water quality. Idaho Department of Health and Welfare. Ground water quality rule 16.01.11. <u>http://www.state.id.us/</u>

*ID Dept Health Welfare. 1999b. Air pollution control. Idaho Department of Health and Welfare. Rule 16.01.01. <u>http://www.state.id.us/</u>

*Iijima S, Matsumoto N, Lu C-C. 1983. Transfer of chromic chloride to embryonic mice and changes in the embryonic mouse neuroepithelium. Toxicology 26:257-265.

Ikarashi Y, Ohno K, Tsuchiya T, et al. 1992. Differences of draining lymph node cell proliferation among mice, rats, and guinea pigs following exposure to metal allergens. Toxicology 76:283-292.

Ikarashi Y, Tsuchiya T, Nakamura A. 1992. Detection of contact sensitivity of metal salts using the murine local lymph node assay. Toxicol Lett 62:53-61.

Ingber A, Gammelgaard B, David M. 1998. Detergents and bleaches are sources of chromium contact dermititis in Israel. Contact Dermatitis 38:101-104.

*IRIS. 1998. Integrated Risk Information System. U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, Cincinnati, OH.

*IRIS. 2000a. Chromium III. Integrated Risk Information System. U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, Cincinnati, OH.

*IRIS. 2000b. Chromium VI. Integrated Risk Information System. U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, Cincinnati, OH.

*Iserson KV, Banner W, Froede RC, et al. 1983. Failure of dialysis therapy in potassium dichromate poisoning. J Emerg Med 1:143-149.

Itoh M, Nakamura M, Suzuki T, et al. 1995. Mechanism of chromium(VI) toxicity in *Escherichia coli*: is hydrogen peroxide essential in Cr(VI) toxicity? J Biochem 117:780-786.

*Itoh S, Shimada H. 1996. Micronucleus induction by chromium and selenium, and suppression by metallothionein inducer. Mutat Res 367:233-236.

*Itoh S, Shimada H. 1997. Clastogenicity and mutagenicity of hexavalent chromium in lacZ transgenic mice. Toxicol Lett 91:229-233.

*Itoh S, Shimada H. 1998. Bone marrow and liver mutagenesis in lacZ transgenic mice treated with hexavalent chromium. Mutat Res 412:63-67.

*Ivankovic S, Preussmann R. 1975. Absence of toxic and carcinogenic effects after administration of high doses of chromic oxide pigment in subacute and long-term feeding experiments in rats. Food Cosmet Toxicol 13:347-351.

*Iyengar V, Woittiez J. 1988. Trace elements in human clinical specimens: Evaluation of literature data to identify reference values. Clin Chem 34(3): 474-481.

*Izzotti A, Bagnasco M, Camoirano A, et al. 1998. DNA fragmentation, DNA-protein crosslinks, 32P postlabeled nucleotide modifications, and 8-hydroxy-2'-deoxyguanosine in the lung but not in the liver of rats receiving intratracheal instillations of chromium(VI). Chemoprevention by oral N-acetylcysteine. Mutat Res 400:233-244.

*James BR, Petura JC, Vitale RJ, et al. 1997. Oxidation-reduction chemistry of chromium: Relevance to the regulation and remediation of chromate-contaminated soils. Journal of Soil Contamination 6(6):569-580.

*Jansen LH, Berrens L. 1968. Sensitization and partial desensitization of guinea pigs to trivalent and hexavalent chromium. Dermatologica 137:65-73.

*Jeejeebhuoy KN, Chu RC, Marliss EB, et al. 1977. Chromium deficiency, glucose intolerance, and neuropathy reversed by chromium supplementation in a patient receiving long-term total parenteral nutrition. Am J Clin Nutr 30:531-538.

*Jennette KW. 1982. Microsomal reduction of the carcinogen chromate produced chromium(V). J Am Chem Soc 104:874-875.

*Jervis RE, Landsberger S, Aufreiter S, et al. 1983. Trace elements in wet atmospheric deposition: Application and comparison of PIXE, INAA, and graphite-furnace AAS techniques. Int J Environ Anal Chem 15:89-106.

*Johanson CE. 1980. Permeability and vascularity of the developing brain: cerebellum vs cerebral cortex. Brain Res 190:3-16.

Johansson A, Curstedt T, Jarstand C, et al. 1992. Alveolar macrophages and lung lesions after combined exposure to nickel, cobalt, and trivalent chromium. Environ Health Perspect 97:215-219.

*Johansson A, Robertson B, Curstedt, et al. 1986a. Rabbit lung after inhalation of hexa- and trivalent chromium. Environ Res 41:110-119.

*Johansson A, Wiernik A, Jarstrand C, et al. 1986b. Rabbit alveolar macrophages after inhalation of hexa- and trivalent chromium. Environ Res 39:372-385.

*Junaid M, Murthy RC, Saxena DK. 1996a. Embryo- and fetotoxicity of chromium in pregestationally exposed mice. Bull Environ Contam Toxicol 57:327-334.

*Junaid M, Murthy RC, Saxena DK. 1996b. Embryotoxicity of orally administered chromium in mice: Exposure during the period of organogenesis. Toxicol Lett 84:143-148.

*Kaaber K, Veien NK. 1977. The significance of chromate ingestion in patients allergic to chromate. Acta Derm Venereol 57:321-323

*Kaats GR, Blum K, Fisher JA, et al. 1996. Effects of chromium picolinate supplemation on body composition: a randomized double-masked placebo-controlled study. Curr Ther Res 57:747-756.

*Kaats GR, Wise JA, Blum K, et al. 1992. The short-term therapeutic efficacy of beating obesity with a plan of improved nutrition and moderate calorie restriction. Curr Ther Res 51:261-274.

Kadiiska MB, Xiang Q-H, Mason RP. 1994. *In vivo* free radical generation by chromium(VI): an electron spin resonance spin-trapping investigation. Chem Res Toxicol 7:800-805.

Kalliomaki PL, Aitio A, Hyvarinen HK, et al. 1986. Lung clearance, transportation, and excretion of metals in rats after intratracheal instillation of activated welding fumes. In: Stern RM, ed. International conference on health hazards and biological effects of welding fumes and gases, International Congress Series Vol. 676. New York, NY: Excepta Medica, Elsevier Science Publ Co, 345-348.

Kaltreider RC, Pesce CA, Ihnat MA, et al. 1999. Differential effects of arsenic(III) and chromium(IV) on nuclear transcription factor binding. Mol Carcinog 25:219-229.

Kamath SM, Stoecker BJ, Davis-Whitenack ML. 1997. Absorption, retention and urinary excretion of chromium-51 in rats pretreated with indomethacin and dosed with dimethylprostaglandin E_2 , misoprostaol or prostacyclin. J Nutr 127:478-482.

Kamburova M. 1997. Neotetrazolium chloride - A new analytical reagent for determination of chromium. Anal Lett 30:305-316.

*Kanematsu N, Hara M, Kada T. 1980. REC assay and mutagenicity studies on metal compounds. Mutat Res 77:109-116.

*Kanojia RK, Junaid M, Murthy RC. 1996. Chromium induced teratogenicity in female rat. Toxicol Lett 89:207-213.

*Kanojia RK, Junaid M, Murthy RC. 1998. Embryo and fetotoxicity of hexavalent chromium: A long-term study. Toxicol Lett 95:165-172.

*Kaplan I, Zeligman I. 1962. Occupational dermatitis of railroad workers. Arch Dermatol 85:135-142.

*Kargacin B, Squibb KS, Cosentino S, et al. 1993. Comparison of the uptake and distribution of chromate in rats and mice. Biol Trace Elem Res 36:307-318.

Karstadt M. 1998. Availability of epidemiologic data for chemicals known to cause cancer in animals: An update. Am J Ind Med 34:519-525.

Kasprzak KS. 1991. The role of oxidative damage in metal carcinogenicity. Chem Res Toxicol 4:604-615.

Katsarou A, Baxevanis C, Armenaka M, et al. 1997. Study of persistence and loss of patch test reactions to dichromate and cobalt. Contact Dermatitis 36:87-90.

Katz SA. 1991. The analytical biochemistry of chromium. Environ Health Perspect 92:13-16.

Katz SA, Salem H. 1993. The toxicology of chromium with respect to its chemical speciation: A review. J Appl Toxicol 13:217-224.

*Kaufman DB, DiNicola W, McIntosh R. 1970. Acute potassium dichromate poisoning: Treated by peritoneal dialysis. Am J Dis Child 119:374-376.

Kawanishi S, Inoue S, Yamamoto K. 1989. Hydroxyl radical and singlet oxygen production and DNA damage induced by carcinogenic metal compounds and hydrogen peroxide. Biol Trace Elem Res 21:367-372.

Kawanishi S, Inoue S, Yamamoto K. 1994. Active oxygen species in DNA damage induced by carcinogenic metal compounds. Environ Health Perspect 102 Suppl 3:17-20.

Kegley EB, Spears JW, Brown TT. 1996. Immune response and disease resistance of calves fed chromium nicotinic acid complex or chromium chloride. J Dairy Sci 79:1278-1283.

Kegley EB, Spears JW, Eisemann JH. 1997. Performance and glucose metabolism in calves fed a chromium-nicotinic acid complex or chromium chloride. J Dairy Sci 80:1744-1750.

Keith RL, Gandolfi AJ, McIntyre LC, et al. 1999. Analysis of heavy metal deposition in renal tissue by sectional mapping using PIXE. Nucl Instr Meth Phys Res B 149:168-175.

*Kelly WF, Ackrill P, Day JP, et al. 1982. Cutaneous absorption of trivalent chromium: tissue levels and treatment by exchange transfusion. Br J Ind Med 39:397-400.

*Kerger BD, Finley BL, Corbett GE, et al. 1997. Ingestion of chromium(VI) in drinking water by human volunteers: Absorption, distribution, and excretion of single and repeated doses. J Toxicol Environ Health 50:67-95.

*Kerger BD, Paustenbach DJ, Corbett GE, et al. 1996a. Absorption and elimination of trivalent and hexavalent chromium in humans following ingestion of a bolus dose in drinking water. Toxicol Appl Pharmacol 141:145-158.

*Kerger BD, Richter RO, Chute SM, et al. 1996b. Refined exposure assessment for ingestion of tapwater contaminated with hexavalent chromium: Consideration of exogenous and endogenous reducing agents. J Expo Anal Environ Epidemiol 6(2):163-179.

*Keskinen H, Kalliomaki P, Alanko K. 1980. Occupational asthma due to stainless steel welding fumes. Clin Allergy 10:151-159.

Khangarot BS, Rathore RS, Tripathi DM. 1999. Effects of chromium on humoral and cell-mediated immune responses and host resistance to disease in a freshwater catfish, Saccobranchus fossilis (bloch). Ecotoxicol Environ Saf 43:11-20.

Kiilunen M. 1997. Occupational exposure to chromium and nickel in the 1980s in Finland. Sci Total Environ 199:91-101.

*Kiilunen M, Järvisalo J, Mäkitie O, et al. 1987. Analysis, storage stability and reference values for urinary chromium and nickel. Int Arch Occup Environ Health 59:43-56.

*Kiilunen M, Kivisto H, Ala-Laurila P, et al. 1983. Exceptional pharmacokinetics of trivalent chromium during occupational exposure to chromium lignosulfonate dust. Scand J Work Environ Health 9:265-271.

*Kilburn KH, Warshaw R, Boylen CT, et al. 1990. Cross-shift and chronic effects of stainless-steel welding related to internal dosimetry of chromium and nickel. Am J Ind Med 17:607-615.

Kim E, Na KJ. 1990. Acute toxic effect of sodium dichromate on metabolism. Arch Toxicol 64:644-649.

*Kim G, Yurkow EJ. 1996. Chromium induces a persistent activation of mitogen-activated protein kinases by a redox-sensitive mechanism in H4 rat hepatoma cells. Cancer Res 56:2045-2051.

*Kimberly MM, Paschal DC. 1985. Screening for selected toxic elements in urine by sequentialscanning inductively-coupled plasma atomic emission spectrometry. Anal Chim Acta 174:203-210.

*Kimbrough DE, Cohen Y, Winer AM, et al. 1999. A critical assessment of chromium in the environment. Crit Rev Environ Sci 29(1):1-46.

*King LD. 1988. Retention of metals by several soils of the southeastern United States. J Environ Qual 17(2):239-246.

*Kirkpatrick DC, Coffin DE. 1975. Trace metal content of chicken eggs. J Food Sci Agric 26:99-103.

Kist AA, Zhuk LI, Danilova EA, et al. 1998. Mapping of ecologically unfavorable territories based on human hair composition. Biol Trace Elem Res 64:1-12.

Kitagawa S, Seki H, Kametani F, et al. 1982. Uptake of hexavalent chromium by bovine erythrocytes and its interaction with cytoplasmic components; the role of glutathione. Chem Biol Interact 40:265-274.

Kitchalong L, Fernandez JM, Bunting LD, et al. 1995. Influence of chromium tipicolinate on glucose metabolism and nutrient partitioning in growing lambs. J Anim Sci 73:2694-2705.

*Klein LA, Lang M, Nash N, et al. 1974. Sources of metals in New York City wastewater. J Water Pollut Control Fed 46(12):2653-2662.

Klein RM, Dahmen M, Putz H, et al. 1998. Workplace exposure during laser machining. Journal of Laser Applications 10(3):99-105.

*Kleiner AM, Stolbun BM, Likhacheva YI, et al. 1970. [Indices of the functional status of the myocardium and hemodynamics in chronic occupational poisoning with chromium compounds]. Gig Tr Prof Zabol 14:7-10. (Russian).

*Kleinfeld M, Rosso A. 1965. Ulcerations of the nasal septum due to inhalation of chromic acid mist. Ind Med Surg 24:242-243.

Knauf W. 1993. Magenlymphom nach exposition gegenüber chrom und nickel? Dtsch Med Wochenschr 118(12): 438. (German)

Knudsen I. 1980. The mammalian spot test and its use for the testing of potential carcinogenicity of welding fume particles and hexavalent chromium. Acta Pharamacol Toxicol 47:66-70.

Knudsen LE, Boisen T, Christensen JM, et al. 1992. Biomonitoring of genotoxic exposure among stainless steel welders. Mutat Res 279:129-143.

*Kollmeier H, Seemann J, Rothe G, et al. 1990. Age, sex, and region adjusted concentrations of chromium and nickel in lung tissue. Br J Ind Med 47:682-687.

*Komori K, Toda K, Ohtake H. 1990a. Effects of oxygen stress on chromate reduction in *Enterobacter cloacae* strain HO1. J Ferment Bioeng 69(1):67-69.

*Komori M, Nishio K, Kitada M, et al. 1990b. Fetus-specific expression of a form of cytochrome P-450 in human liver. Biochemistry 29:4430-4433.

*Korallus U. 1986a. Biological activity of chromium(VI) - against chromium(III) compounds: New aspects of biological monitoring. In: Serrone DM, ed. Chromium symposium 1986: An update. Pittsburgh, PA: Industrial Health Foundation Inc., 210-230.

*Korallus U. 1986b. Chromium compounds: Occupational health, toxicological and biological monitoring aspects. Toxicol Environ Chem 12:47-59.

*Korallus U, Ehrlicher H, Wustefeld E, et al. 1974a. [Trivalent chromium compounds - results of a study in occupational medicine]. Arb Soz Prev 9:51-54. (German)

*Korallus U, Ehrlicher H, Wustefeld E. 1974b. [Trivalent chromium compounds. Results of a study in occupational medicine. Part 2. Disease status analysis]. Arb Soz Prev 9:76-79. (German)

Korallus U, Ehrlicher H, Wustefeld E. 1974c. [Trivalent chromium compounds. Results of an industrial medicine study. Part 3: Clinical studies]. Arb Soz Prev 9:248-252. (German)

*Korallus U, Harzdorf C, Lewalter J. 1984. Experimental bases for ascorbic acid therapy of poisoning by hexavalent chromium compounds. Int Arch Occup Environ Health 53: 247-256.

*Korallus U, Lange H, Neiss A, et al. 1982. Relationships between hygienic measures and the bronchial carcinoma mortality in the chromate producing industry. Arb Soz Prev 17:159-167.

Kortenkamp A. 1996. Pharmacokinetic modeling in chromium risk assessment: A prediction of chromium (III) accumulation in humans form chromium dietary supplements. Human Exp Toxicol 15(7):601-602.

Kortenkamp A, O'Brien P. 1991. Studies of the binding of chromium(III) complexes to phosphate groups of adenosine triphosphate. Carginogenesis 12:921-926.

Kortenkamp A, Casadevall M, Faux SP, et al. 1996a. A role for molecular oxygen in the formation of DNA damage during the reduction of the carcinogen chromium(VI) by glutathione. Arch Biochem Biophys 329(2):199-207.

*Kortenkamp A, Casadevall M, Fresco, PDC. 1996b. The reductive conversion of the carcinogen chromium(VI) and its role in the formation of DNA lesions. Ann Clin Lab Sci 26(2):160-175.

Kortenkamp A, Curran B, O'Brien P. 1992. Defining conditions for the efficient *in vitro* cross-linking of proteins to DNA by chromium(III) compounds. Carcinogenesis 13(2):307-308.

*Koshi K. 1979. Effects of fume particles from stainless steel welding on sister chromatid exchanges and chromosome aberrations in cultured Chinese hamster cells. Ind Health 17:39-49.

*Koshi K, Iwasaki K. 1983. Solubility of low-solubility chromates and their clastogenic activity in cultured cells. Ind Health 21:57-65.

*Koshi K, Serita F, Sawatari K, et al. 1987. Cytogenetic analysis of bone marrow cells and peripheral blood lymphocytes from rats exposed to chromium fumes by inhalation. Mutat Res 181:365.

*Koshi K, Yagami T, Nakanishi Y. 1984. Cytogenetic analysis of peripheral blood lymphocytes from stainless steel welders. Ind Health 22:305-318.

*Kowalski LA, Tsang S-S, Davison AJ. 1996. Arsenic and chromium enhance transformation of bovine papillomavirus DNA-transfected C3H/10T1/2 cells. Cancer Lett 103:65-69.

Kreider RB. 1999. Dietary supplements and the promotion of muscle growth with resistance exercise. Sports Med 27(2):97-110.

*Krishnan K, Andersen ME. 1994. Physiologically-based pharmacokinetic modeling in toxicology. In: Wallace Hayes, ed. Principles and methods of toxicology. 3rd edition, New York, NY: Raven Press, Ltd.

*Krishnan K, Andersen ME, Clewell HJ III, et al. 1994. Physiologically-based pharmacokinetic modeling of chemical mixtures. In: Yang RSA, ed. Toxicology of chemical mixtures, New York, NY: Academic Press.

*Krull IS, Panaro KW, Gershman LL. 1983. Trace analysis and speciation for Cr(VI) and Cr(III) via HPLC-direct current plasma emission spectroscopy (HPLC-DCP). J Chromatogr Sci 21:460-472.

*KS Dept Health Env. 1998. Ambient air quality standards and air pollution control. Kansas Department of Health and Environment, Kansas Administrative Rules. Rule 28-19. http://www.kdhe.state.ks.us/

Kucharz EJ, Sierakowski SJ. 1987. Immunotoxicity of chromium compounds: Effect of sodium dichromate on the T cell activation *in vitro*. Arch Gig Rada Toksikol 38:239-243.

*Kumar A, Rana SVS. 1982. Lipid accumulation in chromium-poisoned rats. Int J Tissue React 4(4):291-295.

*Kumar A, Rana SVS. 1984. Enzymological effects of hexavalent chromium in the rat kidney. Int J Tissue React 6(2):135-139.

*Kumar A, Rana SVS, Prakash R. 1985. Dysenzymuria induced by hexavalent chromium. Int J Tissue React 7(4):333-338.

*Kumpulainen J. 1984. Chromium. In: Vercruysse A, ed. Techniques and instrumentation in analytical chemistry. Vol. 4: Evaluation of analytical methods in biological systems. Part B: Hazardous metals in human toxicology. Amsterdam, The Netherlands: Elsevier Science Publishers, 253-277.

*Kumpulainen JT, Wolf WR, Veillon C, et al. 1979. Determination of chromium in selected United States diets. J Agric Food Chem 27(3):490-494.

Kundu R, Lakshmi R, Mansuri AP. 1995. Effects of Cr(VI) on ATPases in the brain and muscle of mudskipper, *Boleophthalmus dentatus* Bull Environ Contam Toxicol 55:723-729.

*Kuo H-W, Lai J-S, Lin T-I. 1997a. Nasal septum lesions and lung function in workers exposed to chromic acid in electroplating factories. Int Arch Occup Environ Health 70:272-276.

*Kuo H-W, Lai J-S, Lin T-I. 1997b. Concentration and size distribution of airborne hexavalent chromium in electroplating factories. Am Ind Hyg Assoc J 58:29-32.

Kurokawa Y, Matsushima M, Imazaawa T, et al. 1985. Promoting effect of metal compounds on rat renal tumorigenesis. J Am Coll Toxicol 4:321-331.

*Kuykendall JR, Kerger BD, Jarvi EJ, et al. 1996. Measurement of DNA-protein cross-links in human leukocytes following acute ingestion of chromium in drinking water. Carcinogenesis 17(9):1971-1977.

*KY Div Air Quality. 1998. State of Kentucky, Natural Resources and Environmental Protection Cabinet, Department for Environmental Protection, Division of Air Quality. 401 Ky Admin Regs 53.010.

*LA Air Quality Div. 1998. State of Louisiana, Department of Environmental Quality, Air Quality Division. LA. Admin. Code Tit. 33, Part III, Chapter 51.
*Laborda R, Diaz-Mayans J, Nunez A. 1986. Nephrotoxic and hepatotoxic effects of chromium compound in rats. Bull Environ Contam Toxicol 36:332-336.

*Lai JS, Kuo HW, Liao FC, et al. 1998. Sister chromatid exchange induced by chromium compounds in human lymphocytes. Int Arch Occup Environ Health 71:550-5532.

*Landsberger S, Jervis RE, Kajrys G, et al. 1983. Characterization of trace elemental pollutants in urban snow using proton induced X-ray emission and instrumental neutron activation analysis. Int J Environ Anal Chem 16:95-130.

Lane BP, Mass MJ. 1977. Carcinogenicity and cocarcinogenicity of chromium carbonyl in heterotopic tracheal grafts. Cancer Res 37:1476-1479.

*Langård S. 1980. A survey of respiratory symptoms and lung function in ferrochromium and ferrosilicon workers. Int Arch Occup Environ Health 46:1-9.

Langård S. 1982. Absorption, transport and excretion of chromium in man and animals. In: Langård, ed. Biological and environmental aspects of chromium. Elsevier Biomedical Press, 149-169.

Langård S. 1988. Chromium carcinogenicity: A review of experimental animal data. Sci Total Environ 71:341-350.

*Langård S. 1990. One hundred years of chromium and cancer: A review of epidemiological evidence and selected case reports. Am J Ind Med 17:189-215.

Langård S. 1993. Role of chemical species and exposure characteristics in cancer among persons occupationally exposed to chromium compounds. Scand J Work Environ Health Suppl 1:81-89.

*Langård S, Norseth T. 1975. A cohort study of bronchial carcinomas in workers producing chromate pigments. Br J Ind Med 32:62-65.

Langård S, Norseth T. 1979. Chromium. In: Friberg L, Nordberg GF, Vouk VB, ed. Handbook on the toxicology of metals. Amsterdam: Elsevier/North-Holland Biomedical Press, 383-397.

*Langård S, Norseth T. 1986. Chromium. In: Friberg L, Nordberg GF, Vouk VB, ed. Handbook on the toxicology of metals. Vol II: Specific metals. 2nd ed. Amsterdam: Elsevier Science Publishers B.V., 185-210.

*Langård S, Vigander T. 1983. Occurrence of lung cancer in workers in producing chromium pigments. Br J Ind Med 40:71-74.

*Langård S, Andersen A, Gylseth B. 1980. Incidence of cancer among ferrochromium and ferrosilicon workers. Br J Ind Med 37:114-120.

*Langård S, Andersen A, Ravnestad J. 1990. Incidence of cancer among ferrochromium and ferrosilicon workers: An extended observation period. Br J Ind Med 47:14-19.

*Langård S, Gundersen N, Tsalev DL, et al. 1978. Whole blood chromium level and chromium excretion in the rat after zinc chromate inhalation. Acta Pharmacol Toxicol 42:142-149.

Lansdown ABG. 1995. Physiological and toxicological changes in the skin resulting from the action and interaction of metal ions. Crit Rev Toxicol 25(5):397-462.

Larsen EH, Rasmussen L. 1991. Chromium, lead and cadmium in Danish milk products and cheese determined by Zeeman graphite furnace atomic adsorption spectrometry after direct injection or pressurized ahsing. Z Lebensm Unters Forsch 192:136-141.

*Laskin S, Kuschner M, Drew RT. 1970. Studies in pulmonary carcinogenesis. In: Hanna MG Jr, Nettesheim P, Gilbert JR, eds. Inhalation carcinogenesis. U.S. Atomic Energy Commission symposium series no. 18. Oak Ridge, TN: Division of Technical Information Extension, U.S. Atomic Energy Commission, 321-351.

Lauwerys RR. 1989. Metals — Epidemiological and experimental evidence for carcinogenicity: Biological monitoring of exposure and the response at the subcellular level to toxic substances. Arch Toxicol Suppl 13:21-27.

*LaVelle JM. 1986a. Chromium(VI) comutagenesis: Characterization of the interaction of K_2 CrO₄ with azide. Environ Mutagen 87:717-725.

*LaVelle JM. 1986b. Potassium chromate potentiates frameshift mutagenesis in *E. coli* and *S. typhimurium*. Mutat Res 171:1-10.

Lay PA, Levina A. 1998. Activation of molecular oxygen during the reactions of chromium(VI/V/IV) with biological reductants: Implications for chromium-induced genotoxicities. J Am Chem Soc 120:6704-6714.

*Le Curieux F, Marzin D, Erb F. 1992. Genotoxic activity of three carcinogens in peripheral blood erythrocytes of the newt *Pleurodeles waltl*. Mutat Res 283:157-160.

Le Curieux F, Marzin D, Erb F. 1993. Comparison of three short-term assays: results on seven chemicals; Potential contribution to the control of water genotoxicity. Mutat Res 319:223-236.

Lee B-G, Luoma SN. 1998. Influence of microalgal biomass on absorption efficiency of Cd, Cr, and Zn by two bivalves from San Francisco Bay. Limnol Oceanogr 43(7):1455-1466.

*Lee HS, Goh CL. 1988. Occupational dermatosis among chrome platers. Contact Dermatitis 18:89-93.

*Lee KP, Ulrich CE, Geil RG, et al. 1989. Inhalation toxicity of chromium dioxide dust to rats after two years exposure. Sci Total Environ 86:83-108.

*Lee NA, Reasner CA. 1994. Beneficial effect of chromium supplementation on serum triglyceride levels in NIDDM. Diabetes Care 17(12):1449-1452.

Lee S-H, Brennan FR, Jacobs JJ, et al. 1997. Human monocyte/macrophage response to cobaltchromium corrosion products and titanium particles in patients with total joint replacements. J Orthop Res 15:40-49.

Lee TY, Lam TH. 1991. Contact dermatitis due a Chinese herbal orthropaedic tincture, Zheng Gu Shui. Contact Dermatitis 24:64-65.

*Leeder JS, Kearns GL. 1997. Pharmacogenetics in pediatrics: implications for practice. Pediat Clin North Am 44:55-77.

Lees PSJ. 1991. Chromium and disease: Review of epidemiological studies with particular reference to etiologic information provided by measures of exposure. Environ Health Perspect 92:93-104.

Lees PSJ, Stewart WF. 1991. Derivation of exposure/response relationship for chromium [Abstract]. Chromium Research Workshop, March 26, 1991, Arlington, VA.

Lendinez E, Lopez MC, Cabrera C, et al. 1998. Determination of chromium in wine and other alcoholic beverages consumed in Spain by electrothermal atomic absorption spectometry. J Aoac Int 8(5):1043-1047.

Leónard A, Bernard A. 1993. Biomonitoring exposure to metal compounds with carcinogenic properties. Environ Health Perspect 101(3):127-133.

Leónard A, Lauwerys RR. 1980. Carcinogenicity and mutagenicity of chromium. Mutat Res 76:227-239.

*Leroyer C, Dewitte JD, Bassanets A, et al. 1998. Occupational asthma due to chromium. Respiration 65:403-405.

*Letterer E. 1939. [Examination of a chromium-silicotic lung.] Arch Gewerbepatnol Gewerbe Hyg 9:498-508. [Abstract] J Ind Hyg Toxicol 21:215-216. (German)

*Leung H. 1993. Physiologically-based pharmacokinetic modeling. General and applied toxicology. Vol. I. Ballantine B, Marro T, Turner T, eds. New York, NY: Stockton Press, 153-164.

*Levin HM, Brunner MJ, Rattner H. 1959. Lithographer's dermatitis. J Am Med Assoc 169:566-569.

*Levine RA, Streeten DHP, Doisy RJ, et al. 1968. Effects of oral chromium supplementation on the glucose tolerance of elderly human subjects. Metabolism 17:114-125.

Levis AG, Bianchi V. 1982. Mutagenic and cytogenetic effects of chromium compounds. In: Langård S, ed. Biological and environmental aspects of chromium. Amsterdam: Elsevier Biomedical Press, 171-208.

Levis AG, Buttignol M. 1977. Effects of potassium dichromate on DNA synthesis in hamster fibroblasts. Br J Cancer 35:496-499.

*Levis AG, Majone F. 1979. Cytotoxic and clastogenic effects of soluble chromium compounds on mammalian cell cultures. Br J Cancer 40:523-533.

Levis AG, Buttignol M, Bianchi V, et al. 1978. Effects of potassium dichromate on nucleic acid and protein syntheses and on precursor uptake in BHK fibroblasts. Cancer Res 38:110-116.

Levy LS, Venitt S. 1975. Carcinogenic and mutagenic activity of chromium containing materials. Br J Cancer 32:254-255.

*Levy LS, Martin PA, Bidstrup PL. 1986. Investigation of the potential carcinogenicity of a range of chromium containing materials on rat lung. Br J Ind Med 43:243-256.

*Lewalter J, Korallus U, Harzdorf C, et al. 1985. Chromium bond detection in isolated erythrocytes: A new principle of biological monitoring of exposure to hexavalent chromium. Int Arch Occup Environ Health 55:305-318.

Lide DR. 1994. CRC handbook of chemistry and physics. 74th ed. Boca Raton, Fl.: CRC Press.

*Liden S, Lundberg E. 1979. Penetration of chromium in intact human skin *in vivo*. J Invest Dermatol 72:42-45.

*Lieber M, Perlmutter NM, Frauenthal HL. 1964. Cadmium and hexavalent chromium in Nassau County groundwater. J Am Water Works Assoc 56:739-747.

*Lieberman H. 1941. Chrome ulcerations of the nose and throat. New Engl J Med 225:132-133.

Liggins J, Furth AJ. 1995. Fructation induced cross-linking of β -lactoglobulin and lysozyme. Biochem Soc Trans 23:240S-241S.

Lilien DL, Spivak JL, Goldman ID. 1970. Chromate transport in human leukocytes. J Clin Invest 49:1551-1557.

*Lim TH, Sargent T, Kusubov N. 1983. Kinetics of trace element chromium(III) in the human body. Am J Physiol 244(4):445-454.

*Lin K-Y, Chang B-V, Wang Y-S. 1996. Mobility of copper, zinc and chromium with municipal solid waste leachate in soils. Proc Natl Sci Counc Repub China B 20(1):19-25.

*Lin X, Zhuang Z, Costa M. 1992. Analysis of residual amino acid-DNA crosslinks induced in intact cells by nickel and chromium compounds. Carcinogenesis 3(10): 1763-1768.

*Lindberg E, Hedenstierna G. 1983. Chrome plating: Symptoms, findings in the upper airways, and effects on lung function. Arch Environ Health 38:367-374.

*Lindberg E, Vesterberg O. 1983a. Monitoring exposure to chromic acid in chromeplating by measuring chromium in urine. Scand J Work Environ Health 9:333-340.

*Lindberg E, Vesterberg O. 1983b. Urinary excretion of proteins in chromeplaters, exchromeplaters and referents. Scand J Work Environ Health 9:505-510.

Lindemann MD, Wood CM, Harper AF, et al. 1995. Dietary chromium picolinate additions improve gain: feed and carcass characteristics in growing-finishing pigs and increase litter size in reproducing sows. J Anim Sci 73:457-465.

*Little MC, Gawkrodger DJ, Macneil S. 1996. Chromium- and nickel-induced cytotoxicity in normal and transformed human keratinocytes: an investigation of pharmacological approaches to the prevention of Cr(VI)-induced cytotoxicity. Br J Dermatol 134:199-207.

*Littorin M, Hogstedt B, Stromback B, et al. 1983. No cytogenetic effects in lymphocytes of stainless steel welders. Scand J Work Environ Health 9:259-264.

*Littorin M, Welinder H, Hultberg B. 1984. Kidney function in stainless steel welders. Int Arch Occup Environ Health 53:279-282.

*Liu C-S, Kuo H-W, Lai J-S, et al. 1998. Urinary N-acetyl-B-glucosaminidase as an indicator of renal dysfunction in electroplating workers. Int Arch Occup Environ Health 71:348-352.

*Liu JK, Morris JS. 1978. Relative chromium response as an indicator of chromium status. Am J Clin Nutr 31:972-976.

*Liu KJ, Jiang J, Swartz HM, et al. 1994. Low-frequency EPR detection of chromium(V) formation by chromium(VI) reduction in whole live mice. Arch Biochem Biophys 313(2):248-252.

*Liu KJ, Mäder K, Shi X, et al. 1997a. Reduction of carcinogenic chromium(VI) on the skin of living rats. MRM 38:524-526.

*Liu KJ, Shi X, Dalal NS. 1997b. Synthesis of Cr(IV)-GSH, its identification and its free hydroxyl radical generation: A model compound for Cr(VI) carcinogenicity. Biochem Biophys Res Commun 235:54-58.

*Liu KJ, Shi X, Jiang JJ, et al. 1995. Chromate-induced chromium(V) formation in live mice and its control by cellular antioxidants: an L-band electron paramagnetic resonance study. Arch Biochem Biophys 323(1):33-39.

*Livingston, AL. 1978. Forage plant estrogens. J Toxicol Environ Health 4:301-324.

*Llagostera M, Garrido S, Guerrero R, et al. 1986. Induction of SOS genes of *Escherichia coli* by chromium compounds. Environ Mutagen 8:571-577.

Llobet JM, Granero S, Schuhmacher M, et al. 1998a. Biological monitoring of environmental pollution and human exposure to metals in Tarragona, Spain. II. Levels in autopsy tissues. Trace Elem Electrolytes 15(1):44-49.

Llobet JM, Granero S, Schumacher M, et al. 1998b. Biological monitoring of environmental pollution and human exposure to metals in Tarragona, Spain. IV. Estimation of the dietary intake. Trace Elem Electrolytes 15(3):136-141.

*Lo FB, Arai DK. 1988. Determination by atomic spectrometry of chromium on air sampling filters in the presence of iron. Am Ind Hyg Assoc J 49(5):207-212.

Loeb LA, Sirover MA, Agarwal SS. 1978. Infidelity of DNA synthesis as related to mutagenesis and carcinogenesis. Adv Exp Med Biol 91:103-115.

Lofroth G. 1978. The mutagenicity of hexavalent chromium is decreased by microsomal metabolism. Naturwissenschaften 65:207-208.

Lofroth G, Ames BN. 1977. Mutagenicity of inorganic compounds in *Salmonella typhimurium*: arsenic, chromium and selenium. Mutat Res 53:65-66.

Low KS, Lee CK, Lee PL. 1997. Chromium(III) sorption enhancement through NTA-modification of biological materials. Bull Environ Contam Toxicol 58:380-386.

*Lovrincevic I, Leung FY, Alfieri MAH, et al. 1996. Can elevated chromium induce somatopsychic responses? Biol Trace Elem Res 55:163-171.

Lu YY, Yang JL. 1995. Long-term exposure to chromium(VI) oxide leads to defects in sulfate transport system in Chinese hamster ovary cells. J Cell Biochem 57:655-665.

*Lucas JB, Kramkowski RS. 1975. Health hazard evaluation determination report number 74-87-221. Cincinnati, OH: U.S. Department of Health, Education, and Welfare, Center for Disease Control, National Institute for Occupational Safety and Health.

Lucia-Jandris P, Hooper JW, Fields BN. 1993. Reovirus M2 gene is associated with chromium release from mouse L cells. J Virol 67(9):5339-5345.

Luciani S, Dal Toso R, Rebellato AM, et al. 1979. Effects of chromium compounds on plasma membrane Mg^{2+} -ATPase activity of BHK cells. Chem Biol Interact 27:29-67.

*Lukanova A, Toniolo P, Zhitkovich A, et al. 1996. Occupational exposure to Cr(VI): Comparison between chromium levels in lymphocytes, erythrocytes, and urine. Int Arch Occup Environ Health 69:39-44.

*Lukaski HC, Bolonchuk WW, Siders WA, et al. 1996. Chromium supplementation and resistance training: Effects on body composition, strength, and trace element status of men. Am J Clin Nutr 63:954-965.

*Luo H, Lu Y, Shi X, et al. 1996. Chromium(IV)-mediated Fenton-like reaction causes DNA damage: Implication to genotoxicity of chromate. Ann Clin Lab Sci 26(2):185-191.

Lutton JD, Abraham NG, Drummond GS, et al. 1997. Zinc porphyrins: Potent inhibitors of hematopoieses in animal and human bone marrow. Proc Natl Acad Sci USA 94:1432-1436.

Lytle CM, Lytle FW, Yang N, et al. 1998. Reduction of Cr(VI) to Cr(III) by wetland plants: Potential for in situ heavy metal detoxification. Environ Sci Technol 32:3087-3093.

*MA Div Air Quality Control. 1998. Commonwealth of Massachusetts, Department of Environmental Protection, Division of Air Quality Control. Mass Admin Code Section 173-460.

*Machle W, Gregorius F. 1948. Cancer of the respiratory system in the United States chromateproducing industry. Public Health Rep 63:114-127.

*MacKenzie RD, Byerrum RU, Decker CF, et al. 1958. Chronic toxicity studies: II. Hexavalent and trivalent chromium administered in drinking water to rats. Arch Ind Health 18:232-234.

*MacRae WD, Whiting RF, Stich HF. 1979. Sister chromatid exchanges induced in cultured mammalian cells by chromate. Chem Biol Interact 26:281-286.

*Maiti B, Desai SR. 1986. High-performance liquid chromatographic separation of beryllium, cobalt, nickel and chromium as the β -isopropyltropolone complexes and its application to the determination of chromium in air samples. Analyst 111:809-811.

*Majone F, Levis AG. 1979. Chromosomal aberrations and sister-chromatid exchanges in Chinese hamster cells treated *in vitro* with hexavalent chromium compounds. Mutat Res 67:231-238.

*Major RH. 1922. Studies on a case of chromic acid nephritis. Johns Hopkins Hosp Bull 33:56-61.

*Mali JW, Malten K, Van Neer FCJ. 1966. Allergy to chromium. Arch Dermatol 93:41-44.

*Mali JWH, Van Kooten WJ, VanNeer FCJ. 1963. Some aspects of the behavior of chromium compounds in the skin. J Invest Dermatol 41:111-122.

*Malinski T, Fish J, Matusiewicz H. 1988. Determining ultratrace metal concentrations by inductively coupled plasma emission spectrometry. Am Water Works Assoc J 80:81-85.

*Malm O, Pfeiffer WC, Fiszman M, et al. 1988. Transport and availability of heavy metals in the Paraiba Do Sul-Guandu river system, Rio de Janiero State, Brazil. Sci Total Environ 75:201-209.

*Malsch PA, Proctor DM, Finley BL. 1994. Estimation of chromium inhalation reference concentration using the benchmark dose method: a case study. Regul Toxicol Pharmacol 20:58-82.

Maltoni C. 1976. Predictive value of carcinogenesis bioassays. Ann NY Acad Sci 271:431-433.

*Mancuso TF. 1951. Occupational cancer and other health hazards in a chromate plant: A medical appraisal: II. Clinical and toxicologic aspects. Ind Med Surg 20:393-407.

*Mancuso TF. 1975. Consideration of chromium as an industrial carcinogen. In: Hutchinson TC, ed. Proceedings of the international conference on heavy metals in the environment. Toronto, Canada: Toronto Institute for Environmental Studies, pp 343-356.

*Mancuso TF. 1997a. Chromium as an industrial carcinogen: Part I. Am J Ind Med 31:129-139.

*Mancuso TF. 1997b. Chromium as an industrial carcinogen: Part II. Chromium in human tissues. Am J Ind Med 31:140-147.

*Mancuso TF, Hueper WC. 1951. Occupational cancer and other health hazards in a chromate plant: A medical appraisal: I. Lung cancers in chromate workers. Ind Med Surg 20:358-363.

*Manning FCR, Xu J, Patierno SR. 1992. Transcriptional inhibition by carcinogenic chromate: Relationship to DNA damage. Mol Carcinog 6:270-279.

*Manzo L, Di Nucci A, Edel J, et al. 1983. Biliary and gastrointestinal excretion of chromium after administration of Cr-III and Cr-VI in rats. Res Commun Chem Pathol Pharmacol 42(1):113-125.

Manzoori JL, Sorouraddin MH, Shemiran F. 1996. Preconcentration and spectrophotometric determination of chromium(VI) and total chromium in drinking water by the sorption of chromium diphenylcarbazone with surfactant coated alumnia. Anal Lett 29:2007-2014.

*Mao Y, Zang L, Shi X. 1995. Generation of free radicals by Cr(IV) from lipid hydroperoxides and its inhibition by chelators. Biochem Mol Biol Int 36(2):327-337.

Marini F, Ferré, MP, Gross H. 1995. Does welding stainless steel cause cancer? Scand J Work Environ Health 21:65-68.

Mariscal A, Garcia A, Carnero M, et al. 1995. Evaluation of the toxicity of several heavy metals by a fluorescent bacterial bioassay. J Appl Toxicol 15(2):103-107.

*Maruyama Y. 1982. The health effect of mice given oral administration of trivalent and hexavalent chromium over a long-term. Acta Scholae Medicinalis Universitatis in Gifu 31:24-46.

Mason RW, Edwards IR. 1989. Acute toxicity of combinations of sodium dichromate, sodium arsenate and copper sulphate in the rat. Comp Biochem Physiol 93C:121-125.

Matczak W, Chmielnicka J. 1993. Relation between various chromium compounds and some other elements in fumes from manual metal arc stainless steel welding. Br J Ind Med 50:244-251.

Mathur AK, Gupta BN. 1998. Dermal toxicity of linear alkylbenzene sulfonate, chromium, and nickel in guinea pigs. J Toxicol Cutaneous Ocul Toxicol 17(4):191-196.

*Mathur AK, Chandra SV, Tandon SK. 1977. Comparative toxicity of trivalent and hexavalent chromium to rabbits: II. Morphological changes in some organs. Toxicology 8:53-61.

*Matsui S. 1980. Evaluation of a *Bacillus subtilis* rec-assay for the detection of mutagens which may occur in water environments. Water Research 14:1613-1619.

*Matsumoto N, Iijima S, Katsunuma H. 1976. Placental transfer of chromic chloride and its teratogenic potential in embryonic mice. J Toxicol Sci 2(2):1-13.

*Mattagajasingh SN, Misra HP. 1996. Mechanisms of the carcinogenic chromium(VI)-induced DNAprotein cross-linking and their characterization in cultured intact human cells. J Biol Chem 271(52):33550-33560.

Mayebzadeh A, Dufresne A, Harvie S, et al. 1999. Mineralogy of lung tissue in dental laboratory technicians' pneumoconiosis. Am Ind Hyg Assoc J 60:349-353.

*Mayr U, Butsch A, Schneider S. 1992. Validation of two in vitro test systems for estrogenic activities with zearalenone, phytoestrogens and cereal extracts. Toxicology 74:135-149.

*McAughey JJ, Samuel AM, Baxter PJ, et al. 1988. Biological monitoring of occupational exposure in the chromate pigment production industry. Sci Total Environ 71:317-322.

McCarty MF. 1993. Homologous physiological effects of phenformin and chromium picolinate. Med Hypotheses 41:316-324.

McCarty MF. 1994. Longevity effect of chromium picolinate - "rejuvenation" of hypothalamic function? Med Hypotheses 43:253-265.

McCarty MF. 1995. Inhibition of citrate lyase may aid aerobic endurance. Med Hypotheses 45:247-254.

McCarty MF. 1996. Chromium and other insulin sensitizers may enhance glucagon secretion: Implications for hypoglycemia and weight control. Med Hypotheses 46:77-80.

McCarty MF. 1997a. Over-the-counter chromium and renal failure. Ann Intern Med 127(8):654-655.

McCarty MF. 1997b. Subtoxic intracellular trivalent chromium is not mutagenic: Implications for safety of chromium supplementation. Med Hypotheses 48:263-269.

McGregor DB, Martin R, Cattanach P, et al. 1987. Responses of the L5178Y tk^+/tk^- mouse lymphoma cell forward mutation assay to coded chemicals. I: Results for nine compounds. Environ Mutagen 9:143-160.

*McKay GC, Macnair R, MacDonald C, et al. 1996. Interactions of orthopaedic metals with an immortalized rat osteoblast cell line. Biomaterials 17(13):1339-1344.

*ME Dept Env Protec. 1996. Ambient air quality standards. Maine Department of Environmental Protection, Bureau of Air Quality. Chapter 110. <u>Http://janus.state.me.us/dep/home.htm.</u>

*MEDITEXT®. 1997. TOMES® Information System. Denver, CO: Micromedex, Inc.

Mehra R, Bhalla S. 1998. Determination of chromium, manganese, iron and nickel content of hair for evaluating exposure to metals in occupational environment. Oriental Journal of Chemistry 14(1):117-120.

*Meranger JC, Subramanian KS, Chalifoux C. 1979. A national survey for cadmium, chromium, copper, lead, zinc, calcium and magnesium in Canadian drinking water supplies. Environ Sci Technol 13(6):707-711.

*Merian E. 1984. Introduction on environmental chemistry and global cycles of chromium, nickel, cobalt, beryllium, arsenic, cadmium and selenium, and their derivatives. Toxicol Environ Chem 8:9-38.

*Merkur'eva RV, Koganova ZI, Gabdullina MK, et al. 1982. [Comparison of metabolic reactions in the bodies of experimental animals exposed to hexavalent chromium with different paths of penetration]. Gig Sanit 8:75-76. (Russian)

Merritt K, Crowe TD, Brown SA. 1989. Elimination of nickel, cobalt, and chromium following repeated injections of high dose metal salts. J Biomed Mater Res 23:845-862.

*Mertz W. 1969. Chromium occurrence and function in biological systems. Physiol Rev 49(2):163-239.

Mertz W. 1974. The newer essential trace elements, chromium, tin, vanadium, nickel and silicon. Proc Nutr Soc 33:307-131.

Mertz W. 1995. Risk assessment of essential trace elements: New approaches to setting recommended dietary allowances and safety limits. Nutr Rev 53(7):179-185.

*Mertz W, Roginski EE, Feldman FJ, et al. 1969. Dependence of chromium transfer into the rat embryo on the chemical form. J Nutr 99:363-367.

*Meyers JB. 1950. Acute pulmonary complications following inhalation of chromic acid mist. Ann Ind Hyg Occup Med 2:742-747.

*Michel R, Loer F, Nolte M, et al. 1987. Neutron activation analysis of human tissues, organs and body fluids to describe the interaction of orthopaedic implants made of cobalt-chromium alloy with the patients organisms. J Radioanal Nucl Chem 113(1):83-96.

Michels.PE. 1999. [Nickel and chromium(VI) aerosols in the air at electroplating facilities]. Galvanotechnik 90(5):1280-1286.

*Mikalsen SO. 1990. Effects of heavy metal ions on intercellular communication in Syrian Hamster embryo cells. Carcinogenesis 11(9):1621-1626.

*Mikalsen A, Alexander J, Andersen RA, et al. 1989. Reduction of hexavalent chromium in a reconstituted system of cytochrome P-450 and cytochrome b_5 . Chem Biol Interact 71:213-221.

Mikalsen A, Capellmann M, Alexander J. 1995. The role of iron chelators and oxygen in the reduced nicotinamide adenine dinucleotide phosphate-cytochrome P450 oxidoreductase-dependent chromium(VI) reduction. Analyst 120:935-938.

*Mikalsen SO. 1990. Effects of heavy metal ions on intercellular communication in Syrian hamster embryo cells. Carcinogenesis 11(9):1621-1626.

Miksche LW, Lewalter J. 1997. Health surveillance and biological effect monitoring for chromiumexposed workers. Regul Toxicol Pharmacol 26:S94-S99.

*Milford JB, Davidson CI. 1985. The sizes of particulate trace elements in the atmosphere — a review. J Air Pollut Control Assoc 35:1249-1260.

*Miller CA, Cohen MD, Costa M. 1991. Complexing of actin and other nuclear proteins to DNA by *cis*diamminedichloroplatinum(II) and chromium compounds. Carcinogenesis 12(2):269-276.

*Minoia C, Cavalleri A. 1988. Chromium in urine, serum and red blood cells in the biological monitoring of workers exposed to different chromium valency states. Sci Total Environ 71:323-327.

*Mirsalis JC, Hamilton CM, O'Loughlin KG, et al. 1996. Chromium(VI) at plausible drinking water concentrations is not genotoxic in the *in vivo* bone marrow micronucleus or liver unscheduled DNA synthesis assays. Environ Mol Mutagen 28:60-63.

MIS. 1990. Agency for Toxic Substances and Disease Registry (ATSDR), Office of External Affairs, Exposure and Disease Registry Branch, Atlanta, GA. November 12, 1989.

Misra M, Alcedo JA, Wetterhahn KE. 1994. Two pathways for chromium(VI)-induced DNA damage in 14 day chick embryos: Cr-DNA binding in liver and 8-oxo-2'deoxyguanosine in red blood cells. Carcinogenesis 15(12):2911-2917.

Moghaddas S, Gelerinter E, Bose RN. 1995. Mechanisms of formation and decomposition of hypervalent chromium metabolites in the glutathione-chromium(VI) reaction. J Inorg Biochem 57:135-146.

*Mohamedshah FY, Moser-Veillon PB, Yamini S, et al. 1998. Distribution of a stable isotope of chromium (53Cr) in serum, urine, and breast milk in lactating women. Am J Clin Nutr 67:1250-1255.

*Moller DR, Brooks SM, Bernstein DI, et al. 1986. Delayed anaphylactoid reaction in a worker exposed to chromium. J Allergy Clin Immunol 77(3):451-456.

*Molyneux MJ, Davies MJ. 1995. Direct evidence for hydroxyl radical-induced damage to nucleic acids by chromium(VI)-derived species: Implications for chromium carcinogenesis. Carcinogenesis 16(4):875-882.

*Montaldi A, Zentilin L, Zordan M, et al. 1987. Chromosomal effects of heavy metals (Cd, Cr, Hg, Ni and Pb) on cultured mammalian cells in the presence of nitrilotriacetic acid (NTA). Toxicol Environ Chem 14:183-200.

Moore JW, Maher MA, Banz WJ, et al. 1997. Chromium picolinate modulates rat vascular smooth muscle cell intracellular calcium metabolism. J Nutr 128:180-184.

*Mor S, Ben-Efraim S, Leibovici J, et al. 1988. Successful contact sensitization to chromate in mice. Int Arch Allergy Appl Immunol 85:452-457.

Morris BW, Gray TA, MacNeil S. 1993a. Glucose-dependent uptake of chromium in human and rat insulin-sensitive tissues. Clin Sci 84:477-482.

Morris BW, Gray T, MacNeil S. 1995a. Evidence for chromium acting as an essential trace element in insulin-dependent glucose uptake in cultured mouse myotubes. J Endocrinol 144:135-141.

*Morris B, MacNeil S, Fraser R, et al. 1995b. Increased urine chromium excretion in normal pregnancy. Clin Chem 41(10):1544-1545.

Morris BW, MacNeil S, Stanley K, et al. 1993b. The inter-relationship between insulin and chromium in hyperinsulinaemic euglycaimic clamps in healthy volunteers. J Endocrinol 139:339-345.

*Morselli L, Cecchini M, Grandi E, et al. 1999. Heavy metals in atmospheric surrogate dry deposition. Chemosphere 38(4):899-907.

*Morselli PL, Franco-Morselli R, Bossi L. 1980. Clinical pharmacokinetics in newborns and infants. Clin Pharmacokin 5:485-527.

Moukarzel AA, Song MK, Buchman AL, et al. 1992. Excessive chromium intake in children receiving total parenteral nutrition. Lancet 339:385-388.

*Moulin JJ, Wild P, Mantout, B, et al. 1993. Mortality from lung cancer and cardiovascular diseases among stainless-steel producing workers. Cancer Causes Control 4:75-81.

*Moxon AL, DuBois KP. 1939. The influence of arsenic and certain other elements on the toxicity of seleniferous grains. J Nutr 18:447-457.

*Mudroch A, Sarazin L, Lomas T. 1988. Report: Summary of surface and background concentrations of selected elements in the Great Lakes sediments. Journal of Great Lakes Research 14(2):241-251.

*Munch D. 1993. Concentration profiles of arsenic, cadmium, chromium, copper, lead, mercury, nickel, zinc, vanadium and polynuclear aromatic hydrocarbons (PAH) in forest soil beside an urban road. Sci Total Environ 138:47-55.

*Mundt KA, Dell LD. 1997. Carcinogenicity of trivalent and hexavalent chromium. OEM Report 11(11):95-100.

*Murthy RC, Junaid M, Saxena DK. 1996. Ovarian dysfunction in mice following chromium (VI) exposure. Toxicol Lett 89:147-154.

*Murthy RC, Saxena DK, Gupta SK, et al. 1991. Ultrastructural observations in testicular tissue or chromium-treated rats. Reprod Toxicol 5: 443-447.

*Mutti A, Cavatorta A, Borghi L, et al. 1979. Distribution and urinary excretion of chromium: Studies on rats after administration of single and repeated doses of potassium dichromate. Med Lav 3:171-179.

*Mutti A, Lucertini S, Valcavi P, et al. 1985a. Urinary excretion of brush-border antigen revealed by monoclonal antibody: Early indicator of toxic nephropathy. Lancet ii:914-917.

*Mutti A, Pedroni C, Arfini G. et al. 1985b. Biological monitoring of occupational exposure to different chromium compounds at various valency states. In: Merian E, Frei RW, Hardi W, et al., eds. Carcinogenic and mutagenic metal compounds: Environmental and analytical chemistry and biological effects. London: Gordon and Breach Science Publishers, 119-125.

*Myers CR, Myers JM. 1998. iron stimulates the rate of reduction of hexavalent chromium by human microsomes. Carcinogenesis 19(6):1029-1038.

Myers MJ, Farrell DE, Evock-Clover CM, et al. 1997. Effect of growth hormone or chromium picolinate on swine metabolism and inflammatory cytokine production after endotoxin challenge exposure. Am J Vet Res 58(6):594-598.

*Nadig RJ. 1994. Cadmium and other metals and metalloids. In: Goldfrank LR, Weisman RS, Flomenbaum NE, et al, eds. Goldfrank's toxicologic emergencies. 5th ed. Norwalk, CT: Appleton and Lange, 1063-1069.

*Nagaya T. 1986. No increase in sister-chromatid exchange frequency in lymphocytes of chromium platers. Mutat Res 170:129-132.

*Nagaya T, Ishikawa N, Hata H, et al. 1991. Sister-chromatid exchanges in lymphocytes from 12 chromium platers: A 5-year follow-up study. Toxicol Lett 58:329-335.

*Nakamura S, Oda Y, Shimada T, et al. 1987. SOS-inducing activity of chemical carcinogens and mutagens in *Salmonella typhimurium* TA1535/pSK1002: Examination with 151 chemicals. Mutat Res 192:239-246.

*Nakamuro K, Yoshikawa K, Sayato Y, et al. 1978. Comparative studies of chromosomal aberration and mutagenicity of trivalent and hexavalent chromium. Mutat Res 58:175-181.

*NAS/NRC. 1989. Biologic markers in reproductive toxicology. National Academy of Sciences/National Research Council. Washington, DC: National Academy Press, 15-35.

*Nasu T, Ooyama I, Shibata H. 1993. Inhibitory effects of hexavalent chromium ions on the contraction in ileal longitudinal smooth muscle of guinea-pig. Comp Biochem Physiol 104C(1):97-102.

NATICH. 1992. National Air Toxics Information Clearinghouse. NATICH data base report on state, local and EPA air toxic activities. Research Triangle Park, NC: Office of Air Quality Planning and Standards, State and Territorial Air Pollution Control Officials. May 21, 1992.

*NC Div Environ Mgmt. 1998. State of North Carolina, Department of Environment, Health, and Natural Resources, Division of Environmental Management, Air Quality Section. North Carolina Administrative Code S34 D-1100-5.

*ND Environ Health Sect. 1998. State of North Dakota, State Department of Health and Consolidated Laboratory, Environmental Health Section. N.D. Admin. Code Section 33-15-16.

*Nestmann ER, Matula TI, Douglas GR, et al. 1979. Detection of the mutagenic activity of lead chromate using a battery of microbial tests. Mutat Res 66:357-365.

*Nethercott J, Paustenbach D, Adams R, et al. 1994. A study of chromium induced allergic contact dermatitis with 54 volunteers: Implications for environmental risk assessment. Occup Environ Med 51:371-380.

*Nettesheim P, Szakal AK. 1972. Morphogenesis of alveolar bronchiolization. Lab Invest 26(2):210-219.

*Nettesheim P, Hanna MG Jr, Doherty DG, et al. 1971. Effect of calcium chromate dust, influenza virus, and 100 R whole-body X-radiation on lung tumor incidence in mice. J Natl Cancer Inst 47(5):1129-1144.

*Newbold RF, Amos J, Connell JR. 1979. The cytotoxic, mutagenic and clastogenic effects of chromium-containing compounds on mammalian cells in culture. Mutat Res 67:55-63.

*Newhouse ML. 1963. A cause of chromate dermatitis among assemblers in an automobile factory. Br J Ind Med 20:199-203.

Ng TB, Liu WK. 1990. Toxic effect of heavy metals on cells isolated from the rat adrenal and testis. *In Vitro* Cell Dev Biol 26:24-28.

Ng W-K, Wilson RP. 1997. Chromic oxide inclusion in the diet does not affect glucose utilization or chromium retention by channel catfish, Ictalurus punctatus. J Nutr 127:2357-2362.

*NH Air Resources Div. 1998. State of New Hampshire, State Department of Environmental Services, Air Resources Division. N.H. Code Admin. R. Ann. Env-A 1300, 1400.

NIOSH. 1975. Criteria for a recommended standard...occupational exposure to chromium(VI). U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, Washington, DC. HEW (NIOSH) publication no. 76-129.

NIOSH. 1987a. Registry of toxic effects of chemical substances. 1985-86 ed. U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, Washington, DC, 106, 1590-1598.

NIOSH. 1987b. Manual of analytical methods, 3rd ed. Methods: 7024, 7600, 7604, 8005, 8310. Washington, DC: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health.

*NIOSH. 1989. National Occupation Exposure Survey. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. March 29, 1989.

NIOSH. 1992. NIOSH recommendations for occupational safety and health, compendium of policy document and statements. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health. January, 1992, 63-64.

*NIOSH. 1994a. Elements in blood or tissue. Method: 8005 In: NIOSH manual of analytical methods. 4th ed. Cincinnati, OH: Department of Health and Human Services, National Institute of Occupational Safety and Health. DHHS publication no. 94-113.

*NIOSH. 1994b. Metals in Urine. Method: 8310. In: NIOSH manual of analytical methods. 4th ed. Cincinnati, OH: Department of Health and Human Services, National Institute of Occupational Safety and Health. DHHS publication no. 94-113.

*NIOSH. 1994c. Chromium and chromium compounds, as Cr. Method: 7024. In: NIOSH manual of analytical methods. 4th ed. Cincinnati, OH: Department of Health and Human Services, National Institute of Occupational Safety and Health. DHHS publication no. 94-113.

*NIOSH. 1994d. Elements by ICP. Method: 7300. In: NIOSH manual of analytical methods. 4th ed. Cincinnati, OH: Department of Health and Human Services, National Institute of Occupational Safety and Health. DHHS publication no. 94-113.

*NIOSH. 1994e. Chromium, hexavalent. Method: 7600 In: NIOSH manual of analytical methods. 4th ed. Cincinnati, OH: Department of Health and Human Services, National Institute of Occupational Safety and Health. DHHS publication no. 94-113.

*NIOSH. 1994f. Chromium, hexavalent. Method: 7604. In: NIOSH manual of analytical methods. 4th ed. Cincinnati, OH: Department of Health and Human Services, National Institute of Occupational Safety and Health. DHHS publication no. 94-113.

*NIOSH. 1997. NIOSH pocket guide to chemical hazards. Cincinnati, OH: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health. DHHS Publication No. 97-140.

*NIOSH. 1999a. Online pocket guide to chemical hazards. November 10, 1999. Wysiwyg://58/http://www.cdc.gov/niosh/npg/npg.html.

*NIOSH. 1999b. Online pocket guide to chemical hazards. November 10,1999. Wysiwyg://58/http://www.cdc.gov/niosh/npg/npg.html.

*NIOSH. 1999c. Online pocket guide to chemical hazards. November 10,1999. Wysiwyg://58/http://www.cdc.gov/niosh/npg/npg.html.

*NIOSH. 1999d. Online pocket guide to chemical hazards. November 10,1999. Wysiwyg://58/http://www.cdc.gov/niosh/npg/npg.html.

*NIOSH. 1999e. Online pocket guide to chemical hazards. November 10,1999. Wysiwyg://58/http://www.cdc.gov/niosh/npg/npg.html.

*Nishioka H. 1975. Mutagenic activities of metal compounds in bacteria. Mutat Res 31:185-189.

*NJ Air Management. 1998. State of New Jersey, Department of Environmental Protection, Air Management. NJ Admin Code Title 7, Chapter 7.27, Subchapter 1.

*NJ Dept Env Protec. 1993. Ground water quality standards. New Jersey Department of Environmental Protection, Division of Water Quality. N.A.J.C. 7:9-6. <u>http://www.state.nj.us/dep/</u>

NJDOH. 1989. Medical evaluation of children and adults of the Whitney Young Jr. School, Jersey City, New Jersey. Trenton, NJ: Division of Occupational and Environmental Health, New Jersey Department of Health.

*Nomiyama K, Nomiyama H, Yotoriyama M. 1982. Low-molecular-weight proteins in urine from rabbits given nephrotoxic compounds. Ind Health 20:1-10.

Norseth T. 1981. The carcinogenicity of chromium. Environ Health Perspect 40:121-130.

*Norseth T. 1986. The carcinogenicity of chromium and its salts. Br J Ind Med 43:649-651.

*Norseth T, Alexander J, Aaseth J, et al. 1982. Biliary excretion of chromium in the rat: A role of glutathione. Acta Pharmacol Toxicol 51:450-455.

Nouri AME, Mansouri M, Hussain RF, et al. 1995. Super-sensitive epithelial cell line and colorimetric assay to replace the conventional K562 target and chromium release assay for assessment of non-MHC-restricted cytotoxicity. J Immunol Methods 180:63-68.

*Novey HS, Habib M, Wells ID. 1983. Asthma and IgE antibodies induced by chromium and nickel salts. J Allergy Clin Immunol 72(4):407-412.

Nowak B. 1998. Contents and relationship of elements in human hair for a non-industrialised population in Poland. Sci Total Environ 209:59-68.

NRC. 1980. National Research Council. Recommended dietary allowances. 9th ed. Washington, DC: National Academy of Sciences, 159-161.

*NRC. 1989. National Research Council. Recommended dietary allowances. 10th ed. Washington, DC: National Academy of Sciences, 241-243.

*NRC. 1993. Pesticides in the diets of infants and children. National Research Council, Washington DC: National Academy Press.

*NRCC. 1976. Effects of chromium in the Canadian environment. Subcommittee on Heavy Metals and Certain Other Compounds, National Research Council of Canada, Ottawa, Canada, 92.

*Nriagu JO. 1979. Copper in the atmosphere and precipitation. In: Nriagu JO, ed. Copper environment. New York, NY: John Wiley and Sons, 43-75.

*Nriagu JO, Pacyna JM. 1988. Quantitative assessment of worldwide contamination of air, water and soils by trace metals. Nature 333:134-139.

*NTDB. 1998. National Trade Data Bank.

*NTP. 1989. Fifth annual report on carcinogens. Summary 1989. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institute of Environmental Health Sciences, National Toxicology Program.

*NTP. 1991. Sixth annual report on carcinogens: Summary 1991. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institute of Environmental Health Sciences, National Toxicology Program, 48-53.

*NTP. 1996a. Final report on the reproductive toxicity of potassium dichromate (hexavalent) (CAS No. 7778-50-9) administered in diet to SD rats. National Institute of Environmental Health Sciences, National Toxicology Program. NTIS no. PB97-125355.

*NTP. 1996b. Final report on the reproductive toxicity of potassium dichromate (hexavalent) (CAS No. 7778-50-9) administered in diet to BALB/c mice. National Institute of Environmental Health Sciences, National Toxicology Program. NTIS no. PB97-125363.

*NTP. 1997. Final report on the reproductive toxicity of potassium dichromate (CAS No. 7778-50-9) administered in diet to BALB/c mice. National Institute of Environmental Health Sciences, National Toxicology Program. NTIS no. PB97-144919.

*NTP. 1998. Report on carcinogens, Eighth edition: Summary 1998. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institute of Environmental Health Sciences, National Toxicology Program, 29-31.

*NY Div Air Resources. 1998. State of New York, Department of Environmental Conservation, Division of Air Resources. NY Comp Codes R and Regs Tit. 6, Part 257.

*Offenbacher EG, Pi-Sunyer FX. 1980. Beneficial effect of chromium-rich yeast on glucose tolerance and blood lipids in elderly subjects. Diabetes 29:919-925.

*O'Flaherty EJ. 1993a. A pharmacokinetic model for chromium. Toxicol Lett 68:145-158.

O'Flaherty EJ. 1993b. Chromium as an essential and toxic metal. Scand J Work Environ Health 19(1):124-124.

*O'Flaherty EJ. 1996. A physiologically based model of chromium kinetics in the rat. Toxicol Appl Pharmacol 138:54-64.

*Ohanian EV. 1986. Health effects of corrosion products in drinking water. Trace Substances and Environmental Health 20:122-138.

*Ohno H, Hanaoka F, Yamada —A. 1982. Inducibility of sister-chromatid exchanges by heavy-metal ions. Mutat Res 104:141-145.

*Ohsaki Y, Abe S, Kimura K, et al. 1978. Lung cancer in Japanese chromate workers. Thorax 33:372-374.

*OK Dept Env Quality. 1997. Water quality standards. Oklahoma Department of Environmental Quality, Water Resources Board. Chapter 45. <u>http://www.deq.state.ok.us/</u>

Okada S, Tsukada H, Tezuka M. 1989. Effect of chromium(III) on nucleolar RNA synthesis. Biol Trace Elem Res 21:35-39.

*Okubo T, Tsuchiya K. 1977. An epidemiological study on lung cancer among chromium plating workers. Keio J Med 26:171-177.

*Okubo T, Tsuchiya K. 1979. Epidemiological study of chromium platers in Japan. Biol Trace Elem Res 1: 35-44.

*Olaguibel JM, Basomba A. 1989. Occupational asthma induced by chromium salts. Allergol Immunopathol (Madr) 17(3):133-136.

*Olivier P, Marzin D. 1987. Study of the genotoxic potential of 48 inorganic derivatives with the SOS chromotest. Mutat Res 189:263-269.

*Olvera O, Zimmering S, Arceo C, et al. 1993. The protective effects of chlorophyllin in treatment with chromium(VI) oxide in somatic cells of *Drosophila*. Mutat Res 301:201-204.

*Ondov JM, Choquette CE, Zoller WH, et al. 1989. Atmospheric behavior of trace elements on particles emitted from a coal-fired power plant. Atmos Environ 23(10):2193-1104.

*OSHA. 1998a. U.S. Department of Labor. Occupational Safety and Health Administration. Air contaminants; final rule. Federal Register 54:2930.

*OSHA. 1998b. Industry group seeks updated data on hex chrome exposure. Occupational Safety and Health Administration. Inside OSHA. August 24, 1998.

*OSHA 1999a. U. S. Department of Labor. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1000.

*OSHA 1999b. U. S. Department of Labor. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1915.1000.

*OSHA 1999c. U. S. Department of Labor. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1926.55.

Oster-Jorgensen E, Gerner T, Pedersen SA. 1991. The determination of gastric emptying rate. European Journal of Surgery 157:31-43.

*OTA. 1990. Neurotoxicology: Identifying and controlling poisons of the nervous system. Office of Technology Assessment, Washington, DC. OTA-BA-438.

*Owen GM, Brozek J. 1966. Influence of age, sex, and nutrition on body composition during childhood and adolescence. In: Falkner, F, ed. Human development. Philadelphia, PA: Saunders, 222-238.

*Pacyna JM, Ottar B. 1985. Transport and chemical composition of the summer aerosol in the Norwegian Arctic. Atmos Environ 19(12):2109-2120.

Paddle GM. 1997. Metaanalysis as an epidemiological tool and its application to studies of chromium. Regul Toxicol Pharmacol 26:S42-S50.

Palmer CD, Wittbrodt PR. 1991. Processes affecting the remediation of chromium-contaminated sites. Environ Health Perspect 92:25-40.

*Partington CN. 1950. Acute poisoning with potassium bichromate. Br Med J ii:1097-1098.

*Pascale LR, Waldstein SS, Engbring G, et al. 1952. Chromium intoxication with special reference to hepatic injury. J Am Med Assoc 149:1385-1389.

*Paschin YV, Zacepilova TA, Kozchenko VI. 1982. Induction of dominant lethal mutations in male mice by potassium dichromate. Mutat Res 103:345-347.

*Pastides H, Austin R, Lemeshow S, et al. 1991. An epidemiologic study of Occidental Chemical Corporation's Castle Hayne chromate production facility. Occupational Epidemiology Unit, University of Massachusetts School of Public Health.

*Pastides H, Austin R, Lemeshow S, et al. 1994. A retrospective-cohort study of occupational exposure to hexavalent chromium. Am J Ind Med 25:663-675.

Pauli BU. 1990. Carcinogenesis testing of sintered porous (Co Cr Mo) cobalt-chromium-molybdenum implants. U.S. Department of Agriculture/Current Research Information System. Database, July 19, 1990.

*Paustenbach DJ, Hays SM, Brien BA, et al. 1996. Observation of steady state in blood and urine following human ingestion of hexavalent chromium in drinking water. J Toxicol Environ Health 49:453-461.

Paustenbach DJ, Meyer DM, Sheehan PJ, et al. 1991. An assessment and quantitative uncertainty analysis of the health risks to workers exposed to chromium contaminated soils. Toxicol Ind Health 7(3):159-196.

*Paustenbach DJ, Panko JM, Fredrick MM, et al. 1997. Urinary chromium as a biological marker of environmental exposure: What are the limitations? Regul Toxicol Pharmacol 26:S23-S34.

*Paustenbach DJ, Sheehan PJ, Paull JM, et al. 1992. Review of the allergic contact dermititis hazard posed by chromium-contaminated soil: Identifying a "safe" concentration. J Toxicol Environ Health 37:177-207.

*Payne WW. 1960. Production of cancers in mice and rats by chromium compounds. Arch Ind Health 21:530-535.

Pedersen NB. 1982. The effects of chromium on the skin. In: Langård S., ed. Biological and environmental aspects of chromium. Amsterdam: Elsevier Biomedical Press, 249-275.

*Peltonen L, Fraki J. 1983. Prevalence of dichromate sensitivity. Contact Dermatitis 9:190-194.

Penefsky ZJ, Elwood JC. 1996. Mechanical responses of chromium-deficient developing rat heart. Comp Biochem Physiol 114A(2):175-187.

*Perrault G, Dufresne A, Strati G, et al. 1995. Physico-chemical fate of chromium compounds in the sheep lung model. J Toxicol Environ Health 44:247-262.

Persson D, Osterberg R, Bjursell G. 1986. Mechanism of chromium carcinogenesis. Acta Pharmacol Toxicol 59:260-263.

Petrilli FL, De Flora S. 1978a. Metabolic deactivation of hexavalent chromium mutagenicity. Mutat Res 54:139-147.

*Petrilli FL, De Flora S. 1978b. Oxidation of inactive trivalent chromium to the mutagenic hexavalent form. Mutat Res 58:167-173.

*Petrilli FL, De Flora S. 1987. Correspondence. Carcinogenicity of chromium and its salts. Br J Ind Med 44:355.

*Petrilli FL, Camoirano A, Bennicelli C, et al. 1985. Specificity and inducibility of the metabolic reduction of chromium(VI) mutagenicity by subcellular fractions of rat tissues. Cancer Res 45:3179-3187.

*Petrilli FL, Romano M, Bennicelli C, et al. 1986a. Metabolic reduction and detoxification of hexavalent chromium. In: Serrone DM, ed. Chromium symposium 1986: An update. Pittsburgh, PA: Industrial Health Foundation Inc., 112-130.

*Petrilli FL, Rossi GA, Camoirano A, et al. 1986b. Metabolic reduction of chromium by alveolar macrophages and its relationships to cigarette smoke. J Clin Invest 77:1917-1924.

*Petruzzelli G, Lubrano L, Cervelli S. 1987. Heavy metal uptake by wheat seedlings grown in fly ashamended soils. Water Air Soil Pollut 32:389-395.

Phan BC, Peyser YM, Reisler E, et al. 1997. Effect of complexes of ADP and phosphate analogs on the conformation of the Cys707-Cys697 region of myosin subfragment 1. Eur J Biochem 243:636-642.

*PHS. 1953. Health of workers in chromate producing industry: A study. Washington, DC: U.S. Public Health Service. Publication no. 192.

Piela Z, Kiec-Swierczynska M. 1998. [Skin reactivity in subjects sensitive to different concentrations of nickel, chromium, and cobalt] (Polish). Med Pr 49(5):457-463.

*Pilliere F, Levy F, Renier A, et al. 1992. Induction of DNA-repair synthesis (UDS) in rat pleural mesothelial cells by urine of subjects exposed to genotoxic agents. Clin Toxicol 30(2):223-238.

*Pippard EC, Acheson ED, Winter PD. 1985. Mortality of tanners. Br J Ind Med 42:285-287.

*Pi-Sunyer F, Offenbacher EG. 1984. Chromium. In: Present knowledge in nutrition. 5th ed. Washington, DC: The Nutrition Foundation, Inc., 571-586.

*Plantz MR, Fritz JS, Smith FG, et al. 1989. Separation of trace metal complexes for analysis of samples of high salt content by inductively coupled plasma mass spectrometry. Anal Chem 61:149-153.

*Polprasert C, Charnpratheep K. 1989. Heavy metal removal in attached-growth waste stabilization ponds. Water Research 23(5):625-632.

Popper HH, Grygar E, Ingolic E, et al. 1993. Cytotoxicity of chromium(III) and (VI) compounds. I. *In vitro* studies using different cell culture systems. Inhal Toxicol 5:345-369.

*Powers WJ, Gad SC, Siino KM, et al. 1986. Effects of therapeutic agents on chromium-induced acute nephrotoxicity. In: Serrone DM, Ed. Chromium symposium 1986: An update. Pittsburgh, PA: Industrial Health Foundation, Inc., 79-86.

*Pratt PF, Myers CR. 1993. Enzymatic reduction of chromium(VI) by human hepatic microsomes. Carcinogenesis 14(10):2051-2057.

*Press RI, Geller J, Evans GW. 1990. The effect of chromium picolinate on serum cholesterol and apolipoprotein fractions in human subjects. West J Med 152:41-45.

Preuss HG, Gondal JA, Bustos E, et al. 1995. Effects of chromium and guar on sugar-induced hypertension in rats. Clin Nephrol 44(3):170-177.

Preuss HG, Grojec PL, Lieberman S, et al. 1997. Effects of different chromium compounds on blood pressure and lipid peroxidation in spontaneously hypertensive rats. Clin Nephrol 47(5):325-330.

Preuss HG, Jarrell ST, Scheckenbach R, et al. 1998. Comparative effects of chromium, vanadium and gymnema sylvestre on sugar-induced blood pressure elevations in SHR. J Am Coll Nutr 17(2):116-123.

*Proctor DM, Fredrick MM, Scott PK, et al. 1998. The prevalence of chromium allergy in the United States and its implications for setting soil cleanup: A cost-effectiveness case study. Regul Toxicol Pharmacol 28:27-37.

*Qi WB, Zhu L-Z. 1986. Spectrophotometric determination of chromium in waste water and soil. Talanta 33(8):694-696.

*Raffetto G, Parodi S, Parodi C, et al. 1977. Direct interaction with cellular targets as the mechanism for chromium carcinogenesis. Tumori 63:503-512.

Rafnsson V, Johannesdottir SG. 1986. Mortality among masons in Iceland. Br J Ind Med 43:522-525.

Rafnsson V, Gunnarsdottir H, Kiilunen M. 1997. Risk of lung cancer among masons in Iceland. Occup Environ Med 54:184-188.

*Raithel HJ, Ebner G, Schaller KH. 1987. Problems in establishing norm values for nickel and chromium concentrations in human pulmonary tissue. Am J Ind Med 12: 55-70.

Raithel HJ, Schaller KH, Kraus T, et al. 1993. Biomonitoring of nickel and chromium in human pulmonary tissue. Int Arch Occup Environ Health 65:S197-S200.

Rajaram R, Balachandran UN, Ramasami T. 1995. Chromium(III)-induced abnormalities in human lymphocyte cell proliferation: Evidence for apoptosis. Biochem Biophys Res Commun 210(2):434-440.

Ralph S, Petras M. 1998. Caged amphibian tadpoles and in situ genotoxicity monitoring of aquatic environments with the alkaline single cell gel electrophoresis (comet) assay. Mutat Res 413:235-250.

Ramana VV, Sastry KS. Chromium toxicity in Neurospora Crassa. J Inorg Biochem 56:87-95.

*Ramelow GJ, Maples RS, Thompson RL, et al. 1987. Periphyton as monitors for heavy metal pollution in the Calcasieu River estuary. Environ Pollut 43:247-263.

*Ramelow GJ, Webre CL, Mueller CS, et al. 1989. Variations of heavy metals and arsenic in fish and other organisms from the Calcasieu River and Lake, Louisiana. Arch Environ Contam Toxicol 18:804-818.

*Randall JA, Gibson RS. 1987. Serum and urine chromium as indices of chromium status in tannery workers. Proc Soc Exp Biol Med 185:16-23.

*Randall JA, Gibson RS. 1989. Hair chromium as an index of chromium exposure to tannery workers. Br J Ind Med 46:171-175.

*Räsänen L, Sainio H, Lehto M, et al. 1991. Lymphocyte proliferation test as a diagnostic aid in chromium contact sensitivity. Contact Dermatitis 25:25-29.

*Rasmuson A. 1985. Mutagenic effects of some water-soluble metal compounds in a somatic eye-color test system in *Drosophila melanogaster*. Mutat Res 157:157-162.

Rastogi SC, Pritzi G. 1996. Migration of some toxic metals from crayons and water colors. Bull Environ Contam Toxicol 56:527-533.

Ratnasooriya WD, Balasuriya R. 1992. Effects of trivalent chromium on gestation in rat. Med Sci Res 20:475-476.

*Reichelderfer TE. 1968. Accidental death of an infant caused by ingestion of ammonium dichromate. South Med J 61:96-97.

Rengasamy A, Kommineni C, Jones JA, et al. 1999. Effects of hard metal on nitric oxide pathways and airway reactivity to methacholine in rat lungs. Toxicol Appl Pharmacol 157:178-191.

*RI Dept Env Management. 1992. Air toxics. Rhode Island Department of Environmental Management, Divison of Air and Hazardous Materials. Air pollution control regulation No. 22. http://www.sec.state.ri.us/dem/ RI Div Air Resources. 1998. State of Rhode Island, Department of Environmental Management, Division of Air Resources. 5 R.I. Code R 12-031-22.

*Riedel GF, Sanders JG. 1998. Trace element speciation and behavior in the tidal Delaware River. Estuaries 21(1):78-90.

*Rodriguez-Arnaiz R, Martinez RFM. 1986. Genetic effects of potassium dichromate and chromium trioxide in *Drosophila melanogaster*. Cytologia 51:421-425.

*Roe FJC, Carter RL. 1969. Chromium carcinogenesis: Calcium chromate as a potent carcinogen for the subcutaneous tissues of the rat. Br J Cancer 23:172-176.

Roeback JR, Hla KM, Chambless LE, et al. 1991. Effects of chromium supplementation on serum highdensity lipoprotein cholesterol levels in men taking beta-blockers; A randomized, controlled trial. Ann Intern Med 115:917-924.

Rogers CE, Tomita AV, Trowbridge PR, et al. 1997. Hair analysis does not support hypothesized arsenic and chromium exposure from drinking water in Woburn, Massachusetts. Environ Health Perspect 105(10):1090-1097.

*Roginski EE, Mertz W. 1969. Effects of chromium(III) supplementation on glucose and amino acid metabolism in rats fed a low protein diet. J Nutr 97:525-530.

Romaguera C, Vilaplana J. 1998. Contact dermatitis in children: 6 years experience (1992-1997). Contact Dermatitis 39:227-280.

*Rosas I, Belmont R, Baez A, et al. 1989. Some aspects of the environmental exposure to chromium residues in Mexico. Water Air Soil Pollut 48:463-476.

Rosenman KD. 1990. Mortality among former chromium smelter workers (human). U.S. DHHS, Public Health Services, National Institutes of Health, National Institute for Occupational Safety and Health. CRISP Database, July 1990.

*Rosenman KD, Stanbury M. 1996. Risk of lung cancer among former chromium smelter workers. Am J Ind Med 29:491-500.

*Roto P, Sainio H, Reunala T, et al. 1996. Addition of ferrous sulfate to cement and risk of chromium dermatitis among construction workers. Contact Dermatitis 34:43-50.

Routledge PA, Bialas MC, Babar I, et al. 1998. Blood arsenic and chromium concentrations after dermal exposure to tannalysing fluid and the use of DMPs. J Toxicol Clin Toxicol 36(5):494-495.

*Royle H. 1975a. Toxicity of chromic acid in the chromium plating industry (1). Environ Res 10:39-53.

*Royle H. 1975b. Toxicity of chromic acid in the chromium plating industry(2). Environ Res 10:141-163.

*Rubin MA, Miller JP, Ryan AS, et al. 1998. Acute and chronic resistive exercise increase urinary chromium excretion in men as measured with an enriched chromium stable isotope. J Nutr 128:73-78.

*Rungby J, Ernst E. 1991. Experimentally induced lipid peroxidation after exposure to chromium, mercury or silver: Interactions with carbon tetrachloride. Pharmacol Toxicol 70:205-7.

Ryberg D, Alexander J. 1990. Mechanisms of chromium toxicity in mitochrondria. Chem Biol Interac 75:141-151.

Sakai K, Uchida R. 1992. Comparitive effects of potassium dichromate on the mutagenicity of some nitrohydrocarbons and methylating agents. Bull Environ Contam Toxicol 48:541-548.

*Saleh FY, Parkerton TF, Lewis RV, et al. 1989. Kinetics of chromium transformations in the environment. Sci Total Environ. 86:25-41.

Salnikow K, Zhitkovich A, Costa M. 1992. Analysis of the binding sites of chromium to DNA and protein *in vitro* and in intact cells. Carcinogenesis 13(12):2341-2346.

*Saltzman BE, Cholak J, Schafer LJ, et al. 1985. Concentration of six metals in the air of eight cities. Environ Sci Technol 19:328-333.

*Samitz MH. 1970. Ascorbic acid in the prevention and treatment of toxic effects from chromates. Acta Derm Venereol 50:59-64.

*Samitz MH, Epstein E. 1962. Experimental cutaneous chrome ulcers in guinea pigs. Arch Environ Health 5:463-468.

*Samitz MH, Shrager J. 1966. Patch test reactions to hexavalent and trivalent chromium compounds. Arch Dermatol 94:304-306.

Samitz MH, Gross S, Katz S. 1962. Inactivation of chromium ion in allergic eczematous dermatitis. J Invest Dermatol 38:5-12.

Sander JK, Camp CD. 1939. Chromium poisoning in infancy. Am J Med Sci 198:551-554.

Sanderson CJ. 1976. The uptake and retention of chromium by cells. Transplantation 21:526-529.

*Saner G, Yuzbasiyan V, Cigdem S. 1984. Hair chromium concentration and chromium excretion in tannery workers. Br J Ind Med 41:263-266.

Sargent T, Lim TH, Jenson R. 1979. Reduced chromium retention in patients with hemachromatosis, a possible basis of hemochromatotic diabetes. Metabolism 28:70-79.

*Sarkar D, Sharma A, Talukder G. 1993. Differential protection of chlorophyllin against clastogenic effects of chromium and chlordane in mouse bone marrow *in vivo*. Mutat Res 301:33-38.

*Sarto F, Cominato I, Bianchi V, et al. 1982. Increased incidence of chromosomal aberrations and sister chromatid exchanges in workers exposed to chromic acid (CrO₃) in electroplating factories. Carcinogenesis 3(9):1011-1016.

*Sarto F, Levis AG, Paulon C. 1980. Clastogenic activity of hexavalent and trivalent chromium in cultured human lymphocytes. Caryologia 33:239-250.

*Saryan LA, Reedy M. 1988. Chromium determinations in a case of chromic acid ingestion. J Anal Toxicol 12:162-164.

*Sassi C. 1956. [Occupational pathology in a chromate plant]. Med Lav 47(5):314-327. (Italian)

*Sata F, Araki S, Murata K, et al. 1998. Behavior of heavy metals in human urine and blood following calcium disodium ethylenedoamine tetraacetate injection: Observations in metal workers. Journal of Toxicology and Environmental Health,Part A 54:167-178.

*Satoh K, Fukuda Y, Torrii K, et al. 1981. Epidemiological study of workers engaged in the manufacture of chromium compounds. J Occup Med 23(12):835-838.

*Satoh N, Fukuda S, Takizawa M, et al. 1994. Chromium-induced carcinoma in the nasal region. A report of four cases. Rhinology 32:47-50.

Satsuma S, Scudamore RA, Cooke TDV, et al. 1993. Toxicity of complement for chrondytes. A possible source of cartilage degradation in inflammatory arthritis. Rheumatol Int 13:71-75.

*Sawatari K. 1986. Sampling filters and dissolution methods for differential determination of watersoluble chromium(VI) and chromium(III) in particulate substances. Ind Health 24:111-116.

*Saxena DK, Murthy RC, Jain VK, et al. 1990a. Fetoplacental-maternal uptake of hexavalent chromium administered orally in rats and mice. Bull Environ Contam Toxicol 45:430-435.

*Saxena DK, Murthy RC, Lal B, et al. 1990b. Effect of hexavalent chromium on testicular maturation in the rat. Reprod Toxicol 4:223-228.

*Sayato Y, Nakamuro K, Matsui S, et al. 1980. Metabolic fate of chromium compounds. I. Comparative behavior of chromium in rat administered with $Na_2^{51}CrO_4$ and $^{51}CrCl_3$. J Pharm Dyn 3:17-23.

*SC Bureau Air Quality. 1998. Department of Health & Environmental Control, Bureau of Air Quality. 24A SC Code Ann Regs 61-62.5, Standard 8.

Schaller H, Neeb R. 1987. Gas-chromatographic elemental analysis via di(trifluoroethyl)dithiocarbamato-3 chelates X. Capillary gas chromatography at the pg-level determination of Co and Cr[VI] besides Cr[III] in river water. Fresenius Z Analytical Chemistry 327:170-174.

*Schmidt JA, Andren AW. 1984. Deposition of airborne metals into the Great Lakes: An evaluation of past and present estimates. Adv Environ Sci Technol 14:81-103.

*Schroeder HA, Balassa JJ, Tipton IH. 1962. Abnormal trace metals in man — Chromium. J Chron Dis 15:941-964.

*Schroeder HA, Balassa JJ, Vinton WH Jr. 1964. Chromium, lead, cadmium, nickel and titanium in mice: Effect on mortality, tumors and tissue levels. J Nutr 83:239-250.

*Schroeder HA, Balassa JJ, Vinton WH Jr. 1965. Chromium, cadmium and lead in rats: Effects on life span, tumors and tissue levels. J Nutr 86:51-66.

Schroeder HA, Vinton WH Jr., Balassa JJ. 1963. Effect of chromium, cadmium and other trace metals on the growth and survival of mice. J Nutr 80:39-47.

*Schroeder WH, Dobson M, Kane DM, et al. 1987. Toxic trace elements associated with airborne particulate matter: A review. J Air Pollut Control Assoc 37(11):1267-1285.

*Schuhmacher M, Domingo JL, Llobet JM, et al. 1993. Chromium, copper, and zinc concentrations in edible vegetables grown in Tarragona Province, Spain. Bull Environ Contam Toxicol 50:514-521.

Schwarz Y, Kivity S, Fischbein A, et al. 1998. Evaluation of workers exposed to dust containing hard metals and aluminum oxide. Am J Ind Med 34:177-182.

*Scott PK, Proctor DM. 1997. Evaluation of 10% minimum elicitation threshold for Cr(VI)-induced allergic contact dermititis using benchmark dose methods. J Soil Contam 6(6):707-731.

*Scott PK, Finley BL, Harris MA, et al. 1997a. Background air concentrations of Cr(VI) in Hudson County, New Jersey: Implications for setting health-based standards for Cr(VI) in soil. J Air Waste Manage Assoc 47:592-600.

*Scott PK, Finley BL, Sung H-M, et al. 1997b. Identification of an accurate soil suspension/dispersion modeling method for use in estimating health-based soil cleanup levels of hexavalent chromium in chromite ore processing residues. J Air Waste Manage Assoc 47:753-765.

*SD Dept Env Natural Resources. 1998. Water hygiene. South Dakota Department of Environment and Natural Resources, Drinking Water Program. Article 74:04. http://www.state.sd.us/state/executive/denr/denr.html

Seaborn CD, Cheng N, Adeleye B, et al. 1994. Chromium and chronic ascorbic acid depletion effects on tissue ascorbate, manganese, and ¹⁴C retention from ¹⁴C-ascorbate in guinea pigs. Biol Trace Elem Res 41:279-294.

Seldén AI, Persson B, Bornberger-Dankvardt SI, et al. 1995. Exposure to cobalt chromium dust and lung disorders in dental technicians. Thorax 50:769-772.

Sen P, Conway K, Costa M. 1987. Comparison of the localization of chromosome damage induced by calcium chromate and nickel compounds. Cancer Res 47:2142-2147.

*Setchell BP, Waites GMH. 1975. The blood testis barrier. In: Creep RO, Astwood EB, eds. Handbook of physiology: Endocrinology V. Washington, DC: American Physiological Society.

Sharma VK, Chakrabarti A. 1998. Common contact sensitizers in Chandigarh, India. Contact Dermatitis 38:127-131.

*Sharma BK, Singhal PC, Chugh KS. 1978. Intravascular haemolysis and acute renal failure following potassium dichromate poisoning. Postgrad Med J 54:414-415.

Sheehan HE. 1995. An urban community faces an environmental hazard: "Let them eat chromium"? Mt Sinai J Med 62(5):332-338.

*Sheehan P, Ricks R, Ripple S, Paustenbach D. 1992. Field evaluation of a sampling and analytical method for environmental levels of airborne hexavalent chromium. Am Ind Hyg Assoc J 53(1):57-68.

Sheehan PJ, Meyer DM, Sauer MM, et al. 1991. Assessment of the human health risks posed by exposure to chromium-contaminated soils. J Toxicol Environ Health 32:161-201.

*Sheffet A, Thind I, Miller AM, et al. 1982. Cancer mortality in a pigment plant utilizing lead and zinc chromates. Arch Environ Health 37:44-52.

*Sheppard MI, Thibault DH. 1991. A four-year mobility study of selected trace elements and heavy metals. J Environ Qual 20:101-114.

*Sheppard SC, Evenden WG, Schwartz WJ. 1995. Heavy metals in the environment: Ingested soil: Bioavailability of sorbed lead, cadmium, cesium, iodine, and mercury. J Environ Qual 24:498-505.

*Sheridan PJ, Zoller WH. 1989. Elemental composition of particulate material sampled from the arctic haze aerosol. J Atmospher Chem 9:363-381.

Shi X, Chiu A, Chen CT, et al. 1999a. Reduction of chromium(VI) and its relationship to carcinogenesis. J Toxicol Environ Health 2(part B):87-104.

*Shi X, Dalal NS, Kasprzak KS. 1993. Generation of free radicals from hydrogen peroxide and lipid hydroperoxides in the presence of Cr(III). Arch Biochem Biophys 302(1):294-291.

Shi X, Ding M, Ye J, et al. 1999b. Cr(VI) causes activation of nuclear transcription factor-KB, DNA strand breaks and dG hydroxylation via free radical reactions. J Inorg Biochem 75:37-44.

*Shi X, Leonard SS, Liu KJ, et al. 1998. Cr(III)-mediated hydroxyl radical generation via Haber-Weiss cycle. J Inorg Biochem 69:263-268.

Shimkin MB, Leiter J. 1940. Induced pulmonary tumors in mice. III. The role of chronic irritation in the production of pulmonary tumors in strain A mice. J Natl Cancer Inst 1:241-254.

*Shindo Y, Toyoda Y, Kawamura K, et al. 1989. Micronucleus test with potassium chromate(VI) administered intraperitoneally and orally to mice. Mutat Res 223:403-406.

*Shmitova LA. 1978. [The course of pregnancy in women engaged in the production of chromium and its compounds]. Vliy Prof Fakt Spet Funk Zhensk Organ, Sverd 108-111. (Russian).

*Shmitova LA. 1980. [Content of hexavalent chromium in the biological substrates of pregnant women and women in the immediate post-natal period engaged in the manufacture of chromium compounds]. Gig Trud Prof Zabol 2:33-35. (Russian)

*Shubochkin LN, Pokhodzie YI. 1980. Toxic properties of strontium chromate. Gig Sanit 45:76-77.

*Shumilla JA, Wetterhahn KE, and Barchowsky A. 1998. Inhibition of NF-κB binding to DNA by chromium, cadmium, mercury, zinc, and arsenite *in vitro*: Evidence of a thiol mechanism. Arch Biochem Biophys 349(2):356-362.

Shupack SI. 1991. The chemistry of chromium and some resulting analytical problems. Environ Health Perspect 92:7-11.

*Siegel NJ, Gaudio KM, Katz LA, et al. 1984. Beneficial effect of thyroxin on recovery from toxic acute renal failure. Kidney Int 25:906-911.

*Silverstein M, Mirer F, Kotelchusk D, et al. 1981. Mortality among workers in a die-casting and electroplating plant. Scand J Work Environ Health 7(suppl 4):156-165.

*Simonoff M, Llabador Y, Hamon C, et al. 1984. Extraction procedure for the determination of trace chromium in plasma by proton-induced X-ray emission spectrometry. Anal Chem 56:454-457.

*Simpson JR and Gibson RS. 1992. Hair, serum, and urine chromium concentrations in former employees of the leather tanning industry. Biol Trace Elem Res 32:155-159.

*Singh I. 1983. Induction of reverse mutation and mitotic gene conversion by some metal compounds in *Saccharomyces cerevisiae*. Mutat Res 117:149-152.

*Singh J, Carlisle DL, Pritchard DE, et al. 1998a. Chromium-induced genotoxicity and apoptosis: Relationship to chromium carcinogenesis (review). Oncology Reports 5:1307-1318.

*Singh J, McLean JA, Pritchard DE, et al. 1998b. Sensitive quantitation of chromium-DNA adducts by inductively coupled plasma mass spectrometry with a direct injection high-efficiency nebulizer. Toxicological Sciences 46:260-265.

*Singh J, Pritchard DE, Carlilse DL, et al. 1999. Internalization of carcinogenic lead chromate particles by cultured normal human lung epithelial cells: Formation of intracellular lead-inclusion bodies and induction of apoptosis. Toxicol Appl Pharmacol 161:240-248.

*Sipowicz MA, Anderson LM, Utermahlen WE, et al. 1997. Uptake and tissue distribution of chromium(III) in mice after a single intraperitoneal or subcutaneous administration. Toxicol Lett 93:9-14.

Sirover MA, Loeb LA. 1976. Infidelity of DNA synthesis *in vitro*: Screening for potential metal mutagens or carcinogens. Science 194:1434-1436.

Sjogren B. 1980. A retrospective cohort study of mortality among stainless steel welders. Scand J Work Environ Health 6:197-200.

*Sjogren B, Gustavsson A, Hedstrom L. 1987. Mortality in two cohorts of welders exposed to high- and low-levels of hexavalent chromium. Scand J Work Environ Health 13:247-251.

*Sjogren B, Hedstrom L, Ulfvarson U. 1983. Urine chromium as an estimator of air exposure to stainless steel welding fumes. Int Arch Occup Environ Health 51:347-354.

*Sluis-Cremer GK, du Toit RSJ. 1968. Pneumoconiosis in chromite miners in South Africa. Br J Ind Med 25:63-67.

*Smith AR. 1931. Chrome poisoning with manifestation of sensitization. J Am Med Assoc 97(2):95-98.

*Smith, RA, Alexander RB, Wolman MG. 1987. Water-quality trends in the nation's rivers. Science 235:1607-1615.

*Smyth HF, Carpenter CP, Weil CS, et al. 1969. Range finding toxicity data: List VII. Am Ind Hyg Assoc J 30:470-476.

*Snow ET. 1991. A possible role of chromium(III) in genotoxicity. Environ Health Perspect 92:75-81.

*Snow ET, Xu -SL. 1989. Effects of chromium(III) on DNA replication *in vitro*. Biological Trace Element Res 21:61-71.

*Snyder CA, Valle CD. 1991. Immune function assays as indicators of chromate exposure. Environ Health Perspect 92: 83-86.

*Snyder CA, Sellakumar A, Waterman S. 1997. An assessment of the tumorigenic properties of a Hudson County soil sample heavily contaminated with hexavalent chromium. Arch Environ Health 52(3):220-226.

*Snyder CA, Udasin I, Waterman SJ, et al. 1996. Reduced IL-6 levels among individuals in Hudson County, New Jersey, an area contaminated with chromium. Arch Environ Health 51(1):26-28.

Sorahan T, Burges DCL, Hamilton L, et al. 1997. Lung cancer mortality in nickel/chromium platers, 1946-95. Occup Environ Med 55:236-242.

*Sorahan T, Burges DCL, Hamilton L, et al. 1998. Lung cancer mortality in nickel/chromium platers, 1946-95. Occup Environ Med 55:236-242.

*Sorahan T, Burges DCL, Waterhouse JAH. 1987. A mortality study of nickel/chromium platers. Br J Ind Med 44:250-258.

*Sparrow S, Magos L, Snowden R. 1988. The effect of sodium chromate pretreatment on mercuric chloride-induced nephrotoxicity. Arch Toxicol 61:440-443.

Spengler JD, Koutrakis P, Dockery DW, et al. 1996. Health effects of acid aerosols on North American children: Air pollution exposures. Environ Health Perspect 104(5):492-499.

Spicer MT, Stoecker BJ, Chen T, et al. 1998. Maternal and fetal insulin-like growth factor system and embryonic survival during pregnancy in rats: Interaction between dietary chromium and diabetes. J Nutr 128:2341-2347.

*Spruit D, van Neer FCJ. 1966. Penetration of Cr(III) and Cr(VI). Dermatologica 132: 179-182.

*SRI. 1997. Directory of chemical producers: United States of America. Menlo Park, CA: Stanford Research Institute International, 518-519.

Srivastava L, Jain VK, Kachru DN, et al. 1985. Comparative toxicity of trivalent and hexavalent chromium(V): Enzymatic alterations in rat liver and kidneys. Ind Health 23:89-94.

Srivastava S, Shanker K, Prakash S, et al. 1999. Bioavailability of chromium: An interactive aspect. J Environ Biol 20(1):49-54.

*Stackhouse RA, Benson WH. 1989. The effect of humic acid on the toxicity and bioavailability of trivalent chromium. Ecotoxicol Environ Safety 17:105-111.

*State of California. 1991. Memorandum from Lauren Zeise, Reproductive and Cancer Hazard Assessment Section to Steven A. Book, Health Hazard Assessment Division. Department of Health Services, State of California, June 11, 1991.

*Stearns DM, Belbruno JJ, Wetterhaun KE. 1995a. A prediction of chromium(III) accumulation in humans from chromium dietary supplements. FASEB J 9:1650-1657.

Stearns DM, Wetterhahn KE. 1997. Intermediates produced in the reaction of chromium(VI) with dehydroascorbate cause single-strand breaks in plasmid DNA. Chem Res Toxicol 10:271-278.

Stearns DM, Wise JP, Patierno SR, Wetterhahn KE. 1995b. Chromium(III) picolonate produces chromosome damage in Chinese hamster ovary cells. FASEB J 9:1643-1649.

Steenland NK. 1990. Retrospective cohort investigation of non-asbestos welders. U.S. DHHS, Public Health Services, National Institutes of Health, National Institute for Occupational Safety and Health. Federal Research in Progress, July, 1990.

*Steffee CH, Baetjer AM. 1965. Histopathologic effects of chromate chemicals. Arch Environ Health 11:66-75.

*Steinhoff D, Gad SC, Hatfield GK, et al. 1986. Carcinogenicity studies with sodium dichromate in rats. Exp Pathol 30:129-141.

*Stella M, Montaldi A, Rossi R, et al. 1982. Clastogenic effects of chromium on human lymphocytes *in vitro* and *in vivo*. Mutat Res 101:151-164.

*Sterekhova NP, Zeleneva NI, Solomina SN et al. 1978. [Gastric pathology in the workers of chromium salts industries]. Gig Trud Prof Zabol 3:19-23. (Russian)

*Stern AH, Bagdon RE, Hazen RE, et al. 1993. Risk assessment of the allergic dermatitis potential of environmental exposure to hexavalent chromium. J Toxicol Enivron Health 40:613-641.

Stern AH, Fagliano JA, Savrin JE, et al. 1998. The association of chromium in household dust with urinary chromium in residences adjacent to chromate production waste sites. Environ Health Perspect 106(12):833-839.

*Stern FB, Beaumont JJ, Halperin WE, et al. 1987. Mortality of chrome leather tannery workers and chemical exposures in tanneries. Scand J Work Environ Health 13:108-117.

Stern RM. 1981. Process-dependent risk of delayed health effects for welders. Environ Health Perspect 41:235-253.

*Stern RM. 1982. Chromium compounds: Production and occupational exposure. In: Langård S, ed. Biological and environmental aspects of chromium. New York, NY: Elsevier Biomedical Press, 5-47.

*Stern RM, Thomsen E, Furst A. 1984. Cr(VI) and other metallic mutagens in fly ash and welding fumes. Toxicol Environ Chem 8:95-108.

Stift A, Friedl J, Laengle F. 1998. Liver transplantation for potassium dichromate poisoning. N Engl J Med 338(11):766-767.

*Stillwell DE, Gorny KD. 1997. Contamination of soil with copper, chromium, and arsenic under decks built from pressure treated wood. Bull Environ Contam Toxicol 58:22-29.

Stokes DL, Lacapère JJ. 1994. Conformation of Ca^{2+} -ATPase in two crystal forms. J Biol Chem 269(15): 11606-11613.

*Stokinger HE. 1981. Chromium, Cr. In: Clayton GD, Clayton FE, eds. Patty's industrial hygiene and toxicology, vol. IIA, 3rd ed. New York, NY: John Wiley & Sons, 1589-1605.

Striffler JS, Law JS, Polansky MM, et al. 1995. Chromium improves insulin response to glucose in rats. Metabolism 44(10):1314-1320.

Štupar J, Dolinšek F. 1996. Determination of chromium, manganese, lead and cadmium in biological samples including hair using direct electrothermal atomic absorption spectrometry. Spectrochim Acta Part B 51:665-683.

Stupar J, Vrtovec M, Kocijancic A, et al. 1999. Chromium status of tannery workers in relation to metabolic disorders. J Appl Toxicol 19:437-446.

Subiyatno A, Mowat DN, and Yang WZ. 1996. Metabolite and hormonal responses to glucose or propionate infusions in periparturient dairy cows supplemented with chromium. J Dairy Sci 79:1436-1445.

Sugden KD, Wetterhahn KE. 1997. Direct and hydrogen peroxide-induced chromium(V) oxidation of deoxyribose in single-stranded and double-stranded calf thymus DNA. Chem Res Toxicol 10:1397-1406.

*Sugden KD, Burris RB, Rogers SJ. 1990. An oxygen dependence in chromium mutagenesis. Mutat Res 244:239-244.

Sugden KD, Geer RD, Rogers SJ. 1992. Oxygen radical-mediated DNA damage by redox-active Cr(III) complexes. Biochemistry 31:11626-11631.

Sugiyama M. 1989. Effects of vitamin E and vitamin B_2 on chromate-induced DNA lesions. Biol Trace Elem Res 21:399-404.

*Sugiyama M. 1991. Effects of vitamins on chromium(VI)-induced damage. Environ Health Persp 92: 63-70.

*Sugiyama M, Tsuzuki K. 1994. Effect of glutathione depletion on formation of paramagnetic chromium in Chinese hamster V-79 cells. FEBS Lett 341:273-276.

Sugiyama M, Ando A, Nakao K, et al. 1989. Influence of vitamin B_2 on formation of chromium(V), alkali-labile sites, and lethality of sodium chromate(VI) in Chinese hamster V-70 cells. Cancer Res 49:6180-6184.

Sugiyama M, Ando A, Ogura R. 1989. Effect of vitamin E on survival, glutathione reductase and formation of chromium(V) in Chinese hamster V-79 cells treated with sodium chromate(VI). Carcinogenesis 10:737-741.

*Sugiyama M, Patierno SR, Cantoni O, et al. 1986. Characterization of DNA lesions induced by CaCrO₄ in synchronous and asynchronous cultured mammalian cells. Mol Pharmacol 29:606-613.

Sugiyama M, Tsuzuki K, Haramaki N. 1993. Influence of o-phenanthroline on DNA single -strand breaks, alkali-labile sites, glutathione reductase, and formation of chromium(V) in Chinese hamster V-79 cells treated with sodium chromate(VI). Arch Biochem Biophys 305(2):261-266.

Sugiyama M, Wang XW, Costa M. 1986. Comparison of DNA lesions and cytotoxicity induced by calcium chromate in human, mouse, and hamster cell lines. Cancer Res 46:4547-4551.

*Sullivan MF, Miller BM, Goebel JC. 1984. Gastrointestinal absorption of metals (⁵¹Cr, ⁶⁵Zn, ^{95m}Tc, ¹⁰⁹Cd, ¹¹³Sn, ¹⁴⁷Pm, and ²³⁸Pu) by rats and swine. Environ Res 35:439-453.

Sullivan PA, Eisen EA, Woskie SR, et al. 1998. Mortality studies of metalworking fluid exposure in the automobile industry: VI. A case-control study of esophageal cancer. Am J Ind Med 34:36-48.

Sunderman FW Jr. 1976. A review of the carcinogenicities of nickel, chromium and arsenic compounds in man and animals. Prev Med 5:279-294.

*Sunderman FW, Hopfer SM, Swift T, et al. 1989. Cobalt, chromium, and nickel concentrations in body fluids of patients with porous-coated knee or hip prostheses. J Orthop Res 7:307-315.

Susa N, Ueno S, Furukawa Y, et al. 1997a. Potent protective effect of melatonin on chromium(VI)induced DNA single-strand breaks, cytotoxicity, and lipid peroxidation in primary cultures of rat hepatocytes. Toxicol Appl Pharmacol 144:377-384.

Susa N, Ueno S, Furukawa Y, et al. 1997b. Protective effect of deferoxamine on chromium(VI)-induced DNA single-strand breaks, cytotoxicity, and lipid peroxidation in primary cultures of rat hepatocytes. Arch Toxicol 71:345-350.

Susa N, Ueno S, Furukawa Y, et al. 1998. Protective effect of diethyldithiocarbamate pretreatment on chromium(VI)-induced cytotoxicity, and lipid peroxidation in primary cultures of rat hepatocytes. J Vet Med Sci 60(1):71-76.

Suzuki Y. 1988. Reduction of hexavalent chromium by ascorbic acid in rat lung lavage fluid. Arch Toxicol 62:116-122.

Suzuki Y. 1990. Synergism of ascorbic acid and glutathione in the reduction of hexavalent chromium *in vitro*. Ind Health 28:9-19.

*Suzuki Y, Fukuda K. 1990. Reduction of hexavalent chromium by ascorbic acid and glutathione with special reference to the rat lung. Arch Toxicol 64:169-176.

*Suzuki Y, Serita F. 1985. Simultaneous determination of water-soluble trivalent and hexavalent chromium by anion exchange high-pressure liquid chromatography. Ind Health 23:207-220.

*Suzuki Y, Homma K, Minami M, et al. 1984. Distribution of chromium in rats exposed to hexavalent chromium and trivalent chromium aerosols. Ind Health 22:261-267.

*Swaine DJ, Mitchell RL. 1960. Trace-element distribution in soil profiles. J Soil Sci 11(2):347-368.

Taioli E, Zhitkovich A, Kinney P, et al. 1995. Increased DNA-protein crosslinks in lymphocytes of residents living in chromium-contaminated areas. Biol Trace Elem Res 50:175-180.

*Takagi Y, Matsuda S, Imai S, et al. 1986. Trace elements in human hair: An international comparison. Bull Environ Contam Toxicol 36:793-800.

*Takagi Y, Matsuda S, Imai S, et al. 1988. Survey of trace elements in human nails: An international comparison. Bull Environ Contam Toxicol 41:683-689.

Takahashi A, Ikehara T, Hosokawa K, et al. 1995. Properties of Ca2+-dependent K+ channels of human gingival fibroblasts. J Dent Res 74(8):1507-1512.

*Takahashi K, Okubo T. 1990. A prospective cohort study of chromium plating workers in Japan. Arch Environ Health 45(2):107-111.

Tamino G, Peretta L, Levis AG. 1981. Effects of trivalent and hexavalent chromium on the physicochemical properties of mammalian cell nucleic acids and synthetic polynucleotides. Chem Biol Interact 37:309-319.

*Tandon SK, Behari JR, Kachru DN. 1979. Distribution of chromium in poisoned rats. Toxicology 13: 29-34.

*Tandon SK, Saxena DK, Gaur JS, et al. 1978. Comparative toxicity of trivalent and hexavalent chromium. Environ Res 15:90-99.

*Taylor FH. 1966. The relationship of mortality and duration of employment as reflected by a cohort of chromate workers. Am J Public Health 56(2):218-229.

*Teraoka H. 1981. Distribution of 24 elements in the internal organs of normal males and the metallic workers in Japan. Arch Environ Health 36(4):155-164.

*Tezuka M, Keiko M, Toshiyuki E, et al. 1991. Protective effect of chromium (III) on acute lethal toxicity of carbon tetrachloride in rats and mice. J Inorg Biochem 42(1):1-8.

*Tezuka M, Sadanobu S, Gomi K, et al. 1995. *In vitro* effect of chromium and other trace metals on mouse hepatotoxicity induced by carbon tetrachloride exposure. Biol Pharm Bull 18(2):256-261.

Thomas VL, Gropper SS. 1996. Effect of chromium nicotinic acid supplementation on selected cardiovascular disease risk factors. Biol Tace Elem Res 55:297-305.

*Thomson WE. 1903. Note on a case of vesication of the cornea by potassium bichromate. Ophthalmoscope 1:214-216.

Tisch M, Maier H. 1996. Plattenepithelkarzinom der zunge nach beruflicher exposition gegenüber chrom-VI-verbindungen. Laryngol Rhino Otol 75:455-458.

Tkeshelashvili LK, Shearman CW, Zakour RA, et al. 1980. Effects of arsenic, selenium, and chromium on the fidelity of DNA synthesis. Cancer Res 40:2455-2460.

*Tola S, Kilpio J, Virtamo M, et al. 1977. Urinary chromium as an indicator of the exposure of welders to chromium. Scand J Work Environ Health 3:192-202.

*Torgrimsen T. 1982. Analysis of chromium. In: Langård S, ed. Biological and environmental aspects of chromium. New York, NY: Elsevier Biomedical Press, 65-99.

*Tossavainen A, Nurminen P, Mutanen P, et al. 1980. Application of mathematical modeling for assessing the biological half-times of chromium and nickel in field studies. Br J Ind Med 37:285-291.

*Trent LK and Thieding-Cancel D. 1995. Effects of chromium picolinate on body composition. J Sports Med Phys Fitness 35:273-280.

TRI96. 1998. Toxics Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.

*TRI97. 1999. Toxics Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.

*Triebig G, Zschiesche W, Schaller KH, et al. 1987. Studies on the nephrotoxicity of heavy metals in iron and steel industries. J Biochem Toxicol 1:29-39.

Tripathi RM, Raghunath R, Kumar AV, et al. 1998. Intake of chromium by the adult population of Mumbai City. Environ Monit Assess 53:379-389.

*Trivedi B, Saxena DK, Murthy RC, et al. 1989. Embryotoxicity and fetotoxicity of orally administered hexavalent chromium in mice. Reprod Toxicol 3:275-278.

Tsapakos MJ, Hampton TH, Jennette KW. 1981. The carcinogen chromate induces DNA cross-links in rat liver and kidney. J Biol Chem 256:3623-3626.

*Tsapakos MJ, Hampton TH, Sinclair PR, et al. 1983a. The carcinogen chromate causes DNA damage and inhibits drug-mediated induction of porphyrin accumulation and glucuronidation in chick embryo hepatocytes. Carcinogenesis 4(8): 959-966.

*Tsapakos MJ, Hampton TH, Wetterhahn KE. 1983b. Chromium(VI)-induced DNA lesions and chromium distribution in rat kidney, liver, and lung. Cancer Res 43: 5662-5667.

Tsou TC, Yang JL. 1996. Formation of reactive oxygen species and DNA strand breakage during interaction of chromium(III) and hydrogen peroxide *in vitro*: Evidence for a chromium(III)-mediated Fenton-like reaction. Chem Biol Interact 102:133-153.

*Tsou T-C, Chen C-L, Liu T-Y, et al. 1996. Induction of 8-hydroxydeoxyguanosine in DNA by chromium(III) plus hydrogen peroxide and its prevention by scavengers. Carcinogenesis 17(1):103-108.

Tsuchiya K. 1965. The relation of occupation to cancer, especially cancer of the lung. Cancer 18:136-144.

Tsuda H, Kato K. 1976. Potassium dichromate-induced chromosome aberrations and its control with sodium sulfite in hamster embryonic cells *in vitro*. Gann 67:469-470.

*Tsuda H, Kato K. 1977. Chromosomal aberrations and morphological transformation in hamster embryonic cells treated with potassium dichromate *in vitro*. Mutat Res 46:87-94.

Turel I, Leban I, Klintschar G, et al. 1997. Synthesis, crystal structure, and characterization of two metal-quinolone compounds. J Inorg Biochem 66(2):77-82.

Turk K, Rietschel RL. 1993. Effect of processing cement to concrete on hexavalent chromium levels. Contact Dermatitis 28:209-211.

Twardowska I. 1993. Pathways of chromium in the terrestrial and aquatic environment in the area of a long-lasting emission. Sci Total Environ, Supplement 1993:173-184.

*Ueno S, Sugiyama M, Nobuyuki S, et al. 1995a. Effect of dimethylthiourea on chromium(VI)-induced DNA single-strand breaks in Chinese hamster V-79 cells. Mutat Res 346:247-253.

*Ueno S, Susa N, Furukawa Y, et al. 1988. The relationship between the development of toxicity and lipid peroxidation induced by chromium compounds in rats. Kitasato Arch of Exp Med 61:137-147.

Ueno S, Susa N, Furukawa Y, et al. 1989. Cellular injury and lipid peroxidation induced by hexavalent chromium in isolated rat hepatocytes. Jpn J Vet Sci 51:137-145.

*Ueno S, Susa N, Furukawa Y, et al. 1995b. Formation of paramagnetic chromium in liver of mice treated with dichromate(VI). Toxicol Appl Pharmacol 135:165-171.

*Umeda M, Nishimura M. 1979. Inducibility of chromosomal aberrations by metal compounds in cultured mammalian cells. Mutat Res 67:221-229.

*Urasa IT, Nam SH. 1989. Direct determination of chromium(III) and chromium(VI) with ion chromatography using direct current plasma emission as element-selective detector. J Chromatogr Sci 27:30-37.

*USDI. 1988a. Mineral yearbook: Chromium. U.S. Department of the Interior, Bureau of Mines, Pittsburgh, PA.

*USDI. 1988b. Mineral commodity summaries. U.S. Department of the Interior, Bureau of Mines, Pittsburgh, PA, 36.

*USGS. 1984. United States Geological Survey. Element concentrations in soils and other surficial materials of the conterminous United States. USGS Professional Paper 1270. Washington, DC: U.S. Government Printing Office.

*USGS. 1989. Concentrations of nine trace metals in ground water at the Idaho National Engineering Laboratory, Idaho. U.S. Geological Survey. Idaho Falls, Idaho: U.S. Geological Service, U.S. Department of Energy. NTIS DE88015177.

*USGS. 1998. Chromium. U.S.G.S minerals information: 1998. Mineral Commodities Summaries. United States Geological Survey. <u>Http://minerals.usgs.gov/minerals/pubs/mcs/1998.</u>

Uyama T, Monden Y, Tsuyuguchi M, et al. 1989. Lung cancer in chromate workers: high-risk group for multiple lung cancer. J Surg Oncol 41:213-218.

Vallier HA, Rodgers PA, Stevenson DK. 1993. Inhibition of heme oxygenase after oral vs. intraperitoneal administration of chromium porphyrins. Life Sci 52:79-84.

Van Faassen A, Borm PJA. 1991. Composition and health hazards of water-based construction paints: Results from a survey in the Netherlands. Environ Health Perspect 92:147-154.

Van Heugten E, Spears JW. 1997. Immune response and growth of stressed weanling pigs fed diets supplemented with organic or inorganic forms of chromium. J Anim Sci 75:409-416.

Vasconcelos MTSD, Taveres HMF. 1998. Atmospheric metal pollution (Cr, Cu, Fe, Mn, Ni, Pb and Zn) in Oporto City derived from results for low-volume aerosol samplers and for the moss Sphagnum auriculatum bioindicator. Sci Total Environ 212:11-20.

Vashishat RK, Vasudeva M. 1987. Genotoxic potential of chromium salts in *Saccharomyces cerevisiae*. Ind J Microbiol 27:35-36.

Veillon C. 1989. Analytical chemistry of chromium. Sci Total Environ 86:65-68.

*Veillon C, Patterson KY, Bryden NA. 1982. Determination of chromium in human urine by electrothermal atom absorption spectrometry. Anal Chim Acta 136:344.

*Venier P, Montaldi A, Majone F, et al. 1982. Cytotoxic, mutagenic and clastogenic effects of industrial chromium compounds. Carcinogenesis 3(11):1331-1338.

*Venier P, Montini R, Zordan M, et al. 1989. Induction of SOS response in *Escherichia coli* strain PQ37 by 16 chemical compounds and human urine extracts. Mutagenesis 4(1):51-57.

*Venitt S, Levy LS. 1974. Mutagenicity of chromates in bacteria and its relevance to chromate carcinogenesis. Nature 250:493-495.

Verhage AH, Cheong WK, Jeejeebhoy KN. 1996. Neurological symptoms due to possible chromium deficiency in long-term parenteral nutrition that closely mimic metronidazole-induce syndromes. J Parenter Enter Nutr 20(2):123-127.

*Vernot EH, MacEwen JD, Haun CC, et al. 1977. Acute toxicity and skin corrosion data for some organic and inorganic compounds and aqueous solutions. Toxicol Appl Pharmacol 42:417-423.

*Verschoor MA, Bragt PC, Herber RFM et al. 1988. Renal function of chrome-plating workers and welders. Int Arch Occup Environ Health 60:67-70.

Versieck J. 1985. Trace elements in human body fluids and tissues. CRC Crit Rev Clin Lab Sci 22:97-184.

VIAR. 1989. Contract Laboratory Program Statistical Database. Viar and Company, Alexandria, VA. July 12, 1989.

*Vieira, I, Sonnier, M, Cresteil, T. 1996. Developmental expression of CYP2E1 in the human liver: hypermethylation control of gene expression during the neonatal period. Eur J Biochem 238:476-483.

Vijayram K, Geraldine P. 1996. Regulation of essential heavy metals (Cu, Cr, and Zn) by the freshwater prawn *Macrobachium malcolmsonii* (Milne Edwards). Bull Environ Contam Toxicol 56:335-342.

*Visek WJ, Whitney IB, Kuhn USC, et al. 1953. Metabolism of Cr⁵¹ by animals as influenced by chemical state. Proc Soc Exp Biol Med 84:610-615.

Vitale RJ, Mussoline GR, Rinehimer KA. 1997. Environmental monitoring of chromium in air, soil, and water. Regul Toxicol Pharmacol 26:S80-S85.

*VT Air Pollution Control Div. 1998. State of Vermont, Natural Resources Agency, Department of Environmental Conservatism, Air Pollution Control Division. Vt. Code Re Chapter 5, Subchapter III.

*WA Dept Ecology. 1998. Control for new sources of toxic air pollutants. Washington Department of Ecology, Air Quality Program. Chapter 173-460. <u>Http://www.wa.gov/ecology/air/airhome.html.</u>

Wacker WEC, Vallee BL. 1959. Nucleic acids and Metals I. Chromium, manganese, nickel, iron and other metals in ribonucleic acid from diverse biological sources. J Biol Chem 234:3257-3262.

*Wagley D, Schmiedel G, Mainka E, et al. 1989. Direct determination of some essential and toxic elements in milk and milk powder by graphite furnace atomic absorption spectrometry. Atmos Spectrosc 10(4):106-111.

*Wahba A, Cohen T. 1979. Chrome sensitivity in Israel. Contact Dermatitis 5: 101-107.

Wahlberg JE. 1965. Percutaneous toxicity of metal compounds: A comparative investigation in guinea pigs. Arch Environ Health 11:201-204.

*Wahlberg JE. 1970. Percutaneous absorption of trivalent and hexavalent chromium (⁵¹Cr) through excised human and guinea pig skin. Dermatologica 141:288-296.

*Wahlberg JE, Skog E. 1965. Percutaneous absorption of trivalent and hexavalent chromium. Arch Dermatol 92:315-318.

*Wang J, Ashley K, Kennedy ER, et al. 1997a. Determination of hexavalent chromium in industrial samples using ultrasonic extraction and flow injection analysis. Analyst 122(11): 1307-1312.

Wang JF, Bashir M, Engelsberg BN, et al. 1997b. High mobility group proteins 1 and 2 recognize chromium-damaged DNA. Carcinogenesis 18(2):371-375.

*Wang JY, Tsukayama DT, Wicklund BH, et al. 1996a. Inhibition of T and B cell proliferation by titanium, cobalt, and chromium: Role of IL-2 and IL-6. J Biomed Mater Res 32:655-661.

Wang JY, Wicklund BH, Gustilo RB, et al. 1996b. Titanium, chromium and cobalt ions modulate the release of bone-associated cytokines by human monocytes/macrophages *in vitro*. Biomaterials 17:2233-2240.

Wang XW, Davies JWL, Sirvent RLZ, et al. 1985. Chromic acid burns and acute chromium poisoning. Burns 11:181-184.

*Warren G, Schultz P, Bancroft D, et al. 1981. Mutagenicity of a series of hexacoordinate chromium(III) compounds. Mutat Res 90:111-118.

*Wasser WG, Feldman NS, D'Agati VD. 1997. Chronic renal failure after ingestion of over-the-counter chromium picolinate. Ann Intern Med 126(5):410.

*Watanabe K, Sakamoto K, Sasaki T. 1998a. Comparisons on chemically-induced mutation among four bacterial strains, Salmonella typhimurium TA102 and TA2638, and Escherichia coli WP2/pKM101 and WP2 uvrA/pKM101: Collaborative study II. Mutat Res 412:17-31.

Watanabe K, Sasaki T, Kawakami K. 1998b. Comparisons of chemically-induced mutation among four bacterial strains, salmonella typhimurium TA102 and TA2638, and Escherichia coli WP2/pKM101 and WP2 uvrA/pKM101: Collaborative study III and evaluation of the usefulness of these strains. Mutat Res 416:169-181.

Waters MD, Gardner DE, Arany C, et al. 1975. Metal toxicity for rabbit alveolar macrophages *in vitro*. Environ Res 9:32-47.

*Weast RC, ed. 1985. CRC handbook of chromium and physics. 66th ed. Boca Raton, FL: CRC Press, Inc., B-70, B-88-89, B-106, B-127, B-142, B-147, B-159, D-215.

*Weber H. 1983. Long-term study of the distribution of soluble chromate-51 in the rat after a single intratracheal administration. J Toxicol Environ Health 11:749-764.

Wedeen RP, Qian L. 1991. Chromium-induced kidney disease. Environ Health Perspect 92:71-74.

*Wedeen RP, Haque S, Udasin I, et al. 1996. Absence of tubular proteinuria following environmental exposure to chromium. Arch Environ Health 51(4):321-323.

Wendt PH, Van Dolah RF, Bobo MY, et al. 1996. Wood preservative leachates from docks in an estuarine environment. Arch Environ Contam Toxicol 31:24-37.

*Werfel U, Langen V, Eickhoff I, et al. 1998. Elevated DNA single-strand breakage frequencies in lymphocytes of welders exposed to chromium and nickel. Carcinogenesis 19(3):413-418.

*West JR, Smith HW, Chasis H. 1948. Glomerular filtration rate, effective renal blood flow, and maximal tubular excretory capacity in infancy. J Pediatrics 32a:10-18.

*Westbrook JH. 1979. Chromium and chromium alloys. In: Grayson M, ed. Kirk-Othmer encyclopedia of chemical technology, Vol. 6, 3rd ed. New York, NY: John Wiley and Sons, 54-82

Wetterhahn KE. 1991. Mechanism of chromium(VI)-induced genotoxicity [Abstract]. Chromium research workshop, March 26, 1991, Arlington, VA.

Wetterhahn KE, Hamilton JW. 1989. Molecular basis of hexavalent chromium carcinogenicity: Effect on gene expression. Sci Total Environ 86:113-129.

White MA, Sabbioni E. 1998. Trace element reference values in tissues from inhabitants of the European Union. X. A study of 13 elements in blood and urine of a United Kingdom population. Sci Total Environ 216:253-270.

*Whiting RF, Stich HF, Koropatnick DJ. 1979. DNA damage and DNA repair in cultured human cells exposed to chromate. Chem Biol Interact 26:267-280.

Whittemore AS. 1978. Quantitative theories of oncogenesis. Adv Cancer Res 27:55-87.

*WHO. 1970. World Health Organization. European standards for drinking water, 2nd ed. Geneva: WHO, 33.

*WHO. 1988. World Health Organization. Environmental health criteria 61: Chromium. Geneva: WHO, 197.

*WI Bureau of Air Mgmt. 1998. State of Wisconsin, Department of Natural Resources, Bureau of Air Management. Wis. Admin. Code Section 445.04.

*WI Dept Natural Resources. 1997. Control of hazardous pollutants. Wisconsin Department of Natural Resources. Chs. 400-499 NR 445. <u>http://www.dnr.state.wi.us/org/aw/air/index.htm</u>

*Widdowson EM, Dickerson JWT. 1964. Chemical composition of the body. In: Comar CL, Felix F, eds. Mineral metabolism: An advanced treatise Volume II, The elements part A. New York: Academic Press.

*Wiegand HJ, Ottenwalder H, Bolt HM. 1984. The reduction of chromium(VI) to chromium(III) by glutathione: An intracellular redox pathway in the metabolism of the carcinogen chromate. Toxicology 33:341-348.

*Wiegand HJ, Ottenwalder H, Bolt HM. 1987. Bioavailability and metabolism of hexavalent chromium compounds. Toxicol Environ Chem 14:263-275.
*Wiegand HJ, Ottenwalder H, Bolt HM. 1988. Recent advances in biological monitoring of hexavalent chromium compounds. Sci Total Environ 71:309-315.

*Wiersema JM, Wright L, Rogers B, et al. 1984. Human exposure to potentially toxic elements through ambient air in Texas. In: Proceedings of the 77th meeting of Air Pollution Control Association, Vol. Austin, TX, 2-15.

*Wild D. 1978. Cytogenetic effects in the mouse of 17 chemical mutagens and carcinogens evaluated by the micronucleus test. Mutat Res 56:319-327.

Williams MW, Hoeschele JD, Turner JE, et al. 1982. Chemical softness and acute metal toxicity in mice and *Drosophila*. Toxicol Appl Pharmacol 63:461-469.

Wilson J, Istvan D, Laich E, et al. 1989. Analysis of air toxics emissions, exposures, cancer risks and controllability in five urban areas volume I - Base year analysis and results. Report to Noncriteria Pollutant Programs Branch, Air Quality Management Division, Office of Air Quality Planning and Standards, Office of Air and Radiation, U.S. Environmental Protection Agency, Research Triangle Park, NC by E. H. Pechan and Associates, Inc., Springfield, VA. EPA-450/2-89-012a.

*Windholz, M, ed. 1983. The Merck index. 10th ed. Rahway, NJ: Merck and Co., Inc., 316-317.

*Winston JR, Walsh EN. 1951. Chromate dermatitis in railroad employees working with diesel locomotives. J Am Med Assoc 147:1133-1134.

*Wise JP, Orenstein JM, Patierno SR. 1993. Inhibition of lead chromate clastogenesis by ascorbate: Relationship to particle dissolution and uptake. Carcinogenesis 14(3): 429-434.

Wise JP, Stearns DM, Wetterhaun KE, et al. 1994. Cell-enhanced dissolution of carcinogenic lead chromate particles: The role of individual dissolution products in clastogenesis. Carcinogenesis 15(10):2249-2254.

Witmer C, Cooper K, Kelly J. 1982. Effects of plating efficiency and lowered concentration of salts on mutagenicity assays with Ames; *Salmonella* strains. Adv Exp Med Biol 136B:1271-1284.

*Witmer C, Faria E, Park H-S, et al. 1994. *In vivo* effects of chromium. Environ Health Perspect 102(3):169-176.

*Witmer CM, Harris R, Shupack SI, 1991. Oral bioavailability of chromium from a specific site. Environ Health Persp 92:105-110.

*Witmer CM, Park H-S, Shupack SI. 1989. Mutagenicity and disposition of chromium. Sci Total Environ 86:131-148.

Wolf T, Bolt HM, Ottenwalder H. 1989. Nick translation studies on DNA strand breaks in pBR322 plasmid induced by different chromium species. Toxicol Lett 47:295-301.

Wolf T, Kasemann R, Ottenwalder H. 1989. Differing effects of chromium(III) and chromium(VI) on nucleotides and DNA. Arch Toxicol Suppl 13:48-51.

Wolf T, Wiegand HJ, Ottenwalder H. 1989. Different molecular effects on nucleotides by interaction with Cr(III) and Cr(VI): A ³¹P-NMR study *in vitro*. Toxicol Environ Chem 23:108.

Wong PK. 1988. Mutagenicity of heavy metals. Bull Environ Contam Toxicol 40:597-603.

Woolliscroft J, Barbosa J. 1977. Analysis of chromium induced carbohydrate intolerance in the rat. J Nutr 107(9):1702-1706.

*Wroñska-Nofer T, Wisniewska-Knypl J, Wyszyñska K. 1999. Prooxidative and genotoxic effect of transition metals (cadmium, nickel, chromium, and vanadium) in mice. Trace Elem Electrolytes 15(2):87-92.

*Xu J, Bubley GJ, Detrick B, et al. 1996. Chromium(VI) treatment of normal human lung cells results in guanine-specific DNA polymerase arrest, DNA-DNA cross-links and S-phase blockade of cell cycle. Carcinogenesis 17(7):1511-1517.

*Yamaguchi S, Sano K, Shimojo N. 1983. On the biological half-time of hexavalent chromium in rats. Ind Health 21:25-34.

Yamamoto A, Honma R, Sumita M. 1998. Cytotoxicity evaluation of 43 metal salts using murine fibroblasts and osteoblastic cells. J Biomed Mater Res 39:331-340.

*Yang J-L, Hsieh Y-C, Wu C-W, et al. 1992. Mutational specificity of chromium(VI) compounds in the hprt locus of Chinese hamster ovary-K1 cells. Carcinogenesis 13(11):2053-2057.

*Ye J, Zhang X, Young HA, et al. 1995. Chromium(VI)-induced nuclear factor-κB activation in intact cells via free radical reactions. Carcinogenesis 16(10):2401-2405.

*Yeardley RB, Lazorchak JM, Paulsen SG. 1998. Elemental fish tissue contamination in Northeastern U.S. lakes: Evaluation of an approach to regional assessment. Environ Toxicol Chem 17(9):1875-1884.

Yu W, Sipowicz MA, Diwan BA, et al. 1998. Preconception exposure of male mice to urethane or chromium: Increased tumors in multiple organs of offspring. Proc Am Assoc Cancer Res 39:21.

Zachariae COC, Agner T, Menne T. 1996. Chromium allergy in consecutive patients in a country where ferrous sulfate has been added to cement since 1981. Contact Dermatitis 35:83-85.

*Zahid ZR, Al-Hakkak ZS, Kadhim AHH, et al. 1990. Comparative effects of trivalent and hexavalent chromium on spermatogenesis of the mouse. Toxicol Environ Chem 25:131-136.

Zak LJ, Cosgrove JR, Aherne FX, et al. 1997. Pattern of feed intake and associated metabolic and endocrine change differentially affect postweaning fertility in primiparous lactating sows. J Anim Sci 75:208-216.

*Zatka VJ. 1985. Speciation of hexavalent chromium in welding fumes interference by air oxidation of chromium. Am Ind Hyg Assoc J 46(6):327-331.

*Zhang J, Li S. 1997. Cancer mortality in a Chinese population exposed to hexavalent chromium in water. J Occ Env Med 39(4):315-319.

*Zhang J, Li X. 1987. Chromium pollution of soil and water in Jinzhou. Journal of Chinese Prev Med 21: 262-264.

Zhitkovich A, Voitkun V, Costa M. 1995. Gluathione and free amino acids from stable complexes with DNA following exposure of intact mammalian cells to chromate. Carcinogenesis 16(4):907-913.

*Zhitkovich A, Voitkun V, Costa M. 1996. Formation of the amino acid-DNA complexes by hexavalent and trivalent chromium *in vitro*: importance of trivalent chromium and the phosphate group. Biochemistry 35:7275-7282.

*Ziegler EE, Edwards BB, Jensen RL, et al. 1978. Absorption and retention of lead by infants. Pediatr Res 12:29-34.

*Zimmering S, Mason JM, Valencia R, et al. 1985. Chemical mutagenesis testing in *Drosophila*. II. Results of 20 coded compounds tested for the National Toxicology Program. Environ Mutagen 7:87-100.