

Table 2. Tuberculosis Cases and Case Rates per 100,000 Population by Age Group: United States, 1992-2002

Year	Total Cases	0 -14			15 - 24			25 - 44			45 - 64			65+			Not Stated	
		No.	%	Rate	No.	%	Rate	No.	%	Rate	No.	%	Rate	No.	%	Rate	No.	%
1992	26,673	1,707	6	3.1	1,974	7	5.5	10,444	39	12.7	6,487	24	13.4	6,025	23	18.7	36	0
1993	25,287	1,718	7	3.0	1,841	7	5.1	9,615	38	11.6	6,225	25	12.5	5,847	23	17.8	41	0
1994	24,361	1,695	7	3.0	1,825	7	5.1	9,106	37	11.0	6,141	25	12.1	5,546	23	16.7	48	0
1995	22,860	1,558	7	2.7	1,703	7	4.7	8,241	36	9.9	5,998	26	11.5	5,351	23	16.0	9	0
1996	21,337	1,372	6	2.4	1,656	8	4.6	7,604	36	9.1	5,588	26	10.4	5,103	24	15.1	14	0
1997	19,851	1,265	6	2.2	1,681	8	4.6	6,912	35	8.3	5,297	27	9.6	4,691	24	13.8	5	0
1998	18,361	1,082	6	1.9	1,548	8	4.2	6,365	35	7.6	4,973	27	8.7	4,393	24	12.8	0	0
1999	17,531	1,044	6	1.8	1,516	9	4.0	6,078	35	7.3	4,862	28	8.2	4,028	23	11.7	3	0
2000	16,377	969	6	1.6	1,623	10	4.1	5,588	34	6.6	4,661	28	7.5	3,534	22	10.1	2	0
2001	15,989	931	6	1.5	1,595	10	3.9	5,630	35	6.6	4,534	28	6.9	3,295	21	9.2	4	0
2002	15,075	946	6	1.5	1,499	10	3.7	5,286	35	6.2	4,191	28	6.3	3,147	21	8.8	6	0

Note: Denominators for computing case rates were obtained as follows: 2000, April 2000 U.S. Census population figures; 2001 and 2002, midyear U.S. Census population estimates by age, race, sex, and Hispanic origin

(eire.census.gov/popest/data/national/asro.php). Previously published rates for 2001 have been updated.

See Technical Notes (Appendix A).

See Surveillance Slides #5 and #6.

Table 3. Tuberculosis Cases and Case Rates per 100,000 Population by Race/Ethnicity: United States, 1992-2002

Year	Total Cases	White, non-Hispanic			Black, non-Hispanic			Hispanic ¹			American Indian/ Alaska Native			Asian/ Pacific Islander			Unknown or Missing	
		No.	%	Rate	No.	%	Rate	No.	%	Rate	No.	%	Rate	No.	%	Rate	No.	%
1992	26,673	7,618	29	4.0	9,623	36	31.7	5,437	20	22.4	299	1	16.2	3,649	14	46.3	47	0
1993	25,287	6,922	27	3.6	8,951	35	29.1	5,194	21	20.6	274	1	14.6	3,680	15	44.5	266	1
1994	24,361	6,494	27	3.4	8,345	34	26.8	5,074	21	19.5	332	1	17.4	3,821	16	45.3	295	1
1995	22,860	5,989	26	3.1	7,555	33	23.9	4,847	21	18.0	319	1	16.5	3,997	17	45.9	153	1
1996	21,337	5,506	26	2.8	7,106	33	22.3	4,533	21	16.0	284	1	14.5	3,814	18	41.6	94	0
1997	19,851	4,872	25	2.5	6,610	33	20.5	4,228	21	14.4	264	1	13.4	3,833	19	40.6	44	0
1998	18,361	4,495	24	2.3	5,831	32	17.8	4,099	22	13.6	253	1	12.6	3,623	20	36.6	60	0
1999	17,531	4,224	24	2.2	5,552	32	16.8	3,875	22	12.4	240	1	11.8	3,591	20	35.3	49	0
2000	16,377	3,674	22	1.9	5,161	32	15.2	3,805	23	10.8	236	1	11.4	3,451	21	32.9	50	0
2001	15,989	3,357	21	1.7	4,796	30	13.8	4,001	25	10.8	233	1	8.5	3,552	22	30.9	50	0
2002	15,075	3,041	20	1.5	4,439	29	12.6	3,976	26	10.4	187	1	6.8	3,345	22	27.8	87	1

¹Persons of Hispanic origin may be of any race.

Note: Denominators for computing case rates were obtained as follows: 2000, April 2000 U.S. Census population figures; 2001 and 2002, midyear U.S. Census population estimates by age, race, sex, and Hispanic origin

(eire.census.gov/popest/data/national/asro.php). Previously published rates for 2001 have been updated.

See Technical Notes (Appendix A).

See Surveillance Slides #8 and #9.