

INDEX

- Abortion
effect of maternal smoking, 5,84,85
frequency, and cigarette consumption, 85
- Acetaldehyde
as suspected contributor to health hazards of smoking, 145
- Acetone
as suspected contributor to health hazards of smoking, 145
- Acetonitrile
as suspected contributor to health hazards of smoking, 145
- Acrolein
as irritant in tobacco smoke, 101
as probable contributor to health hazards of smoking, 144
- Acrylonitrile
as suspected contributor to health hazards of smoking, 145
- Adolescents
see Students, high school
- Air pollution,
carbon monoxide from cigarette smoke, 7,121-123,125
effect on nonsmokers, 121-125
tobacco smoke as a factor, 7,121-124
- Air quality
standards for carbon monoxide, 128
- Alcohol consumption
effect on mortality rates from esophageal neoplasms in Japanese males, 71
smoking and, in esophageal neoplasm etiology, 4,68,70,71
- Allergy
effect on cardiovascular abnormalities, 111
tobacco and, 7,103-111
tobacco smoke irritants and, 110
- Alpha₁-antitrypsin deficiency
in emphysema etiology, 44
smoking and, 44
- Altitude,
effect on arterial oxygen tension, 22
- Amblyopia, tobacco cyanides and, 6
diet and, 6
smoking and, 6
- Ammonia
as suspected contributor to health hazards of smoking, 145
- Angina pectoris
smoking and, in twin studies, 18
- Antigen-antibody reaction
allergy and, 103-107
smokers vs. nonsmokers, 7,105,111
tobacco and, 7,104-107
- Aortic aneurysm, nonsyphilitic
mortality rates, smokers vs. nonsmokers, 2
- Aromatic hydrocarbons, polycyclic
effect on tobacco carcinogenicity, 66
- Arterial diseases
carboxyhemoglobin levels and, 26
smokers vs. nonsmokers, 26
smoking and, 25,26
- Arteriosclerosis
autopsy studies and, 19,20
cigar smoking and, 19
experimentally induced in dogs, 19,20
pipe smoking and, 19
smokers vs. nonsmokers, 19,22,23,27
smoking classification and, 19
- Asbestos
pulmonary fibrosis and, 44
- Asthma
smoking and, 37
- Atherosclerosis
see Arteriosclerosis
- Autopsy studies
arteriosclerosis and, 19,20
coronary heart disease and, 19,20
- Benz(a)anthracene
carcinogenicity, as component of cigarette smoke, 66
- Benzene
as suspected contributor to health hazards of smoking, 145
- Benzo(a)pyrene
as air pollutant from cigarette smoke, 123
carcinogenic effects during pregnancy in rats, 89
cocarcinogenic effect on respiratory tract in rabbits, 67
hydroxylation by the placenta, 89
in smoke streams, 123
- Betel nut chewing
in Bombay, India, 69

- in head and neck neoplasm etiology, 69
- smoking and, 69
- Birth weight
 - effect of maternal smoking, 5,83-87
- Bladder neoplasms
 - relative risk in females by amount smoked, 73
 - relative risk in males by amount smoked, 72,73
 - smoking and, 68,72-74
 - smoking characteristics in etiology of, 5
- Body height
 - effect of maternal smoking, 88
- Bronchial abnormalities
 - in smokers vs. nonsmokers, 45
- Bronchial histological changes
 - smoking and, 45
- Bronchitis
 - incidence in British males by cigarette consumption, 62
 - occupational diseases and, 42
 - prevalence in smokers in Glenwood Springs, Colorado, 39
 - prevalence in smokers vs. nonsmokers in Yugoslavia, 40
 - smoking in etiology of, 37
- Bronchopulmonary disease, chronic obstructive
 - alpha₁-antitrypsin deficiency and, 3,44
 - epidemiology in Tecumseh, Michigan, 39,40
 - morbidity, smokers vs. nonsmokers in Berlin, New Hampshire, 39
 - mortality, smokers vs. nonsmokers, 38,39
 - mortality rates for ex-smokers, and smokers vs. nonsmokers, 3
 - mortality rates for pipe/cigar smokers vs. cigarette smokers, 3
 - occupational hazards and, 42-44
 - smoking in etiology of, 3,37
- 2,3-Butadione
 - as suspected contributor to health hazards of smoking, 145
- Butylamine
 - as suspected contributor to health hazards of smoking, 145
- Cancer
 - see Neoplasms and specific listings, e.g., Lung neoplasms
- Carbon dioxide
 - as suspected contributor to health hazards of smoking, 145
- Carbon monoxide
 - as air pollutant from cigarette smoke, 7,121-123,125
 - effect on blood carboxyhemoglobin levels, 21-23,127
 - effect on cardiovascular system, 22
 - effect on nonsmokers, 126
 - effect on psychomotor performance, 126
 - effect on vision, 126
 - as most likely contributor to health hazards of smoking, 8,143
 - psychological and physiological effects, 125-128
- Carboxyhemoglobin levels
 - blood cholesterol and, 23
 - during and following exposure to carbon monoxide, 124,125
 - in nonsmokers exposed to cigarette smoke, 125
 - occlusive peripheral vascular disease and, 26
 - smokers vs. nonsmokers, 21-23
- Carcinogenesis
 - experimental, 65-67
 - initiating agents in cigarette smoke, 66
- Carcinogens
 - effect on oral mucosa in laboratory animals, 70
- Cerebrovascular disease
 - mortality rates, smokers vs. nonsmokers, 2
 - smoking and, 24,25
- Cessation of smoking
 - effect on COPD morbidity and mortality, 41,42
 - effect on respiratory symptoms, 41,42
 - lung neoplasm development and, 62
 - myocardial infarct and, 17,18
 - as preventive measure in CHD, 17,18
 - as therapy in arterial diseases, 26
- CHD
 - see Coronary heart disease
- Children
 - effect of parental smoking, 129
 - passive smoking and, 129
 - respiratory illness and, 129
- Cholesterol
 - in tobacco, 24
 - in tobacco smoke, 24
- Chronic bronchitis
 - see Bronchitis
- Chronic bronchopulmonary disease
 - see Bronchopulmonary disease, chronic obstructive

Chrysene
 carcinogenicity, as component of cigarette smoke, 66

Cigarette consumption
 effect on mortality from lung cancer in Poland, 61,62

Cigarettes
 tar and nicotine content, 142,143

Cigarette smoking
see Smoking

Cigar smokers
 carboxyhemoglobin levels in, 21-23
 myocardial arteriole wall thickness in, 19
 relative risk in esophageal neoplasm development, 68
 relative risk in laryngeal neoplasm development, 67

Coal miners
 pneumoconiosis and, 42-44

Congenital malformations
 maternal smoking and, 87

COPD
see Bronchopulmonary disease, chronic obstructive

Coronary heart disease
 autopsy studies, 19,20
 carboxyhemoglobin levels and, 27
 cross-sectional study in Bergen, Norway, 16
 epidemiological studies, 14-16
 heredity as a factor, 18
 incidence among Minnesota men by age and smoking habit, 14-16
 interaction of smoking and other risk factors, 16-18
 mortality rates and per capita cigarette consumption in several countries, 16
 mortality rates in longshoremen, 14
 retrospective studies in Goteborg, Sweden, 16
 retrospective studies in Prague, Czechoslovakia, 16
 smoking in etiology of, 1,2,13,14
 twin studies, 18

Cor Pulmonale
see Pulmonary heart disease

Cough
 smokers vs. nonsmokers, 40

Cresol
 as probable contributor to health hazards of smoking, 144

Crotononitrile
 as suspected contributor to health hazards of smoking, 145

Cyanides
 tobacco amblyopia and, 6

DDT
 as suspected contributor to health hazards of smoking, 65,145

Dermatitis
 among tobacco workers, 111

Dibenz(a,c)anthracene
 carcinogenicity, as component of cigarette smoke, 66

7H-Dibenz(c,g)carbazole
 carcinogenicity, as component of cigarette smoke, 66,67
 carcinogenic effect on respiratory tract in hamsters, 66,67

Diet
 tobacco amblyopia and, 6

Dimethylamine
 as suspected contributor to health hazards of smoking, 145

7,12-Dimethylbenz(a)anthracene
 effect on oral mucosa in hamsters, 70

Edentulism
 smoking and, 6

Emphysema
 alpha₁-antitrypsin deficiency and, 44
 experimentally induced in smoking dogs, 46
 smoking in etiology of, 37

Endrin
 as suspected contributor to health hazards of smoking, 145

Epidemiological studies
 bronchopulmonary diseases and smoking, 38-41
 coronary disease and smoking, 14-16
 esophageal neoplasms and smoking, 70,71
 laryngeal neoplasms and smoking, 68
 lung neoplasms and smoking, 60-65
 maternal smoking and outcome of pregnancy, 83-87
 oral neoplasms and smoking, 68-70
 pancreatic neoplasms and smoking, 74
 urinary bladder neoplasms and smoking, 72-74

Esophageal neoplasms
 alcohol consumption and smoking in etiology of, 4,5,71
 mortality rates in Japanese males by smoking and drinking characteristics, 71

- smoking in etiology of, 4,70,71
- Esophagus
 - effect of smoking, 98
- Ethylamine
 - as suspected contributor to health hazards of smoking, 145
- Experimental studies
 - nicotine and cigarette smoke, 21
- Ex-smokers
 - mortality rates from lung cancer, 5
- Fetus
 - effect of maternal smoking, 5,83-89
- Filtration
 - smoke, effect on broncho-constrictor response in smokers, 45
- Formaldehyde
 - as suspected contributor to health hazards of smoking, 145
- Furfural
 - as suspected contributor to health hazards of smoking, 145
- Gas phase, cigarette smoke
 - effect on mucous flow rates in cats, 47
 - harmful constituents in, 143
- Gastric secretions
 - effect of nicotine, 97
- Gastrointestinal disorders
 - smoking and, 5,6,97,98
- Genetic factors
 - in alpha₁-antitrypsin deficiency, 44
 - smoking and, 44
- Gingivitis
 - smoking and, 6
- Heart disease
 - see* Coronary heart disease
- Heredity
 - alpha₁-antitrypsin deficiency and, 44
 - coronary heart disease and, 18
 - smoking and, 18
- Hydrocyanic acid
 - as probable contributor to health hazards of smoking, 144
- Hydrogen sulphide
 - as suspected contributor to health hazards of smoking, 145
- Hydroquinone
 - as suspected contributor to health hazards of smoking, 145
- Hypercholesterolemia
 - as a risk factor for coronary heart disease, 16,17
- Hypertension
 - as a risk factor for coronary heart disease, 16,17
- Hypoxemia
 - smoking and, 22
- Hypoxia
 - effect of nicotine, 21
 - experimentally induced in rats, 21
- Infant mortality
 - effect of maternal smoking, 83-87
 - low birth weight and, 86
- Influenza
 - incidence from antibody deficit in smokers, 109
- Intermittent claudication
 - smokers vs. nonsmokers, 22,26
- Intra-oral smoking
 - see* Reverse smoking
- Ischemic heart disease
 - morbidity ratio from, in New Delhi, India, 16
- Laryngeal neoplasms
 - epidemiological studies, 68
 - relative risk among cigarette, pipe and cigar smokers, 67
 - smoking in etiology of, 4,67,68
- Leukoplakia
 - oral neoplasm development in smokers and, 68,69
 - smoking in etiology of, 68,69
- Lip neoplasms
 - pipe smoking as cause of, 4
- Lung cancer
 - see* Lung neoplasms
- Lung function
 - effect of smoking, 37,38
 - in smokers vs. nonsmokers, 40
- Lung neoplasms
 - epidemiological studies, 60-65
 - etiology and epidemiology, 59,60
 - incidence in British males by amount smoked, 62
 - incidence in Czechoslovakian males by amount smoked, 61
 - incidence in Jewish vs. non-Jewish women, 63,64
 - incidence in uranium miners, 64,65
 - mortality ratios in Japanese males by amount smoked, 61
 - mortality ratios in Japanese women, 63
 - prospective study in Japanese adults, 4,60,61

- prospective study in Czechoslovakian males, 61
 - relationship to chronic bronchitis and smoking, 62
 - relative risk in ex-smokers by length of cessation and previous duration of habit, 62-64
 - smoking as cause, 4,5,59,60
- Macrophages, alveolar**
- effect of tobacco smoke, 47,48
 - in sputum specimens of smokers vs. non-smokers, 48
- Maternal-fetal exchange**
- effect of nicotine, 88
- Maternal smoking**
- see* Smoking, maternal
- Methacrolein**
- as suspected contributor to health hazards of smoking, 145
- Methyl alcohol**
- as suspected contributor to health hazards of smoking, 145
- 6-Methylanthranthrene**
- carcinogenicity, as component of cigarette smoke, 66
- Morbidity**
- from chronic bronchopulmonary disease, 39-41
- Mortality**
- from chronic bronchopulmonary disease, 38,39
- Mortality rates**
- esophageal neoplasms in Japanese males by smoking and drinking characteristics, 71
 - lung neoplasms in Japanese women, 63
 - pancreatic neoplasms in United States, 74
- Mortality ratios**
- lung neoplasms in Japanese males by amount smoked, 61
- Mouth neoplasms**
- see* Oral neoplasms
- Myocardial arteriole walls**
- effect of filtered cigarettes in dogs, 20
 - thickness in smokers vs. nonsmokers, 2,19
 - thickness in smoking and nonsmoking dogs, 2,20
- Myocardial infarct**
- epidemiological study in Goteborg, Sweden, 14,15
 - incidence among Minnesota men by age and smoking habit, 14,15
 - incidence in men in Goteborg, Sweden, by tobacco consumption, 15
 - incidence rates by smoking classification, 15
 - smokers vs. nonsmokers in Goteborg, Sweden, 16
- Neonatal death**
- maternal smoking and, 83-87
- Neoplasms**
- see also* Specific types of neoplasms, e.g. lung neoplasms
 - smoking and, 4,5,59-75
- Nickel compounds**
- as suspected contributors to health hazards of smoking, 145
- Nicotine**
- antigenic properties, 104
 - effect on apexcardiogram, 21
 - effect on birth weight in rats, 88
 - effect on bronchoconstrictor response in laboratory animals, 46
 - effect on fetus in laboratory animals, 88
 - effect on gastric secretions, 97
 - effect on gastrointestinal secretions in dogs, 6
 - effect on immune response in man, 109
 - effect on lipid metabolism in rabbits, 21
 - effect on peripheral circulatory system, 25,26
 - effects during pregnancy in laboratory animals, 88
 - experimental studies, 21
 - hypoxia and, 21
 - as most likely contributor to health hazards of smoking, 8,143
- Nitric oxide**
- as probable contributor to health hazards of smoking, 144
- Nitrogen dioxide**
- effect on pulmonary tissue in rats, 46,47
 - in emphysema etiology, 46
 - as probable contributor to health hazards of smoking, 144
- Nitrogen oxides**
- as air pollutants in cigarette smoke, 124,125
- Non-nicotine cigarettes**
- effect on apexcardiogram, 21
- Nonsmokers**
- allergic and irritative reactions to cigarette smoke, 128,129

- allergic symptoms in, from tobacco smoke exposure, 110,111
- carboxyhemoglobin levels in, 125
- passive smoking and, 121-125
- Obesity**
 - as a risk factor for coronary heart disease, 16
- Occupational diseases**
 - bronchitis, 42
 - chronic obstructive pulmonary disease, 3,42-44
 - pneumoconiosis, 42-44
 - pulmonary fibrosis, 44
 - smoking and, 3,42-44
- Occupational hazards**
 - smoking and, 3,4,42-44
- Oral contraceptives**
 - smoking and, 26
 - thrombophlebitis and, 26
- Oral diseases, non-neoplastic**
 - smoking and, 6
- Oral hygiene**
 - smoking and, 6
- Oral mucosa**
 - effect of carcinogens in laboratory animals, 70
 - effect of cigarette smoke, 6,69
 - effect of reverse smoking, 69
 - effect of tobacco/bidi smoking and chewing, 69
- Oral neoplasms**
 - pipe smoking as cause, 67
 - relative risk in tobacco smokers and chewers, 70
 - smoking in etiology of, 4,67-70
- Oxygen tension**
 - smokers vs. nonsmokers, 22
- Pancreatic neoplasms**
 - mortality rates in United States, 74
 - mortality ratios in Japanese male and female smokers, 74
 - smoking and, 5,68,74
- Particulate phase, cigarette smoke**
 - carcinogenic accelerators in, 5,65
 - effect on pulmonary and cardiac structure and function, 7,8
 - harmful constituents in, 143
- Passive smoking**
 - effect on children, 129
 - effect on respiratory tract in laboratory animals, 129,130
 - in neoplasm induction in laboratory animals, 130
- Perinatal studies**
 - maternal smoking and, 83-88
- Periodontal diseases**
 - smoking and, 6
- Peripheral vascular diseases**
 - carboxyhemoglobin levels and, 26
 - smoking and, 2,25,26
- Phagocytosis**
 - effect of cigarette smoke in rabbits, 109
 - effect of tobacco smoke, 47-48
- Phenol**
 - as probable contributor to health hazards of smoking, 144
- Physical inactivity**
 - as risk factor in coronary heart disease, 16,17
- Pipe smokers**
 - carboxyhemoglobin levels in, 21
 - myocardial arteriole wall thickness in, 19
 - oral neoplasms and, 67
 - relative risk in esophageal neoplasm development 68
 - relative risk in laryngeal neoplasm development, 67
- Pneumoconiosis**
 - prevalence in coal miners, 42-44
 - smokers vs. nonsmokers, 42-44
- Post-operative pulmonary complications**
 - smokers vs. nonsmokers, 38
- Preeclampsia**
 - smoking and, 84
- Pregnancy**
 - effect of maternal smoking, 5,83-87
- Prematurity**
 - effect of maternal smoking, 5,83-87
- Pulmonary clearance**
 - effect of smoking, 3,47
- Pulmonary fibrosis**
 - in asbestos textile workers, 44
 - smoking and, 44
- Pulmonary heart disease**
 - COPD and, 24
 - smoking as cause, 24,27
- Pulmonary macrophages**
 - effect of smoking, 3,4,47-48
 - morphologic differences in smokers vs. nonsmokers, 4,47-48
- Pyridine**
 - as suspected contributor to health hazards of smoking, 145
- Radiation exposure**
 - smoking and, in uranium miners, 64,65

Respiratory disorders, acute noninfluenzal
 in smokers vs. nonsmokers, 48
Respiratory function tests
 effect of smoking, 45
Respiratory infections
 smoking and, 3,38
Respiratory symptoms
 pipe/cigar smokers and cigarette smokers vs. nonsmokers, 3,40
Reverse smoking
 effect on oral mucosa, 6,69,70
 nicotinic stomatitis and, 6,69,70
Risk factors
 in coronary heart disease, 16-18

Skin
 effect of tobacco extracts, 105-107
 tobacco antigens and, 7,104,105
Skin testing
 for reactions to tobacco, 105-107
Smoke, cigarette
 carcinogenicity, 65,66
 cocarcinogenic effect on respiratory tract in rabbits, 67
 effect on apexcardiogram, 21
 effect on breathing in guinea pigs, 46
 effect on lung surface tension in dogs, 48
 effect on nasociliary mucosa in donkeys, 47
 effect on phagocytosis in rabbits, 109
 experimental studies in laboratory animals, 21
 harmful constituents of, 8,141-146
Smoke, tobacco
 as air pollutant, 7,121,122
 allergic and irritative components, effect on nonsmokers, 7,128,129
 antigenic properties, 104
 effect on macrophages, 47
 irritants in, 109,110
Smokers vs. nonsmokers
 arteriosclerosis and, 19
 carboxyhemoglobin levels, 21-23
 cerebrovascular diseases and, 25
 oral diseases and, 6
 respiratory symptoms, 40
 thickness of myocardial arteriole walls, 19
Smoke streams
 benzo(a)pyrene content, 123
 effect on nonsmokers, 122,123
 tar and nicotine content, 123

Smoking
 bladder neoplasms and, 68,72-74
 effect on cardiovascular system, 6,13,14
 effect on esophageal sphincter, 97,98
 effect on gastrointestinal secretions in dogs, 6
 effect on leukocytes in guinea pigs, 46
 effect on lungs in dogs, 46
 effect on mortality rates from esophageal neoplasm in Japanese males, 71
 effect on neoplasm recurrence at site of primary, 69
 effect on oxygen tension in arterial blood, 45
 effect on pentagastrin-stimulated gastric secretion, 97
 effect on peripheral circulatory system, 25,26
 effect on pulmonary clearance, 47
 heartburn and, 97,98
 peptic ulcers and, 6,97,98
 tobacco amblyopia and, 6
Smoking, bidi
 in neoplasm etiology in Bombay, India, 69
Smoking, maternal
 carcinogenic effects on fetus, 88
 effect on abortions, 5,84,85
 effect on birth weight, 5,83-87
 effect on body height of children, 88
 effect on fetal growth rate, 5,83-87
 effect on neonatal mortality rates, 84-87
 effect on neoplasm development in offspring, 87,88
 effect on placental metabolizing activity, 89
 effects during pregnancy, 5,83-87
 teratogenic effects, 87
 unwanted pregnancy and, 84
Smoking, parental
 effect on children, 129
Snuff
 effect on oral mucosa in hamsters, 70
Squamous cell carcinoma
 smoking in etiology of, 69
Stomatitis nicotina
 reverse smoking and, 6,69,70
Stroke
 smoking and, 24,25
Students, high school
 effect of smoking, 40,41
 pulmonary function of smokers vs. nonsmokers, 3

respiratory symptoms in, 40,41

Surfactants
effect of tobacco smoke, 48

Tar content
as harmful component of cigarette
smoke, 142,143

Tars, tobacco
carcinogenicity, 65,66
definition, 143

Thromboangiitis obliterans
tobacco allergy and, 111

Thrombophlebitis
oral contraceptives and, 26
smoking and, 26

Thrombosis
effect of smoking, 23

Tobacco
cholesterol content, 24
effect on immune responses, 6,107-109
pharmacologic, irritative, and allergic ef-
fects, 7,109-111

Tobacco antigens
in smokers vs. nonsmokers, 107

Tobacco chewing
oral neoplasms and, 69

Tobacco extracts
antigenic properties, 104,105
effect on skin, 105-107

irritants in, 104,105
thromboangiitis obliterans and, 111

Tobacco leaf
antigenic properties, 104,105

Tobacco pollen
antigenic properties, 104

Tuberculosis
smoking and, 41

Twins
smoking and coronary heart disease in,
18

Ulcer, duodenal
smoking and, 6,97,98

Ulcer, peptic
increased prevalence in male smokers,
97
smoking and, 5,6,97,98
smoking as cause in dogs, 97,98

Urinary bladder neoplasms
see Bladder neoplasms

Vascular disease, peripheral
carboxyhemoglobin levels and, 26
nicotine and, 25
smokers vs. nonsmokers, 26
smoking as a risk factor, 2,25,26

Vision
effect of carbon monoxide, 126