

TABLE 6  
CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES  
REPORTED TO CDC AND USDA BY SEROTYPE AND SOURCE, 1995

SEROTYPE	NONHUMAN SOURCE										TOTAL
	CHICKEN INCLUDING EGGS	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMAL / ENVIRONMENT	FEED AND FEED SUPPLY	OTHER BIRD/WILD ANIMAL	REPTILE / ENVIRONMENT	ALL OTHER	
ABAETETUBA									4	2	6
ABERDEEN									1	1	2
ABONY								1	2		3
ADELAIDE	35	1				1	3		1	1	42
ADERIKE									1		1
AGONA	91	131	193	31	3	5	45			58	557
ALACHUA	23			5						4	32
ALBANY	24	1		2		4	2		1	2	36
AMAGER	1	4		1			1				7
AMSTERDAM	1	4	2	1			5		1	1	15
ANATUM	27	72	70	106	2	3	9	2		82	373
AQUA									2		2
ARECHAVALETA				2	1						3
ARKANSAS	6	8	1	1			10			1	27
ASKRAAL			1								1
ATENTO										1	1
BAILDON										1	1
BALBOA										1	1
BANANA			4	2		3	2			2	13
BARDO	1	4	1	3		2	1		3	4	19
BAREILLY	4			1						5	10

(Continued)

TABLE 6  
 CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES  
 REPORTED TO CDC AND USDA BY SEROTYPE AND SOURCE, 1995

SEROTYPE	NONHUMAN SOURCE										TOTAL	
	CHICKEN INCLUDING EGGS	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMAL / ENVIRONMENT	FEED AND FEED SUPPLY	OTHER BIRD/WILD ANIMAL	REPTILE / ENVIRONMENT	ALL OTHER		
BATONROUGE											1	1
BERE	2										1	3
BERN											3	3
BERTA	49	2		2				2			4	59
BIETRI	4	14	2					4				24
BINZA	3	4	3									10
BLEGDAM											6	6
BLOCKLEY		3		1							4	8
BLUKWA		1							1			2
BONAIRE											2	2
BORNUM	1									1		2
BOVISMORBIFICANS			3	1							3	7
BRAENDERUP	160	10	3	3	2			8		4	24	214
BRANDENBURG	9	666	72	5				4	2	5	9	772
BREDENEY	17	269	19	6				2	1	23	20	358
BUZU											1	1
CARRAU											4	10
CERRO	32	16		65	1	1		18	1		2	136
CHAMELEON											6	8
CHESTER		5								1	2	10
CHOLERAESUIS			110								1	111

(Continued)

TABLE 6  
CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES  
REPORTED TO CDC AND USDA BY SEROTYPE AND SOURCE, 1995

SEROTYPE	NONHUMAN SOURCE										TOTAL
	CHICKEN INCLUDING EGGS	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMAL / ENVIRONMENT	FEED AND FEED SUPPLY	OTHER BIRD/WILD ANIMAL	REPTILE / ENVIRONMENT	ALL OTHER	
CHOLERAESUIS VAR KUN			496	3		1				3	503
COLINDALE										1	1
CUBANA	13	23	5	1			10		3	22	77
DAYTONA										1	1
DENVER				1							1
DERBY	10	22	816	19	1	1	19	1		29	918
DRYPOOL	10	1					6			2	19
DUBLIN			3	164		3		1		26	197
EASTBOURNE									1	1	2
EIMSBUETTEL	1		3				1				5
ELISABETHVILLE										1	1
ENTERITIDIS	3165	21	39	34		4	9	2	2	320	3596
ESSEN										1	1
FALKENSEE							1				1
FLINT									5	3	8
FLORIDA	1										1
FRESNO									4	1	5
GALLINARUM	1										1
GAMINARA	3					1			1	3	8
GEORGIA									1		1
GERA	1	2					7				10

(Continued)

TABLE 6  
 CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES  
 REPORTED TO CDC AND USDA BY SEROTYPE AND SOURCE, 1995

SEROTYPE	NONHUMAN SOURCE											TOTAL
	CHICKEN INCLUDING EGGS	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMAL / ENVIRONMENT	FEED AND FEED SUPPLY	OTHER BIRD/WILD ANIMAL	REPTILE / ENVIRONMENT	ALL OTHER		
GIVE	1	10	4	29	1		3		6	8	62	
GLOSTRUP						1			9	1	11	
GROUP 52									1		1	
GROUP 53									1		1	
GROUP 60									1		1	
GROUP 61						2					2	
GROUP B		2	4	20		1	2	1	1		31	
GROUP C1		1							1		2	
GROUP C2				2				1			3	
GROUP E1				1		1	1				3	
GROUP E4		2									2	
GROUP F					1						1	
GROUP J								1	1		2	
GROUP K		8							1		9	
GROUP P									1		1	
GROUP V									2		2	
GROUP W									2		2	
GROUP X									3		3	
GROUP Y									6		6	
HAARDT		1					1			1	3	
HADAR	413	172	4	21		1	17	23	3	113	767	

(Continued)

TABLE 6  
CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES  
REPORTED TO CDC AND USDA BY SEROTYPE AND SOURCE, 1995

SEROTYPE	NONHUMAN SOURCE										TOTAL	
	CHICKEN INCLUDING EGGS	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMAL / ENVIRONMENT	FEED AND FEED SUPPLY	OTHER BIRD/WILD ANIMAL	REPTILE / ENVIRONMENT	ALL OTHER		
HAGENBECK									1		1	1
HARMELEN									2		2	2
HARTFORD				4						4	4	8
HATO	1											1
HAVANA	7	25	6	8	1		19		2	12	80	
HEIDELBERG	1527	261	240	18		1	22	33		197	2299	
HIDALGO										3	3	
HOLCOMB										1	1	
HOUTEN										1	1	
HVITTINGFOSS	2										2	
ILLINOIS				1			2				3	
INDIANA	2	7					1			4	14	
INFANTIS	55	14	30	11	1		20			31	162	
INVERNESS									2		2	
IRUMU									3		3	
ISTANBUL	169	14	2				1	1		9	196	
JAVA				8	3	2	1		1	13	28	
JAVIANA		36		6			1			10	53	
JOHANNESBURG	25	14	9		1		27		1	4	81	
KENTUCKY	467	62	13	180	1		37	12		60	832	
KIAMBU	4			1			2			2	9	

(Continued)

TABLE 6  
 CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES  
 REPORTED TO CDC AND USDA BY SEROTYPE AND SOURCE, 1995

SEROTYPE	NONHUMAN SOURCE											TOTAL
	CHICKEN INCLUDING EGGS	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMAL / ENVIRONMENT	FEED AND FEED SUPPLY	OTHER BIRD/WILD ANIMAL	REPTILE / ENVIRONMENT	ALL OTHER		
KINTAMBO									2			2
KISARAWA									2	1		3
KOKOMLEMLE									1	1		2
KRALENDYK									2	2		4
KREFELD						2				5		7
LEXINGTON	10	2	1					6				19
LILLE	16	3		4				10		1		34
LITCHFIELD	1	2	6					1		3		14
LIVINGSTONE	7	10	16					18		4		56
LOHBRUEGGE										4		4
LOME										2		2
LONDON		4	5	1				1			6	17
MAASTRICHT	1									1		2
MADELIA											1	1
MANHATTAN		1	5							1	3	10
MARICOPA											1	1
MARINA			3	1							15	21
MATOPENI											1	1
MBANDAKA	98	56	79	30				39		20		323
MELEAGRIDIS	9	2	2	29				3		1		46
MENHADEN				1								1

(Continued)

TABLE 6  
 CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES  
 REPORTED TO CDC AND USDA BY SEROTYPE AND SOURCE, 1995

SERO TYPE	NONHUMAN SOURCE											TOTAL							
	CHICKEN INCLUDING EGGS	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMAL / ENVIRONMENT	FEED AND FEED SUPPLY	OTHER BIRD/WILD ANIMAL	REPTILE / ENVIRONMENT	ALL OTHER									
MIKAWASIMA																			1
MINNESOTA	1	1	4	3										1					11
MISSISSIPPI					1														2
MOLADE	2	4							5										11
MONTEVIDEO	107	331	15	130	1	4	59	2	43										701
MOUNT PLEASANT					1	1		1											4
MUENCHEN	15	6	4	10	1	1	1												65
MUENSTER	8	389	12	98			17	5	27										560
NEUBRUNSWICK		7	9	7															24
NEUHAW	13																		16
NEWINGTON	4	3		11			3												22
NEWPORT	55	4	8	50	4	3	1		116										257
NORWICH																			6
OFFA																			1
OHIO	50	33	4	39			7	2	8										143
ONDERSTEEPOORT																			1
ORANIENBURG	33	29	3	4	2	30	18		40										168
ORIENTALIS																			1
ORION	3	9					6		7										25
OSLO																			1
OUAKAM				1															1

(Continued)

TABLE 6  
 CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES  
 REPORTED TO CDC AND USDA BY SEROTYPE AND SOURCE, 1995

SEROTYPE	NONHUMAN SOURCE											TOTAL
	CHICKEN INCLUDING EGGS	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMAL / ENVIRONMENT	FEED AND FEED SUPPLY	OTHER BIRD/WILD ANIMAL	REPTILE / ENVIRONMENT	ALL OTHER		
PANAMA	1	2		30					1	3	37	
PARERA									6	1	7	
PATIENCE									1		1	
PHOENIX						1			4	1	6	
POMONA		1		1			6		1		9	
POONA		1		3		1			32	4	41	
PULLORUM	9									4	13	
PUTTEN	9	14				2	3				28	
QUINIELA										2	2	
READING	1	93	3	8			7			9	121	
RISSEN		1									1	
ROMANBY						1					1	
ROSTOCK										1	1	
RUBISLAW	2				2		3		5	5	17	
SAINTPAUL	2	139	6	1		1	5	12	2	24	192	
SANDIEGO									1	5	6	
SCHWARZENGRUND	169	34	104	7			19	1	1	13	348	
SENFTEMBERG	112	234	15	10	2	8	50	8	2	44	485	
SOAHANINA										1	1	
STANLEY									1	2	3	
STANLEYVILLE	15										15	

(Continued)



TABLE 6  
CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES  
REPORTED TO CDC AND USDA BY SEROTYPE AND SOURCE, 1995

SEROTYPE	NONHUMAN SOURCE										TOTAL	
	CHICKEN INCLUDING EGGS	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMAL / ENVIRONMENT	FEED AND FEED SUPPLY	OTHER BIRD/WILD ANIMAL	REPTILE / ENVIRONMENT	ALL OTHER		
SUBSPECIES I			1									1
SUBSPECIES III									1			1
SUBSPECIES IIIA						1					1	2
SUBSPECIES IIIA/IIIB		2			2			27	13		5	49
SUBSPECIES IIIB									2			2
SUBSPECIES IV									7			7
SUBSPECIES V									2			2
SUNDSVALL									1			1
TAKSONY			1	2								3
TENNESSEE	13	17	9	3		1	21			6		70
THOMASVILLE	3	12	7	2			19			3		46
THOMPSON	19	2	3	17	3	2	19		3	49		117
TILENE						1				3		4
TUINDORP									1	2		3
TYPHIMURIUM	374	95	231	758	25	77	9	25	1	487		2082
TYPHIMURIUM VAR COPE	104	69	357	562	7	16	22	21	1	264		1423
TYPHISUIS			2									2
UGANDA	4	34	2	11	4	2	2	1	1	6		67
UNKNOWN		2		2	1				16	6		27
UPHILL									1			1
URBANA		1							6	2		9

(Continued)

TABLE 6  
 CLINICAL SALMONELLA ISOLATIONS FROM NONHUMAN SOURCES  
 REPORTED TO CDC AND USDA BY SEROTYPE AND SOURCE, 1995

SEROTYPE	NONHUMAN SOURCE										TOTAL
	CHICKEN INCLUDING EGGS	TURKEY	PORCINE	BOVINE	EQUINE	OTHER DOMESTIC ANIMAL / ENVIRONMENT	FEED AND FEED SUPPLY	OTHER BIRD/WILD ANIMAL	REPTILE / ENVIRONMENT	ALL OTHER	
VANCOUVER										2	2
VIRGINIA				2			1				3
WASSENAAR				1					2		3
WAYCROSS										2	2
WELTEVREDEN										2	2
WESLACO										1	1
WINDERMERE										1	1
WORTHINGTON	51	32	64	1			27	3		13	191
YORUBA			1								1
YOYOKOME		3								2	5
TOTAL	7689	3597	3140	2610	77	195	738	219	299	2444	21008