

Table 40. Tuberculosis Cases and Percentages by Directly Observed Therapy (DOT): Reporting Areas, 2004¹

Reporting Area	Total Cases	Cases with Initial Drug Regimen Prescribed ²	Cases with Information on Directly Observed Therapy		Percentage of Cases by Directly Observed Therapy ³	
			No.	(%)	DOT Only	Both DOT and Self-Administered
United States	14,502	14,078	13,664	(97.1)	(58.9)	(27.5)
Alabama	211	198	198	(100.0)	(15.7)	(83.8)
Alaska	43	42	42	(100.0)	(95.2)	(4.8)
Arizona	272	262	244	(93.1)	(79.9)	(12.7)
Arkansas	133	125	121	(96.8)	(18.2)	(42.1)
California	2,992	2,904	2,879	(99.1)	(61.6)	(20.7)
Colorado	128	126	126	(100.0)	(92.1)	(4.8)
Connecticut	101	97	97	(100.0)	(17.5)	(52.6)
Delaware	33	32	32	(100.0)	(43.8)	(50.0)
District of Columbia	81	80	80	(100.0)	(28.8)	(16.3)
Florida	1,074	1,032	1,027	(99.5)	(54.6)	(39.9)
Georgia	537	519	506	(97.5)	(84.4)	(13.8)
Hawaii	116	113	110	(97.3)	(5.5)	(79.1)
Idaho	11	10	9	(90.0)	(44.4)	(22.2)
Illinois	567	546	545	(99.8)	(55.8)	(20.2)
Indiana	128	126	126	(100.0)	(64.3)	(31.0)
Iowa	47	47	47	(100.0)	(55.3)	(27.7)
Kansas	62	60	59	(98.3)	(94.9)	(3.4)
Kentucky	127	124	124	(100.0)	(62.9)	(29.8)
Louisiana	248	240	215	(89.6)	(83.7)	(7.4)
Maine	20	20	20	(100.0)	(95.0)	(0.0)
Maryland	313	303	301	(99.3)	(85.0)	(11.6)
Massachusetts	283	279	276	(98.9)	(37.0)	(33.0)
Michigan	272	265	262	(98.9)	(19.8)	(30.2)
Minnesota	199	196	196	(100.0)	(79.6)	(18.9)
Mississippi	119	111	111	(100.0)	(43.2)	(56.8)
Missouri	127	122	119	(97.5)	(41.2)	(38.7)
Montana	15	15	15	(100.0)	(80.0)	(6.7)
Nebraska	39	38	38	(100.0)	(63.2)	(5.3)
Nevada	95	92	92	(100.0)	(85.9)	(5.4)
New Hampshire	24	24	24	(100.0)	(54.2)	(37.5)
New Jersey	482	472	471	(99.8)	(42.7)	(24.0)
New Mexico	42	39	37	(94.9)	(97.3)	(2.7)
New York State ⁴	323	318	318	(100.0)	(20.1)	(73.6)
New York City	1,037	1,013	1,002	(98.9)	(0.5)	(68.5)
North Carolina	381	372	370	(99.5)	(94.6)	(5.4)
North Dakota	4	4	4	(100.0)	(25.0)	(25.0)
Ohio	219	209	208	(99.5)	(55.8)	(26.9)
Oklahoma	178	176	176	(100.0)	(100.0)	(0.0)
Oregon	106	103	103	(100.0)	(63.1)	(35.9)
Pennsylvania	328	318	310	(97.5)	(60.3)	(23.5)
Rhode Island	51	50	50	(100.0)	(28.0)	(72.0)
South Carolina	233	229	227	(99.1)	(93.8)	(1.8)
South Dakota	11	10	10	(100.0)	(80.0)	(10.0)
Tennessee	278	269	266	(98.9)	(63.2)	(36.1)
Texas	1,672	1,621	1,352	(83.4)	(82.7)	(14.3)
Utah	36	35	35	(100.0)	(97.1)	(2.9)
Vermont	6	6	6	(100.0)	(33.3)	(16.7)
Virginia	329	320	313	(97.8)	(86.6)	(10.2)
Washington	245	243	242	(99.6)	(85.1)	(13.2)
West Virginia	24	24	24	(100.0)	(62.5)	(29.2)
Wisconsin	95	94	94	(100.0)	(36.2)	(53.2)
Wyoming	5	5	5	(100.0)	(20.0)	(60.0)
American Samoa ⁵	3	3	0	(0.0)	--	--
Fed. States of Micronesia ⁵	8	8	3	(37.5)	--	--
Guam ⁵	51	49	47	(95.9)	(4.3)	(95.7)
Marshall Islands ⁵	41	39	36	(92.3)	(5.6)	(91.7)
N. Mariana Islands ⁵	55	55	55	(100.0)	(92.7)	(5.5)
Puerto Rico ⁵	123	108	107	(99.1)	(61.7)	(0.0)
Republic of Palau ⁵	5	5	5	(100.0)	(0.0)	(100.0)
U.S. Virgin Islands ⁵

¹Most recent year for which data are available.

²Includes persons alive at diagnosis with an initial drug regimen of one or more drugs prescribed.

³Percentage for U.S. based on 52 reporting areas (50 states, New York City, and the District of Columbia). Percentages shown only for reporting areas with information reported for ≥75% of cases.

⁴Excludes New York City.

⁵Not included in U.S. totals. Data for 2006 are interim as of April 6, 2007.

Note: Ellipses indicate data not available.