


All About Human Papillomavirus

June 2006

www.vaccines.mil



Across

- | | |
|--|-------------------|
| 1. Merck Product Name | GARDASIL |
| 6. Protect vaccine from _____ | LIGHT |
| 9. Vaccine most effective before what occurs | SEXUALINTERCOURSE |
| 12. Human Papilloma Virus (abbr.) | HPV |
| 13. Injection target | MUSCLE |
| 15. MILVAX website | VACCINESDOTMIL |
| 18. Before withdrawing suspension, be sure to _____ it | SHAKE |
| 22. Document | RECORD |
| 23. It's time | DUE |
| 24. Estimate of all sexually active people infected by HPV in their lifetime | HALF |
| 26. Distance learning: Project Immune _____ | READINESS |
| 28. Check for contraindications | SCREEN |
| 30. Refrigerated or frozen storage | REFRIGERATED |
| 31. CDC info sheet before vaccination | VIS |
| 33. U.S. vaccine regulator | FDA |
| 34. Pointy end of needle | TIP |
| 35. Clinic Quality Improvement Program acronym | CQIP |
| 38. DoD advisory cmte. | AFEB |
| 40. Transmitted | SKINTOSKIN |
| 41. Number of vaccine doses needed | THREE |
| 43. Mode of Administration | INJECTION |
| 44. HPV 6 and 11 can cause | GENITALWARTS |
| 45. CDC advisory cmte. | ACIP |
| 46. How often to check refrigerator | TWICE DAILY |
| 47. # of women who die everyday from cervical cancer | TEN |

Down

- | | |
|--|----------------|
| 2. How often it occurs | RATE |
| 3. Pap Smear should occur how often | ANNUALLY |
| 4. DoD messages about medical materiel quality | MMQC |
| 5. Adjuvant used | ALUMINUM |
| 6. How to learn from a patient | LISTEN |
| 7. HPV 16 and 18 may lead to | CERVICALCANCER |
| 8. Maintain the cold _____ | CHAIN |

- | | |
|--|-------------|
| 10. Immunization University nickname | IMZU |
| 11. Immunoglobulin, synonym | ANTIBODY |
| 13. CDC pub. | MMWR |
| 14. Prepare skin | SWAB |
| 16. How to earn patient confidence | CARE |
| 17. Common adult muscle target | DELTOID |
| 19. Vaccine will _____ ; not treat | PREVENT |
| 20. Vaccine enemy | HEAT |
| 21. Licensed to be given to | FEMALES |
| 22. Opposite of benefit | RISK |
| 25. Number of HPV types Gardasil protects against | FOUR |
| 27. Administration Method | IM |
| 29. Anaphylaxis antidote (abbr.) | EPI |
| 30. Type of vaccine | RECOMBINANT |
| 31. Collection of AE reports | VAERS |
| 32. Schedule: 0, 2, _____ months | SIX |
| 34. Currently approved for girls and women aged 9 to _____ | TWENTYSIX |
| 36. Simple test for HPV | PAP |
| 37. Vaccines to store at room temp | NONE |
| 39. Problem with contagious diseases | SPREAD |
| 40. Supplied in _____ dose vials/syringes | SINGLE |
| 42. Percent of females by age 50 that have aquired HPV | EIGHTY |

