


An Analysis of Outer Continental Shelf Impacts

Pipelines, Navigation Channels, and Facilities in Sensitive Coastal Habitats

Coastal Gulf of Mexico

Volume II: Atlas of Physical, Cultural, and
Biological Parameters



U.S. Department of the Interior
Minerals Management Service
Gulf of Mexico OCS Region

An Analysis of Outer Continental Shelf Impacts

**Pipelines, Navigation Channels,
and Facilities in Sensitive
Coastal Habitats**

Coastal Gulf of Mexico

**Volume II: Atlas of Physical, Cultural, and
Biological Parameters**

Authors

Karen M. Wicker
Rod E. Emmer
Dave Roberts
J. van Beek

Prepared under MMS Contract
14-12-0001-30325
by
Coastal Environments, Inc.
1260 Main Street
Baton Rouge, Louisiana 70802

Published by

**U.S. Department of the Interior
Minerals Management Service
Gulf of Mexico OCS Regional Office**

**New Orleans
October 1989**

DISCLAIMER

This report was prepared under contract between the Minerals Management Service (MMS) and Coastal Environments, Inc. This report has been technically reviewed by the MMS and approved for publication. Approval does not signify that contents necessarily reflect the views and policies of the Service, nor does mention of trade names or commercial products constitute endorsement or recommendation for use. It is, however, exempt from review and compliance with MMS editorial standards.

REPORT AVAILABILITY

Extra copies of the report may be obtained from the Public Information Unit (Mail Stop OPS-3-4) at the following address:

U.S. Department of the Interior
Minerals Management Service
Gulf of Mexico OCS Regional Office
1201 Elmwood Park Boulevard
New Orleans, Louisiana 70123-2394

Attention: Public Information Unit (OPS-3-4)

(Telephone Number: (504) 736-2519)

CITATION


Suggested citation:


Wicker, K.M., R.E. Emmer, D. Roberts, and J. van Beek. 1989. Pipelines, Navigation Channels, and Facilities in Sensitive Coastal Habitats, An Analysis of Outer Continental Shelf Impacts, Coastal Gulf of Mexico. Volume II: Atlas of physical, cultural, and biological parameters. OCS Report/MMS 89-0052. U.S. Dept. of the Interior, Minerals Mgmt. Service, Gulf of Mexico OCS Regional Office, New Orleans, La. 83 pp.

TABLE OF CONTENTS

	Page			
Index to Maps.....	v	4-B	Houston, TX: Land Use and Navigation Channels.....	16
Coastal Systems and Areas of Study.....	vi	5-B	Port Arthur, TX-LA: Land Use and Navigation Channels.....	17
Map Series A		6-B	New Orleans, LA: Land Use and Navigation Channels.....	18
1-A	2	7-B	Breton, LA: Land Use and Navigation Channels.....	19
2-A	3	8-B	Mobile, AL: Land Use and Navigation Channels.....	20
3-A	4	9-B	Pensacola, FL: Land Use and Navigation Channels.....	21
4-A	5	10-B	Tallahassee, FL: Land Use and Navigation Channels.....	22
5-A	6	Map Series C		
6-A	7	1-C	Brownsville-Corpus Christi, TX: Cultural Resources.....	24
7-A	8	2-C	Corpus Christi-Beeville, TX: Cultural Resources.....	25
8-A	9	3-C	Bay City-Houston, TX: Cultural Resources.....	26
9-A	10	4-C	Houston, TX: Cultural Resources.....	27
10-A	11	5-C	Port Arthur, TX: Cultural Resources.....	28
Map Series B		6-C	New Orleans, LA: Cultural Resources.....	29
1-B	13	7-C	Breton, LA: Cultural Resources.....	30
2-B	14	8-C	Mobile, AL: Cultural Resources.....	31
3-B	15	9-C	Pensacola, FL: Cultural Resources.....	32
		10-C	Tallahassee, FL: Cultural Resources.....	33
		Map Series D		
		1-D	Brownsville-Corpus Christi, TX: Vegetation, Precipitation Surplus, and Hydrology.....	35
		2-D	Corpus Christi-Beeville, TX: Vegetation, Precipitation Surplus, and Hydrology.....	36
		3-D	Bay City-Houston, TX: Vegetation, Precipitation Surplus, and Hydrology.....	37
		4-D	Houston, TX: Vegetation, Precipitation Surplus, and Hydrology.....	38
		5-D	Port Arthur, TX-LA: Vegetation, Precipitation Surplus, and Hydrology.....	39
		6-D	New Orleans, LA: Vegetation, Precipitation Surplus, and Hydrology.....	40
		7-D	Breton, LA: Vegetation, Precipitation Surplus, and Hydrology.....	41
		8-D	Mobile, AL: Vegetation, Precipitation Surplus, and Hydrology.....	42
		9-D	Pensacola, FL: Vegetation, Precipitation Surplus, and Hydrology.....	43
		10-D	Tallahassee, FL: Vegetation, Precipitation Surplus, and Hydrology.....	44
		Map Series E		
		1-E	Brownsville-Corpus Christi, TX: Shoreline Type, Depth to Pleistocene, and Sediment Transport.....	46
		2-E	Corpus Christi-Beeville, TX: Shoreline Type, Depth to Pleistocene, and Sediment Transport.....	47
		3-E	Bay City-Houston, TX: Shoreline Type, Depth to Pleistocene and Sediment Transport.....	48
		4-E	Houston, TX: Shoreline Type, Depth to Pleistocene, and Sediment Transport.....	49
		5-E	Port Arthur, TX-LA: Shoreline Type, Depth to Pleistocene, and Sediment Transport.....	50
		6-E	New Orleans, LA: Shoreline Type, Depth to Pleistocene, and Sediment Transport.....	51

7-E	Breton, LA: Shoreline Type, Depth to Pleistocene, and Sediment Transport.....	52	3-G	Bay City-Houston, TX: Nearshore Energy Levels.....	70
8-E	Mobile, AL: Shoreline Type, Depth to Pleistocene, and Sediment Transport.....	53	4-G	Houston, TX: Nearshore Energy Levels.....	71
9-E	Pensacola, FL: Shoreline Type, Depth to Pleistocene, and Sediment Transport.....	54	5-G	Port Arthur, TX: Nearshore Energy Levels.....	72
10-E	Tallahassee, FL: Shoreline Type, Depth to Pleistocene, and Sediment Transport.....	55	6-G	New Orleans, LA: Nearshore Energy Levels.....	73
Map Series F					
1-F	Brownsville-Corpus Christi, TX: Geomorphology and Shoreline Change.....	57	7-G	Breton, LA: Nearshore Energy Levels.....	74
2-F	Corpus Christi-Beeville, TX: Geomorphology and Shoreline Change.....	58	8-G	Mobile, AL: Nearshore Energy Levels.....	75
3-F	Bay City-Houston, TX: Geomorphology and Shoreline Change.....	59	9-G	Pensacola, FL: Nearshore Energy Levels.....	76
4-F	Houston, TX: Geomorphology and Shoreline Change.....	60	10-G	Tallahassee, FL: Nearshore Energy Levels.....	77
5-F	Port Arthur, TX: Geomorphology and Shoreline Change.....	61			
6-F	New Orleans, LA: Geomorphology and Shoreline Change.....	62			
7-F	Breton, LA: Geomorphology and Shoreline Change.....	63			
8-F	Mobile, AL: Geomorphology and Shoreline Change.....	64			
9-F	Pensacola, FL: Geomorphology and Shoreline Change.....	65			
10-F	Tallahassee, FL: Geomorphology and Shoreline Change.....	66			
Map Series G					
1-G	Brownsville-Corpus Christi, TX: Nearshore Energy Levels.....	68			
2-G	Corpus Christi-Beeville, TX: Nearshore Energy Levels.....	69			






COASTAL SYSTEMS AND AREAS OF STUDY

MAJOR COASTAL SYSTEMS	IMPACTS STUDIED	
	BARRIER ISLANDS & BEACHES	WETLANDS
TEXAS BARRIER ISLAND SYSTEM		
STRANDPLAIN - CHENIER PLAIN SYSTEM		
MISSISSIPPI DELTA SYSTEM		
NORTH CENTRAL GULF COAST SYSTEM		

Maps 1A - 10A

LOCATION MAP, PIPELINES, AND OCS-RELATED FACILITIES

BROWNSVILLE / CORPUS CHRISTI




LOCATION MAP, PIPELINES, AND FACILITIES

PIPELINES		OCS-RELATED FACILITIES*	
	L100		OIL STORAGE
			GAS PROCESSING AND TREATING PLANT
			OIL AND GAS RELATED SHIPYARD
			COMPRESSOR, PUMPING, METERING STATION
			OIL REFINERY
			PIPE STORAGE YARD
			PLATFORM FABRICATION SITE
			SERVICE BASE (of logistical support, deck facilities)
			TERMINAL (only shown in Texas)
			HELICOPTER SERVICE
			5 REFERS TO NUMBER OF FACILITIES AT SITE
		*IN OR NEAR WETLANDS, BARRIER ISLANDS, AND BEACHES	


Map 1 - A

CORPUS CHRISTI / BEEVILLE




Map 2 - A

BAY CITY / HOUSTON




LOCATION MAP, PIPELINES, AND FACILITIES

PIPELINES		DCS-RELATED FACILITIES*	
	OIL STORAGE	PLATFORM FABRICATION SITE	
	GAS PROCESSING AND TREATING PLANT	SERVICE BASE (of logistical support, dock facilities)	
	OIL AND GAS RELATED SHIPYARD	TERMINAL (only shown in Texas)	
	COMPRESSOR, PUMPING, METERING STATION	HELICOPTER SERVICE	
	OIL REFINERY	5 REFERS TO NUMBER OF FACILITIES AT SITE	
	PIPE STORAGE YARD	IN OR NEAR WETLANDS, BARRIER ISLANDS, AND BEACHES	




Map 3 - A



Map 4 - A

PORT ARTHUR



LOCATION MAP, PIPELINES, AND FACILITIES


DCS-RELATED FACILITIES*

- OIL STORAGE
- GAS PROCESSING AND TREATING PLANT
- OIL AND GAS RELATED SHIPYARD
- COMPRESSOR, PUMPING, METERING STATION
- OIL REFINERY
- PIPE STORAGE YARD
- PLATFORM FABRICATION SITE
- SERVICE BASE (oil logistical support, dock facilities)
- TERMINAL (only shown in Texas)
- HELICOPTER SERVICE
- 5** REFERS TO NUMBER OF FACILITIES AT SITE

*IN OR NEAR WETLANDS, BARRIER ISLANDS, AND BEACHES

Map 5 - A

BRETON




LOCATION MAP, PIPELINES, AND FACILITIES

OCS-RELATED FACILITIES*

- OIL STORAGE
- GAS PROCESSING AND TREATING PLANT
- OIL AND GAS RELATED SHIPYARD
- COMPRESSOR, PUMPING, METERING STATION
- OIL REFINERY
- PIPE STORAGE YARD
- PLATFORM FABRICATION SITE
- SERVICE BASE (not logistical support dock facilities)
- TERMINAL (only shown in Texas)
- HELICOPTER SERVICE


5 REFERS TO NUMBER OF FACILITIES AT SITE

*IN OR NEAR WETLANDS, BARRIER ISLANDS, AND BEACHES




Map 7 - A

MOBILE




Map 8 - A

PENSACOLA




Map 9 - A

TALLAHASSEE



LOCATION MAP, PIPELINES, AND FACILITIES




Map 10 - A

Maps 1B - 10B


LAND USE AND NAVIGATION CHANNELS

BROWNSVILLE / CORPUS CHRISTI




Map 1 - B

CORPUS CHRISTI / BEEVILLE




Map 2 - B

BAY CITY / HOUSTON




LAND USE AND NAVIGATION CHANNELS

	DEVELOPMENT		DREDGED MATERIAL DISPOSAL AREAS
	COASTAL BARRIER RESOURCE SYSTEM		JETTIES
	NAVIGATION CHANNELS		CHANNEL BLOCKED WITH SHEET PILE




Map 3 - B

HOUSTON



Map 4 - B

PORT ARTHUR




LAND USE AND NAVIGATION CHANNELS

	DEVELOPMENT		DREDGED MATERIAL DISPOSAL AREAS
	COASTAL BARRIER RESOURCE SYSTEM		JETTIES
	NAVIGATION CHANNELS		CHANNEL BLOCKED WITH SHEET PILE


Map 5 - B

NEW ORLEANS



Map 6 - B


BRETON




matchline Map 8

JEFFERSON PAR.

matchline Map 6




MOBILE




Map 8 - B

PENSACOLA




Map 9 - B

TALLAHASSEE



LAND USE AND NAVIGATION CHANNELS




Map 10 - B


Maps 1C - 10C

CULTURAL RESOURCES


BROWNSVILLE / CORPUS CHRISTI



Map 1 - C




Map 2 - C




Map 3 - C

HOUSTON




Map 4 - C

PORT ARTHUR




Map 5 - C


NEW ORLEANS




Map 6 - C



Map 7 - C




Map 8 - C




Map 9 - C

TALLAHASSEE



CULTURAL RESOURCES





Map 10 - C


Maps 1D - 10D

VEGETATION, PRECIPITATION SURPLUS, AND HYDROLOGY


BROWNSVILLE / CORPUS CHRISTI








Map 3 - D





Map 4 - D

PORT ARTHUR




VEGETATION, PRECIPITATION SURPLUS, AND HYDROLOGY




Map 5 - D

NEW ORLEANS




VEGETATION, PRECIPITATION SURPLUS, AND HYDROLOGY


Map 6 - D



Map 7 - D




Map 8 - D




Map 9 - D

TALLAHASSEE



VEGETATION, PRECIPITATION SURPLUS, AND HYDROLOGY




Map 10 - D


Maps 1E - 10E

SHORELINE TYPE, DEPTH TO PLEISTOCENE, AND
SEDIMENT TRANSPORT


BROWNSVILLE / CORPUS CHRISTI




CORPUS CHRISTI / BEEVILLE



BAY CITY / HOUSTON




HOUSTON




Map 4 - E

PORT ARTHUR




Map 5 - E


NEW ORLEANS




Map 6 - E



Map 7 - E




Map 8 - E




Map 9 - E

TALLAHASSEE



SHORELINE TYPE, DEPTH TO PLEISTOCENE, AND SEDIMENT TRANSPORT




Map 10 - E


Maps 1F - 10F

GEOMORPHOLOGY AND SHORELINE CHANGE

BROWNSVILLE / CORPUS CHRISTI




Map 1 - F




Map 2 - F

BAY CITY / HOUSTON




Map 3 - F'




Map 4 - F

PORT ARTHUR




Map 5 - F


NEW ORLEANS



Map 6 - F




Map 7 - F




Map 8 - F'

PENSACOLA




Map 9 - F'

TALLAHASSEE




GEOMORPHOLOGY AND SHORELINE CHANGE



Maps 1G - 10G


NEARSHORE ENERGY LEVELS

BROWNSVILLE / CORPUS CHRISTI



Map 1 - G

CORPUS CHRISTI / BEEVILLE



I NEARSHORE ENERGY LEVELS (units in meters)


TIDE RANGE	bfe 100	bfe 10	Hmx 100	Hmx 10	● N.D.S. TIDAL REFERENCE STATION
1 - .30 - .46	0 - 1.5	1 - 1.5	0 - .8	0 - .8	○ N.D.S. SUBORDINATE TIDE STATION
2 - .46 - .61	1.5 - 3.0	1.5 - 3.0	.8 - 1.5	.8 - 1.5	↙ CIRCULATION (north wind)
3 - .61 - .76	3.0 - 4.6	3.0 - 4.6	1.5 - 2.3	1.5 - 2.3	↘ CIRCULATION (south wind)
4 - NA	4.6 - 6.1	4.6 - 6.1	2.3 - 3.0	2.3 - 3.0	
5 - NA	6.1 - 7.6	NA	3.0 - 3.8	3.0 - 3.8	

RELATIVE ENERGY LEVEL				
I	II	III	IV	V
low				high

bfe 100 - 100 Year Base Flood Elevation
 bfe 10 - 10 Year Base Flood Elevation
 Hmx 100 - 100 Year Storm Maximum Wave Height
 Hmx 10 - 10 Year Storm Maximum Wave Height


Map 2 - G

BAY CITY / HOUSTON




Map 3 - G

HOUSTON



Map 4 - G

PORT ARTHUR




NEARSHORE ENERGY LEVELS (units in meters)

	TIDE RANGE	bfe 100	bfe 10	Hmx 100	Hmx 10
—1—	.30 - .46	0 - 1.5	1 - 1.5	0 - .8	0 - .8
—2—	.46 - .61	1.5 - 3.0	1.5 - 3.0	.8 - 1.5	.8 - 1.5
—3—	.61 - .76	3.0 - 4.6	3.0 - 4.6	1.5 - 2.3	1.5 - 2.3
—4—	NA	4.6 - 6.1	4.6 - 6.1	2.3 - 3.0	2.3 - 3.0
—5—	NA	6.1 - 7.6	NA	3.0 - 3.8	3.0 - 3.8


- N.O.S. TIDAL REFERENCE STATION
- N.O.S. SUBORDINATE TIDE STATION
- ↙ CIRCULATION (north wind)
- ↘ CIRCULATION (south wind)
- bfe 100 — 100 Year Base Flood Elevation
- bfe 10 — 10 Year Base Flood Elevation
- Hmx 100 — 100 Year Storm Maximum Wave Height
- Hmx 10 — 10 Year Storm Maximum Wave Height

I II III IV V RELATIVE ENERGY LEVEL
 low high




Map 5 - G

NEW ORLEANS




Map 6 - G

BRETON



matchline Map 8



NEARSHORE ENERGY LEVELS (units in meters)

	TIDE RANGE	bfe 100	bfe 10	Hmx 100	Hmx 10
—1—	.30 - .46	0 - 1.5	1 - 1.5	0 - .8	0 - .8
—2—	.46 - .61	1.5 - 3.0	1.5 - 3.0	.8 - 1.5	.8 - 1.5
—3—	.61 - .76	3.0 - 4.6	3.0 - 4.6	1.5 - 2.3	1.5 - 2.3
—4—	NA	4.6 - 6.1	4.6 - 6.1	2.3 - 3.0	2.3 - 3.0
—5—	NA	6.1 - 7.6	NA	3.0 - 3.8	3.0 - 3.8


- N.O.S. TIDAL REFERENCE STATION
- N.O.S. SUBORDINATE TIDE STATION
- ↙ CIRCULATION (north wind)
- ↘ CIRCULATION (south wind)

RELATIVE ENERGY LEVEL
 I II III IV V
 low high

bfe 100 - 100 Year Base Flood Elevation
 bfe 10 - 10 Year Base Flood Elevation
 Hmx 100 - 100 Year Storm Maximum Wave Height
 Hmx 10 - 10 Year Storm Maximum Wave Height


Map 7 - G

MOBILE




Map 8 - G

PENSACOLA



Map 9 - G

TALLAHASSEE



NEARSHORE ENERGY LEVELS (units in meters)

	TIDE RANGE	bfe 100	bfe 10	Hmx 100	Hmx 10
—1—	.30 - .46	0 - 1.5	1 - 1.5	0 - .8	0 - .8
—2—	.46 - .61	1.5 - 3.0	1.5 - 3.0	.8 - 1.5	.8 - 1.5
—3—	.61 - .76	3.0 - 4.6	3.0 - 4.6	1.5 - 2.3	1.5 - 2.3
—4—	NA	4.6 - 6.1	4.6 - 6.1	2.3 - 3.0	2.3 - 3.0
—5—	NA	6.1 - 7.6	NA	3.0 - 3.8	3.0 - 3.8

●	N.G.S. TIDAL REFERENCE STATION	bfe 100 - 100 Year Base Flood Elevation
○	N.G.S. SUBORDINATE TIDE STATION	bfe 10 - 10 Year Base Flood Elevation
↙	CIRCULATION (north wind)	Hmx 100 - 100 Year Storm Maximum Wave Height
↘	CIRCULATION (south wind)	Hmx 10 - 10 Year Storm Maximum Wave Height

I	II	III	IV	V	RELATIVE ENERGY LEVEL
low				high	

Map 10 - G

As the Nation's principal conservation agency, the Department of the Interior has responsibility for most of our nationally owned public lands and natural resources. This includes fostering the wisest use of our land and water resources, protecting our fish and wildlife, preserving the environmental and cultural values of our national parks and historical places, and providing for the enjoyment of life through outdoor recreation. The Department assesses our energy and mineral resources and works to assure that their development is in the best interest of all our people. The Department also has a major responsibility for American Indian reservation communities and for people who live in Island Territories under U.S. Administration.

