

17 October 2006

**Divisions of HIV/AIDS Prevention
Publications
2005**

Names in bold are those of staff or full-time, on-site contractors in DHAP.

Aidala A, Cross JE, **Stall R**, Harre D, **Sumartojo E**. Housing status and HIV risk behaviors: implications for prevention and policy. *AIDS and Behavior* 2005;9:251-265.

Anderson JE, Chandra A, Mosher WD. *HIV Testing in the United States, 2002*. Hyattsville, Md: National Center for Health Statistics; 2005. Advance Data from Vital and Health Statistics, No. 363.

Anderson JE, Koenig LE, Lampe MA, Wright R, Leiss J, Saul J. Achieving universal HIV screening in prenatal care in the United States: provider persistence pays off. *AIDS Patient Care and STDs* 2005;19:247-252.

Appleby PR, **Marks G**, Ayala A, Miller LC, Murphy S, **Mansergh G**. Consideration of future consequences and unprotected anal intercourse among men who have sex with men. *Journal of Homosexuality* 2005;50(1):119-133.

Bailey CJ, Hart TA. HIV-positive gay and bisexual men's perspectives on establishing and maintaining relationships. In: Halkitis PN, Gómez CA, **Wolitski RJ**, eds. *HIV+ Sex: The Psychological and Interpersonal Dynamics of HIV-Seropositive Gay and Bisexual Men's Relationships*. Washington, DC: American Psychological Association; 2005:39-53.

Bartholow BN, Buchbinder S, Celum C, **Goli V**, Koblin B, Para M, Marmor M, Novak RM, Mayer K, Creticos C, Orozco-Cronin P, Popovic V, **Mastro TD**, for the VISION/VAX004 Study Team. HIV sexual risk behavior over 36 months of follow-up in the world's first HIV vaccine efficacy trial. *Journal of Acquired Immune Deficiency Syndromes* 2005;39:90-101.

Baskin ML, Braithwaite RL, Eldred L, **Glassman M**. Introduction to the special supplement: prevention with persons living with HIV. *AIDS Education and Prevention* 2005;17(suppl A):1-5.

Belcher L, Sternberg MR, **Wolitski RJ**, Halkitis P, Hoff C, and the Seropositive Urban Men's Study Team. Condom use and perceived risk of HIV transmission among HIV-positive men who have sex with men. *AIDS Education and Prevention* 2005;17:79-89.

Bilé EC, Adjé-Touré C, Borget M-Y, Kalou M, Diomande F, Chorba T, **Nkengasong JN**. Performance of drug-resistance genotypic assays among HIV-1 infected patients with predominantly CRF02_AG strains of HIV-1 in Abidjan, Côte d'Ivoire. *Journal of Clinical Virology* 2005;32:60-66.

Borkowf CB. Little addresses 2005 CDC Statistical Science Awards ceremony [newsletter article]. *Amstat News* October 2005;18.

Brooks JT, Song R, Hanson DL, Wolfe M, Swerdlow DL, and the Adult and Adolescent Spectrum of Disease Working Group. Discontinuation of primary prophylaxis against *Mycobacterium avium* complex infection in HIV-infected persons receiving antiretroviral therapy: observations from a large national cohort in the United States, 1992–2002. *Clinical Infectious Diseases* 2005;41:549-553.

Brouwer KC, **Yang C**, Parekh S, Mirel LB, Shi YP, Otieno J, Lal AA, **Lal RB**. Effect of CCR2 chemokine receptor polymorphism on HIV type 1 mother-to-child transmission and child survival in western Kenya. *AIDS Research and Human Retroviruses* 2005;21:358-362.

Buchacz K, Greenberg A, Onorato I, Janssen R. Syphilis epidemics and human immunodeficiency virus (HIV) incidence among men who have sex with men in the United States: implications for HIV prevention. *Sexually Transmitted Diseases* October 2005;32(suppl):S73-S79.

Buchacz K, McFarland W, Kellogg TA, Loeb L, **Holmberg SD**, Dilley J, Klausner JD. Amphetamine use is associated with increased HIV incidence among men who have sex with men in San Francisco [Research Letters]. *AIDS* 2005;19:1423-1424.

Bulterys M. Use of antiretroviral drugs to prevent mother-to-child HIV-1 transmission in high-prevalence, resource-poor settings. In: **Butera ST**, ed. *HIV Chemotherapy: A Critical Review*. Norfolk, United Kingdom: Caister Academic Press. 2005:159-194.

Bulterys M, **Weidle PJ**, Abrams EJ, **Fowler MG**. Combination antiretroviral therapy in African nursing mothers and drug exposure in their infants: new pharmacokinetic and virologic findings [editorial]. *Journal of Infectious Diseases* 2005;192:709-712.

Centers for Disease Control and Prevention [**Behel S, Lansky A, Byers B, MacKellar D, Drake A, Gallagher K**]. HIV prevalence, unrecognized infection, and HIV testing among men who have sex with men—five U.S. cities, June 2004–April 2005. *MMWR* 2005;24:597-601. Reprinted (minus 1 figure and 2 tables) in *JAMA* 2005;294:674, 676.

Centers for Disease Control and Prevention [**Fitzpatrick L, McLellan-Lemal E, Chege W, Brooks JT, Marks G, Knox S, Williams M, Greenberg A, Forna F**]. HIV transmission among black women—North Carolina, 2004. *MMWR* 2005;54:89-94.

Centers for Disease Control and Prevention [**Brooks JT, Kalish M, Robbins K**]. HIV transmission in the adult film industry—Los Angeles, California, 2004. *MMWR* 2005;54:923-926.

Centers for Disease Control and Prevention [**Espinosa L, Hall HI, Campsmith ML, Lee LM**]. Trends in HIV/AIDS diagnoses—33 states, 2001–2004. *MMWR* 2005;54:1149-1153.

Centers for Disease Control and Prevention [**Jones TS, Garfein RS**]. Update: syringe exchange programs—United States, 2002. *MMWR* 2005;54:673-676.

Centers for Disease Control and Prevention [**Grohskopf L, Heneine W**]. Updated U.S. Public Health Service guidelines for the management of occupational exposures to HIV and recommendations for postexposure prophylaxis. *MMWR* 2005;54(No. RR-9):1-17.

Centers for Disease Control and Prevention [**Kimbrough L, Hancock H, Dooley S, Thadiparthi KJ, Wang T**]. Use of social networks to identify persons with undiagnosed HIV infection—seven U.S. cities, October 2003–September 2004. *MMWR* 2005;54:601-605.

Chahroudi A, Sawadogo S, Ellenberger D, Pieniazek D, Borget-Alloue M-Y, Aidoo M, Koblavi-Deme S, Fernandez-Vina M, Maurice C, Chorba T, Nkengasong JN, McNicholl JM. Measurement of HIV-1 CRF02_AG-specific T cell responses indicates the dominance of a p24^{gag} epitope in blood donors in Abidjan, Côte d'Ivoire. *Journal of Infectious Diseases* 2005;192:1417-1421.

Chen KT, Segú M, Lumey LH, Kuhn L, Carter RJ, **Bulterys M, Abrams EJ**, for the New York City Perinatal AIDS Collaborative Transmission Study (PACTS) Group. Genital herpes simplex virus infection and perinatal transmission of human immunodeficiency virus. *Obstetrics and Gynecology* 2005;106:1341-1348.

Choi K-H, McFarland W, Neilands TB, Nguyen S, Secura G, **Behel S, MacKellar D, Valleroy L**. High level of hepatitis B infection and ongoing risk among Asian/Pacific Islander men who have sex with men, San Francisco, 2000–2001. *Sexually Transmitted Diseases* 2005;32:44-48.

Choi K-H, Operario D, Gregorich SE, McFarland W, **MacKellar D, Valleroy LA**. Substance use, substance choice, and unprotected anal intercourse among young Asian American and Pacific Islander men who have sex with men. *AIDS Education and Prevention* 2005;17:418-429.

Clark LF, **Miller KS, Nagy SS, Avery J, Roth DL, Liddon N, Mukherjee S**. Adult identity mentoring: reducing sexual risk for African-American seventh grade students. *Journal of Adolescent Health* 2005;37:337. [Only the abstract appears in print; article available as JAH Online Exclusive]

Colfax G, Buchbinder S, Goli V, Celum C, McKirnan D, Neidig J, Koblin B, Gurwith M, **Bartholow B.** Motivations for participating in an HIV vaccine efficacy trial. *Journal of Acquired Immune Deficiency Syndromes* 2005;39(3):359-364.

Cox JH, Ferrari G, Kalams SA, Lopaczynski W, Oden N, D'Souza MP, and the ELISPOT Collaborative Study Group [**J McNicholl, named member of group**]. Results of an ELISPOT proficiency panel conducted in 11 laboratories participating in international human immunodeficiency virus type 1 vaccine trials. *AIDS Research and Human Retroviruses* 2005;21:68-81.

Cummins JE Jr, Boneva RS, Switzer WM, Christensen LL, Sandstrom P, Heneine W, Chapman LE, Dezzutti CS. Mucosal and systemic antibody responses in humans infected with simian foamy virus. *Journal of Virology* 2005;79:13186-13189.

Dawson-Rose C, Shade SB, Lum PJ, Knight KR, Parsons JT, **Purcell DW.** Health care experiences of HIV positive injection drug users. *Journal of Multicultural Nursing & Health* 2005;11(1):23-30.

Dean HD, Steele CB, **Satcher AJ, Nakashima AK.** HIV/AIDS among minority races and ethnicities in the United States, 1999–2003. *Journal of the National Medical Association* 2005;97(7):5S-12S.

Des Jarlais DC, **Lyles CM, Crepaz N.** Re: “Quality of reporting of observational longitudinal research” [letter]. *American Journal of Epidemiology* 2005;162:1032.

Des Jarlais DC, **Semaan S.** Interventions to reduce the sexual risk behaviour of injecting drug users. *International Journal of Drug Policy* 2005;16(suppl):S58-S66.

Do TD, Chen S, McFarland W, Secura GM, **Behel SK, MacKellar DA, Valleroy LA,** Choi K-H. HIV testing patterns and unrecognized HIV infection among young Asian and Pacific Islander men who have sex with men in San Francisco. *AIDS Education and Prevention* 2005;17(6):540-554.

Dominguez KL. HIV postexposure prophylaxis for pediatric patients. In: Zeichner SL, Read JS, eds. *Textbook of Pediatric HIV Care*. Cambridge, U.K.: Cambridge University Press; 2005:384-410.

Duffus WA, Mermin J, Bunnell R, **Byers RH**, Odongo G, Ekwaru P, Downing R. Chronic herpes simplex virus type-2 infection and HIV viral load. *International Journal of STD and AIDS* 2005;16(11):733-735.

Dworkin MS, Adams MR, Cohn DL, Davidson AJ, Buskin S, Horwitch C, Morse A, Sackoff J, Thompson M, Wotring L, McCombs SB, Jones JL. Factors that complicate the treatment of tuberculosis in HIV-infected patients. *Journal of Acquired Immune Deficiency Syndromes* 2005;39:464-470.

Ebrahim SH, McKenna MT, Marks JS. Sexual behaviour: related adverse health burden in the United States [short report]. *Sexually Transmitted Infections* 2005;81:38-40.

Ellenberger D, Wyatt L, Li B, Buge S, Lanier N, Rodriguez IV, Sariol CA, Martinez M, Mansour M, Vogt J, Smith J, Otten R, Montefiori D, Kraiselburd E, Moss B, Robinson H, McNicholl J, Butera S. Comparative immunogenicity in rhesus monkeys of multi-protein HIV-1 (CRF02_{AG}) DNA/MVA vaccines expressing mature and immature VLPs. *Virology* 2005;340:21-32.

Ely JJ, Dye B, Frels WI, Fritz J, Gagneux P, Khun HH, **Switzer WM, Lee DR.** Subspecies composition and founder contribution of the captive U.S. chimpanzee (*Pan troglodytes*) population. *American Journal of Primatology* 2005;67:223-241.

Forehand R, Gound M, Kotchick BA, Armistead L, Long N, **Miller KS.** Sexual intentions of black preadolescents: associations with risk and adaptive behavior. *Perspectives on Sexual and Reproductive Health* 2005;37(1):13-18.

García-Lerma JG. Diversity of thymidine analogue resistance genotypes among newly diagnosed HIV-1-infected persons. *Journal of Antimicrobial Chemotherapy* 2005;56:265-269.

Gardner LI, Metsch LR, Anderson-Mahoney P, Loughlin AM, del Rio C, Strathdee S, Sansom SL, Siegal HA, Greenberg AE, Holmberg SD, and the Antiretroviral Treatment and Access Study (ARTAS) Study Group. Efficacy of a brief case management intervention to link recently diagnosed HIV-infected persons to care. *AIDS* 2005;19:423-431.

Gilbert PB, **Ackers ML, Berman PW, Francis DP, Popovic V, Hu DJ, Heyward WL, Sinangil F, Shepherd BE, Gurwith M.** HIV-1 virologic and immunologic progression and antiretroviral therapy initiation among HIV-1-infected participants in an efficacy trial of recombinant glycoprotein 120 vaccine. *Journal of Infectious Diseases* 2005;192(6):974-983.

Granade TC. Use of rapid HIV antibody testing for controlling the HIV pandemic. *Expert Review of Anti-infective Therapy* 2005;3(6):957-969.

Granade TC, Parekh BS, Tih PM, Welty T, Welty E, Bulterys M, Ndikintum G, Nkuoh G, Tancho S. Evaluation of rapid prenatal human immunodeficiency virus testing in rural Cameroon. *Clinical and Diagnostic Laboratory Immunology* 2005;12:855-860.

Grayman JH, Nhan DT, Huong PT, **Jenkins RA, Carey JW, West GR, Minh TT.** Factors associated with HIV testing, condom use, and sexually transmitted infections among female sex workers in Nha Trang, Vietnam. *AIDS and Behavior* 2005;9(1):41-51.

Greenberg AE, Tappero J, Choopanya K, **van Griensven F**, Martin M, Vanichseni S, **Santibanez S**, Molotilov V, Hader S, **Broyles LN**. CDC international HIV prevention research activities among injection drug users in Thailand and Russia. *Journal of Urban Health* 2005;83(suppl 4):iv24-iv33.

Guenther-Grey CA, **Varnell S**, Weiser JI, Mathy RM, O'Donnell L, Stueve A, Remafedi G, and the Community Intervention Trial for Youth (CITY) Study Team. Trends in sexual risk-taking among urban young men who have sex with men, 1999–2002. *Journal of the National Medical Association* 2005;97:38S-43S.

Guenther PC, Secor WE, **Dezzutti CS**. *Trichomonas vaginalis*-induced epithelial monolayer disruption and human immunodeficiency virus type 1 (HIV-1) replication: implications for the sexual transmission of HIV-1. *Infection and Immunity* 2005;73:4155-4160.

Guest G, **McLellan-Lemal E**, **Matia DM**, Pickard R, Fuchs J, McKirnan D, Neidig JL. HIV vaccine efficacy trial participation: men who have sex with men's experiences of risk reduction counselling and perceptions of risk behaviour change. *AIDS Care* 2005;17:46-57.

Guzman R, Colfax GN, Wheeler S, **Mansergh G**, **Marks G**, **Rader M**, Buchbinder S. Negotiated safety relationships and sexual behavior among a diverse sample of HIV-negative men who have sex with men. *Journal of Acquired Immune Deficiency Syndromes* 2005;38(1):82-86.

Halkitis PN, Green KA, Remien RH, Stirratt MJ, Hoff CC, **Wolitski RJ**, Parsons JT. Seroconcordant sexual partnering of HIV-seropositive men who have sex with men. *AIDS* 2005;19(suppl 1):S77-S86.

Halkitis PN, Wilton L, **Wolitski RJ**, Parsons JT, Hoff CC, Bimbi DS. Barebacking identity among HIV-positive gay and bisexual men: demographic, psychological, and behavioral correlates. *AIDS* 2005;19(suppl 1):S27-S35.

Halkitis PN, **Wolitski RJ**, Gómez CA. Understanding the sexual lives of HIV-positive gay and bisexual men: an overview of the Seropositive Urban Men's Study. In: Halkitis PN, Gómez CA, **Wolitski RJ**, eds. *HIV + Sex: The Psychological and Interpersonal Dynamics of HIV-Seropositive Gay and Bisexual Men's Relationships*. Washington, DC: American Psychological Association; 2005:3-18.

Hall HI, **Lee LM**, **Li J**, **Song R**, **McKenna MT**. Describing the HIV/AIDS epidemic: using HIV case data in addition to AIDS case reporting. *Annals of Epidemiology* 2005;15:5-12.

Hall HI, **Li J**, **Campsmith M**, **Sweeney P**, **Lee LM**. Date of first positive HIV test: reliability of information collected for HIV/AIDS surveillance in the United States. *Public Health Reports* 2005;120:89-95.

Hall HI, Li J, McKenna MT. HIV in predominantly rural areas of the United States. *Journal of Rural Health* 2005;21:245-253.

Hart TA, **Wolitski RJ, Purcell DW**, Parsons JT, Gómez CA, and the Seropositive Urban Men's Study Team. Partner awareness of the serostatus of HIV-seropositive men who have sex with men: impact on unprotected sexual behavior. *AIDS and Behavior* 2005;9:155-166.

Herbst JH, Sherba RT, Crepaz N, DeLuca JB, Zohrabyan L, Stall RD, Lyles CM, and the HIV/AIDS Prevention Research Synthesis (PRS) Team. A meta-analytic review of HIV behavioral interventions for reducing sexual risk behavior of men who have sex with men (MSM). *Journal of Acquired Immune Deficiency Syndromes* 2005;39(2):228-241.

HIV Paediatric Prognostic Markers Collaborative Study [**Bulterys M**]. Use of total lymphocyte count for informing when to start antiretroviral therapy in HIV-infected children: a meta-analysis of longitudinal data. *Lancet* 2005;366:1868-1874.

Hu DJ, Subbarao S, Vanichseni S, Mock PA, Ramos A, Nguyen L, Chaowanachan T, van Griensven F, Choopanya K, Mastro TD, Tappero JW. Frequency of HIV-1 dual subtype infections, including intersubtype superinfections, among injection drug users in Bangkok, Thailand. *AIDS* 2005;19:303-308.

Huo D, Bailey SL, **Garfein RS, Ouellet LJ.** Changes in the sharing of drug injection equipment among street-recruited injection drug users in Chicago, Illinois, 1994–1996. *Substance Use & Misuse* 2005;40:63-76.

Ibañez GE, Purcell DW, Stall R, Parsons JT, Gómez CA, and the SUMIT Team. Sexual risk, substance use, and psychosocial distress in HIV-positive gay and bisexual men who also inject drugs. *AIDS* 2005;19(suppl 1):S49-S55.

Iloeje UH, Yuan Y, L'Italien G, Mauskopf J, **Holmberg SD, Moorman AC, Wood KC, Moore RD.** Protease inhibitor exposure and increased risk of cardiovascular disease in HIV-infected patients. *HIV Medicine* 2005;6:37-44.

Jenkins RA, Averbach AR, Robbins A, Cranston K, Amaro H, Morrill AC, Blake SM, Logan JA, Batchelor K, Freeman AC, Carey JW. Improving the use of data for HIV prevention decision making: lessons learned. *AIDS and Behavior* June 2005;9(suppl):S87-S99.

Jenkins RA, Carey JW. Decision making for HIV prevention planning: organizational considerations and influencing factors. *AIDS and Behavior* June 2005;9(suppl):S1-S8.

Jenkins RA, Robbins A, Cranston K, Batchelor K, Freeman AC, Averbach AR, Amaro H, Morrill AC, Blake SM, Logan JA, **Carey JW**. Bridging data and decision making: development of techniques for improving the HIV prevention community planning process. *AIDS and Behavior* June 2005;9(suppl):S41-S53.

Jenkins RA, Thapinta D, Morgan PA, Wongkamhaeng S, Sornsathapornkul P, Bussarati V, Sontirat A, Ruangyuttikarn C, Pitisuttithum P, Thongchareoen P, Khamboonruang C, Suriyanon V, Nitayaphan S, Brown AE, and the Thai AIDS Vaccine Evaluation Group. Behavioral and social issues among volunteers in a preventive HIV vaccine trial in Thailand. *Journal of Acquired Immune Deficiency Syndromes* 2005;40(5):592-599.

Johnson JA, Li J, Morris L, Martinson N, Gray G, McIntyre J, **Heneine W**. Emergence of drug-resistant HIV-1 after intrapartum administration of single-dose nevirapine is substantially underestimated. *Journal of Infectious Diseases* 2005;192:16-23.

Jones JF, **Kulkarni PS, Butera ST**, Reeves WC. GB virus-C—a virus without a disease: We cannot give it chronic fatigue syndrome. *BMC Infectious Diseases* 2005;5. Available at: <http://www.biomedcentral.com/>.

Kabugo C, Bahendeka S, Mwebaze R, Malamba S, Katuntu D, Downing R, Mermin J, **Weidle PJ**. Long-term experience providing antiretroviral drugs in a fee-for-service HIV clinic in Uganda. *Journal of Acquired Immune Deficiency Syndromes* 2005;38(5):578-583.

Kalish ML, Wolfe ND, Ndongmo CB, McNicholl J, Robbins KE, Aidoo M, Fonjungo PN, Alemnji G, Zeh, C, Djoko CF, Mpoudi-Ngole E, Burke DS, Folks TM. Central African hunters exposed to simian immunodeficiency virus. *Emerging Infectious Diseases* 2005;11(12). Available at: <http://www.cdc.gov/eid>.

Kalou M, Sassan-Morokro M, Abouya L, Bile C, Maurice C, Maran M, Tossou O, **Roels T, Greenberg AE, Wiktor SZ, Nkengasong JN**. Changes in HIV RNA viral load, CD4+ T-cell counts, and levels of immune activation markers associated with anti-tuberculosis therapy and cotrimoxazole prophylaxis among HIV-infected tuberculosis patients in Abidjan, Côte d'Ivoire. *Journal of Medical Virology* 2005;75:202-208.

Kendrick SR, Kroc KA, **Withum D, Rydman RJ, Branson BM, Weinstein RA**. Outcomes of offering rapid point-of-care HIV testing in a sexually transmitted disease clinic. *Journal of Acquired Immune Deficiency Syndromes* 2005;38:142-146.

Kim H-Y, Williamson JM, Lyles CL. Sample-size calculations for studies with correlated ordinal outcomes. *Statistics in Medicine* 2005;24:2977-2987.

Knight KR, **Purcell DW**, Dawson-Rose C, Halkitis PN, Gomez CA, and the Seropositive Urban Injectors Study Team. Sexual risk taking among HIV-positive injection drug users: contexts, characteristics, and implications for prevention. *AIDS Education and Prevention* 2005;17(suppl A):76-88.

Lal RB, Chakrabarti S, **Yang C**. Impact of genetic diversity of HIV-1 on diagnosis, antiretroviral therapy & vaccine development. *Indian Journal of Medical Research* 2005;121:287-314.

Li B, Smith J, Robinson H, Butera S, Ellenberger D. Effects of mutation in protease on the production of human immunodeficiency virus type-1 virus-like particles [Conference Exclusive]. *Bioprocessing Journal* [serial online] 2005;May/June:1-8. Available at: <http://www.bioprocessingjournal.com>.

Li M, Song R, Masciotra S, Soriano V, Spira TJ, Lal RB, Yang C. Association of CCR5 human haplogroup E with rapid HIV type 1 disease progression. *AIDS Research and Human Retroviruses* 2005;21(2):111-115.

Lichtenstein KA, Armon C, Baron A, **Moorman AC**, Wood KC, **Holmberg SD**, and the HIV Outpatient Study Investigators. Modification of the incidence of drug-associated symmetrical peripheral neuropathy by host and disease factors in the HIV Outpatient Study Cohort. *Clinical Infectious Diseases* 2005;40:148-157.

Liechty CA, Solberg P, Mwima G, Were W, **Weidle PJ**, Mermin J. Nevirapine-induced Stevens-Johnson syndrome in a mother and son [letter]. *AIDS* 2005;19:993-994.

Lindegren ML, **Hammett T, Bulterys M**. Epidemiology of pediatric HIV infection. In: Zeichner SL, Read JS, eds. *Textbook of Pediatric HIV Care*. Cambridge University Press; 2005:84-101.

Luo W, Yang H, Rathbun K, Pau C-P, Ou C-Y. Detection of human immunodeficiency virus type 1 DNA in dried blood spots by a duplex real-time PCR assay. *Journal of Clinical Microbiology* 2005;43:1851-1857.

MacKellar DA, Valleroy LA, Secura GM, Behel S, Bingham T, Celentano DD, Koblin BA, LaLota M, McFarland W, Shehan D, Thiede H, Torian LV, Janssen RS, for the Young Men's Survey Study Group. Unrecognized HIV infection, risk behaviors, and perception of risk among young men who have sex with men: opportunities for advancing HIV prevention in the third decade of HIV/AIDS. *Journal of Acquired Immune Deficiency Syndromes* 2005;38(5):603-614.

Malamba SS, Mermin JH, Bunnell R, Mubangizi J, Kalule J, Marum E, **Hu DJ, Wangalwa S, Smith D, Downing R**. Couples at risk: HIV-1 concordance and discordance among sexual partners receiving voluntary counseling and testing in Uganda. *Journal of Acquired Immune Deficiency Syndromes* 2005;39:576-580.

Mansergh G. Methamphetamine use and sexual risk behavior of men who have sex with men and other populations in the United States. *Clinical Care Options* 2005. Available at: <http://www.clinicalcareoptions.com>.

Mark HD, Sifakis F, Hylton JB, Celentano DD, **MacKellar DA, Valleroy LA**, Zenilman J. Sex with women as a risk factor for herpes simplex virus type 2 among young men who have sex with men in Baltimore. *Sexually Transmitted Diseases* 2005;32(11):691-695.

Marks G, Crepaz N, Senterfitt JW, Janssen RS. Meta-analysis of high-risk sexual behavior in persons aware and unaware they are infected with HIV in the United States: implications for HIV prevention programs. *Journal of Acquired Immune Deficiency Syndromes* 2005;39(4):446-453.

Marks G, Richardson JL, Milam J, Bolan R, Stoyanoff S, McCutchan A. Use of erectile dysfunction medication and unsafe sex among HIV+ men who have sex with men in care [letter]. *International Journal of STD & AIDS* 2005;16:271-272.

McConnell MS, **Byers RH**, Frederick T, Peters VB, **Dominguez KL, Sukalac T, Greenberg AE**, Hsu H-W, Rakusan TA, Ortiz IR, Melville SK, **Fowler MG**, for the Pediatric Spectrum of HIV Disease Consortium. Trends in antiretroviral therapy use and survival rates for a large cohort of HIV-infected children and adolescents in the United States, 1989–2001. *Journal of Acquired Immune Deficiency Syndromes* 2005;38(4):488-494.

McDougal JS, Pilcher CD, **Parekh BS**, Gershy-Damet G, **Branson BM**, Marsh K, Wiktor SZ. Surveillance for HIV-1 incidence using tests for recent infection in resource-constrained countries. *AIDS* 2005;19(suppl 2):S25-S30.

McNaghten AD, Neal JJ, Li J, Fleming PL. Epidemiologic profile of HIV and AIDS among American Indians/Alaska Natives in the USA through 2000. *Ethnicity and Health* 2005;10(1):57-71.

Metcalf CA, Douglas JM Jr, Malotte K, Cross H, **Dillon BA**, Paul SM, Padilla SM, Brookes LC, **Lindsey CA, Byers RH, Peterman TA**, for the RESPECT-2 Study Group. Relative efficacy of prevention counseling with rapid and standard HIV testing: a randomized, controlled trial (RESPECT-2). *Sexually Transmitted Diseases* 2005;32:130-138.

Metcalf CA, Malotte K, Douglas JM Jr, Paul SM, **Dillon BA**, Cross H, Brookes LC, DeAugustine N, **Lindsey CA, Byers RH, Peterman TA**, for the RESPECT-2 Study Group. Efficacy of a booster counseling session 6 months after HIV testing and counseling: a randomized, controlled trial (RESPECT-2). *Sexually Transmitted Diseases* 2005;32:123-129.

Metsch LR, Gooden LK, **Purcell DW**. Interventions in community settings. In: Kalichman SC, ed. *Positive Prevention: Reducing HIV Transmission among People Living with HIV/AIDS*. New York: Kluwer Academic/Plenum; 2005:193-217.

Millet G, Malebranche D, Mason B, Spikes P. Focusing “down low”: bisexual black men, HIV risk and heterosexual transmission. *Journal of the National Medical Association* 2005;97(7):52S-59S.

Nesheim S, **Parekh B**, Sullivan K, **Bulterys M, Dobbs T**, Lindsay M, Cashat-Cruz M, **Byers R**, Lee F. Temporal trends in HIV type 1 incidence among inner-city childbearing women in Atlanta: use of the IgG-capture BED-enzyme immunoassay. *AIDS Research and Human Retroviruses* 2005;21:537-544.

Nkengasong J, Weidle P. Implementing antiretroviral therapy in developing countries: logistic issues and lessons learned. In: **Butera ST**, ed. *HIV Chemotherapy: A Critical Review*. Wymondham, Norfolk, England: Caister Academic Press; 2005:137-158.

O’Leary A. Guessing games: sex partner serostatus assumptions among HIV-positive gay and bisexual men. In: Halkitis PN, Gómez CA, **Wolitski RJ**, eds. *HIV+ Sex: The Psychological and Interpersonal Dynamics of HIV-Seropositive Gay and Bisexual Men’s Relationships*. Washington, DC: American Psychological Association; 2005:121-132.

O’Leary A, Hoff CC, Purcell DW, Gómez CA, Parsons JT, Hardnett F, Lyles CM. What happened in the SUMIT trial? Mediation and behavior change. *AIDS* 2005;19(suppl 1):S111-S121.

O’Leary A, Millett G. Bisexually active men and the HIV epidemic [Expert Viewpoint]. *Clinical Care Options*. December 2005. Available at: <http://www.clinicalcareoptions.com>.

O’Leary A, Wolitski RJ, Remien RH, Woods WJ, Parsons JT, Moss S, Lyles CM. Psychosocial correlates of transmission risk behavior among HIV-seropositive gay and bisexual men. *AIDS* 2005;19(suppl 1):S67-S75.

Ompad DC, Ideda RM, Shah N, Fuller CM, Bailey S, Morse E, Kerndt P, Maslow C, Wu Y, Vlahov D, **Garfein R**, Strathdee SA, for the Collaborative Injection Drug Users Study II. Childhood sexual abuse and age at initiation of injection drug use. *American Journal of Public Health* 2005;95(4):703-709.

Otten RA, Adams DR, Kim CN, Jackson E, Pulliam JK, Lee K, Grohskopf LA, Monsour M, Butera S, Folks TM. Multiple vaginal exposures to low doses of R5 simian–human immunodeficiency virus: strategy to study HIV preclinical interventions in nonhuman primates. *Journal of Infectious Diseases* 2005;191:164-173.

Painter TM, Diaby KL, Matia DM, Lin LS, Sibailly TS, Kouassims MK, Ekpini ER, Roels TH, Wiktor SZ. Sociodemographic factors associated with participation by HIV-1-positive pregnant women in an intervention to prevent mother-to-child transmission of HIV in Abidjan, Côte d'Ivoire. *International Journal of STD & AIDS* 2005;16:237-242.

Parekh BS, McDougal JS. Application of laboratory methods for estimation of HIV-1 incidence [review]. *Indian Journal of Medical Research* 2005;121:510-518.

Parsons JT, Schrimshaw EW, Bimbi DS, **Wolitski RJ**, Gómez CA, Halkitis PN. Consistent, inconsistent, and non-disclosure to casual sex partners among HIV-seropositive gay and bisexual men. *AIDS* 2005;19(suppl 1):S87-S97.

Parsons JT, Schrimshaw EW, **Wolitski RJ**, Halkitis PN, **Purcell DW**, Hoff CC, Gómez CA, and the SUMIT Study Group. Sexual harm reduction practices of HIV-seropositive gay and bisexual men: serosorting, strategic positioning, and withdrawal before ejaculation. *AIDS* 2005;19(suppl 1):S13-S25.

Peterman TA, Lindsey CA, Selik RM. This place is killing me: a comparison of counties where the incidence rates of AIDS increased the most and the least. *Journal of Infectious Diseases* 2005;191(suppl 1):S123-S126.

Plitt SS, **Garfein RS**, Gaydos CA, Strathdee SA, Sherman SG, Taha TE. Prevalence and correlates of *Chlamydia trachomatis*, *Neisseria gonorrhoeae*, *Trichomonas vaginalis* infections, and bacterial vaginosis among a cohort of young injection drug users in Baltimore, Maryland. *Sexually Transmitted Diseases* 2005;32(7):446-453.

Purcell DW, Ibañez GE, Schwartz DJ. Under the influence: alcohol and drug use and sexual behavior among HIV-positive gay and bisexual men. In: Halkitis PN, Gómez CA, **Wolitski RJ**, eds. *HIV+ Sex: The Psychological and Interpersonal Dynamics of HIV-Seropositive Gay and Bisexual Men's Relationships*. Washington, DC: American Psychological Association; 2005:163-181.

Purcell DW, Moss S, Remien RH, Woods WJ, Parsons JT. Illicit substance use, sexual risk, and HIV-positive gay and bisexual men: differences by serostatus of casual partners. *AIDS* 2005;19(suppl 1):S37-S47.

Purcell DW, Wolitski RJ, Hoff CC, Parsons JT, Woods WJ, Halkitis PN. Predictors of the use of viagra, testosterone, and antidepressants among HIV-seropositive gay and bisexual men. *AIDS* 2005;19(suppl 1):S57-S66.

Reid P, MacInnes H, Cong M, Heneine W, García-Lerma JG. Natural resistance of human immunodeficiency virus type 2 to zidovudine. *Virology* 2005;336:251-264.

Remien RH, Halkitis PN, **O'Leary A, Wolitski RJ**, Gómez CA. Risk perception and sexual risk behaviors among HIV-positive men on antiretroviral therapy. *AIDS and Behavior* 2005;9:167-176.

Respess RA, Cachafeiro A, Withum D, Fiscus SA, Newman D, Branson B, Varnier OE, Lewis K, Dondero TJ. Evaluation of an ultrasensitive p24 antigen assay as a potential alternative to human immunodeficiency virus type 1 RNA viral load assay in resource-limited settings [Notes]. *Journal of Clinical Microbiology* 2005;43:506-508.

Rudy ET, Mahoney-Anderson PJ, Loughlin AM, Metsch LR, Kerndt PR, **Gaul Z, Del Rio C.** Perceptions of human immunodeficiency virus (HIV) testing services among HIV-positive persons not in medical care. *Sexually Transmitted Diseases* 2005;32:207-213.

Sanchez TH, Brooks JT, Sullivan PS, Juhasz M, Mintz E, Dworkin MS, Jones JL, and the Adult/Adolescent Spectrum of HIV Disease Study Group. Bacterial diarrhea in persons with HIV infection, United States, 1992–2002. *Clinical Infectious Diseases* 2005;41:1621-1627.

Santibanez SS, Garfein RS, Swartzendruber A, Kerndt PR, Morse E, Ompad D, Strathdee S, Williams IT, Friedman SR, Ouellet LJ. Prevalence and correlates of crack-cocaine injection among young injection drug users in the United States, 1997–1999. *Drug and Alcohol Dependence* 2005;77:227-233.

Saphonn V, **Parekh BS, Dobbs T, Mean C, Bun LH, Ly SP, Heng S, Detels R.** Trends of HIV-1 seroincidence among HIV-1 sentinel surveillance groups in Cambodia, 1999–2002. *Journal of Acquired Immune Deficiency Syndromes* 2005;39:587-592.

Schaefer A, Robbins KE, Nzilambi N, St Louis ME, Quinn TC, Folks TM, Kalish ML, Pieniazek D. Divergent HIV and simian immunodeficiency virus surveillance, Zaire. *Emerging Infectious Diseases* 2005;11(9). Available at <http://www.cdc.gov/eid>.

Schwartz DJ, Bailey CJ. Between the sheets and between the ears: sexual practices and risk beliefs of HIV-positive gay and bisexual men. In: Halkitis PN, Gómez CA, **Wolitski RJ**, eds. *HIV+ Sex: The Psychological and Interpersonal Dynamics of HIV-Seropositive Gay and Bisexual Men's Relationships*. Washington, DC: American Psychological Association; 2005:55-72.

Smith JM, Amara RR, Wyatt LS, **Ellenberger DL, Li B, Herndon JG, Patel M, Sharma S, Chennareddi L, Butera S, McNicholl J, McClure HM, Moss M, Robinson HL.** Studies in macaques on cross-clade T cell responses elicited by a DNA/MVA AIDS vaccine, better conservation of CD8 than CD4 T cell responses [short communication]. *AIDS Research and Human Retroviruses* 2005;21:140-144.

Song R, Hall HI, Frey R. Uncertainties associated with incidence estimates of HIV/AIDS diagnoses adjusted for reporting delay and risk redistribution. *Statistics in Medicine* 2005;24:453-464.

Song R, Karon JM. Distributions of renewal variables when renewal process reaches a special event. *Communications in Statistics—Theory and Methods* 2005;34:1813-1819.

Soroka S, Granade TC, Candal D, Parekh BS. Modification of rapid HIV antibody assay protocols for detecting recent HIV seroconversion. *Clinical and Diagnostic Laboratory Immunology* 2005;12:918-921.

Sosman JM, **MacGowan RJ, Margolis AD**, Eldridge G, Flanigan T, Vardaman J, Fitzgerald C, Kacanek D, Binson D, Seal DW, and the Project START Study Group. Screening for sexually transmitted diseases and hepatitis in 18–29-year-old men recently released from prison: feasibility and acceptability. *International Journal of STD & AIDS* 2005;16:117-122.

Spielberg F, **Branson BM**, Goldbaum GM, Lockhart D, Kurth A, Rossini A, Wood RW. Choosing HIV counseling and testing strategies for outreach settings: a randomized trial. *Journal of Acquired Immune Deficiency Syndromes* 2005;38:348-355.

Stall R, van Griensven F. New directions in research regarding prevention for positive individuals: questions raised by the Seropositive Urban Men's Intervention Trial. *AIDS* 2005;19(suppl 1):S123-S127.

Strathdee SA, Latka M, Campbell J, O'Driscoll PT, Golub ET, Kapadia F, Pollini RA, **Garfein RS**, Thomas DL, Hagan H, for the Study to Reduce Intravenous Exposures Project. Factors associated with interest in initiating treatment for hepatitis C virus (HCV) infection among young HCV-infected injection drug users. *Clinical Infectious Diseases* 2005;40(suppl 5):S304-S312.

Sullivan PS, Karon JM, Malitz FE, Broyles S, Mokotoff ED, Buskin SE, Fleming PL. A two-stage sampling method for clinical surveillance of individuals in care for HIV infection in the United States. *Public Health Reports* 2005;120:230-239.

Sullivan ST, Mandava U, Evans-Strickfaden T, Lennox JL, Ellerbrock TV, Hart CE. Diversity, divergence, and evolution of cell-free human immunodeficiency virus type 1 in vaginal secretions and blood of chronically infected women: associations with immune status. *Journal of Virology* 2005;79:9799-9809.

Switzer WM, Parekh BS, Shanmugam V, Bhullar V, Phillips S, Ely JJ, Heneine W. The epidemiology of simian immunodeficiency virus infection in a large number of wild- and captive-born chimpanzees: evidence for a recent introduction following chimpanzee divergence. *AIDS Research and Human Retroviruses* 2005;21:335-342.

Switzer WM, Salemi M, Shanmugam V, Gao F, Cong M, Kulken C, Bhullar V, Beer BE, Vallet D, Gautier-Hion A, Tooze Z, Villinger F, Holmes EC, Heneine W. Ancient co-speciation of simian foamy viruses and primates [letter]. *Nature* 2005;434:376-380.

Taylor MM, Hawkins K, Gonzalez A, **Buchacz K**, Aynalem G, Smith LV, Klausner J, **Holmberg S**, Kerndt PR. Use of the serologic testing algorithm for recent HIV seroconversion (STARHS) to identify recently acquired HIV infections in men with early syphilis in Los Angeles County [Rapid Communication]. *Journal of Acquired Immune Deficiency Syndromes* 2005;38(5):505-508.

Thanprasertsuk S, Sirivongrangson P, Ungchusak K, Jommaroeng R, Siriprapasiri T, Phanuphak P, Tappero JW, **van Griensven F**. The invisibility of the HIV epidemic among men who have sex with men in Bangkok, Thailand [letter]. *AIDS* 2005;19:1931-1932.

Tuli K, Sansom S, Purcell DW, Metsch LR, Latkin CA, Gourevitch MN, Gomez CA, and the INSPIRE Team. Economic evaluation of an HIV prevention intervention for seropositive injection drug users. *Journal of Public Health Management and Practice* 2005;11:508-515.

van Griensven F, Pitisuttithum P, Vanichseni S, Wichienkuer P, Tappero JW, Sangkum U, Kitayaporn D, Phasithiphol B, Orelind K, Choopanya K. Trends in the injection of midazolam and other drugs and needle sharing among injection drug users enrolled in the AIDSVAX B/E HIV-1 vaccine trial in Bangkok, Thailand. *International Journal of Drug Policy* 2005;16:171-175.

van Griensven F, Thanprasertsuk S, Jommaroeng R, **Mansergh G**, Naorat S, **Jenkins RA**, Ungchusak K, Phanuphak P, Tappero JW, and the Bangkok MSM Study Group. Evidence of a previously undocumented epidemic of HIV infection among men who have sex with men in Bangkok, Thailand [Concise Communication]. *AIDS* 2005;19:521-526.

Vicioso KJ, Parsons JT, Nanin JE, **Purcell DW**, Woods WJ. Experiencing release: sex environments and escapism for HIV-positive men who have sex with men. *Journal of Sex Research* 2005;42:13-19.

Welty TK, **Bulterys M**, Welty ER, Tih PM, Ndikintum G, Nkuoh G, Nkfusai J, Kayita J, **Nkengasong J**, Wilfert C. Integrating prevention of mother-to-child HIV transmission into routine antenatal care: the key to program expansion in Cameroon. *Journal of Acquired Immune Deficiency Syndromes* 2005;40(4):486-493.

Whitmore SK, Satcher AJ, Hu S. Epidemiology of HIV/AIDS among non-Hispanic black women in the United States. *Journal of the National Medical Association* 2005;97(7):19S-24S.

Wolfe ND, **Heneine W**, Carr JK, **Garcia AD**, **Shanmugam V**, Tamoufe U, Torimiro JN, Prosser AT, LeBreton M, Mpoudi-Ngole E, McCutchan FE, Birx DL, **Folks TM**, Burke DS, **Switzer WM**. Emergence of unique primate T-lymphotropic viruses among central African bushmeat hunters. *Proceedings of the National Academy of Sciences of the USA (PNAS)* 2005;102:7994-7999.

Wolitski RJ. The emergence of barebacking among gay and bisexual men in the United States: a public health perspective. *Journal of Gay and Lesbian Psychotherapy*. 2005;9:9-34. Copublished simultaneously in Halkitis PN, Wilton L, Drescher J, eds. *Barebacking: Psychosocial and Public Health Approaches*. Haworth Press; 2005.

Wolitski RJ. Listening to gay and bisexual men living with HIV: implications for psychology and public health. In: Halkitis PN, Gómez CA, **Wolitski RJ**, eds. *HIV + Sex: The Psychological and Interpersonal Dynamics of HIV-Seropositive Gay and Bisexual Men's Relationships*. Washington, DC: American Psychological Association; 2005:233-254.

Wolitski RJ, Bailey CJ. It takes two to tango: HIV-positive gay and bisexual men's beliefs about their responsibility to protect others from HIV infection. In: Halkitis PN, Gómez CA, **Wolitski RJ**, eds. *HIV + Sex: The Psychological and Interpersonal Dynamics of HIV-Seropositive Gay and Bisexual Men's Relationships*. Washington, DC: American Psychological Association; 2005:147-162.

Wolitski RJ, Gómez CA, Parsons JT, and the SUMIT Study Group. Effects of a peer-led behavioral intervention to reduce HIV transmission and promote serostatus disclosure among HIV-seropositive gay and bisexual men. *AIDS* 2005;19(suppl 1):S99-S109.

Wolitski RJ, Janssen RS, Onorato IM, Purcell DW, Crepaz N. An overview of prevention with people living with HIV. In: Kalichman SC, ed. *Positive Prevention: Reducing HIV Transmission among People Living with HIV/AIDS*. New York: Kluwer Academic/Plenum; 2005:1-28.

Wolitski RJ, Parsons JT, Gómez CA, Purcell DW, Hoff CC, Halkitis PN, and the SUMIT Study Group. Prevention with gay and bisexual men living with HIV: rationale and methods of the Seropositive Urban Men's Intervention Trial (SUMIT). *AIDS* 2005;19(suppl 1):S1-S11.

Yang C, Boone L, Nguyen TX, Rudolf D, Limpakarnjanarat K, Mastro TD, Tappero J, Cole AM, Lal RB. θ [Theta]-defensin pseudogenes in HIV-1 –exposed, persistently seronegative female sex-workers from Thailand. *Infection, Genetics and Evolution* 2005;5:11-13. Also available at <http://www.elsevier.com/locate/meegid>.

Yang C, Li M, Mokili JLK, Winter J, Lubaki NM, Mwandagalirwa KM, Kasali MJ, Losoma AJ, Quinn TC, Bollinger RC, Lal RB. Genetic diversification and recombination of HIV type 1 group M in Kinshasa, Democratic Republic of Congo [Sequence Note]. *AIDS Research and Human Retroviruses* 2005;21(7):661-666.

Zaidi I, Crepaz N, Song R, Wan CK, Lin LS, Hu DJ, Sy FS. Epidemiology of HIV/AIDS among Asians and Pacific Islanders in the United States. *AIDS Education and Prevention* 2005;17:405-417.

Zeh C, Pieniazek D, Agwale SM, Robbins KE, Odama L, Sani-Gwarzo N, Gboun MS, Inyang US, Folks TM, Wambebe C, Kalish ML. Nigerian HIV type 2 subtype A and B from heterotypic HIV type 1 and HIV type 2 or monotypic HIV type 2 infections. *AIDS Research and Human Retroviruses* 2005;21:17-27.