

Spectral Data for Molybdenum Ions, Mo VI–Mo XLII

Toshizo Shirai, Yohta Nakai, and Kunio Ozawa

Japan Atomic Energy Research Institute, Tokai-mura 319-11, Japan

Keishi Ishii

Department of Engineering Science, Kyoto University, Kyoto 606, Japan

Jack Sugar

National Bureau of Standards, Gaithersburg, Maryland 20899

and

Kazuo Mori

Japan Information Center of Science and Technology, Tokyo 100, Japan

Received October 9, 1986; revised manuscript received December 17, 1986

Wavelengths, intensities, and classifications for the molybdenum ions Mo VI to Mo XLII are compiled. A short review of the work on each stage of ionization is included. The data are critically evaluated and the best results, in our judgement, are quoted.

Key words: atomic data; energy levels; molybdenum; spectra.

Contents

1. Introduction	327	Mo XVII.....	366
1.1. Acknowledgments	328	Mo XVIII.....	369
1.2. References for Introduction	328	Mo XXIII.....	370
2. Index Correlating References to Mo Ions.....	328	Mo XXIV.....	371
3. Brief Comments on Each Molybdenum Ion	329	Mo XXV.....	371
4. Explanation of Tables of Spectroscopic Data	333	Mo XXVI.....	371
5. Spectroscopic Data for Mo VI–Mo XLII	333	Mo XXVII.....	371
6. References for Tables and Comments.....	376	Mo XXVIII.....	371

List of Tables

Mo VI	334
Mo VII	339
Mo VIII.....	348
Mo IX	351
Mo X.....	357
Mo XI	360
Mo XII	361
Mo XIII.....	361
Mo XIV.....	362
Mo XV	363
Mo XVI.....	364

Mo XXIX.....	372
Mo XXX.....	372
Mo XXXI.....	372
Mo XXXII.....	373
Mo XXXIII.....	374
Mo XXXIV.....	375
Mo XL	375
Mo XLI	375
Mo XLII.....	376

List of Figures

1. Ionization potential versus charge state of Mo ions ($Z = 42$)	328
--	-----

©1987 by the U.S. Secretary of Commerce on behalf of the United States. This copyright is assigned to the American Institute of Physics and the American Chemical Society.
Reprints available from ACS; see Reprints List at back of issue.

1. Introduction

From a critical evaluation of the analyses of the spectra Mo VI through Mo XLII, we prepared the present tables of

spectroscopic data. Similar tables were published by Mori *et al.*^{1,2} for the iron ions, Fe VIII–Fe XXVI, and the titanium ions, Ti v–Ti XXII, respectively.

This work was motivated by the needs of the tokamak community for spectral data of selected elements. These elements are present in the interior walls and structures of tokamaks and enter the hot plasmas in small quantities. Their spectra are useful in determining ion temperatures, impurity transport, and other diagnostic data.

After publishing the previous compilation³ of the molybdenum ions, we found that some corrections needed to be made and some references needed to be added. In the present compilation we have made these revisions and adopted energy level values compiled by Sugar, which are in preparation for publication.

We also include values for the ionization energies of each ion. In most cases, experimentally deduced values are lacking, and for these we have quoted the most reliable theoretical value available. Figure 1 shows the calculated ionization potentials of Mo ions by Carlson *et al.*⁴ It suggests the ionization stages to be expected at a given plasma temperature.

The present tables were prepared as follows: The available spectral data for the molybdenum spectra Mo VI and higher were collected from published articles. Section 2 lists references for each ion. These works were critically reviewed and the most reliable in our judgment were selected. The values for the energy levels have been either taken from the original article or recalculated from the most reliable wavelength data.

As is evident from the many corrections to early classi-

fications of Mo spectra, these data may still be subject to significant change as more complete spectra are observed.

Prior to the present compilation, Chaghtai and Ahmad,⁵ have compiled the energy level tables of Mo I–Mo XLII. Our results contain extensive revisions and additions to this work.

1.1. Acknowledgments

The authors would like to express their thanks to Dr. N. Shikazono and Dr. S. Igarasi for their encouragement during this work. This work was partially supported by the U.S. Japan Fusion Research Cooperation Program.

1.2. References for Introduction

- ¹K. Mori, M. Otsuka, and T. Kato, *At. Data Nucl. Data Tables* **23**, 195 (1979).
- ²K. Mori, W. L. Wiese, T. Shirai, Y. Nakai, K. Ozawa, and T. Kato, *At. Data Nucl. Data Tables* **34**, 79 (1986).
- ³T. Shirai, K. Ishii, K. Mori, Y. Nakai, and K. Ozawa, *Spectral Data for Highly Ionized Molybdenum, Mo VI–Mo XLII*, JAERI-M Report Nos. 85–173 (1985).
- ⁴T. A. Carlson, C. W. Nestor Jr., N. Wasserman, and J. D. McDowell, *At. Data and Nucl. Data Tables* **2**, 63 (1970).
- ⁵M. S. Z. Chaghtai and T. Ahmad, *The Molybdenum Spectra of Mo I–XLII*, IAEA Report INDC(IND)-31/GA (1982).

2. Index Correlation References to Mo Ions

Those ions not found in Sec. 3 are included here for completeness, but did not contribute to the compiled data. References are given in Sec. 5.

Ion	References
Mo VI	27,29,42,47,75, 102,104
Mo VII	21,22,27,29,47,79, 103
Mo VIII	21,24,25,27,29,43, 47,60
Mo IX	21,23,26,29,47,62, 78,80
Mo X	8,29,47,77,78,85
Mo XI	29,77,78
Mo XII	4,34,47,116
Mo XIII	1,4,9,11,19,20,39,47, 50,51,53,54,72,81, 97,98,107,113,114
Mo XIV	4,19,31,32,35,44, 47,49,54,56,58,67,71, 81,82,83,107,111,113
Mo XV	4,19,66,68,74,94, 95,96,107,111
Mo XVI	4,5,6,19,40,68,74, 87,92,95,96,100,108,115
Mo XVII	12,19,39,40,46,57, 68,69,74,84,89,95,115
Mo XVIII	19,70,96,110,115
Mo XIX	96,115
Mo XX	96,115




FIG. 1. Ionization potential vs charge state of Mo ions ($Z = 42$).

Ion	References
Mo XXI	96,115
Mo XXII	68,95,96,115
Mo XXIII	20,68,95,96,100,112
Mo XXIV	20,65,91,95,96,99,100
Mo XXV	20,91,95,96
Mo XXVI	20,36,101
Mo XXVII	20,31,36,55,101
Mo XXVIII	20,36,37,101
Mo XXIX	20,29,36,61,100,101
Mo XXX	17,20,30,36,61,65,74, 99,101,117
Mo XXXI	9,15,17,18,20,28,30, 33,36,48,54,59,61, 66,74,88,91,95,96,101, 114
Mo XXXII	15,17,18,30,41,52, 54,61,64,65,74,90, 91,95,96
Mo XXXIII	2,3,13,16,18,20,52, 61,65,73,91,95,96
Mo XXXIV	14,18,20,38,86
Mo XL	10,63,106
Mo XLI	10,76,93,106
Mo XLII	45,105

3. Brief Comments on Each Molybdenum Ion

Mo VI (Rb Sequence)

Ground state: $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 4d^2 D_{3/2}$

The $4d-4f$, $4d-5p$, $5s-5p$, $5p-6s$, and $5p-5d$ doublets were first identified by Trawick.¹⁰⁴ Later Charles²⁷ corrected the $4d-4f$ identifications and added the $4d-6p$ doublet. A comprehensive analysis of the spectrum in the range of 232–6337 Å was reported by Edlén *et al.*⁴² who determined 44 levels of the one-electron configurations: ns ($n = 5$ to 8), np ($n = 5$ to 8), nd ($n = 4$ to 8), nf ($n = 4$ to 6), ng ($n = 5$ to 8), nh ($n = 6$ to 8), ni ($n = 7$ to 9), and nk ($n = 8$ and 9). Wavelengths are taken from Edlén *et al.*⁴²

Tauheed *et al.*¹⁰² observed 60 lines due to transitions from the $4p^5 4d^2$ levels to the $4p^6 4d$ ground levels in the wavelength range of 238–347 Å and established 38 levels of the $4p^5 4d^2$ configuration. They also reported classifications of the $4p^6 5s-4p^5 4d^2$, $4p^6 5d-4p^5 4d^2$, $4p^5 4d^2-4p^6 6d$, and $4p^5 4d^2-4p^6 ng$ ($n = 6$ and 7) transitions in the range of 447–2521 Å. The uncertainty of the wavelengths is ± 0.015 and for very faint lines ± 0.03 Å.

The ionization energy was determined by Edlén *et al.*⁴² to be $555\,132 \pm 2$ cm⁻¹.

Mo VII (Kr Sequence)

Ground state: $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^6 {}^1S_0$

Chaghtai²² identified nine transitions to the $4p^6 {}^1S_0$ ground state from levels with $J = 1$ in the $4p^5 n\ell$ ($4d$, $5s$, $5d$, and $6s$) configurations. The spectrum in the range of 107–

328 Å was reobserved and the classifications were extended to the transitions from the $4p^5 6d$, $4p^5 ns$ ($n = 7-10$), and $4s 4p^6 5p$ levels by Reader *et al.*⁷⁹ The uncertainty of the wavelengths is ± 0.003 Å and for weak lines ± 0.006 Å. The data of Reader *et al.* were adopted in the present compilation.

Tauheed and Chaghtai¹⁰³ measured wavelengths of 318 lines in the range of 282–2326 Å with an uncertainty of ± 0.015 Å. These lines were classified among 80 levels of the configurations $4s^2 4p^6$, $4s^2 4p^5 nd$ ($n = 4$ to 6), $4s^2 4p^5 ns$ ($n = 5$ to 10), $4s^2 4p^5 np$ ($n = 5$ and 6), $4s 4p^6 4d$, and $4s 4p^6 5p$.

The ionization energy was determined by Reader *et al.*⁷⁹ to be $1\,013\,550 \pm 150$ cm⁻¹.

Mo VIII (Br Sequence)

Ground state: $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^5 {}^2P_{3/2}$

Wavelengths of the $4s^2 4p^5 {}^2P_{1/2,3/2}-4s 4p^6 {}^2S_{1/2}$ transitions were measured by Charles.²⁷ The $4p^5 {}^2P_{1/2,3/2}-4p^4 4d$ and $5s$ transition arrays were first classified by Chaghtai.²⁴ An improved measurement of the arrays and new energy levels were reported by Ekberg *et al.*⁴³ whose wavelength values are quoted in the present compilation. The uncertainty of the wavelengths is ± 0.003 Å.

Classifications were extended to the transitions between the ground levels and the $4p^4 5d$, $6d$, $6s$, and $7s$ levels by Chaghtai *et al.*²⁵ It should be noted that misprints in upper level designation (the J of the parent state) of the lines at 123.973, 126.296, and 126.747–130.111 Å occur in this article. The wavelengths of the $4p^5 {}^2P_{1/2}-4p^4 ({}^1D_2) 6s (2,1/2)_{3/2}$ and $4p^5 {}^2P_{3/2}-4p^4 ({}^1D_2) 6s (2,1/2)_{5/2}$ lines at 124.620 and 121.111 Å, were revised as 124.561 and 121.080 Å by Khan *et al.*⁶⁰ The first is apparently a misprint and should be 125.561 Å.

The ionization energy was calculated as $1\,162\,000 \pm 8000$ cm⁻¹ by Ekberg *et al.*⁴³ and as $1\,157\,900 \pm 8000$ cm⁻¹ by Chaghtai *et al.*²⁵

Mo IX (Se Sequence)

Ground state: $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^4 {}^3P_2$

An analysis of the $4s^2 4p^4-4s^2 4p^3 5s$ array in the range of 155–178 Å was published by Chaghtai *et al.*²⁶ Level values for the ground configuration were obtained more accurately by Reader and Acquista⁸⁰ in their interpretation of the $4s^2 4p^4-4s 4p^5$ array at 538–577 Å.

The $4s^2 4p^4-4s^2 4p^3 4d$ array was analyzed by Rahimullah *et al.*⁷⁸ A considerable extension of the work was reported by Khatoon *et al.*⁶² who interpreted the transitions from the $4p^3 5d$, $6d$, $6s$, and $7s$ configurations. They derived the value for the ionization energy from the ns series of $1\,323\,700 \pm 8000$ cm⁻¹.

The uncertainty of the wavelengths is ± 0.005 Å.

Mo X (As Sequence)

Ground state: $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^3 {}^4S_{3/2}$

The $4s^2 4p^3-4s^2 4p^2 5s$ transition array was first identified by Rahimullah *et al.*⁷⁷ and confirmed by Reader and Ac-

quista,⁸⁵ whose wavelengths are adopted in the present compilation. The uncertainty of the wavelengths is $\pm 0.005 \text{ \AA}$.

The $4s^2 4p^3-4s4p^4$ array was also analyzed by Reader and Acquista⁸⁵ and all the eight levels of $4s4p^4$ configuration were established.

The $4s^2 4p^3-4s^2 4p^2 4d$ array was identified and the 19 levels of $4s^2 4p^2 4d$ were determined by Rahimullah *et al.*⁷⁸ An additional measurement was reported by Ateqad *et al.*⁸ who determined the other seven levels of the $4s^2 4p^2 4d$ configuration (leaving $^4F_{9/2}$ which cannot combine with the ground configuration). The uncertainty of the wavelengths is $\pm 0.01 \text{ \AA}$.

The ionization energy was calculated as $1\,503\,000 \pm 10\,000 \text{ cm}^{-1}$ by Reader and Acquista.⁸⁵

Mo XI (Ge Sequence)

Ground state: $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p^2 \ ^3P_0$

An analysis of the $4s^2 4p^2-4s^2 4p 5s$ array was first reported by Rahimullah *et al.*⁷⁷ Rahimullah *et al.*⁷⁸ added analyses of the arrays $4s^2 4p^2-4s^2 4p 4d$ and $4s^2 4p^2-4s4p^3$.

In the latter article, the values of the levels $4s^2 4p^2 \ ^3P_{0,1,2}$, 1D_2 , and 1S_0 of the ground configuration and the excited levels $4s^2 4p 5s \ ^3P_{0,1,2}$ and $^1P_1^\circ$ were improved, and all the $4s^2 4p 4d$ levels (except $^3F_4^\circ$ which does not combine with levels of the ground configuration) plus the two $4s4p^3 \ ^1P_1^\circ$ and $^3S_1^\circ$ levels, were established. The uncertainty of the wavelengths is less than $\pm 0.005 \text{ \AA}$. The ionization energy was calculated by Cowan²⁹ to be $1\,688\,000 \pm 10\,000 \text{ cm}^{-1}$.

Mo XII (Ga Sequence)

Ground state: $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 4p \ ^2P_{1/2}^\circ$

There are few measurements for this ionic species. Alexander *et al.*⁴ classified the two transitions $4s^2 4p \ ^2P_{3/2}^\circ-4s^2 5d \ ^2D_{5/2}$ and $4s^2 4p \ ^2P_{1/2}^\circ-4s^2 5d \ ^2D_{3/2}$. Curtis *et al.*³⁴ measured the ground state $4s^2 4p \ ^2P^\circ$ splitting as $28\,463(2) \text{ cm}^{-1}$ from an M1 transition in a tokamak plasma. Comparing the $^2P^\circ$ interval with that by Alexander *et al.*⁴ they concluded that the line classifications in Ref. 4 were incorrect.

The transitions $4s^2 4p \ ^2P^\circ-4s^2 5s \ ^2S$ and $4s^2 4p \ ^2P^\circ-4s4p^2 \ ^2P$ were identified by Reader, Acquista, and Goldsmith.¹¹⁶ Their measurement uncertainty is $\pm 0.005 \text{ \AA}$, and the $4s^2 4p$ ground state interval is given as $28\,467(4) \text{ cm}^{-1}$. We have averaged this with the tokamak value. They also gave a value for the ionization energy of $1\,857\,300 \pm 500 \text{ cm}^{-1}$, derived with an empirically adjusted Dirac-Fock calculation.

Mo XIII (Zn Sequence)

Ground state: $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^2 \ ^1S_0$

Observation of the lines due to the $4s^2 \ ^1S_0-4s5p \ ^1^3P_1^\circ$ and $4s4p \ ^3P_{2,1,0}-4s5s \ ^3S_1$ transitions was reported by Alexander *et al.*⁴ The uncertainty of the wavelengths is $\pm 0.005 \text{ \AA}$.

The resonance line $4s^2 \ ^1S_0-4s4p \ ^1P_1^\circ$ was observed in tokamak plasmas by Hinnov *et al.*⁵³ and Hinnov.⁵⁴ This line was identified in a laser-produced plasma by Reader and

Acquista.⁸¹ Finkenthal *et al.*⁴⁷ also observed this line as well as the intercombination line $^1S_0-^3P_1^\circ$ at 481.02 \AA and the magnetic quadrupole line $4s^2 \ ^1S_0-4s4p \ ^3P_2^\circ$ at 460.9 \AA in addition to three lines belonging to $4s4p-4p^2$ transitions. Wavelengths of the $4s^2-4s4p$ and $4s4p-4p^2$ transition arrays were remeasured with an uncertainty of $\pm 0.01 \text{ \AA}$ in a laser-produced plasma by Litzén and Ando,⁷² who reported energy levels of the configurations $4s4p$ and $4p^2$. They show that identification of the multiplet $4s4p \ ^3P^\circ-4s5s \ ^3S$ in Ref. 4 is incorrect. They confirmed the identification by Finkenthal *et al.*⁴⁷ of the $4s4p \ ^3P_2^\circ-4p^2 \ ^3P_2$ and $4s^2 \ ^1S_0-4s4p \ ^3P_1^\circ$ lines, but found that the other identifications are incorrect.

Burkhalter *et al.*¹⁹ reported the $3d^{10} 4s^2 \ ^1S_0-3d^9 4s^2 4p \ ^3D_1^\circ$ and $-3d^9 4s^2 4p \ ^1P_1^\circ$ transitions, and Wyart *et al.*¹⁰⁷ confirmed them with an uncertainty of $\pm 0.010 \text{ \AA}$. Wavelengths are quoted from the latter article.

The ionization energy was calculated by Cowan²⁰ as $2\,240\,000 \pm 22\,000 \text{ cm}^{-1}$.

Mo XIV (Cu Sequence)

Ground state: $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s \ ^2S_{1/2}$

Alexander *et al.*⁴ observed the one-electron spectrum comprising the $4s-5p$, $4s-6p$, $4p-5s$, $4p-5d$, and $4d-5f$ lines in the region from 45 to 350 \AA .

The $4s-4p$ resonance doublet was measured by Hinnov *et al.*^{53,54} in tokamak discharges. An improved measurement was reported by Reader and Acquista.⁸¹

Curtis *et al.*³¹ classified the $4s-7p$, $4p-6s$, $4p-7s$, $4p-8s$, $4f-5g$, $4f-6g$, and $4d-5p$ transitions in the range of 35–184 \AA with wavelength accuracy ranging from ± 0.05 to $\pm 0.2 \text{ \AA}$.

Reader *et al.*⁸² observed the spectrum in the range of 70–630 \AA . From 35 line identifications, a system of 22 energy levels was determined. The level system ($3d^{10} n\ell$) includes the series ns ($n = 4-6$), np ($n = 4-6$), nd ($n = 4$ and 5), nf ($n = 4-6$), and ng ($n = 5-7$). The uncertainty of wavelengths is $\pm 0.005 \text{ \AA}$. The value of the $6p \ ^2P_{1/2}^\circ$ level was revised by Reader *et al.*⁸³ In the present compilation their results are adopted. They found that the identifications by Curtis *et al.* of the $4f-5g$, $4f-6g$, and $4d-5p$ transitions are incorrect.

The spectra in the range of 50–54 \AA were analyzed by Burkhalter *et al.*,¹⁹ Klapisch *et al.*,⁶⁷ Wyart *et al.*,¹⁰⁷ and Wyart *et al.*¹¹¹ Lines involved in the spectra have been identified as the $3d^{10} 4s-3d^9 4s4p$, $3d^{10} 4p-3d^9 4p^2$, and $3d^{10} 4s-3d^{10} 7p$ transitions. Wavelengths in Ref. 111 are adopted in this compilation. The uncertainty is given as $\pm 0.005 \text{ \AA}$.

The ionization energy was determined as $2\,441\,000 \pm 2000 \text{ cm}^{-1}$ by Curtis *et al.*³¹ from ns and np series, and as $2\,440\,600 \pm 300 \text{ cm}^{-1}$ by Reader *et al.*⁸¹ from their ng series ($n = 5-7$).

Mo XV (Ni Sequence)

Ground state: $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} \ ^1S_0$

The three resonance lines $3d^{10} \ ^1S_0-3d^9 4p \ ^3P_1^\circ$, $^1P_1^\circ$, and $^3D_1^\circ$ were first measured with an uncertainty of $\pm 0.02 \text{ \AA}$ by Alexander *et al.*⁴ The $^1S_0-^1P_1^\circ$ and $^3D_1^\circ$ lines were observed in tokamak discharges together with new lines: the resonance line $3d^{10} \ ^1S_0-3d^9 4f \ ^1P_1^\circ$ at $35.362 \pm 0.005 \text{ \AA}$ by Schwob *et*

$al.^{96}$ and two electric quadrupole lines $3d^{10}1S_0-3d^94s^13D_2$ at $57.927 \pm 0.005 \text{ \AA}$ and $58.832 \pm 0.005 \text{ \AA}$ by Klapisch *et al.*⁶⁶ These lines were also observed by Mansfield *et al.*⁷⁴

Burkhalter *et al.*¹⁹ remeasured the resonance lines $3d^{10}-3d^94p$ and $3d^94f$ with an uncertainty of $\pm 0.010 \text{ \AA}$. Improved measurements with an uncertainty of $\pm 0.005 \text{ \AA}$ were given by Schweitzer *et al.*⁹⁴ for the $3d^{10}-3d^94f$ and $5f$ transitions, Wyart *et al.*¹⁰⁷ for the $3d^{10}1S_0-3d^94p^1P_1^o$ and $^3D_1^o$ transitions, and Wyart *et al.*¹¹¹ for the $3d^{10}1S_0-3d^94p^3P_1^o$ transition. These wavelength data are adopted in this compilation.

We derived the value for the ionization energy of $4\ 391\ 000(5000) \text{ cm}^{-1}$ from the nf terms, with the assumption of a quantum defect difference obtained from Mo XIV.

Mo XVI (Co Sequence)

Ground state: $1s^22s^22p^63s^23p^63d^9^2D_{5/2}$

The magnetic dipole line $3p^63d^9^2D_{5/2}-^2D_{3/2}$ was measured in a tokamak discharge by Suckewer *et al.*¹⁰⁰ with an uncertainty of $\pm 0.2 \text{ \AA}$.

The transition arrays $3p^63d^9-3p^53d^{10}$ and $3p^63d^84p$ in the range of 43–78 \AA were first observed by Edlén.⁴⁰ Identification of the arrays was followed by Alexander *et al.*,⁴ Mansfield *et al.*,⁷⁴ and Burkhalter *et al.*¹⁹ Revision of identifications in the previous works and addition of new lines are given by Ryabtsev and Reader⁹² who measured and identified 46 lines belonging to these transition arrays, which were adopted in the present compilation. The uncertainty of the wavelengths is $\pm 0.005 \text{ \AA}$. Measurements of the $3d^9-3d^84p$ array were also reported by Ando⁵ and Wyart *et al.*¹⁰⁸

The electric quadrupole lines $3d^9-3d^84s$ were observed in a tokamak discharge by Mansfield *et al.*⁷⁴ These lines were measured in the range of 51–55 \AA with an uncertainty of $\pm 0.01 \text{ \AA}$.

The $3d^9-3d^84f$ lines in the region from 32 to 34 \AA were first classified in a tokamak spectrum by Schwob *et al.*⁹⁶ Mansfield *et al.*⁷⁴ identified six lines. The identifications were extended to a total of 17 lines by Burkhalter *et al.*¹⁹ Ando and Ishii⁶ revised the previous identifications and extended the number to 29. Wavelength data are taken from Ref. 6.

The ionization energy was calculated by Carlson *et al.*¹¹⁵ as $571 \pm 22 \text{ eV}$.

Mo XVII (Fe Sequence)

Ground state: $1s^22s^22p^63s^23p^63d^8^3F_4$

The $3p^63d^8-3p^53d^9$ transitions were investigated by Bogdanovichene *et al.*¹² and Burkhalter *et al.*¹⁹ An extended investigation was reported by Reader and Ryabtsev,⁸⁴ who measured wavelengths of 43 lines and established all of the $3p^63d^8$ and $3p^53d^9$ levels. The uncertainty of the wavelengths is $\pm 0.005 \text{ \AA}$. Additional measurement of the $3p^63d^8^1S_0-3d^53d^9^3D_1^o$ transition and revision of the $3d^63d^8^1S_0$ level were made by Reader and Ryabtsev.⁸⁹

The $3d^8-3d^74p$ transitions were observed as a band of lines in the region from 42.1 to 43.2 \AA in a tokamak plasma by Schwob *et al.*⁹⁶ Mansfield *et al.*⁷⁴ reobserved a spectrum

in almost the same wavelength range and identified 18 lines and a band of lines extending from 42.08 to 42.12 \AA . A comprehensive investigation for the transitions was reported by Wyart *et al.*¹⁰⁹ who measured and identified 47 lines. According to their designations, the upper levels in the table are represented by the symbol $(N)_J$, the index N increasing with energy from the lowest level ($N = 1$) for each J .

The wavelength of the intra-shell transition $3d^8^3F_4-^3F_3$ was measured in a tokamak discharge by Suckewer *et al.*¹⁰⁰ The wavelength is in good agreement with that derived from the shorter wavelength measurements of Reader and Ryabtsev.⁸⁴

The ionization energy was calculated by Carlson *et al.*¹¹⁵ as $636 \pm 25 \text{ eV}$.

Mo XVIII (Mn Sequence)

Ground state: $1s^22s^22p^63s^23p^63d^7^4F_{9/2}$

A group of unresolved lines in the range 38.7–40.0 \AA was attributed to the $3d^7-3d^64p$ transitions by Schwob *et al.*⁹⁶

Four lines, lying at about 67 \AA , were measured and identified as the $3p^63d^7-3p^53d^8$ lines by Burkhalter *et al.*¹⁹ Wyart *et al.*¹¹⁰ extended the wavelength range of measurement to 66–83.5 \AA and identified about 50 lines due to the $3p-3d$ transitions. In the table, the upper levels established by Wyart *et al.*¹¹⁰ are designated by the symbol $(N)_J$ for each J , the index N increasing with energy from the lowest level ($N = 1$) for each J . Designations of the $3d^7$ levels are taken from Kubo *et al.*⁷⁰ who reported the result of a calculation carried out by means of the Cowan's program package with use of scaling factors in Table XI of Ref. 110.

The ionization energy was calculated by Carlson *et al.*¹¹⁵ as $702 \pm 28 \text{ eV}$.

Mo XIX (Cr Sequence)

Ground state: $1s^22s^22p^63s^23p^63d^6^5D_4$

No resolved lines are reported for this ion. Schwob *et al.*⁹⁶ observed the $3d^6-3d^54p$ array in the range of 36.0–36.9 \AA .

The ionization energy was calculated by Carlson *et al.*¹¹⁵ as $767 \pm 30 \text{ eV}$.

Mo XX (V Sequence)

Ground state: $1s^22s^22p^63s^23p^63d^5^6S_{5/2}$

No resolved lines are reported for this ion. Schwob *et al.*⁹⁶ observed the $3d^5-3d^44f$ array in the range of 25.8–26.6 \AA .

The ionization energy was calculated by Carlson *et al.*¹¹⁵ as $833 \pm 33 \text{ eV}$.

Mo XXI (Ti Sequence)

Ground state: $1s^22s^22p^63s^23p^63d^4^5D_0$

No resolved lines are reported for this ion. Schwob *et al.*⁹⁶ observed the $3d^4-3d^34f$ array in the range of 24.5–25.2 \AA .

The ionization energy was calculated by Carlson *et al.*¹¹⁵ as 902 ± 36 eV.

Mo XXII (Sc Sequence)

Ground state: $1s^2 2s^2 2p^6 3s^2 3p^6 3d^3 \ ^4F_{3/2}$

No resolved lines are reported for this ion. Schwob *et al.*⁹⁶ observed the $3d^3-3d^2 4f$ array in the range of 23.5–24.1 Å.

The ionization energy was calculated by Carlson *et al.*¹¹⁵ as 968 ± 39 eV.

Mo XXIII (Ca Sequence)

Ground state: $1s^2 2s^2 2p^6 3s^2 3p^6 3d^2 \ ^3F_2$

The magnetic dipole transition $3d^2 \ ^3F_2-^3F_3$ was observed in a tokamak discharge at 3553.3 ± 0.3 Å (in air) by Suckewer *et al.*¹⁰⁰ They also tentatively identified a weak line at 3319.8 ± 0.3 Å (in air) as $3d^2 \ ^3F_3-^3F_4$. The latter identification was rejected by Wyart *et al.*¹¹²

Schwob *et al.*⁹⁶ observed the $3d^2-3d 4f$ array in the range of 22.4–22.9 Å.

The ionization energy was calculated by Cowan²⁰ as 1020 ± 10 eV.

Mo XXIV (K Sequence)

Ground state: $1s^2 2s^2 2p^6 3s^2 3p^6 3d^2 \ ^2D_{3/2}$

Schwob *et al.*⁹⁶ reported the $3d^2 D-4f^2 F$ doublet with an accuracy of ± 0.005 Å.

The ground state 2D splitting was observed by means of an M1 line at 2686.5 ± 0.3 Å (in air) in a tokamak discharge by Suckewer *et al.*¹⁰⁰

The ionization energy was calculated by Cowan²⁰ as 1083 ± 11 eV.

Mo XXV (Ar Sequence)

Ground state: $1s^2 2s^2 2p^6 3s^2 3p^6 \ ^1S_0$

Two resonance lines $3p^6 \ ^1S_0-3p^5 4d \ ^3D_1$ and 1P_1 were observed by Schwob *et al.*⁹⁶ in a tokamak discharge. They report a wavelength uncertainty of ± 0.005 Å.

The ionization energy was calculated by Cowan²⁰ as 1264 ± 13 eV.

Mo XXVI (Cl Sequence)

Ground state: $1s^2 2s^2 2p^6 3s^2 3p^5 \ ^2P_{3/2}^\circ$

The ground term $^2P^\circ$ splitting was observed by means of a magnetic dipole transition observed in a tokamak discharge at 534.9 ± 0.3 Å by Denne *et al.*³⁶

The ionization energy was calculated by Cowan²⁰ as 1323 ± 13 eV.

Mo XXVII (S Sequence)

Ground state: $1s^2 2s^2 2p^6 3s^2 3p^4 \ ^3P_2$

Four magnetic dipole lines were observed in tokamak discharges arising within the $3p^4$ ground configuration by

Denne *et al.*³⁶ and Hinnov.⁵⁵ They established all levels but 3P_0 of this group.

The ionization energy was calculated by Cowan²⁰ as 1387 ± 14 eV.

Mo XXVIII (P Sequence)

Ground state: $1s^2 2s^2 2p^6 3s^2 3p^3 \ ^4S_{3/2}$

Seven magnetic dipole lines were observed in tokamak discharges arising within the $3p^3$ ground configuration by Denne *et al.*^{36,37} They established all the levels of this group.

The ionization energy was calculated by Cowan²⁰ as 1449 ± 14 eV.

Mo XXIX (Si Sequence)

Ground state: $1s^2 2s^2 2p^6 3s^2 3p^2 \ ^3P_0$

Five magnetic dipole lines were observed in tokamak discharges arising within the $3p^2$ ground configuration by Denne *et al.*³⁶ and Hinnov.⁵⁵ They established all the levels of this group.

The ionization energy was calculated by Cowan²⁰ as 1535 ± 15 eV.

Mo XXX (Al Sequence)

Ground state: $1s^2 2s^2 2p^6 3s^2 3p \ ^2P_{1/2}^\circ$

Denne *et al.*³⁶ identified the magnetic dipole line $3s^2 3p \ ^2P_{1/2}^\circ-^2P_{3/2}^\circ$ at 490.1 Å. Burkhalter *et al.*¹⁷ tentatively identified the $3p-3d$ doublet at 92.511 and 108.2 Å and classified the $3p-4d$, $3p-4s$, and $3d-4f$ lines in the wavelength region from 15.627 to 18.056 Å. The uncertainty of the wavelengths is ± 0.010 Å. Hinnov *et al.*¹¹⁷ replaced the $3p-3d$ by the lines 104.33 Å for $^2P_{3/2}^\circ-^2D_{5/2}$ and 105.59 Å for $^2P_{3/2}^\circ-^2D_{3/2}$. This paper was published too late for these wavelengths to be included in the table. The $3p-4d$ lines are not included in this compilation because they do not give the correct $3p$ splitting.

The ionization energy was calculated by Cowan²⁰ as 1601 ± 16 eV.

Mo XXXI (Mg Sequence)

Ground state: $1s^2 2s^2 2p^6 3s^2 \ ^1S_0$

The resonance line $3s^2 \ ^1S_0-3s 3p \ ^1P_1^\circ$ at 115.991 Å was first reported at 117.0 ± 0.5 Å in a tokamak discharge by Hinnov.⁵⁴ Burkhalter *et al.*¹⁷ observed two other lines within a few angstroms of Hinnov's wavelength and identified as the $3s 3p \ ^1P_1^\circ-3s 3d \ ^1D_2$ and $3s 3p \ ^3P_2^\circ-3s 3d \ ^3D_3$ lines by means of isoelectronic extrapolation and comparisons with theoretical calculations. Similar observations were also made by Mansfield *et al.*⁷⁴ and Reader.⁸⁸ Wavelength values of Reader were adopted in the present compilation. The uncertainty of the wavelengths is ± 0.015 Å.

The $3s^2 \ ^1S_0-3s 4p \ ^3P_1^\circ$ and $^1P_1^\circ$ lines at 14.928 and 14.745 Å were identified by Burkhalter *et al.*¹⁷ The latter was observed by Schwob *et al.*⁹⁶ and Mansfield *et al.*⁷⁴ Identification of the $3s 3d-3s 4f$ array was also given by Burkhalter *et al.*¹⁷

The intercombination line $3s^2\ ^1S_0-3s3p\ ^3P_1^\circ$ at $190.5 \pm 0.2\ \text{\AA}$ and the two magnetic dipole lines $3s3p\ ^3P_1^\circ - ^3P_2^\circ$ and $^3P_2^\circ - ^1P_1^\circ$ at $577.5 \pm 0.3\ \text{\AA}$ and $609.8 \pm 0.3\ \text{\AA}$ were identified in tokamak discharges by Finkenthal *et al.*⁴⁸ and Denne *et al.*³⁶ The latter is classified tentatively by Kaufman and Sugar.¹⁰¹

The ionization energy was calculated by Cowan²⁰ as $1726 \pm 17\ \text{eV}$.

Mo XXXII (Na Sequence)

Ground state: $1s^22s^22p^63s\ ^2S_{1/2}$

The first measurement was reported by Hinnov,⁵⁴ who identified the two resonance lines $3s\ ^2S_{1/2}-3p\ ^2P_{1/2,3/2}^\circ$ at 177 and 129 \AA . Schwob *et al.*⁹⁶ observed the $3d\ ^2D_{5/2}-4f\ ^2F_{7/2}^\circ$, $3p\ ^2P_{3/2}^\circ-4s\ ^2S_{1/2}$, and $3s\ ^2S_{1/2}-4p\ ^2P_{3/2}^\circ$ transitions.

Burkhalter *et al.*¹⁷ remeasured wavelengths of the $3s-4p$, $3p-4s$, $4d$ and $5d$, $3d-4p$, $4f$ and $5f$, $3s-3p$, and $3p-3d$ transitions in the 10–19 \AA and 100–177 \AA ranges, and established 17 levels on the basis of 22 transitions at about the same time Mansfield *et al.*⁷⁴ reported similar results with the addition of $3d-6f$ and $3s-5p$. We give their measurements, except for the 3–3 transitions which are from Burkhalter *et al.* The uncertainty of the wavelengths is $\pm 0.010\ \text{\AA}$.

Edlén⁴¹ derived a value for the ionization energy of $1791.0 \pm 0.5\ \text{eV}$ from a polarization analysis of the nf levels.

Mo XXXIII (Ne Sequence)

Ground state: $1s^22s^22p^6\ ^1S_0$

Aglitskii *et al.*² measured wavelengths in the range of 4–5.5 \AA and identified six lines due to the $2s^22p^6-2s^22p^53s$, $2s^22p^53d$, and $2s2p^63p$ transitions. In a tokamak spectrum the $2p^6\ ^1S_0-2p^53d\ ^3D_1^\circ$ and $2p^53s\ ^1,^3P_1^\circ$ lines were classified by Schwob *et al.*⁹⁶

Improved wavelength measurements were reported for the $2p^6-2p^53s$ transitions by Gordon *et al.*⁵² and for the $2s^22p^6-2s^22p^53d$ and $2s2p^63p$ transitions by Aglitskii *et al.*³ These wavelength data are adopted in this compilation.

Wavelengths of the $2p-4s$ and $4d$ and $2p-nd$ ($n = 5$ to 7) transitions were reported by Burkhalter *et al.*^{16,18}

The ionization energy was calculated by Cowan²⁰ as $4257 \pm 42\ \text{eV}$.

Mo XXXIV (F Sequence)

Ground state: $1s^22s^22p^5\ ^2P_{3/2}^\circ$

Boiko *et al.*¹⁴ identified the $2p^5-2p^43d$ array in the wavelength range of 4.472–4.536 \AA with an uncertainty of $\pm 0.002\ \text{\AA}$.

Reader *et al.*⁸⁶ predicted the wavelength of the magnetic dipole transition $2s^22p^5\ ^2P_{3/2}^\circ-^2P_{1/2}^\circ$ (denoted by "P" in the wavelength table) with the observation of the $2s^22p^5\ ^2P^\circ-2s2p^6$ lines. Their wavelength uncertainty is $\pm 0.015\ \text{\AA}$.

The ionization energy was calculated by Cowan²⁰ as $4430 \pm 44\ \text{eV}$.

Mo XL (Li Sequence)

Ground state: $1s^22s\ ^2S_{1/2}$

Observations of four x-ray lines by Beier and Kunze¹⁰ at 0.6859, 0.6885, 0.6893, and 0.6912 \AA are attributed to transitions from doubly excited configurations. Three of these are multiply classified.

Calculated energy levels for the $1s^2n\ell$ configurations, $n = 2-5$ and $\ell = s, p$, and d , were performed by Vainshstein and Safronova.¹⁰⁶ The ionization energy was derived from the calculated ns levels.

Mo XLI (He Sequence)

Ground state: $1s^2\ ^1S$

Beier and Kunze¹⁰ observed three lines of the $1s^2-1s2p$ multiplet with an uncertainty of $\pm 0.0002\ \text{\AA}$. They differ at most by 0.005 \AA from the calculated values of Vainshstein and Safronova (1985),¹⁰⁶ estimate their own relative uncertainty to be one part in 10^4 .

The ionization energy was calculated by Safronova.⁹³

M XLII (H Sequence)

Ground state: $1s\ ^2S_{1/2}$

Turechek and Kunze¹⁰⁵ measured the $1s\ ^2S-2p$, $3p$ transitions with an accuracy of ± 0.0005 and $\pm 0.001\ \text{\AA}$, respectively. Binding energies were calculated by Erickson.⁴⁵ We adopted his value for the ionization energy.

4. Explanation of Tables of Spectroscopic Data

IP	Ionization potential of the tabulated ions in cm^{-1} and eV.
Wavelength	Wavelengths in vacuum of observed spectral lines in Angstroms. Published wavelengths in air are converted to vacuum.
Classification	Customary spectroscopic designation for lower (first) and upper levels generating the spectral lines; electronic configuration followed by the term in LS -, jj -, or $j\ell$ -coupling notation. The superscript $^\circ$ on the term indicates odd parity. Terms enclosed in parentheses refer to the parent state.
Energy levels	Energy levels (in cm^{-1}) for lower (first) and upper levels of spectral lines.
Int	Approximate intensity of the spectral line, generally estimated from the blackness (or density) of the line on photographic plate.
References	The numbers are given in the bibliographic listing following the tables. When more than one reference for a line is given, that reference from which the values of wavelength and intensity values are adopted is identified with a superscript $^\circ$ on the number.

5. Spectroscopic Data for Mo VI–Mo XLII

Mo VI (Rb-Sequence)

IP = 555132 ± 2 cm⁻¹ (68.8284 ± 0.0002 eV)

Wavelength (Å)	Classification		Energy Levels (cm ⁻¹)		Int.	Refs.
6337.79	4f ² F _{5/2} ^o	5d ² D _{3/2}	267048.8	282827.1	5	42
6190.38	7/2	5/2	267458.4	283612.5	11	42
6037.29	5/2	5/2	267048.8	283612.5	0.75	42
5450.33	5f ² F _{7/2} ^o	6d ² D _{5/2}	368206.3	386553.8	7.5	42
5278.32	7i ² I	8k ² K ^o	474436.4	493381.8	45	42
5248.91	7h ² H ^o	8i ² I	474299.7	493351.3	35	42
5044.96	7g ² G _{9/2}	8h ² H _{11/2} ^o	473427.7	493249.5	10	42
5044.18	7/2	9/2	473424.6	493249.5	8.5	42
4274.15	7p ² P _{3/2} ^o	7d ² D _{3/2}	416070.2	439466.6	8	42
4233.23	3/2	5/2	416070.2	439692.8	100	42
4063.19	1/2	3/2	414855.4	439466.6	60	42
3736.38	6s ² S _{1/2}	6p ² P _{1/2} ^o	313809.1	340572.9	90	42
3477.60	1/2	3/2	313809.1	342564.6	200	42
3485.77	6d ² D _{3/2}	7p ² P _{1/2} ^o	386167.3	414855.4	13	42
3387.95	5/2	3/2	386553.8	416070.2	20	42
3344.16	3/2	3/2	386167.3	416070.2	1.5	42
3409.58	6h ² H ^o	7i ² I	445107.3	474436.4	200	42
3324.70	5f ² F _{5/2} ^o	5g ² G _{7/2}	365106.6	395184.6	22	42
3294.24	6g ² G _{9/2}	7h ² H _{11/2} ^o	443943.7	474299.7	50	42
3293.95	7/2	9/2	443941.0	474299.7	50	42
3134.23	7i ² I	9k ² K ^o	474436.4	506342.2	10	42
3123.34	7h ² H ^o	9i ² I	474299.7	506316.7	10	42
2520.90	4p ⁵ 4d ² (¹ G) ² G _{7/2} ^o	4p ⁶ 6d ² D _{5/2}	346887	386553.8	16	102
2352.55	6f ² F _{7/2} ^o	7g ² G _{9/2}	430920.6	473427.7	8	42
2316.01	4p ⁵ 4d ² (³ P) ² D _{3/2} ^o	4p ⁶ 6d ² D _{5/2}	343373	386553.8	13	102
2305.01	6d ² D _{3/2}	6f ² F _{3/2} ^o	386167.3	429551.1	30	42
2253.94	5/2	7/2	386553.8	430920.6	50	42
2293.43	6p ² P _{3/2} ^o	6d ² D _{3/2}	342564.6	386167.3	10	42
2273.28	3/2	5/2	342564.6	386553.8	50	42
2193.25	1/2	3/2	340572.9	386167.3	40	42
2005.48	4p ⁵ 4d ² (³ P) ⁴ D _{1/2} ^o	4p ⁶ 6d ² D _{3/2}	336331	386167.3	2	102
1872.92	3/2	3/2	332775	386167.3	2	102
1749.01	7/2	5/2	329379	386553.8	17	102
2003.14	5g ² G	6h ² H ^o	395185.7	445107.3	50	42
1869.03	4p ⁶ 5d ² D _{3/2}	4p ⁵ 4d ² (³ P) ⁴ D _{1/2} ^o	282827.1	336331	5	102
1820.76	7p ² P _{3/2} ^o	8d ² D _{5/2}	416070.2	470991.4	4	42
1785.88	1/2	3/2	414855.4	470850.0	4	42

Mo VI (Rb-Sequence) – Continued

Wavelength (Å)	Classification		Energy Levels (cm ⁻¹)		Int.	Refs.
1731.73	5d ² D _{3/2}	6p ² P _{1/2} ^o	282827.1	340572.9	50	42
1696.29	5/2	3/2	283612.5	342564.6	75	42
1673.99	3/2	3/2	282827.1	342564.6	30	42
1718.07	6p ² P _{3/2} ^o	7s ² S _{1/2}	342564.6	400769.5	70	42
1661.22	1/2	1/2	340572.9	400769.5	40	42
1673.43	4p ⁶ 5d ² D _{5/2}	4p ⁵ 4d ² (³ P) ² D _{3/2} ^o	283612.5	343373	2	102
1651.73	3/2	3/2	282827.1	343373	1	102
1600.14	4p ⁶ 5d ² D _{3/2}	4p ⁵ 4d ² (³ P) ² S _{1/2} ^o	282827.1	345325	3	102
1595.45	5s ² S _{1/2}	5p ² P _{1/2} ^o	119727.3	182405.5	70	42
1479.17	1/2	3/2	119727.3	187332.8	90	42
1589.34	4p ⁶ 5d ² D _{5/2}	4p ⁵ 4d ² (³ P) ⁴ S _{3/2} ^o	283612.5	346535	4	102
1569.70	3/2	3/2	282827.1	346535	2	102
1527.96	4p ⁶ 5d ² D _{3/2}	4p ⁵ 4d ² (³ P) ² D _{5/2} ^o	282827.1	348274	9	102
1504.57	4p ⁵ 4d ² (¹ D) ² F _{7/2} ^o	4p ⁶ 6d ² D _{5/2}	320087	386553.8	2	102
1476.52	4p ⁵ 4d ² (³ F) ² F _{7/2} ^o	4p ⁶ 7g ² G _{7/2}	405696	473424.6	6	102
1453.57	4p ⁵ 4d ² (³ F) ⁴ F _{5/2} ^o	4p ⁶ 6d ² D _{3/2}	317375	386167.3	4	102
1344.92	7/2	5/2	312200	386553.8	24	102
1426.85	4p ⁵ 4d ² (¹ G) ² F _{7/2} ^o	4p ⁶ 6d ² D _{5/2}	316473	386553.8	16	102
1392.86	4p ⁶ 5d ² D _{5/2}	4p ⁵ 4d ² (¹ S) ² P _{3/2} ^o	283612.5	355407	5	102
1368.54	4p ⁵ 4d ² (³ F) ² F _{5/2} ^o	4p ⁶ 7g ² G _{7/2}	400354	473424.6	2	102
1331.62	4p ⁵ 4d ² (¹ D) ² F _{7/2} ^o	4p ⁶ 5g ² G _{7/2}	320087	395184.6	13	102
1320.33	5f ² F _{7/2} ^o	6g ² G _{9/2}	368206.3	443943.7	10	42
1268.51	5/2	7/2	365106.6	443941.0	10	42
1264.04	5g ² G	7h ² H ^o	395185.7	474299.7	15	42
1315.54	4p ⁵ 4d ² (¹ D) ² D _{5/2} ^o	4p ⁶ 6d ² D _{5/2}	310540	386553.8	2	102
1255.58	4p ⁵ 4d ² (³ P) ⁴ P _{3/2} ^o	4p ⁶ 6d ² D _{5/2}	306909	386553.8	2	102
1197.79	5/2	3/2	302680	386167.3	1	102
1227.07	5d ² D _{5/2}	5f ² F _{5/2} ^o	283612.5	365106.6	15	42
1215.38	3/2	5/2	282827.1	365106.6	40	42
1182.14	5/2	7/2	283612.5	368206.3	60	42
1202.39	4p ⁵ 4d ² (³ F) ⁴ G _{3/2} ^o	4p ⁶ 6d ² D _{3/2}	303004	386167.3	4	102
1196.90	5/2	5/2	303004	386553.8	2	102
1195.03	7/2	5/2	302871	386553.8	2	102
1079.41	4p ⁵ 4d ² (³ F) ⁴ D _{7/2} ^o	4p ⁶ 6d ² D _{5/2}	293911	386553.8	2	102
1047.18	5p ² P _{3/2} ^o	5d ² D _{3/2}	187332.8	282827.1	35	42
1038.64	3/2	5/2	187332.8	283612.5	80	42
995.800	1/2	3/2	182405.5	282827.1	70	42°,104
1019.76	5g ² G	8h ² H ^o	395185.7	493249.5	2	42

Mo VI (Rb-Sequence) – Continued

Wavelength (Å)	Classification	Energy Levels (cm ⁻¹)	Int.	Refs.		
1011.20	6p ² P _{1/2} ^o	7d ² D _{3/2}	340572.9	439466.6	2	42
972.930	5f ² F _{7/2} ^o	8d ² D _{5/2}	368206.3	470991.4	4	42
945.665	5/2	3/2	365106.6	470850.0	4	42
944.410	5/2	5/2	365106.6	470991.4	3	42
950.816	6p ² P _{3/2} ^o	8s ² S _{1/2}	342564.6	447738.6	10	42
933.125	1/2	1/2	340572.9	447738.6	4	42
950.335	5f ² F _{7/2} ^o	7g ² G _{9/2}	368206.3	473427.7	10	42
850.799	4p ⁶ 5d ² D _{3/2}	4p ⁵ 4d ² (³ F) ² F _{5/2} ^o	282827.1	400354	8	102
819.131	5/2	7/2	283612.5	405696	16	102
839.655	4f ² F _{7/2} ^o	6d ² D _{5/2}	267458.4	386553.8	6	42
807.446	4p ⁵ 4d ² (¹ D) ² F _{7/2} ^o	4p ⁶ 6g ² G _{7/2}	320087	443941.0	8	102
804.233	5f ² F _{7/2} ^o	8g ² G _{9/2}	368206.3	492548	6	42
784.690	5/2	7/2	365106.6	492545	3	42
792.475	4p ⁶ 5d ² D _{3/2}	4p ⁵ 4d ² (³ P) ² P _{1/2} ^o	282827.1	409020	8	102
790.659	5p ² P _{3/2} ^o	6s ² S _{1/2}	187332.8	313809.1	75	27,42°,104
761.020	1/2	1/2	182405.5	313809.1	50	27,42°,104
782.912	4f ² F _{7/2} ^o	5g ² G _{9/2}	267458.4	395186.7	75	42
780.429	5/2	7/2	267048.8	395184.6	60	42
778.670	6p ² P _{3/2} ^o	8d ² D _{5/2}	342564.6	470991.4	8	42
767.595	1/2	3/2	340572.9	470850.0	3	42
757.396	5d ² D _{3/2}	7p ² P _{1/2} ^o	282827.1	414855.4	5	42
750.522	3/2	3/2	282827.1	416070.2	5	42
736.220	4p ⁶ 5d ² D _{3/2}	4p ⁵ 4d ² (³ F) ² D _{5/2} ^o	282827.1	418661	9	102
702.548	6s ² S _{1/2}	8p ² P _{1/2} ^o	313809.1	456150.0	5	42
699.056	1/2	3/2	313809.1	456856.0	8	42
685.219	5d ² D _{5/2}	6f ² F _{5/2} ^o	283612.5	429551.1	5	42
681.574	3/2	5/2	282827.1	429551.1	25	42
678.871	5/2	7/2	283612.5	430920.6	30	42
580.616	4f ² F _{7/2} ^o	7d ² D _{5/2}	267458.4	439692.8	6	42
577.237	5d ² D _{5/2}	8p ² P _{3/2} ^o	283612.5	456856.0	8	42
576.951	3/2	1/2	282827.1	456150.0	5	42
566.620	4f ² F _{7/2} ^o	6g ² G _{9/2}	267458.4	443943.7	60	42
565.317	5/2	7/2	267048.8	443941.0	50	42
548.229	4d ² D _{3/2}	5p ² P _{1/2} ^o	0	182405.5	80	27,42°,47,104
541.286	5/2	3/2	2584.3	187332.8	100	27,42°,47,104
533.809	3/2	3/2	0	187332.8	40	27,42°,47,104
534.265	4p ⁶ 5s ² S _{1/2}	4p ⁵ 4d ² (³ P) ⁴ P _{3/2} ^o	119727.3	306909	13	102
501.944	5p ² P _{3/2} ^o	6d ² D _{5/2}	187332.8	386553.8	20	42
490.763	1/2	3/2	182405.5	386167.3	15	42

Mo VI (Rb-Sequence) – Continued

Wavelength (Å)	Classification		Energy Levels (cm ⁻¹)		Int.	Refs.
491.314	4f ² F _{7/2} ^o	8d ² D _{5/2}	267458.4	470991.4	5	42
490.680	5/2	3/2	267048.8	470850.0	4	42
485.511	4f ² F _{7/2} ^o	7g ² G _{9/2}	267458.4	473427.7	55	42
484.553	5/2	7/2	267048.8	473424.6	30	42
477.982	4p ⁶ 5s ² S _{1/2}	4p ⁵ 4d ² (¹ D) ² P _{3/2} ^o	119727.3	328933	13	102
468.533	5p ² P _{3/2} ^o	7s ² S _{1/2}	187332.8	400769.5	50	42
457.963	1/2	1/2	182405.5	400769.5	30	42
452.800	5s ² S _{1/2}	6p ² P _{1/2} ^o	119727.3	340572.9	50	42
448.754	1/2	3/2	119727.3	342564.6	80	42
447.130	4p ⁶ 5s ² S _{1/2}	4p ⁵ 4d ² (³ P) ² D _{3/2} ^o	119727.3	343373	6	102
444.288	4f ² F _{7/2} ^o	8g ² G _{9/2}	267458.4	492548	8	42
396.628	5p ² P _{3/2} ^o	7d ² D _{3/2}	187332.8	439466.6	1	42
396.264	3/2	5/2	187332.8	439692.8	8	42
384.015	5p ² P _{3/2} ^o	8s ² S _{1/2}	187332.8	447738.6	15	42
376.873	1/2	1/2	182405.5	447738.6	10	42
378.117	4d ² D _{5/2}	4f ² F _{5/2} ^o	2584.3	267048.8	30	27,42°
377.534	5/2	7/2	2584.3	267458.4	90	27,42°,47
374.463	3/2	5/2	0	267048.8	80	27,42°
352.541	5p ² P _{3/2} ^o	8d ² D _{5/2}	187332.8	470991.4	4	42
346.774	4p ⁶ 4d ² D _{5/2}	4p ⁵ 4d ² (³ F) ⁴ D _{3/2} ^o	2584.3	290959	2	102
346.072	5/2	5/2	2584.3	291557	19	102
345.618	3/2	1/2	0	289337	16	102
343.687	3/2	3/2	0	290959	16	102
343.268	5/2	7/2	2584.3	293911	22	102
342.985	3/2	5/2	0	291557	22	102
338.831	5s ² S _{1/2}	7p ² P _{1/2} ^o	119727.3	414855.4	8	42
337.450	1/2	3/2	119727.3	416070.2	15	42
333.229	4p ⁶ 4d ² D _{5/2}	4p ⁵ 4d ² (³ F) ⁴ P _{3/2} ^o	2584.3	302680	8	102
330.381	3/2	5/2	0	302680	19	102
328.593	5/2	3/2	2584.3	306909	22	102
325.832	3/2	3/2	0	306909	28	102
323.332	3/2	1/2	0	309280	7	102
333.015	4p ⁶ 4d ² D _{5/2}	4p ⁵ 4d ² (³ F) ⁴ G _{7/2} ^o	2584.3	302871	31	102
332.871	5/2	5/2	2584.3	303004	6	102
330.027	3/2	5/2	0	303004	16	102
325.510	4p ⁶ 4d ² D _{5/2}	4p ⁵ 4d ² (¹ D) ² D _{3/2} ^o	2584.3	309788	7	102
324.721	5/2	5/2	2584.3	310540	8	102
322.808	3/2	3/2	0	309788	13	102
322.020	3/2	5/2	0	310540	23	102
322.981	4p ⁶ 4d ² D _{5/2}	4p ⁵ 4d ² (³ F) ⁴ F _{7/2} ^o	2584.3	312200	40	102
318.219	5/2	3/2	2584.3	316835	2	102
317.670	5/2	5/2	2584.3	317375	16	102
315.620	3/2	3/2	0	316835	19	102
315.085	3/2	5/2	0	317375	19	102

Mo VI (Rb-Sequence) — Continued

Wavelength (Å)	Classification		Energy Levels (cm ⁻¹)		Int.	Refs.
320.136	4p ⁶ 4d ² D _{5/2}	4p ⁵ 4d ² (¹ G) ² F _{5/2} ^o	2584.3	314952	34	102
318.584		^{5/2}	2584.3	316473	49	102
317.508		^{3/2}	0	314952	49	102
314.958	4p ⁶ 4d ² D _{5/2}	4p ⁵ 4d ² (¹ D) ² F _{7/2} ^o	2584.3	320087	61	102
298.970		^{5/2}	2584.3	337067	19	102
296.661		^{3/2}	0	337067	28	102
314.168	4p ⁶ 4d ² D _{3/2}	4p ⁵ 4d ² (¹ D) ² P _{1/2} ^o	0	318301	40	102
306.418		^{5/2}	2584.3	328933	16	102
304.015		^{3/2}	0	328933	5	102
307.734	4p ⁶ 4d ² D _{5/2}	4p ⁵ 4d ² (³ F) ² G _{7/2} ^o	2584.3	327540	4	102
307.064	4p ⁶ 4d ² D _{5/2}	4p ⁵ 4d ² (³ P) ⁴ D _{5/2} ^o	2584.3	328253	10	102
306.010		^{5/2}	2584.3	329379	28	102
304.639		^{3/2}	0	328253	22	102
302.848		^{5/2}	2584.3	332775	8	102
300.502		^{3/2}	0	332775	25	102
297.330		^{3/2}	0	336331	22	102
294.148	4d ² D _{5/2}	6p ² P _{3/2} ^o	2584.3	342564.6	30	42
293.630		^{3/2}	0	340572.9	20	42
291.927		^{3/2}	0	342564.6	8	42
293.439	4p ⁶ 4d ² D _{5/2}	4p ⁵ 4d ² (³ P) ² D _{3/2} ^o	2584.3	343373	34	102
291.226		^{3/2}	0	343373	19	102
289.255		^{5/2}	2584.3	348274	10	102
287.123		^{3/2}	0	348274	22	102
290.734	4p ⁶ 4d ² D _{5/2}	4p ⁵ 4d ² (³ P) ⁴ S _{3/2} ^o	2584.3	346535	19	102
288.576		^{3/2}	0	346535	13	102
289.582	4p ⁶ 4d ² D _{3/2}	4p ⁵ 4d ² (³ P) ² S _{1/2} ^o	0	345325	22	102
290.442	4p ⁶ 4d ² D _{5/2}	4p ⁵ 4d ² (¹ G) ² G _{7/2} ^o	2584.3	346887	34	102
283.438	4p ⁶ 4d ² D _{5/2}	4p ⁵ 4d ² (¹ S) ² P _{3/2} ^o	2584.3	355407	28	102
281.375		^{3/2}	0	355407	34	102
270.836		^{3/2}	0	369227	19	102
275.846	4d ² D _{5/2}	5f ² F _{3/2} ^o	2584.3	365106.6	6	42
273.893		^{3/2}	0	365106.6	60	42
273.506		^{5/2}	2584.3	368206.3	70	42
251.403	4p ⁶ 4d ² D _{5/2}	4p ⁵ 4d ² (³ F) ² F _{5/2} ^o	2584.3	400354	28	102
249.774		^{3/2}	0	400354	40	102
248.070		^{5/2}	2584.3	405696	70	102
244.487	4p ⁶ 4d ² D _{3/2}	4p ⁵ 4d ² (³ P) ² P _{1/2} ^o	0	409020	45	102
243.492		^{5/2}	2584.3	413276	28	102
241.969		^{3/2}	0	413276	55	102
241.854	4d ² D _{5/2}	7p ² P _{3/2} ^o	2584.3	416070.2	20	42
241.052		^{3/2}	0	414855.4	15	42
240.35		^{3/2}	0	416070.2	5	42
240.686	4p ⁶ 4d ² D _{5/2}	4p ⁵ 4d ² (³ F) ² D _{3/2} ^o	2584.3	418057	34	102
240.34		^{5/2}	2584.3	418661	33	102
239.205		^{3/2}	0	418057	52	102
238.857		^{3/2}	0	418661	64	102
233.457	4d ² D _{5/2}	6f ² F _{7/2} ^o	2584.3	430920.6	25	42
232.801		^{3/2}	0	429551.1	15	42

Mo VII (Kr-Sequence)

IP = 1013550 ± 150 cm⁻¹ (125.664 ± 0.020 eV)

Wavelength (Å)	Classification	Energy Levels (cm ⁻¹)	Int.	Refs.		
2325.59	4p ⁵ (² P _{3/2})6p [$\frac{3}{2}$] ₀	4p ⁵ (² P _{3/2})6d [$\frac{3}{2}$] ₁ ^o	752533	795532	14	103
1888.33	1	2	739454	792410	14	103
2225.70	4p ⁵ (² P _{3/2})6p [$\frac{3}{2}$] ₁	4p ⁵ (² P _{3/2})6d [$\frac{1}{2}$] ₀ ^o	745292	790221	4	103
2190.79	1	1	745292	790938	13	103
2197.91	4p ⁵ (² P _{1/2})6p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{3/2})7s [$\frac{3}{2}$] ₂ ^o	769856	815350	18	103
2173.46	4p ⁵ (² P _{3/2})6p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{3/2})6d [$\frac{3}{2}$] ₂ ^o	746401	792410	13	103
2035.38	2	1	746401	795532	2	103
2164.35	4p ⁵ (² P _{1/2})6p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{1/2})6d [$\frac{5}{2}$] ₃ ^o	769856	816059	4	103
1937.03	1	2	763636	815261	4	103
2083.63	4p ⁵ (² P _{3/2})6p [$\frac{5}{2}$] ₃	4p ⁵ (² P _{3/2})6d [$\frac{7}{2}$] ₄ ^o	744128	792121	18	103
2074.99	3	3	744128	792321	14	103
1874.43	4p ⁵ (² P _{1/2})5d [$\frac{3}{2}$] ₂ ^o	4p ⁵ (² P _{3/2})6p [$\frac{1}{2}$] ₁	686105	739454	14	103
1593.75	1	0	689788	752533	17	103
1831.64	4p ⁵ (² P _{1/2})5s [$\frac{1}{2}$] ₁ ^o	4p ⁵ (² P _{3/2})5p [$\frac{3}{2}$] ₂	502931	557526	62	103
1723.45	4p ⁵ (² P _{1/2})5d [$\frac{3}{2}$] ₂ ^o	4p ⁵ (² P _{3/2})6p [$\frac{5}{2}$] ₃	686105	744128	2	103
1710.50	4p ⁵ (² P _{1/2})5d [$\frac{5}{2}$] ₂ ^o	4p ⁵ (² P _{3/2})6p [$\frac{5}{2}$] ₂	685377	743840	3	103
1702.09	2	3	685377	744128	3	103
1672.59	4p ⁵ (² P _{1/2})5d [$\frac{5}{2}$] ₃ ^o	4p ⁵ (² P _{3/2})6p [$\frac{3}{2}$] ₂	686613	746401	9	103
1658.48	4p ⁵ (² P _{1/2})5d [$\frac{3}{2}$] ₂ ^o	4p ⁵ (² P _{3/2})6p [$\frac{3}{2}$] ₂	686105	746401	2	103
1637.03	4p ⁵ (² P _{3/2})6s [$\frac{3}{2}$] ₁ ^o	4p ⁵ (² P _{1/2})6p [$\frac{1}{2}$] ₀	710068	771155	1	103
1608.34	4p ⁵ (² P _{1/2})5s [$\frac{1}{2}$] ₁ ^o	4p ⁵ (² P _{3/2})5p [$\frac{1}{2}$] ₀	502931	565106	3	103
1607.98	4p ⁵ (² P _{3/2})5s [$\frac{3}{2}$] ₁ ^o	4p ⁵ (² P _{3/2})5p [$\frac{1}{2}$] ₁	481294	543485	20	103
1513.83	2	1	477429	543485	31	103
1565.32	4p ⁵ (² P _{3/2})6p [$\frac{1}{2}$] ₀	4p ⁵ (² P _{3/2})7s [$\frac{3}{2}$] ₁ ^o	752533	816418	2	103
1552.06	4p ⁵ (² P _{3/2})6p [$\frac{1}{2}$] ₀	4p ⁵ (² P _{1/2})6d [$\frac{3}{2}$] ₁ ^o	752533	816964	9	103
1466.53	4p ⁵ (² P _{1/2})6p [$\frac{1}{2}$] ₀	4p ⁵ (² P _{1/2})7s [$\frac{1}{2}$] ₁ ^o	771155	839344	2	103
1372.52	1	0	765875	838733	2	103
1361.11	1	1	765875	839344	2	103
1461.31	4p ⁵ (² P _{1/2})5s [$\frac{1}{2}$] ₁ ^o	4p ⁵ (² P _{1/2})5p [$\frac{3}{2}$] ₁	502931	571364	1	103
1413.92	0	1	500637	571364	7	103
1452.20	4p ⁵ (² P _{3/2})6p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{1/2})6d [$\frac{3}{2}$] ₂ ^o	746401	815261	17	103
1435.62	2	3	746401	816059	4	103
1429.17	1	2	745292	815261	5	103
1450.38	4p ⁵ (² P _{3/2})6p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{3/2})7s [$\frac{3}{2}$] ₂ ^o	746401	815350	17	103
1428.24	2	1	746401	816418	1	103
1427.38	1	2	745292	815350	1	103
1420.67	4p ⁵ (² P _{3/2})5d [$\frac{3}{2}$] ₁ ^o	4p ⁵ (² P _{3/2})6p [$\frac{1}{2}$] ₁	669065	739454	3	103
1277.85	2	1	661198	739454	14	103
1198.04	1	0	669065	752533	4	103

Mo VII (Kr-Sequence) – Continued

Wavelength (Å)	Classification	Energy Levels (cm ⁻¹)	Int.	Refs.		
1417.16	4p ⁵ (² P _{3/2} ^o)6p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{1/2} ^o)6d [$\frac{3}{2}$] ₁ ^o	746401	816964	6	103
1395.28	1	1	745292	816964	1	103
1408.72	4p ⁵ (² P _{3/2} ^o)5s [$\frac{3}{2}$] ₂ ^o	4p ⁵ (² P _{3/2} ^o)5p [$\frac{5}{2}$] ₂	477429	548414	2	103
1356.90	2	3	477429	551129	58	103
1404.04	4p ⁵ (² P _{3/2} ^o)6p [$\frac{5}{2}$] ₃	4p ⁵ (² P _{3/2} ^o)7s [$\frac{3}{2}$] ₂ ^o	744128	815350	20	103
1398.41	2	2	743840	815350	1	103
1402.52	4p ⁵ (² P _{3/2} ^o)6p [$\frac{3}{2}$] ₃	4p ⁵ (² P _{1/2} ^o)6d [$\frac{3}{2}$] ₂ ^o	744128	815427	1	103
1367.51	2	1	743840	816964	8	103
1359.91	4p ⁵ (² P _{3/2} ^o)5s [$\frac{3}{2}$] ₁ ^o	4p ⁵ (² P _{3/2} ^o)5p [$\frac{3}{2}$] ₁	481294	554828	2	103
1311.81	1	2	481294	557526	32	103
1291.99	2	1	477429	554828	2	103
1248.47	2	2	477429	557526	5	103
1355.49	4p ⁵ (² P _{3/2} ^o)5d [$\frac{3}{2}$] ₂ ^o	4p ⁵ (² P _{3/2} ^o)6p [$\frac{1}{2}$] ₁	665682	739454	17	103
1354.15	4p ⁵ (² P _{1/2} ^o)5d [$\frac{3}{2}$] ₁ ^o	4p ⁵ (² P _{1/2} ^o)6p [$\frac{3}{2}$] ₁	689788	763636	4	103
1248.91	1	2	689788	769856	5	103
1194.05	2	2	686105	769856	64	103
1347.54	4p ⁵ (² P _{1/2} ^o)5s [$\frac{1}{2}$] ₁ ^o	4p ⁵ (² P _{1/2} ^o)5p [$\frac{1}{2}$] ₁	502931	577141	8	103
1307.11	0	1	500637	577141	31	103
1331.62	4p ⁵ (² P _{1/2} ^o)6p [$\frac{3}{2}$] ₁	4p ⁵ (² P _{1/2} ^o)7s [$\frac{1}{2}$] ₀ ^o	763636	838733	8	103
1320.90	1	1	763636	839344	2	103
1317.61	4p ⁵ (² P _{3/2} ^o)6p [$\frac{1}{2}$] ₁	4p ⁵ (² P _{3/2} ^o)7s [$\frac{3}{2}$] ₂ ^o	739454	815350	2	103
1299.28	1	1	739454	816418	2	103
1314.30	4p ⁵ (² P _{1/2} ^o)5d [$\frac{3}{2}$] ₁ ^o	4p ⁵ (² P _{1/2} ^o)6p [$\frac{1}{2}$] ₁	689788	765875	2	103
1228.97	1	0	689788	771155	17	103
1294.56	4p ⁵ (² P _{3/2} ^o)5d [$\frac{1}{2}$] ₃ ^o	4p ⁵ (² P _{3/2} ^o)6p [$\frac{5}{2}$] ₃	666881	744128	19	103
1279.43	2	2	665682	743840	19	103
1293.10	4p ⁵ (² P _{3/2} ^o)5d [$\frac{3}{2}$] ₁ ^o	4p ⁵ (² P _{3/2} ^o)6p [$\frac{3}{2}$] ₂	669065	746401	4	103
1189.17	2	1	661198	745292	3	103
1173.66	2	2	661198	746401	7	103
1277.85	4p ⁵ (² P _{1/2} ^o)5d [$\frac{3}{2}$] ₂ ^o	4p ⁵ (² P _{1/2} ^o)6p [$\frac{3}{2}$] ₁	685377	763636	14	103
1257.53	4p ⁵ (² P _{3/2} ^o)5d [$\frac{1}{2}$] ₃ ^o	4p ⁵ (² P _{3/2} ^o)6p [$\frac{3}{2}$] ₂	666881	746401	19	103
1256.14	2	1	665682	745292	8	103
1253.62	4p ⁵ (² P _{1/2} ^o)5d [$\frac{3}{2}$] ₂ ^o	4p ⁵ (² P _{1/2} ^o)6p [$\frac{1}{2}$] ₁	686105	765875	14	103
1242.22	4p ⁵ (² P _{1/2} ^o)5d [$\frac{5}{2}$] ₂ ^o	4p ⁵ (² P _{1/2} ^o)6p [$\frac{1}{2}$] ₁	685377	765875	2	103
1240.03	4p ⁵ (² P _{1/2} ^o)5p [$\frac{1}{2}$] ₁	4p ⁵ (² P _{3/2} ^o)5d [$\frac{1}{2}$] ₀ ^o	577141	657783	4	103
1224.48	4p ⁵ (² P _{3/2} ^o)5d [$\frac{1}{2}$] ₀ ^o	4p ⁵ (² P _{3/2} ^o)6p [$\frac{1}{2}$] ₁	657783	739454	4	103
1222.20	4p ⁵ (² P _{3/2} ^o)5d [$\frac{7}{2}$] ₃ ^o	4p ⁵ (² P _{3/2} ^o)6p [$\frac{5}{2}$] ₂	662019	743840	37	103
1217.91	3	3	662019	744128	17	103
1204.31	4	3	661091	744128	85	103
1213.59	4p ⁵ (² P _{1/2} ^o)5p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{3/2} ^o)5d [$\frac{1}{2}$] ₁ ^o	576592	658992	1	103

Mo VII (Kr-Sequence) – Continued

Wavelength (Å)	Classification	Energy Levels (cm ⁻¹)	Int.	Refs.		
1210.05	4p ⁵ (² P _{3/2} ^o)5d [$\frac{3}{2}$] ₂ ^o	4p ⁵ (² P _{3/2} ^o)6p [$\frac{5}{2}$] ₂	661198	743840	2	103
1205.86	2	3	661198	744128	2	103
1201.21	4p ⁵ (² P _{1/2} ^o)5d [$\frac{3}{2}$] ₃ ^o	4p ⁵ (² P _{1/2} ^o)6p [$\frac{3}{2}$] ₂	686613	769856	9	103
1183.66	2	2	685377	769856	16	103
1170.56	4p ⁵ (² P _{1/2} ^o)5p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{3/2} ^o)5d [$\frac{7}{2}$] ₃ ^o	576592	662019	65	103
1151.96	4p ⁵ (² P _{3/2} ^o)6p [$\frac{1}{2}$] ₀	4p ⁵ (² P _{1/2} ^o)7s [$\frac{1}{2}$] ₁ ⁱ	752533	839344	5	103
1007.27	1	0	739454	838733	2	103
1129.43	4p ⁵ (² P _{1/2} ^o)5p [$\frac{1}{2}$] ₁	4p ⁵ (² P _{3/2} ^o)5d [$\frac{5}{2}$] ₂ ^o	577141	665682	7	103
1122.43	4p ⁵ (² P _{1/2} ^o)5p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{3/2} ^o)5d [$\frac{5}{2}$] ₂ ^o	576592	665682	2	103
1107.56	2	3	576592	666881	1	103
1113.19	4p ⁵ (² P _{1/2} ^o)5p [$\frac{3}{2}$] ₁	4p ⁵ (² P _{3/2} ^o)5d [$\frac{3}{2}$] ₂ ^o	571364	661198	8	103
1081.43	2	1	576592	669065	14	103
1023.55	1	1	571364	669065	2	103
1087.84	4p ⁵ (² P _{1/2} ^o)5p [$\frac{1}{2}$] ₁	4p ⁵ (² P _{3/2} ^o)5d [$\frac{3}{2}$] ₁ ⁱ	577141	669065	6	103
1075.93	4p ⁵ (² P _{3/2} ^o)6p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{1/2} ^o)7s [$\frac{1}{2}$] ₁ ⁱ	746401	839344	9	103
1070.22	1	0	745292	838733	2	103
1063.23	1	1	745292	839344	2	103
1064.60	4p ⁵ (² P _{3/2} ^o)5s [$\frac{3}{2}$] ₂ ^o	4p ⁵ (² P _{1/2} ^o)5p [$\frac{3}{2}$] ₁	477429	571364	3	103
1008.40	2	2	477429	576592	4	103
1020.89	4p ⁵ (² P _{3/2} ^o)5d [$\frac{5}{2}$] ₂ ^o	4p ⁵ (² P _{1/2} ^o)6p [$\frac{3}{2}$] ₁	665682	763636	2	103
1002.90	4p ⁵ (² P _{3/2} ^o)5s [$\frac{3}{2}$] ₂ ^o	4p ⁵ (² P _{1/2} ^o)5p [$\frac{1}{2}$] ₁	477429	577141	5	103
967.729	1	0	481294	584632	5	103
992.123	4p ⁵ (² P _{3/2} ^o)5d [$\frac{3}{2}$] ₁ ⁱ	4p ⁵ (² P _{1/2} ^o)6p [$\frac{3}{2}$] ₂	669065	769856	17	103
976.168	2	1	661198	763636	9	103
920.332	2	2	661198	769856	4	103
979.551	4p ⁵ (² P _{3/2} ^o)5d [$\frac{3}{2}$] ₁ ⁱ	4p ⁵ (² P _{1/2} ^o)6p [$\frac{1}{2}$] ₀	669065	771155	9	103
971.279	4p ⁵ (² P _{3/2} ^o)5p [$\frac{3}{2}$] ₁	4p ⁵ (² P _{3/2} ^o)5d [$\frac{1}{2}$] ₀ ^o	554828	657783	14	103
955.632	4p ⁵ (² P _{3/2} ^o)5d [$\frac{1}{2}$] ₁ ⁱ	4p ⁵ (² P _{1/2} ^o)6p [$\frac{3}{2}$] ₁	658992	763636	1	103
902.033	1	2	658992	769856	7	103
953.098	4p ⁵ (² P _{1/2} ^o)6p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{3/2} ^o)8s [$\frac{3}{2}$] ₂ ^o	769856	874776	6	103
899.737	1	2	763636	874776	2	103
950.955	4p ⁵ (² P _{1/2} ^o)5p [$\frac{1}{2}$] ₀	4p ⁵ (² P _{1/2} ^o)5d [$\frac{3}{2}$] ₁ ⁱ	584632	689788	6	103
887.727	1	1	577141	689788	17	103
940.137	4p ⁵ (² P _{3/2} ^o)5p [$\frac{3}{2}$] ₁	4p ⁵ (² P _{3/2} ^o)5d [$\frac{3}{2}$] ₂ ^o	554828	661198	2	103
896.522	2	1	557526	669065	2	103
875.397	1	1	554828	669065	7	103
935.548	4p ⁵ (² P _{3/2} ^o)5d [$\frac{1}{2}$] ₁ ⁱ	4p ⁵ (² P _{1/2} ^o)6p [$\frac{1}{2}$] ₁	658992	765875	6	103
925.143	0	1	657783	765875	6	103
891.539	1	0	658992	771155	4	103
927.326	4p ⁵ (² P _{3/2} ^o)5d [$\frac{7}{2}$] ₃ ^o	4p ⁵ (² P _{1/2} ^o)6p [$\frac{3}{2}$] ₂	662019	769856	5	103

Mo VII (Kr-Sequence) — Continued

Wavelength (Å)	Classification	Energy Levels (cm ⁻¹)	Int.	Refs.
924.553	4p ⁵ (² P _{3/2})5p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{3/2})5d [$\frac{5}{2}$] ₂ ^o	557526 665682	8 103
923.944	4p ⁵ (² P _{1/2})5p [$\frac{1}{2}$] ₁	4p ⁵ (² P _{1/2})5d [$\frac{5}{2}$] ₂ ^o	577141 685377	7 103
918.270	4p ⁵ (² P _{1/2})6p [$\frac{1}{2}$] ₁	4p ⁵ (² P _{3/2})8s [$\frac{3}{2}$] ₂ ^o	765875 874776	2 103
916.426	1	1	765875 874999	4 103
917.697	4p ⁵ (² P _{1/2})5p [$\frac{1}{2}$] ₁	4p ⁵ (² P _{1/2})5d [$\frac{3}{2}$] ₂ ^o	577141 686105	7 103
913.131	4p ⁵ (² P _{1/2})5p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{1/2})5d [$\frac{3}{2}$] ₂ ^o	576592 686105	4 103
883.465	2	1	576592 689788	1 103
871.525	1	2	571364 686105	2 103
909.395	4p ⁵ (² P _{3/2})5p [$\frac{3}{2}$] ₃	4p ⁵ (² P _{3/2})5d [$\frac{7}{2}$] ₄ ^o	551129 661091	49 103
901.838	3	3	551129 662019	30 103
880.231	2	3	548414 662019	64 103
908.920	4p ⁵ (² P _{1/2})5p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{1/2})5d [$\frac{5}{2}$] ₃ ^o	576592 686613	5 103
877.066	1	2	571364 685377	2 103
908.477	4p ⁵ (² P _{3/2})5p [$\frac{3}{2}$] ₃	4p ⁵ (² P _{3/2})5d [$\frac{3}{2}$] ₂ ^o	551129 661198	8 103
886.619	2	2	548414 661198	8 103
874.934	4p ⁵ (² P _{3/2})5p [$\frac{1}{2}$] ₁	4p ⁵ (² P _{3/2})5d [$\frac{1}{2}$] ₀ ^o	543485 657783	4 103
872.977	4p ⁵ (² P _{3/2})5p [$\frac{3}{2}$] ₃	4p ⁵ (² P _{3/2})5d [$\frac{5}{2}$] ₂ ^o	551129 665682	4 103
863.914	3	3	551129 666881	55 103
852.735	2	2	548414 665682	21 103
849.506	4p ⁵ (² P _{3/2})5p [$\frac{1}{2}$] ₁	4p ⁵ (² P _{3/2})5d [$\frac{3}{2}$] ₂ ^o	543485 661198	20 103
796.322	1	1	543485 669065	4 103
843.281	4s ² 4p ⁵ 4d ¹ P ₁ ^o	4s4p ⁶ 4d ³ D ₁	417544 536131	6 103
839.157	1	2	417544 536713	8 103
818.318	4p ⁵ (² P _{3/2})5p [$\frac{1}{2}$] ₁	4p ⁵ (² P _{3/2})5d [$\frac{5}{2}$] ₂ ^o	543485 665682	3 103
802.016	4p ⁵ (² P _{3/2})5p [$\frac{1}{2}$] ₀	4p ⁵ (² P _{1/2})5d [$\frac{3}{2}$] ₁ ^o	565106 689788	4 103
701.133	1	2	543485 686105	6 103
794.027	4p ⁵ 4d ¹ P ₁ ^o	4p ⁵ (² P _{3/2})5p [$\frac{1}{2}$] ₁	417544 543485	14 103
780.064	4p ⁵ (² P _{1/2})6p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{1/2})8s [$\frac{1}{2}$] ₁ ^o	769856 898050	2 103
777.727	4p ⁵ (² P _{3/2})5p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{1/2})5d [$\frac{3}{2}$] ₂ ^o	557526 686105	2 103
740.922	1	1	554828 689788	17 103
777.595	4p ⁵ (² P _{3/2})6p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{3/2})8s [$\frac{3}{2}$] ₁ ^o	746401 874999	6 103
770.974	1	1	745292 874999	6 103
774.669	4p ⁵ (² P _{3/2})5p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{1/2})5d [$\frac{5}{2}$] ₃ ^o	557526 686613	9 103
765.976	1	2	554828 685377	3 103
765.427	4p ⁵ (² P _{3/2})6p [$\frac{3}{2}$] ₃	4p ⁵ (² P _{3/2})8s [$\frac{3}{2}$] ₂ ^o	744128 874776	15 103
764.118	4p ⁵ 4d ¹ P ₁ ^o	4p ⁵ (² P _{3/2})5p [$\frac{5}{2}$] ₂	417544 548414	6 103
758.545	4p ⁵ (² P _{1/2})5p [$\frac{1}{2}$] ₁	4p ⁵ (² P _{3/2})6s [$\frac{3}{2}$] ₂ ^o	577141 708975	8 103
752.320	1	1	577141 710068	4 103

Mo VII (Kr-Sequence) — Continued

Wavelength (Å)	Classification	Energy Levels (cm ⁻¹)	Int.	Refs.
756.566	4p ⁵ (² P _{1/2} ^o)6p [$\frac{3}{2}$] ₁	4p ⁵ (² P _{1/2} ^o)8s [$\frac{3}{2}$] ^o ₁	765875 898050	6 103
755.423	4p ⁵ (² P _{1/2} ^o)5p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{3/2} ^o)6s [$\frac{3}{2}$] ^o ₂	576592 708975	5 103
749.169	2	1	576592 710068	7 103
726.710	1	2	571364 708975	8 103
720.933	1	1	571364 710068	2 103
744.903	4p ⁵ (² P _{3/2} ^o)5p [$\frac{5}{2}$] ₃	4p ⁵ (² P _{1/2} ^o)5d [$\frac{5}{2}$] ^o ₂	551129 685377	82 103
738.105	3	3	551129 686613	8 103
723.573	2	3	548414 686613	7 103
738.989	4p ⁵ (² P _{3/2} ^o)6p [$\frac{1}{2}$] ₁	4p ⁵ (² P _{3/2} ^o)8s [$\frac{3}{2}$] ^o ₂	739454 874776	5 103
737.740	1	1	739454 874999	2 103
730.776	4s ² 4p ⁵ 4d ¹ P ₁ ^o	4s4p ⁶ 4d ¹ D ₂	417544 554385	8 103
728.418	4p ⁵ 4d ¹ P ₁ ^o	4p ⁵ (² P _{3/2} ^o)5p [$\frac{3}{2}$] ₁	417544 554828	4 103
714.367	1	2	417544 557526	4 103
709.525	4p ⁵ (² P _{1/2} ^o)6p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{3/2} ^o)9s [$\frac{3}{2}$] ^o ₁	769856 910798	6 103
704.743	4p ⁵ (² P _{3/2} ^o)5p [$\frac{1}{2}$] ₁	4p ⁵ (² P _{1/2} ^o)5d [$\frac{5}{2}$] ^o ₂	543485 685377	5 103
690.024	4p ⁵ (² P _{1/2} ^o)6p [$\frac{1}{2}$] ₁	4p ⁵ (² P _{3/2} ^o)9s [$\frac{3}{2}$] ^o ₁	765875 910798	6 103
689.826	4p ⁵ (² P _{3/2} ^o)5p [$\frac{1}{2}$] ₀	4p ⁵ (² P _{3/2} ^o)6s [$\frac{3}{2}$] ^o ₁	565106 710068	17 103
600.305	1	1	543485 710068	32 103
676.010	4p ⁵ (² P _{1/2} ^o)5p [$\frac{1}{2}$] ₀	4p ⁵ (² P _{1/2} ^o)6s [$\frac{1}{2}$] ^o ₁	584632 732560	17 103
647.408	1	0	577141 731603	6 103
643.416	1	1	577141 732560	9 103
655.549	4p ⁵ (² P _{3/2} ^o)5p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{3/2} ^o)6s [$\frac{3}{2}$] ^o ₁	557526 710068	85 103
648.477	4p ⁵ (² P _{3/2} ^o)6p [$\frac{5}{2}$] ₂	4p ⁵ (² P _{1/2} ^o)8s [$\frac{1}{2}$] ^o ₁	743840 898050	6 103
628.745	4p ⁵ 4d ¹ P ₁ ^o	4p ⁵ (² P _{1/2} ^o)5p [$\frac{3}{2}$] ₂	417544 576592	7 103
624.072	4p ⁵ (² P _{1/2} ^o)5p [$\frac{3}{2}$] ₁	4p ⁵ (² P _{1/2} ^o)6s [$\frac{1}{2}$] ^o ₀	571364 731603	16 103
620.344	1	1	571364 732560	14 103
622.790	4p ⁵ (² P _{3/2} ^o)5p [$\frac{5}{2}$] ₂	4p ⁵ (² P _{3/2} ^o)6s [$\frac{3}{2}$] ^o ₂	548414 708975	2 103
607.344	4p ⁵ (² P _{1/2} ^o)6p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{1/2} ^o)10s [$\frac{1}{2}$] ^o ₁	769856 934507	6 103
598.944	4p ⁵ (² P _{3/2} ^o)6p [$\frac{5}{2}$] ₂	4p ⁵ (² P _{3/2} ^o)9s [$\frac{3}{2}$] ^o ₁	743840 910798	8 103
571.341	4p ⁵ (² P _{3/2} ^o)5p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{1/2} ^o)6s [$\frac{1}{2}$] ^o ₁	557526 732560	8 103
565.697	1	0	554828 731603	5 103
562.648	1	1	554828 732560	7 103
534.812	4s ² 4p ⁵ 4d ¹ F ₃ ^o	4s4p ⁶ 4d ³ D ₃	351406 538386	8 103
531.631	4p ⁵ (² P _{3/2} ^o)6p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{1/2} ^o)10s [$\frac{1}{2}$] ^o ₁	746401 934507	9 103
531.574	4p ⁵ (² P _{3/2} ^o)5p [$\frac{1}{2}$] ₁	4p ⁵ (² P _{1/2} ^o)6s [$\frac{1}{2}$] ^o ₀	543485 731603	8 103
524.459	4p ⁵ (² P _{3/2} ^o)6p [$\frac{5}{2}$] ₂	4p ⁵ (² P _{1/2} ^o)10s [$\frac{1}{2}$] ^o ₁	743840 934507	2 103

Mo VII (Kr-Sequence) – Continued

Wavelength (Å)	Classification	Energy Levels (cm ⁻¹)	Int.	Refs.		
512.810	4s ² 4p ⁵ 4d ³ D ₁ ^o	4s4p ⁶ 4d ³ D ₂	341710	536713	4	103
492.720	3	3	335441	538386	50	103
511.822	4s ² 4p ⁵ 4d ¹ D ₂ ^o	4s4p ⁶ 4d ³ D ₁	340749	536131	6	103
505.976	2	3	340749	538386	16	103
508.767	4p ⁵ 4d ³ D ₂ ^o	4p ⁵ (² P _{3/2} ^o)5p [¹ / ₂] ₁	346922	543485	21	103
495.611	1	1	341710	543485	8	103
447.644	1	0	341710	565106	29	103
500.709	4p ⁵ 4d ¹ F ₃ ^o	4p ⁵ (² P _{3/2} ^o)5p [⁵ / ₂] ₃	351406	551129	9	103
489.714	4p ⁵ 4d ³ D ₂ ^o	4p ⁵ (² P _{3/2} ^o)5p [⁵ / ₂] ₃	346922	551129	34	103
469.547	3	2	335441	548414	44	103
463.614	3	3	335441	551129	24	103
487.734	4s ² 4p ⁵ (² P _{1/2} ^o)5p [¹ / ₂] ₀	4s4p ⁶ 5p ¹ P ₁ ^o	584632	789669	5	103
484.720	4p ⁵ (² P _{1/2} ^o)5p [¹ / ₂] ₀	4p ⁵ (² P _{3/2} ^o)6d [¹ / ₂] ₁ ^o	584632	790938	9	103
469.331	1	0	577141	790221	18	103
467.735	1	1	577141	790938	18	103
478.410	4s ² 4p ⁵ (² P _{1/2} ^o)5p [³ / ₂] ₁	4s4p ⁶ 5p ³ P ₁ ^o	571364	780390	10	103
469.331	4s ² 4p ⁵ (² P _{1/2} ^o)5p [³ / ₂] ₂	4s4p ⁶ 5p ¹ P ₁ ^o	576592	789669	18	103
469.229	4p ⁵ 4d ³ D ₁ ^o	4p ⁵ (² P _{3/2} ^o)5p [³ / ₂] ₁	341710	554828	5	103
463.333	1	2	341710	557526	13	103
450.305	3	2	335441	557526	46	103
468.072	4s ² 4p ⁵ 4d ¹ D ₂ ^o	4s4p ⁶ 4d ¹ D ₂	340749	554385	6	103
465.506	4s ² 4p ⁵ 4d ³ F ₂ ^o	4s4p ⁶ 4d ³ D ₂	321895	536713	28	103
446.228	4	3	314277	538386	80	103
463.544	4p ⁵ (² P _{1/2} ^o)5p [³ / ₂] ₂	4p ⁵ (² P _{3/2} ^o)6d [⁷ / ₂] ₃ ^o	576592	792321	24	103
463.333	4p ⁵ (² P _{1/2} ^o)5p [³ / ₂] ₂	4p ⁵ (² P _{3/2} ^o)6d [³ / ₂] ₂ ^o	576592	792410	13	103
452.420	1	2	571364	792410	9	103
461.282	4p ⁵ 4d ¹ D ₂ ^o	4p ⁵ (² P _{3/2} ^o)5p [³ / ₂] ₂	340749	557526	9	103
461.041	4p ⁵ (² P _{1/2} ^o)5p [¹ / ₂] ₁	4p ⁵ (² P _{3/2} ^o)6d [⁵ / ₂] ₂ ^o	577141	794042	5	103
459.882	4p ⁵ (² P _{1/2} ^o)5p [³ / ₂] ₂	4p ⁵ (² P _{3/2} ^o)6d [⁵ / ₂] ₂ ^o	576592	794042	28	103
458.843	2	3	576592	794526	10	103
456.911	4p ⁵ (² P _{1/2} ^o)5p [³ / ₂] ₁	4p ⁵ (² P _{3/2} ^o)6d [¹ / ₂] ₀ ^o	571364	790221	20	103
455.421	1	1	571364	790938	5	103
451.306	4p ⁵ 4d ³ F ₂ ^o	4p ⁵ (² P _{3/2} ^o)5p [¹ / ₂] ₁	321895	543485	10	103
444.074	4p ⁵ 4d ¹ F ₃ ^o	4p ⁵ (² P _{1/2} ^o)5p [³ / ₂] ₂	351406	576592	80	103
443.035	4s ² 4p ⁵ 4d ³ P ₂ ^o	4s4p ⁶ 4d ³ D ₁	310426	536131	8	103
441.903	2	2	310426	536713	9	103
438.688	2	3	310426	538386	9	103
433.736	1	1	305564	536131	7	103
442.483	4s4p ⁶ 4d ¹ D ₂	4s4p ⁶ 5p ³ P ₁ ^o	554385	780390	9	103

Mo VII (Kr-Sequence) – Continued

Wavelength (Å)	Classification	Energy Levels (cm ⁻¹)	Int.	Refs.
441.449	4p ⁵ 4d ³ F ₂ ^o	4p ⁵ (² P _{3/2} ^o)5p [$\frac{3}{2}$] ₂	321895 548814	85 103
434.138	3	2	318063 548414	68 103
429.058	3	3	318063 551129	32 103
422.210	4	3	314277 551129	90 103
435.444	4p ⁵ 4d ³ D ₁ ^o	4p ⁵ (² P _{1/2} ^o)5p [$\frac{3}{2}$] ₁	341710 571364	8 103
425.754	1	2	341710 576592	9 103
414.693	3	2	335441 576592	21 103
434.351	4p ⁵ 4d ³ D ₂ ^o	4p ⁵ (² P _{1/2} ^o)5p [$\frac{3}{2}$] ₁	346922 577141	72 103
424.754	1	1	341710 577141	24 103
433.631	4p ⁵ 4d ¹ D ₂ ^o	4p ⁵ (² P _{1/2} ^o)5p [$\frac{3}{2}$] ₁	340749 571364	8 103
424.035	2	2	340749 576592	10 103
431.430	4p ⁵ (² P _{1/2} ^o)5p [$\frac{1}{2}$] ₀	4p ⁵ (² P _{3/2} ^o)7s [$\frac{3}{2}$] ₁ ^o	584632 816418	9 103
429.306	4p ⁵ 4d ³ F ₂ ^o	4p ⁵ (² P _{3/2} ^o)5p [$\frac{3}{2}$] ₁	321895 554828	37 103
429.058	4p ⁵ 4d ³ P ₂ ^o	4p ⁵ (² P _{3/2} ^o)5p [$\frac{1}{2}$] ₁	310426 543485	32 103
420.309	1	1	305564 543485	14 103
413.779	0	1	301803 543485	9 103
425.736	4p ⁵ (² P _{3/2} ^o)5p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{3/2} ^o)6d [$\frac{3}{2}$] ₂ ^o	557526 792410	9 103
423.170	4s ² 4p ⁵ 4d ³ F ₃ ^o	4s4p ⁶ 4d ¹ D ₂	318063 554385	44 103
422.789	4p ⁵ (² P _{3/2} ^o)5p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{3/2} ^o)6d [$\frac{3}{2}$] ₂ ^o	557526 794042	9 103
421.948	2	3	557526 794526	20 103
422.789	4p ⁵ (² P _{1/2} ^o)5s [$\frac{1}{2}$] ₁ ^o	4p ⁵ (² P _{3/2} ^o)6p [$\frac{1}{2}$] ₁	502931 739454	9 103
400.615	1	0	502931 752533	17 103
419.940	4p ⁵ (² P _{1/2} ^o)5p [$\frac{1}{2}$] ₁	4p ⁵ (² P _{1/2} ^o)6d [$\frac{3}{2}$] ₂ ^o	577141 815261	8 103
418.991	4p ⁵ (² P _{1/2} ^o)5p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{1/2} ^o)6d [$\frac{3}{2}$] ₂ ^o	576592 815261	8 103
409.998	1	2	571364 815261	19 103
418.857	4p ⁵ (² P _{1/2} ^o)5p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{3/2} ^o)7s [$\frac{3}{2}$] ₂ ^o	576592 815350	15 103
415.070	4p ⁵ (² P _{1/2} ^o)5s [$\frac{1}{2}$] ₁ ^o	4p ⁵ (² P _{3/2} ^o)6p [$\frac{3}{2}$] ₂	502931 743840	1 103
414.955	4p ⁵ (² P _{3/2} ^o)5p [$\frac{3}{2}$] ₃	4p ⁵ (² P _{3/2} ^o)6d [$\frac{3}{2}$] ₄ ^o	551129 792121	32 103
414.622	3	3	551129 792321	7 103
409.998	2	3	548414 792321	19 103
410.371	4s4p ⁶ 4d ³ D ₂	4s4p ⁶ 5p ³ P ₁ ^o	536713 780390	15 103
409.905	4s ² 4p ⁵ 4d ³ P ₂ ^o	4s4p ⁶ 4d ¹ D ₂	310426 554385	5 103
401.903	1	2	305564 554385	9 103
409.180	4p ⁵ 4d ³ P ₂ ^o	4p ⁵ (² P _{3/2} ^o)5p [$\frac{3}{2}$] ₁	310426 554828	7 103
404.711	2	2	310426 557526	8 103
401.175	1	1	305564 554828	28 103
395.216	0	1	301803 554828	8 103
407.115	4p ⁵ (² P _{3/2} ^o)5p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{3/2} ^o)6d [$\frac{3}{2}$] ₂ ^o	548414 794042	9 103
400.869	4p ⁵ 4d ³ F ₂ ^o	4p ⁵ (² P _{1/2} ^o)5p [$\frac{3}{2}$] ₁	321895 571364	18 103
386.792	3	2	318063 576592	6 103

Mo VII (Kr-Sequence) – Continued

Wavelength (Å)	Classification		Energy Levels (cm ⁻¹)		Int.	Refs.
399.110	4p ⁵ (² P _{3/2} ^o)5p [$\frac{1}{2}$] ₁	4p ⁵ (² P _{3/2} ^o)6d [$\frac{3}{2}$] ₂ ^o	543485	794042	17	103
396.722	4p ⁵ (² P _{3/2} ^o)5p [$\frac{1}{2}$] ₁	4p ⁵ (² P _{3/2} ^o)6d [$\frac{3}{2}$] ₁ ^o	543485	795532	16	103
395.315	4s4p ⁶ 4d ³ D ₂	4s4p ⁶ 5p ¹ P ₁ ^o	536713	789669	2	103
394.451	1	1	536131	789669	2	103
387.993	4p ⁵ (² P _{3/2} ^o)5p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{1/2} ^o)6d [$\frac{3}{2}$] ₂ ^o	557526	815261	9	103
386.792	2	3	557526	816059	6	103
387.850	4p ⁵ (² P _{3/2} ^o)5p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{3/2} ^o)7s [$\frac{3}{2}$] ₂ ^o	557526	815350	8	103
382.281	1	1	554828	816418	14	103
385.427	4p ⁵ (² P _{3/2} ^o)5p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{1/2} ^o)6d [$\frac{3}{2}$] ₁ ^o	557526	816964	22	103
383.699	1	2	554828	815427	8	103
381.481	1	1	554828	816964	7	103
385.286	4p ⁵ 4d ³ P ₁ ^o	4p ⁵ (² P _{3/2} ^o)5p [$\frac{1}{2}$] ₀	305564	565106	37	103
383.554	4p ⁵ (² P _{1/2} ^o)5s [$\frac{1}{2}$] ₁ ^o	4p ⁵ (² P _{1/2} ^o)6p [$\frac{3}{2}$] ₁	502931	763636	17	103
380.225	0	1	500637	763636	10	103
383.215	4p ⁵ 4d ³ P ₂ ^o	4p ⁵ (² P _{1/2} ^o)5p [$\frac{3}{2}$] ₁	310426	571364	19	103
376.223	1	1	305564	571364	15	103
375.703	2	2	310426	576592	20	103
370.953	0	1	301803	571364	19	103
368.971	1	2	305564	576592	14	103
382.281	4p ⁵ (² P _{1/2} ^o)5p [$\frac{1}{2}$] ₁	4p ⁵ (² P _{1/2} ^o)7s [$\frac{1}{2}$] ₀ ^o	577141	838733	14	103
381.651	4p ⁵ (² P _{3/2} ^o)5s [$\frac{3}{2}$] ₂ ^o	4p ⁵ (² P _{3/2} ^o)6p [$\frac{1}{2}$] ₁	477429	739454	10	103
368.670	1	0	481297	752533	10	103
380.865	4p ⁵ (² P _{3/2} ^o)5s [$\frac{3}{2}$] ₁ ^o	4p ⁵ (² P _{3/2} ^o)6p [$\frac{5}{2}$] ₂	481297	743840	9	103
375.359	2	2	477429	743840	9	103
374.967	2	3	477429	744128	2	103
380.553	4p ⁵ (² P _{1/2} ^o)5p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{1/2} ^o)7s [$\frac{1}{2}$] ₁ ^o	576592	839344	7	103
378.804	4p ⁵ (² P _{3/2} ^o)5s [$\frac{3}{2}$] ₁ ^o	4p ⁵ (² P _{3/2} ^o)6p [$\frac{3}{2}$] ₁	481297	745292	8	103
377.204	1	2	481297	746401	17	103
378.475	4p ⁵ (² P _{3/2} ^o)5p [$\frac{5}{2}$] ₃	4p ⁵ (² P _{3/2} ^o)7s [$\frac{3}{2}$] ₂ ^o	551129	815350	9	103
378.354	4p ⁵ (² P _{3/2} ^o)5p [$\frac{5}{2}$] ₃	4p ⁵ (² P _{1/2} ^o)6d [$\frac{3}{2}$] ₂ ^o	551129	815427	10	103
372.349	2	1	548414	816964	8	103
373.621	4p ⁵ (² P _{3/2} ^o)5p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{1/2} ^o)6d [$\frac{3}{2}$] ₃ ^o	548414	816059	8	103
368.246	4p ⁵ 4d ³ P ₁ ^o	4p ⁵ (² P _{1/2} ^o)5p [$\frac{1}{2}$] ₁	305564	577141	8	103
363.200	0	1	301803	577141	18	103
358.333	1	0	305564	584632	18	103
367.728	4p ⁵ (² P _{3/2} ^o)5p [$\frac{1}{2}$] ₁	4p ⁵ (² P _{1/2} ^o)6d [$\frac{3}{2}$] ₂ ^o	543485	815427	20	103
365.651	1	1	543485	816964	18	103
366.389	4p ⁵ (² P _{3/2} ^o)5p [$\frac{1}{2}$] ₁	4p ⁵ (² P _{3/2} ^o)7s [$\frac{3}{2}$] ₁ ^o	543485	816418	8	103
352.235	4p ⁵ (² P _{3/2} ^o)5p [$\frac{3}{2}$] ₁	4p ⁵ (² P _{1/2} ^o)7s [$\frac{1}{2}$] ₀ ^o	554828	838733	9	103
351.461	1	1	554828	839344	6	103

Mo VII (Kr-Sequence) -- Continued

Wavelength (Å)	Classification		Energy Levels (cm ⁻¹)		Int.	Refs.
349.418	4p ⁵ (² P _{3/2})5s [$\frac{3}{2}$] ₂ ^o	4p ⁵ (² P _{1/2})6p [$\frac{3}{2}$] ₁	477429	763636	8	103
344.993	4p ⁵ (² P _{3/2})5s [$\frac{3}{2}$] ₁ ^o	4p ⁵ (² P _{1/2})6p [$\frac{3}{2}$] ₀	481297	771155	16	103
338.682	4p ⁵ (² P _{3/2})5p [$\frac{3}{2}$] ₁	4p ⁵ (² P _{1/2})7s [$\frac{3}{2}$] ₀ ^o	543485	838733	2	103
335.990	4p ⁵ (² P _{1/2})5p [$\frac{3}{2}$] ₁ 1	4p ⁵ (² P _{3/2})8s [$\frac{3}{2}$] ₂ 1	577141	874776	10	103
335.730			577141	874999	16	103
329.594	4p ⁵ (² P _{1/2})5p [$\frac{3}{2}$] ₁	4p ⁵ (² P _{3/2})8s [$\frac{3}{2}$] ₂	571364	874776	4	103
327.262	4p ⁶ ¹ S ₀	4p ⁵ 4d ³ P ₁ ^o	0	305564	78	22,47,79,103 ^o
311.079	4p ⁵ (² P _{1/2})5p [$\frac{3}{2}$] ₂	4p ⁵ (² P _{1/2})8s [$\frac{3}{2}$] ₁ ^o	576592	898050	9	103
308.960	4p ⁵ (² P _{3/2})5p [$\frac{3}{2}$] ₃ 2	4p ⁵ (² P _{3/2})8s [$\frac{3}{2}$] ₂ 2	551129	874776	8	103
306.418			548414	874776	6	103
305.105	4p ⁵ 4d ¹ P ₁ ^o	4p ⁵ (² P _{3/2})6p [$\frac{3}{2}$] ₁	417544	745292	8	103
292.646	4p ⁶ ¹ S ₀	4p ⁵ 4d ³ D ₁ ^o	0	341710	78	22,79,103 ^o
291.340	4p ⁵ (² P _{3/2})5p [$\frac{3}{2}$] ₁	4p ⁵ (² P _{1/2})8s [$\frac{3}{2}$] ₁ ^o	554828	898050	8	103
287.080	4p ⁵ 4d ¹ P ₁ ^o	4p ⁵ (² P _{1/2})6p [$\frac{3}{2}$] ₁	417544	765875	2	103
283.828	4p ⁵ 4d ¹ P ₁ ^o	4p ⁵ (² P _{1/2})6p [$\frac{3}{2}$] ₂	417544	769856	2	103
282.027	4p ⁵ (² P _{3/2})5p [$\frac{3}{2}$] ₁	4p ⁵ (² P _{1/2})8s [$\frac{3}{2}$] ₁ ^o	543485	898050	6	103
239.499	4p ⁶ ¹ S ₀	4p ⁵ 4d ¹ P ₁ ^o	0	417544	300	22,79 ^o
207.773	4p ⁶ ¹ S ₀	4p ⁵ (² P _{3/2})5s [$\frac{3}{2}$] ₁ ^o	0	481294	150	22,27,79 ^o
198.835	4p ⁶ ¹ S ₀	4p ⁵ (² P _{1/2})5s [$\frac{3}{2}$] ₁ ^o	0	502931	125	22,27,79 ^o
151.747	4p ⁶ ¹ S ₀	4p ⁵ (² P _{3/2})5d [$\frac{3}{2}$] ₁ ^o	0	658992	1	22,79 ^o
149.462	4p ⁶ ¹ S ₀	4p ⁵ (² P _{3/2})5d [$\frac{3}{2}$] ₂ ^o	0	669065	40	22,79 ^o
144.974	4p ⁶ ¹ S ₀	4p ⁵ (² P _{1/2})5d [$\frac{3}{2}$] ₁ ^o	0	689788	40	79
140.833	4p ⁶ ¹ S ₀	4p ⁵ (² P _{3/2})6s [$\frac{3}{2}$] ₁ ^o	0	710068	40	22,79 ^o
136.507	4p ⁶ ¹ S ₀	4p ⁵ (² P _{1/2})6s [$\frac{3}{2}$] ₁ ^o	0	732560	20	22,79 ^o
128.141	4p ⁶ ¹ S ₀	4s4p ⁶ 5p ³ P ₁ ^o	0	780390	1	79
126.631	4p ⁶ ¹ S ₀	4s4p ⁶ 5p ¹ P ₁ ^o	0	789669	5	79
125.704	4p ⁶ ¹ S ₀	4p ⁵ (² P _{3/2})6d [$\frac{3}{2}$] ₁ ^o	0	795532	1	79
122.487	4p ⁶ ¹ S ₀	4p ⁵ (² P _{3/2})7s [$\frac{3}{2}$] ₁ ^o	0	816418	4	79
119.141	4p ⁶ ¹ S ₀	4p ⁵ (² P _{1/2})7s [$\frac{3}{2}$] ₁ ^o	0	839344	2	79
114.286	4p ⁶ ¹ S ₀	4p ⁵ (² P _{3/2})8s [$\frac{3}{2}$] ₁ ^o	0	874999	2	79
111.347	4p ⁶ ¹ S ₀	4p ⁵ (² P _{1/2})8s [$\frac{3}{2}$] ₁ ^o	0	898050	0.4	79
109.790	4p ⁶ ¹ S ₀	4p ⁵ (² P _{3/2})9s [$\frac{3}{2}$] ₁ ^o	0	910798	1	79
107.005	4p ⁶ ¹ S ₀	4p ⁵ (² P _{3/2})10s [$\frac{3}{2}$] ₁ ^o	0	934507	1	79

Mo VIII (Br-Sequence)

IP = 1157900 ± 8000 cm⁻¹ (143.56 ± 1.00 eV)

Wavelength (Å)	Classification		Energy Levels (cm ⁻¹)		Int.	Refs.
474.941	4s ² 4p ⁵ 2P ^o _{1/2}	4s4p ⁶ 2S _{1/2}	23274	233830	100	24 ^A ,27 ^o
427.660	3/2	1/2	0	233830	160	24 ^A ,27 ^o ,47
325.176	4p ⁵ 2P ^o _{1/2}	4p ⁴ (¹ D)4d 2P _{1/2}	23274	330800	8	24,43 ^o
307.166	1/2	3/2	23274	348832	5	24,43 ^o
286.670	3/2	3/2	0	348832	2	24,43 ^o
323.940	4p ⁵ 2P ^o _{3/2}	4p ⁴ (³ P)4d 4D _{5/2}	0	308699	30	43
322.645	3/2	3/2	0	309938	10	43
318.822	4p ⁵ 2P ^o _{1/2}	4p ⁴ (³ P)4d 4P _{1/2}	23274	336936	3	24,43 ^o
316.210	1/2	3/2	23274	339525	2	43
296.786	3/2	1/2	0	336936	50	24,43 ^o
294.526	3/2	3/2	0	339525	60	43
288.838	3/2	5/2	0	346215	100	24,43 ^o
314.379	4p ⁵ 2P ^o _{1/2}	4p ⁴ (¹ D)4d 2D _{3/2}	23274	341362	35	24,43 ^o
292.943	3/2	3/2	0	341362	75	24,43 ^o
283.167	3/2	5/2	0	353148	85	43
297.918	4p ⁵ 2P ^o _{3/2}	4p ⁴ (³ P)4d 4F _{3/2}	0	335663	75	24,43 ^o
295.910	3/2	5/2	0	337941	150	24,43 ^o
279.477	4p ⁵ 2P ^o _{3/2}	4p ⁴ (³ P)4d 2F _{5/2}	0	357811	75	24,43 ^o
269.352	4p ⁵ 2P ^o _{1/2}	4p ⁴ (¹ S)4d 2D _{3/2}	23274	394545	15	24,43 ^o
253.457	3/2	3/2	0	394545	30	24,43 ^o
246.973	3/2	5/2	0	404903	50	24,43 ^o
269.294	4p ⁵ 2P ^o _{3/2}	4p ⁴ (¹ D)4d 2F _{5/2}	0	371341	50	24,43 ^o
257.597	4p ⁵ 2P ^o _{1/2}	4p ⁴ (¹ D)4d 2S _{1/2}	23274	411512	30	24,43 ^o
243.006	3/2	1/2	0	411512	200	24,43 ^o
251.085	4p ⁵ 2P ^o _{1/2}	4p ⁴ (³ P)4d 2P _{3/2}	23274	421559	2	43
245.276	1/2	1/2	23274	430969	100	43
237.215	3/2	3/2	0	421559	700	43
232.040	3/2	1/2	0	430969	50	43
235.510	4p ⁵ 2P ^o _{1/2}	4p ⁴ (³ P)4d 2D _{3/2}	23274	447876	500	43
234.314	3/2	5/2	0	426778	900	24,43 ^o
223.280	3/2	3/2	0	447876	15	43
198.367	4p ⁵ 2P ^o _{1/2}	4p ⁴ (³ P ₂)5s (2 ¹ / ₂) _{3/2}	23274	527389	4	24,43 ^o
191.769	3/2	5/2	0	521461	90	24,43 ^o
189.614	3/2	3/2	0	527389	100	24,43 ^o
192.286	4p ⁵ 2P ^o _{1/2}	4p ⁴ (³ P ₁)5s (1 ¹ / ₂) _{3/2}	23274	543336	5	24,43 ^o
190.241	1/2	1/2	23274	548923	25	24,43 ^o
184.047	3/2	3/2	0	543336	75	24,43 ^o
182.175	3/2	1/2	0	548923	20	24,43 ^o
186.377	4p ⁵ 2P ^o _{1/2}	4p ⁴ (¹ D ₂)5s (2 ¹ / ₂) _{3/2}	23274	559813	75	24,43 ^o
178.951	3/2	5/2	0	558812	100	24,43 ^o
178.634	3/2	3/2	0	559813	3	43
185.621	4p ⁵ 2P ^o _{3/2}	4p ⁴ (³ P ₀)5s (0 ¹ / ₂) _{1/2}	0	538732	25	24,43 ^o
174.656	4p ⁵ 2P ^o _{1/2}	4p ⁴ (¹ S ₀)5s (0 ¹ / ₂) _{1/2}	23274	595829	75	24,43 ^o
167.833	3/2	1/2	0	595829	20	43

Mo VIII (Br-Sequence) — Continued

Wavelength (Å)	Classification	Energy Levels (cm ⁻¹)	Int.	Refs.		
141.287	4p ⁵ 2P _{1/2} ^o	4p ⁴ (³ P)5d 2D _{3/2}	23274	731073	1	25
136.782	3/2	3/2	0	731073	4	25
138.520	4p ⁵ 2P _{1/2} ^o	4p ⁴ (³ P)5d 4P _{3/2}	23274	745165	3	25
134.203	3/2	3/2	0	745165	11	25
133.661	3/2	5/2	0	748161	2	25
137.425	4p ⁵ 2P _{1/2} ^o	4p ⁴ (³ P)5d 2P _{3/2}	23274	750937	6	25
133.168	3/2	3/2	0	750937	1	25
136.898	4p ⁵ 2P _{3/2} ^o	4p ⁴ (³ P)5d 4P _{1/2}	0	730472	2	25
136.357	4p ⁵ 2P _{3/2} ^o	4p ⁴ (³ P)5d 2D _{5/2}	0	733372	6	25
135.902	4p ⁵ 2P _{1/2} ^o	4p ⁴ (¹ D)5d 2S _{1/2}	23274	759112	1	25
131.730	3/2	1/2	0	759112	1	25
135.378	4p ⁵ 2P _{1/2} ^o	4p ⁴ (¹ D)5d 2P _{3/2}	23274	761941	1	25
131.245	3/2	3/2	0	761941	1	25
134.852	4p ⁵ 2P _{3/2} ^o	4p ⁴ (³ P)5d 4F _{3/2}	0	741552	1	25
134.362	3/2	5/2	0	744258	1	25
134.428	4p ⁵ 2P _{1/2} ^o	4p ⁴ (¹ D)5d 2D _{3/2}	23274	767167	9	25
131.059	3/2	5/2	0	763015	1	25
133.854	4p ⁵ 2P _{1/2} ^o	4p ⁴ (¹ D)5d 2P _{1/2}	23274	770370	1	25
129.806	3/2	1/2	0	770370	4	25
133.417	4p ⁵ 2P _{3/2} ^o	4p ⁴ (³ P)5d 2F _{5/2}	0	749531	1	25
130.758	4p ⁵ 2P _{3/2} ^o	4p ⁴ (¹ D)5d 2F _{5/2}	0	764770	1	25
130.111	4p ⁵ 2P _{1/2} ^o	4p ⁴ (³ P ₂)6s (2, 1/2) _{3/2}	23274	791823	1	25
126.634	3/2	5/2	0	789754	8	25
126.296	3/2	3/2	0	791823	10	25
128.688	4p ⁵ 2P _{1/2} ^o	4p ⁴ (¹ S)5d 2D _{3/2}	23274	800351	5	25
125.191	3/2	5/2	0	798781	1	25
127.662	4p ⁵ 2P _{1/2} ^o	4p ⁴ (³ P ₀)6s (0, 1/2) _{1/2}	23274	806614	1	25
123.973	3/2	1/2	0	806614	3	25
127.058	4p ⁵ 2P _{1/2} ^o	4p ⁴ (³ P ₁)6s (1, 1/2) _{3/2}	23274	810363	3	25
126.747	1/2	1/2	23274	812274	6	25
123.394	3/2	3/2	0	810363	5	25
123.108	3/2	1/2	0	812274	4	25
124.561	4p ⁵ 2P _{1/2} ^o	4p ⁴ (¹ D ₂)6s (2, 1/2) _{3/2}	23274	826096	4	25,60°
121.080	3/2	5/2	0	825900	7	25,60°
119.114	4p ⁵ 2P _{1/2} ^o	4p ⁴ (¹ S ₀)6s (0, 1/2) _{1/2}	23274	862803	5	25
115.902	3/2	1/2	0	862803	1	25
115.109	4p ⁵ 2P _{1/2} ^o	4p ⁴ (³ P)6d 2D _{3/2}	23274	891999	1	25
112.254	3/2	5/2	0	890834	5	25
112.110	3/2	3/2	0	891999	2	25

Mo VIII (Br-Sequence) — Continued

Wavelength (Å)	Classification	Energy Levels (cm ⁻¹)	Int.	Refs.		
113.205	4p ⁵ 2P _{1/2} ^o	4p ⁴ (³ P)6d 4P _{3/2}	23274	906608	1	25
110.304	3/2	3/2	0	906608	1	25
110.189	3/2	5/2	0	907534	1	25
112.746	4p ⁵ 2P _{1/2} ^o	4p ⁴ (³ P)6d 2P _{3/2}	23274	910220	1	25
109.864	3/2	3/2	0	910220	1	25
111.461	4p ⁵ 2P _{1/2} ^o	4p ⁴ (¹ D)6d 2S _{1/2}	23274	920428	1	25
108.648	3/2	1/2	0	920428	1	25
111.383	4p ⁵ 2P _{1/2} ^o	4p ⁴ (¹ D)6d 2P _{3/2}	23274	921068	3	25
111.012	1/2	1/2	23274	924105	1	25
110.573	4p ⁵ 2P _{1/2} ^o	4p ⁴ (¹ D)6d 2D _{3/2}	23274	927660	1	25
108.255	3/2	5/2	0	923747	1	25
109.904	4p ⁵ 2P _{3/2} ^o	4p ⁴ (³ P)6d 2F _{5/2}	0	909889	2	25
109.760	4p ⁵ 2P _{1/2} ^o	4p ⁴ (³ P ₁)7s (1, 1/2) _{1/2}	23274	934364	3	25
107.203	3/2	3/2	0	932812	4	25
107.024	3/2	1/2	0	934364	3	25
109.095	4p ⁵ 2P _{3/2} ^o	4p ⁴ (³ P ₂)7s (2, 1/2) _{5/2}	0	916634	2	25
108.796	3/2	3/2	0	919154	4	25
108.571	4p ⁵ 2P _{3/2} ^o	4p ⁴ (¹ D)6d 2P _{3/2}	0	921068	1	25
108.210	3/2	1/2	0	924105	3	25
107.797	4p ⁵ 2P _{3/2} ^o	4p ⁴ (¹ D)6d 2D _{3/2}	0	927660	1	25
107.652	4p ⁵ 2P _{3/2} ^o	4p ⁴ (³ P ₀)7s (0, 1/2) _{1/2}	0	928921	1	25
107.380	4p ⁵ 2P _{1/2} ^o	4p ⁴ (¹ D ₂)7s (2, 1/2) _{3/2}	23274	948153	3	25
105.423	3/2	5/2	0	948129	6	25
106.259	4p ⁵ 2P _{1/2} ^o	4p ⁴ (¹ S)6d 2D _{3/2}	23274	964373	5	25
104.306	4p ⁵ 2P _{1/2} ^o	4p ⁴ (¹ S ₀)7s (0, 1/2) _{1/2}	23274	982044	1	25
101.823	3/2	1/2	0	982044	1	25

Mo IX (Se-Sequence)

IP = $1323700 \pm 8000 \text{ cm}^{-1}$ ($164.12 \pm 1.00 \text{ eV}$)

Wavelength (Å)	Classification		Energy Levels (cm^{-1})		Int.	Refs.
577.272	$4s^2 4p^4 \ ^1S_0$	$4s 4p^5 \ ^3P_1^o$	72884.6	246113.0	8	80
506.462	$4s^2 4p^4 \ ^1D_2$	$4s 4p^5 \ ^3P_2^o$	35674.5	233122.9	30	80
475.197	2	1	35674.5	246113.0	1	80
470.484	$4s^2 4p^4 \ ^3P_1$	$4s 4p^5 \ ^3P_2^o$	20576.3	233122.9	40	80
443.388	1	1	20576.3	246113.0	18	80
435.684	0	1	16588.8	246113.0	20	80
428.959	2	2	0	233122.9	100	47,80 ^o
423.800	1	0	20576.3	256536.7	25	80
406.319	2	1	0	246113.0	50	80
448.956	$4s^2 4p^4 \ ^1S_0$	$4s 4p^5 \ ^1P_1^o$	72884.6	295624	3	80
384.691	$4s^2 4p^4 \ ^1D_2$	$4s 4p^5 \ ^1P_1^o$	35674.5	295624	75	80
338.264	$4s^2 4p^4 \ ^3P_2$	$4s 4p^5 \ ^1P_1^o$	0	295624	15	80
363.764	$4p^4 \ ^1S_0$	$4p^3(^2D^o) 4d \ ^3D_1^o$	72884.6	347777	2	78
325.188	$4p^4 \ ^1S_0$	$4p^3(^2P^o) 4d \ ^3D_1^o$	72884.6	380383	7	78
320.416	$4p^4 \ ^1D_2$	$4p^3(^2D^o) 4d \ ^3D_1^o$	35674.5	347777	6	78
317.704	$4p^4 \ ^1D_2$	$4p^3(^2D^o) 4d \ ^3F_2^o$	35674.5	350444	6	78
314.446	2	3	35674.5	353696	2	78
306.182	$4p^4 \ ^1D_2$	$4p^3(^2D^o) 4d \ ^3G_3^o$	35674.5	362277	5	78
305.634	$4p^4 \ ^3P_1$	$4p^3(^2D^o) 4d \ ^3D_1^o$	20576.3	347777	3	78
301.939	0	1	16588.8	347777	2	78
287.537	2	1	0	347777	9	78
303.148	$4p^4 \ ^3P_1$	$4p^3(^2D^o) 4d \ ^3F_2^o$	20576.3	350444	9	78
285.346	2	2	0	350444	3	78
282.728	2	3	0	353696	8	78
290.108	$4p^4 \ ^1D_2$	$4p^3(^2P^o) 4d \ ^3D_1^o$	35674.5	380383	10	78
280.133	2	2	35674.5	392634	2	78
272.543	2	3	35674.5	402590	12	78
289.140	$4p^4 \ ^1D_2$	$4p^3(^2P^o) 4d \ ^1D_2^o$	35674.5	381528	3	78
287.291	$4p^4 \ ^1S_0$	$4p^3(^2D^o) 4d \ ^1P_1^o$	72884.6	420947	9	78
283.169	$4p^4 \ ^1D_2$	$4p^3(^2P^o) 4d \ ^3P_1^o$	35674.5	388801	25	78
270.262	2	2	35674.5	405684	3	78
278.019	$4p^4 \ ^1D_2$	$4p^3(^2P^o) 4d \ ^3F_3^o$	35674.5	395360	14	78
276.978	2	2	35674.5	396711	22	78
277.914	$4p^4 \ ^3P_1$	$4p^3(^2P^o) 4d \ ^3D_1^o$	20576.3	380383	2	78
274.885	0	1	16588.8	380383	18	78
268.771	1	2	20576.3	392634	7	78
262.894	2	1	0	380383	8	78
254.702	2	2	0	392634	3	78
248.391	2	3	0	402590	24	78
277.347	$4p^4 \ ^1S_0$	$4p^3(^2D^o) 4d \ ^3P_1^o$	72884.6	433445	9	78

Mo IX (Se-Sequence) – Continued

Wavelength (Å)	Classification		Energy Levels (cm ⁻¹)		Int.	Refs.
276.032	4p ⁴ ³ P ₂	4p ³ (² D°)4d ³ G ₃ ^o	0	362277	24	78
271.572	4p ⁴ ³ P ₁	4p ³ (² P°)4d ³ P ₁ ^o	20576.3	388801	6	78
259.667	1	2	20576.3	405684	6	78
257.202	2	1	0	388801	8	78
246.499	2	2	0	405684	12	78
265.860	4p ⁴ ³ P ₁	4p ³ (² P°)4d ³ F ₂ ^o	20576.3	396711	24	78
252.936	2	3	0	395360	20	78
252.077	2	2	0	396711	12	78
262.413	4p ⁴ ¹ D ₂	4p ³ (² D°)4d ³ S ₁ ^o	35674.5	416746	24	78
262.103	4p ⁴ ³ P ₂	4p ³ (² P°)4d ¹ D ₂ ^o	0	381528	14	78
260.792	4p ⁴ ¹ D ₂	4p ³ (² D°)4d ³ P ₂ ^o	35674.5	419123	14	78
251.405	2	1	35674.5	433445	16	78
259.569	4p ⁴ ¹ D ₂	4p ³ (² D°)4d ¹ P ₁ ^o	35674.5	420947	25	78
257.503	4p ⁴ ¹ D ₂	4p ³ (² P°)4d ¹ F ₃ ^o	35674.5	424009	6	78
252.638	4p ⁴ ¹ D ₂	4p ³ (⁴ S°)4d ³ D ₃ ^o	35674.5	431498	2	78
246.718	2	2	35674.5	441012	25	78
242.817	2	1	35674.5	447509	11	78
252.418	4p ⁴ ³ P ₁	4p ³ (² D°)4d ³ S ₁ ^o	20576.3	416746	13	78
249.906	0	1	16588.8	416746	14	78
239.953	2	1	0	416746	24	78
250.912	4p ⁴ ³ P ₁	4p ³ (² D°)4d ³ P ₂ ^o	20576.3	419123	20	78
242.211	1	1	20576.3	433445	20	78
239.886	0	1	16588.8	433445	18	78
238.591	2	2	0	419123	25	78
230.708	2	1	0	433445	12	78
249.769	4p ⁴ ³ P ₁	4p ³ (² D°)4d ¹ P ₁ ^o	20576.3	420947	20	78
247.304	0	1	16588.8	420947	22	78
237.560	2	1	0	420947	20	78
240.958	4p ⁴ ¹ S ₀	4p ³ (² P°)4d ¹ P ₁ ^o	72884.6	487905	25	78
237.843	4p ⁴ ³ P ₁	4p ³ (⁴ S°)4d ³ D ₂ ^o	20576.3	441012	25	78
234.228	1	1	20576.3	447509	20	78
232.056	0	1	16588.8	447509	25	78
231.751	2	3	0	431498	24	78
226.747	2	2	0	441012	25	78
223.458	2	1	0	447509	10	78
237.843	4p ⁴ ¹ D ₂	4p ³ (² D°)4d ¹ D ₂ ^o	35674.5	456111	25	78
235.850	4p ⁴ ³ P ₂	4p ³ (² P°)4d ¹ F ₃ ^o	0	424009	16	78
231.991	4p ⁴ ¹ D ₂	4p ³ (² D°)4d ¹ F ₃ ^o	35674.5	466718	25	78
229.607	4p ⁴ ³ P ₁	4p ³ (² D°)4d ¹ D ₂ ^o	20576.3	456111	14	78
221.127	4p ⁴ ¹ D ₂	4p ³ (² P°)4d ¹ P ₁ ^o	35674.5	487905	2	78
214.266	4p ⁴ ³ P ₂	4p ³ (² D°)4d ¹ F ₃ ^o	0	466718	10	78

Mo IX (Se-Sequence) – Continued

Wavelength (Å)	Classification	Energy Levels (cm ⁻¹)	Int.	Refs.		
213.980	4p ⁴ ³ P ₁	4p ³ (² P ^o)4d ¹ P ₁ ^o	20576.3	487905	9	78
212.168	0	1	16588.8	487905	6	78
178.010	4p ⁴ ³ P ₁	4p ³ (⁴ S _{3/2})5s (³ / _{2,2}) ₁ ^o	20576.3	582356	7	26°,78
176.750	0	1	16588.8	582356	6	26°,78
171.713	2	1	0	582356	12	26°,78
176.682	4p ⁴ ¹ D ₂	4p ³ (² D _{3/2})5s (³ / _{2,2}) ₂ ^o	35674.5	601678	4	26°,78
176.432	2	1	35674.5	602468	4	26°,78
174.887	4p ⁴ ³ P ₂	4p ³ (⁴ S _{3/2})5s (³ / _{2,2}) ₂ ^o	0	571798	11	26°,78
174.346	4p ⁴ ¹ D ₂	4p ³ (² D _{5/2})5s (³ / _{2,2}) ₃ ^o	35674.5	609234	6	26°,78
174.019	4p ⁴ ¹ S ₀	4p ³ (² P _{3/2})5s (³ / _{2,2}) ₁ ^o	72884.6	647535	7	26°,78
173.091	4p ⁴ ¹ D ₂	4p ³ (² D _{5/2})5s (³ / _{2,2}) ₂ ^o	35674.5	613394	15	26°,78
172.083	4p ⁴ ³ P ₁	4p ³ (² D _{3/2})5s (³ / _{2,2}) ₂ ^o	20576.3	601678	6	26°,78
171.862	1	1	20576.3	602468	11	26°,78
170.674	0	1	16588.8	602468	3	26°,78
166.201	2	2	0	601678	12	26°,78
168.683	4p ⁴ ³ P ₁	4p ³ (² D _{5/2})5s (³ / _{2,2}) ₂ ^o	20576.3	613394	6	26°,78
163.033	2	2	0	613394	5	26°,78
168.144	4p ⁴ ¹ D ₂	4p ³ (² P _{1/2})5s (¹ / _{2,2}) ₁ ^o	35674.5	630384	6	26°,78
164.454	4p ⁴ ³ P ₁	4p ³ (² P _{1/2})5s (¹ / _{2,2}) ₀ ^o	20576.3	628649	6	26°,78
163.986	1	1	20576.3	630384	4	26°,78
164.355	4p ⁴ ¹ D ₂	4p ³ (² P _{3/2})5s (³ / _{2,2}) ₂ ^o	35674.5	644114	7	26°,78
164.144	4p ⁴ ³ P ₂	4p ³ (² D _{5/2})5s (³ / _{2,2}) ₃ ^o	0	609234	20	26°,78
163.436	4p ⁴ ¹ D ₂	4p ³ (² P _{3/2})5s (³ / _{2,2}) ₁ ^o	35674.5	647535	7	26°,78
162.918	4p ⁴ ³ P ₀	4p ³ (² P _{1/2})5s (¹ / _{2,2}) ₁ ^o	16588.8	630384	7	26°,78
158.641	2	1	0	630384	3	26°,78
160.375	4p ⁴ ³ P ₁	4p ³ (² P _{3/2})5s (³ / _{2,2}) ₂ ^o	20576.3	644114	9	26°,78
155.246	2	2	0	644114	5	26°,78
132.908	4p ⁴ ¹ S ₀	4p ³ (² P ^o)5d ³ D ₁ ^o	72884.6	825266	1	62
132.077	4p ⁴ ¹ S ₀	4p ³ (² P ^o)5d ³ P ₁ ^o	72884.6	830015	0	62
128.878	4p ⁴ ¹ S ₀	4p ³ (² D ^o)5d ³ P ₁ ^o	72884.6	848809	0	62
128.740	4p ⁴ ³ P ₁	4p ³ (² D ^o)5d ³ D ₁ ^o	20576.3	797355	1	62
128.076	0	1	16588.8	797355	1	62
128.200	4p ⁴ ³ P ₁	4p ³ (² D ^o)5d ³ F ₂ ^o	20576.3	800579	1	62
124.914	2	2	0	800579	2	62
127.086	4p ⁴ ¹ D ₂	4p ³ (² D ^o)5d ³ G ₃ ^o	35674.5	822534	1	62
126.187	4p ⁴ ¹ S ₀	4p ³ (⁴ S ^o)5d ³ D ₁ ^o	72884.6	865366	2	62
126.100	4p ⁴ ¹ D ₂	4p ³ (² P ^o)5d ¹ D ₂ ^o	35674.5	828728	4	62

Mo IX (Se-Sequence) – Continued

Wavelength (Å)	Classification	Energy Levels (cm ⁻¹)	Int.	Refs.		
124.266	4p ⁴ 3P ₁	4p ³ (² P ^o)5d ³ D ₁ ^o	20576.3	825266	2	62
123.660	0	1	16588.8	825266	0	62
121.180	2	1	0	825266	1	62
119.114	2	3	0	839507	10	62
124.408	4p ⁴ ¹ D ₂	4p ³ (² P ^o)5d ³ D ₃ ^o	35674.5	839507	5	62
124.369	4p ⁴ ¹ D ₂	4p ³ (² P ^o)5d ³ P ₂ ^o	35674.5	839713	2	62
124.221	4p ⁴ ¹ D ₂	4p ³ (² D ^o)5d ³ P ₂ ^o	35674.5	840654	0	62
122.984	2	1	35674.5	848809	1	62
123.778	4p ⁴ ¹ D ₂	4p ³ (² D ^o)5d ¹ P ₁ ^o	35674.5	843565	0	62
123.738	4p ⁴ 3P ₁	4p ³ (² P ^o)5d ¹ D ₂ ^o	20576.3	828728	5	62
120.663	2	2	0	828728	0	62
123.545	4p ⁴ 3P ₁	4p ³ (² P ^o)5d ³ P ₁ ^o	20576.3	830015	8	62
122.084	1	2	20576.3	839713	3	62
120.478	2	1	0	830015	3	62
119.087	2	2	0	839713	0	62
123.485	4p ⁴ ¹ D ₂	4p ³ (² P ^o)5d ¹ F ₃ ^o	35674.5	845474	4	62
123.178	4p ⁴ ¹ D ₂	4p ³ (⁴ S ^o)5d ³ D ₃ ^o	35674.5	847507	6	62
120.528	2	1	35674.5	865366	0	62
122.897	4p ⁴ ¹ S ₀	4p ³ (² P ^o)5d ¹ P ₁ ^o	72884.6	886605	2	62
121.941	4p ⁴ 3P ₁	4p ³ (² D ^o)5d ³ P ₂ ^o	20576.3	840654	6	62
120.156	0	1	16588.8	848809	4	62
118.959	2	2	0	840654	5	62
117.814	2	1	0	848809	5	62
121.577	4p ⁴ 3P ₂	4p ³ (² D ^o)5d ³ G ₃ ^o	0	822534	6	62
121.517	4p ⁴ 3P ₁	4p ³ (² D ^o)5d ¹ P ₁ ^o	20576.3	843565	1	62
118.537	2	1	0	843565	0	62
119.913	4p ⁴ ¹ D ₂	4p ³ (² D ^o)5d ¹ D ₂ ^o	35674.5	869633	1	62
118.373	4p ⁴ 3P ₁	4p ³ (⁴ S ^o)5d ³ D ₁ ^o	20576.3	865366	4	62
117.814	0	1	16588.8	865366	5	62
118.279	4p ⁴ 3P ₂	4p ³ (² P ^o)5d ¹ F ₃ ^o	0	845474	4	62
117.775	4p ⁴ 3P ₁	4p ³ (² D ^o)5d ¹ D ₂ ^o	20576.3	869633	1	62
116.248	4p ⁴ 3P ₁	4p ³ (⁴ S _{3/2} ^o)6s (³ / ₂ , ¹ / ₂) ₁ ^o	20576.3	880843	0	62
113.523	2	1	0	880843	5	62
115.471	4p ⁴ 3P ₁	4p ³ (² P ^o)5d ¹ P ₁ ^o	20576.3	886605	0	62
114.935	0	1	16588.8	886605	4	62
116.088	4p ⁴ ¹ S ₀	4p ³ (² P _{1/2} ^o)6s (³ / ₂ , ¹ / ₂) ₁ ^o	72884.6	934288	2	62
114.920	4p ⁴ ¹ D ₂	4p ³ (² D _{3/2} ^o)6s (³ / ₂ , ¹ / ₂) ₂ ^o	35674.5	905858	4	62
114.854	2	1	35674.5	906239	0	62
114.042	2	3	35674.5	912477	0	62

Mo IX (Se-Sequence) – Continued

Wavelength (Å)	Classification	Energy Levels (cm ⁻¹)	Int.	Refs.
114.212	4p ⁴ ³ P ₂ 4p ³ (⁴ S _{3/2})6s ($\frac{3}{2}, \frac{1}{2}$) ₂ ^o	0 875565	1	62
113.932	4p ⁴ ¹ S ₀ 4p ³ (² P _{3/2})6s ($\frac{3}{2}, \frac{1}{2}$) ₁ ^o	72884.6 950649	4	62
113.663	4p ⁴ ¹ D ₂ 4p ³ (² D _{5/2})6s ($\frac{3}{2}, \frac{1}{2}$) ₂ ^o	35674.5 915504	10	62
112.916	4p ⁴ ³ P ₁ 4p ³ (² D _{3/2})6s ($\frac{3}{2}, \frac{1}{2}$) ₁ ^o	20576.3 906239	12	62
112.411	0 1	16588.8 906239	1	62
110.391	2 2	0 905858	8	62
109.600	2 3	0 912477	5	62
111.739	4p ⁴ ³ P ₁ 4p ³ (² D _{5/2})6s ($\frac{3}{2}, \frac{1}{2}$) ₂ ^o	20576.3 915504	2	62
109.227	2 2	0 915504	1	62
111.286	4p ⁴ ¹ D ₂ 4p ³ (² P _{1/2})6s ($\frac{1}{2}, \frac{1}{2}$) ₁ ^o	35674.5 934288	4	62
109.650	2 2	35674.5 947617	4	62
109.552	4p ⁴ ³ P ₁ 4p ³ (² P _{1/2})6s ($\frac{1}{2}, \frac{1}{2}$) ₀ ^o	20576.3 933385	1	62
109.444	1 1	20576.3 934288	4	62
108.966	0 1	16588.8 934288	1	62
107.876	1 2	20576.3 947617	1	62
109.287	4p ⁴ ¹ D ₂ 4p ³ (² P _{3/2})6s ($\frac{3}{2}, \frac{1}{2}$) ₁ ^o	35674.5 950649	4	62
106.080	4p ⁴ ¹ S ₀ 4p ³ (² P ^o)6d ³ D ₁ ^o	72884.6 1015585	5	62
104.752	4p ⁴ ¹ D ₂ 4p ³ (² D ^o)6d ³ F ₂ ^o	35674.5 990382	3	62
103.415	4p ⁴ ³ P ₁ 4p ³ (² D ^o)6d ³ D ₁ ^o	20576.3 987579	2	62
102.985	0 1	16588.8 987579	2	62
100.099	4p ⁴ ³ P ₀ 4p ³ (² P ^o)6d ³ D ₁ ^o	16588.8 1015585	4	62
98.460	2 1	0 1015585	4	62
97.635	2 3	0 1024196	1	62
103.110	4p ⁴ ³ P ₁ 4p ³ (² D ^o)6d ³ F ₂ ^o	20576.3 990382	4	62
100.967	2 2	0 990382	2	62
102.152	4p ⁴ ¹ D ₂ 4p ³ (² D ^o)6d ³ G ₃ ^o	35674.5 1014603	3	62
102.056	4p ⁴ ¹ D ₂ 4p ³ (² P ^o)6d ³ D ₁ ^o	35674.5 1015585	0	62
101.164	2 3	35674.5 1024196	5	62
101.744	4p ⁴ ¹ D ₂ 4p ³ (² P ^o)6d ³ P ₁ ^o	35674.5 1018148	1	62
101.069	2 2	35674.5 1025122	4	62
101.675	4p ⁴ ¹ S ₀ 4p ³ (⁴ S ^o)6d ³ D ₁ ^o	72884.6 1056382	2	62
100.742	4p ⁴ ¹ S ₀ 4p ³ (² P ^o)6d ¹ P ₁ ^o	72884.6 1065491	4	62
100.437	4p ⁴ ¹ D ₂ 4p ³ (² P ^o)6d ¹ F ₃ ^o	35674.5 1031317	2	62
100.370	4p ⁴ ³ P ₁ 4p ³ (² P ^o)6d ¹ D ₂ ^o	20576.3 1016860	1	62
98.345	2 2	0 1016860	1	62
100.246	4p ⁴ ¹ D ₂ 4p ³ (² D ^o)6d ³ P ₂ ^o	35674.5 1033227	4	62
99.566	2 1	35674.5 1040059	1	62

Mo IX (Se-Sequence) – Continued

Wavelength (Å)	Classification	Energy Levels (cm ⁻¹)	Int.	Refs.		
100.246	4p ⁴ 3P ₁	4p ³ (² P ^o)6d 3P ₁ ^o	20576.3	1018148	4	62
99.852	0	1	16588.8	1018148	0	62
99.545	1	2	20576.3	1025122	0	62
98.217	2	1	0	1018148	0	62
99.194	4p ⁴ 3P ₁	4p ³ (⁴ S _{3/2} ^o)7s ($\frac{3}{2}, \frac{1}{2}$) ₁ ^o	20576.3	1028743	4	62
98.795	0	1	16588.8	1028743	0	62
97.206	2	1	0	1028743	1	62
98.977	4p ⁴ 1S ₀	4p ³ (² P _{1/2} ^o)7s ($\frac{1}{2}, \frac{1}{2}$) ₁ ^o	72884.6	1083142	1	62
98.750	4p ⁴ 3P ₁	4p ³ (² D ^o)6d 3P ₂ ^o	20576.3	1033227	2	62
98.087	1	1	20576.3	1040059	1	62
97.710	0	1	16588.8	1040059	4	62
96.145	2	1	0	1040059	4	62
98.561	4p ⁴ 3P ₂	4p ³ (² D ^o)6d 3G ₃ ^o	0	1014603	5	62
98.097	4p ⁴ 1D ₂	4p ³ (² D _{3/2} ^o)7s ($\frac{3}{2}, \frac{1}{2}$) ₁ ^o	35674.5	1055089	1	62
98.077	2	2	35674.5	1055312	1	62
97.416	2	3	35674.5	1062162	1	62
97.885	4p ⁴ 1D ₂	4p ³ (² D ^o)6d 1D ₂ ^o	35674.5	1057289	4	62
97.494	4p ⁴ 3P ₂	4p ³ (⁴ S _{3/2} ^o)7s ($\frac{3}{2}, \frac{1}{2}$) ₂ ^o	0	1025704	1	62
97.416	4p ⁴ 1S ₀	4p ³ (² P _{3/2} ^o)7s ($\frac{3}{2}, \frac{1}{2}$) ₁ ^o	72884.6	1099412	4	62
97.206	4p ⁴ 1D ₂	4p ³ (² D _{5/2} ^o)7s ($\frac{5}{2}, \frac{1}{2}$) ₂ ^o	35674.5	1064357	1	62
96.964	4p ⁴ 3P ₂	4p ³ (² P ^o)6d 1F ₃ ^o	0	1031317	0	62
96.660	4p ⁴ 3P ₁	4p ³ (² D _{3/2} ^o)7s ($\frac{3}{2}, \frac{1}{2}$) ₁ ^o	20576.3	1055089	4	62
96.295	0	1	16588.8	1055089	0	62
94.756	2	2	0	1055312	5	62
94.151	2	3	0	1062162	4	62
96.546	4p ⁴ 3P ₁	4p ³ (⁴ S ^o)6d 3D ₁ ^o	20576.3	1056382	2	62
96.458	4p ⁴ 3P ₁	4p ³ (² D ^o)6d 1D ₂ ^o	20576.3	1057289	1	62
95.811	4p ⁴ 3P ₁	4p ³ (² D _{5/2} ^o)7s ($\frac{5}{2}, \frac{1}{2}$) ₂ ^o	20576.3	1064357	5	62
95.703	4p ⁴ 3P ₁	4p ³ (² P ^o)6d 1P ₁ ^o	20576.3	1065491	4	62
95.339	0	1	16588.8	1065491	5	62
95.464	4p ⁴ 1D ₂	4p ³ (² P _{1/2} ^o)7s ($\frac{1}{2}, \frac{1}{2}$) ₁ ^o	35674.5	1083142	1	62
94.216	2	2	35674.5	1097040	3	62
94.172	4p ⁴ 3P ₁	4p ³ (² P _{1/2} ^o)7s ($\frac{1}{2}, \frac{1}{2}$) ₀ ^o	20576.3	1082463	1	62
94.120	1	1	20576.3	1083142	5	62
93.763	0	1	16588.8	1083142	2	62
92.899	1	2	20576.3	1097040	1	62
94.008	4p ⁴ 1D ₂	4p ³ (² P _{3/2} ^o)7s ($\frac{3}{2}, \frac{1}{2}$) ₁ ^o	35674.5	1099412	6	62

Mo x (As-Sequence) IP = 1503000 ± 10000 cm⁻¹ (186.3 ± 1.2 eV)

Wavelength (Å)	Classification		Energy Levels (cm ⁻¹)		Int.	Refs.
473.955	4s ² 4p ³ 2P _{3/2} ^o	4s4p ⁴ 2D _{5/2}	70544	281535	7000	85
444.565	4s ² 4p ³ 4S _{3/2} ^o	4s4p ⁴ 3P _{5/2}	0	224939	100000	85
416.856	3/2	3/2	0	239891	70000	85
409.070	3/2	1/2	0	244457	40000	85
406.480	4s ² 4p ³ 2D _{3/2} ^o	4s4p ⁴ 2D _{5/2}	35522	281535	300000	85
400.502	3/2	3/2	26886	276573	250000	85
403.419	4s ² 4p ³ 2P _{3/2} ^o	4s4p ⁴ 2P _{3/2}	70544	318423	5000	85
380.070	1/2	3/2	55313	318423	2000	85
368.869	3/2	1/2	70544	341642	70000	85
385.816	4s ² 4p ³ 2P _{1/2} ^o	4s4p ⁴ 2S _{1/2}	55313	314504	50000	85
353.483	4s ² 4p ³ 2D _{5/2} ^o	4s4p ⁴ 2P _{3/2}	35522	318423	600000	85
343.007	3/2	3/2	26886	318423	5000	85
317.709	3/2	1/2	26886	341642	10000	85
347.683	4s ² 4p ³ 2D _{3/2} ^o	4s4p ⁴ 2S _{1/2}	26886	314504	100000	85
349.426	4s ² 4p ³ 2P _{3/2} ^o	4s ² 4p ² (³ P)4d 4F _{3/2}	70544	356732	7	8
344.569	3/2	5/2	70544	360764	5	8
331.683	1/2	3/2	55313	356732	1	8
331.072	4s ² 4p ³ 2P _{3/2} ^o	4s ² 4p ² (³ P)4d 4D _{1/2}	70544	372595	6	8
326.255	3/2	3/2	70544	377099	2	78
319.630	3/2	5/2	70544	383440	3	78
315.162	1/2	1/2	55313	372595	2	8
310.774	1/2	3/2	55313	377099	2	78
314.049	4s ² 4p ³ 4S _{3/2} ^o	4s4p ⁴ 2P _{3/2}	0	318423	1000	85
311.209	4s ² 4p ³ 2D _{5/2} ^o	4s ² 4p ² (³ P)4d 4F _{3/2}	35522	356732	5	8
307.467	5/2	5/2	35522	360764	6	8
303.066	3/2	3/2	26886	356732	16	8
300.746	5/2	7/2	35522	368028	9	8
299.505	3/2	5/2	26886	360764	10	8
299.122	4s ² 4p ³ 2D _{5/2} ^o	4s ² 4p ² (³ P)4d 2F _{5/2}	35522	369830	8	8
294.271	5/2	7/2	35522	375345	3	8
291.576	3/2	5/2	26886	369830	5	8
299.081	4s ² 4p ³ 2P _{3/2} ^o	4s ² 4p ² (³ P)4d 2P _{3/2}	70544	404950	2	78
286.748	3/2	1/2	70544	419322	4	8
274.743	1/2	1/2	55313	419322	1	78
292.748	4s ² 4p ³ 2D _{5/2} ^o	4s ² 4p ² (³ P)4d 4D _{3/2}	35522	377099	4	78
289.255	3/2	1/2	26886	372595	12	8
287.417	5/2	5/2	35522	383440	2	78
285.534	3/2	3/2	26886	377099	4	78
280.466	3/2	5/2	26886	383440	1	78
277.593	5/2	7/2	35522	395762	5	8
289.495	4s ² 4p ³ 2P _{3/2} ^o	4s ² 4p ² (³ P)4d 4P _{5/2}	70544	416017	15	8
285.933	3/2	3/2	70544	420260	2	78
280.253	3/2	1/2	70544	427397	6	78
268.771	1/2	1/2	55313	427397	7	78

Mo α (As-Sequence) — Continued

Wavelength (\AA)	Classification	Energy Levels (cm^{-1})	Int.	Refs.		
280.269	$4s^2 4p^3 \ ^4S_{3/2}$	$4s^2 4p^2 (^3P) 4d \ ^4F_{3/2}$	0	356732	13	8
277.168	$3/2$	$5/2$	0	360764	10	8
278.485	$4s^2 4p^3 \ ^2P_{3/2}^o$	$4s^2 4p^2 (^3P) 4d \ ^2D_{3/2}$	70544	429661	7	8
270.954	$3/2$	$5/2$	70544	439671	10	78
267.085	$1/2$	$3/2$	55313	429661	5	8
270.413	$4s^2 4p^3 \ ^4S_{3/2}$	$4s^2 4p^2 (^3P) 4d \ ^2F_{5/2}$	0	369830	6	8
270.707	$4s^2 4p^3 \ ^2D_{5/2}^o$	$4s^2 4p^2 (^3P) 4d \ ^2P_{3/2}$	35522	404950	8	78
264.512	$3/2$	$3/2$	26886	404950	8	78
254.821	$3/2$	$1/2$	26886	419322	4	78
267.896	$4s^2 4p^3 \ ^2D_{5/2}^o$	$4s^2 4p^2 (^1D) 4d \ ^2G_{7/2}$	35522	408801	8	78
268.402	$4s^2 4p^3 \ ^4S_{3/2}^o$	$4s^2 4p^2 (^3P) 4d \ ^4D_{1/2}$	0	372595	5	8
265.157	$3/2$	$3/2$	0	377099	3	78
260.777	$3/2$	$5/2$	0	383440	12	78
265.597	$4s^2 4p^3 \ ^2P_{3/2}^o$	$4s^2 4p^2 (^1D) 4d \ ^2D_{3/2}$	70544	446930	9	8
264.403	$3/2$	$5/2$	70544	448779	8	78
255.355	$1/2$	$3/2$	55313	446930	10	78
261.557	$4s^2 4p^3 \ ^2P_{3/2}^o$	$4s^2 4p^2 (^1D) 4d \ ^2P_{1/2}$	70544	452877	8	78
255.156	$3/2$	$3/2$	70544	462467	24	78
251.530	$1/2$	$1/2$	55313	452877	14	78
245.602	$1/2$	$3/2$	55313	462467	16	78
259.898	$4s^2 4p^3 \ ^2D_{5/2}^o$	$4s^2 4p^2 (^3P) 4d \ ^4P_{3/2}$	35522	420260	2	78
256.989	$3/2$	$5/2$	26886	416017	5	78
254.201	$3/2$	$3/2$	26886	420260	4	78
249.668	$3/2$	$1/2$	26886	427397	20	78
257.854	$4s^2 4p^3 \ ^2P_{3/2}^o$	$4s^2 4p^2 (^1D) 4d \ ^2F_{5/2}$	70544	458371	11	78
254.474	$4s^2 4p^3 \ ^2P_{3/2}^o$	$4s^2 4p^2 (^1D) 4d \ ^2S_{1/2}$	70544	463532	20	78
244.959	$1/2$	$1/2$	55313	463532	9	78
253.731	$4s^2 4p^3 \ ^2D_{5/2}^o$	$4s^2 4p^2 (^3P) 4d \ ^2D_{3/2}$	35522	429661	8	78
248.282	$3/2$	$3/2$	26886	429661	2	78
247.441	$5/2$	$5/2$	35522	439671	12	78
242.258	$3/2$	$5/2$	26886	439671	16	78
246.924	$4s^2 4p^3 \ ^4S_{3/2}^o$	$4s^2 4p^2 (^3P) 4d \ ^2P_{3/2}$	0	404950	2	78
238.459	$3/2$	$1/2$	0	419322	5	78
243.071	$4s^2 4p^3 \ ^2D_{5/2}^o$	$4s^2 4p^2 (^1D) 4d \ ^2D_{3/2}$	35522	446930	6	78
241.969	$5/2$	$5/2$	35522	448779	22	78
238.064	$3/2$	$3/2$	26886	446930	25	78
237.023	$3/2$	$5/2$	26886	448779	2	78
240.370	$4s^2 4p^3 \ ^4S_{3/2}^o$	$4s^2 4p^2 (^3P) 4d \ ^4P_{5/2}$	0	416017	25	78
237.909	$3/2$	$3/2$	0	420260	25	78
233.957	$3/2$	$1/2$	0	427397	21	78
239.998	$4s^2 4p^3 \ ^2P_{3/2}^o$	$4s^2 4p^2 (^1S) 4d \ ^2D_{3/2}$	70544	487241	12	78
239.017	$3/2$	$5/2$	70544	488950	24	78
231.522	$1/2$	$3/2$	55313	487241	24	78

Mo x (As-Sequence) – Continued

Wavelength (Å)	Classification		Energy Levels (cm ⁻¹)		Int.	Refs.
236.492	4s ² 4p ³ 2D _{5/2} ^o	4s ² 4p ² (¹ D)4d 2F _{5/2}	35522	458371	14	78
231.751	3/2	5/2	26886	458371	24	78
231.110	5/2	7/2	35522	468216	25	78
234.744	4s ² 4p ³ 2D _{3/2} ^o	4s ² 4p ² (¹ D)4d 2P _{1/2}	26886	452877	6	78
232.726	4s ² 4p ³ 4S _{3/2} ^o	4s ² 4p ² (³ P)4d 2D _{3/2}	0	429661	16	78
227.436	3/2	5/2	0	439671	4	78
229.014	4s ² 4p ³ 2D _{3/2} ^o	4s ² 4p ² (¹ D)4d 2S _{1/2}	26886	463532	8	78
221.361	4s ² 4p ³ 2D _{5/2} ^o	4s ² 4p ² (¹ S)4d 2D _{3/2}	35522	487241	2	78
220.530	5/2	5/2	35522	488950	4	78
166.831	4s ² 4p ³ 2P _{3/2} ^o	4s ² 4p ² 5s 2P _{3/2}	70544	669948	6000	85°
165.106	1/2	1/2	55313	660981	15000	77,85°
162.698	1/2	3/2	55313	669948	40000	77,85°
163.369	4s ² 4p ³ 2D _{3/2} ^o	4s ² 4p ² 5s 4P _{1/2}	26886	638999	6000	77,85°
161.442	5/2	3/2	35522	654947	6000	77,85°
159.219	3/2	3/2	26886	654947	8000	77,85°
159.049	5/2	5/2	35522	664258	50000	77,85°
160.745	4s ² 4p ³ 2P _{3/2} ^o	4s ² 4p ² 5s 2D _{5/2}	70544	692660	30000	77,85°
160.075	3/2	3/2	70544	695263	100000	77,85°
156.257	1/2	3/2	55313	695263	1500	85
157.706	4s ² 4p ³ 2D _{3/2} ^o	4s ² 4p ² 5s 2P _{1/2}	26886	660981	100000	77,85°
157.624	5/2	3/2	35522	669948	120000	77,85°
155.506	3/2	3/2	26886	669948	20000	85
156.494	4s ² 4p ³ 4S _{3/2} ^o	4s ² 4p ² 5s 4P _{1/2}	0	638999	100000	77,85°
152.683	3/2	3/2	0	654947	100000	77,85°
150.544	3/2	5/2	0	664258	100000	77,85°
153.242	4s ² 4p ³ 2P _{3/2} ^o	4s ² 4p ² 5s 2S _{1/2}	70544	723115	20000	77,85°
149.743	1/2	1/2	55313	723115	10000	77,85°
152.175	4s ² 4p ³ 2D _{5/2} ^o	4s ² 4p ² 5s 2D _{5/2}	35522	692660	100000	85
151.575	5/2	3/2	35522	695263	8000	85
150.201	3/2	5/2	26886	692660	30000	85
149.618	3/2	3/2	26886	695263	10000	85
144.370	4s ² 4p ³ 4S _{3/2} ^o	4s ² 4p ² 5s 2D _{5/2}	0	692660	2000	85
143.631	4s ² 4p ³ 2D _{3/2} ^o	4s ² 4p ² 5s 2S _{1/2}	26886	723115	200	85

Mo XI (Ge-Sequence)

IP = 1688000 ± 10000 cm⁻¹ (209.3 ± 1.2 eV)

Wavelength (Å)	Classification	Energy Levels (cm ⁻¹)	Int.	Refs.		
360.518	4s ² 4p ² ¹ S ₀	4s4p ³ ¹ P ₁ ^o	84808	362196	3	78
325.231	4s ² 4p ² ¹ D ₂	4s4p ³ ¹ P ₁ ^o	54719	362196	16	78
324.642	4s ² 4p ² ³ P ₂	4s4p ³ ³ S ₁ ^o	27136	335178	18	78
314.868	1	1	17590	335178	9	78
298.345	0	1	0	335178	5	78
306.637	4s ² 4p ² ¹ D ₂	4s ² 4p4d ³ F ₂ ^o	54719	380832	2	78
298.242	2	3	54719	390018	2	78
290.177	4s ² 4p ² ³ P ₁	4s4p ³ ¹ P ₁ ^o	17590	362196	9	78
282.728	4s ² 4p ² ³ P ₂	4s ² 4p4d ³ F ₂ ^o	27136	380832	8	78
275.572	2	3	27136	390018	6	78
275.305	1	2	17590	380832	3	78
277.103	4s ² 4p ² ¹ D ₂	4s ² 4p4d ¹ D ₂ ^o	54719	415602	5	78
270.497	4s ² 4p ² ¹ D ₂	4s ² 4p4d ³ P ₁ ^o	54719	424400	7	78
266.365	2	2	54719	430145	12	78
258.410	4s ² 4p ² ¹ D ₂	4s ² 4p4d ³ D ₁ ^o	54719	441686	4	78
256.749	2	3	54719	444196	6	78
256.015	2	2	54719	445333	18	78
257.418	4s ² 4p ² ³ P ₂	4s ² 4p4d ¹ D ₂ ^o	27136	415602	23	78
251.250	1	2	17590	415602	24	78
251.725	4s ² 4p ² ³ P ₂	4s ² 4p4d ³ P ₁ ^o	27136	424400	8	78
248.134	2	2	27136	430145	8	78
245.817	1	1	17590	424400	8	78
242.390	1	2	17590	430145	16	78
239.253	1	0	17590	435558	8	78
235.629	0	1	0	424400	12	78
251.351	4s ² 4p ² ¹ S ₀	4s ² 4p4d ¹ P ₁ ^o	84808	482661	14	78
241.228	4s ² 4p ² ³ P ₂	4s ² 4p4d ³ D ₁ ^o	27136	441686	8	78
239.778	2	3	27136	444196	25	78
239.121	2	2	27136	445333	22	78
235.802	1	1	17590	441686	12	78
233.780	1	2	17590	445333	16	78
226.406	0	1	0	441686	2	78
237.765	4s ² 4p ² ¹ D ₂	4s ² 4p4d ¹ F ₃ ^o	54719	475300	24	78
233.684	4s ² 4p ² ¹ D ₂	4s ² 4p4d ¹ P ₁ ^o	54719	482661	3	78
223.134	4s ² 4p ² ³ P ₂	4s ² 4p4d ¹ F ₃ ^o	27136	475300	8	78
219.526	4s ² 4p ² ³ P ₂	4s ² 4p4d ¹ P ₁ ^o	27136	482661	3	78
207.179	0	1	0	482661	8	78
160.188	4s ² 4p ² ¹ S ₀	4s ² 4p5s ³ P ₁ ^o	84808	709077	2	77°,78
152.818	4s ² 4p ² ¹ D ₂	4s ² 4p5s ³ P ₁ ^o	54719	709077	3	77°,78
146.955	2	2	54719	735196	15	77°,78
152.723	4s ² 4p ² ¹ S ₀	4s ² 4p5s ¹ P ₁ ^o	84808	739589	10	77°,78

Mo XI (Ge-Sequence) – Continued

Wavelength (Å)	Classification	Energy Levels (cm ⁻¹)	Int.	Refs.
146.016	4s ² 4p ² ¹ D ₂	4s ² 4p5s ¹ P ₁ ^o	54719 739589	22 77°,78
146.641	4s ² 4p ² ³ P ₂	4s ² 4p5s ³ P ₁ ^o	27136 709077	18 77°,78
145.009	1	0	17590 707202	12 77°,78
144.616	1	1	17590 709077	10 77°,78
141.030	0	1	0 709077	15 77°,78
141.231	2	2	27136 735196	20 77°,78
139.353	1	2	17590 735196	18 77°,78
140.357	4s ² 4p ² ³ P ₂	4s ² 4p5s ¹ P ₁ ^o	27136 739589	5 77°,78

Mo XII (Ga-Sequence)

IP = 1857300 ± 15000 cm⁻¹ (230.28 ± 2.0 eV)

Wavelength (Å)	Classification	Energy Levels (cm ⁻¹)	Int.	Refs.
336.639	4s ² 4p ² P _{3/2} ^o	4s4p ² ² P _{1/2}	28465 325520	47
329.414	3/2	3/2	28465 332037	47
307.202	1/2	1/2	0 325520	116
301.170	1/2	3/2	0 332037	116
136.499	4s ² 4p ² P _{3/2}	4s ² 5s ² S _{1/2}	28465 761072	116
131.394	1/2	1/2	0 761072	116

Mo XIII (Zn-Sequence)

IP = 2240000 ± 22000 cm⁻¹ (277.7 ± 3 eV)

Wavelength (Å)	Classification	Energy Levels (cm ⁻¹)	Int.	Refs.
518.904	4s4p ¹ P ₁ ^o	4p ² ¹ D ₂	293333 486056	72
480.820	4s ² ¹ S ₀	4s4p ³ P ₁ ^o	0 207980	47,72°
453.099	4s4p ¹ P ₁ ^o	4p ² ³ P ₂	293333 514035	72
395.399	4s4p ³ P ₂ ^o	4p ² ³ P ₁	230664 483571	72
389.926	1	0	207980 464441	247,72°
362.865	1	1	207980 483571	47,72°
352.904	2	2	230664 514035	47,72°
352.001	0	1	199480 483571	72
326.736	1	2	207980 514035	72
391.546	4s4p ³ P ₂ ^o	4p ² ¹ D ₂	230664 486056	72
359.631	1	2	207980 486056	72
340.909	4s ² ¹ S ₀	4s4p ¹ P ₁ ^o	0 293333	100 1,47,53,54,72,81°
88.770	4s ² ¹ S ₀	4s5p ³ P ₂ ^o	0 1126500	1 4
87.788	4s ² ¹ S ₀	4s5p ¹ P ₁ ^o	0 1139100	2 4
54.101	3d ¹⁰ 4s ² ¹ S ₀	3d ⁹ 4s ² 4p ¹ P ₁ ^o	0 1848400	20 19,107°
53.551	3d ¹⁰ 4s ² ¹ S ₀	3d ⁹ 4s ² 4p ³ D ₁ ^o	0 1867400	10 19,107°

Mo XIV (Cu-Sequence)

IP = 2440600 ± 3000 cm⁻¹ (302.60 ± 0.4 eV)

Wavelength (Å)	Classification	Energy Levels (cm ⁻¹)	Int.	Refs.	
423.576	4s ² S _{1/2}	4p ² P _{1/2} ^o 0	236085	2000	47,54,81°,82
373.647	1/2	3/2 0	267632	10000	47,54,81°,82
295.366	4f ² F _{5/2} ^o	5d ² D _{3/2} 1033850	1372413	10	82
293.374	7/2	5/2 1033968	1374830	15	82
264.126	4d ² D _{5/2}	4f ² F _{5/2} ^o 655242	1033850	40	82
264.043	5/2	7/2 655242	1033968	400	82
260.501	3/2	5/2 649976	1033850	300	82
261.544	4p ² P _{3/2} ^o	4d ² D _{3/2} 267632	649976	200	82
257.993	3/2	5/2 267632	655242	800	82
241.609	1/2	3/2 236085	649976	800	82
184.481	4d ² D _{3/2}	5p ² P _{1/2} ^o 649976	1192036	300	31,82°
181.817	5/2	3/2 655242	1205254	600	31,82°
180.087	3/2	3/2 649976	1205254	85	31,82°
183.949	4f ² F _{7/2} ^o	5g ² G _{7/2} 1033968	1577546	1200	31,82°
183.949	7/2	9/2 1033968	1577546	1200	31,82°
123.902	4f ² F _{7/2} ^o	6g ² G _{7/2} 1033968	1841006	150	31,82°
123.902	7/2	9/2 1033968	1841006	150	31,82°
123.902	5/2	7/2 1033850	1841006	150	31,82°
121.647	4p ² P _{3/2} ^o	5s ² S _{1/2} 267632	1089691	1500	4,81,82°
117.149	1/2	1/2 236085	1089691	1000	4,81,82°
112.973	4d ² D _{5/2}	5f ² F _{5/2} ^o 655242	1540440	30	82
112.952	5/2	7/2 655242	1540574	300	4,82°
112.300	3/2	5/2 649976	1540440	150	4,82°
103.500	4f ² F _{7/2} ^o	7g ² G _{7/2} 1033968	2000101	40	82
103.500	7/2	9/2 1033968	2000101	40	82
103.500	5/2	7/2 1033850	2000101	40	82
101.699	4d ² D _{3/2}	6p ² P _{1/2} ^o 649976	1633270	15	82,83°
101.543	5/2	3/2 655242	1640046	70	82
101.004	3/2	3/2 649976	1640046	5	82
90.519	4p ² P _{3/2} ^o	5d ² D _{3/2} 267632	1372413	70	82
90.319	3/2	5/2 267632	1374830	400	4,82°
88.000	1/2	3/2 236085	1372413	150	4,82°
85.979	4d ² D _{5/2}	6f ² F _{5/2} ^o 655242	1818317	100	82
85.597	3/2	7/2 649976	1818244	70	82
83.890	4s ² S _{1/2}	5p ² P _{1/2} ^o 0	1192036	400	4,82°
82.971	1/2	3/2 0	1205254	600	4,82°
76.216	4p ² P _{3/2} ^o	6s ² S _{1/2} 267632	1579705	50	31,82°
74.425	1/2	1/2 236085	1579705	20	31,82°
63.45	4p ² P _{3/2} ^o	7s ² S _{1/2} 267632	1843580		31
62.21	1/2	1/2 236085	1843580		31
61.229	4s ² S _{1/2}	6p ² P _{1/2} ^o 0	1633270	40	4,83°
60.975	1/2	3/2 0	1640046	60	4,82,83°

Mo XIV (Cu-Sequence) — Continued

Wavelength (Å)	Classification		Energy Levels (cm ⁻¹)		Int.	Refs.			
57.65	4p	² P _{3/2} ^o	8s	² S _{1/2}	267632	2002340	31		
56.61		_{1/2}		_{1/2}	236085	2002340	31		
53.729	3d ¹⁰ 4s	² S _{1/2}	3d ⁹ (² D)	4s4p(³ P)	⁴ P _{3/2} ^o	0	1861190	5	19,107,111°
53.100		_{1/2}		_{1/2}	0	1883240	3	19,107,111°	
53.341	4s	² S _{1/2}	7p	² P _{1/2} ^o	0	1874730	3	31,107,111°	
53.228		_{1/2}		_{3/2}	0	1878710		31,107,111°	
53.341	3d ¹⁰ 4s	² S _{1/2}	3d ⁹ (² D)	4s4p(³ P)	⁴ F _{3/2} ^o	0	1874730	3	19,67,107,111°
53.048	3d ¹⁰ 4s	² S _{1/2}	3d ⁹ (² D)	4s4p(³ P)	² D _{3/2} ^o	0	1885090	10	19,67,107,111°
52.753	3d ¹⁰ 4s	² S _{1/2}	3d ⁹ (² D)	4s4p(³ P)	² P _{3/2} ^o	0	1895630	20	19,67,107,111°
52.690	3d ¹⁰ 4s	² S _{1/2}		_{1/2}	0	1897890	10	19,67,107,111°	
52.476	3d ¹⁰ 4s	² S _{1/2}	3d ⁹ (² D)	4s4p(³ P)	⁴ D _{1/2} ^o	0	1905630	5	19,67,107,111°
52.228		_{1/2}		_{3/2}	0	1914680	5	19,67,107,111°	
52.476	3d ¹⁰ 4p	² P _{3/2} ^o	3d ⁹ (² D)	4p ² (³ P)	⁴ F _{5/2}	267632	2173140	5	111
51.668		_{1/2}		_{3/2}	236085	2171600	5	107,111°	
52.460	3d ¹⁰ 4p	² P _{1/2} ^o	3d ⁹ (² D)	4p ² (¹ D)	² S _{1/2}	236085	2142670	2	107,111°
52.420	3d ¹⁰ 4p	² P _{1/2} ^o	3d ⁹ (² D)	4p ² (¹ D)	² P _{3/2}	236085	2143750	2	107,111°
52.024	3d ¹⁰ 4p	² P _{1/2} ^o	3d ⁹ (² D)	4p ² (³ P)	² D _{3/2}	236085	2158460	8	107,111°
52.015		_{3/2}		_{5/2}	267632	2190210	10	107,111°	
52.00	3d ¹⁰ 4p	² P _{3/2} ^o	3d ⁹ (² D)	4p ² (³ P)	² P _{1/2}	267632	2190700	2	107,111°
51.895		_{3/2}		_{3/2}	267632	2194630	8	107,111°	
51.161		_{1/2}		_{1/2}	236085	2190700	1	107,111°	
51.531	3d ¹⁰ 4p	² P _{3/2} ^o	3d ⁹ (² D)	4p ² (¹ D)	² F _{5/2}	267632	2208270	1	107,111°
51.434	3d ¹⁰ 4p	² P _{1/2} ^o	3d ⁹ (² D)	4p ² (¹ D)	² D _{3/2}	236085	2180320	1	107,111°
51.398	3d ¹⁰ 4s	² S _{1/2}	3d ⁹ (² D)	4s4p(¹ P)	² P _{3/2} ^o	0	1945600	20	19,67,107,111°
50.788		_{1/2}		_{1/2}	0	1968970	10	19,67,107,111°	
50.956	3d ¹⁰ 4p	² P _{3/2} ^o	3d ⁹ (² D)	4p ² (¹ S)	² D _{5/2}	267632	2230110	1	107,111°

Mo XV (Ni-Sequence)

IP = 4391000 ± 50000 cm⁻¹ (544.4 ± 6 eV)

Wavelength (Å)	Classification		Energy Levels (cm ⁻¹)		Int.	Refs.		
58.832	3d ¹⁰	¹ S ₀	3d ⁹ 4s	³ D ₂	0	1699750	66°,74	
57.927	3d ¹⁰	¹ S ₀	3d ⁹ 4s	¹ D ₂	0	1726310	66°,74	
50.928	3d ¹⁰	¹ S ₀	3d ⁹ 4p	³ P ₁ ^o	0	1963550	2	4,19,94,107,111°
50.448	3d ¹⁰	¹ S ₀	3d ⁹ 4p	¹ P ₁ ^o	0	1982230	150	4,19,66,74,94,96,107,111°
49.914	3d ¹⁰	¹ S ₀	3d ⁹ 4p	³ D ₁ ^o	0	2003440	100	4,19,66,74,94,96,107,111°
36.376	3d ¹⁰	¹ S ₀	3d ⁹ 4f	(³ / ₂ , ⁵ / ₂) _i	0	2749060	2.5	94
36.060	3d ¹⁰	¹ S ₀	3d ⁹ 4f	(³ / ₂ , ⁷ / ₂) _i	0	2773150	6.5	19,94°
35.368	3d ¹⁰	¹ S ₀	3d ⁹ 4f	(³ / ₂ , ⁵ / ₂) _i	0	2827410	12	19,74,94°,96
29.774	3d ¹⁰	¹ S ₀	3d ⁹ 5f	(³ / ₂ , ⁷ / ₂) _i	0	3358630	1	94
29.458	3d ¹⁰	¹ S ₀	3d ⁹ 5f	(³ / ₂ , ⁵ / ₂) _i	0	3394660	2	94

Mo XVI (Co-Sequence)

IP = 4604000 ± 180000 cm⁻¹ (570.8 ± 22 eV)

Wavelength (Å)	Classification	Energy Levels (cm ⁻¹)	Int.	Refs.		
3709.2	3p ⁶ 3d ⁹ 2D _{5/2}	3p ⁶ 3d ⁹ 2D _{3/2}	0	26960	100	
77.456	3p ⁶ 3d ⁹ 2D _{3/2}	3p ⁵ 3d ¹⁰ 2P _{3/2} ^o	26960	1318070	8	4,19,74,92°
75.869	5/2	3/2	0	1318070	25	4,19,74,92°
69.596	3/2	1/2	26960	1463880	15	4,19,74,92°
51.90	3d ⁹ 2D _{5/2}	3d ⁸ (¹ G ₄)4s (4, 1/2) _{9/2}	0	1926800		74
52.68	3/2	7/2	26960	1925200		74
53.48	3d ⁹ 2D _{5/2}	3d ⁸ (³ F ₃)4s (3, 1/2) _{7/2}	0	1869800		74
54.33	3/2	7/2	26960	1869800		74
54.07	3d ⁹ 2D _{5/2}	3d ⁸ (³ F ₄)4s (4, 1/2) _{7/2}	0	1849500		74
47.959	3d ⁹ 2D _{5/2}	3d ⁸ (³ F)4p ⁴ D _{7/2} ^o	0	2085110	90	5,19,92°,108
47.382	5/2	5/2	0	2110510	30	92
47.871	3d ⁹ 2D _{3/2}	3d ⁸ (³ F)4p ⁴ F _{3/2} ^o	26960	2115970	150	5,74,92°,108
47.068	3/2	5/2	26960	2151610	90	5,19,74,92°,108
46.478	5/2	5/2	0	2151610	1000	4,19,74,92°,108
46.378	5/2	5/2	0	2156190	260	4,19,74,92°,108
47.302	3d ⁹ 2D _{5/2}	3d ⁸ (³ F)4p ⁴ G _{7/2} ^o	0	2114080	20	5,92°
47.262	5/2	5/2	0	2115860	180	4,5,19,92°,108
47.186	3d ⁹ 2D _{3/2}	3d ⁸ (³ P)4p ⁴ P _{3/2} ^o	26960	2146290	140	4,5,19,74,92°,108
47.165	3/2	5/2	26960	2147240	170	5,19,92°,108
46.592	5/2	3/2	0	2146290	80	19,92°
46.573	5/2	5/2	0	2147240	750	4,19,74,92°,108
46.859	3d ⁹ 2D _{5/2}	3d ⁸ (³ F)4p ² F _{7/2} ^o	0	2134060	1000	4,74,92°,108
46.877	3/2	5/2	26960	2160260	150	92
46.291	5/2	5/2	0	2160260	650	4,19,74,92°,108
46.841	3d ⁹ 2D _{5/2}	3d ⁸ (³ F)4p ² D _{5/2} ^o	0	2134880	900	19,92°,108
46.781	3/2	3/2	26960	2164640	120	19,74,92°,108
46.197	5/2	3/2	0	2164640	110	92°,108
46.712	3d ⁹ 2D _{3/2}	3d ⁸ (¹ D)4p ² F _{5/2} ^o	26960	2167770	130	4,19,74,92°,108
46.131	5/2	5/2	0	2167770	600	4,19,74,92°,108
45.250	5/2	7/2	0	2209940	30	19,92°
46.623	3d ⁹ 2D _{3/2}	3d ⁸ (¹ D)4p ² D _{3/2} ^o	26960	2171880	250	19,74,92°,108
46.463	3/2	5/2	26960	2179270	440	19,92°,108
46.043	5/2	3/2	0	2171880	1000	4,19,74,92°,108
45.887	5/2	5/2	0	2179270	200	19,92°,108
46.573	3d ⁹ 2D _{3/2}	3d ⁸ (³ P)4p ⁴ D _{1/2} ^o	26960	2174190	750	19,92°,108
46.478	3/2	3/2	26960	2178580	1000	19,92°,108
46.113	3/2	5/2	26960	2195620	300	19,92°,108
45.809	5/2	7/2	0	2182980	500	4,19,74,92°,108
45.545	5/2	5/2	0	2195620	250	4,74,92°,108
46.352	3d ⁹ 2D _{5/2}	3d ⁸ (³ F)4p ² G _{7/2} ^o	0	2157400	450	19,92°,108
46.229	3d ⁹ 2D _{3/2}	3d ⁸ (¹ D)4p ² P _{3/2} ^o	26960	2190160	220	4,19,74,92°,108
45.659	5/2	3/2	0	2190160	300	4,19,74,92°,108

Mo XVI (Co-Sequence) – Continued

Wavelength (Å)	Classification	Energy Levels (cm ⁻¹)	Int.	Refs.		
46.043	3d ⁹ 2D _{3/2}	3d ⁸ (³ P)4p 2P _{3/2} ^o	26960	2198620	1000	19,92°
45.553	3/2	1/2	26960	2222270	300	4,19,74,92°,108
45.483	5/2	3/2	0	2198620	220	4,19,74,92°,108
46.024	3d ⁹ 2D _{5/2}	3d ⁸ (¹ G)4p 2F _{7/2} ^o	0	2172780	1600	4,19,74,92°,108
45.756	3/2	5/2	26960	2212530	700	19,92°,108
45.938	3d ⁹ 2D _{3/2}	3d ⁸ (³ P)4p 2D _{5/2} ^o	26960	2203870	500	4,19,74,92°,108
45.853	3/2	3/2	26960	2207940	170	19,92°,108
45.290	5/2	3/2	0	2207940	60	19,74,92°,108
45.867	3d ⁹ 2D _{3/2}	3p ⁸ (³ P)4p 2S _{1/2} ^o	26960	2207240	150	74,92°,108
45.000	3d ⁹ 2D _{5/2}	3d ⁸ (¹ G)4p 2G _{7/2} ^o	0	2222220	220	4,19,74,92°,108
44.509	3d ⁹ 2D _{3/2}	3d ⁸ (¹ S)4p 2P _{1/2} ^o	26960	2273760	100	19,74,92°,108
43.837	3/2	3/2	26960	2308200	30	19,92°
43.324	5/2	3/2	0	2308200	60	19,92°,108
33.992	3d ⁹ 2D _{3/2}	3d ⁸ (³ F ₂)4f [1] _{3/2} ^o	26960	2969100	60	6°,19
33.982	3d ⁹ 2D _{5/2}	3d ⁸ (³ F ₄)4f [3] _{5/2} ^o	0	2942700	40	6
33.853	3d ⁹ 2D _{3/2}	3d ⁸ (³ F ₂)4f [2] _{3/2} ^o	26960	2981300	10	6
33.543	5/2	5/2	0	2981300	50	6°,19
33.812	3d ⁹ 2D _{5/2}	3d ⁸ (³ F ₃)4f [4] _{7/2} ^o	0	2957500	20	6
33.800	3d ⁹ 2D _{3/2}	3d ⁸ (³ P ₂)4f [2] _{3/2} ^o	26960	2985800	30	6°,19
33.760	3d ⁹ 2D _{5/2}	3d ⁸ (³ F ₃)4f [3] _{7/2} ^o	0	2962100	20	6
33.740	3d ⁹ 2D _{5/2}	3d ⁸ (³ F ₃)4f [1] _{3/2} ^o	0	2963800	35	6
33.680	3d ⁹ 2D _{5/2}	3d ⁸ (³ F ₃)4f [2] _{5/2} ^o	0	2969100	35	6°,19
33.591	3d ⁹ 2D _{5/2}	3d ⁸ (³ P ₂)4f [4] _{7/2} ^o	0	2977000	45	6°,19
33.479	3d ⁹ 2D _{5/2}	3d ⁸ (³ F ₂)4f [3] _{7/2} ^o	0	2985800	25	6
33.429	3d ⁹ 2D _{5/2}	3d ⁸ (³ P ₂)4f [3] _{5/2} ^o	0	2991400	20	6
33.347	5/2	7/2	0	2998800	40	6°,19
33.293	3d ⁹ 2D _{5/2}	3d ⁸ (³ P ₀)4f [3] _{7/2} ^o	0	3003600	45	6°,19
33.264	3d ⁹ 2D _{5/2}	3d ⁸ (³ P ₁)4f [2] _{5/2} ^o	0	3006300	10	6
33.235	3d ⁹ 2D _{5/2}	3d ⁸ (³ P ₁)4f [4] _{7/2} ^o	0	3008900	10	6°,19
33.211	3d ⁹ 2D _{3/2}	3d ⁸ (¹ G ₄)4f [1] _{3/2} ^o	26960	3038000	15	6°,19
33.100	3/2	1/2	26960	3048400	35	6°,19
32.916	5/2	3/2	0	3038000	50	6°,19,74,96
33.185	3d ⁹ 2D _{5/2}	3d ⁸ (³ P ₁)4f [3] _{5/2} ^o	0	3013400	25	6
33.161	3d ⁹ 2D _{3/2}	3d ⁸ (¹ G ₄)4f [2] _{5/2} ^o	26960	3043200	25	6
33.120	3d ⁹ 2D _{5/2}	3d ⁸ (¹ D ₂)4f [3] _{7/2} ^o	0	3019300	35	6
33.067	3d ⁹ 2D _{5/2}	3d ⁸ (¹ D ₂)4f [1] _{3/2} ^o	0	3024200	25	6
32.981	3d ⁹ 2D _{3/2}	3d ⁸ (¹ G ₄)4f [2] _{3/2} ^o	26960	3059000	70	6°,19,74,96
32.691	5/2	3/2	0	3059000	20	6°,19,74
32.860	3d ⁹ 2D _{5/2}	3d ⁸ (¹ G ₄)4f [3] _{7/2} ^o	0	3043200	75	6°,19,74,96
32.323	3d ⁹ 2D _{3/2}	3d ⁸ (¹ S ₀)4f [3] _{5/2} ^o	26960	3119100	40	6°,19,74
32.078	5/2	7/2	0	3117400	30	6°,19,74
32.061	5/2	5/2	0	3119100	15	6

Mo XVII (Fe-Sequence) IP = 5131000 ± 200000 cm⁻¹ (636.2 ± 25 eV)

Wavelength (Å)	Classification		Energy Levels (cm ⁻¹)		Int.	Refs.
4124.7	3d ⁸ ³ F ₄	3d ⁸ ³ F ₃	0	24250		100
83.079	3p ⁶ 3d ⁸ ¹ D ₂	3p ⁵ 3d ⁹ ¹ D ₂ ^o	77960	1281600	50	12,84°
82.556	3p ⁶ 3d ⁸ ³ P ₁	3p ⁵ 3d ⁹ ¹ D ₂ ^o	70310	1281600	20	84
81.261	2	2	51000	1281600	100	12,84°
82.317	3p ⁶ 3d ⁸ ¹ S ₀	3p ⁵ 3d ⁹ ³ D ₁ ^o	176680	1391470	10	84,89°
81.382	3p ⁶ 3d ⁸ ¹ G ₄	3p ⁵ 3d ⁹ ³ F ₃ ^o	82420	1311160	20	84
81.080	3p ⁶ 3d ⁸ ¹ D ₂	3p ⁵ 3d ⁹ ³ F ₃ ^o	77960	1311160	20	84
73.122	2	2	77960	1445570	150	12,19,84°
80.734	3p ⁶ 3d ⁸ ³ F ₃	3p ⁵ 3d ⁹ ³ F ₄ ^o	24250	1262860	30	84
79.186	4	4	0	1262860	1500	12,19,84°
77.706	3	3	24250	1311160	20	84
76.269	4	3	0	1311160	600	12,19,84°
70.494	2	2	27030	1445570	5	84
70.367	3	2	24250	1445570	3	84
79.711	3p ⁶ 3d ⁸ ³ F ₂	3p ⁵ 3d ⁹ ¹ D ₂ ^o	27030	1281600	700	12,19,84°
79.532	3	2	24250	1281600	5	84
79.359	3p ⁶ 3d ⁸ ³ P ₂	3p ⁵ 3d ⁹ ³ F ₃ ^o	51000	1311160	5	84
71.705	2	2	51000	1445570	7	84
79.062	3p ⁶ 3d ⁸ ¹ D ₂	3p ⁵ 3d ⁹ ³ D ₂ ^o	77960	1342800	100	12,84°
77.396	2	3	77960	1370010	5	84
78.019	3p ⁶ 3d ⁸ ³ P ₁	3p ⁵ 3d ⁹ ³ P ₁ ^o	70310	1352050	40	12,84°
77.898	0	1	68350	1352050	15	84
77.727	1	0	70310	1356860	30	84
76.863	2	1	51000	1352050	200	12,84°
71.359	1	2	70310	1471690	30	12,19,84°
70.386	2	2	51000	1471690	15	12,19,84°
77.666	3p ⁶ 3d ⁸ ¹ G ₄	3p ⁵ 3d ⁹ ³ D ₃ ^o	82420	1370010	30	12,84°
77.410	3p ⁶ 3d ⁸ ³ P ₂	3p ⁵ 3d ⁹ ³ D ₂ ^o	51000	1342800	20	12,84°
75.816	2	3	51000	1370010	15	84
75.580	0	1	68350	1391470	15	84
74.600	2	1	51000	1391470	5	84
75.840	3p ⁶ 3d ⁸ ³ F ₃	3p ⁵ 3d ⁹ ³ D ₂ ^o	24250	1342800	150	12,84°
74.306	3	3	24250	1370010	200	12,19,84°
73.289	2	1	27030	1391470	200	12,19,84°
72.990	4	3	0	1370010	300	12,19,84°
72.092	3p ⁶ 3d ⁸ ¹ S ₀	3p ⁵ 3d ⁹ ¹ P ₁ ^o	176680	1563830	20	84,89°
71.750	3p ⁶ 3d ⁸ ¹ D ₂	3p ⁵ 3d ⁹ ³ P ₂ ^o	77960	1471690	5	84
69.088	3p ⁶ 3d ⁸ ³ F ₃	3p ⁵ 3d ⁹ ³ P ₂ ^o	24250	1471690	30	84
68.390	3p ⁶ 3d ⁸ ¹ G ₄	3p ⁵ 3d ⁹ ¹ F ₃ ^o	82420	1544660	800	12,19,84°
68.188	3p ⁶ 3d ⁸ ¹ D ₂	3p ⁵ 3d ⁹ ¹ F ₃ ^o	77960	1544660	3	84
67.302	3p ⁶ 3d ⁸ ¹ D ₂	3p ⁵ 3d ⁹ ¹ P ₁ ^o	77960	1563830	15	12,19,84°

Mo XVII (Fe-Sequence) – Continued

Wavelength (Å)	Classification		Energy Levels (cm ⁻¹)		Int.	Refs.
66.100	3p ⁶ 3d ⁸ ³ P ₂	3p ⁵ 3d ⁹ ¹ P ₁ ^o	51000	1563830	3	84
65.891	3p ⁶ 3d ⁸ ³ F ₂ 3	3p ⁵ 3d ⁹ ¹ F ₃ ^o 3	27030	1544660	1	84
65.770			24250	1544660	4	84
44.045	3d ⁸ ³ F ₄	3d ⁷ 4p (1) ₄	0	2270430	5	109
43.992	3d ⁸ ³ P ₂	3d ⁷ 4p (3) ₃	51000	2324090	10	109
43.802	3d ⁸ ³ P ₂	3d ⁷ 4p (4) ₃	51000	2334250	5	109
43.553	3d ⁸ ³ P ₁	3d ⁷ 4p (9) ₂	70310	2366360	10	109
43.529	3d ⁸ ³ F ₄	3d ⁷ 4p (2) ₄	0	2297320	15	109
43.510	3d ⁸ ³ P ₂	3d ⁷ 4p (6) ₃	51000	2349350	8	109
43.446	3d ⁸ ¹ G ₄	3d ⁷ 4p (7) ₅	82420	2383840	15	109
43.362	3d ⁸ ³ P ₁	3d ⁷ 4p (10) ₂	70310	2376490	15	109
43.340	3d ⁸ ³ F ₂	3d ⁷ 4p (4) ₃	27030	2334250	5	109
43.285	3d ⁸ ¹ G ₄	3d ⁷ 4p (11) ₄	82420	2393213	25	109
43.256	3d ⁸ ³ F ₄	3d ⁷ 4p (2) ₅	0	2311790	20	109
43.224	3d ⁸ ³ P ₁	3d ⁷ 4p (8) ₁	70310	2383830	5	109
43.198	3d ⁸ ³ P ₂	3d ⁷ 4p (9) ₂	51000	2366360	20	109
43.144	3d ⁸ ³ P ₁	3d ⁷ 4p (9) ₁	70310	2388150	5	109
43.105	3d ⁸ ³ F ₄	3d ⁷ 4p (3) ₄	0	2319900	25	109
43.029	3d ⁸ ³ F ₄	3d ⁷ 4p (3) ₃	0	2324090	5	109
42.980	3d ⁸ ³ F ₂	3d ⁷ 4p (4) ₁	27030	2353690	5	109
42.939	3d ⁸ ¹ G ₄	3d ⁷ 4p (9) ₅	82420	2411280	15	109
42.891	3d ⁸ ¹ G ₄	3d ⁷ 4p (13) ₄	82420	2413910	50	109
42.846	3d ⁸ ³ F ₄	3d ⁷ 4p (4) ₃	0	2334250	30	109
42.817	3d ⁸ ¹ D ₂	3d ⁷ 4p (16) ₃	77960	2413480	5	109
42.802	3d ⁸ ³ F ₃	3d ⁷ 4p (8) ₃	24250	2360950	5	109
42.767	3d ⁸ ³ F ₄	3d ⁷ 4p (4) ₅	0	2338250	5	109
42.704	3d ⁸ ³ F ₄	3d ⁷ 4p (5) ₄	0	2341690	35	109
42.647	3d ⁸ ³ F ₃	3d ⁷ 4p (9) ₃	24250	2368938	5	109
42.603	3d ⁸ ³ P ₂	3d ⁷ 4p (14) ₃	51000	2398907	30	109
42.564	3d ⁸ ³ F ₄	3d ⁷ 4p (6) ₄	0	2349981	5	109
42.543	3d ⁸ ¹ D ₂	3d ⁷ 4p (14) ₁	77960	2429152	25	109

Mo XVII (Fe-Sequence) – Continued

Wavelength (Å)	Classification		Energy Levels (cm ⁻¹)		Int.	Refs.
42.489	3d ⁸ ¹ S ₀	3d ⁷ 4p (19) ₁	176680	2530230	30	109
42.473	3d ⁸ ¹ G ₄	3d ⁷ 4p (10) ₅	82420	2436880	40	109
42.400	3d ⁸ ³ F ₄	3d ⁷ 4p (5) ₅	0	2358500	50	109
42.387	3d ⁸ ³ F ₃	3d ⁷ 4p (10) ₄	24250	2383490	50	109
42.290	3d ⁸ ³ P ₁	3d ⁷ 4p (19) ₂	70310	2434930	5	109
42.245	3d ⁸ ³ F ₃	3d ⁷ 4p (13) ₃	24250	2391778	30	109
42.200	3d ⁸ ³ F ₃	3d ⁷ 4p (14) ₂	24250	2394635	5	109
42.163	3d ⁸ ¹ D ₂	3d ⁷ 4p (20) ₃	77960	2449993	5	109
42.116	3d ⁸ ³ F ₄	3d ⁷ 4p (10) ₃	0	2374600	15	109
42.089	3d ⁸ ³ P ₂	3d ⁷ 4p (18) ₃	51000	2426890	25	109
42.061	3d ⁸ ³ F ₄	3d ⁷ 4p (6) ₅	0	2377729	5	109
41.954	3d ⁸ ³ F ₄	3d ⁷ 4p (7) ₅	0	2383840	19	109
41.908	3d ⁸ ³ F ₄	3d ⁷ 4p (12) ₃	0	2386200	30	109
41.844	3d ⁸ ¹ G ₄	3d ⁷ 4p (21) ₃	82420	2472230	20	109
41.767	3d ⁸ ³ P ₂	3d ⁷ 4p (20) ₂	51000	2445644	5	109
41.576	3d ⁸ ³ F ₃	3d ⁷ 4p (15) ₄	24250	2430370	5	109
41.490	3d ⁸ ³ F ₄	3d ⁷ 4p (9) ₅	0	2411280	5	109
41.446	3d ⁸ ³ P ₁	3d ⁷ 4p (23) ₂	70310	2483140	5	109
41.040	3d ⁸ ¹ G ₄	3d ⁷ 4p (23) ₃	82420	2519060	10	109

Mo XVIII (Mn-Sequence) IP = 5660000 ± 270000 cm⁻¹ (701.7 ± 28 eV)

Wavelength (Å)	Classification		Energy Levels (cm ⁻¹)		Int.	Refs.
83.428	3p ⁶ 3d ⁷ ⁴ F _{9/2}	3p ⁵ 3d ⁸ (1) _{11/2}	0	1198630	10	110
81.988	3p ⁶ 3d ⁷ ⁴ P _{5/2}	3p ⁵ 3d ⁸ (2) _{7/2}	60740	1280420	10	110
81.859	3p ⁶ 3d ⁷ ² G _{9/2}	3p ⁵ 3d ⁸ (2) _{9/2}	62500	1284110	25	110
80.686	3p ⁶ 3d ⁷ ² G _{7/2}	3p ⁵ 3d ⁸ (4) _{7/2}	81500	1320790	30	110
80.492	3p ⁶ 3d ⁷ ⁴ F _{9/2}	3p ⁵ 3d ⁸ (1) _{9/2}	0	1242360	45	110
80.364	3p ⁶ 3d ⁷ ² G _{9/2}	3p ⁵ 3d ⁸ (3) _{7/2}	62500	1306770	20	110
80.201	3p ⁶ 3d ⁷ ⁴ P _{5/2}	3p ⁵ 3d ⁸ (3) _{5/2}	60740	1307600	30	110
79.653	3p ⁶ 3d ⁷ ² H _{9/2}	3p ⁵ 3d ⁸ (5) _{7/2}	107650	1362690	20	110
79.457	3p ⁶ 3d ⁷ ⁴ F _{7/2}	3p ⁵ 3d ⁸ (2) _{7/2}	21850	1280420	30	110
78.735	3p ⁶ 3d ⁷ ² H _{11/2}	3p ⁵ 3d ⁸ (3) _{9/2}	84900	1354790	40	110
78.255	3p ⁶ 3d ⁷ ² D _{5/2}	3p ⁵ 3d ⁸ (4) _{3/2}	94000	1372180	10	110
78.053	3p ⁶ 3d ⁷ ² G _{7/2}	3p ⁵ 3d ⁸ (5) _{7/2}	81500	1362690	25	110
77.875	3p ⁶ 3d ⁷ ⁴ F _{9/2}	3p ⁵ 3d ⁸ (2) _{9/2}	0	1284110	40	110
77.552	3p ⁶ 3d ⁷ ² D _{5/2}	3p ⁵ 3d ⁸ (6) _{5/2}	94000	1383380	10	110
77.415	3p ⁶ 3d ⁷ ² G _{9/2}	3p ⁵ 3d ⁸ (3) _{9/2}	62500	1354790	45	110
76.992	3p ⁶ 3d ⁷ ⁴ F _{7/2}	3p ⁵ 3d ⁸ (4) _{7/2}	21850	1320790	10	110
76.870	3p ⁶ 3d ⁷ ⁴ F _{7/2}	3p ⁵ 3d ⁸ (4) _{5/2}	21850	1322740	45	110
76.812	3p ⁶ 3d ⁷ ⁴ P _{5/2}	3p ⁵ 3d ⁸ (5) _{7/2}	60740	1362690	15	110
76.647	3p ⁶ 3d ⁷ ⁴ F _{5/2}	3p ⁵ 3d ⁸ (3) _{3/2}	31440	1336120	25	110
76.529	3p ⁶ 3d ⁷ ⁴ F _{9/2}	3p ⁵ 3d ⁸ (3) _{7/2}	0	1306770	30	110
75.712	3p ⁶ 3d ⁷ ⁴ F _{9/2}	3p ⁵ 3d ⁸ (4) _{7/2}	0	1320790	20	110
75.309	3p ⁶ 3d ⁷ ⁴ P _{5/2}	3p ⁵ 3d ⁸ (5) _{3/2}	60740	1388018	20	110
74.407	3p ⁶ 3d ⁷ ² G _{9/2}	3p ⁵ 3d ⁸ (6) _{7/2}	62500	1406680	30	110
74.303	3p ⁶ 3d ⁷ ⁴ P _{5/2}	3p ⁵ 3d ⁸ (6) _{7/2}	60740	1406680	45	110
74.280	3p ⁶ 3d ⁷ ⁴ F _{5/2}	3p ⁵ 3d ⁸ (5) _{5/2}	31440	1377840	25	110
74.020	3p ⁶ 3d ⁷ ² F _{7/2}	3p ⁵ 3d ⁸ (7) _{7/2}	141650	1492600	15	110
73.944	3p ⁶ 3d ⁷ ⁴ F _{3/2}	3p ⁵ 3d ⁸ (5) _{3/2}	35936	1388018	10	110
73.812	3p ⁶ 3d ⁷ ⁴ F _{9/2}	3p ⁵ 3d ⁸ (3) _{9/2}	0	1354790	15	110
73.747	3p ⁶ 3d ⁷ ⁴ F _{7/2}	3p ⁵ 3d ⁸ (5) _{5/2}	21850	1377840	20	110
73.676	3p ⁶ 3d ⁷ ⁴ F _{5/2}	3p ⁵ 3d ⁸ (5) _{3/2}	31440	1388018	15	110

Mo XVIII (Mn-Sequence) – Continued

Wavelength (Å)	Classification	Energy Levels (cm ⁻¹)	Int.	Refs.		
73.446	3p ⁶ 3d ⁷ 4F _{7/2}	3p ⁵ 3d ⁸ (6) _{5/2}	21850	1383380	10	110
73.380	3p ⁶ 3d ⁷ 4F _{9/2}	3p ⁵ 3d ⁸ (5) _{7/2}	0	1362690	20	110
72.679	3p ⁶ 3d ⁷ 2F _{7/2}	3p ⁵ 3d ⁸ (8) _{7/2}	141650	1517570	15	110
72.211	3p ⁶ 3d ⁷ 4F _{7/2}	3p ⁵ 3d ⁸ (6) _{7/2}	21850	1406680	30	110
72.171	3p ⁶ 3d ⁷ 3D _{5/2}	3p ⁵ 3d ⁸ (9) _{5/2}	94000	1479650	25	110
72.089	3p ⁶ 3d ⁷ 2H _{9/2}	3p ⁵ 3d ⁸ (4) _{9/2}	107650	1494810	35	110
71.523	3p ⁶ 3d ⁷ 2G _{7/2}	3p ⁵ 3d ⁸ (9) _{5/2}	81500	1479650	25	110
71.461	3p ⁶ 3d ⁷ 1D _{5/2}	3p ⁵ 3d ⁸ (9) _{7/2}	210770	1610200	25	110
71.196	3p ⁶ 3d ⁷ 1D _{5/2}	3p ⁵ 3d ⁸ (11) _{5/2}	210770	1615600	20	110
71.089	3p ⁶ 3d ⁷ 4F _{9/2}	3p ⁵ 3d ⁸ (6) _{7/2}	0	1406680	25	110
70.926	3p ⁶ 3d ⁷ 2H _{9/2}	3p ⁵ 3d ⁸ (8) _{7/2}	107650	1517570	30	110
70.121	3p ⁶ 3d ⁷ 2F _{5/2}	3p ⁵ 3d ⁸ (9) _{3/2}	129033	1553198	15	110
69.929	3p ⁶ 3d ⁷ 2G _{9/2}	3p ⁵ 3d ⁸ (7) _{7/2}	62500	1492600	35	110
69.675	3p ⁶ 3d ⁷ 2G _{7/2}	3p ⁵ 3d ⁸ (8) _{7/2}	81500	1517570	25	110
69.212	3p ⁶ 3d ⁷ 1D _{3/2}	3p ⁵ 3d ⁸ (7) _{1/2}	199694	1643278	25	110
68.727	3p ⁶ 3d ⁷ 2G _{9/2}	3p ⁵ 3d ⁸ (8) _{7/2}	62500	1517570	30	110
68.128	3p ⁶ 3d ⁷ 2F _{5/2}	3p ⁵ 3d ⁸ (10) _{3/2}	129033	1597386	30	110
67.984	3p ⁶ 3d ⁷ 4F _{7/2}	3p ⁵ 3d ⁸ (7) _{7/2}	21850	1492600	22	110
67.845	3p ⁶ 3d ⁷ 2F _{7/2}	3p ⁵ 3d ⁸ (11) _{5/2}	141650	1615600	40	19,110°
67.648	3p ⁶ 3d ⁷ 2G _{7/2}	3p ⁵ 3d ⁸ (10) _{5/2}	81500	1559730	40	19,110°
67.141	3p ⁶ 3d ⁷ 2H _{11/2}	3p ⁵ 3d ⁸ (5) _{9/2}	84900	1574310	48	19,110°
66.536	3p ⁶ 3d ⁷ 2H _{9/2}	3p ⁵ 3d ⁸ (9) _{7/2}	107650	1610200	55	19,110°
66.146	3p ⁶ 3d ⁷ 2G _{9/2}	3p ⁵ 3d ⁸ (5) _{9/2}	62500	1574310	25	110

Mo XXIII (Ca-Sequence) IP = 8230000 ± 80000 cm⁻¹ (1020 ± 10 eV)

Wavelength (Å)	Classification	Energy Levels (cm ⁻¹)	Int.	Refs.	
3554.3	3p ⁶ 3d ² 3F ₂	3p ⁶ 3d ² 3F ₃	0	28135	100

Mo xxiv (K-Sequence) IP = 8730000 ± 89000 cm⁻¹ (1083 ± 11 eV)

Wavelength (Å)	Classification		Energy Levels (cm ⁻¹)		Int.	Refs.
2687.3	3d ² D _{3/2}	3d ² D _{5/2}	0	37212		100
21.854	3d ² D _{5/2}	4f ² F _{7/2} ^o	37212	4613000	5	96
21.684	3/2	5/2	0	4611700	5	96

Mo xxv (Ar-Sequence) IP = 10190000 ± 100000 cm⁻¹ (1264 ± 13 eV)

Wavelength (Å)	Classification		Energy Levels (cm ⁻¹)		Int.	Refs.
18.500	3p ⁶ ¹ S ₀	3p ⁵ 4d ¹ P _i ^o	0	5405400	5	96
17.979	3p ⁶ ¹ S ₀	3p ⁵ 4d ³ D _i ^o	0	5562000	6	96

Mo xxvi (Cl-Sequence) IP = 10680000 ± 100000 cm⁻¹ (1324 ± 13 eV)

Wavelength (Å)	Classification		Energy Levels (cm ⁻¹)		Int.	Refs.
534.9	3s ² 3p ⁵ ² P _{3/2} ^o	3s ² 3p ⁵ ² P _{1/2} ^o	0	186950		36

Mo xxvii (S-Sequence) IP = 11190000 ± 110000 cm⁻¹ (1387 ± 14 eV)

Wavelength (Å)	Classification		Energy Levels (cm ⁻¹)		Int.	Refs.
2351.5	3s ² 3p ⁴ ³ P ₁	3s ² 3p ⁴ ¹ D ₂	175520	218050		36,55°
458.6	2	2	0	218050		36
569.8	3s ² 3p ⁴ ³ P ₂	3s ² 3p ⁴ ³ P ₁	0	175520		36
397.2	3s ² 3p ⁴ ³ P ₁	3s ² 3p ⁴ ¹ S ₀	175520	427300		36,55°

Mo xxviii (P-Sequence) IP = 11690000 ± 110000 cm⁻¹ (1449 ± 14 eV)

Wavelength (Å)	Classification		Energy Levels (cm ⁻¹)		Int.	Refs.
2286.1	3s ² 3p ³ ² D _{3/2} ^o	3s ² 3p ³ ² D _{5/2} ^o	156960	200700		36
643.0	3s ² 3p ³ ² P _{1/2} ^o	3s ² 3p ³ ² P _{3/2} ^o	257930	413450		37
637.1	3s ² 3p ³ ⁴ S _{3/2} ^o	3s ² 3p ³ ² D _{3/2} ^o	0	156960		37
498.2	3/2	5/2	0	200700		37
470.0	3s ² 3p ³ ² D _{5/2} ^o	3s ² 3p ³ ² P _{3/2} ^o	200700	413450		37
389.9	3/2	3/2	156960	413450		37
387.7	3s ² 3p ³ ⁴ S _{3/2} ^o	3s ² 3p ³ ² P _{1/2} ^o	0	257930		37

Mo XXIX (Si-Sequence) IP = 12380000 ± 120000 cm⁻¹ (1535 ± 15 eV)

Wavelength (Å)	Classification	Energy Levels (cm ⁻¹)	Int.	Refs.	
2841.9	3s ² 3p ² ³ P ₁	3s ² 3p ² ³ P ₂	161670	196870	36,100°
618.5	0	1	0	161670	36
530.3	3s ² 3p ² ³ P ₂	3s ² 3p ² ¹ D ₂	196870	385450	36,55°
446.9	1	2	161670	385450	36,55°
325.3	3s ² 3p ² ³ P ₁	3s ² 3p ² ¹ S ₀	161670	469100	36

Mo XXX (Al-Sequence) IP = 12910000 ± 130000 cm⁻¹ (1601 ± 16 eV)

Wavelength (Å)	Classification	Energy Levels (cm ⁻¹)	Int.	Refs.	
490.1	3s ² 3p ² P _{1/2} ^o	3s ² 3p ² P _{3/2} ^o	0	204040	36
108.29	3s ² 3p ² P _{3/2} ^o	3s ² 3d ² D _{5/2}	204040	1127500	17
92.511	1/2	3/2	0	1081000	17
18.056	3s ² 3d ² D _{5/2}	3s ² 4f ² F _{7/2} ^o	1127500	6666000	17
17.964	3/2	5/2	1081000	6648000	17
18.004	3s ² 3p ² P _{3/2} ^o	3s ² 4s ² S _{1/2}	204040	5760000	17
17.355	1/2	1/2	0	5760000	17

Mo XXXI (Mg-Sequence) 13920000 ± 140000 cm⁻¹ (1726 ± 17 eV)

Wavelength (Å)	Classification	Energy Levels (cm ⁻¹)	Int.	Refs.	
609.8	3s3p ³ P ₀ ^o	3s3p ¹ P ₀ ^o	698100	862140	36
577.5	3s3p ³ P ₀ ^o	3s3p ³ P ₀ ^o	524900	698100	36
190.5	3s ² ¹ S ₀	3s3p ³ P ₀ ^o	0	524900	48
115.991	3s ² ¹ S ₀	3s3p ¹ P ₀ ^o	0	862140	9 17,54,74,88°
113.896	3s3p ¹ P ₀ ^o	3s3d ¹ D ₂	862140	1740130	10 17,74,88°
112.654	3s3p ³ P ₀ ^o	3s3d ³ D ₃	698100	1585770	10 17,74,88°
96.52	1	2	524900	1561000	4 74
17.871	3s3d ¹ D ₂	3s4f ¹ F ₃ ^o	1740130	7335800	17
17.578	3s3d ³ D ₃	3s4f ³ F ₃ ^o	1585770	7275000	17
17.556	3	4	1585770	7281800	17
17.500	2	3	1561000	7275000	17
17.445	1	2			17
14.928	3s ² ¹ S ₀	3s4p ³ P ₀ ^o	0	6698800	17
14.745	3s ² ¹ S ₀	3s4p ¹ P ₀ ^o	0	6782000	17°,74,96

Mo xxxii (Na-Sequence) IP = 14445000 ± 4000 cm⁻¹ (1791.0 ± 0.5 eV)

Wavelength (Å)	Classification	Energy Levels (cm ⁻¹)		Int.	Refs.	
176.62	3s ² S _{1/2}	3p ² P _{1/2} ^o	0	566190	4	17°,54,74
127.814	1/2	3/2	0	782390	10	17°,54,74,90
126.937	3p ² P _{3/2} ^o	3d ² D _{5/2}	782390	1570180	9	17°,74,90
104.226	1/2	3/2	566190	1525280	9	17°,74
18.72	3d ² D _{3/2}	4p ² P _{1/2} ^o	1525280	6868100	1	17
18.591	5/2	3/2	1570180	6956000	3	17,74°
18.431	3/2	3/2	1525280	6956000	5	17
17.165	3d ² D _{5/2}	4f ² F _{5/2} ^o	1570180	7391400	3	17
17.148	5/2	7/2	1570180	7401800	8	17,74°,96
17.047	3/2	5/2	1525280	7391400	7	17,74°
17.099	3p ² P _{3/2} ^o	4s ² S _{1/2}	782390	6629500	2	17,74°,96
16.496	1/2	1/2	566190	6629500	2	17,74°
15.509	3p ² P _{3/2} ^o	4d ² D _{3/2}	782390	7231100	2	17,74°
15.460	3/2	5/2	782390	7250700	10	17,74°
15.002	1/2	3/2	566190	7231100	6	17,74°
14.560	3s ² S _{1/2}	4p ² P _{1/2} ^o	0	6868100	6	17,74°
14.376	1/2	3/2	0	6956000	10	17,74°,96
12.284	3d ² D _{5/2}	5p ² P _{3/2} ^o	1570180	9735200	1	17
11.931	3d ² D _{5/2}	5f ² F _{7/2} ^o	1570180	9951700	6	17,74°
11.875	3/2	5/2	1525280	9946300	5	17,74°
10.994	3p ² P _{3/2} ^o	5d ² D _{5/2}	782390	9878300	7	17,74°
10.749	1/2	3/2	566190	9869400	4	17,74°
10.323	3s ² S _{1/2}	5p ² P _{1/2} ^o	0	9687100	2	74
10.272	1/2	3/2	0	9735200	3	74
10.241	3d ² D _{5/2}	6f ² F _{7/2} ^o	1570180	11334800	3	74
10.197	3/2	5/2	1525280	11332100	2	74

Mo XXXIII (Ne-Sequence)

IP = 34330000 ± 340000 cm⁻¹ (4257 ± 42 eV)

Wavelength (Å)	Classification	Energy Levels (cm ⁻¹)	Int.	Refs.
5.204	2p ⁶ 1S ₀ 2p ⁵ (² P _{3/2} ^o)3s ($\frac{3}{2}, \frac{1}{2}$)i	0 19220000	9	2,16,52 ^o ,96
4.980	2p ⁶ 1S ₀ 2p ⁵ (² P _{1/2} ^o)3s ($\frac{1}{2}, \frac{1}{2}$)i	0 20080000	6	2,16,52 ^o ,96
4.8516	2p ⁶ 1S ₀ 2p ⁵ (² P _{3/2} ^o)3d ($\frac{3}{2}, \frac{3}{2}$)i	0 20612000	7	3 ^o ,16,52 ^A
4.8044	2p ⁶ 1S ₀ 2p ⁵ (² P _{3/2} ^o)3d ($\frac{3}{2}, \frac{5}{2}$)i	0 20814000	10	2,3 ^o ,16,52 ^A ,96
4.6312	2p ⁶ 1S ₀ 2p ⁵ (² P _{1/2} ^o)3d ($\frac{1}{2}, \frac{3}{2}$)i	0 21593000	8	2,3 ^o ,16,52 ^A
4.4647	2s ² 2p ⁶ 1S ₀ 2s2p ⁶ (² S _{1/2})3p ($\frac{1}{2}, \frac{1}{2}$)i	0 22398000	5	2,3 ^o ,16,52 ^A
4.4181	2s ² 2p ⁶ 1S ₀ 2s2p ⁶ (² S _{1/2})3p ($\frac{1}{2}, \frac{3}{2}$)i	0 22634000	4	2,3 ^o ,16,52 ^A
3.809	2p ⁶ 1S ₀ 2p ⁵ (² P _{3/2} ^o)4s ($\frac{3}{2}, \frac{1}{2}$)i	0 26250000	2	16 ^o ,18
3.684	2p ⁶ 1S ₀ 2p ⁵ (² P _{3/2} ^o)4d ($\frac{3}{2}, \frac{5}{2}$)i	0 27140000	12	16 ^o ,18
3.763	2p ⁶ 1S ₀ 2p ⁵ (² P _{1/2} ^o)4s ($\frac{1}{2}, \frac{1}{2}$)i	0 26570000	1.2	16 ^o ,18
3.636	2p ⁶ 1S ₀ 2p ⁵ (² P _{1/2} ^o)4d ($\frac{1}{2}, \frac{3}{2}$)i	0 27500000	7	16 ^o ,18
3.42	2p ⁶ 1S ₀ 2p ⁵ (² P _{3/2} ^o)5d ($\frac{3}{2}, \frac{5}{2}$)i	0 29200000	3.5	18
3.32	2p ⁶ 1S ₀ 2p ⁵ (² P _{1/2} ^o)5d ($\frac{1}{2}, \frac{3}{2}$)i	0 30100000	2.3	18
3.26	2p ⁶ 1S ₀ 2p ⁵ (² P _{3/2} ^o)6d ($\frac{3}{2}, \frac{5}{2}$)i	0 30700000	1.8	18
3.18	2p ⁶ 1S ₀ 2p ⁵ (² P _{1/2} ^o)6d ($\frac{1}{2}, \frac{3}{2}$)i	0 31400000	1.1	18
3.18	2p ⁶ 1S ₀ 2p ⁵ (² P _{3/2} ^o)7d ($\frac{3}{2}, \frac{5}{2}$)i	0 31400000	1.1	18
3.09	2p ⁶ 1S ₀ 2p ⁵ (² P _{1/2} ^o)7d ($\frac{1}{2}, \frac{3}{2}$)i	0 32400000	0.8	18

Mo XXXIV (F-Sequence) IP = 35730000 ± 350000 cm⁻¹ (4430 ± 44 eV)

Wavelength (Å)	Classification	Energy Levels (cm ⁻¹)	Int.	Refs.	
112.80 ^P	2p ⁵ 2P _{3/2} ^o	2p ⁵ 2P _{1/2} ^o	0	886200	38,86°
56.527	2s ² 2p ⁵ 2P _{1/2} ^o	2s2p ⁶ 2S _{1/2}	886200	2665300	86
37.661	3/2	1/2	0	2665300	86
5.536	2p ⁵ 2P _{3/2} ^o	2p ⁴ (³ P)3d 2F _{5/2}	0	18060000	14
4.506	2p ⁵ 2P _{3/2} ^o	2p ⁴ (¹ D)3d 2F _{5/2}	0	22193000	14
4.550	2p ⁵ 2P _{3/2} ^o	2p ⁴ (³ P)3d 2D _{3/2}	0	21978000	14
4.521	3/2	5/2	0	22119000	14
4.503	2p ⁵ 2P _{3/2} ^o	2p ⁴ (¹ D)3d 2D _{5/2}	0	22207000	14
4.480	3/2	3/2	0	22321000	14
4.493	2p ⁵ 2P _{1/2} ^o	2p ⁴ (¹ S)3d 2D _{3/2}	886200	23143000	14
4.512	2p ⁵ 2P _{3/2} ^o	2p ⁴ (¹ D)3d 2S _{1/2}	0	22163000	14
4.506	2p ⁵ 2P _{3/2} ^o	2p ⁴ (¹ D)3d 2P _{3/2}	0	22193000	14
4.472	3/2	1/2	0	22361000	14

Mo XL (Li-Sequence) IP = 46074000 ± 40000 cm⁻¹ (5712.4 ± 5 eV)

Wavelength (Å)	Classification	Energy Levels (cm ⁻¹)	Int.	Refs.	
0.6912	1s ² 2p 2P _{1/2} ^o	1s2p ² 4P _{3/2}	691591	145366000	10°,106
0.6859	1/2	5/2	691591	146484000	10°,106
0.6893	1s ² 2p 2P _{1/2} ^o	1s2p ² 2P _{3/2}	691591	145766000	10°,106
0.6893	1s ² 2s 2S _{1/2}	1s2s(³ S)2p 2P _{3/2} ^o	0	145075000	10
0.6893	1s ² 2p 2P _{1/2} ^o	1s2p ² 2D _{3/2}	691591	145265000	10°,106
0.6885	1s ² 2p 2P _{3/2} ^o	1s2p ² 2S _{1/2}	1705591	146948000	10°,106
0.6885	1s ² 2s 2S _{1/2}	1s2s(¹ S)2p 2P _{1/2} ^o	0	145243000	10
0.6859	1s ² 2s 2S _{1/2}	1s2s2p 4P _{5/2} ^o	0	145793000	10

Mo XLI (He-Sequence) IP = 192047000 ± 200000 cm⁻¹ (23811 ± 25 eV)

Wavelength (Å)	Classification	Energy Levels (cm ⁻¹)	Int.	Refs.	
0.6923	1s ² 1S ₀	1s2p 3P ₁ ^o	0	144454000	10°,105,106
0.6878	0	2	0	145463000	10°,105,106
0.6870	1s ² 1S ₀	1s2p 1P ₁ ^o	0	145657000	10°,105,106
0.672	1s2p 1P ₁ ^o	2p ² 1S ₀	145657000	294470000	105°,106
0.672	1s2p 1P ₁ ^o	2p ² 1D ₂	145657000	294470000	105°,106
0.672	1s2s 3S ₁	2s2p 3P ₂ ^o	143971000	292800000	105°,106

Mo XLII (H-Sequence)

IP = 198180000 ± 10000 cm⁻¹ (24571.2 ± 1.2eV)

Wavelength (Å)	Classification	Energy Levels (cm ⁻¹)	Int.	Refs.	
0.6685	1s ² S _{1/2}	2p ² P _{3/2} ^o	0	149500200	45,105 ^o
0.5701	1s ² S _{1/2}	3p ² P _{3/2} ^o	0	176501610	45,105 ^o
0.5701	1/2	1/2	0	176142500	45,105 ^o

6. References for Tables and Comments

- ¹N. Acquist and J. Reader, *J. Opt. Soc. Am. B* **1**, 649 (1984).
²E. V. Aglitskii, V. A. Boiko, O. N. Krokhin, S. A. Pikuz, and A. Ya. Faenov, *Sov. J. Quantum Electron.* **4**, 1152 (1975).
³E. V. Aglitskii, E. Ya. Golts, Yu. A. Levykin, A. M. Lifshits, S. L. Mandelstam, and A. S. Safronova, *Opt. Spectrosc.* **46**, 590 (1979).
⁴E. Alexander, M. Even-Zohar, B. S. Fraenkel, and S. Goldsmith, *J. Opt. Soc. Am.* **61**, 508 (1971).
⁵K. Ando, *J. Phys. Soc. Jpn.* **51**, 15 (1982).
⁶K. Ando and K. Ishii, *J. Phys. Soc. Jpn.* **54**, 3297 (1985).
⁷L. Armstrong, Jr., W. R. Fielder, and D. L. Lin, *Phys. Rev. A* **14**, 1114 (1976).
⁸N. Ateqad, M. S. Z. Chaghtai, and K. Rahimullah, *J. Phys. B* **17**, 4617 (1984).
⁹D. R. Beck and C. A. Nicholaides, *Phys. Lett. A* **65**, 293 (1978).
¹⁰R. Beier and H. J. Kunze, *Z. Phys. A* **285**, 347 (1978).
¹¹E. Biemont and M. Godefroid, *Phys. Scr.* **22**, 231 (1980).
¹²M. I. Bogdanovichene, E. Ya. Kononov, G. V. Merkelis, A. A. Ramonas, A. N. Ryabtsev, and S. S. Churilov, *Opt. Spectrosc.* **49**, 244 (1980).
¹³V. A. Boiko, A. Ya. Faenov, and S. A. Pikuz, *J. Quant. Spectrosc. Radiat. Transfer* **19**, 11 (1978).
¹⁴V. A. Boiko, S. A. Pikuz, A. S. Safronova, and A. Ya. Faenov, *J. Phys. B* **11**, 503 (1978).
¹⁵C. Breton, C. De Michelis, M. Finkenthal, and M. Mattioli, *Phys. Rev. Lett.* **41**, 110 (1978).
¹⁶P. G. Burkhalter, C. M. Dozier, and D. J. Nagel, *Phys. Rev. A* **15**, 700 (1977).
¹⁷P. G. Burkhalter, J. Reader, and R. D. Cowan, *J. Opt. Soc. Am.* **67**, 1521 (1977).
¹⁸P. G. Burkhalter, R. Schneider, C. M. Dozier, and R. D. Cowan, *Phys. Rev. A* **18**, 718 (1978).
¹⁹P. G. Burkhalter, J. Reader, and R. D. Cowan, *J. Opt. Soc. Am.* **70**, 912 (1980).
²⁰R. D. Cowan, *The Theory of Atomic Structure and Spectra* (University of California, Berkeley, 1981).
²¹M. S. Z. Chaghtai, *J. Opt. Soc. Am.* **59**, 969 (1969).
²²M. S. Z. Chaghtai, *Phys. Scr.* **1**, 31 (1970).
²³M. S. Z. Chaghtai, *Phys. Scr.* **1**, 104 (1970).
²⁴M. S. Z. Chaghtai, *Phys. Scr.* **1**, 109 (1970).
²⁵M. S. Z. Chaghtai, S. P. Singh, and S. Khatoon, *J. Phys. B* **8**, 1831 (1975).
²⁶M. S. Z. Chaghtai, K. Rahimullah, and S. Khatoon, *Phys. Scr.* **14**, 281 (1976).
²⁷G. W. Charles, *Phys. Rev.* **77**, 120 (1950).
²⁸K. T. Chen and W. R. Johnson, *Phys. Rev. A* **16**, 263 (1977).
²⁹R. D. Cowan, *J. Opt. Soc. Am.* **58**, 924 (1968).
³⁰R. D. Cowan, *Phys. Scr. T* **3**, 200 (1983).
³¹L. J. Curtis, A. Lindgard, B. Edlén, I. Martinson, and S. E. Nielsen, *Phys. Scr.* **16**, 72 (1977).
³²L. J. Curtis, *Phys. Lett. A* **72**, 427 (1979).
³³L. J. Curtis and P. S. Ramanujan, *J. Opt. Soc. Am.* **73**, 979 (1983).
³⁴L. J. Curtis, J. Reader, S. Goldsmith, B. Denne, and E. Hinnov, *Phys. Rev. A* **29**, 2248 (1984).
³⁵B. Denne and O. Poulsen, *Phys. Rev. A* **23**, 1229 (1981).
³⁶B. Denne, E. Hinnov, S. Suckewer, and S. Cohen, *Phys. Rev. A* **28**, 206 (1983).
³⁷B. Denne, E. Hinnov, S. Suckewer, and J. Timberlake, *J. Opt. Soc. Am. B* **1**, 296 (1984).
³⁸G. A. Doschek and U. Feldman, *J. Appl. Phys.* **47**, 3083 (1976).
³⁹M. N. Driker and L. N. Ivanov, *J. Phys. B* **11**, 1695 (1978).
⁴⁰B. Edlén, *Physica* **13**, 545 (1947).
⁴¹B. Edlén, *Phys. Scr.* **17**, 565 (1978).
⁴²B. Edlén, K. Rahimullah, A. Tauheed, and M. S. Z. Chaghtai, *Phys. Scr.* **32**, 215 (1985).
⁴³J. O. Ekberg, J. E. Hansen, and J. Reader, *J. Opt. Soc. Am.* **62**, 1143 (1972).
⁴⁴T. F. R. Equipe, *Nucl. Fusion* **15**, 1053 (1975).
⁴⁵G. W. Erickson, *J. Phys. Chem. Ref. Data* **6**, 831 (1977).
⁴⁶M. Even-Zohar, *Some EUV Spectra From Laser Produced Plasma of Heavy Elements*, EUR-CEA-FC-786 (1975).
⁴⁷M. Finkenthal, R. E. Bell, H. W. Moos, A. K. Bhatia, E. S. Marmor, J. L. Terry, and J. E. Rice, *Phys. Lett. A* **82**, 123 (1981).
⁴⁸M. Finkenthal, E. Hinnov, S. Cohen, and S. Suckewer, *Phys. Lett. A* **91**, 284 (1982).
⁴⁹C. Froese-Fischer, *J. Phys. B* **1**, 1241 (1977).
⁵⁰C. Froese-Fischer and J. E. Hansen, *Phys. Rev. A* **17**, 1956 (1978).
⁵¹C. Froese-Fischer and J. E. Hansen, *Phys. Rev. A* **19**, 1819 (1979).
⁵²H. Gordon, M. G. Hobby, N. J. Peacock, and R. D. Cowan, *J. Phys. B* **12**, 881 (1979).
⁵³E. Hinnov, L. C. Johnson, E. B. Meservey, and D. L. Dimock, *Plasma Phys.* **14**, 755 (1972).
⁵⁴E. Hinnov, *Phys. Rev. A* **14**, 1533 (1976).
⁵⁵E. Hinnov (private communication, 1985).
⁵⁶W. L. Hodge, J. Castracane, H. W. Moos, and E. S. Marmor, *J. Quant. Spectrosc. Radiat. Transfer* **27**, 493 (1982).
⁵⁷K. Ishii, *Atomic Structure Calculation of Energy Levels and Oscillator Strengths in Mo Ion. I(3p³3d⁵-3p³3d⁵, 3d⁵-3d⁵ 4p and 3d⁵-3d⁵ 4f Transitions in Mo xvii)*, JAERI-M-83-034 (1983).
⁵⁸B. M. Johnson, K. W. Jones, J. L. Cecchi, and T. H. Kruse, *Phys. Lett. A* **78**, 61 (1980).
⁵⁹W. R. Johnson, C. D. Lin, K. T. Cheng, and C. M. Lee, *Phys. Scr.* **21**, 409 (1980).
⁶⁰Z. A. Khan, M. S. Z. Chaghtai, and K. Rahimullah, *Phys. Scr.* **23**, 837 (1981).
⁶¹E. Källne, J. Källne, and R. D. Cowan, *Phys. Rev. A* **27**, 2682 (1983).
⁶²S. Khatoon, M. S. Z. Chaghtai, and K. Rahimullah, *Phys. Scr.* **19**, 22 (1979).
⁶³Y.-K. Kim and J. P. Declaux, *Phys. Rev. Lett.* **36**, 139 (1976).
⁶⁴Y.-K. Kim and K.-T. Cheng, *J. Opt. Soc. Am.* **68**, 836 (1978).
⁶⁵M. Klapisch, R. Perel, and D. Weil, *Theoretical Energy Levels and Wavelengths for Some Spectra of Highly Ionized Molybdenum Between Mo XI and Mo xxiv*, EUR-CEA-FC-827 (1976).
⁶⁶M. Klapisch, J. L. Schwob, M. Finkenthal, B. S. Fraenkel, S. Egert, A. Bar-Shalom, C. Breton, C. De Michelis, and M. Mattioli, *Phys. Rev. Lett.* **41**, 403 (1978).
⁶⁷M. Klapisch, P. Mandelbaum, J. L. Schwob, A. Bar-Shalom, and N. Schweitzer, *Phys. Lett. A* **84**, 177 (1981).
⁶⁸M. Klapisch, E. Morez, P. Mandelbaum, A. Ziegler, C. Bauche-Arnoult, and J. Bauche, *Phys. Rev. A* **25**, 2391 (1982).
⁶⁹E. Ya. Kononov, *Phys. Scr.* **17**, 425 (1978).
⁷⁰H. Kubo, K. Ishii, T. Sugie, M. Shiho, and H. Moeda, *Atomic Structure Calculation of Mo xv-xl*, JAERI-M Report (1986).
⁷¹A. Lingard, L. J. Curtis, I. Martinson, and S. E. Nielsen, *Phys. Scr.* **21**, 47 (1980).
⁷²U. Litzén and K. Ando, *Phys. Lett. A* **100**, 411 (1984).
⁷³E. Luc-Koenig, *J. Phys.* **41**, 1273 (1980).
⁷⁴M. W. D. Mansfield, N. J. Peacock, C. C. Smith, M. G. Hobby, and R. D. Cowan, *J. Phys. B* **11**, 1521 (1978).

- ⁷⁵A. Mushtaq, M. S. Z. Chaghtai, and K. Rahimullah, *J. Phys. B* **12**, 19 (1979).
- ⁷⁶A. K. Pradham, D. W. Norcross, and D. G. Hummer, *Phys. Rev. A* **23**, 619 (1981).
- ⁷⁷K. Rahimullah, M. S. Z. Chaghtai, and S. Khatoon, *Phys. Scr.* **14**, 221 (1976).
- ⁷⁸K. Rahimullah, M. S. Z. Chaghtai, and S. Khatoon, *Phys. Scr.* **18**, 96 (1978).
- ⁷⁹J. Reader, G. Epstein, and J. O. Ekberg, *J. Opt. Soc. Am.* **62**, 273 (1972).
- ⁸⁰J. Reader and N. Acquista, *J. Opt. Soc. Am.* **66**, 896 (1976).
- ⁸¹J. Reader and N. Acquista, *Phys. Rev. Lett.* **39**, 184 (1977).
- ⁸²J. Reader, G. Luther, and N. Acquista, *J. Opt. Soc. Am.* **69**, 144 (1979).
- ⁸³J. Reader, G. Luther, and N. Acquista, *J. Opt. Soc. Am.* **71**, 204 (1981).
- ⁸⁴J. Reader and A. Ryabtsev, *J. Opt. Soc. Am.* **71**, 231 (1981).
- ⁸⁵J. Reader and N. Acquista, *J. Opt. Soc. Am.* **71**, 434 (1981).
- ⁸⁶J. Reader, C. M. Brown, J. O. Ekberg, U. Feldman, J. F. Seely, and W. E. Behring, *J. Opt. Soc. Am. B* **3**, 1609 (1986).
- ⁸⁷J. Reader, *J. Opt. Soc. Am.* **73**, 63 (1983).
- ⁸⁸J. Reader, *J. Opt. Soc. Am.* **73**, 796 (1983).
- ⁸⁹J. Reader and A. Ryabtsev, *J. Opt. Soc. Am.* **73**, 1207 (1983).
- ⁹⁰J. Reader (private communication, 1985).
- ⁹¹J. E. Rice, E. S. Marmor, T. Coan, S. L. Allen, and R. D. Cowan, *Phys. Rev. A* **22**, 310 (1980).
- ⁹²A. N. Ryabtsev and J. Reader, *J. Opt. Soc. Am.* **72**, 710 (1982).
- ⁹³U. I. Safronova, *Phys. Scr.* **23**, 241 (1981).
- ⁹⁴N. Schweitzer, M. Klapisch, J. L. Schwob, M. Finkenthal, A. Bar-Shalom, P. Mandelbaum, B. S. Fraenkel, *J. Opt. Soc. Am.* **71**, 219 (1981).
- ⁹⁵J. L. Schwob, M. Klapisch, M. Finkenthal, N. Schweitzer, and TFR Group, *Identification of Mo xv to Mo XXXIII in the Soft X-Ray Spectrum of the TFR Tokamak*, EUR-CEA-FC-887 (1977).
- ⁹⁶J. L. Schwob, M. Klapisch, N. Schweitzer, M. Finkenthal, C. Breton, C. DeMichelis, and M. Mattioli, *Phys. Lett. A* **62**, 85 (1977).
- ⁹⁷P. Shorer and A. Dalgarno, *Phys. Rev. A* **16**, 1502 (1977).
- ⁹⁸P. Shorer, *Phys. Rev. A* **18**, 1060 (1978).
- ⁹⁹R. Snyder, *Phys. Lett. A* **75**, 340 (1980).
- ¹⁰⁰S. Suckewer, E. Hinnov, S. Cohen, M. Finkenthal, and K. Sato, *Phys. Rev. A* **26**, 1161 (1982).
- ¹⁰¹V. Kaufman and J. Sugar, *J. Phys. Chem. Ref. Data* **15**, 321 (1986).
- ¹⁰²A. Tauheed, K. Rahimullah, and M. S. Z. Chaghtai, *Phys. Rev. A* **32**, 237 (1985).
- ¹⁰³A. Tauheed and M. S. Z. Chaghtai, *J. Phys. B* **17**, 179 (1984).
- ¹⁰⁴M. W. Trawick, *Phys. Rev.* **46**, 63 (1934).
- ¹⁰⁵J. J. Turecheck and H. J. Kunze, *Z. Phys. A* **273**, 111 (1975).
- ¹⁰⁶L. A. Vainshtein and U. I. Safronova, *Phys. Scr.* **31**, 519 (1985).
- ¹⁰⁷J. F. Wyart, J. Reader, and A. Ryabtsev, *J. Opt. Soc. Am.* **71**, 692 (1981).
- ¹⁰⁸J. F. Wyart, M. Klapisch, J. L. Schwob, and N. Schweitzer, *Phys. Scr.* **26**, 141 (1982).
- ¹⁰⁹J. F. Wyart, M. Klapisch, J. L. Schwob, N. Schweitzer, and P. Mandelbaum, *Phys. Scr.* **27**, 275 (1983).
- ¹¹⁰J. F. Wyart, M. Klapisch, J. L. Schwob, and P. Mandelbaum, *Phys. Scr.* **28**, 381 (1983).
- ¹¹¹J. F. Wyart, Th. A. M. Van Kleef, A. N. Ryabtsev, and Y. N. Joshi, *Phys. Scr.* **29**, 319 (1984).
- ¹¹²J. F. Wyart, A. J. J. Raassen, and P. H. M. Uylings, *Phys. Scr.* **32**, 169 (1985).
- ¹¹³S. M. Younger and W. L. Wiese, *Phys. Rev. A* **18**, 2366 (1978).
- ¹¹⁴S. M. Younger, *J. Quant. Spectrosc. Radiat. Transfer* **23**, 489 (1980).
- ¹¹⁵T. A. Carlson, C. W. Nestor, N. Wasserman, and J. D. McDowell, *At. Data Nucl. Data Tables* **2**, 63 (1970).
- ¹¹⁶J. Reader, N. Acquista, and S. Goldsmith, *J. Opt. Soc. Am.* **3**, 874 (1986).
- ¹¹⁷E. Hinnov, F. Boody, S. Cohen, U. Feldman, J. Hosea, K. Sato, J. L. Schwob, S. Suckewer, and A. Wouten, *J. Opt. Soc. Am. B* **3**, 1288 (1986).