

REFERENCES

ACGIH [1962]. Documentation of threshold limit values. Cincinnati, OH: American Conference of Governmental Industrial Hygienists, Inc., pp. 18, 23, 67-68.

ACGIH [1980]. Documentation of the threshold limit values. 4th ed. Cincinnati, OH: American Conference of Governmental Industrial Hygienists, Inc., pp. 51-52, 171-172, 253.

ACGIH [1984]. Threshold limit values—discussion and thirty-five year index with recommendations. Vol. 9. In: LaNier ME, ed. Cincinnati, OH: American Conference of Governmental Industrial Hygienists, pp. 343-346, 360-361.

ACGIH [1988a]. Industrial ventilation—a manual of recommended practice. 20th ed. Cincinnati, OH: American Conference of Governmental Industrial Hygienists, Committee on Industrial Ventilation.

ACGIH [1988b]. TLVs[®]—Threshold limit values and biological exposure indices for 1988-1989. Cincinnati, OH: American Conference of Governmental Industrial Hygienists, pp. 12, 20, 25, 68-72.

Amoore JE, Hautala E [1983]. Odor as an aid to chemical safety: odor thresholds compared with threshold limit values and volatilities for 214 industrial chemicals in air and water dilution. *J Appl Toxicol* 3(6):272-290.

Anderson EL, Albert RE, McGaughy R, Anderson L, Bayard S, Bayliss D, Chen C, Chu M, Gibb H, Haberman B, Hiremath C, Singh D, Thorslund T [1983]. Quantitative approaches in use to assess cancer risk. *Risk Analysis* 3(4):277-295.

ANSI [1979]. American national standard—fundamentals governing the design and operation of the local exhaust systems. New York, NY: American National Standards Institute, Inc., ANSI Z9.2-1979.

Apol A, Johnson W [1979]. Health hazard evaluation determination: Associated Grocers, Inc., Seattle, WA. Cincinnati, OH: U.S. Department of Health, Education, and Welfare, Center for Disease Control, National Institute for Occupational Safety and Health, NIOSH Report No. 78-120-608.

Apol A [1981]. Health hazard evaluation report: Labels West, Inc., Redmond, WA. Cincinnati, OH: U.S. Department of Health and Human Services, Centers for Disease

Control, National Institute for Occupational Safety and Health, NIOSH Report No. HETA 81-105-831.

Apol AG, Cone J [1983]. Health hazard evaluation report: Bay Area Hospital, Coos Bay, OR. Cincinnati, OH: U.S. Department of Health and Human Services, Centers for Disease Control, National Institute for Occupational Safety and Health, NIOSH Report No. HETA 82-053-1263.

Baker E, Smith T, Quinn M [1985]. Health hazard evaluation report: Screen printing shops, Boston, MA and Denton, MD. Cincinnati, OH: U.S. Department of Health and Human Services, Centers for Disease Control, National Institute for Occupational Safety and Health, NIOSH Report No. HETA 82-212-1553.

Bartnik FG, Reddy AK, Klecak G, Zimmermann V, Hostynek JJ, Kunstler K [1987]. Percutaneous absorption, metabolism, and hemolytic activity of n-butoxyethanol. *Fund Appl Toxicol* 8:59-70.

Boiano JM [1983]. Health hazard evaluation determination report: Downing Displays, Incorporated, Cincinnati, OH. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, NIOSH Report No. HETA 82-330-1252.

Bryant CJ [1978]. Health hazard evaluation determination report: Pre Finish Metals, Inc., Elk Grove Village, IL. Cincinnati, OH: U.S. Department of Health, Education, and Welfare, Center for Disease Control, National Institute for Occupational Safety and Health, NIOSH Report No. HETA 77-78-466.

Canadian Centre for Occupational Safety and Health [1988]. Ethylene glycol monobutyl ether. In: Trade Names Data Base. Hamilton, Ontario.

Carpenter CP, Pozzani UC, Weil CS, Nair JH, Keck GA, Smyth HF Jr. [1956]. The toxicity of butyl cellosolve solvent. *AMA Arch Ind Health* 14:114-131.

29 CFR 1910.20. Code of Federal Regulations. Washington, DC: U.S. Government Printing Office, Office of the Federal Register.

29 CFR 1910.20(d). Code of Federal Regulations. Washington, DC: U.S. Government Printing Office, Office of the Federal Register.

29 CFR 1910.20(h). Code of Federal Regulations. Washington, DC: U.S. Government Printing Office, Office of the Federal Register.

29 CFR 1910.106. Code of Federal Regulations. Washington, DC: U.S. Government Printing Office, Office of the Federal Register.

29 CFR 1910.133. Code of Federal Regulations. Washington, DC: U.S. Government Printing Office, Office of the Federal Register.

29 CFR 1910.134. Code of Federal Regulations. Washington, DC: U.S. Government Printing Office, Office of the Federal Register.

29 CFR 1910.1000. Code of Federal Regulations. Washington, DC: U.S. Government Printing Office, Office of the Federal Register.

29 CFR 1910.1200. Code of Federal Regulations. Washington, DC: U.S. Government Printing Office, Office of the Federal Register.

30 CFR 11. Code of Federal Regulations. Washington, DC: U.S. Government Printing Office, Office of the Federal Register.

30 CFR 56.150004. Code of Federal Regulations. Washington, DC: U.S. Government Printing Office, Office of the Federal Register.

30 CFR 56.5005. Code of Federal Regulations. Washington, DC: U.S. Government Printing Office, Office of the Federal Register.

30 CFR 57.5005. Code of Federal Regulations. Washington, DC: U.S. Government Printing Office, Office of the Federal Register.

30 CFR 57.150004. Code of Federal Regulations. Washington, DC: U.S. Government Printing Office, Office of the Federal Register.

30 CFR 70.305. Code of Federal Regulations. Washington, DC: U.S. Government Printing Office, Office of the Federal Register.

30 CFR 70.305-1. Code of Federal Regulations. Washington, DC: U.S. Government Printing Office, Office of the Federal Register.

Cheever KL, Plotnick HB, Richards DE, Weigel WW [1984]. Metabolism and excretion of 2-ethoxyethanol in the adult male rat. *Environ Health Perspect* 57:241-248.

Davidson I, Henry JB [1974]. *Todd-Sanford clinical diagnosis by laboratory methods*. 15th ed. W.B. Saunders Co., Philadelphia, PA.

DOT [1987]. Department of Transportation. *Emergency response guidebook*. Chicago, IL: Labelmaster Division, American Labelmaker Company, DOT P5800.4.

Dodd DE, Snelling WM, Maronpot RR, Ballentyne B [1983]. Ethylene glycol monobutyl ether: acute 9-day, and 90-day vapor inhalation studies in Fischer 344 rats. *Toxicol Appl Pharm* 68:405-414.

Doe JE [1984]. Further studies on the toxicology of the glycol ethers with emphasis on rapid screening and hazard assessment. *Environ Health Perspect* 57:199-206.

Dugard PH, Walker M, Mawdsley SJ, Scott RC [1984]. Absorption of some glycol ethers through human skin in vitro. *Environ Health Perspect* 57:193-197.

ECETOC [1985]. Technical report no. 17. The toxicology of glycol ethers and its relevance to man: an up-dating of ECETOC technical report no. 4. Brussels, Belgium: European Chemical Industry, Ecology and Toxicology Centre.

Elam EU [1980]. Organic esters. In: Mark HF, Othmer DF, Overberger CG, Seaborg GT, eds. Kirk-Othmer Encyclopedia of Chemical Technology, 3rd ed., Vol. 9. New York, NY: John Wiley and Sons, pp. 311-337.

EPA [1987]. Recommendations for and documentation of biological values for use in risk assessment. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Criteria and Assessment Office, Office of Health and Environmental Assessment, Office of Research and Development.

45 Fed. Reg. 79318 [1980]. Part V. Environmental Protection Agency. Water quality criteria documents; availability.

54 Fed. Reg. 2554 [1989]. Part III. Air contaminants; final rule. (To be codified at 29 CFR 1910.)

55 Fed. Reg. 4066 [1990]. Occupational Safety and Health Administration: Occupational exposure to cadmium; proposed rule. (To be codified at 29 CFR 1910.)

Forsberg K, Mansdorf SZ [1989]. Quick selection guide to chemical protective clothing. New York, NY: Van Nostrand Reinhold.

Foster PMD, Lloyd SC, Blackburn DM [1987]. Comparison of the in vivo and in vitro testicular effects produced by methoxy-, ethoxy- and n-butoxy acetic acids in the rat. *Toxicology* 43:17-30.

Ghanayem BI, Blair PC, Thompson MB, Maronpot RR, Matthews HB [1987]. Effect of age on the toxicity and metabolism of ethylene glycol monobutyl ether (2-butoxyethanol) in rats. *Toxicol Appl Pharmacol* 91:222-234.

Ghanayem BI [1989]. Metabolic and cellular basis of 2-butoxyethanol-induced hemolytic anemia in rats and assessment of human risk in vitro. *Biochem Pharmacol* 38(10):1679-1684.

Gibaldi M, Perrier D [1982]. Pharmacokinetics, 2nd ed. Marcel Dekker, Inc., New York, NY, pp. 451-457.

Gilles D, Philbin E [1976]. Health hazard evaluation determination: TRW Incorporated, Philadelphia, PA. Cincinnati, OH: U.S. Department of Health, Education, and Welfare, Center for Disease Control, National Institute for Occupational Safety and Health, NIOSH Report No. 76-61-337.

Gijzenbergh FP, Jenco M, Veulemans H, Groesenken D, Verberckmoes R, Delooz HH [1989]. Acute butyl-glycol intoxication: a case report. *Human Toxicol* 8:243-245.

- Grant D, Sulsh S, Jones HB, Gangolli SD, Butler WH [1985]. Acute toxicity and recovery in the hemopoietic system of rats after treatment with ethylene glycol monomethyl and monobutyl ethers. *Toxicol Appl Pharmacol* 77:187-200.
- Groeseneken D, Van Vlem E, Veulemans H, Masschelein R [1986a]. Gas chromatographic determination of methoxyacetic and ethoxyacetic acid in urine. *Br J Ind Med* 43:62-65.
- Groeseneken D, Veulemans H, Masschelein R [1986b]. Respiratory uptake and elimination of ethylene glycol monoethyl ether after experimental human exposure. *Br J Ind Med* 43:544-549.
- Groeseneken D, Veulemans H, Masschelein R [1986c]. Urinary excretion of ethoxyacetic acid after experimental human exposure to ethylene glycol monoethyl ether. *Br J Ind Med* 43:615-619.
- Groeseneken D, Veulemans H, Masschelein R, Van Vlem E [1987a]. Ethoxyacetic acid: a metabolite of ethylene glycol monoethyl ether acetate in man. *Br J Ind Med* 44:488-493.
- Groeseneken D, Veulemans H, Masschelein R, Van Vlem E [1987b]. Pulmonary absorption and elimination of ethylene glycol monoethyl ether acetate in man. *Br J Ind Med* 44:309-316.
- Groeseneken D, Veulemans H, Masschelein R, Van Vlem E [1989]. An improved method for the determination in urine of alkoxyacetic acids. *Int Arch Occup Environ Health* 61:249-254.
- Gross E [1943]. Other solvents: glycol and glycol derivatives. In: Lehmann KB, Flury F, eds. *Toxicology and hygiene of industrial solvents*. Translated by King E, Smyth HF Jr. Baltimore, MD: The Williams and Wilkins Co.
- Guidotti TL, Cortez JH, Abraham HL [1983]. Taking the occupational history. *Ann Intern Med* 99(15):641-651.
- Hagopian JH, Bastress EK [1976]. *Recommended Industrial Ventilation Guidelines*. Cincinnati, OH: U.S. Department of Health, Education, and Welfare, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health, DHEW (NIOSH) Publication No. 76-162, p. 330.
- Hardin BD, Goad PT, Burg JR [1984]. Developmental toxicity of four glycol ethers applied cutaneously to rats. *Environ Health Perspect* 57:69-74.
- Hooper ML, Subak-Sharpe JH [1983]. Metabolic cooperation between cells. *Int Rev Cytol* 69:45-104.
- Jackh R, Gelbke HP, Helmstadter G [1985]. In vitro cytotoxicity of glycol ethers and oxidation products in CHO cells. *Toxicol Lett* 26:73-77.

Johanson G [1986]. Physiologically based pharmacokinetic modeling of inhaled 2-butoxyethanol in man. *Toxicol Lett* 34:23-31.

Johanson G, Kronborg H, Naslund PH, Nordqvist MB [1986]. Toxicokinetics of inhaled 2-butoxyethanol (ethylene glycol monobutyl ether) in man. *Scand J Work Environ Health* 12:594-602.

Johanson G [1988]. Aspects of biological monitoring of exposure to glycol ethers. *Toxicol Lett* 43:5-21.

Johanson G, Boman A, Dynesius B [1988]. Percutaneous absorption of 2-butoxyethanol in man. *Scand J Work Environ Health* 14:101-109.

Johanson G, Fernstrom P [1988]. Influence of water on the percutaneous absorption of 2-butoxyethanol in guinea pigs. *Scand J Work Environ Health* 14:95-100.

Jonsson AK, Pedersen J, Steen G [1982]. Ethoxyacetic acid and N-ethoxyacetyl glycine: metabolites of ethoxyethanol (ethylcellosolve) in rats. *Acta Pharmacol Toxicol* 50:358-362.

Jonsson AK, Steen G [1978]. n-Butoxyacetic acid, a urinary metabolite from inhaled n-butoxyethanol (butylcellosolve). *Acta Pharmacol et Toxicol* 42:354-356.

Kennedy E, Belinky B [February 27, 1990]. Memorandum to Ralph Zumwalde, NIOSH, regarding the review and recommendations of analytical methods for selected glycol ethers. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, Division of Surveillance, Hazard Evaluations, and Field Studies.

Kennedy E, Williams KJ, Eller PM [June 8, 1990]. Memorandum to Ralph Zumwalde, NIOSH regarding the review and recommendations of analytical method for 2-butoxyethanol and 2-butoxyethyl acetate. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, Division of Surveillance, Hazard Evaluations, and Field Studies.

Krasavage WJ [1986]. Subchronic oral toxicity of ethylene glycol monobutyl ether in male rats. *Fund Appl Toxicol* 6:349-355.

Leaf DA [1985]. Glycol ethers: an overview. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticides and Toxic Substances.

Leidel NA, Busch KA, Lynch JR [1977]. Occupational exposure sampling strategy manual. Cincinnati, OH: U.S. Department of Health, Education, and Welfare, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health, DHEW (NIOSH) Publication No. 77-173, NTIS No. PB-274-792/A07.

Lewis FA, Thoburn T [1981]. Health hazard evaluation report: Graphic Color Plate, Inc., Stamford, CT. Cincinnati, OH: U.S. Department of Health and Human Services, Centers

for Disease Control, National Institute for Occupational Safety and Health, NIOSH Report No. HHE 79-020-839.

Loch-Caruso R, Trosko JE, Corcos IA [1984]. Interruption of cell-cell communication in Chinese hamster V79 cells by various alkyl glycol ethers: implications for teratogenicity. *Environ Health Perspect* 57:119-123.

McGregor DB [1984]. The genotoxicity of glycol ethers. *Environ Health Perspect* 57:97-103.

Mickelsen RL, Roder MM, Berardinelli SP [1986]. Permeation of chemical protective clothing by three binary solvent mixtures. *Am Ind Hyg Assoc J* 47(4):236-240.

Mickelsen RL, Hall RC [1987]. A breakthrough time comparison of nitrile and neoprene glove materials produced by different manufacturers. *Am Ind Hyg Assoc J* 48(11):941-947.

Nagano K, Nakayama E, Koyano M, Oobayashi H, Adachi H, Yamada T [1979]. Mouse testicular atrophy induced by ethylene glycol monoalkyl ethers. *Jpn J Ind Health* 21:29-35.

Nelson BK, Setzer JV, Brightwell WS, Mathinos PR, Kuczuk MH, Weaver TE, Goad PT [1984]. Comparative inhalation teratogenicity of four glycol ether solvents and an amino derivative in rats. *Environ Health Perspect* 57:261-271.

NFPA [1987]. Fire protection guide on hazardous materials. 9th ed. Quincy, MA: National Fire Protection Association, p. 325M-351.

NIOSH [1974]. A recommended standard—an identification system for occupationally hazardous materials. Cincinnati, OH: U.S. Department of Health, Education, and Welfare, Center for Disease Control, National Institute for Occupational Safety and Health, DHEW (NIOSH) Publication No. 75-126, p. 63.

NIOSH [1978]. The recirculation of industrial exhaust air: symposium proceedings. Cincinnati, OH: U.S. Department of Health, Education, and Welfare, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health. DHEW (NIOSH) Publication No. 78-141.

NIOSH [1981]. 2-Butoxy ethanol. In: Occupational Health Guidelines for Chemical Hazards. Cincinnati, OH: U.S. Department of Health and Human Services, Centers for Disease Control, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 77-157-B.

NIOSH [1983]. National occupational exposure survey (NOES), 1981-83: estimated total and female employees, actual observation and trade-named exposure to EGEE, EGME, EGBE, and their acetates. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, Division of Surveillance, Hazard Evaluations, and Field Studies, Surveillance Branch. Unpublished data base.

NIOSH [1984]. *Manual of analytical methods*. 3rd ed. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 84-100.

NIOSH [1987a]. *Guide to industrial respiratory protection*. Morgantown, WV: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 87-116.

NIOSH [1987b]. *NIOSH respirator decision logic*. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 87-108.

NIOSH [1987c]. *Registry of toxic effects of chemical substances: 1985-86 edition*. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 87-116.

NSC [1980]. *Accident prevention manual for industrial operations—engineering and technology*. 8th ed. Chicago, IL: National Safety Council, pp. 94, 530, 586, 641.

NTP [1988]. *Chemicals considered or being evaluated for short term toxicity and for long term toxicology and carcinogenesis effects*. Research Triangle Park, NC: National Toxicology Program.

O'Brien DM, Hurley DE [1981]. *An evaluation of engineering control technology for spray painting*. Cincinnati, OH: U.S. Department of Health and Human Services, Centers for Disease Control, National Institute for Occupational Safety and Health, Division of Physical Sciences and Engineering, DHHS (NIOSH) Publication No. 81-121.

OSHA [1990]. *2-Butoxyethanol (butyl cellosolve) and 2-butoxyethyl acetate (butyl cellosolve acetate)*. Salt Lake City, UT: U.S. Department of Labor, Occupational Safety and Health Administration, Organic Methods Evaluation Branch, OSHA Analytical Laboratory.

Rambourg-Schepens MD, Buffet M, Bertault R, Jaussaud M, Journe B, Fay R, Lamiable D [1988]. *Severe ethylene glycol butyl ether poisoning. Kinetics and metabolic pattern*. *Human Toxicol* 7:187-189.

Rawlings SJ, Shuker DEG, Webb M, Brown NA [1985]. *The teratogenic potential of alkoxy acids in post-implantation rat embryo culture: structure-activity relationships*. *Toxicol Lett* 28:49-58.

Rowe VK, Wolf MA [1982]. *Derivatives of glycols*. In: Clayton GD, Clayton EF, eds. *Patty's industrial hygiene and toxicology*. 3rd rev. ed. Vol. 2. New York, NY: John Wiley and Sons, pp. 3909-4052.

Salisbury S [1983]. Health hazard evaluation report: Garden City Engraving, Augusta, GA. Cincinnati, OH: U.S. Department of Health and Human Services, Centers for Disease Control, National Institute for Occupational Safety and Health, NIOSH Report No. HETA 82-207-1278.

Sax NI, Lewis RJ [1987]. Hawley's condensed chemical dictionary. 11th ed. New York, NY: Van Nostrand Reinhold Company, pp. 488-489.

Schuler RL, Hardin BD, Niemeier RW, Booth G, Hazelden K, Piccirillo V, Smith K [1984]. Results of testing 15 glycol ethers in a short-term in vivo reproductive toxicity assay. *Environ Health Perspect* 57:141-146.

Smallwood AW, DeBord KE, Lowry LK [1984]. Analyses of ethylene glycol monoalkyl ethers, and their proposed metabolites in blood and urine. *Environ Health Perspect* 57:249-253.

Smallwood AW, DeBord KE, Burg J, Moseley C, Lowry LK [1988]. Determination of urinary 2-ethoxyacetic acid as an indicator of occupational exposure to 2-ethoxyethanol. *Appl Ind Hyg* 3(2):47-50.

Smyth HF, Carpenter CP [1948]. Further experience with the range finding test in the industrial toxicology laboratory. *J Ind Hyg Toxicol* 30:63-68.

Smyth HF Jr., Carpenter CP, Weil CS, Pozzani UC, Striegel JA [1962]. Range-finding toxicity data: List VI. *J Ind Hyg* 23:95-107.

Truhaut R, Dutertre-Catella H, Phu-Lich N, Huyen VN [1979]. Comparative toxicological study of ethylglycol acetate and butylglycol acetate. *Toxicol Appl Pharmacol* 51:117-127.

TSCAPP [1977]. Toxic substances control act plant and production. Baltimore, MD: The Chemical Information System, Chemical Information Systems, Inc.

Tyl RW, Millicovsky G, Dodd DE, Pritts IM, France KA, Fisher LC [1984]. Teratologic evaluation of ethylene glycol monobutyl ether in Fischer 344 rats and New Zealand white rabbits following inhalation exposure. *Environ Health Perspect* 57:47-68.

UCC [1985]. Material safety data sheets for butyl cellosolve[®] (F-43003F, 10M) and butyl cellosolve[®] acetate (F-43282D, 4M). Danbury, CT: Union Carbide Corporation.

USITC [1986]. Synthetic organic chemicals, United States production and sales, 1986. Washington, DC: United States International Trade Commission, Publication 2009. Investigation No. 332-135, pp. 211-212.

Van Vlem E [1987]. 2-Butoxyacetic acid, a "biological monitoring" parameter for the exposure to 2-butoxyethanol (in Flemish). Proefschrift, Vrije Universiteit, Brussels.

Veulemans H, Groeseneken D, Maschelein R, Van Vlem E [1987a]. Field study of the urinary excretion of ethoxy-acetic acid during repeated daily exposure to the ethyl ether of

ethylene glycol and the ethyl ether of ethylene glycol acetate. *Scand J Work Environ Health* 13:239-242.

Veulemans H, Groeseneken D, Maschelein R, Van Vlem E [1987b]. Survey of ethylene glycol ether exposures in Belgian industries and workshops. *Am Ind Hyg Assoc J* 48(8):671-676.

von Oettingen WF, Jirouche EA [1931]. The pharmacology of ethylene glycol and some of its derivatives in relation to their chemical constitution and physical chemical properties. *J Pharmacol Exp Ther* 42(3):355-372.

Welsch F, Stedman DB [1984]. Inhibition of metabolic cooperation between Chinese hamster V79 cells by structurally diverse teratogens. *Teratogenesis Carcinog Mutagen* 4:285-301.

Werner HW, Nawrocki CZ, Mitchell JL, Miller JW, von Oettingen WF [1943a]. Effects of repeated exposure of rats to vapors of monoalkyl ethylene ether vapors. *J Ind Hyg Toxicol* 25:374-379.

Werner HW, Mitchell JL, Miller JW, von Oettingen WF [1943b]. Effects of repeated exposure of dogs to monoalkyl ethylene glycol ether vapors. *J Ind Hyg Toxicol* 25:409-414.

Werner HW, Mitchell JL, Miller JW, von Oettingen WF [1943c]. The acute toxicity of vapors of several monoalkyl ethers of ethylene glycol. *J Ind Hyg Toxicol* 25:157-163.

Yonemoto J, Brown NA, Webb M [1984]. Effects of dimethoxyethyl phthalate, monomethoxyethyl phthalate, 2-methoxyethanol and methoxyacetic acid on post-implantation rat embryos in culture. *Toxicol Lett* 21:97-102.

PUBLICATIONS EXAMINED

During the preparation of this document, the following publications were examined and rejected as possible references or sources of information. They are listed here to provide detailed information to readers about the broad base of data considered during the research phase of this project.

Agaev FB [1978]. Possible classification of the potential danger of chemical substances absorbed through the skin (in Russian). *Azerb Med ZH* 55:29-32.

Alarie Y [1981]. Dose-response analysis in animal studies: prediction of human responses. *Environ Health Perspect* 42:9-13.

Andersson K, Levin J, Lindahl R, Nilsson C [1982]. Sampling of ethylene glycol and ethylene glycol derivatives in work-room air using amberlite XAD resins. *Chemosphere* 13:437-444.

Andrew FD, Buschbom RL, Cannon WC, Miller RA, Montgomery LF, Phelps DW, Sikov MR [1981]. Teratologic assessment of ethylbenzene and 2-ethoxyethanol. Richland, WA: Battelle Pacific Northwest Laboratories. NIOSH Contract 210-79-0037.

Ballantyne B [1984]. Eye irritancy potential of diethylene glycol monobutyl ether. *J Toxicol-Cut Ocular Toxicol* 3(1):7-15.

Ballantyne B [1984]. Ophthalmic toxicology of diethylene glycol monobutyl by topical application (Abstract). *Toxicologist* 4(1):180. Abstract No. 718.

Ballantyne B, Gazzard MF, Swanston DW [1972]. Effects of solvents and irritants on intraocular tension in the rabbit. *J Physiol* 226:12-14.

Borenfreund E, Shopsis C [1985]. Toxicity monitored with a correlated set of cell-culture assays. *Xenobiotica* 15(8/9):705-711.

Boyers SP, Corrales MD, Heiszar G, DeCherney AH [1987]. The effects of lubien in sperm motility in vitro. *Fertil Steril* 47(5):882-884.

Browning E [1959]. Toxic solvents: a review. *Br J Ind Med* 16:23-39.

Budden R, Kuhl UG, Bahlsen J [1979]. Experiments on the toxic, sedative and muscle relaxant potency of various drug solvents in mice. *Pharmacol Ther* 5:467-474.

Cabani S, Mollica V [1978]. Thermodynamic study of dilute aqueous solutions of organic compounds. Part 5. Open-chain saturated bifunctional compounds. *J Chem Soc* 74:2667-2671.

Chapin RE, Dutton SL, Ross MD, Lamb JC [1984]. The testicular toxicity of ethylene glycol monomethyl ether (EGME) as characterized by mating success, sperm parameters, and histopathology. *Toxicologist* 4(1):136.

Cheever KL, Weigel WW, Richard DE, Lal JB, Plotnick HL [1985]. Testicular effects of bis(2-methoxyethyl)ether in the adult male rat: equimolar dose comparison with 2-methoxyethanol and 2-ethoxyethanol. *Toxicologist* 5(1):140.

Cheever KL, Richard DE, Weigel WW, Lal JB, Dinsmore AM, Daniel FB [1988]. Metabolism of bis(2-methoxyethyl) ether in the adult rat: evaluation of the principal metabolite as a testicular toxicant. *Toxicol Appl Pharmacol* 94:150-159.

Cheng JT, Reysolow TD, Kaul B, Weisman R, Feinfeld DM [1987]. Clearance of ethylene glycol by kidneys and hemodialysis. *Clin Toxicol* 25(1 & 2):95-108.

Coakley ME, Rawlings SJ, Brown NA [1986]. Short-chain carboxylic acids, a new class of teratogens: studies of potential biochemical mechanisms. *Environ Health Perspect* 70:105-111.

Cohen P [1968]. Relationship between membrane function and permeability. III. Further evidence linking membrane transport and thromboplastin availability of the intact erythrocyte. *Br J Haematol* 14:141-152.

Cohen SR [1974]. Occupational health case report no. 4, epoxy-type paint. *J Occup Med* 16:201-203.

Comas SM, Gonzalez PR, Vassallo D [1974]. Hazards associated with perchloric acid-butyl cellosolve polishing solutions. *Metallography* 7:45-57.

Creasy DM, Flynn JC, Gray TJB, Butler WH [1985]. A quantitative study of stage-specific spermatocyte damage following administration of ethylene glycol monomethyl ether in the rat. *Exp Mol Pathol* 43:321-336.

Cullen MR, Rado T, Waldron JA, Sparer J, Welch L [1983]. Bone marrow injury in lithographers exposed to glycol ethers and organic solvents used in multicolor offset and ultraviolet during printing processes. *Arch Environ Health* 38:347-354.

Daughtrey WC, Ward DP, Lewis SC, Peterson DR [1984]. Acute toxicity of dermally applied 2-ethoxyethanol. *Toxicologist* 4(1):180.

Dawson GW, Jennings AL, Drozdowski D, Rider E [1975/77]. The acute toxicity of 47 industrial chemicals to fresh and saltwater fishes. *J Haz Mater* 1:303-318.

Deckert HG, Foelster U, Reuck A [1984]. Automatic measurement of pollutant concentration in the workplace (in German). *Labor-Praxis* 8(3):130-132, 134, 139.

DeCosta EWB, Collett O [1979]. Potential toxicants for controlling soft rot in preservative treated hardwoods. IV. Evaluation of combined diffusion and toxicity. *Mater Org* 14:131-140.

Denkhaus W, Steldern DY, Botzenhardt U, Konietzko H [1986]. Lymphocyte subpopulations in solvent-exposed workers. *Int Arch Occup Environ Health* 57:109-115.

Dietrich RA, Erwin JG [1971]. Mechanism of the inhibition of aldehyde dehydrogenase in vivo by disulfiram and diethyldithiocarbamate. *Mol Pharmacol* 7:301-307.

Digital Equipment Corporation [1987]. Health study—Draft report. TSCA FYI Submission from University of Massachusetts, Division of Public Health, February 16, 1987. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticides and Toxic Substances.

Doe JE, Hart D, Wichramaratne GA de S [1983]. The teratogenic potential of diethylene glycol monomethyl ether (DGME) as assayed in the postnatal development test by the subcutaneous route in rats. *Toxicologist* 3:70.

Dourson ML, Stara JF [1984]. Regulatory history and experimental support of uncertainty (safety) factors. *Regul Toxicol Pharmacol* 3:224-238.

Draize JH, Woodard G, Calvery HO [1945]. Methods for the study of irritation and toxicity of substances applied topically to the skin and mucous membranes. *J Pharmacol Exp Ther* 82-3:377-390.

Draize JH, Alvarez E, Whitesell MF, Woodard G, Hagan EC, Nelson AA [1948]. Toxicological investigations of compounds proposed for use as insect repellants: A. Local and systemic effects following topical skin application, B. Acute oral toxicity, C. Pathological examination. *J Pharmacol Exp Ther* 93:26-39.

Elkins HB, Storlazzi ED, Hammond JW [1942]. Determination of atmospheric contaminants. II. Methyl cellosolve. *J Ind Hyg Toxicol* 24:227-232.

Ellis DD, Jone CM, Larson RA, Schaeffer DJ [1982]. Organic constituents of mutagenic secondary effluents from wastewater treatment plants. *Arch Environ Contam Toxicol* 11:373-382.

EPA [1982]. Chemical hazard information profile draft report, 2-methoxyethanol, CAS No. 109-86-4. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances, OPTS, March 31, 1982.

EPA [1985]. Environmental health criteria: 2-methoxyethanol, 2-ethoxyethanol, and their acetates. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances.

EPA [1986]. Draft glycol ethers information profiles (CHIP's)—risk assessments. Oak Ridge National Laboratory, Oak Ridge, TN: Environmental Protection Agency.

49 Fed. Reg. 21407-21411 [1986]. Environmental Protection Agency: toxic and hazardous substances control: 2-methoxyethanol, 2-ethoxyethanol and their acetates: referral for additional action.

51 Fed. Reg. 27880-27896 [1986]. Environmental Protection Agency: diethylene glycol butyl ether and diethylene glycol butyl ether acetate: proposed test rule. (To be codified at 40 CFR Parts 795, 799.)

51 Fed. Reg. 44699-44701 [1986]. Occupational Safety and Health Administration: health and safety standards: occupational exposure to 2- methoxyethanol, 2-ethoxyethanol and their acetates.

Fabro S, ed. [1985]. Reproductive toxicology of the glycol ethers. Reproductive toxicology, a medical letter 4(4):15-18. Washington, DC: Reproductive Toxicology Center.

Fellows JK, Luduena FP, Hanzlik PJ [1947]. Glucuronic acid excretion after diethylene glycol monoethyl ether (carbitol) and some other glycols. *J Pharmacol Exp Ther* 89:210-213.

Fiserova-Bergerova V [1983]. Modeling of inhalation exposure to vapors: uptake, distribution, elimination. Vol. II. Boca Raton, FL: CRC Press, Inc.

Foster PMD, Lloyd SCM, Blackburn DM [1985]. Comparison of the in vivo and in vitro effects of 2-methoxy-, 2-ethoxy-, and 2-butoxyacetic acids in rat testis. *Toxicologist* 5(1):115.

Gage JC [1970]. The subacute inhalation toxicity of 109 industrial chemicals. *Br J Ind Med* 27:1-18.

Gartner SL [1981]. Methyl cellosolve-induced sensitization of mice to bacterial endotoxin. *Experientia* 37:174-175.

Gershon H, Shanks L, DeAngelis A [1979]. Antifungal properties on n- alkoxyacetic acids and their methyl esters. *J Pharm Sci* 68:82-84.

Ghanayem BI, Burka LT, Matthews HB [1987]. Metabolic basis of ethylene glycol monobutyl ether (2-butoxyethanol) toxicity: role of alcohol and aldehyde dehydrogenase. *J Pharmacol Exp Ther* 242(1):222-231.

Ghanayem BI, Burka LT [1987]. Metabolism and disposition of ethylene glycol monobutyl ether (2-butoxyethanol) in rats. *Drug Metab Dispos* 15(4):478-484.

Goldberg ME, Johnson HE, Pozzani UC, Smyth HE [1964]. Effect of repeated inhalation of vapors of industrial solvents on animal behavior. *Am Ind Hyg Assoc J* 25:369-375.

Gröschel-Stewart U, Mayer VW, Taylor-Mayer RE, Zimmermann FK [1985]. Aprotic polar solvents inducing chromosomal malsegregation in yeast interfere with the assembly of porcine brain tubulin in vitro. *Mutat Res* 149:333-338.

Guenier JP, Lhuillier F, Muller J [1986]. Sampling of gaseous pollutants on silica gel with 1400 mg tubes. *Ann Occup Hyg* 30:103-114.

Guha PK, Kunda KK [1985]. Free energies and entropies of transfer of hydrogen halides from water to aqueous 2-methoxy ethanol and structuredness of the solvents. *Can J Chem* 63:798-803.

Gunderson EC, Anderson CC [1980]. Development and validation of methods for sampling and analysis of workplace toxic substances. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 80-133.

Hamlin JE [1984]. Ethoxypropanol—a new propylene glycol ether. *Polymer Paint J* 174:56.

Hamlin JW, Hudson B, Sheen AD, Saunders KJ [1982]. The measurement of glycol ether levels in the workplace. *Polymer Paint Colour J* 172:61-63.

Hanzlik PJ, Lawrence WS, Fellows JK, Luduena FP, Laquer GL [1947]. Epidermal application of diethylene glycol monoethyl ether (carbitol) and some other glycols. *J Ind Hyg Toxicol* 29(5):325-341.

Harada T, Nagashima Y [1975]. Utilization of alkyl ether compounds by soil bacteria. *J Ferment Technol* 53:218-222.

Hardin BD [1983]. Reproductive toxicity of the glycol ethers. *Toxicology* 27:91-102.

Hardin BD, Lyon JP [1984]. Summary and overview: NIOSH symposium on toxic effects of glycol ethers. *EHP* 57:273-274.

Hardin BD, Goad PT, Burg JR [1985]. Teratogenicity of diethylene glycol monomethyl ether in the rat. *Teratology* 31:54A.

Hardin BD, Goad PT, Burg JR [1986]. Developmental toxicity of diethylene glycol monomethyl ether. *Fund Appl Toxicol* 6:430-439.

Hardin BD, Schuler RL, Burg JR, Booth GM, Hazelden KP, MacKenzie KM, Piccirillo VJ, Smith KN [1987]. Evaluation of 60 chemicals in a preliminary developmental toxicity test. *Teratogenesis Carcinog Mutagen* 7:29-48.

Harris GE, Tichenor BA [1982]. Response factors for VOC analyzers used in fugitive emission monitoring. *Energy Environ Chem* 1:293-319.

HSE [1983]. Glycol ether and glycol acetate vapours in air; laboratory method using Tenax adsorbent tubes, thermal desorption and gas chromatography. Health and Safety Executive, April 1983, MDHS 23. London, England: Her Majesty's Stationary Office.

Heinonen T, Elovaara E, Lauren S, Vainio H, Jarrvisalo J [1983]. Effect of various solvents on the xenobiotic biotransformation in the liver and the kidneys of the rat: a comparative study. In: Rydstroem J, Montelius J, Bengtsson M, eds. Extrahepatic Drug Metab Chem Carcinog Proc Int Meet. Amsterdam, The Netherlands: Elsevier, pp. 29-31.

Heinonen T, Vainio H [1981]. Dose-dependent toxicity of ethylene glycol monomethyl ether vapour in the rat. *Eur J Drug Metab Pharmacokinet* 6(4):275-280.

Hermens J, Canton H, Janssen P, DeJong R [1984]. Quantitative structure-activity relationships and toxicity studies of mixtures of chemicals with anaesthetic potency: acute lethal and sublethal toxicity to *Daphnia Magna*. *Aquatic Toxicol* 5:143-154.

Högberg J [1982]. Criteria document for Swedish occupational standards: some glycol ethers. *Arbete Och Hals* 33:1-17.

Hutson DH, Pickering B [1971]. The metabolism of isopropyl oxitol in rat and dog. *Xenobiotics* 1(2):105-119.

IARC Working Group [1976]. IARC monographs on the evaluation of the carcinogenic risk of chemicals to man: triethylene glycol diglycidyl ether. Vol. XI. Lyon, France: World Health Organization, International Agency for Research on Cancer, pp. 209-214.

Inoue T, Takeuchi Y, Hisanaga N, Ono Y, Iwata M, Ogata M, Saito K, Sakurai H, Hara I, Matsushita T, Ikeda M [1983]. A nationwide survey on organic solvent components in various solvent products: Part 1. Homogeneous products such as thinners, degreasers, and reagents. *Ind Health* 21:175-183.

Jaycock MA, Levin L [1984]. Health hazards in a small automotive body repair shop. *Ann Occup Hyg* 28(1):19-29.

Kamerling JP, Duran M, Bruinvis L, Ketting D, Wadman SK, deGroot CJ, Hommes FA [1977]. (2-Ethoxyethoxy)acetic acid: an unusual compound found in the gas chromatographic analysis of urinary organic acids. *Clin Chim Acta* 77:397-405.

Kane LE, Dombroske R, Alarie Y [1980]. Evaluation of sensory irritation from some common industrial solvents. *Am Ind Hyg Assoc J* 41:451-455.

Kesten HD, Mullinos MG, Pomerantz L [1939]. Pathologic effects of certain glycols and related compounds. *Arch Pathol* 27:447-465.

Klonne DR, Dodd DE, Pritts IM, Troup CM, Nachreiner DJ, Ballantyne B [1987]. Acute, 9-day, and 13-week vapor inhalation studies on ethylene glycol monohexyl ether. *Fund Appl Toxicol* 8:198-206.

Kondratyuk VA, et al. [1981]. Data for the substantiation of the maximum permissible concentration of the monoethyl ether of diethylene glycol in reservoir water. *Gig Sanit* 4:74-76.

Konemann H [1981]. Quantitative structure-activity relationships in fish toxicity studies. Part I: Relationship for 50 industrial pollutants. *Toxicology* 19:209-221.

Kusano K, Wadso I [1971]. Enthalpies of vaporization of organic compounds. VIII. Alkoxyethanols. *Acta Chem Scand* 25:219-224.

Langhorst M [1984]. Glycol ethers—validation procedures for tube/pump and dosimeter monitoring methods. *Am Ind Hyg Assoc J* 45(6):416-424.

Latven AR, Molitor H [1939]. Comparison of the toxic, hypnotic, and irritating properties of eight organic solvents. *J Pharmacol Exp Ther* 65:89-94.

Lauwerys RR [1983]. Industrial chemical exposure: guidelines for biological monitoring. Davis, CA: Biomedical Publications.

Lee KH, Wong HA [1979]. Toxic effects of some alcohol and ethylene glycol derivatives on *Cladosporium resinae*. *Appl Environ Microbiol* 38:24-28.

Linscombe VA, Gollapudi BB [1987]. Evaluation of DEGBE in the Chinese hamster ovary cell/hypoxanthine-guanine-phosphoribosyl transferase (CHO/HGPRT) forward mutation assay. Freeport, TX: The Dow Chemical Company. Report No. TXT:K001699-13 to the Chemical Manufacturers Association.

Lorber M [1972]. Hematotoxicity of synergized pyrethrin insecticides and related chemicals in intact, totally, and subtotally splenectomized dogs. *Acta Hepato-Gastroenterologica* 19(1):66-78.

Luduena FP, Lawrence WS, Fellows JK, Clark WH, Hanzlik PJ [1947]. Excretion and fate of diethylene glycol monoethyl ether (carbitol) after epidermal and other methods of administration. *Arch Int Pharmacodyn Ther* 75(1):1-18.

Lunn GA [1982]. The influence of chemical structure and combustion reactions on the maximum experimental safe gap of industrial gases and liquids. *J Hazard Mater* 6:341-359.

Lyon JP [1984]. Summary of CMA glycol ether research activities. *Environ Health Perspect* 57:5-6.

Maron D, Katzenellenbogen J, Ames BN [1981]. Compatibility of organic solvents with the *Salmonella*/microsome test. *Mutat Res* 88:343-350.

Matanoski GM, Stockwell HG, Diamond EL, Haring-Sweeney M, Joffe RD, Mele LM, Johnson MOL [1986]. A cohort mortality study of painters and allied tradesmen. *Scand J Work Environ Health* 12:16-21.

Maykoski RT and Jacks C [1970]. Review of various air sampling methods for solvent vapors. McClellan Air Force Base, CA: USAF Environmental Health Laboratory. (Prof. Report No. 70M-4, Project No. 67M-46.) NTIS No. AD752525.

Meininger WM [1948]. External use of "carbitol solvent," "carbitol" and other agents. *Arch Dermatol and Syphilol* 58:19-26.

Meistrich M [1983]. Quantitative assessments of reproductive outcomes—discussion paper. Cleveland, OH: ICAIR, Life System, Inc., July 20, 1983. U.S. Environmental Protection Agency, Contract No. OTS TR-507-108.

Melikyan LG [1974]. The effect of the industrial factors present in a cable plant's enamel shop on animals. *Zhurnal Eksperimental'noi Klinicheskoi Meditsini* 14:20-24.

Miller RR, Hermann EA, Young JT, Calhoun LL, Kastl PE [1984]. Propylene glycol monomethyl ether acetate (PGMEA) metabolism, disposition, and short-term vapour inhalation toxicity studies. *Toxicol Appl Pharmacol* 75:521-530.

Miller RR, Langvardt PW, Calhoun LL, Yahrmarkt MA [1986]. Metabolism and disposition of propylene glycol monomethyl ether (PGME) beta isomer in male rats. *Toxicol Appl Pharmacol* 83:170-177.

Miller RR [1987]. Metabolism and disposition of glycol ethers. *Drug Metab Rev* 18(1):1-22.

Miwa TK [1969]. Gas-chromatographic characterization by equivalent degree of polymerization and incremental equivalent chain length constants. Application to poly(ethylene glycol) and ethylene glycol derivatives. *Anal Chem* 41:307-310.

Morel MC, Cavigneaux A, Protois JC [1977]. Butyl glycol acetate (in French). *Cah Notes Doc* 86:117-119.

Morgan RW, Kaplan SD, Gaffey W [1981]. A general mortality study of production workers in the paint and coatings manufacturing industry. *J Occup Med* 23(1):13-21.

Morgott DA, Nolan RJ [1987]. Nonlinear kinetics of inhaled propylene glycol monomethyl ether in Fischer 344 rats following single and repeated exposures. *Toxicol Appl Pharmacol* 89:19-28.

Mortelmans K, Haworth S, Lawlor T, Speck W, Tainer B, Zeiger E [1986]. Salmonella mutagenicity tests: II. Results from the testing of 270 chemicals. *Environ Mutagen* 8:71-119.

Muller J, Greff G [1984]. Research on the relations between toxicity of molecules of industrial interest and physicochemical properties: irritation test of the upper respiratory tract applied to four families of chemicals. *Food Chem Toxicol* 22:661-664.

Nawrocki CZ, Brackett FS, Werner HW [1944]. Determination of concentration of monoalkyl ethylene glycol ethers in air by infra-red absorption spectroscopy. *J Ind Hyg Toxicol* 26:193-196.

Nelson BK, Vorhees CV, Scott WJ, Hastings L [1989]. Effects of 2-methoxyethanol on fetal development, postnatal behavior, and embryonic intracellular pH of rats. *Neurotox Teratol* 11:273-284.

New Jersey State Health Department [1965]. Butyl cellosolve. New Jersey State Department of Health, Bureau of Adult and Occupational Health. *Occupational Health Bulletin* 6(6):1-4.

Nishikawa S, Tanaka M, Mashima M [1981]. Structure and kinetics in aqueous solutions of ethers by ultrasonic methods. *J Phys Chem* 85:686-689.

Nolen GA, Gibson WB, Benedict JH, Briggs DW, Schardein JL [1985]. Fertility and teratogenic studies of diethylene glycol monobutyl ether in rats and rabbits. *Fund Appl Toxicol* 5:1137-1143.

Oudiz D, Hurtt M, Zenick H [1985]. Relationship between blood and seminal concentrations for 2-ethoxyethanol (EE) and ethylene dibromide (EDB). *Toxicologist* 5(1):115.

Oudiz D, Radike M, Zenick H [1985]. In vitro effects of ethoxyacetic acid on energy metabolism in isolated pachytene spermatocytes. *Toxicologist* 5(1):116.

Pederson LM, Nielsen GD, Cohr KH [1980]. Alcohol elimination rate after inhalation of oxitol (2-ethoxyethanol). *Z Rechtsmed* 85:199-203.

Popendorf W [1984]. Vapor pressure and solvent vapor hazards. *Am Ind Hyg Assoc J* 45:719-726.

Posner JC, Okenfuss JR [1981]. Desorption of organic analytes from activated carbon. 1. Factors affecting the process. *Am Ind Hyg Assoc J* 42:643-652.

Rigby J [1981]. The collection and identification of toxic volatiles from plastics under thermal stress. *Ann Occup Hyg* 24:331-345.

Romer KG, Balge F, Freundt KJ [1985]. Ethanol-induced accumulation of ethylene glycol monoalkyl ethers in rats. *Drug Chem Toxicol* 8:255-264.

Roudabush RL, Terhaar CJ, Fassett DW, Dziuba SP [1965]. Comparative acute effects of some chemicals on the skin of rabbits and guinea pigs. *Toxicol Appl Pharmacol* 7:559-565.

Rowe VK, McCollister DD, Spencer HC, Oyen F, Hollingsworth RL, Drill VA [1954]. Toxicology of mono-, di- and tri-propylene glycol methyl ethers. *AMA Arch Ind Hyg Occup Med* 9:509-525.

Sakurai H [1982]. Monitoring health effects due to hazardous working environment—organic solvents (in Japanese). *J Japan Med Assoc* 88:1193-1208.

Saparmamedov E [1974]. Toxicity of some simple ethylene glycol esters. *Zravookhranenie Turkmenistana* 18:26-31.

Saparmamedov E [1975]. The relative toxicities of the monomethyl and monoethyl ethers of ethylene glycol (MME) and (MEE) in single and repeated tests (report II). *Zravookhranenie Turkmenistana* 19(8):29-34.

Savolainen H [1980]. Glial cell toxicity of ethylene glycol monomethyl ether vapor. *Environ Res* 22:423-430.

Scheffers TML, Jongeneelen FJ, Bragt PC [1985]. Development of effect-specific limit values (ESLVs) for solvent mixtures in painting. *Ann Occup Hyg* 29(2):191-199.

Schuler RL, Hardin BD, Niemeier RW [1982]. *Drosophila* as a tool for the rapid assessment of chemicals for teratogenicity. *Teratogenesis Carcinog Mutagen* 2:293-301.

Scortichini BH, Quast JF, Rao KS [1987]. Teratologic evaluation of 2-phenoxyethanol in New Zealand white rabbits following dermal exposure. *Fund Appl Tox* 8:272-279.

Shideman FE, Procita P [1951]. The pharmacology of the monomethyl ethers of mono-, di- and tripropylene glycol in the dog with observations on the auricular fibrillation produced by these compounds. *J Pharmacol Exp Ther* 102:79-87.

Shopsis C, Sathé S [1984]. Uridine uptake inhibition as a cytotoxicity test: correlations with the Draize test. *Toxicology* 29:195-206.

Sidhu KS [1984]. The determination of environmental 2-ethoxyethanol by gas chromatography. *Arch Toxicol* 55:272-275.

Singh AR, Lawrence WH, Autian J [1974]. Mutagenic and antifertility sensitivities of mice to di-2-ethylhexyl phthalate (DEHP) and dimethoxyethyl phthalate (DMEP). *Toxicol Appl Pharmacol* 29:35-46.

Smith RL [1984]. Review of glycol ether and glycol ether ester solvents used in the coating industry. *Environ Health Perspect* 57:1-4.

Smyth HF, Carpenter CP, Weil CS, Pozzani UC, Striegel JA, Nycum JS [1969]. Range-finding toxicity data: list VII. *Am Ind Hyg Assoc J* 30:470-476.

SRI [1986]. 1986 directory of chemical producers, USA. Menlo Park, CA: Stanford Research Institute, SRI International.

Stenger EG, Aeppli L, Machemer I, Mueller D, Trokan J [1972]. On the toxicity of propyleneglycol-monomethyl-ether. *Arzneimittelforsch* 22:569-574.

Stewart RD, Baretta ED, Dodd HC, Torkelson TR [1970]. Experimental human exposure to vapor of propylene glycol monomethyl ether. *Arch Environ Health* 20:218-223.

Stott WT, McKenna MJ [1985]. Hydrolysis of several glycol ether acetates and acrylate esters by nasal mucosal carboxylesterase in vitro. *Fund Appl Toxicol* 5:399-404.

Sutton WL [1969]. Psychiatric disorders and industrial toxicology. *Inter Psych Clinics* 6:339-351.

Syravadko ON, Malysheva ZV [1977]. Work conditions and their effect on certain specific functions among women who are engaged in the production of enamel-insulated wire. *Gig Tr Prof Zabol* 4:25-28.

Tangredi G, Carbone U, Rossi L, Galdi A [1981]. Environmental conditions in a paint factory and effects on employee health (in Italian). *Riv Med Lav Ig Ind* 5(Oct-Dec):325-327.

Thompson ED, Coppinger WJ, Valencia R, Lavicoli J [1984]. Mutagenicity testing of diethylene glycol monobutyl ether. *Environ Health Perspect* 57:105-112.

Toftgard R, Gustafsson JA [1980]. Biotransformation of organic solvents. *Scand J Work Environ Health* 6:1-18.

Toraason M, Niemeier RW, Hardin BD [1986]. Calcium homeostasis in pregnant rats treated with ethylene glycol monomethyl ether (EGME). *Toxicol Appl Pharmacol* 86:197-203.

Tyler TR [1984]. Acute and subchronic toxicity of ethylene glycol monobutyl ether. *Environ Health Perspect* 57:185-191.

Valencia R, Mason JM, Zimmering S [1985]. Chemical mutagenesis testing in *Drosophila*: 3 results of 48 coded compounds tested for the National Toxicology Program. *Environ Mutagen* 7:325-348.

Vegh L [1985]. Propylene glycol ethers and propylene glycol ether acetate 'PMA' in coating applications. *Pigment and Resin Toxicol* 14:4-8.

Wahlberg JE, Boman A [1979]. Comparative percutaneous toxicity of ten industrial solvents in the guinea pig. *Scand J Work Environ Health* 5:345-351.

Wald PH, Jones JR [1987]. Semi-conductor manufacturing: an introduction to processes and hazards. *Am J Ind Med* 11:203-221.

Welsch F, Stedman DB [1984]. Inhibition of intercellular communication between normal human embryonal palatal mesenchyme cells by teratogenic glycol ethers. *Environ Health Perspect* 57:125-133.

Welsch F, Sleet RB, Greene JA [1987]. Attenuation of 2-methoxyethanol and methoxyacetic acid induced digit malformations in mice by simple physiological compounds: implications for the role of further metabolism of methoxyacetic acid in developmental toxicity. *Biochem Toxicol* 2:225-240.

Wickramaratne GA de S [1987]. The Chernoff-Kavlock assay: its validation and application in rats. *Teratogenesis Carcinog Mutagen* 7:73-83.

Wier PJ, Lewis CS, Traul KA [1987]. A comparison of developmental toxicity evident at term to postnatal growth and survival using ethylene glycol monoethyl ether, ethylene glycol monobutyl ether, and ethanol. *Teratogenesis Carcinog Mutagen* 7:55-64.

Winchester RV [1985]. Solvent exposure of workers during printing-ink manufacture. *Ann Occup Hyg* 29:517-519.

Zenick H, Oudiz D, Niewenhuis RJ [1984]. Spermatotoxicity associated with acute and subchronic ethoxyethanol treatment. *Environ Health Perspect* 57:225-231.